



**State of West Virginia  
Department of Administration  
Purchasing Division**

**NOTICE**

Due to the size of this bid, it was impractical to scan every page for online viewing. We have made an attempt to scan and publish all pertinent bid information. However, it is important to note that some pages were necessarily omitted.

If you would like to review the bid in its entirety, please contact the buyer. Thank you.

\*\*\*



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

**Solicitation**

NUMBER
7013EC07

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF:
ALAN CUMMINGS 304-558-2402

VENDOR

RFQ COPY  
 TYPE NAME/ADDRESS HERE

SHIPPING DEPARTMENT  
 (608) 328-8127  
 MONROE TRUCK EQUIPMENT, INC.  
 1051 W 7TH STREET  
 MONROE WI 53566

SHIP TO

DIVISION OF HIGHWAYS  
 EQUIPMENT DIVISION  
 ROUTE 33  
 BRUSHY FORK ROAD  
 BUCKHANNON, WV  
 26201 304-472-1750

DATE PRINTED
02/26/2013

BID OPENING DATE: 03/27/2013

BID OPENING TIME 1:30PM

LINE	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	1	EA		765-64	\$11,539.00	\$11,539.00
NINE CUBIC YARD STAINLESS STEEL  REQUEST FOR QUOTATION OPEN-END CONTRACT  THE WEST VIRGINIA STATE PURCHASING DIVISION FOR THE AGENCY, THE WEST VIRGINIA DIVISION OF HIGHWAYS, IS SOLICITING BIDS TO PROVIDE THE AGENCY WITH AN OPEN-END CONTRACT FOR NINE CUBIC YARD STAINLESS STEEL DEMOUNTABLE AND ABRASIVE CHEMICAL SPREADERS (HYDRAULIC) PER THE ATTACHED SPECIFICATIONS.						
***** THIS IS THE END OF RFQ 7013EC07 ***** TOTAL:						\$11,539.00

04/22/13 10:12:26 AM  
 West Virginia Purchasing Division

SIGNATURE <i>Don Rubin</i>	TELEPHONE 608-329-8168	DATE 04-19-2013
TITLE National Sales Mngr.	FERN 391133073	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO SOLICITATION, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

**INSTRUCTIONS TO VENDORS SUBMITTING BIDS**

1. **REVIEW DOCUMENTS THOROUGHLY:** The attached documents contain a solicitation for bids. Please read these instructions and all documents attached in their entirety. These instructions provide critical information about requirements that if overlooked could lead to disqualification of a Vendor's bid. All bids must be submitted in accordance with the provisions contained in these instructions and the Solicitation. Failure to do so may result in disqualification of Vendor's bid.
2. **MANDATORY TERMS:** The Solicitation may contain mandatory provisions identified by the use of the words "must," "will," and "shall." Failure to comply with a mandatory term in the Solicitation will result in bid disqualification.
3. **PREBID MEETING:** The item identified below shall apply to this Solicitation.

A pre-bid meeting will not be held prior to bid opening.

A **NON-MANDATORY PRE-BID** meeting will be held at the following place and time:

A **MANDATORY PRE-BID** meeting will be held at the following place and time:

West Virginia Purchasing Division - Bldg 15  
 2019 Washington Street, East  
 Charleston, WV 25305

03/14/2013 - 10:00 A.M.

All Vendors submitting a bid must attend the mandatory pre-bid meeting. Failure to attend the mandatory pre-bid meeting shall result in disqualification of the Vendor's bid. No one person attending the pre-bid meeting may represent more than one Vendor.

An attendance sheet provided at the pre-bid meeting shall serve as the official document verifying attendance. The State will not accept any other form of proof or documentation to verify attendance. Any person attending the pre-bid meeting on behalf of a Vendor must list on the attendance sheet his or her name and the name of the Vendor he or she is representing. Additionally, the person attending the pre-bid meeting should include the Vendor's E-Mail address, phone number, and Fax number on the attendance sheet. It is the Vendor's responsibility to locate the attendance sheet and provide the required

information. Failure to complete the attendance sheet as required may result in disqualification of Vendor's bid.

All Vendors should arrive prior to the starting time for the pre-bid. Vendors who arrive after the starting time but prior to the end of the pre-bid will be permitted to sign in, but are charged with knowing all matters discussed at the pre-bid.

Questions submitted at least five business days prior to a scheduled pre-bid will be discussed at the pre-bid meeting if possible. Any discussions or answers to questions at the pre-bid meeting are preliminary in nature and are non-binding. Official and binding answers to questions will be published in a written addendum to the Solicitation prior to bid opening.

- 4. **VENDOR QUESTION DEADLINE:** Vendors may submit questions relating to this Solicitation to the Purchasing Division. Questions must be submitted in writing. All questions must be submitted on or before the date listed below and to the address listed below in order to be considered. A written response will be published in a Solicitation addendum if a response is possible and appropriate. Non-written discussions, conversations, or questions and answers regarding this Solicitation are preliminary in nature and are non-binding.

Question Submission Deadline: 03/18/2013

Submit Questions to:

Alan Cummings  
 2019 Washington Street, East  
 P.O. Box 50130  
 Charleston, WV 25305  
 Fax: 304-558-3970  
 Email: Alan.W.Cummings@WV.Gov

- 5. **VERBAL COMMUNICATION:** Any verbal communication between the Vendor and any State personnel is not binding, including that made at the mandatory pre-bid conference. Only information issued in writing and added to the Solicitation by an official written addendum by the Purchasing Division is binding.
- 6. **BID SUBMISSION:** All bids must be signed and delivered by the Vendor to the Purchasing Division at the address listed below on or before the date and time of the bid opening. Any bid received by the Purchasing Division staff is considered to be in the possession of the Purchasing Division and will not be returned for any reason. The bid delivery address is:

Department of Administration, Purchasing Division  
 2019 Washington Street East  
 P.O. Box 50130,  
 Charleston, WV 25305-0130

The bid should contain the information listed below on the face of the envelope or the bid may not be considered:

SEALED BID     Alan Cummings  
 BUYER: \_\_\_\_\_  
 SOLICITATION NO.: 7013EC07  
 BID OPENING DATE: 4/24/13  
 BID OPENING TIME: 1:30pm  
 FAX NUMBER: 304 558 3970

In the event that Vendor is responding to a request for proposal, the Vendor shall submit one original technical and one original cost proposal plus  convenience copies of each to the Purchasing Division at the address shown above. Additionally, the Vendor should identify the bid type as either a technical or cost proposal on the face of each bid envelope submitted in response to a request for proposal as follows:

BID TYPE:     Technical  
                    Cost

- 7. **BID OPENING:** Bids submitted in response to this Solicitation will be opened at the location identified below on the date and time listed below. Delivery of a bid after the bid opening date and time will result in bid disqualification. For purposes of this Solicitation, a bid is considered delivered when time stamped by the official Purchasing Division time clock.

Bid Opening Date and Time:

Bid Opening Location: Department of Administration, Purchasing Division  
 2019 Washington Street East  
 P.O. Box 50130,  
 Charleston, WV 25305-0130

- 8. **ADDENDUM ACKNOWLEDGEMENT:** Changes or revisions to this Solicitation will be made by an official written addendum issued by the Purchasing Division. Vendor should acknowledge receipt of all addenda issued with this Solicitation by completing an Addendum Acknowledgment Form, a copy of which is included herewith. Failure to acknowledge addenda may result in bid disqualification. The addendum acknowledgement should be submitted with the bid to expedite document processing.
- 9. **BID FORMATTING:** Vendor should type or electronically enter the information onto its bid to prevent errors in the evaluation. Failure to type or electronically enter the information may result in bid disqualification.

**GENERAL TERMS AND CONDITIONS:**

1. **CONTRACTUAL AGREEMENT:** Issuance of a Purchase Order signed by the Purchasing Division Director, or his designee, and approved as to form by the Attorney General's office constitutes acceptance of this Contract made by and between the State of West Virginia and the Vendor. Vendor's signature on its bid signifies Vendor's agreement to be bound by and accept the terms and conditions contained in this Contract.
  
2. **DEFINITIONS:** As used in this Solicitation / Contract, the following terms shall have the meanings attributed to them below. Additional definitions may be found in the specifications included with this Solicitation / Contract.
  - 2.1 "Agency" or "Agencies" means the agency, board, commission, or other entity of the State of West Virginia that is identified on the first page of the Solicitation or any other public entity seeking to procure goods or services under this Contract.
  
  - 2.2 "Contract" means the binding agreement that is entered into between the State and the Vendor to provide the goods and services requested in the Solicitation.
  
  - 2.3 "Director" means the Director of the West Virginia Department of Administration, Purchasing Division.
  
  - 2.4 "Purchasing Division" means the West Virginia Department of Administration, Purchasing Division.
  
  - 2.5 "Purchase Order" means the document signed by the Agency and the Purchasing Division, and approved as to form by the Attorney General, that identifies the Vendor as the successful bidder and Contract holder.
  
  - 2.6 "Solicitation" means the official solicitation published by the Purchasing Division and identified by number on the first page thereof.
  
  - 2.7 "State" means the State of West Virginia and/or any of its agencies, commissions, boards, etc. as context requires.
  
  - 2.8 "Vendor" or "Vendors" means any entity submitting a bid in response to the Solicitation, the entity that has been selected as the lowest responsible bidder, or the entity that has been awarded the Contract as context requires.

3. **CONTRACT TERM; RENEWAL; EXTENSION:** The term of this Contract shall be determined in accordance with the category that has been identified as applicable to this Contract below:

**Term Contract**

**Initial Contract Term:** This Contract becomes effective on   
  
 and extends for a period of  year(s).

**Renewal Term:** This Contract may be renewed upon the mutual written consent of the Agency, and the Vendor, with approval of the Purchasing Division and the Attorney General's office (Attorney General approval is as to form only). Any request for renewal must be submitted to the Purchasing Division Director thirty (30) days prior to the expiration date of the initial contract term or appropriate renewal term. A Contract renewal shall be in accordance with the terms and conditions of the original contract. Renewal of this Contract is limited to  successive one (1) year periods. Automatic renewal of this Contract is prohibited. Notwithstanding the foregoing, Purchasing Division approval is not required on agency delegated or exempt purchases. Attorney General approval may be required for vendor terms and conditions.

**Reasonable Time Extension:** At the sole discretion of the Purchasing Division Director, and with approval from the Attorney General's office (Attorney General approval is as to form only), this Contract may be extended for a reasonable time after the initial Contract term or after any renewal term as may be necessary to obtain a new contract or renew this Contract. Any reasonable time extension shall not exceed twelve (12) months. Vendor may avoid a reasonable time extension by providing the Purchasing Division Director with written notice of Vendor's desire to terminate this Contract 30 days prior to the expiration of the then current term. During any reasonable time extension period, the Vendor may terminate this Contract for any reason upon giving the Purchasing Division Director 30 days written notice. Automatic extension of this Contract is prohibited. Notwithstanding the foregoing, Purchasing Division approval is not required on agency delegated or exempt purchases, but Attorney General approval may be required.

- Fixed Period Contract:** This Contract becomes effective upon Vendor's receipt of the notice to proceed and must be completed within  days.
- One Time Purchase:** The term of this Contract shall run from the issuance of the Purchase Order until all of the goods contracted for have been delivered, but in no event shall this Contract extend for more than one fiscal year.
- Other:** See attached.

4. **NOTICE TO PROCEED:** Vendor shall begin performance of this Contract immediately upon receiving notice to proceed unless otherwise instructed by the Agency. Unless otherwise specified, the fully executed Purchase Order will be considered notice to proceed
5. **QUANTITIES:** The quantities required under this Contract shall be determined in accordance with the category that has been identified as applicable to this Contract below.
- Open End Contract:** Quantities listed in this Solicitation are approximations only, based on estimates supplied by the Agency. It is understood and agreed that the Contract shall cover the quantities actually ordered for delivery during the term of the Contract, whether more or less than the quantities shown.
  - Service:** The scope of the service to be provided will be more clearly defined in the specifications included herewith.
  - Combined Service and Goods:** The scope of the service and deliverable goods to be provided will be more clearly defined in the specifications included herewith.
  - One Time Purchase:** This Contract is for the purchase of a set quantity of goods that are identified in the specifications included herewith. Once those items have been delivered, no additional goods may be procured under this Contract without an appropriate change order approved by the Vendor, Agency, Purchasing Division, and Attorney General's office.
6. **PRICING:** The pricing set forth herein is firm for the life of the Contract, unless specified elsewhere within this Solicitation/Contract by the State. A Vendor's inclusion of price adjustment provisions in its bid, without an express authorization from the State in the Solicitation to do so, may result in bid disqualification.
7. **EMERGENCY PURCHASES:** The Purchasing Division Director may authorize the Agency to purchase goods or services in the open market that Vendor would otherwise provide under this Contract if those goods or services are for immediate or expedited delivery in an emergency. Emergencies shall include, but are not limited to, delays in transportation or an unanticipated increase in the volume of work. An emergency purchase in the open market, approved by the Purchasing Division Director, shall not constitute a breach of this Contract and shall not entitle the Vendor to any form of compensation or damages. This provision does not excuse the State from fulfilling its obligations under a One Time Purchase contract.
8. **REQUIRED DOCUMENTS:** All of the items checked below must be provided to the Purchasing Division by the Vendor as specified below.
- BID BOND:** All Vendors shall furnish a bid bond in the amount of five percent (5%) of the total amount of the bid protecting the State of West Virginia. The bid bond must be submitted with the bid.



| | **PERFORMANCE BOND:** The apparent successful Vendor shall provide a performance bond in the amount of [ ] . The performance bond must be issued and received by the Purchasing Division prior to Contract award. On construction contracts, the performance bond must be 100% of the Contract value.

| | **LABOR/MATERIAL PAYMENT BOND:** The apparent successful Vendor shall provide a labor/material payment bond in the amount of 100% of the Contract value. The labor/material payment bond must be issued and delivered to the Purchasing Division prior to Contract award.

In lieu of the Bid Bond, Performance Bond, and Labor/Material Payment Bond, the Vendor may provide certified checks, cashier's checks, or irrevocable letters of credit. Any certified check, cashier's check, or irrevocable letter of credit provided in lieu of a bond must be of the same amount and delivered on the same schedule as the bond it replaces. A letter of credit submitted in lieu of a performance and labor/material payment bond will only be allowed for projects under \$100,000. Personal or business checks are not acceptable.

| | **MAINTENANCE BOND:** The apparent successful Vendor shall provide a two (2) year maintenance bond covering the roofing system. The maintenance bond must be issued and delivered to the Purchasing Division prior to Contract award.

| | **WORKERS' COMPENSATION INSURANCE:** The apparent successful Vendor shall have appropriate workers' compensation insurance and shall provide proof thereof upon request.

| | **INSURANCE:** The apparent successful Vendor shall furnish proof of the following insurance prior to Contract award:

| | **Commercial General Liability Insurance:**  
[ ] or more.

| | **Builders Risk Insurance:** builders risk - all risk insurance in an amount equal to 100% of the amount of the Contract.

| | [ ]

| | [ ]

| | [ ]

| | [ ]

| | [ ]

The apparent successful Vendor shall also furnish proof of any additional insurance requirements contained in the specifications prior to Contract award regardless of whether or not that insurance requirement is listed above.

**LICENSE(S) / CERTIFICATIONS / PERMITS:** In addition to anything required under the Section entitled Licensing, of the General Terms and Conditions, the apparent successful Vendor shall furnish proof of the following licenses, certifications, and/or permits prior to Contract award, in a form acceptable to the Purchasing Division.

[ ]	
[ ]	
[ ]	
[ ]	

The apparent successful Vendor shall also furnish proof of any additional licenses or certifications contained in the specifications prior to Contract award regardless of whether or not that requirement is listed above.

**9. LITIGATION BOND:** The Director reserves the right to require any Vendor that files a protest of an award to submit a litigation bond in the amount equal to one percent of the lowest bid submitted or \$5,000, whichever is greater. The entire amount of the bond shall be forfeited if the hearing officer determines that the protest was filed for frivolous or improper purpose, including but not limited to, the purpose of harassing, causing unnecessary delay, or needless expense for the Agency. All litigation bonds shall be made payable to the Purchasing Division. In lieu of a bond, the protester may submit a cashier's check or certified check payable to the Purchasing Division. Cashier's or certified checks will be deposited with and held by the State Treasurer's office. If it is determined that the protest has not been filed for frivolous or improper purpose, the bond or deposit shall be returned in its entirety.

**10. ALTERNATES:** Any model, brand, or specification listed herein establishes the acceptable level of quality only and is not intended to reflect a preference for, or in any way favor, a particular brand or vendor. Vendors may bid alternates to a listed model or brand provided that the alternate is at least equal to the model or brand and complies with the required specifications. The equality of any alternate being bid shall be determined by the State at its sole discretion. Any Vendor bidding an alternate model or brand should clearly identify the alternate items in its bid and should include manufacturer's specifications, industry literature, and/or any other relevant documentation demonstrating the equality of the alternate items. Failure to provide information for alternate items may be grounds for rejection of a Vendor's bid.

**11. EXCEPTIONS AND CLARIFICATIONS:** The Solicitation contains the specifications that shall form the basis of a contractual agreement. Vendor shall clearly mark any exceptions, clarifications, or

other proposed modifications in its bid. Exceptions to, clarifications of, or modifications of a requirement or term and condition of the Solicitation may result in bid disqualification.

**12. LIQUIDATED DAMAGES:** Vendor shall pay liquidated damages in the amount

n/a

for n/a

This clause shall in no way be considered exclusive and shall not limit the State or Agency's right to pursue any other available remedy.

**13. ACCEPTANCE/REJECTION:** The State may accept or reject any bid in whole, or in part. Vendor's signature on its bid signifies acceptance of the terms and conditions contained in the Solicitation and Vendor agrees to be bound by the terms of the Contract, as reflected in the Purchase Order, upon receipt.

**14. REGISTRATION:** Prior to Contract award, the apparent successful Vendor must be properly registered with the West Virginia Purchasing Division and must have paid the \$125 fee if applicable.

**15. COMMUNICATION LIMITATIONS:** In accordance with West Virginia Code of State Rules §148-1-6.6, communication with the State of West Virginia or any of its employees regarding this Solicitation during the solicitation, bid, evaluation or award periods, except through the Purchasing Division, is strictly prohibited without prior Purchasing Division approval. Purchasing Division approval for such communication is implied for all agency delegated and exempt purchases.

**16. FUNDING:** This Contract shall continue for the term stated herein, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise made available, this Contract becomes void and of no effect beginning on July 1 of the fiscal year for which funding has not been appropriated or otherwise made available.

**17. PAYMENT:** Payment in advance is prohibited under this Contract. Payment may only be made after the delivery and acceptance of goods or services. The Vendor shall submit invoices, in arrears, to the Agency at the address on the face of the purchase order labeled "Invoice To."

**18. UNIT PRICE:** Unit prices shall prevail in cases of a discrepancy in the Vendor's bid.

**19. DELIVERY:** All quotations are considered freight on board destination ("F.O.B. destination") unless alternate shipping terms are clearly identified in the bid. Vendor's listing of shipping terms that contradict the shipping terms expressly required by this Solicitation may result in bid disqualification.

**20. INTEREST:** Interest attributable to late payment will only be permitted if authorized by the West Virginia Code. Presently, there is no provision in the law for interest on late payments.

**21. PREFERENCE:** Vendor Preference may only be granted upon written request and only in accordance with the West Virginia Code § 5A-3-37 and the West Virginia Code of State Rules. A Resident Vendor Certification form has been attached hereto to allow Vendor to apply for the preference. Vendor's

failure to submit the Resident Vendor Certification form with its bid will result in denial of Vendor Preference. Vendor Preference does not apply to construction projects.

22. **SMALL, WOMEN-OWNED, OR MINORITY-OWNED BUSINESSES:** For any solicitations publicly advertised for bid on or after July 1, 2012, in accordance with West Virginia Code §5A-3-37(a)(7) and W. Va. CSR § 148-22-9, any non-resident vendor certified as a small, women-owned, or minority-owned business under W. Va. CSR § 148-22-9 shall be provided the same preference made available to any resident vendor. Any non-resident small, women-owned, or minority-owned business must identify itself as such in writing, must submit that writing to the Purchasing Division with its bid, and must be properly certified under W. Va. CSR § 148-22-9 prior to submission of its bid to receive the preferences made available to resident vendors. Preference for a non-resident small, women-owned, or minority owned business shall be applied in accordance with W. Va. CSR § 148-22-9.
23. **TAXES:** The Vendor shall pay any applicable sales, use, personal property or any other taxes arising out of this Contract and the transactions contemplated thereby. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
24. **CANCELLATION:** The Purchasing Division Director reserves the right to cancel this Contract immediately upon written notice to the vendor if the materials or workmanship supplied do not conform to the specifications contained in the Contract. The Purchasing Division Director may cancel any purchase or Contract upon 30 days written notice to the Vendor in accordance with West Virginia Code of State Rules § 148-1-7.16.2.
25. **WAIVER OF MINOR IRREGULARITIES:** The Director reserves the right to waive minor irregularities in bids or specifications in accordance with West Virginia Code of State Rules § 148-1-4.6.
26. **TIME:** Time is of the essence with regard to all matters of time and performance in this Contract.
27. **APPLICABLE LAW:** This Contract is governed by and interpreted under West Virginia law without giving effect to its choice of law principles. Any information provided in specification manuals, or any other source, verbal or written, which contradicts or violates the West Virginia Constitution, West Virginia Code or West Virginia Code of State Rules is void and of no effect.
28. **COMPLIANCE:** Vendor shall comply with all applicable federal, state, and local laws, regulations and ordinances. By submitting a bid, Vendors acknowledge that they have reviewed, understand, and will comply with all applicable law.
29. **PREVAILING WAGE:** On any contract for the construction of a public improvement, Vendor and any subcontractors utilized by Vendor shall pay a rate or rates of wages which shall not be less than the fair minimum rate or rates of wages (prevailing wage), as established by the West Virginia Division of Labor under West Virginia Code §§ 21-5A-1 et seq. and available at <http://www.sos.wv.gov/administrative-law/wagerates/Pages/default.aspx>. Vendor shall be responsible for ensuring compliance with prevailing wage requirements and determining when prevailing wage

requirements are applicable. The required contract provisions contained in West Virginia Code of State Rules § 42-7-3 are specifically incorporated herein by reference.

- 30. ARBITRATION:** Any references made to arbitration contained in this Contract, Vendor's bid, or in any American Institute of Architects documents pertaining to this Contract are hereby deleted, void, and of no effect.
- 31. MODIFICATIONS:** This writing is the parties' final expression of intent. Notwithstanding anything contained in this Contract to the contrary, no modification of this Contract shall be binding without mutual written consent of the Agency, and the Vendor, with approval of the Purchasing Division and the Attorney General's office (Attorney General approval is as to form only). **No Change shall be implemented by the Vendor until such time as the Vendor receives an approved written change order from the Purchasing Division.**
- 32. WAIVER:** The failure of either party to insist upon a strict performance of any of the terms or provision of this Contract, or to exercise any option, right, or remedy herein contained, shall not be construed as a waiver or a relinquishment for the future of such term, provision, option, right, or remedy, but the same shall continue in full force and effect. Any waiver must be expressly stated in writing and signed by the waiving party.
- 33. SUBSEQUENT FORMS:** The terms and conditions contained in this Contract shall supersede any and all subsequent terms and conditions which may appear on any form documents submitted by Vendor to the Agency or Purchasing Division such as price lists, order forms, invoices, sales agreements, or maintenance agreements, and includes internet websites or other electronic documents. Acceptance or use of Vendor's forms does not constitute acceptance of the terms and conditions contained thereon.
- 34. ASSIGNMENT:** Neither this Contract nor any monies due, or to become due hereunder, may be assigned by the Vendor without the express written consent of the Agency, the Purchasing Division, the Attorney General's office (as to form only), and any other government agency or office that may be required to approve such assignments. Notwithstanding the foregoing, Purchasing Division approval may or may not be required on certain agency delegated or exempt purchases.
- 35. WARRANTY:** The Vendor expressly warrants that the goods and/or services covered by this Contract will: (a) conform to the specifications, drawings, samples, or other description furnished or specified by the Agency; (b) be merchantable and fit for the purpose intended; and (c) be free from defect in material and workmanship.
- 36. STATE EMPLOYEES:** State employees are not permitted to utilize this Contract for personal use and the Vendor is prohibited from permitting or facilitating the same.
- 37. BANKRUPTCY:** In the event the Vendor files for bankruptcy protection, the State of West Virginia may deem this Contract null and void, and terminate this Contract without notice.

- 38. HIPAA BUSINESS ASSOCIATE ADDENDUM:** The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, is available online at <http://www.state.wv.us/admin/purchase/vrc/hipaa.html> and is hereby made part of the agreement provided that the Agency meets the definition of a Covered entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the Vendor.
- 39. CONFIDENTIALITY:** The Vendor agrees that it will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the Agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the Agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in <http://www.state.wv.us/admin/purchase/privacy/default.html>.
- 40. DISCLOSURE:** Vendor's response to the Solicitation and the resulting Contract are considered public documents and will be disclosed to the public in accordance with the laws, rules, and policies governing the West Virginia Purchasing Division. Those laws include, but are not limited to, the Freedom of Information Act found in West Virginia Code § 29B-1-1 et seq.

If a Vendor considers any part of its bid to be exempt from public disclosure, Vendor must so indicate by specifically identifying the exempt information, identifying the exemption that applies, providing a detailed justification for the exemption, segregating the exempt information from the general bid information, and submitting the exempt information as part of its bid but in a segregated and clearly identifiable format. Failure to comply with the foregoing requirements will result in public disclosure of the Vendor's bid without further notice. A Vendor's act of marking all or nearly all of its bid as exempt is not sufficient to avoid disclosure and WILL NOT BE HONORED. Vendor's act of marking a bid or any part thereof as "confidential" or "proprietary" is not sufficient to avoid disclosure and WILL NOT BE HONORED. In addition, a legend or other statement indicating that all or substantially all of the bid is exempt from disclosure is not sufficient to avoid disclosure and WILL NOT BE HONORED. Vendor will be required to defend any claimed exemption for nondisclosure in the event of an administrative or judicial challenge to the State's nondisclosure. Vendor must indemnify the State for any costs incurred related to any exemptions claimed by Vendor. Any questions regarding the applicability of the various public records laws should be addressed to your own legal counsel prior to bid submission.

- 41. LICENSING:** In accordance with West Virginia Code of State Rules §148-1-6.1.7, Vendor must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agency or political subdivision. Upon request, the Vendor must provide all necessary releases to obtain information to enable the Purchasing Division Director or the Agency to verify that the Vendor is licensed and in good standing with the above entities.

42. **ANTITRUST:** In submitting a bid to, signing a contract with, or accepting a Purchase Order from any agency of the State of West Virginia, the Vendor agrees to convey, sell, assign, or transfer to the State of West Virginia all rights, title, and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to Vendor.
43. **VENDOR CERTIFICATIONS:** By signing its bid or entering into this Contract, Vendor certifies (1) that its bid was made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership, person or entity submitting a bid for the same material, supplies, equipment or services; (2) that its bid is in all respects fair and without collusion or fraud; (3) that this Contract is accepted or entered into without any prior understanding, agreement, or connection to any other entity that could be considered a violation of law; and (4) that it has reviewed this RFQ in its entirety; understands the requirements, terms and conditions, and other information contained herein. Vendor's signature on its bid also affirms that neither it nor its representatives have any interest, nor shall acquire any interest, direct or indirect, which would compromise the performance of its services hereunder. Any such interests shall be promptly presented in detail to the Agency.

The individual signing this bid on behalf of Vendor certifies that he or she is authorized by the Vendor to execute this bid or any documents related thereto on Vendor's behalf; that he or she is authorized to bind the Vendor in a contractual relationship; and that, to the best of his or her knowledge, the Vendor has properly registered with any State agency that may require registration.

44. **PURCHASING CARD ACCEPTANCE:** The State of West Virginia currently utilizes a Purchasing Card program, administered under contract by a banking institution, to process payment for goods and services. The Vendor must accept the State of West Virginia's Purchasing Card for payment of all orders under this Contract unless the box below is checked.

Vendor is not required to accept the State of West Virginia's Purchasing Card as payment for all goods and services.

45. **VENDOR RELATIONSHIP:** The relationship of the Vendor to the State shall be that of an independent contractor and no principal-agent relationship or employer-employee relationship is contemplated or created by this Contract. The Vendor as an independent contractor is solely liable for the acts and omissions of its employees and agents. Vendor shall be responsible for selecting, supervising, and compensating any and all individuals employed pursuant to the terms of this Solicitation and resulting contract. Neither the Vendor, nor any employees or subcontractors of the Vendor, shall be deemed to be employees of the State for any purpose whatsoever. Vendor shall be exclusively responsible for payment of employees and contractors for all wages and salaries, taxes, withholding payments, penalties, fees, fringe benefits, professional liability insurance premiums, contributions to insurance and pension, or other deferred compensation plans, including but not limited to, Workers' Compensation and Social Security obligations, licensing fees, *etc.* and the filing of all necessary documents, forms and returns pertinent to all of the foregoing. Vendor shall hold harmless the

State, and shall provide the State and Agency with a defense against any and all claims including, but not limited to, the foregoing payments, withholdings, contributions, taxes, Social Security taxes, and employer income tax returns.

- 46. INDEMNIFICATION:** The Vendor agrees to indemnify, defend, and hold harmless the State and the Agency, their officers, and employees from and against: (1) Any claims or losses for services rendered by any subcontractor, person, or firm performing or supplying services, materials, or supplies in connection with the performance of the Contract; (2) Any claims or losses resulting to any person or entity injured or damaged by the Vendor, its officers, employees, or subcontractors by the publication, translation, reproduction, delivery, performance, use, or disposition of any data used under the Contract in a manner not authorized by the Contract, or by Federal or State statutes or regulations; and (3) Any failure of the Vendor, its officers, employees, or subcontractors to observe State and Federal laws including, but not limited to, labor and wage and hour laws.
- 47. PURCHASING AFFIDAVIT:** In accordance with West Virginia Code § 5A-3-10a, all Vendors are required to sign, notarize, and submit the Purchasing Affidavit stating that neither the Vendor nor a related party owe a debt to the State in excess of \$1,000. The affidavit must be submitted prior to award, but should be submitted with the Vendor's bid. A copy of the Purchasing Affidavit is included herewith.
- 48. ADDITIONAL AGENCY AND LOCAL GOVERNMENT USE:** This Contract may be utilized by and extends to other agencies, spending units, and political subdivisions of the State of West Virginia; county, municipal, and other local government bodies; and school districts ("Other Government Entities"). This Contract shall be extended to the aforementioned Other Government Entities on the same prices, terms, and conditions as those offered and agreed to in this Contract. If the Vendor does not wish to extend the prices, terms, and conditions of its bid and subsequent contract to the Other Government Entities, the Vendor must clearly indicate such refusal in its bid. A refusal to extend this Contract to the Other Government Entities shall not impact or influence the award of this Contract in any manner.
- 49. CONFLICT OF INTEREST:** Vendor, its officers or members or employees, shall not presently have or acquire any interest, direct or indirect, which would conflict with or compromise the performance of its obligations hereunder. Vendor shall periodically inquire of its officers, members and employees to ensure that a conflict of interest does not arise. Any conflict of interest discovered shall be promptly presented in detail to the Agency.
- 50. REPORTS:** Vendor shall provide the Agency and/or the Purchasing Division with the following reports identified by a checked box below:
- Such reports as the Agency and/or the Purchasing Division may request. Requested reports may include, but are not limited to, quantities purchased, agencies utilizing the contract, total contract expenditures by agency, etc.



- | | Quarterly reports detailing the total quantity of purchases in units and dollars, along with a listing of purchases by agency. Quarterly reports should be delivered to the Purchasing Division via email at [purchasing.requisitions@wv.gov](mailto:purchasing.requisitions@wv.gov).

**51. BACKGROUND CHECK:** In accordance with W. Va. Code § 15-2D-3, the Director of the Division of Protective Services shall require any service provider whose employees are regularly employed on the grounds or in the buildings of the Capitol complex or who have access to sensitive or critical information to submit to a fingerprint-based state and federal background inquiry through the state repository. The service provider is responsible for any costs associated with the fingerprint-based state and federal background inquiry.

After the contract for such services has been approved, but before any such employees are permitted to be on the grounds or in the buildings of the Capitol complex or have access to sensitive or critical information, the service provider shall submit a list of all persons who will be physically present and working at the Capitol complex to the Director of the Division of Protective Services for purposes of verifying compliance with this provision.

The State reserves the right to prohibit a service provider's employees from accessing sensitive or critical information or to be present at the Capitol complex based upon results addressed from a criminal background check.

Service providers should contact the West Virginia Division of Protective Services by phone at (304) 558-9911 for more information.

**52. PREFERENCE FOR USE OF DOMESTIC STEEL PRODUCTS:** Except when authorized by the Director of the Purchasing Division pursuant to W. Va. Code § 5A-3-56, no contractor may use or supply steel products for a State Contract Project other than those steel products made in the United States. A contractor who uses steel products in violation of this section may be subject to civil penalties pursuant to W. Va. Code § 5A-3-56. As used in this section:

- a. "State Contract Project" means any erection or construction of, or any addition to, alteration of or other improvement to any building or structure, including, but not limited to, roads or highways, or the installation of any heating or cooling or ventilating plants or other equipment, or the supply of and materials for such projects, pursuant to a contract with the State of West Virginia for which bids were solicited on or after June 6, 2001.
- b. "Steel Products" means products rolled, formed, shaped, drawn, extruded, forged, cast, fabricated or otherwise similarly processed, or processed by a combination of two or more or such operations, from steel made by the open heath, basic oxygen, electric furnace, Bessemer or other steel making process.

The Purchasing Division Director may, in writing, authorize the use of foreign steel products if:

- a. The cost for each contract item used does not exceed one tenth of one percent (.1%) of the total

contract cost or two thousand five hundred dollars (\$2,500.00), whichever is greater. For the purposes of this section, the cost is the value of the steel product as delivered to the project; or

- b. The Director of the Purchasing Division determines that specified steel materials are not produced in the United States in sufficient quantity or otherwise are not reasonably available to meet contract requirements.

**53. PREFERENCE FOR USE OF DOMESTIC ALUMINUM, GLASS, AND STEEL:** In Accordance with W. Va. Code § 5-19-1 et seq., and W. Va. CSR § 148-10-1 et seq., for every contract or subcontract, subject to the limitations contained herein, for the construction, reconstruction, alteration, repair, improvement or maintenance of public works or for the purchase of any item of machinery or equipment to be used at sites of public works, only domestic aluminum, glass or steel products shall be supplied unless the spending officer determines, in writing, after the receipt of offers or bids, (1) that the cost of domestic aluminum, glass or steel products is unreasonable or inconsistent with the public interest of the State of West Virginia, (2) that domestic aluminum, glass or steel products are not produced in sufficient quantities to meet the contract requirements, or (3) the available domestic aluminum, glass, or steel do not meet the contract specifications. This provision only applies to public works contracts awarded in an amount more than fifty thousand dollars (\$50,000) or public works contracts that require more than ten thousand pounds of steel products.

The cost of domestic aluminum, glass, or steel products may be unreasonable if the cost is more than twenty percent (20%) of the bid or offered price for foreign made aluminum, glass, or steel products. If the domestic aluminum, glass or steel products to be supplied or produced in a "substantial labor surplus area", as defined by the United States Department of Labor, the cost of domestic aluminum, glass, or steel products may be unreasonable if the cost is more than thirty percent (30%) of the bid or offered price for foreign made aluminum, glass, or steel products.

This preference shall be applied to an item of machinery or equipment, as indicated above, when the item is a single unit of equipment or machinery manufactured primarily of aluminum, glass or steel, is part of a public works contract and has the sole purpose or of being a permanent part of a single public works project. This provision does not apply to equipment or machinery purchased by a spending unit for use by that spending unit and not as part of a single public works project.

All bids and offers including domestic aluminum, glass or steel products that exceed bid or offer prices including foreign aluminum, glass or steel products after application of the preferences provided in this provision may be reduced to a price equal to or lower than the lowest bid or offer price for foreign aluminum, glass or steel products plus the applicable preference. If the reduced bid or offer prices are made in writing and supersede the prior bid or offer prices, all bids or offers, including the reduced bid or offer prices, will be reevaluated in accordance with this rule.

**CERTIFICATION AND SIGNATURE PAGE**

By signing below, I certify that I have reviewed this Solicitation in its entirety; understand the requirements, terms and conditions, and other information contained herein; that I am submitting this bid or proposal for review and consideration; that I am authorized by the bidder to execute this bid or any documents related thereto on bidder's behalf; that I am authorized to bind the bidder in a contractual relationship; and that to the best of my knowledge, the bidder has properly registered with any State agency that may require registration.

Monroe Truck Equipment, Inc.

\_\_\_\_\_  
(Company)

*Don Gerber*  
\_\_\_\_\_  
(Authorized Signature)

Don Gerber, National Sales Manager

\_\_\_\_\_  
(Representative Name, Title)

608-329-8168

608-328-8390

\_\_\_\_\_  
(Phone Number)

\_\_\_\_\_  
(Fax Number)

*04-19-2013*  
\_\_\_\_\_  
(Date)

**ADDENDUM ACKNOWLEDGEMENT FORM**

**SOLICITATION NO.:** 7013EC07

**Instructions:** Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

**Acknowledgment:** I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

**Addendum Numbers Received:**

(Check the box next to each addendum received)

- |  |  |
|--|--|
| <input checked="" type="checkbox"/> Addendum No. 1 | <input type="checkbox"/> Addendum No. 6  |
| <input checked="" type="checkbox"/> Addendum No. 2 | <input type="checkbox"/> Addendum No. 7  |
| <input checked="" type="checkbox"/> Addendum No. 3 | <input type="checkbox"/> Addendum No. 8  |
| <input type="checkbox"/> Addendum No. 4            | <input type="checkbox"/> Addendum No. 9  |
| <input type="checkbox"/> Addendum No. 5            | <input type="checkbox"/> Addendum No. 10 |

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

Monroe Truck Equipment, Inc.

Company  
  
 Authorized Signature

04-19-2013  
 Date

NOTE: This addendum acknowledgment should be submitted with the bid to expedite document processing.

REQUEST FOR QUOTATION  
RFQ 7013EC07 013 CLASS NINE CUBIC YARD STAINLESS STEEL  
DEMOUNTABLE & ABRASIVE CHEMICAL SPREADER (HYDRAULIC)

---

20

SPECIFICATIONS

1. **PURPOSE AND SCOPE:** The West Virginia Purchasing Division is soliciting bids On behalf of the West Virginia Division of Highways, Department of Transportation to establish an open-end contract for Nine Cubic Yard Stainless Steel Demountable and Abrasive Chemical Spreader (Hydraulic).
  
2. **DEFINITIONS:** The terms listed below shall have the meanings assigned to them below. Additional definitions can be found in section 2 of the General Terms and Conditions.
  - 2.1 “Contract Item” or “Contract Items” means the list of items identified in Section 3, Subsection 1 below.
  - 2.2 “Pricing Pages” means the schedule of prices, estimated order quantity, and totals attached hereto as Exhibit A and used to evaluate the RFQ.
  - 2.3 “RFQ” means the official request for quotation published by the Purchasing Division and identified as 7013EC07.
  - 2.4 “DOH” means Division of Highways.
  
3. **GENERAL REQUIREMENTS:**
  - 3.1 **Contract Items and Mandatory Requirements:** Vendor shall provide Agency with the contract Items listed below on an open-end and continuing basis. Contract items must meet or exceed the mandatory requirements as shown below.
    - 3.1.1 **General – Nine Cubic Yard Stainless Steel Demountable and Abrasive Chemical Spreader (Hydraulic) general mandatory requirements.**
      - 3.1.1.1 Spreader offered shall be of the commercial heavy-duty, self-contained, hopper type.
      - 3.1.1.2 Spreader shall consist of a 12 gauge 201 stainless steel body, feeder conveyor, spinner disc, power drive, and all components necessary to make a complete operating unit.

REQUEST FOR QUOTATION  
RFQ 7013EC07 013 CLASS NINE CUBIC YARD STAINLESS STEEL  
DEMOUNTABLE & ABRASIVE CHEMICAL SPREADER (HYDRAULIC)

---

3.1.1.3 Spreader shall be capable of uniformly spreading sand, cinders, salt, calcium chloride, or other mixtures up to a width of forty (40) feet.

**3.1.2 Body** - The following are mandatory requirements related to the body of the spreader.

3.1.2.1 The body shall be of 201 stainless steel construction 100% welded inside and outside of the body.

3.1.2.2 The struck capacity shall be within the range of 8.7 – 9.3 cubic yards minimum.

3.1.2.3 Inside length shall be 13 feet as measured from front of spreader hopper to the rear hopper gate and conveyor chain exit point.

3.1.2.4 The body sides must slope at minimum 45 degree pitch to insure free flow of materials to the conveyor.

3.1.2.5 The body sides and end-gates shall be constructed with minimum 12 gauge 201 stainless steel.

3.1.2.6 Sills shall be a minimum of 10 gauge 304 stainless steel with longitudinal flanges supported on rectangular formed cross sills.

3.1.2.7 The body shall be provided with four (4) 201 stainless steel 5/8 inch round lifting eyes. The inside eye opening shall be designed to allow the passage of an alloy eye type Grade 80' 3/8 inch grab hook with a width dimension of 2 11/16 inch (with the top screen down in the rest position on top of the spreader). Two (2) of the lifting eyes shall be on each side of spreader mounted and secured in such a manner that the entire unit may be safely lifted for storage/installation purposes.

3.1.2.8 Overall Height shall be 59 inches maximum.

3.1.2.9 Inside width shall be 82 inches maximum.

**3.1.3 Hardware** – The following are mandatory requirements related to necessary hardware for the spreader.

3.1.3.1 All necessary hardware shall be stainless steel.

REQUEST FOR QUOTATION  
RFQ 7013EC07 013 CLASS NINE CUBIC YARD STAINLESS STEEL  
DEMOUNTABLE & ABRASIVE CHEMICAL SPREADER (HYDRAULIC)

---

3.1.3.2 Stainless steel cab shield shall extend 13 inches in front of hopper at 45 degrees.

3.1.3.3 A 300 series stainless steel grab handle must be mounted to the drivers side spill shield side plate at a convenient location to assist operator when climbing atop spreader to remove "chunks or debris".

3.1.3.4 A fold up stainless steel ladder shall be mounted on rear of spreader body at right for easier access to top.

3.1.3.5 A 300 series stainless steel grip strut step plate shall be mounted on rear of spreader "spinner" housing frame, above rear baffle, full width of spinner housing.

**3.1.4 Conveyor** – The following are mandatory requirements related to the conveyor of the spreader.

3.1.4.1 The conveyor shall be located in bottom of hopper capable of engaging material along its full length and moving the material to the rear adjustable metering gate.

3.1.4.2 Conveyor shall be continuous ladder type consisting of two (2) parallel chains with cross bars on 4 ½" centers made of ¼" x 1-1/2" steel.

3.1.4.3 Each cross bar shall be formed and welded both top and bottom to chain links.

3.1.4.4 Tensile strength of each chain strand shall be 21,000 pounds minimum.

3.1.4.5 Overall width of chain conveyor shall be 20 inches minimum.

3.1.4.6 Replaceable rubber wear strips to prevent contact of material being spread with the chain must be provided.

3.1.4.7 A 10 gauge 201 stainless steel heavy-duty replaceable conveyor plate shall be fitted.

3.1.4.8 Conveyor shall have adjustment provisions at rear of spreader for at least 3" lateral take up.

REQUEST FOR QUOTATION  
RFQ 7013EC07 013 CLASS NINE CUBIC YARD STAINLESS STEEL  
DEMOUNTABLE & ABRASIVE CHEMICAL SPREADER (HYDRAULIC)

---

3.1.4.9 The material composition of the adjustment mechanism shall be stainless steel.

3.1.4.10 The conveyor drive motor shall be mounted on rear of the reduction gear box and have a ratio of approximately 50 – 1.

3.1.4.11 Conveyor gear box motor shall have an integral speed sensor.

3.1.4.12 Any and all exposed moving or rotating mass shall be adequately shielded in order to protect personnel while performing required operational adjustments, such shielding shall include gear box extended input shaft when rate sensor is installed.

3.1.4.13 The pintle conveyor chain shall be heat treated formed links with locked, non-turning pins.

3.1.4.14 Feedgate opening shall be 12” high x 18” wide.

**3.1.5 Distributor Spinner Assembly** – The following are mandatory requirements related to the distributor spinner assembly.

3.1.5.1 The distributor disc shall be of urethane material minimum 20” in diameter and equipped with six (6) fins (approximately) designed to obtain a controlled spread of four (4’) to forty feet (40’).

3.1.5.2 Material shall be guided from conveyor end to distributor disc by means of an externally adjustable material flow baffles, enclosed within the chute.

3.1.5.3 Spinner shall be vertically adjustable minimum 18 inches and provide minimum 20 inch to 38 inch spinner position below the mounting surface.

3.1.5.4 A deflector baffle or diverter chute shall be provided in the enclosed distributor spinner hopper assembly so it can be positioned in such a manner that material can be unloaded from spreader without striking spinner. **NOTE:** Flip up chute is not acceptable.

**3.1.6 Baffles** – The following are mandatory requirements related to baffles.

3.1.6.1 Baffles shall be provided to control direction and width of spread.



REQUEST FOR QUOTATION  
RFQ 7013EC07 013 CLASS NINE CUBIC YARD STAINLESS STEEL  
DEMOUNTABLE & ABRASIVE CHEMICAL SPREADER (HYDRAULIC)

---

3.1.6.2 Baffle sections must be easily adjusted in desired position, from full down to horizontal, without use of tool.

**3.1.7 Power Drive** – The following are mandatory requirements related to the power drive.

3.1.7.1 The power drive shall be hydraulic having two (2) hydraulic motors, one (1) powering the spinner and one (1) the conveyer.

**3.1.8 Screen Over Hopper** – The following are mandatory requirements related to the screen.

3.1.8.1 A minimum of four (4) sectional screens shall be hinged to a 10 gauge 201 stainless steel 4 inch x 6 inch formed box beam running longitudinally the full length of spreader hopper.

**3.1.9 Lighting** – The following are mandatory requirements related to the lights.

3.1.9.1 Stop, tail, turn combination lights and marker lights shall be shielded.

3.1.9.2 Warning light shall be Class 1 LED amber.

**3.1.10 Hydraulic Components** – The following are mandatory requirements related to the hydraulic components.

3.1.10.1 The following hydraulics shall be supplied with each spreader (hose lengths to be determined by spreader vendor) to provide for proper installation on Division of Highways dump trucks.

3.1.10.2 All necessary fittings for complete hookup of spreader hydraulics to the Division of Highways dump trucks central hydraulic system shall be provided.

3.1.10.3 All fittings shall be the steel type designed for hydraulic use: galvanized iron pipe or fittings are not acceptable.

3.1.10.4 The truck central hydraulic system, supplied and installed by another vendor, will be complete to and including the rear manifold, located at the rear cross-member of truck. The rear manifold will have attached to it one (1) ¼ inch I.D. pressure line with ¼ inch quick disconnect, one (1) ½

REQUEST FOR QUOTATION  
RFQ 7013EC07 013 CLASS NINE CUBIC YARD STAINLESS STEEL  
DEMOUNTABLE & ABRASIVE CHEMICAL SPREADER (HYDRAULIC)

---

inch I.D. pressure line with ½ inch quick disconnect, one (1) 1 inch I.D. return line with 1-1/4 inch quick disconnect. The quick disconnects will be "VH" series snap-tite. The spreader vendor shall supply male quick disconnects, metal caps, and plugs for connection to truck manifold.

**3.1.11 Manifold Block** – The following are mandatory requirements related to the manifold block.

3.1.11.1 An anodized 6061T6 aluminum or 201 stainless steel grease manifold block shall be mounted at the rear of the body incorporating the front bearing grease extension tubes, rear bearing grease fittings, and feedgate screw jack lubrication tube to allow for lubrication of the front bearings and feedgate screw jack from a single convenient location. Other fittings shall be placed at convenient locations for normal maintenance.

3.1.11.2 The anodized 6061T6 aluminum or 201 stainless steel grease manifold block shall have a minimum of six (6) ports tapped to accept three (3) 1/8 inch straight grease zerks and three (3) 1/8 inch grease Parflex hoses to provide for adequate one location greasing of the front and rear bearings and feed gate screw jack. Any unused ports are to be properly plugged.

**3.1.12 Hoses** –The following are mandatory requirements related to the hoses.

3.1.12.1 All hoses incorporated into the grease manifold block system shall be Parflex hose manufactured by Parker Hannifan Corporation or equal, and shall have an inside diameter of 1/8 inch, a maximum outside diameter of 0.34 inch, a maximum working pressure of 2500 psi and a minimum burst pressure of 10,000 psi. The hoses used shall be held in place by a sufficient number of rubber cushioned hose clamps.

**3.1.13 Advertisement** –The following are mandatory requirements related to advertising.

3.1.13.1 Vendors are permitted to attach a permanent metal plate 4" x 6" maximum size to the unit for identification. All other types of advertising, decals, labels, etc. will interfere with the West Virginia Division of Highway's standards and are not permitted.

REQUEST FOR QUOTATION  
RFQ 7013EC07 013 CLASS NINE CUBIC YARD STAINLESS STEEL  
DEMOUNTABLE & ABRASIVE CHEMICAL SPREADER (HYDRAULIC)

---

**3.1.14 MISCELLANEOUS** – The following are mandatory requirements related to miscellaneous items needed.

3.1.14.1 One (1) piece of angle iron 3/8" x 4" x 4" x 90" and two (2) pieces of 1" round shafting ten inches (10") long shall be included to construct a safety keeper bar. State forces will add this item when the hopper is mounted, vendor shall supply material.

3.1.14.2 Unit shall include all other features considered as standard equipment but not specifically addressed above.

**3.2 Contract Items Non-Mandatory Requirements:** Vendor should provide Agency with the non-mandatory Contract Items listed as desirable, but are non-mandatory.

**3.2.2 Body** – Non-mandatory desirable items related to the body of the spreader.

3.2.2.1 Top of the body should have a formed double crimped section for additional support.

3.2.2.2 Should have a minimum of six (6) sides composed of 12 gauge 201 stainless steel. The body should have full slope body side supports rigidly tying in the formed cross sills with the body sides to give the highest degree of resistance to warping or twisting under heavy loads.

**3.2.3 Hardware** – Non-mandatory desirable items related to hardware of spreader.

3.2.3.1 A 12 gauge 201 stainless steel cab shield should be mounted on front of body to protect cab from falling material when loading with slope design to fall in hopper as spreader unloads.

3.2.3.2 Ladder to be equipped with hand holds, non-slip strut steps, and manufacturers locking mechanism to lock ladder in up position when not in use.

REQUEST FOR QUOTATION  
**RFQ 7013EC07 013 CLASS NINE CUBIC YARD STAINLESS STEEL  
DEMOUNTABLE & ABRASIVE CHEMICAL SPREADER (HYDRAULIC)**

---

**3.2.4 Conveyor** – Non-mandatory desirable items related to the conveyor of the spreader.

3.2.4.1 Chain driven by 6 tooth drop forged steel sprockets and 1 ½ inch alloy steel front and rear.

3.2.4.2 Additional 7 gauge 201 stainless steel reinforcing plate should be welded to longitudinal webs covering area of drive shaft bearing and idler bearing adjustment (if required).

3.2.4.3 A 7 gauge stainless steel adjustable discharge gate of the greasable screw jack type, located at the body rear to properly adjust the flow of material to the spinner.

**3.2.5 Baffles** – Non-mandatory desirable items related to the baffles.

3.2.5.1 Should have four (4) sections over right, left, rear, and front of spinners. The front spinner baffle shield (truck side) can be stationary.

**3.2.7 Power Drive** – Non-mandatory desirable items related to the power drive.

3.2.7.1 The spinner hydraulic motor should be mounted below the spinner hopper assembly.

3.2.7.2 The orbital, low speed, hi-torque type, conveyor hydraulic motor should be integrally mounted to conveyor gear box.

**3.2.8 Screen Over Hopper** – Non-mandatory desirable items related to the screen.

3.2.8.1 Screen sections should be 3/8" diameter carbon steel rods welded forming 2-1/2" x 2-1/2" square openings with reinforcing bars at the center of each section.

3.2.8.2 Screens should not increase the overall height of the spreader more than 7" down center.

3.2.8.3 Screens should be powder coated black.

REQUEST FOR QUOTATION  
RFQ 7013EC07 013 CLASS NINE CUBIC YARD STAINLESS STEEL  
DEMOUNTABLE & ABRASIVE CHEMICAL SPREADER (HYDRAULIC)

---

**3.2.9 Lighting** – Non-mandatory desirable items related to the lights.

3.2.9.1 Combination/marker lights should be LED type.

3.2.9.2 A work light to be mounted on cab shield for night shift visibility of spreader grating with weatherproof wiring.

**3.2.15 Paint** - Non-mandatory desirable items related to the color of spreader.

3.2.15.1 All parts and accessories that are not required as stainless or rust proof may be painted manufacturers standard color.

#### **4. CONTRACT AWARD:**

**4.1 Contract Award:** The Contract is intended to provide Agencies with a purchase price on all Contract Items. The Contract shall be awarded to the Vendor that provides the Contract Items meeting the required specifications for the lowest overall total cost as shown on the Pricing Pages.

**4.2 Pricing Pages:** Vendor should complete the Pricing Pages (Exhibit A) by completing the Year, Make, model, and inserting quoted price. Vendor should complete the pricing pages in their entirety as failure to do so may result in Vendor's bids being disqualified.

The Pricing Page contain a list of the Contract Items and estimated purchase volume. The estimated purchase volume for each item represents the approximate volume of anticipated purchases only. No future use of the Contract or any individual item is guaranteed or implied.

Notwithstanding the foregoing, the Purchasing Division may correct errors at its discretion. Vendor should type or electronically enter the information into the Pricing Pages to prevent errors in evaluation. The pricing pages were created as a Microsoft Excel document and vendor can request an electronic copy for bid purposes by sending an email request to the following address: Alan.W.Cummings @WV.Gov.

REQUEST FOR QUOTATION  
RFQ 7013EC07 013 CLASS NINE CUBIC YARD STAINLESS STEEL  
DEMOUNTABLE & ABRASIVE CHEMICAL SPREADER (HYDRAULIC)

---

**5. ORDERING AND PAYMENT:**

- 5.1 Ordering:** Vendor shall accept orders by regular mail, facsimile, e-mail, or any other written forms of communication.
- 5.2 Payment:** Vendor shall accept payment in accordance with the payment procedures of the State of West Virginia.

**6. DELIVERY AND RETURN:**

- 6.1 Delivery Time:** Vendor shall deliver standard orders within 90 working days after orders are received. Vendor shall ship all orders in accordance with the above schedule and shall not hold orders until a minimum delivery quantity is met. A completed pilot model for inspection must be provided within 60 working day(s) after receipt of the purchase agreement by the successful vendor.
- 6.2 Late Delivery:** The Agency placing the order under this Contract must be notified in writing if orders will be delayed for any reason. Any delay in delivery that could cause harm to an Agency will be grounds for cancellation of the delayed order, and/or obtaining the items ordered from a third party.
- Any Agency seeking to obtain items from a third party under this provision must first obtain approval of the Purchasing Division.
- 6.3 Delivery Payment/Risk of Loss:** Standard order delivery shall be F.O.B. destination to the Agency's location. Vendor shall include the cost of standard order delivery charges in its bid pricing/discount and is not permitted to charge the Agency separately for such delivery.

- 6.4 Representative Unit for Test:** The successful vendor must (if specified) provide the DOH one (1) completed represented unit to be observed and evaluated on each order to insure compliance with specification. If requested, the time period for testing and evaluation shall be seven (7) working days following receipt of the unit. DOH will incur no obligation for deterioration of surfaces, finishes, seals, and mechanical or electrical parts on the unit resulting from operation and testing within the limits of these specifications; nor will DOH incur obligation for damage to the unit resulting from failure to meet specifications when due care and attention is given by DOH and testing is done within the limits of these specifications. Failure of the pilot unit to satisfactorily meet specifications as bid may be cause for cancellation of the purchase order, and return of the delivered unit

REQUEST FOR QUOTATION  
RFQ 7013EC07 013 CLASS NINE CUBIC YARD STAINLESS STEEL  
DEMOUNTABLE & ABRASIVE CHEMICAL SPREADER (HYDRAULIC)

---

30

along with all associated equipment to the vendor at the vendor's expense.

- 6.5 Condition of Unit(s) Upon Delivery:** All units must arrive at the prescribed delivery point having been completely pre-serviced with oil, lubricants, and coolant. All prescribed precautions pertaining to first operations and break-in of the unit are to be posted conspicuously on the unit for ready observance by the operator.
- 6.6 Delivery Point:** Delivery point of the completed representative unit will be the WVDOH, Equipment Division, Rt. 33 and Brushy Fork Road, Buckhannon, WV 26201.

**7. MISCELLANEOUS:**

- 7.1 No Substitutions:** Vendor shall supply only Contract Items submitted in response to the RFQ unless a contract modification is approved in accordance with the provisions contained in this Contract.
- 7.2 Exception to Non-Mandatory Specifications:** Exception to a non-mandatory specification may be made by the bidder, providing the exception is not available from the manufacturer. Any exception must be indicated on a separate attachment and labeled as "Exceptions to Specifications" and supported by documentation from the manufacturer. The state reserves the right to waive minor irregularities in bids or specifications in accordance with §148-1-4(f) of the WV Legislative Rules and Regulations.
- 7.3 Reports:** Vendor shall provide quarterly reports and annual summaries to the Agency showing the Agency's items purchased, quantities of items purchased, and total dollar value of the items purchased. Vendor shall also provide reports, upon request, showing the items purchased during the term of this Contract, the quantity purchased for each of those items, and the total value of purchases for each of those items. Failure to supply such reports may be grounds for cancellation of this Contract.
- 7.4 Contract Manager:** During its performance of this Contract, Vendor must designate and maintain a primary contract manager responsible for overseeing Vendor's responsibilities under this Contract. The Contract manager must be available during normal business hours to address any customer service or other issues related to this Contract. Vendor should list its Contract manager and his or her contact information on following page.

REQUEST FOR QUOTATION  
**RFQ 7013EC07 013 CLASS NINE CUBIC YARD STAINLESS STEEL  
 DEMOUNTABLE & ABRASIVE CHEMICAL SPREADER (HYDRAULIC)**

---

**Contract Manager:** Don Gerber  
**Telephone Number:** 608-329-8168  
**Fax Number:** 608-328-8390  
**Email Address:** dgerber@monroetruck.com

- 7.5 Operating and Service Manuals and Parts Lists:** An operator's manual must be included with each unit upon delivery. A "line sheet" (if applicable) and the "Equipment Preventative Maintenance Questionnaire", (Exhibit "B") must be with pilot unit upon delivery, Attn: Marcia Lee. There must be 12 service/shop/maintenance manuals and 14 parts manuals; CD-ROM is preferred in lieu of parts manuals. Manuals shall be delivered upon completion of delivery of total units. Failure to do so will delay payment.
- 7.6 Training:** Manufacturers and/or dealers will be required to stage a thorough seminar on the subjects of Preventative Maintenance, Operator, and Mechanic Training. In order to keep operators and mechanics updated, the successful vendor shall conduct a minimum of 3 one day training sessions covering the operation, maintenance, trouble shooting and calibration/ programming of the hydraulic system and spreader controls with each purchase order against this open end contract. Manufacturers and/or dealers shall be required to furnish the Training Academy with one (1) Operator's Manual to be shipped direct to

**WVDOH**  
 Training Academy  
 P.O. Box 610  
 Buckhannon, West Virginia 26201

prior to delivery of the pilot unit. Training seminar to be held at the WVDOT, Equipment Division, Buckhannon, WV.

- 7.7 Preventative Maintenance & Operator Procedures:** Manufacturers and/or dealers will be required to submit to the Equipment Division, in addition to the operating and service manuals, booklets and pamphlets explaining the Preventative Maintenance and Operator Procedures to be used by the operators of this equipment, and must include such things as daily prestart inspection procedure, service schedule, and routine maintenance required, safety precautions, etc. The successful vendor shall furnish all training aids; i.e. videos, projectors as required in conducting the training.



REQUEST FOR QUOTATION  
RFQ 7013EC07 013 CLASS NINE CUBIC YARD STAINLESS STEEL  
DEMOUNTABLE & ABRASIVE CHEMICAL SPREADER (HYDRAULIC)

---

32

- 7.8 Warranty and Service Policy:** The unit must be accompanied upon delivery by the unit's manufacturers executed warranty and service policy.
- 7.9 Unspecified Accessories & Features:** All parts, equipment, accessories, material, design and performance characteristics not specified herein, but which are necessary to provide a complete unit, must be furnished with each unit and required to conform to strength, quality of material, and quality of workmanship to those which are advertised and provided to the market in general by the unit industry. All parts and accessories advertised and regularly supplied as standard shall be included, except those which would represent duplication of these specified and except those which, by specification, are not to be furnished. All standard safety features, required by Federal and State Law, shall be included.

Exhibit A

**Cost Sheet**  
**RFQ#: 7013EC07**

<b>Item Number</b>	<b>Estimated Quantity</b>	<b>Unit of Measure</b>	<b>Description</b>	<b>Unit Price</b>	<b>Total</b>
1	50	Each	One complete unit: nine cubic yard stainless steel, demountable & abrasive chemical spreader (hydraulic)	\$11,539.00	\$ 576,950.00

Vendor should also supply the year, make, and model of the following:

Nine Cubic Yd. Spreader

2013 MSV-156-82-56-WV, 08,304, 12/10

EXHIBIT B

EQUIPMENT PREVENTATIVE MAINTENANCE QUESTIONNAIRE

THIS FORM MUST BE COMPLETED IN ITS ENTIRETY BY SUCCESSFUL BIDDER OR MANUFACTURER'S TECHNICAL REPRESENTATIVE PRIOR TO DELIVERY OF PILOT MODEL TO THE WVDOH.

DESCRIPTION: \_\_\_\_\_ MAKE: \_\_\_\_\_

MODEL: \_\_\_\_\_ YEAR: \_\_\_\_\_ PURCHASE AMOUNT: \_\_\_\_\_

ENGINE: MAKE: \_\_\_\_\_ MODEL: \_\_\_\_\_ FUEL TYPE: \_\_\_\_\_

HORSEPOWER: \_\_\_\_\_ CYLINDER: \_\_\_\_\_ ENGINE SERIAL: \_\_\_\_\_

COOLING SYSTEM CAPACITY: \_\_\_\_\_

BELTS:	DESCRIPTION:	PART NUMBERS:
	_____	_____
	_____	_____

GVW: \_\_\_\_\_ AXLE CAPACITY: FRONT: \_\_\_\_\_ REAR: \_\_\_\_\_

TIRES: FRONT MAKE & SIZE: \_\_\_\_\_

REAR MAKE & SIZE: \_\_\_\_\_

DIMENSIONS OF UNIT: LENGTH: \_\_\_\_\_ WIDTH: \_\_\_\_\_ LENGTH: \_\_\_\_\_

VENDOR CONTACT PERSON: \_\_\_\_\_ PHONE: \_\_\_\_\_

PARTS:

BATTERY MAKE: \_\_\_\_\_ MODEL: \_\_\_\_\_ CCA: \_\_\_\_\_

TOP OR SIDE POST: \_\_\_\_\_ DIMENSIONS: LENGTH \_\_\_\_\_ WIDTH \_\_\_\_\_ HEIGHT \_\_\_\_\_

SPARK PLUGS OR FUEL INJECTORS MAKE: \_\_\_\_\_ PART #: \_\_\_\_\_

FUEL PUMP OR INJECTION PUMP MAKE: \_\_\_\_\_ MODEL: \_\_\_\_\_

ALTERNATOR MAKE: \_\_\_\_\_ PART #: \_\_\_\_\_

STARTER MAKE: \_\_\_\_\_ PART #: \_\_\_\_\_

TURBO CHARGER MAKE: \_\_\_\_\_ PART #: \_\_\_\_\_

TRANS. MAKE: \_\_\_\_\_ MODEL: \_\_\_\_\_ AUTO/MANUAL: \_\_\_\_\_

HYDRAULIC PUMP MAKE: \_\_\_\_\_ MODEL: \_\_\_\_\_

FILTERS	MAKE	PART NO.	LUBRICANT	MANUFACTURER TYPE
OIL	_____	_____	ENGINE	_____
AIR INNER	_____	_____	TRANSMISSION	_____
AIR OUTER	_____	_____	POWER STEERING	_____
FUEL PRIMARY	_____	_____	HYDRAULIC	_____
FUEL SECONDARY	_____	_____	DIFFERENTIALS	_____
COOLANT	_____	_____	BRAKE FLUID	_____
HYDRAULIC	_____	_____	COOLANT	_____
OTHER	_____	_____	OTHER	_____

Rev. 07/12

State of West Virginia  
**VENDOR PREFERENCE CERTIFICATE**

Certification and application\* is hereby made for Preference in accordance with *West Virginia Code, §5A-3-37*. (Does not apply to construction contracts). *West Virginia Code, §5A-3-37*, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the *West Virginia Code*. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

- 1. **Application is made for 2.5% resident vendor preference for the reason checked:**  
 Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,  
 Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,  
 Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or,
- 2. **Application is made for 2.5% resident vendor preference for the reason checked:**  
 Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
- 3. **Application is made for 2.5% resident vendor preference for the reason checked:**  
 Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
- 4. **Application is made for 5% resident vendor preference for the reason checked:**  
 Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,
- 5. **Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:**  
 Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or,
- 6. **Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:**  
 Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.
- 7. **Application is made for preference as a non-resident small, women- and minority-owned business, in accordance with *West Virginia Code §5A-3-59* and *West Virginia Code of State Rules*.**  
 Bidder has been or expects to be approved prior to contract award by the Purchasing Division as a certified small, women- and minority-owned business.

Bidder understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the requirements for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty against such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency or deducted from any unpaid balance on the contract or purchase order.

By submission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and authorizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid the required business taxes, provided that such information does not contain the amounts of taxes paid nor any other information deemed by the Tax Commissioner to be confidential.

Under penalty of law for false swearing (*West Virginia Code, §61-5-3*), Bidder hereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate changes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.

Bidder: \_\_\_\_\_ Signed: \_\_\_\_\_  
Date: \_\_\_\_\_ Title: \_\_\_\_\_

RFQ No. 7013EC07

STATE OF WEST VIRGINIA  
Purchasing Division

**PURCHASING AFFIDAVIT**

**MANDATE:** Under W. Va. Code §5A-3-10a, no contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and: (1) the debt owed is an amount greater than one thousand dollars in the aggregate; or (2) the debtor is in employer default.

**EXCEPTION:** The prohibition listed above does not apply where a vendor has contested any tax administered pursuant to chapter eleven of the W. Va. Code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

**DEFINITIONS:**

**"Debt"** means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

**"Employer default"** means having an outstanding balance or liability to the old fund or to the uninsured employers' fund or being in policy default, as defined in W. Va. Code § 23-2c-2, failure to maintain mandatory workers' compensation coverage, or failure to fully meet its obligations as a workers' compensation self-insured employer. An employer is not in employer default if it has entered into a repayment agreement with the Insurance Commissioner and remains in compliance with the obligations under the repayment agreement.

**"Related party"** means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceeds five percent of the total contract amount.

**AFFIRMATION:** By signing this form, the vendor's authorized signer affirms and acknowledges under penalty of law for false swearing (W. Va. Code §61-5-3) that neither vendor nor any related party owe a debt as defined above and that neither vendor nor any related party are in employer default as defined above, unless the debt or employer default is permitted under the exception above.

**WITNESS THE FOLLOWING SIGNATURE:**

Vendor's Name: Monroe Truck Equipment, Inc.

Authorized Signature: *Don [Signature]* Date: 04-19-2013

State of Wisconsin

County of Green, to-wit:

Taken, subscribed, and sworn to before me this 19 day of April, 2013.

My Commission expires 10-2, 2016.

AFFIX SEAL HERE

NOTARY PUBLIC

*Carl Carpenter*

*Purchasing Affidavit (Revised 07/01/2012)*

**NOTE:**

Vendor and Notary's date must be the same.

Notary required to AFFIX SEAL on Purchasing Affidavit.



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

**Solicitation**

NUMBER
7013EC07

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF
ALAN CUMMINGS 304-558-2402

VENDOR

RFQ COPY  
 TYPE NAME/ADDRESS HERE

SHIP TO

DIVISION OF HIGHWAYS  
 EQUIPMENT DIVISION  
 ROUTE 33  
 BRUSHY FORK ROAD  
 BUCKHANNON, WV  
 26201 304-472-1750

DATE PRINTED
04/22/2013
BID OPENING DATE
05/08/2013

BID OPENING TIME 1:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
ADDENDUM NO. 04						
ISSUED TO EXTEND THE BID OPENING DATE FROM 04/24/13 AT 1:30 P.M. TO 05/08/13 AT 1:30 P.M. & TO DISTRIBUTE VENDOR QUESTIONS AND AGENCY RESPONSES.						
0001	1	EA		765-64	\$11,539.00	\$11,539.00
NINE CUBIC YARD STAINLESS STEEL						
***** THIS IS THE END OF RFQ 7013EC07 ***** TOTAL:						\$11,539.00
05/02/13 11:32:33 AM West Virginia Purchasing Division						

SIGNATURE <i>Don Miller</i>	TELEPHONE 608-329-8168	DATE 4-30-13
TITLE National Sales Mngr.	FEIN 391133073	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO SOLICITATION, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

**SOLICITATION NUMBER: 7013EC07**

**Addendum Number: 4**

---

The purpose of this addendum is to modify the solicitation identified as ("Solicitation") to reflect the change(s) identified and described below.

**Applicable Addendum Category:**

- Modify bid opening date and time
- Modify specifications of product or service being sought
- Attachment of vendor questions and responses
- Attachment of pre-bid sign-in sheet
- Correction of error
- Other

**Description of Modification to Solicitation:**

ISSUED TO EXTEND THE BID OPENING DATE FROM 04/24/13  
AT 1:30 P.M. TO 05/08/13 AT 1:30 P.M. & TO DISTRIBUTE  
VENDOR QUESTIONS AND AGENCY RESPONSES.

**Additional Documentation:** Documentation related to this Addendum (if any) has been included herewith as Attachment A and is specifically incorporated herein by reference.

**Terms and Conditions:**

1. All provisions of the Solicitation and other addenda not modified herein shall remain in full force and effect.
2. Vendor should acknowledge receipt of all addenda issued for this Solicitation by completing an Addendum Acknowledgment, a copy of which is included herewith. Failure to acknowledge addenda may result in bid disqualification. The addendum acknowledgement should be submitted with the bid to expedite document processing.

# ATTACHMENT A



## ADDENDUM NO. 4

## Addendum for Pre-Bid

7013EC07

## Nine Cubic Yard Spreader

The original language will be listed first with questions and answers to follow.

1. 3.1.1.2 Spreader shall consist of a 12 gauge 201 stainless steel body, feeder, conveyor, spinner disc, power drive, and all components necessary to make a complete operating unit.

**Question # 1:** Highway Equipment/West Virginia Tractor: Will the DOH accept 304SS as it exceeds the mandatory specification?

**Answer:** Yes

**Question # 2:** LH Jones: Can the word "minimum" be inserted to describe the 12 ga steel body? Our manufacturer uses 10 gauge steel which exceeds the specification.

**Answer:** Yes, it will then read as: 3.1.1.2 Spreader shall consist of a minimum 12 gauge 201 stainless steel body, feeder, conveyor, spinner disc, power drive, and all components necessary to make a complete operating unit.

**Question # 3:** LH Jones: Elsewhere throughout the specification, can 304 stainless steel be supplied in lieu of 201 stainless steel?

**Answer:** Yes, if a substitution is made for said material, it should be noted in the vendor's bid response.

2. 3.1.2.6 Sills shall be a minimum of 10 gauge 304 stainless steel with longitudinal flanges supported on rectangular formed cross sills.

**Question # 1:** Swenson Spreader: Would the state accept 201 stainless steel sills?

**Question/Suggestion # 2:** Baker Equipment: This should read as 201 stainless steel?

**Answer:** Yes, this will read: 3.1.2.6 Sills shall be a minimum of 10 gauge 201 stainless steel with longitudinal flanges supported on rectangular formed cross sills.

3. 3.1.2.7 The body shall be provided with four (4) 201 stainless steel 5/8 inch round lifting eyes. The inside eye opening shall be designed to allow the passage of an alloy eye type Grade 80' 3/8 inch grab hook with a width dimension of 2 11/16 inch (with the top screen down in the rest position on top of the spreader). Two (2) of the lifting eyes shall be on each side of spreader mounted and secured in such a manner that the entire unit may be safely lifted for storage/installation purposes.

Question: Baker Equipment: 5/8" round is not available in 201 stainless steel, will you change this to 304 stainless steel 5/8 inch round lifting eyes?

Answer: Yes, this will read as four (4) 304 stainless steel 5/8 inch round lifting eyes.

4. 3.1.2.8 Inside width shall be 84 inches maximum.

Question: Highway Equipment/West Virginia Tractor: Will DOH accept 82" as this is our standard model manufactured width?

Answer: No, specifications shall remain as written.

5. 3.1.3.2 Stainless steel cab shield shall extend 13 inches in front of hopper at 45 degrees.

Question: Swenson Spreader: Could the state provide the width for the cab shield?

Answer: A bolt on full width cab shield (84" x 13") with end plates and 2 gussets.

6. 3.1.4.2 Conveyor shall be continuous ladder type consisting of two (2) parallel chains with cross bars on 4 1/2" centers made of 1/4" x 1-1/2" steel.

Question: LH Jones: Could the word minimum be inserted between "of" and "1/4"?" The cross bars available to our manufacturer are a more rugged 3/8" x 1-1/2".

Answer: No, specifications remain as written.

7. 3.1.4.6 Replaceable rubber wear strips to prevent contact of materials being spread with the chain must be provided.

Question # 1: LH Jones: You are asking for rubber shields on spreader chain, do you want this just on the sides, front, back or all?

Question # 2: Henke Mfg.: Can I get clarification as to what your referring here? Are these mounted on the sides of the conveyor?

Answer: The rubber shields run lengthwise over chain with wiper seals at the rear of conveyor.

8. 3.1.4.11 Conveyor gear box motor shall have an integral speed sensor.

Question # 1: LH Jones: Could you provide specific information about what connectors should be used on the motor sensor to match with the State's existing wiring harnesses?

Answer: The spinner shall be 3.0 CIR 4 Volt White # 15505073153AAA or equal:

Sensor 5.9 CIR 2 Volt M12, White # 155100A1115AAZDS or equal.

Question # 2: LH Jones: Does the State have a preference about how many pulses the motor/sensor produces? If so please provide the preferred number of pulses.

Answer: Minimum 100 pulses per revolution.

Question 1 and 2 will be revised to read as: 3.1.4.11 Conveyor gear box motor shall have an integral speed sensor. The spinner shall be 3.0 CIR 4 Volt White # 15505073153AAA or equal. The sensor shall be 5.9 CIR 2 Volt M12, White # 155100A1115AAZDS or equal. The motor/sensor shall produce 100 pulses per revolution.

9. 3.1.4.14 Feedgate opening shall be 12" high x 18" wide.

Question # 1/Suggestion: Baker Equipment: This should read 10" high x 18" wide?

Question # 2: Henke Mfg.: Will you accept 10" x 18" opening? During operation the chute isn't opened but a couple inches anyway.

Answer: Correct to read as:

3.1.4.14 Feedgate opening shall be 10" x 18" wide.

10. 3.1.5.3 Spinner shall be vertically adjustable, a minimum 18 inches, and provide a 20 inch to 38 inch minimum spinner position below the mounting surface.

Question/Suggestion: Baker Equipment: We feel this should read as: Spinner shall be vertically adjustable, a minimum 18 inches and provide a 39" to 47 1/4" minimum spinner position below the mounting surface.

Answer: Revise to read as : 3.1.5.3 Spinner shall be vertically adjustable, a minimum 18 inches and provide a 39" to 47 1/4" minimum spinner position below the mounting surface.

**11. 3.1.7 Power Drive**

**Question/Suggestion:** Baker Equipment: This section needs to have a better description of location and type of motors.

**Answer:** This is a Charlyn motor or equal. It will be added to section 3.1.7. It will read as:

3.1.7.2 Charlyn motor or equal.

**12. 3.1.8.1 A minimum of four (4) sectional screens shall be hinged to a 10 gauge 201 stainless 4 inch x 6 inch formed box beam running longitudinally the full length of spreader hopper.**

**Question:** Highway Equipment/West Virginia Tractor: Will DOH accept 9.0 lb. CS 4" x 6" I-beam?

**Answer:** No, I-beams are not stainless steel, where a box beam is.

**13. 3.1.10.4 / 3.1.12.1 Reference to "Snap-Tite" and "Parker"**

**Question:** LH Jones: Snap-Tite and Parker brand name components are called for, respectively. Since these sections are mandatory specifications, are the brand names required? Or, per the instructions to vendors submitting bids, which says, all references to brands are to establish the acceptable level of quality only and is not intended to reflect a preference for, or in any way favor, a particular brand or vendor. Vendors may bid alternates... provided that the alternate is at least equal to the model or brand and complies with the specifications can alternate brands be supplied for these mandatory specifications as long as they are equal in specification?

**Answer:** These sections 3.1.10.4 and 3.1.12.1 will be revised to read "Snap-Tite" and "Parker" or equal.

**14. 3.2.2 Body**

**3.2.2.1 Top of the body should have a formed double crimped section for additional support.**

**Question/Suggestion: Baker Equipment:** This describes the top edge double flange lip that is formed into the top edge of the sides and ends giving the sides and ends a top rail for both support and a frame work for the top screens to rest on. (Without this the sheets would have no support at the top edge). We would like for this to be moved to mandatory?

**Answer:** Move to mandatory and it will read as:

3.1.2.10 Top of the body shall have a formed double crimped section for additional support.

15. 3.2.2.2 Should have a minimum six (6) sides composed of 12 gauge 201 stainless steel. The body should have full slope body side supports rigidly tying in the formed cross sills with the body sides to give the highest degree of resistance to warping or twisting under heavy loads.

**Question # 1: Baker Equipment:** This needs to be moved to mandatory and it should read as four (4) side supports?

**Question # 2: Swenson Spreader:** Can the state provide clarification on what this means "a minimum of six (6) sides? Is the six (6) sides total or per side? Does the Five CY spreader have the same six (6) sides?

**Answer:** Move to mandatory and revise, it will read as:

3.1.2.11 Shall have a minimum six (6) side supports total composed of 12 gauge 201 stainless steel. The body shall have full slope body side supports rigidly tying in the formed cross sills with the body sides to give the highest degree of resistance to warping or twisting under heavy loads.

**Answer:** No, the 5 cubic yd. spreader has a minimum of 4 sides.

16. 3.2.3 Hardware

3.2.3.1 A 12 gauge 201 stainless steel cab shield should be mounted on front of body to protect cab from falling material when loading with slope designed to fall in hopper as spreader unloads.

3.2.3.2 Ladder to be equipped with hand holds, non-slip strut steps, and manufacturers locking mechanism to lock ladder in up position when not in use.

**Question # 1/Suggestion: Baker Equipment:** The above items need to be moved to mandatory, because these items are descriptive information that need to be included in mandatory.

**Question # 2: Swenson Spreader:** Can the state provide dimensions for the cab shield?

**Answer:** Please see question # 5 for answer to cab shield dimensions. We will delete section 3.2.3 and move it to mandatory. It will read as:

3.1.3.6 A 12 gauge 201 stainless steel cab shield shall be mounted on front of body to protect cab from falling material when loading with slope designed to fall in hopper as spreader unloads.

3.1.3.7 Ladder to be equipped with hand holds, non-slip strut steps, and manufacturers locking mechanism to lock ladder in up position when not in use.

17. 3.2.4 Conveyor

3.2.4.1 Chain driven by 6 tooth drop forged steel sprockets and 1 ½ inch alloy steel front and rear.

3.2.4.2 Additional 7 gauge 201 stainless steel reinforcing plate should be welded to longitudinal webs covering area of drive shaft bearing and idler bearing adjustment (if required).

3.2.4.3 A 7 gauge stainless steel adjustable discharge gate of the greasable screw jack type, located at the rear to properly adjust the flow of material to the spinner.

**Question/Suggestion:** Baker Equipment: The above items need to be put in mandatory requirements. They are integral parts of the conveyor system in order to make sure the conveyor works. Also the rear feedgate is a integral part of the system, as well it is needed to regulate the flow of material to the spinner for correct pounds per mile calibration of material being put down on the roads.

**Answer:** Delete section 3.2.4 and move to mandatory. It will then read as:

3.1.4.15 Shall be chain driven by 6 tooth drop forged steel sprockets and 1 ½ inch alloy steel front and rear.

3.1.4.16 Additional 7 gauge 201 stainless steel reinforcing plate shall be welded to longitudinal webs covering area of drive shaft bearing and idler bearing adjustment (if required).

3.1.4.17 Shall have a 7 gauge stainless steel adjustable discharge gate of the greasable screw jack type, located at the rear to properly adjust the flow of material to the spinner.

18. 3.2.5 Baffles

3.2.5.1 Should have four (4) sections over right, left, rear, and front of spinners. The front spinner baffle shield (truck side) can be stationary.

**Question:** Baker Equipment: We are requesting that this be put into mandatory requirements, because it describes the four (4) baffles and their position?

**Answer:** Delete section 3.2.5 and move to mandatory. It will then read as:

3.1.6.3 Shall have four (4) sections over right, left, rear, and front of spinners. The front spinner baffle shield (truck side) can be stationary.

19. 3.2.7.1 The spinner hydraulic motor should be mounted below the spinner hopper assembly.

**Question # 1:** Henke Mfg.: Our hydraulic motor assembly mounts above, is this acceptable?

**Question # 2:** Baker Equipment: We feel this needs put into mandatory, because the descriptive information is needed to properly get the correct motors in the correct locations. Our motor is mounted above the spinner disc assembly, is this acceptable?

**Answer:** Yes, we will delete section 3.2.7 and revise and move to mandatory. It will then read as:

3.1.7.2 The spinner hydraulic motor shall be mounted above the spinner hopper assembly.

20. 3.2.7.2 The orbital, low speed, hi-torque type, conveyor hydraulic motor should be integrally mounted to conveyor gear box.

**Question:** Baker Equipment: This should be moved to mandatory?

**Answer:** Move to mandatory, it will read as:

3.1.7.3 The orbital, low speed, hi-torque type, conveyor hydraulic motor shall be integrally mounted to conveyor gear box.

21. 3.2.8.1 Screen sections should be 3/8" diameter rods welded to 3/16 inch – 2 inch angle frame forming 2-1/2" x 2-1/2" square openings.

3.2.8.2 Screens should not increase the overall height of the spreader more than 7" down center.

3.2.8.3 Screens should be powered black.

**Question:** Baker Equipment: These 3 sections 3.2.8.1, 3.2.8.2 and 3.2.8.3 need to be moved to mandatory, because it is descriptive information needed to build and bid the top screens for the unit? We feel 3.2.8.3 should read wet painted black.

**Answer:** We will delete section 3.2.8 and move it to mandatory. We will also revise 3.2.8.3 to read wet painted black. This will read as:

3.1.8.2 Screen sections shall be 3/8" diameter rods welded to 3/16 inch -2 inch angle frame forming 2-1/2" x 2-1/2" square openings.

3.1.8.3 Screens shall not increase the overall height of the spreader more than 7" down center.

3.1.8.4 Screens shall be wet painted black.

22. 3.2.9.1 Combination/marker lights should be LED type.

3.2.9.2 A work light should be mounted on cab shield for night shift visibility of spreader grating with weatherproof wiring.

**Question:** Baker Equipment: These two (2) sections need to be moved to mandatory, due to descriptive information needed to build and bid the lighting section?

**Answer:** We will delete section 3.2.9 and move it to mandatory, it will read as:

3.1.9.3 Combination/marker lights shall be LED type.

3.1.9.4 A work light shall be mounted on cab shield for night shift visibility of spreader grating with weatherproof wiring.

**Questions that had no reference numbers with them:**

23. **Question:** LH Jones: The 13' spreader is calling for a 13' cab shield as a mandatory specification and the 9' spreader is calling for a 20" cab shield as a non-mandatory specification, can we provide one size or the other for all spreaders?

**Answer:** Remains as written.

24. **Question:** Baker Equipment: In a previous spec there was a schematic provided and referred to. This is not in the new specification?

**Answer:** This was distributed at the pre-bid and is also included in this addendum as Exhibit C.

25. **Question:** Baker Equipment: The team wonders if we should ask about installation at factory of the spill shield, work light and screen. The questions were asked for each of these in 2011 and response was to ship loose. Should we assume the same for this bid?

**Answer:** Yes.



**ADDENDUM ACKNOWLEDGEMENT FORM**  
**SOLICITATION NO.: 7013EC07**

**Instructions:** Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

**Acknowledgment:** I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

**Addendum Numbers Received:**

(Check the box next to each addendum received)

- |                                     |                |                          |                 |
|-------------------------------------|----------------|--------------------------|-----------------|
| <input checked="" type="checkbox"/> | Addendum No. 1 | <input type="checkbox"/> | Addendum No. 6  |
| <input checked="" type="checkbox"/> | Addendum No. 2 | <input type="checkbox"/> | Addendum No. 7  |
| <input checked="" type="checkbox"/> | Addendum No. 3 | <input type="checkbox"/> | Addendum No. 8  |
| <input checked="" type="checkbox"/> | Addendum No. 4 | <input type="checkbox"/> | Addendum No. 9  |
| <input type="checkbox"/>            | Addendum No. 5 | <input type="checkbox"/> | Addendum No. 10 |

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

MONROE TRUCK EQUIPMENT, INC.

Company  
  
 Authorized Signature

4-30-13  
 Date

**NOTE:** This addendum acknowledgment should be submitted with the bid to expedite document processing.  
Revised 6/8/2012



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

WV PURCHASING DIVN.

Fax 304-558-3970

May 2 2013 02:38pm

P001/0/06

**Solicitation**

NUMBER	PAGE
7013EC07	1

ADDRESS CORRESPONDENCE TO ATTENTION OF
ALAN CUMMINGS 304-558-2402

\*624151018 608-329-8105  
 MONROE TRUCK EQUIPMENT  
 1051 W 7TH ST  
 MONROE WI 53566

DIVISION OF HIGHWAYS  
 EQUIPMENT DIVISION  
 ROUTE 33  
 BRUSHY FORK ROAD  
 BUCKHANNON, WV  
 26201 304-472-1750

DATE PRINTED
05/02/2013

BID OPENING DATE: 05/15/2013 BID OPENING TIME 1:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
ADDENDUM NO. 05						
ISSUED TO DISTRIBUTE "EXHIBIT C" SCHEMATICS FOR LIGHTING AND TO CHANGE BID OPENING DATE/TIME FROM 05/08/2013 AT 1:30 P.M. TO 05/15/2013 AT 1:30 P.M.						
0001	1	EA		765-64	\$11,539.00	\$11,539.00
NINE CUBIC YARD STAINLESS STEEL						
***** THIS IS THE END OF RFQ 7013EC07 ***** TOTAL:						\$11,539.00

05/13/13 11:33:51 AM  
 West Virginia Purchasing Division

SIGNATURE <i>Don Guber</i>	TELEPHONE 608-329-8168	DATE 5/8/13
TITLE National Sales Mngr.	FEN 391133073	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO SOLICITATION, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

**ADDENDUM ACKNOWLEDGEMENT FORM**  
**SOLICITATION NO.: 7013EC07**

**Instructions:** Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

**Acknowledgment:** I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

**Addendum Numbers Received:**

(Check the box next to each addendum received)

- |  |                     |
|--|---------------------|
| <input checked="" type="checkbox"/> Addendum No. 1 | [ ] Addendum No. 6  |
| <input checked="" type="checkbox"/> Addendum No. 2 | [ ] Addendum No. 7  |
| <input checked="" type="checkbox"/> Addendum No. 3 | [ ] Addendum No. 8  |
| <input checked="" type="checkbox"/> Addendum No. 4 | [ ] Addendum No. 9  |
| <input checked="" type="checkbox"/> Addendum No. 5 | [ ] Addendum No. 10 |

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

**Monroe Truck Equipment, Inc.**

\_\_\_\_\_  
 Company  
*Don Leuker*  
 \_\_\_\_\_  
 Authorized Signature  
 5/8/13  
 \_\_\_\_\_  
 Date

**NOTE:** This addendum acknowledgment should be submitted with the bid to expedite document processing.  
 Revised 6/8/2012