



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

**Solicitation**

NUMBER
DNR213097

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF
GUY NISBET 304-558-8802

VENDOR

RFQ COPY  
 TYPE NAME/ADDRESS HERE  
 NETTLES EQUIPMENT INC.  
 2644 SERVIA ELMIRA ROAD  
 DUCK WV 25063

SHIP TO

DIVISION OF NATURAL RESOURCES  
 VARIOUS LOCALES AS INDICATED  
 BY ORDER

DATE PRINTED
04/29/2013

BID OPENING DATE: 05/08/2013 BID OPENING TIME 1:30PM

LINE	QUANTITY	UOP	CAT. NO	ITEM NUMBER	UNIT PRICE	AMOUNT
ADDENDUM NO. 1						
ADDENDUM FOR THE PURCHASE OF FARM TRACTORS FOR THE (WVDNR) ISSUED TO DISTRIBUTE THE FOLLWING INFORMATION TO THE VENDOR COMMUNITY AS ATTACHED.						
0001	1	LS		020-89	\$32,376.00	\$32,376.00
				65HP DIESEL FARM TRACTOR WITH FRONT LOADER/BUCKET		
0002	1	LS		020-89	\$32,672.00	\$32,672.00
				65HP DIESEL FARM TRACTOR WITH FRONT LOADER/BUCKET		
WV. DIVISION OF NATURAL RESOURCES BEECH FORK WMA HEADQUARTERS WAYNE (WAYNE COUNTY), WV.						
0003	1	LS		020-89	\$34,914.00	\$34,914.00
				75HP DIESEL FARM TRACTOR WITH FRONT LOADER/BUCKET		
WV. DIVISION OF NATURAL RESOURCES USFS RANGER STATION OFFICE WHITE SULPHUR SPRINGS (GREENBRIER COUNTY), WV.						
SIGNATURE <i>Brad Nettles</i>				TELEPHONE	DATE	
				304-364-2445	05-08-2013	
TITLE		FEIN		ADDRESS CHANGES TO BE NOTED ABOVE		
SEC.		55-0707403				

WHEN RESPONDING TO SOLICITATION, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

**Solicitation**

NUMBER
DNR213097

PAGE
2

ADDRESS CORRESPONDENCE TO ATTENTION OF:
GUY NISBET 304-558-8802

VENDOR

RFQ COPY  
 TYPE NAME/ADDRESS HERE  
 NETTLES EQUIPMENT INC.  
 2644 SERVIA ELMIRA ROAD  
 DUCK WV 25063

SHIP TO

DIVISION OF NATURAL RESOURCES  
 VARIOUS LOCALES AS INDICATED  
 BY ORDER

DATE PRINTED
04/29/2013

BID OPENING DATE: 05/08/2013 BID OPENING TIME: 1:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
0004 8	1	LS		020-89	\$33,372.00	\$33,372.00
65HP DIESEL FARM TRACTOR WITH FRONT LOADER/BUCKET						
WV. DIVISION OF NATURAL RESOURCES SOUTH BRANCH WMA, DISTRICT 2 DNR OFFICE ROMNEY (HAMPSHIRE COUNTY), WV.						
***** THIS IS THE END OF RFQ DNR213097 ***** TOTAL:						\$133,334.00

SIGNATURE <i>Brad Nettles</i>	TELEPHONE 304-364-2445	DATE 05-08-2013
TITLE SEC.	FEIN 55-0707403	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO SOLICITATION, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

SOLICITATION NUMBER:           DNR213097  
 Addendum Number:                No.1

---

The purpose of this addendum is to modify the solicitation identified as ("Solicitation") to reflect the change(s) identified and described below.

**Applicable Addendum Category:**

- | Modify bid opening date and time
- | Modify specifications of product or service being sought
- | Attachment of vendor questions and responses
- | Attachment of pre-bid sign-in sheet
- | Correction of error
- | Other

**Description of Modification to Solicitation:**

Addendum for the purchase of farm tractors for the WVDNR is issued to distribute the following information to the vendor community as attached.

1. Bid opening change from: May 01, 2013  
to: May 08, 2013
2. Attachment of Vendor questions and Agency response to the questions.
3. No other changes.

**Additional Documentation:** Documentation related to this Addendum (if any) has been included herewith as Attachment A and is specifically incorporated herein by reference.

**Terms and Conditions:**

1. All provisions of the Solicitation and other addenda not modified herein shall remain in full force and effect.
2. Vendor should acknowledge receipt of all addenda issued for this Solicitation by completing an Addendum Acknowledgment, a copy of which is included herewith. Failure to acknowledge addenda may result in bid disqualification. The addendum acknowledgement should be submitted with the bid to expedite document processing.

# ATTACHMENT A

## Farm Tractors

DNR213097

### Questions and Agency Responses

- Q. 1.) 3.1.1.5-Must have an implement gear pump with a minimum of 11.4 g.p.m.  
Please take into consideration that the JD5056E has a g.m.p. rating of 11.4 however, the engine rating is 2400 r.p.m., the Massey Ferguson 2635 has a g.m.p. of 11.2 but the r.p.m.'s are only at 2200. We are asking that the g.p.m. be reduced to 11.0 since the engine r.p.m.'s will change the pump rating.
- A.1. Due to the difference in the r.p.m. rating, we would be agreeable to modify the g.m.p rating to a minimum of 11.2 g.m.p.
- Q. 2.) 3.1.3.2 The minimum horsepower rating is 75. The JD5065E has a rating of 75HP on the engine and the Massey Ferguson 2635 is 74HP, but again please take into consideration that the r.p.m.'s will again make all the difference. We are asking that the engine horsepower be reduced to 74.
- A.2. I assume they are referring to the JD5075E (not the JD5065E) which has a minimum horsepower rating of 75HP. Tractors bid must meet the minimum horsepower of 75HP.
- Q. 3.) 3.1.3.3 The JD PTO horsepower is 61, the MF is 60 horsepower with independent PTO and 62 with live PTO. We are asking that this requirement be changed to 60 PTO Horsepower because again the engine r.p.m.'s are the factor.
- A.3. The horsepower of 62 with live PTO is acceptable.
- Q.4.) 3.1.3.5 Implement gear pump with minimum flow of 15 g.p.m. The JD5075E has a gear pump with g.p.m. of 11.4. (this information is misstated in the bid because it gives the rating as 15 g.p.m.) We are asking that this rating be changed to 11.0 g.p.m. again due to the engine r.p.m.'s
- A.4. The request for quotations erroneously included the incorrect specification for the JD5075E tractor. Due to the difference in the r.p.m. rating, we would be agreeable to modify the g.m.p rating to 11.2 g.m.p.
- Q.5.) 3.13.10 Required rear tire size 16.9-30 The standard tire size on most tractors this size is 16.9-28, after checking this is also the standard size given in literature for the JD5075E. We are asking that tire size requirements be changed to 16.9-28.
- A.5. The request for quotations erroneously included the incorrect specification for the JD5075E tractor. The tire size of 16.9-28 reflects the appropriate specification and therefore would be acceptable.

- Q.6.) My tractor meets the required minimum horsepower rating of 65 gross engine horsepower but it is not turbocharged does this keep me from submitting a bid?
- A.6. Specifications list that the tractor has a turbocharged engine, therefore tractors must meet this requirement.

**ADDENDUM ACKNOWLEDGEMENT FORM**  
**SOLICITATION NO.: DNR213097**

**Instructions:** Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

**Acknowledgment:** I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

**Addendum Numbers Received:**

(Check the box next to each addendum received)

<input checked="" type="checkbox"/> Addendum No. 1	<input type="checkbox"/> Addendum No. 6
<input type="checkbox"/> Addendum No. 2	<input type="checkbox"/> Addendum No. 7
<input type="checkbox"/> Addendum No. 3	<input type="checkbox"/> Addendum No. 8
<input type="checkbox"/> Addendum No. 4	<input type="checkbox"/> Addendum No. 9
<input type="checkbox"/> Addendum No. 5	<input type="checkbox"/> Addendum No. 10

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

NETTLES EQUIPMENT INC.

Company



Authorized Signature

05-08-2013

Date

NOTE: This addendum acknowledgment should be submitted with the bid to expedite document processing.  
 Revised 6/8/2012

4. **NOTICE TO PROCEED:** Vendor shall begin performance of this Contract immediately upon receiving notice to proceed unless otherwise instructed by the Agency. Unless otherwise specified, the fully executed Purchase Order will be considered notice to proceed
5. **QUANTITIES:** The quantities required under this Contract shall be determined in accordance with the category that has been identified as applicable to this Contract below.
- [ ] **Open End Contract:** Quantities listed in this Solicitation are approximations only, based on estimates supplied by the Agency. It is understood and agreed that the Contract shall cover the quantities actually ordered for delivery during the term of the Contract, whether more or less than the quantities shown.
- [ ] **Service:** The scope of the service to be provided will be more clearly defined in the specifications included herewith.
- [ ] **Combined Service and Goods:** The scope of the service and deliverable goods to be provided will be more clearly defined in the specifications included herewith.
- [] **One Time Purchase:** This Contract is for the purchase of a set quantity of goods that are identified in the specifications included herewith. Once those items have been delivered, no additional goods may be procured under this Contract without an appropriate change order approved by the Vendor, Agency, Purchasing Division, and Attorney General's office.
6. **PRICING:** The pricing set forth herein is firm for the life of the Contract, unless specified elsewhere within this Solicitation/Contract by the State. A Vendor's inclusion of price adjustment provisions in its bid, without an express authorization from the State in the Solicitation to do so, may result in bid disqualification.
7. **EMERGENCY PURCHASES:** The Purchasing Division Director may authorize the Agency to purchase goods or services in the open market that Vendor would otherwise provide under this Contract if those goods or services are for immediate or expedited delivery in an emergency. Emergencies shall include, but are not limited to, delays in transportation or an unanticipated increase in the volume of work. An emergency purchase in the open market, approved by the Purchasing Division Director, shall not constitute a breach of this Contract and shall not entitle the Vendor to any form of compensation or damages. This provision does not excuse the State from fulfilling its obligations under a One Time Purchase contract.
8. **REQUIRED DOCUMENTS:** All of the items checked below must be provided to the Purchasing Division by the Vendor as specified below.
- [ ] **BID BOND:** All Vendors shall furnish a bid bond in the amount of five percent (5%) of the total amount of the bid protecting the State of West Virginia. The bid bond must be submitted with the bid.



**PERFORMANCE BOND:** The apparent successful Vendor shall provide a performance bond in the amount of . The performance bond must be issued and received by the Purchasing Division prior to Contract award. On construction contracts, the performance bond must be 100% of the Contract value.

**LABOR/MATERIAL PAYMENT BOND:** The apparent successful Vendor shall provide a labor/material payment bond in the amount of 100% of the Contract value. The labor/material payment bond must be issued and delivered to the Purchasing Division prior to Contract award.

In lieu of the Bid Bond, Performance Bond, and Labor/Material Payment Bond, the Vendor may provide certified checks, cashier's checks, or irrevocable letters of credit. Any certified check, cashier's check, or irrevocable letter of credit provided in lieu of a bond must be of the same amount and delivered on the same schedule as the bond it replaces. A letter of credit submitted in lieu of a performance and labor/material payment bond will only be allowed for projects under \$100,000. Personal or business checks are not acceptable.

**MAINTENANCE BOND:** The apparent successful Vendor shall provide a two (2) year maintenance bond covering the roofing system. The maintenance bond must be issued and delivered to the Purchasing Division prior to Contract award.

**WORKERS' COMPENSATION INSURANCE:** The apparent successful Vendor shall have appropriate workers' compensation insurance and shall provide proof thereof upon request.

**INSURANCE:** The apparent successful Vendor shall furnish proof of the following insurance prior to Contract award:

**Commercial General Liability Insurance:**  or more.

**Builders Risk Insurance:** builders risk – all risk insurance in an amount equal to 100% of the amount of the Contract.

The apparent successful Vendor shall also furnish proof of any additional insurance requirements contained in the specifications prior to Contract award regardless of whether or not that insurance requirement is listed above.

[ ] **LICENSE(S) / CERTIFICATIONS / PERMITS:** In addition to anything required under the Section entitled Licensing, of the General Terms and Conditions, the apparent successful Vendor shall furnish proof of the following licenses, certifications, and/or permits prior to Contract award, in a form acceptable to the Purchasing Division.

[ ]	
[ ]	
[ ]	
[ ]	

The apparent successful Vendor shall also furnish proof of any additional licenses or certifications contained in the specifications prior to Contract award regardless of whether or not that requirement is listed above.

**9. LITIGATION BOND:** The Director reserves the right to require any Vendor that files a protest of an award to submit a litigation bond in the amount equal to one percent of the lowest bid submitted or \$5,000, whichever is greater. The entire amount of the bond shall be forfeited if the hearing officer determines that the protest was filed for frivolous or improper purpose, including but not limited to, the purpose of harassing, causing unnecessary delay, or needless expense for the Agency. All litigation bonds shall be made payable to the Purchasing Division. In lieu of a bond, the protester may submit a cashier's check or certified check payable to the Purchasing Division. Cashier's or certified checks will be deposited with and held by the State Treasurer's office. If it is determined that the protest has not been filed for frivolous or improper purpose, the bond or deposit shall be returned in its entirety.

**10. ALTERNATES:** Any model, brand, or specification listed herein establishes the acceptable level of quality only and is not intended to reflect a preference for, or in any way favor, a particular brand or vendor. Vendors may bid alternates to a listed model or brand provided that the alternate is at least equal to the model or brand and complies with the required specifications. The equality of any alternate being bid shall be determined by the State at its sole discretion. Any Vendor bidding an alternate model or brand should clearly identify the alternate items in its bid and should include manufacturer's specifications, industry literature, and/or any other relevant documentation demonstrating the equality of the alternate items. Failure to provide information for alternate items may be grounds for rejection of a Vendor's bid.

**11. EXCEPTIONS AND CLARIFICATIONS:** The Solicitation contains the specifications that shall form the basis of a contractual agreement. Vendor shall clearly mark any exceptions, clarifications, or

other proposed modifications in its bid. Exceptions to, clarifications of, or modifications of a requirement or term and condition of the Solicitation may result in bid disqualification.

**12. LIQUIDATED DAMAGES:** Vendor shall pay liquidated damages in the amount

	for	

This clause shall in no way be considered exclusive and shall not limit the State or Agency's right to pursue any other available remedy.

**13. ACCEPTANCE/REJECTION:** The State may accept or reject any bid in whole, or in part. Vendor's signature on its bid signifies acceptance of the terms and conditions contained in the Solicitation and Vendor agrees to be bound by the terms of the Contract, as reflected in the Purchase Order, upon receipt.

**14. REGISTRATION:** Prior to Contract award, the apparent successful Vendor must be properly registered with the West Virginia Purchasing Division and must have paid the \$125 fee if applicable.

**15. COMMUNICATION LIMITATIONS:** In accordance with West Virginia Code of State Rules §148-1-6.6, communication with the State of West Virginia or any of its employees regarding this Solicitation during the solicitation, bid, evaluation or award periods, except through the Purchasing Division, is strictly prohibited without prior Purchasing Division approval. Purchasing Division approval for such communication is implied for all agency delegated and exempt purchases.

**16. FUNDING:** This Contract shall continue for the term stated herein, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise made available, this Contract becomes void and of no effect beginning on July 1 of the fiscal year for which funding has not been appropriated or otherwise made available.

**17. PAYMENT:** Payment in advance is prohibited under this Contract. Payment may only be made after the delivery and acceptance of goods or services. The Vendor shall submit invoices, in arrears, to the Agency at the address on the face of the purchase order labeled "Invoice To."

**18. UNIT PRICE:** Unit prices shall prevail in cases of a discrepancy in the Vendor's bid.

**19. DELIVERY:** All quotations are considered freight on board destination ("F.O.B. destination") unless alternate shipping terms are clearly identified in the bid. Vendor's listing of shipping terms that contradict the shipping terms expressly required by this Solicitation may result in bid disqualification.

**20. INTEREST:** Interest attributable to late payment will only be permitted if authorized by the West Virginia Code. Presently, there is no provision in the law for interest on late payments.

**21. PREFERENCE:** Vendor Preference may only be granted upon written request and only in accordance with the West Virginia Code § 5A-3-37 and the West Virginia Code of State Rules. A Resident Vendor Certification form has been attached hereto to allow Vendor to apply for the preference. Vendor's

failure to submit the Resident Vendor Certification form with its bid will result in denial of Vendor Preference. Vendor Preference does not apply to construction projects.

22. **SMALL, WOMEN-OWNED, OR MINORITY-OWNED BUSINESSES:** For any solicitations publicly advertised for bid on or after July 1, 2012, in accordance with West Virginia Code §5A-3-37(a)(7) and W. Va. CSR § 148-22-9, any non-resident vendor certified as a small, women-owned, or minority-owned business under W. Va. CSR § 148-22-9 shall be provided the same preference made available to any resident vendor. Any non-resident small, women-owned, or minority-owned business must identify itself as such in writing, must submit that writing to the Purchasing Division with its bid, and must be properly certified under W. Va. CSR § 148-22-9 prior to submission of its bid to receive the preferences made available to resident vendors. Preference for a non-resident small, women-owned, or minority owned business shall be applied in accordance with W. Va. CSR § 148-22-9.
23. **TAXES:** The Vendor shall pay any applicable sales, use, personal property or any other taxes arising out of this Contract and the transactions contemplated thereby. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
24. **CANCELLATION:** The Purchasing Division Director reserves the right to cancel this Contract immediately upon written notice to the vendor if the materials or workmanship supplied do not conform to the specifications contained in the Contract. The Purchasing Division Director may cancel any purchase or Contract upon 30 days written notice to the Vendor in accordance with West Virginia Code of State Rules § 148-1-7.16.2.
25. **WAIVER OF MINOR IRREGULARITIES:** The Director reserves the right to waive minor irregularities in bids or specifications in accordance with West Virginia Code of State Rules § 148-1-4.6.
26. **TIME:** Time is of the essence with regard to all matters of time and performance in this Contract.
27. **APPLICABLE LAW:** This Contract is governed by and interpreted under West Virginia law without giving effect to its choice of law principles. Any information provided in specification manuals, or any other source, verbal or written, which contradicts or violates the West Virginia Constitution, West Virginia Code or West Virginia Code of State Rules is void and of no effect.
28. **COMPLIANCE:** Vendor shall comply with all applicable federal, state, and local laws, regulations and ordinances. By submitting a bid, Vendors acknowledge that they have reviewed, understand, and will comply with all applicable law.
29. **PREVAILING WAGE:** On any contract for the construction of a public improvement, Vendor and any subcontractors utilized by Vendor shall pay a rate or rates of wages which shall not be less than the fair minimum rate or rates of wages (prevailing wage), as established by the West Virginia Division of Labor under West Virginia Code §§ 21-5A-1 et seq. and available at <http://www.sos.wv.gov/administrative-law/wagerates/Pages/default.aspx>. Vendor shall be responsible for ensuring compliance with prevailing wage requirements and determining when prevailing wage

requirements are applicable. The required contract provisions contained in West Virginia Code of State Rules § 42-7-3 are specifically incorporated herein by reference.

- 30. ARBITRATION:** Any references made to arbitration contained in this Contract, Vendor's bid, or in any American Institute of Architects documents pertaining to this Contract are hereby deleted, void, and of no effect.
- 31. MODIFICATIONS:** This writing is the parties' final expression of intent. Notwithstanding anything contained in this Contract to the contrary, no modification of this Contract shall be binding without mutual written consent of the Agency, and the Vendor, with approval of the Purchasing Division and the Attorney General's office (Attorney General approval is as to form only). **No Change shall be implemented by the Vendor until such time as the Vendor receives an approved written change order from the Purchasing Division.**
- 32. WAIVER:** The failure of either party to insist upon a strict performance of any of the terms or provision of this Contract, or to exercise any option, right, or remedy herein contained, shall not be construed as a waiver or a relinquishment for the future of such term, provision, option, right, or remedy, but the same shall continue in full force and effect. Any waiver must be expressly stated in writing and signed by the waiving party.
- 33. SUBSEQUENT FORMS:** The terms and conditions contained in this Contract shall supersede any and all subsequent terms and conditions which may appear on any form documents submitted by Vendor to the Agency or Purchasing Division such as price lists, order forms, invoices, sales agreements, or maintenance agreements, and includes internet websites or other electronic documents. Acceptance or use of Vendor's forms does not constitute acceptance of the terms and conditions contained thereon.
- 34. ASSIGNMENT:** Neither this Contract nor any monies due, or to become due hereunder, may be assigned by the Vendor without the express written consent of the Agency, the Purchasing Division, the Attorney General's office (as to form only), and any other government agency or office that may be required to approve such assignments. Notwithstanding the foregoing, Purchasing Division approval may or may not be required on certain agency delegated or exempt purchases.
- 35. WARRANTY:** The Vendor expressly warrants that the goods and/or services covered by this Contract will: (a) conform to the specifications, drawings, samples, or other description furnished or specified by the Agency; (b) be merchantable and fit for the purpose intended; and (c) be free from defect in material and workmanship.
- 36. STATE EMPLOYEES:** State employees are not permitted to utilize this Contract for personal use and the Vendor is prohibited from permitting or facilitating the same.
- 37. BANKRUPTCY:** In the event the Vendor files for bankruptcy protection, the State of West Virginia may deem this Contract null and void, and terminate this Contract without notice.

- 38. HIPAA BUSINESS ASSOCIATE ADDENDUM:** The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, is available online at <http://www.state.wv.us/admin/purchase/vrc/hipaa.html> and is hereby made part of the agreement provided that the Agency meets the definition of a Covered entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the Vendor. Additionally, the HIPAA Privacy, Security, Enforcement & Breach Notification Final Omnibus Rule was published on January 25, 2013. It may be viewed online at <http://www.gpo.gov/fdsys/pkg/FR-2013-01-25/pdf/2013-01073.pdf>. Any organization, that qualifies as the Agency's Business Associate, is expected to be in compliance with this Final Rule. For those Business Associates entering into contracts with a HIPAA Covered State Agency between January 25, 2013 and the release of the 2013 WV State Agency Business Associate Agreement, or September 23, 2013 (whichever is earlier), be advised that you will be required to comply with the 2013 WV State Agency Business Associate Agreement. For those Business Associates with contracts with a HIPAA Covered State Agency executed prior to January 25, 2013, be advised that upon renewal or modification, you will be required to comply with the 2013 WV State Agency Business Associate Agreement no later than September 22, 2014.
- 39. CONFIDENTIALITY:** The Vendor agrees that it will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the Agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the Agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in <http://www.state.wv.us/admin/purchase/privacy/default.html>.
- 40. DISCLOSURE:** Vendor's response to the Solicitation and the resulting Contract are considered public documents and will be disclosed to the public in accordance with the laws, rules, and policies governing the West Virginia Purchasing Division. Those laws include, but are not limited to, the Freedom of Information Act found in West Virginia Code § 29B-1-1 et seq.

If a Vendor considers any part of its bid to be exempt from public disclosure, Vendor must so indicate by specifically identifying the exempt information, identifying the exemption that applies, providing a detailed justification for the exemption, segregating the exempt information from the general bid information, and submitting the exempt information as part of its bid but in a segregated and clearly identifiable format. Failure to comply with the foregoing requirements will result in public disclosure of the Vendor's bid without further notice. A Vendor's act of marking all or nearly all of its bid as exempt is not sufficient to avoid disclosure and WILL NOT BE HONORED. Vendor's act of marking a bid or any part thereof as "confidential" or "proprietary" is not sufficient to avoid disclosure and WILL NOT BE HONORED. In addition, a legend or other statement indicating that all or substantially all of the bid is exempt from disclosure is not sufficient to avoid disclosure and WILL NOT BE HONORED. Vendor will be required to defend any claimed exemption for nondisclosure in the event of an administrative or judicial challenge to the State's nondisclosure. Vendor must indemnify the State for any costs incurred related to any exemptions claimed by Vendor. Any questions regarding the applicability of the various public records laws should be addressed to your own legal counsel prior to bid submission.

- 41. LICENSING:** In accordance with West Virginia Code of State Rules §148-1-6.1.7, Vendor must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agency or political subdivision. Upon request, the Vendor must provide all necessary releases to obtain information to enable the Purchasing Division Director or the Agency to verify that the Vendor is licensed and in good standing with the above entities.
- 42. ANTITRUST:** In submitting a bid to, signing a contract with, or accepting a Purchase Order from any agency of the State of West Virginia, the Vendor agrees to convey, sell, assign, or transfer to the State of West Virginia all rights, title, and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to Vendor.
- 43. VENDOR CERTIFICATIONS:** By signing its bid or entering into this Contract, Vendor certifies (1) that its bid was made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership, person or entity submitting a bid for the same material, supplies, equipment or services; (2) that its bid is in all respects fair and without collusion or fraud; (3) that this Contract is accepted or entered into without any prior understanding, agreement, or connection to any other entity that could be considered a violation of law; and (4) that it has reviewed this RFQ in its entirety; understands the requirements, terms and conditions, and other information contained herein. Vendor's signature on its bid also affirms that neither it nor its representatives have any interest, nor shall acquire any interest, direct or indirect, which would compromise the performance of its services hereunder. Any such interests shall be promptly presented in detail to the Agency.

The individual signing this bid on behalf of Vendor certifies that he or she is authorized by the Vendor to execute this bid or any documents related thereto on Vendor's behalf; that he or she is authorized to bind the Vendor in a contractual relationship; and that, to the best of his or her knowledge, the Vendor has properly registered with any State agency that may require registration.

- 44. PURCHASING CARD ACCEPTANCE:** The State of West Virginia currently utilizes a Purchasing Card program, administered under contract by a banking institution, to process payment for goods and services. The Vendor must accept the State of West Virginia's Purchasing Card for payment of all orders under this Contract unless the box below is checked.

Vendor is not required to accept the State of West Virginia's Purchasing Card as payment for all goods and services.

- 45. VENDOR RELATIONSHIP:** The relationship of the Vendor to the State shall be that of an independent contractor and no principal-agent relationship or employer-employee relationship is contemplated or created by this Contract. The Vendor as an independent contractor is solely liable for the acts and omissions of its employees and agents. Vendor shall be responsible for selecting,

supervising, and compensating any and all individuals employed pursuant to the terms of this Solicitation and resulting contract. Neither the Vendor, nor any employees or subcontractors of the Vendor, shall be deemed to be employees of the State for any purpose whatsoever. Vendor shall be exclusively responsible for payment of employees and contractors for all wages and salaries, taxes, withholding payments, penalties, fees, fringe benefits, professional liability insurance premiums, contributions to insurance and pension, or other deferred compensation plans, including but not limited to, Workers' Compensation and Social Security obligations, licensing fees, *etc.* and the filing of all necessary documents, forms and returns pertinent to all of the foregoing. Vendor shall hold harmless the State, and shall provide the State and Agency with a defense against any and all claims including, but not limited to, the foregoing payments, withholdings, contributions, taxes, Social Security taxes, and employer income tax returns.

- 46. INDEMNIFICATION:** The Vendor agrees to indemnify, defend, and hold harmless the State and the Agency, their officers, and employees from and against: (1) Any claims or losses for services rendered by any subcontractor, person, or firm performing or supplying services, materials, or supplies in connection with the performance of the Contract; (2) Any claims or losses resulting to any person or entity injured or damaged by the Vendor, its officers, employees, or subcontractors by the publication, translation, reproduction, delivery, performance, use, or disposition of any data used under the Contract in a manner not authorized by the Contract, or by Federal or State statutes or regulations; and (3) Any failure of the Vendor, its officers, employees, or subcontractors to observe State and Federal laws including, but not limited to, labor and wage and hour laws.
- 47. PURCHASING AFFIDAVIT:** In accordance with West Virginia Code § 5A-3-10a, all Vendors are required to sign, notarize, and submit the Purchasing Affidavit stating that neither the Vendor nor a related party owe a debt to the State in excess of \$1,000. The affidavit must be submitted prior to award, but should be submitted with the Vendor's bid. A copy of the Purchasing Affidavit is included herewith.
- 48. ADDITIONAL AGENCY AND LOCAL GOVERNMENT USE:** This Contract may be utilized by and extends to other agencies, spending units, and political subdivisions of the State of West Virginia; county, municipal, and other local government bodies; and school districts ("Other Government Entities"). This Contract shall be extended to the aforementioned Other Government Entities on the same prices, terms, and conditions as those offered and agreed to in this Contract. If the Vendor does not wish to extend the prices, terms, and conditions of its bid and subsequent contract to the Other Government Entities, the Vendor must clearly indicate such refusal in its bid. A refusal to extend this Contract to the Other Government Entities shall not impact or influence the award of this Contract in any manner.
- 49. CONFLICT OF INTEREST:** Vendor, its officers or members or employees, shall not presently have or acquire any interest, direct or indirect, which would conflict with or compromise the performance of its obligations hereunder. Vendor shall periodically inquire of its officers, members and employees to ensure that a conflict of interest does not arise. Any conflict of interest discovered shall be promptly presented in detail to the Agency.



**50. REPORTS:** Vendor shall provide the Agency and/or the Purchasing Division with the following reports identified by a checked box below:

- Such reports as the Agency and/or the Purchasing Division may request. Requested reports may include, but are not limited to, quantities purchased, agencies utilizing the contract, total contract expenditures by agency, etc.
- Quarterly reports detailing the total quantity of purchases in units and dollars, along with a listing of purchases by agency. Quarterly reports should be delivered to the Purchasing Division via email at [purchasing.requisitions@wv.gov](mailto:purchasing.requisitions@wv.gov).

**51. BACKGROUND CHECK:** In accordance with W. Va. Code § 15-2D-3, the Director of the Division of Protective Services shall require any service provider whose employees are regularly employed on the grounds or in the buildings of the Capitol complex or who have access to sensitive or critical information to submit to a fingerprint-based state and federal background inquiry through the state repository. The service provider is responsible for any costs associated with the fingerprint-based state and federal background inquiry.

After the contract for such services has been approved, but before any such employees are permitted to be on the grounds or in the buildings of the Capitol complex or have access to sensitive or critical information, the service provider shall submit a list of all persons who will be physically present and working at the Capitol complex to the Director of the Division of Protective Services for purposes of verifying compliance with this provision.

The State reserves the right to prohibit a service provider's employees from accessing sensitive or critical information or to be present at the Capitol complex based upon results addressed from a criminal background check.

Service providers should contact the West Virginia Division of Protective Services by phone at (304) 558-9911 for more information.

**52. PREFERENCE FOR USE OF DOMESTIC STEEL PRODUCTS:** Except when authorized by the Director of the Purchasing Division pursuant to W. Va. Code § 5A-3-56, no contractor may use or supply steel products for a State Contract Project other than those steel products made in the United States. A contractor who uses steel products in violation of this section may be subject to civil penalties pursuant to W. Va. Code § 5A-3-56. As used in this section:

- a. "State Contract Project" means any erection or construction of, or any addition to, alteration of or other improvement to any building or structure, including, but not limited to, roads or highways, or the installation of any heating or cooling or ventilating plants or other equipment, or the supply of and materials for such projects, pursuant to a contract with the State of West Virginia for which bids were solicited on or after June 6, 2001.
- b. "Steel Products" means products rolled, formed, shaped, drawn, extruded, forged, cast, fabricated or otherwise similarly processed, or processed by a combination of two or more or

such operations, from steel made by the open heath, basic oxygen, electric furnace, Bessemer or other steel making process.

The Purchasing Division Director may, in writing, authorize the use of foreign steel products if:

- a. The cost for each contract item used does not exceed one tenth of one percent (.1%) of the total contract cost or two thousand five hundred dollars (\$2,500.00), whichever is greater. For the purposes of this section, the cost is the value of the steel product as delivered to the project; or
- b. The Director of the Purchasing Division determines that specified steel materials are not produced in the United States in sufficient quantity or otherwise are not reasonably available to meet contract requirements.

**53. PREFERENCE FOR USE OF DOMESTIC ALUMINUM, GLASS, AND STEEL:** In Accordance with W. Va. Code § 5-19-1 et seq., and W. Va. CSR § 148-10-1 et seq., for every contract or subcontract, subject to the limitations contained herein, for the construction, reconstruction, alteration, repair, improvement or maintenance of public works or for the purchase of any item of machinery or equipment to be used at sites of public works, only domestic aluminum, glass or steel products shall be supplied unless the spending officer determines, in writing, after the receipt of offers or bids, (1) that the cost of domestic aluminum, glass or steel products is unreasonable or inconsistent with the public interest of the State of West Virginia, (2) that domestic aluminum, glass or steel products are not produced in sufficient quantities to meet the contract requirements, or (3) the available domestic aluminum, glass, or steel do not meet the contract specifications. This provision only applies to public works contracts awarded in an amount more than fifty thousand dollars (\$50,000) or public works contracts that require more than ten thousand pounds of steel products.

The cost of domestic aluminum, glass, or steel products may be unreasonable if the cost is more than twenty percent (20%) of the bid or offered price for foreign made aluminum, glass, or steel products. If the domestic aluminum, glass or steel products to be supplied or produced in a "substantial labor surplus area", as defined by the United States Department of Labor, the cost of domestic aluminum, glass, or steel products may be unreasonable if the cost is more than thirty percent (30%) of the bid or offered price for foreign made aluminum, glass, or steel products.

This preference shall be applied to an item of machinery or equipment, as indicated above, when the item is a single unit of equipment or machinery manufactured primarily of aluminum, glass or steel, is part of a public works contract and has the sole purpose or of being a permanent part of a single public works project. This provision does not apply to equipment or machinery purchased by a spending unit for use by that spending unit and not as part of a single public works project.

All bids and offers including domestic aluminum, glass or steel products that exceed bid or offer prices including foreign aluminum, glass or steel products after application of the preferences provided in this provision may be reduced to a price equal to or lower than the lowest bid or offer price for foreign aluminum, glass or steel products plus the applicable preference. If the reduced bid or offer prices are made in writing and supersede the prior bid or offer prices, all bids or offers, including the reduced bid or offer prices, will be reevaluated in accordance with this rule.

REQUEST FOR QUOTATION  
WV DIVISION OF NATURAL RESOURCES  
DNR213097 Four Tractors with Front Loaders/Buckets

---

SPECIFICATIONS

1. **PURPOSE AND SCOPE:** The West Virginia Purchasing Division is soliciting bids on behalf of Division of Natural Resources is soliciting bids to establish a contract for the one time purchase of four (4) diesel tractors with front loaders/buckets. All items will have minimum one year warranty. This award may be split if it is in the best interest of the Division of Natural Resources.
  
2. **DEFINITIONS:** The terms listed below shall have the meanings assigned to them below. Additional definitions can be found in section 2 of the General Terms and Conditions.
  - 2.1 "Contract Item" means tractors with front loaders/buckets.
  
  - 2.2 "Pricing Page" means the page upon which Vendor should list its proposed price for the Contract Items in the manner requested. The Pricing Page is either included on the last page of this RFQ or attached hereto as Exhibit A.
  
  - 2.3 "RFQ" means the official request for quotation published by the Purchasing Division and identified as DNR213097.
  
3. **GENERAL REQUIREMENTS:**
  - 3.1 **Mandatory Contract Item Requirements:** Contract Item must meet or exceed the mandatory requirements listed below.
    - 3.1.1 Item #1 - One (1) diesel farm tractor with front end loader and bucket with the following specifications. All items must be new (2012 or 2013 model year). Tractor - John Deere Model 5065E or equivalent, Front loader – John Deere Model 553 NSL or equivalent.
      - 3.1.1.1 Must have a turbocharged 4-cycle engine with minimum of three cylinders.
      - 3.1.1.2 Must have a minimum 65 gross engine horsepower.
      - 3.1.1.3 Must have a minimum 53 PTO horsepower.
      - 3.1.1.4 Must have a mechanical shuttle, synchronized transmission with a minimum of three reverse and nine forward gears.

REQUEST FOR QUOTATION  
WV DIVISION OF NATURAL RESOURCES  
DNR213097 Four Tractors with Front Loaders/Buckets

---

- 3.1.1.5 Must have an implement gear pump with a minimum of 11.4 gpm.
- 3.1.1.6 Must have an equipped, lever-controlled second rear remote valve.
- 3.1.1.7 Must have an open operator's station.
- 3.1.1.8 Must have flexible link arms.
- 3.1.1.9 Must be equipped with an engine block heater.
- 3.1.1.10 Must have a 4-WD (mechanical front wheel drive) front axle.
- 3.1.1.11 Must be equipped with foldable rollover protection structure.
- 3.1.1.12 Must have the following type tires: general farming – rear; minimum: 16.9 - 28;R1, front; minimum: 9.5-24;R1 or equivalent for tractor with front loader.
- 3.1.1.13 Must be equipped with a drawbar clevis.
- 3.1.1.14 Must be equipped with a grill guard.
- 3.1.1.15 Must have an equipped front loader with general purpose bucket and meet the following specifications:
  - 3.1.1.15.1 Must have a free-standing quick attachment system, for loader frame and bucket.
  - 3.1.1.15.2 Must have a minimum front loader lift capacity of 3,100 lbs. with a minimum front loader lift height of 122".
  - 3.1.1.15.3 Must have a general purpose style bucket (minimum of 72" in width and maximum of 78" in width.
  - 3.1.1.15.4 Must have a joystick control with two open center mid-mounted loader valves.

REQUEST FOR QUOTATION  
WV DIVISION OF NATURAL RESOURCES  
DNR213097 Four Tractors with Front Loaders/Buckets

---

- 3.1.1.16 Bid shall include delivery of product by June 1, 2013, as outlined in condition 6.1 listed below.
- 3.1.2 Item #2 - One (1) diesel farm tractor with front end loader and bucket with the following specifications. All items must be new (2012 or 2013 model year). Tractor - John Deere Model 5065E or equivalent, Front loader - John Deere Model 553 NSL or equivalent.
- 3.1.2.1 Must have a turbocharged 4-cycle engine with minimum of three cylinders.
  - 3.1.2.2 Must have a minimum 65 gross engine horsepower.
  - 3.1.2.3 Must have a minimum 53 PTO horsepower.
  - 3.1.2.4 Must have a mechanical shuttle, synchronized transmission with a minimum of three reverse and nine forward gears.
  - 3.1.2.5 Must have an implement gear pump with a minimum of 11.4 gpm.
  - 3.1.2.6 Must have an equipped, lever-controlled second rear remote valve.
  - 3.1.2.7 Must have an open operator's station.
  - 3.1.2.8 Must have flexible link arms.
  - 3.1.2.9 Must be equipped with an engine block heater.
  - 3.1.2.10 Must have a 4-WD (mechanical front wheel drive) front axle.
  - 3.1.2.11 Must be equipped with foldable rollover protection structure.
  - 3.1.2.12 Must have the following type tires: general farming - rear; minimum: 16.9 - 28;R1, front; minimum: 9.5-24;R1 or equivalent for tractor with front loader.
  - 3.1.2.13 Must be equipped with a drawbar clevis.
  - 3.1.2.14 Must be equipped with a grill guard.

REQUEST FOR QUOTATION  
WV DIVISION OF NATURAL RESOURCES  
DNR213097 Four Tractors with Front Loaders/Buckets

---

- 3.1.2.15 Must have an equipped front loader with general purpose bucket and meet the following specifications:
  - 3.1.2.15.1 Must have a free-standing quick attachment system, for loader frame and bucket.
  - 3.1.2.15.2 Must have a minimum front loader lift capacity of 3,100 lbs. with a minimum front loader lift height of 122".
  - 3.1.2.15.3 Must have a general purpose style bucket (minimum of 72" in width and maximum of 78" in width.
  - 3.1.2.15.4 Must have a joystick control with two open center mid-mounted loader valves.
- 3.1.2.16 Bid shall include delivery of product by June 1, 2013, as outlined in condition 6.1 listed below.
- 3.1.3 Item #3 - Diesel farm tractor with front end loader and bucket with the following specifications. All items must be new (2012 or 2013 model year). Tractor - John Deere Model 5075E or equivalent, Front loader/bucket - John Deere Model 553 NSL or equivalent.
  - 3.1.3.1 Must have a turbocharged 4-cycle engine with minimum of three cylinders.
  - 3.1.3.2 Must have a minimum 75 gross engine horsepower.
  - 3.1.3.3 Must have a minimum 61 PTO horsepower.
  - 3.1.3.4 Must have a mechanical shuttle, synchronized transmission with a minimum of three reverse and nine forward gears.
  - 3.1.3.5 Must have an implement gear pump with a minimum flow of 15 gpm.
  - 3.1.3.6 Must have an equipped, lever-controlled second rear remote valve.
  - 3.1.3.7 Must have an open operator's station.

REQUEST FOR QUOTATION  
 WV DIVISION OF NATURAL RESOURCES  
 DNR213097 Four Tractors with Front Loaders/Buckets

---

- 3.1.3.8 Must have a 4-WD (mechanical front wheel drive) front axle.
- 3.1.3.9 Must be equipped with foldable rollover protection structure.
- 3.1.3.10 Must have the following type tires: general farming – rear; minimum: 16.9 - 30;R1, front; minimum: 9.5-24;R1 or equivalent for tractor with front loader.
- 3.1.3.11 Must be equipped with a drawbar clevis.
- 3.1.3.12 Must be equipped with a grill guard.
- 3.1.3.13 Must have a hard canopy over operators station.
- 3.1.3.14 Must be equipped with an engine block heater.
- 3.1.3.15 Must have an equipped front loader with general purpose bucket and meet the following specifications:
  - 3.1.3.15.1 Must have a free-standing quick attachment system, for loader frame and bucket.
  - 3.1.3.15.2 Must have a minimum front loader lift capacity of 3,100 lbs. with a minimum front loader lift height of 122”.
  - 3.1.3.15.3 Must have a general purpose style bucket (minimum of 72” in width and max. of 78” in width.
  - 3.1.3.15.4 Must have a joystick control with two open center mid-mounted loader valves.
- 3.1.3.16 Bid shall include delivery of product by June 1, 2013, as outlined in condition 6.1 listed below.
- 3.1.4 Item #4 - Diesel farm tractor with front end loader/bucket with the following specifications. All items must be new (2012 or 2013 model year). Tractor - John Deere Model 5065E or equivalent, Front loader – John Deere Model 553 NSL or equivalent and hard fiberglass canopy.

REQUEST FOR QUOTATION  
WV DIVISION OF NATURAL RESOURCES  
DNR213097 Four Tractors with Front Loaders/Buckets

---

- 3.1.4.1 Must have a turbocharged 4-cycle engine with minimum of three cylinders.
- 3.1.4.2 Must have a minimum 65 gross engine horsepower.
- 3.1.4.3 Must have a minimum 53 PTO horsepower.
- 3.1.4.4 Must have a mechanical shuttle, synchronized transmission with a minimum of three reverse and nine forward gears.
- 3.1.4.5 Must have an implement gear pump with a minimum of 11.4 gpm.
- 3.1.4.6 Must have an equipped, lever-controlled second rear remote valve.
- 3.1.4.7 Must have an open operator's station.
- 3.1.4.8 Must have flexible link arms.
- 3.1.4.9 Must be equipped with an engine block heater.
- 3.1.4.10 Must have a 4-WD (mechanical front wheel drive) front axle.
- 3.1.4.11 Must be equipped with foldable rollover protection structure.
- 3.1.4.12 Must have the following type tires: general farming – rear; minimum: 16.9 - 28;R1, front; minimum: 9.5-24;R1 or equivalent for tractor with front loader.
- 3.1.4.13 Must be equipped with a drawbar clevis.
- 3.1.4.14 Must be equipped with a grill guard.
- 3.1.4.15 Must be equipped with a hard fiberglass canopy top.
- 3.1.4.16 Must have an equipped front loader with general purpose bucket and meet the following specifications:
  - 3.1.4.16.1 Must have a free-standing quick attachment system, for loader frame and bucket.



REQUEST FOR QUOTATION  
WV DIVISION OF NATURAL RESOURCES  
DNR213097 Four Tractors with Front Loaders/Buckets

---

3.1.4.16.2 Must have a minimum front loader lift capacity of 3,100 lbs. with a minimum front loader lift height of 122".

3.1.4.16.3 Must have a general purpose style bucket (minimum of 72" in width and maximum of 78" in width).

3.1.4.16.4 Must have a joystick control with two open center mid-mounted loader valves.

3.1.4.16 Bid shall include delivery of product by June 1, 2013, as outlined in condition 6.1 listed below.

#### 4. CONTRACT AWARD:

**4.1 Contract Award:** The Contract is intended to provide Agencies with a purchase price for the Contract Items. The Contract shall be awarded to the Vendor that provides the Contract Items meeting the required specifications for the lowest overall cost for each item as shown on the Pricing Pages.

**4.2 Pricing Page:** Vendor should complete the Pricing Page by including price per line item that includes delivery charges. Vendor should complete the Pricing Page in full as failure to complete the Pricing Page in its entirety may result in Vendor's bid being disqualified.

Notwithstanding the foregoing, the Purchasing Division may correct errors as it deems appropriate. Vendor should type or electronically enter the information into the Pricing Page to prevent errors in the evaluation.

#### 5. PAYMENT:

**5.1 Payment:** Vendor shall accept payment in accordance with the payment procedures of the State of West Virginia.

REQUEST FOR QUOTATION  
 WV DIVISION OF NATURAL RESOURCES  
 DNR213097 Four Tractors with Front Loaders/Buckets

---

**6. DELIVERY AND RETURN:**

**6.1 Shipment and Delivery:** Vendor shall ship the Contract Items immediately after being awarded this Contract and receiving a purchase order. Vendor shall deliver the Contract Items within 30 working days (or by June 1, 2013, whichever comes first) after receiving a purchase order. Contract Items must be delivered to Agency the following locations:

**6.1.1 Item #1** WV Division of Natural Resources, Cheat WMA Headquarters, Huttonsville, WV (Randolph County); Contact person: Shawn Head (304-637-0245).

**6.1.2 Item #2** WV Division of Natural Resources, Beech Fork WMA Headquarters, Wayne, WV (Wayne County); Contact person: Kem Shaw (304-675-0871).

**6.1.3 Item #3** WV Division of Natural Resources, USFS Ranger Station Office, White Sulphur Springs, WV (Greenbrier County); Contact person: Todd Dowdy (304-256-6947).

**6.1.4 Item #4** WV Division of Natural Resources, South Branch WMA, District 2 DNR Office, Romney WV (Hampshire County); Contact person: Rich Rogers (304-822-3551).

**6.2 Late Delivery:** The Agency placing the order under this Contract must be notified in writing if the shipment of the Contract Items will be delayed for any reason. Any delay in delivery that could cause harm to an Agency will be grounds for cancellation of the Contract, and/or obtaining the Contract Items from a third party.

Any Agency seeking to obtain the Contract Items from a third party under this provision must first obtain approval of the Purchasing Division.

**6.3 Delivery Payment/Risk of Loss:** Vendor shall deliver the Contract Items F.O.B. destination to the Agency's location.

**6.4 Return of Unacceptable Items:** If the Agency deems the Contract Items to be unacceptable, the Contract Items shall be returned to Vendor at Vendor's expense and with no restocking charge. Vendor shall either make arrangements for the return within five (5) days of being notified that items are unacceptable, or permit the Agency to arrange for the return and reimburse Agency for delivery expenses. If the original packaging cannot be utilized for the return, Vendor will supply the Agency with appropriate return packaging upon request. All returns of unacceptable items shall be F.O.B. the Agency's location. The returned product

REQUEST FOR QUOTATION  
WV DIVISION OF NATURAL RESOURCES  
DNR213097 Four Tractors with Front Loaders/Buckets

---

shall either be replaced, or the Agency shall receive a full credit or refund for the purchase price, at the Agency's discretion.

**6.5 Return Due to Agency Error:** Items ordered in error by the Agency will be returned for credit within 30 days of receipt, F.O.B. Vendor's location. Vendor shall not charge a restocking fee if returned products are in a resalable condition. Items shall be deemed to be in a resalable condition if they are unused and in the original packaging. Any restocking fee for items not in a resalable condition shall be the lower of the Vendor's customary restocking fee or 5% of the total invoiced value of the returned items.

DNR213097 WV DIVISION OF NATURAL RESOURCES  
PRICING PAGE  
EXHIBIT A

ITEM NO	QUANTITY	DESCRIPTION	UNIT PRICE	AMOUNT
1	1	4WD, 65-HP tractor with front end loader and bucket	\$32,376	\$32,376.00
2	1	4WD, 65-HP tractor with front end loader and bucket	\$32,672	\$32,672
3	1	4WD, 75-HP tractor with front end loader and bucket	\$34,914	\$34,914
4	1	4WD, 65-HP tractor with front end loader/bucket, and fiberglass canopy	\$33,372	\$33,372

Note: Delivery must be made within thirty (30) days of purchase order award.

Each line item must include delivery charges to the designated areas listed below.

Items are to be delivered to the following locations:

**Item #1**

WV Division of Natural Resources  
Cheat WMA Headquarters  
Huttonsville, WV (Randolph County)  
Contact Shawn Head (304-637-0245) for delivery information

**Item #2**

WV Division of Natural Resources  
Beech Fork WMA Headquarters  
Wayne, WV (Wayne County)  
Contact Kem Shaw (304-675-0871) for delivery information

**Item #3**

WV Division of Natural Resources  
USFS Ranger Station Office  
White Sulphur Springs, WV (Greenbrier County)  
Contact Todd Dowdy (304-256-6947) for delivery information

**Item #4**

WV Division of Natural Resources  
South Branch WMA  
District 2 DNR Office  
Romney, WV (Hampshire County)  
Contact Rich Rogers (304-822-3551) for delivery information

DNR213097 WV DIVISION OF NATURAL RESOURCES  
 MANUFACTURER'S PAGE  
 FY2013 Tractors

Please complete the below information concerning the brand(s) of equipment being bid in relation to this project. If bidding "or equal" brands, please attach manufacturer's literature documenting that it meets the mandatory requirements stated in the specifications. Vendors should note the areas of the provided manufacturer's literature that adheres to the mandatory requirements outlined in the Request for Quotation.

ITEM NO.	EQUIPMENT	MANUFACTURER	MODEL
1	Diesel farm tractor with front end loader and bucket	MASSEY FERGUSON	2635L
2	Diesel farm tractor with front end loader and bucket	MASSEY FERGUSON	2635L
3	Diesel farm tractor with front end loader and bucket	MASSEY FERGUSON	4608L
4	Diesel farm tractor with front end loader/bucket	MASSEY FERGUSON	2635L

**CERTIFICATION AND SIGNATURE PAGE**

By signing below, I certify that I have reviewed this Solicitation in its entirety; understand the requirements, terms and conditions, and other information contained herein; that I am submitting this bid or proposal for review and consideration; that I am authorized by the bidder to execute this bid or any documents related thereto on bidder's behalf; that I am authorized to bind the bidder in a contractual relationship; and that to the best of my knowledge, the bidder has properly registered with any State agency that may require registration.

NETTLES EQUIPMENT INC.

(Company)

*Brad Nettles sec*

(Authorized Signature)

BRAD NETTLES, SEC.

(Representative Name, Title)

( 304 ) 364-2445

(Phone Number)

( 304 ) 364-8360

(Fax Number)

05-08-2013

(Date)



RFQ No. DNR213097

STATE OF WEST VIRGINIA  
Purchasing Division  
**PURCHASING AFFIDAVIT**

**MANDATE:** Under W. Va. Code §5A-3-10a, no contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and: (1) the debt owed is an amount greater than one thousand dollars in the aggregate; or (2) the debtor is in employer default.

**EXCEPTION:** The prohibition listed above does not apply where a vendor has contested any tax administered pursuant to chapter eleven of the W. Va. Code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

**DEFINITIONS:**

**"Debt"** means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

**"Employer default"** means having an outstanding balance or liability to the old fund or to the uninsured employers' fund or being in policy default, as defined in W. Va. Code § 23-2c-2, failure to maintain mandatory workers' compensation coverage, or failure to fully meet its obligations as a workers' compensation self-insured employer. An employer is not in employer default if it has entered into a repayment agreement with the Insurance Commissioner and remains in compliance with the obligations under the repayment agreement.

**"Related party"** means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceeds five percent of the total contract amount.

**AFFIRMATION:** By signing this form, the vendor's authorized signer affirms and acknowledges under penalty of law for false swearing (*W. Va. Code §61-5-3*) that neither vendor nor any related party owe a debt as defined above and that neither vendor nor any related party are in employer default as defined above, unless the debt or employer default is permitted under the exception above.

**WITNESS THE FOLLOWING SIGNATURE:**

Vendor's Name: Nettles Equipment Inc.

Authorized Signature: Brad Nettles Date: 5-8-13

State of West Virginia

County of Braxton, to-wit:

Taken, subscribed, and sworn to before me this 8 day of May, 2013.

My Commission expires February 14, 2022.

**AFFIX SEAL HERE**

**NOTARY PUBLIC**

Sarah Rexroad

*Purchasing Affidavit (Revised 07/01/2012)*





**ADDENDUM ACKNOWLEDGEMENT FORM**  
**SOLICITATION NO.:** DNR213097

**Instructions:** Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

**Acknowledgment:** I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

**Addendum Numbers Received:**


(Check the box next to each addendum received)

- |  |  |
|--|--|
| <input checked="" type="checkbox"/> Addendum No. 1<br><input type="checkbox"/> Addendum No. 2<br><input type="checkbox"/> Addendum No. 3<br><input type="checkbox"/> Addendum No. 4<br><input type="checkbox"/> Addendum No. 5 | <input type="checkbox"/> Addendum No. 6<br><input type="checkbox"/> Addendum No. 7<br><input type="checkbox"/> Addendum No. 8<br><input type="checkbox"/> Addendum No. 9<br><input type="checkbox"/> Addendum No. 10 |
|--|--|

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

NETTLES EQUIPMENT INC.

Company



Authorized Signature

05-08-2013

Date

NOTE: This addendum acknowledgment should be submitted with the bid to expedite document processing.



Load it up. Work it hard. Take it E A S Y.



## Nettles Equipment Inc.

2644 Servia Elmira Road  
Duck WV 25063  
304-364-2445

Our new Massey Ferguson® 4600 Series makes loader and hay work easier than ever.

**Our 4600 Series provides exactly** what livestock farmers have been asking for: an affordable utility tractor that's powerful, versatile and comfortable.

At its core is a new hydraulic power shuttle transmission.

During loader work, it lets you go from forward to reverse and back again without clutching – saving constant stress and strain so you can be more productive. Each model is also Tier 4i compliant: Using electronic engine management, our 3-cylinder engine is both powerful and fuel efficient, without the need for regenerating particulate filters.



An all new 3-cylinder AGCO POWER™ engine, designed and built for the 4600 Series, offers more power with greater efficiency.

The power shuttle control lever is conveniently located to the left of the steering wheel for easy reach and operation.

Model	4608	4609	4610
PTO HP @ 2200 RPM HP (kW)***	63.5 (47.4)	72 (53.7)	80 (59.7)
Net Engine HP (kW)***	75 (55.9)	85 (63.4)	95 (70.9)
Max Engine HP (kW)***	80 (59.7)	90 (67.1)	100 (74.6)
Engine Make/Model	33 AWIC by AGCO Power, Tier 4i compliant		
Cylinders / Displacement L (CID)	3-cylinder / 3.3 (201)		
Aspiration / Charge Cooling	Turbocharged & Intercooled		
Fuel system	Electronic management, High Pressure Common Rail, Direct Injection		
Emissions Control	External Exhaust Gas Recirculation (EGR), Diesel Oxidation Catalyst (DOC)		
Fuel Capacity Gal (L)	27 (105), under platform for ground fill		
<b>Transmission</b>			
Type: standard	12F x 12R Power shuttle		
Speeds	6 synchronized gears, 2 ranges		
Shuttle	Electronic via left hand control lever		
<b>Rear 3-point Hitch</b>			
Type/ASAE category	Category II with position and draft control		
Lower Draft Arms	Extendable ball ends		
Lift capacity @ 24" lbs. (kg)	3,417 (1550)		
<b>4wd Front Axle</b>			
Type	Cast steel housing with center drive line and mechanical reduction**		
Drive engagement	Mechanical engagement via hand lever		
<b>Rear Axle</b>			
Type	Flange axle with internal planetary final drives		
Differential lock	Mechanical engagement via foot pedal		
Braking	Independent, Internal Wet Multi-disc Brakes		
<b>Power Take Off (PTO)</b>			
Type	Independent, Electronically Engaged		
Speeds	540 / 1000 RPM standard		
<b>Hydraulics</b>			
System type	Open center, tandem pump		
Standard flow at remotes gpm (Lpm)	17.1 (65)		
Rear remote valves	1 or 2 standard, up to 3 maximum		
Loader joystick option	Optional, console integrated, with mid valves and couplers		
<b>Operator's Area</b>			
Open Station	Flat deck with rubber mat, folding ROPS		
Cab	6-post ROPS, flat deck with rubber mat, HVAC, front wiper		
Steering / Seat	Deluxe suspended seat, tilt steering		
Lighting	Roofline flood lights: 2 front, 2 rear (cab only)		
Electrical System	12 volt DC system, 95 amp alternator		
<b>Dimensions</b>			
Height over cab in. (mm)*	100.4 (2550)	102.4 (2600)	102.4 (2600)
Overall length in. (mm)	150.2 (3815)	152.6 (3875)	152.6 (3875)
Wheelbase in. (mm)	88.5 (2250) on all 4600 models		
Min. width at fenders in. (mm)	78.7 (2000) on all 4600 models		
4wd ROPS Shipping Weight lbs (kg)	6063 (2750)	6394 (2900)	6503 (2950)
4wd Cab Shipping Weight lbs (kg)	6503 (2950)	6835 (3100)	6945 (3150)

\*Can vary depending on tire size \*\* (2wd front axle available in later development) \*\*\* manufacturer's estimates



MASSEY FERGUSON is a worldwide brand of AGCO.

MF12P044TCGV2 (12) POD H15

*Subject:* **COMPETITIVE BULLETIN: MF 2600 Series vs. JD 5D/5E Series****COMPETITIVE SPECIFICATIONS**

<b>Specifications</b>	<b>MF2635</b>	<b>John Deere 5075E</b>
Horsepower	74 Engine / 62 PTO*	75 Engine / 61 PTO
Engine Size	4-cylinder, 219.5 in <sup>3</sup>	3-cylinder, 179 in <sup>3</sup>
Aspiration	Turbocharged	Turbocharged
Fuel Tank Capacity	17.7 Gallons	16 Gallons
Transmission Std.	8x2 Constant Mesh	9x3 SynchReverser (2WD only)
Transmission Opt.	8x8 SynchShuttle	9x3 SynchShuttle (4WD only)
Shuttle Lever	Left Hand Dash	Right Side of Seat
2WD Front Axle	Telescopic Adjustable	Telescopic Adjustable
4WD Front Axle	Dana MFVA with Offset Differential	JD MFVA with Center Differential
Steering	Hydrostatic with Dedicated System	Hydrostatic with Shared System
Brakes	Mechanical, Wet Disc	Mechanical, Wet Disc
Differential Lock	Mechanical	Mechanical
Final Drives	Planetary	Planetary
3-point Hitch Type	Cat I/II with Cross Drilled Balls	Cat II
3-point Lift Capacity	4,078 lbs @ Hitch	2,204 lbs @ 24"
Max. Hydraulic Flow at Valves	16.2 gpm with Combining Valve	11.4 gpm
Remote Valves	0 std., Up to 2	1 std., Up to 2
PTO Type	Live or Independent	Independent
Platform Type	Semi-flat, Steel Deck	Straddle Mount, Steel Deck
Front Hood and Fenders	Steel Hood and Fenders	Composite Hood and Fenders
Alternator Capacity	45 Amps	40 Amps
Rear Work Light	1 Standard	Opt., Field Installed
7-pin Trailer Plug	Standard	Standard
Foot Pedals	Suspended	Standing Pedestal
Toolbox	Steel, Standard	Plastic, Standard
2WD Base Weight	5,357 lbs*	4,634 lbs
4WD Base Weight	5,798 lbs*	5,070 lbs
Loader Lift Capacity	DL250 - 2,952 lbs @ Pins	553 - 3,133 lbs @ Pins
Loader Lift Height	DL250 - 123 in @ Pins	553 - 122 in @ Pins

\* Live PTO

*Subject:* Massey Ferguson 4600 Series vs John Deere 5E Series**COMPETITIVE SPECIFICATIONS**

Specifications	MF4608	John Deere 5083E
Rated Engine HP (kW)	80 (60)	83 (60.5)
Rated Engine Speed	2,200	2,400
Max. Engine HP	84 (63)	N/A
Rated PTO HP	63.5 (47.4)	69 (51.0)
Engine Size / # of Cylinders	3.3 L / 3-cylinders	4.5 L / 4-cylinders
Aspiration	Wastegate Turbocharged and Intercooled	Turbocharged
EPA Compliance	Tier 4i	Tier 3
Emissions Control System	External EGR, Diesel Oxidation Catalyst	None
Standard Transmission	12x12 Power Shuttle	12x12 Power Reverser
Gears / Ranges	6 Synchronized Gears, 2 Ranges	4 Synchronized Gears / 3 Ranges
Optional Transmission	None	None
Gears / Ranges	None	None
Rear Axle Type	Solid Cast Steel with Flange	Solid Cast Steel with Flange
Rear Axle Final Drives	Internal Planetary Reduction	Internal Planetary Reduction
Brakes	Internal Hydraulic Wet Disc	Internal Hydraulic Wet Disc
Diff. Lock	Mechanical via Foot Pedal	Mechanical via Foot Pedal
4wd Front Axle Type	Solid Cast Steel, Center Differential	Solid Cast Steel, Center Differential
Front Axle Final Drives	Combination Bevel Gear and Planetary	Outboard Planetary Reduction
3-point Category	Cat II	Cat II
3-point Control	Electronic	Mechanical
3-point Lift Capacity lbs (kg)	3,417 (1550) at 24"	3,213 (1457) at 24"
Hydraulics System Type	Open Center	Open Center
Hydraulic Flow @ Remotes	17.1 gpm (65 Lpm)	15.9 gpm (60.1 Lpm)
Rear Remote Valves	Up to 3	Up to 3
Factory Loader Ready	Optional with Mid Valves and Joystick	Optional with Mid Valves and Joystick
PTO Speeds	540 and 1000 standard	540 and 540 economy
Steering Wheel	Tilt	Tilt
Seat Suspension	Mechanical, Adjustable	Mechanical, Adjustable
Fuel Capacity gal (L)	27 (105)	25 (94.6) ROPS; 30 (113.6) Cab
Tractor Length in (mm)	150.2 (3815)	147.6 (3749)
Wheelbase in (mm)	88.5 (2250)	85.8 (2178)
Height over ROPS in (mm)	109.4 (2779)	99.5 (2527)
Height over Cab in (mm)	100.4 (2550)	99.7 (2532)
2wd ROPS Weight lbs (kg)	TBA	N/A
4wd ROPS Weight lbs (kg)	6,063 (2750)	5,315 (2411)
2wd Cab Weight lbs (kg)	TBA	N/A
4wd Cab Weight lbs (kg)	6,504 (2950)	7,385 (3350)



**MASSEY FERGUSON****PRODUCT MARKETING BULLETIN***Subject:* **COMPETITIVE BULLETIN: MF 2600 Series vs. JD 5D/5E Series****COMPETITIVE SPECIFICATIONS**

<b>Specifications</b>	<b>MF2635</b>	<b>John Deere 5055E</b>
Horsepower	74 Engine / 62 PTO*	65 Engine / 53 PTO
Engine Size	4-cylinder, 219.5 in <sup>3</sup>	3-cylinder, 179 in <sup>3</sup>
Aspiration	Turbocharged	Turbocharged
Fuel Tank Capacity	17.7 Gallons	16 Gallons
Transmission Std.	8x2 Constant Mesh	9x3 SynchReverser (2WD only)
Transmission Opt.	8x8 SynchShuttle	9x3 SynchShuttle (4WD only)
Shuttle Lever	Left Hand Dash	Right Side of Seat
2WD Front Axle	Telescopic Adjustable	Telescopic Adjustable
4WD Front Axle	Dana MFWA with Offset Differential	JD MFWA with Center Differential
Steering	Hydrostatic with Dedicated System	Hydrostatic with Shared System
Brakes	Mechanical, Wet Disc	Mechanical, Wet Disc
Differential Lock	Mechanical	Mechanical
Final Drives	Planetary	Planetary
3-point Hitch Type	Cat I/II with Cross Drilled Balls	Cat II
3-point Lift Capacity	4,078 lbs @ Hitch	2,204 lbs @ 24"
Max. Hydraulic Flow at Valves	16.2 gpm with Combining Valve	11.4 gpm
Remote Valves	0 std., Up to 2	1 std., Up to 2
PTO Type	Live or Independent	Independent
Platform Type	Semi-flat, Steel Deck	Straddle Mount, Steel Deck
Front Hood and Fenders	Steel Hood and Fenders	Composite Hood and Fenders
Alternator Capacity	45 Amps	40 Amps
Rear Work Light	1 Standard	Opt., Field Installed
7-pin Trailer Plug	Standard	Standard
Foot Pedals	Suspended	Standing Pedestal
Toolbox	Steel, Standard	Plastic, Standard
2WD Base Weight	5,357 lbs*	4,634 lbs
4WD Base Weight	5,798 lbs*	5,070 lbs
Loader Lift Capacity	DL250 - 2,952 lbs @ Pins	553 - 3,133 lbs @ Pins
Loader Lift Height	DL250 - 123 in @ Pins	553 - 122 in @ Pins

JD 5065


\* Live PTO

The data presented for AGCO® and/or competitive equipment is obtained from various sources, including manufacturer's publications. Every attempt has been made to ensure the accuracy, but AGCO® assumes no responsibility for authenticity of data.

MODEL	2635
<b>Engine</b>	
SAE Gross Engine HP @ rated engine rpm: HP (kW)	74 (55.2) @ 2,200
PTO HP @ rated engine rpm (LIVE PTO): HP (kW)	62 (46.2) @ 2,200
PTO HP @ rated engine rpm (Independent PTO): HP (kW)	60 (44.7) @ 2,200
SIMPSON® engine model	TSJ436E
Cylinders and aspiration	4-Turbo
Total displacement: in. (liters)	220 (3.6)
Cold starting aid:	Glow Plug
Fuel tank capacity: US gal. (liters)	17.7 (65)
<b>Clutch</b>	
Type with live PTO	Dry Dual Disc
Diameter traction clutch: in. (mm)	12 (305)
Diameter of PTO clutch: in. (mm)	10 (254)
Type with independent PTO	Dry Single Disc
Diameter traction clutch: in. (mm)	12 (305)
Hydraulic engaged independent PTO clutch:	Wet Multi Disc
<b>Transmission</b>	
Type standard	8F x 2R
Type optional	8F x 8R Shuttle
<b>Brakes &amp; Final Drives</b>	
Final drives with 8x2 transmission	Outboard Planetary
Final drives with 8x8 shuttle transmission	Outboard Planetary
Brakes	Inboard Wet Multi Disc
Differential lock	Foot Operated
<b>PTO Type</b>	
Type standard (8x2 transmission only)	Live (Dual Stage Dry Clutch)
Type optional	Independent (Electro-hydraulically engaged Multi-Disc Wet Clutch)
PTO speed @ engine RPM (6 spline shaft)	540 @ 1,790 ERPM

MODEL	2635
<b>Hydraulics</b>	
System type	Open Center & Modified Closed Center
Pump type	Gear & Scotch Yoke
Total flow: gpm (lpm) (steering + aux + 3-point pump)	22.8 (86)
Steering pump flow: gpm (lpm)	6.9 (26)
Auxiliary pump flow: gpm (lpm)	11.2 (42)
3-point hitch pump: gpm (lpm)	4.7 (18)
Remote valves standard:	None
Remote valves optional:	1 or 2 Rear Valves
<b>Three-Point Hitch</b>	
ASAE category	Category I & II Cross Drilled Ball Ends
Extendable lower links	Optional
Stabilizers	Chain Type
Lift capacity @ hitch point - horizontal position: lbs. (kg)	4,520 (2,050)
<b>Electrical</b>	
Battery CCA	N/A
Alternator amperage	45
Trailer outlet	Standard
Horn	Standard
<b>Weight &amp; Dimensions***</b>	
Rear tire used for measurement:	16.9x28
(A) Wheelbase: in. (mm) 2/4WD	81 (2,050) / 81 (2,066)
(B) Overall length: in. (mm) 2/4WD	138 (3,510) / 139 (3,526)
(C) Min. overall width: in. (mm)	73 (1,854)
(D) Min. tread setting: in. (mm)	56 (1,420)
(E) Height top of ROPS: in. (mm)	95 (2,395)
(F) Ground clearance @ drawbar: in. (mm)	13.5 (350)
2WD platform approx. shipping weight: lbs. (kg)	5,357 (2,430)
4WD platform approx. shipping weight: lbs. (kg)	5,798 (2,630)

\*\*\* See the full 2600 Series brochure for illustrated views of above dimensions.



An economical 8x2 constant mesh transmission with live PTO provides a simple and reliable powertrain to handle daily chores on the farm. The optional 8x8 SynchroShuttle transmission with independent PTO gives new meaning to comfort and convenience by allowing the tractor to shift gears on the go and change direction without having to stop completely.



All 2600 Series models can be equipped with a front loader to improve performance on the job site. Several models are available, from economical to deluxe, to meet the job's requirements.




Most daily service items, such as engine oil check, can be done without opening the hood. For other maintenance, the gas assisted, single-piece steel hood opens widely for easy access.



MASSEY FERGUSON is a worldwide brand of AGCO.

M1E10P009 RP

NETTLES EQUIPMENT INC  
 I-79 EXIT 46 SERVIA ROAD  
 DUCK WV 25063  
 304-364-2445



MASSEY FERGUSON  
 masseyferguson.com



**MASSEY FERGUSON****PRODUCT MARKETING BULLETIN***Subject:* **COMPETITIVE BULLETIN: MF 2600 Series vs. JD 5D/5E Series****COMPETITIVE SPECIFICATIONS**

Specifications	MF2600	John Deere 5065L
Horsepower	74 Engine / 62 PTO*	65 Engine / 53 PTO
Engine Size	4-cylinder, 219.5 in <sup>3</sup>	3-cylinder, 179 in <sup>3</sup>
Aspiration	Turbocharged	Turbocharged
Fuel Tank Capacity	17.7 Gallons	16 Gallons
Transmission Std.	8x2 Constant Mesh	9x3 SynchReverser (2WD only)
Transmission Opt.	8x8 SynchShuttle	9x3 SynchShuttle (4WD only)
Shuttle Lever	Left Hand Dash	Right Side of Seat
2WD Front Axle	Telescopic Adjustable	Telescopic Adjustable
4WD Front Axle	Dana MFWA with Offset Differential	JD MFWA with Center Differential
Steering	Hydrostatic with Dedicated System	Hydrostatic with Shared System
Brakes	Mechanical, Wet Disc	Mechanical, Wet Disc
Differential Lock	Mechanical	Mechanical
Final Drives	Planetary	Planetary
3-point Hitch Type	Cat I/II with Cross Drilled Balls	Cat II
3-point Lift Capacity	4,078 lbs @ Hitch	2,204 lbs @ 24"
Max. Hydraulic Flow at Valves	16.2 gpm with Combining Valve	11.4 gpm
Remote Valves	0 std., Up to 2	1 std., Up to 2
PTO Type	Live or Independent	Independent
Platform Type	Semi-flat, Steel Deck	Straddle Mount, Steel Deck
Front Hood and Fenders	Steel Hood and Fenders	Composite Hood and Fenders
Alternator Capacity	45 Amps	40 Amps
Rear Work Light	1 Standard	Opt., Field Installed
7-pin Trailer Plug	Standard	Standard
Foot Pedals	Suspended	Standing Pedestal
Toolbox	Steel, Standard	Plastic, Standard
2WD Base Weight	5,357 lbs*	4,634 lbs
4WD Base Weight	5,798 lbs*	5,070 lbs
Loader Lift Capacity	DL250 - 2,952 lbs @ Pins	553 - 3,133 lbs @ Pins
Loader Lift Height	DL250 - 123 in @ Pins	553 - 122 in @ Pins

\* Live PTO


The data presented for AGCO® and/or competitive equipment is obtained from various sources, including manufacturer's publications. Every attempt has been made to ensure the accuracy, but AGCO® assumes no responsibility for authenticity of data.

105065

MODEL	2635
<b>Engine</b>	
SAE Gross Engine HP @ rated engine rpm: HP (kW)	74 (55.2) @ 2,200
PTO HP @ rated engine rpm (LIVE PTO): HP (kW)	62 (46.2) @ 2,200
PTO HP @ rated engine rpm (Independent PTO): HP (kW)	60 (44.7) @ 2,200
SIMPSON® engine model	TSJ436E
Cylinders and aspiration	4-Turbo
Total displacement: in. (liters)	220 (3.6)
Cold starting aid:	Glow Plug
Fuel tank capacity: US gal. (liters)	17.7 (65)
<b>Clutch</b>	
Type with live PTO	Dry Dual Disc
Diameter traction clutch: in. (mm)	12 (305)
Diameter of PTO clutch: in. (mm)	10 (254)
Type with independent PTO	Dry Single Disc
Diameter traction clutch: in. (mm)	12 (305)
Hydraulic engaged independent PTO clutch:	Wet Multi Disc
<b>Transmission</b>	
Type standard	8F x 2R
Type optional	8F x 8R Shuttle
<b>Brakes &amp; Final Drives</b>	
Final drives with 8x2 transmission	Outboard Planetary
Final drives with 8x8 shuttle transmission	Outboard Planetary
Brakes	Inboard Wet Multi Disc
Differential lock	Foot Operated
<b>PTO Type</b>	
Type standard (8x2 transmission only)	Live (Dual Stage Dry Clutch)
Type optional	Independent (Electro-hydraulically engaged Multi-Disc Wet Clutch)
PTO speed @ engine RPM (6 spline shaft)	540 @ 1,790 ERPM

MODEL	2635
<b>Hydraulics</b>	
System type	Open Center & Modified Closed Center
Pump type	Gear & Scotch Yoke
Total flow: gpm (lpm) (steering + aux + 3-point pump)	22.8 (86)
Steering pump flow: gpm (lpm)	6.9 (26)
Auxiliary pump flow: gpm (lpm)	11.2 (42)
3-point hitch pump: gpm (lpm)	4.7 (18)
Remote valves standard:	None
Remote valves optional:	1 or 2 Rear Valves
<b>Three-Point Hitch</b>	
ASAE category	Category I & II Cross Drilled Ball Ends
Extendable lower links	Optional
Stabilizers	Chain Type
Lift capacity @ hitch point - horizontal position: lbs. (kg)	4,520 (2,050)
<b>Electrical</b>	
Battery CCA	N/A
Alternator amperage	45
Trailer outlet	Standard
Horn	Standard
<b>Weight &amp; Dimensions***</b>	
Rear tire used for measurement:	16.9x28
(A) Wheelbase: in. (mm) 2/4WD	81 (2,050) / 81 (2,066)
(B) Overall length: in. (mm) 2/4WD	138 (3,510) / 139 (3,526)
(C) Min. overall width: in. (mm)	73 (1,854)
(D) Min. tread setting: in. (mm)	56 (1,420)
(E) Height top of ROPS: in. (mm)	95 (2,395)
(F) Ground clearance @ drawbar: in. (mm)	13.5 (350)
2WD platform approx. shipping weight: lbs. (kg)	5,357 (2,430)
4WD platform approx. shipping weight: lbs. (kg)	5,798 (2,630)


\*\*\* See the full 2600 Series brochure for illustrated views of above dimensions.



An economical 8x2 constant mesh transmission with live PTO provides a simple and reliable power-train to handle daily chores on the farm. The optional 8x8 SynchroShuttle transmission with independent PTO gives new meaning to comfort and convenience by allowing the tractor to shift gears on the go and change direction without having to stop completely.



All 2600 Series models can be equipped with a front loader to improve performance on the job site. Several models are available, from economical to deluxe, to meet the job's requirements.



Most daily service items, such as engine oil check, can be done without opening the hood. For other maintenance, the gas assisted, single-piece steel hood opens widely for easy access.

**MASSEY FERGUSON****PRODUCT MARKETING BULLETIN***Subject:* **COMPETITIVE BULLETIN: MF 2600 Series vs. JD 5D/5E Series****COMPETITIVE SPECIFICATIONS**JD  
5065

Specifications	MF2635	John Deere 5065E
Horsepower	74 Engine / 62 PTO*	65 Engine / 53 PTO
Engine Size	4-cylinder, 219.5 in <sup>3</sup>	3-cylinder, 179 in <sup>3</sup>
Aspiration	Turbocharged	Turbocharged
Fuel Tank Capacity	17.7 Gallons	16 Gallons
Transmission Std.	8x2 Constant Mesh	9x3 SynchReverser (2WD only)
Transmission Opt.	8x8 SynchShuttle	9x3 SynchShuttle (4WD only)
Shuttle Lever	Left Hand Dash	Right Side of Seat
2WD Front Axle	Telescopic Adjustable	Telescopic Adjustable
4WD Front Axle	Dana MFWA with Offset Differential	JD MFWA with Center Differential
Steering	Hydrostatic with Dedicated System	Hydrostatic with Shared System
Brakes	Mechanical, Wet Disc	Mechanical, Wet Disc
Differential Lock	Mechanical	Mechanical
Final Drives	Planetary	Planetary
3-point Hitch Type	Cat I/II with Cross Drilled Balls	Cat II
3-point Lift Capacity	4,078 lbs @ Hitch	2,204 lbs @ 24"
Max. Hydraulic Flow at Valves	16.2 gpm with Combining Valve	11.4 gpm
Remote Valves	0 std., Up to 2	1 std., Up to 2
PTO Type	Live or Independent	Independent
Platform Type	Semi-flat, Steel Deck	Straddle Mount, Steel Deck
Front Hood and Fenders	Steel Hood and Fenders	Composite Hood and Fenders
Alternator Capacity	45 Amps	40 Amps
Rear Work Light	1 Standard	Opt., Field Installed
7-pin Trailer Plug	Standard	Standard
Foot Pedals	Suspended	Standing Pedestal
Toolbox	Steel, Standard	Plastic, Standard
2WD Base Weight	5,357 lbs*	4,634 lbs
4WD Base Weight	5,798 lbs*	5,070 lbs
Loader Lift Capacity	DL250 - 2,952 lbs @ Pins	553 - 3,133 lbs @ Pins
Loader Lift Height	DL250 - 123 in @ Pins	553 - 122 in @ Pins


\* Live PTO

The data presented for AGCO® and/or competitive equipment is obtained from various sources, including manufacturer's publications. Every attempt has been made to ensure the accuracy, but AGCO® assumes no responsibility for authenticity of data.

MODEL	2635
<b>Engine</b>	
SAE Gross Engine HP @ rated engine rpm: HP (kW)	74 (55.2) @ 2,200
PTO HP @ rated engine rpm (LIVE PTO): HP (kW)	62 (46.2) @ 2,200
PTO HP @ rated engine rpm (Independent PTO): HP (kW)	60 (44.7) @ 2,200
SIMPSON® engine model	TSJ436E
Cylinders and aspiration	4-Turbo
Total displacement: in. (liters)	220 (3.6)
Cold starting aid:	Glow Plug
Fuel tank capacity: US gal. (liters)	17.7 (65)
<b>Clutch</b>	
Type with live PTO	Dry Dual Disc
Diameter traction clutch: in. (mm)	12 (305)
Diameter of PTO clutch: in. (mm)	10 (254)
Type with independent PTO	Dry Single Disc
Diameter traction clutch: in. (mm)	12 (305)
Hydraulic engaged independent PTO clutch:	Wet Multi Disc
<b>Transmission</b>	
Type standard	8F x 2R
Type optional	8F x 8R Shuttle
<b>Brakes &amp; Final Drives</b>	
Final drives with 8x2 transmission	Outboard Planetary
Final drives with 8x8 shuttle transmission	Outboard Planetary
Brakes	Inboard Wet Multi Disc
Differential lock	Foot Operated
<b>PTO Type</b>	
Type standard (8x2 transmission only)	Live (Dual Stage Dry Clutch)
Type optional	Independent (Electro-hydraulically engaged Multi-Disc Wet Clutch)
PTO speed @ engine RPM (6 spline shaft)	540 @ 1,790 ERPM

MODEL	2635
<b>Hydraulics</b>	
System type	Open Center & Modified Closed Center
Pump type	Gear & Scotch Yoke
Total flow: gpm (lpm) (steering + aux + 3-point pump)	22.8 (86)
Steering pump flow: gpm (lpm)	6.9 (26)
Auxiliary pump flow: gpm (lpm)	11.2 (42)
3-point hitch pump: gpm (lpm)	4.7 (18)
Remote valves standard:	None
Remote valves optional:	1 or 2 Rear Valves
<b>Three-Point Hitch</b>	
ASAE category	Category I & II Cross Drilled Ball Ends
Extendable lower links	Optional
Stabilizers	Chain Type
Lift capacity @ hitch point - horizontal position: lbs. (kg)	4,520 (2,050)
<b>Electrical</b>	
Battery CCA	N/A
Alternator amperage	45
Trailer outlet	Standard
Horn	Standard
<b>Weight &amp; Dimensions***</b>	
Rear tire used for measurement:	16.9x28
(A) Wheelbase: in. (mm) 2/4WD	81 (2,050) / 81 (2,066)
(B) Overall length: in. (mm) 2/4WD	138 (3,510) / 139 (3,526)
(C) Min. overall width: in. (mm)	73 (1,854)
(D) Min. tread setting: in. (mm)	56 (1,420)
(E) Height top of ROPS: in. (mm)	95 (2,395)
(F) Ground clearance @ drawbar: in. (mm)	13.5 (350)
2WD platform approx. shipping weight: lbs. (kg)	5,357 (2,430)
4WD platform approx. shipping weight: lbs. (kg)	5,798 (2,630)

\*\*\* See the full 2600 Series brochure for illustrated views of above dimensions.



An economical 8x2 constant mesh transmission with live PTO provides a simple and reliable powertrain to handle daily chores on the farm. The optional 8x8 SynchroShuttle transmission with independent PTO gives new meaning to comfort and convenience by allowing the tractor to shift gears on the go and change direction without having to stop completely.



All 2600 Series models can be equipped with a front loader to improve performance on the job site. Several models are available, from economical to deluxe, to meet the job's requirements.



Most daily service items, such as engine oil check, can be done without opening the hood. For other maintenance, the gas assisted, single-piece steel hood opens widely for easy access.



MASSEY FERGUSON is a worldwide brand of AGCO. MF10P009 RP

NETTLES EQUIPMENT INC  
I-79 EXIT 46 SERVIA ROAD  
DUCK WV 25063  
304-364-2445



MASSEY FERGUSON  
masseyferguson.com


**Engine horsepower standards**

Print

When comparing tractor performance information, it is important to understand the engine standards and measurements used by manufacturers when collecting the data.

ECE R24, 97/68/EC, ISO 14396, and ECE R120 refer to engine flywheel horsepower. The ECE R24 measurement is lower because the power required to operate the cooling fan is included.

**97/68/EC**




97/68/EC

The 97/68/EC standard is defined as follows:

- Gross engine performance at the flywheel (1)
- All engine auxiliaries attached (except air conditioning/air brake compressor, transmission/hydraulic oil cooler)
- Fan removed
- Radiator removed
- 25°C (77°F) ambient temperature when testing

*NOTE: 97/68/EC corresponds approximately to ISO 14396 and ECE R120 standard.*

**ECE R24**



ECE R24

The ECE R24 standard represents net flywheel power (2) and is calculated from 97/68/EC performance figures taken into account:

- All engine auxiliaries attached including transmission/hydraulic oil cooler (except air conditioning/air brake compressor)
- Performance input of the fan is added, under the assumption that the engine is assembled in the tractor operating under realistic conditions.
- 25°C (77°F) ambient temperature when testing

**Last Updated : 24-Jun-2011**

Product features are based on published information at the time of publication and are subject to change without notice. All trademarked terms, including John Deere, the leaping deer symbol and the colors green and yellow used herein are the property of Deere & Company, unless otherwise noted. Products, product features, and other content on this site may only be accurate for products marketed and sold in North America.

Engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's Web site for additional information.

Copyright © 1994-2012 Deere & Company. All Rights Reserved.