

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

*709040719 304-766-6277 ELECTRONIC SPECIALTY COMPANY PO BOX 400 1325 DUNBAR AVE DUNBAR WV 25064

Solicitation

NUMBER HUT993 PAGE 1

ADDRESS CORRESPONDENCE TO ATTENTION OF:

TARA LYLE 304-558-2544

HUTTONSVILLE CORRECTIONAL
CENTER
ATTENTION: KEN HOLBROOK
ROUTE 250 SOUTH

HUTTONSVILLE, WV

26273 335-2291

DATE PRINTED 05/29/2013 BID OPENING DATE: 06/05/2013 BID OPENING TIME 1:30PM CAT. LINE QUANTITY UOP ITEM NUMBER UNIT PRICE AMOUNT ADDENDUM NO. SEE ATTACHED PAGES. ADDENDUM NO. 1 END OF d001 655-30 147 DOME CAMERA d002 840-71 EA 9 DVR d003 EA 655-27 POWER SUPPLY 06/04/13 11:03:44 AM West Virginia Purchasing Division TELEPHONE 304 SIGNATURE 766. ADDRESS CHANGES TO BE NOTED ABOVE

HUT993 EXHIBIT A PRICING PAGE

| Item # | Description | Quantity | Unit Price | Extended Total |
|-----------|--|----------|---------------|--------------------|
| 3.1.1 | Dome Cameras IP66 Varifocal lens | 147 | 289.30 | s 42,526,51 |
| 3.1.2 | (DVR 31) H.264 Dual Streaming | 9 | 1627.29 | \$ 14,645,61 |
| 3.1.3 | Power Supply 16 Fuse 24VAC @12.5A | 8 | 174.66 | s 1,397.28 |
| | | TOTA | L COST: | \$ 58,569,40 |

Failure to use this form may result in disqualification

| Bidder/ven | dor information |
|----------------------------|------------------------------|
| Name: | Electronic Specialty Company |
| Address: | 1325 Dunbar AVENUE |
| | DUNBAR, WV 25064 |
| | , |
| Phone: | 304-766-6277 |
| Fax: | 304-766-6270 |
| Authorized Signature: _ | John D. Samer |
| | |

CERTIFICATION AND SIGNATURE PAGE

By signing below, I certify that I have reviewed this Solicitation in its entirety; understand the requirements, terms and conditions, and other information contained herein; that I am submitting this bid or proposal for review and consideration; that I am authorized by the bidder to execute this bid or any documents related thereto on bidder's behalf; that I am authorized to bind the bidder in a contractual relationship; and that to the best of my knowledge, the bidder has properly registered with any State agency that may require registration.

| Electronic Specialty Company |
|--------------------------------------|
| (Company) Samer |
| (Authorized Signature) |
| JOHN Garner, System Designer & Sales |
| (Representative Name, Title) |
| (304) 766-6277 (304) 766-6270 |
| (Phone Number) (Fax Number) |
| 6/4/2013 |
| (Date) / |

State of West Virginia

VENDOR PREFERENCE CERTIFICATE

Certification and application* is hereby made for Preference in accordance with **West Virginia Code**, §5A-3-37. (Does not apply to construction contracts). **West Virginia Code**, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the **West Virginia Code**. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

| 1. | Application is made for 2.5% resident vendor preference for the reason checked: Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; or, Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or, Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or, |
|----------------------|--|
| 2. | Application is made for 2.5% resident vendor preference for the reason checked: Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or, |
| 3. | Application is made for 2.5% resident vendor preference for the reason checked: Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or, |
| 4. | Application is made for 5% resident vendor preference for the reason checked: Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or, |
| 5. | Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or, |
| 6. | Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years. |
| 7. | Application is made for preference as a non-resident small, women- and minority-owned business, in accordance with West Virginia Code §5A-3-59 and West Virginia Code of State Rules. Bidder has been or expects to be approved prior to contract award by the Purchasing Division as a certified small, women- and minority-owned business. |
| require against | understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the ments for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency acted from any unpaid balance on the contract or purchase order. |
| authorize the req | mission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and zes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid uired business taxes, provided that such information does not contain the amounts of taxes paid nor any other information d by the Tax Commissioner to be confidential. |
| and ac | penalty of law for false swearing (West Virginia Code, §61-5-3), Bidder hereby certifies that this certificate is true curate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate es during the term of the contract, Bidder will notify the Purchasing Division in writing immediately. |





High Resolution High Durability










High Resolution Vandal-Resistant Dome Camera

SCV-2060

The SCV-2060 high resolution vandal dome camera provides a horizontal resolution of 600TV lines for exceptional imaging. With a low light level of 0.15Lux, it forms noise-free images even in the darkest conditions and the extra-sturdy aluminum chassis provides unparalleled durability. The built-in 2.4x vari-focal lens (2.5 ~ 6mm) provides an optimal monitoring range in any installation environment. This camera features enhanced user-friendly options including a Multilanguage OSD, coaxial control compatibility and SSDR.

- High resolution of 600TV lines(color), 700TV lines(B/W)
- Min. illumination 0.15Lux(color), 0.001Lux(B/W)
- 2.4x(2.5~6mm) V/F lens, true day&night(ICR), MD, SSNR III (3D+2D)
- IP66, coaxial control, (Pelco-C), RS-485, dual power



High Resolution Vandal-Resistant Dome Camera









Specifications



| VIDEO | | |
|----------------------------------|---|---|
| Imaging Device | 1/3* Super HAD CCD | |
| Total Pixels | 811(H) x 508(V) | 795(H) x 596(V) |
| Effective Pixels | 768(H) x 494(V) | 752(H) x 582(V) |
| Scanning System | 2:1 Interlace | 102[1] X 002[1] |
| Synchronization | Internal / Line lock | |
| Frequency | H: 15.734KHz / V: 59.94Hz | H: 15.625KHz / V: 50Hz |
| Horizontal Resolution | Color: 600TV lines, B/W: 700TV lines | 11. 10.02010 127 V . 30112 |
| | | 10.4 |
| Min, Illumination | Color: 0.15Lux@F1.2 (50IRE), 0.0003Lux (Sens-up, 5 | |
| S / N Ratio | B/W: 0.001Lux@F1.2 (50IRE), 0.000002Lux (Sens-up |), 512X) |
| | 52dB (AGC off, Weight on) | |
| Video Output | CVBS: 1.0 Vp-p / 75Ω composite | |
| LENS | | |
| Focal Length (Zoom Ratio) | 2.5 ~ 6mm (2.4x) | |
| Max. Aperture Ratio | 1:1.2(Wide) ~ 1.7(Tele) | |
| Angular Field of View | H: 103.4'(Wide) - 46.6'(Tele) / V: 77.6'(Wide) - 35.1'(| (Tele) |
| Lens Type | DC auto iris | |
| Mount Type | Board type | |
| PAN / TILT | | |
| Pan Range | 0° ~ 355° | |
| Tilt Range | 0° ~ 90° | |
| Rotate Range | 0° ~ 355° | |
| OPERATIONAL | | |
| | Multi-language support by coaxial cable | Multi-language support by coaxial cable |
| 0 - 0 1 1 | English, Japanese, Spanish, French, | English, French, German, Spanish, Italian, |
| On Screen Display | Portuguese, Taiwanese, Korean | Chinese, Russian, Polish, Czech, Romanian, |
| | | Serbian, Swedish, Danish, Turkish, Portuguese |
| Camera Title | Off / On (Displayed 15 characters) | |
| Day & Night | Auto (ICR) / Color / B/W | |
| Backlight Compensation | BLC/HLC/Off | |
| Contrast Enhancement | SSDR (Off / On) | |
| Digital Noise Reduction | SSNRIII (Off / On) | |
| Digital Image Stabilization | | |
| Motion Detection | Off / On (8 programmable zones) | |
| Privacy Masking | Off / On (12 programmable zones) | |
| Sens-up (Frame Integration) | 2x ~ 512x | |
| Gain Control | Off / Low / High | |
| White Balance | ATW / Outdoor / Indoor / Manual / AWC (1,700K° ~ 11 | 00000 |
| Electronic Shutter Speed | | |
| | 1/60 ~ 1/120,000sec | 1/50 ~ 1/120,000sec |
| Digital Zoom | Off / On (1x ~ 16x) | |
| Reverse | H-Rev (Off / On) / V-Rev (Off / On) | |
| Communication | Coaxial control (SPC-300 compatible) | |
| Protocol | Coax : Pelco-C (Coaxitron) | |
| ENVIRONMENTAL | | |
| Operating Temperature / Humidity | -50°C ~ +50°C (-58°F ~ +122°F) / Less than 90% RH | |
| ngress Protection | IP66 | |
| ELECTRICAL | Le l'includit de l'includit de la | |
| nput Voltage / Current | Dual (24V AC & 12V DC ±10%), Built-in fan & heater (2 | 4V AC ±10%) |
| Power Consumption | Max. 3.8W / Max. 7.8W (Fan & heater on) | 95 |
| MECHANICAL | | |
| Color / Material | Light gray / Aluminum, Plastic (Dome cover : Clear) | |
| Dimensions (WxH) | Ø160 x 134.5mm (6.3° x 5.3°) | |
| ZITTOTIONONO (TIKE) | | |

Accessories (Optional)



SCX-300WM SCX-300CM SCX-300HM1




SCX-300LM SCX-300PM SCX-300KM




SAMSUNG

The Ecomark represents Samsung Techwin's will to create environment-friendly products, and indicates that the product satisfies the EU RoHS Directive.

Dimensions







Design and specifications are subject to change without notice.

■ DISTRIBUTED BY



Unit: mm (inch)

SAMSUNG TECHWIN CO., LTD.

701, Sampyeong-dong, Bundang-gu, Seongnam-si, Byeonggi-do Korea 463-400 Tal : +82-70-7147-8741-8749, 8752-8760 Fax : +82-31-8018-3745 www.samsungsecurity.com www.samsungcety.com

SAMSUNG TECHWIN AMERICA Inc. 1480 Oarles Willed St. Carson, CA 90745, UNFED STATES Talfree: +1-877-213-1222 Fax: +1-310-632-2195 www.samsungoothusa.com

SAMSUNG TECHWIN EUROPE LTD. Samsung Houet, 1000 Hillswood Drvin, Hillswood Business Park Chertsey, Surrey, UNITED KINGDOM KT16 OPS Tid: +44-1832-45-5300 Faz: +44-1932-45-5325


TANJIN SAMSUNG TECHWIN OPTO-ELECTRONICS CO., LTD. No.11 Wel 6 Street, Micro-Electronic Industrial Park Jingang Road, Tlanjin, P.A. CHINA 300385 Td:+86-22-23887788 Fax:+86-22-23887788



High Definition & Easy Graphical User Interface

16Ch/8Ch H.264 Real-time DVR






16CH/8CH H.264 Digital Video Recorder

SRD-1650DC/850DC

- 16/8chch real-time DVR:
- Video (H.264) / Embedded Linux
- Up to 480 (NTSC) / 400 (PAL)ips @ CIF: SRD-1650DC 240 (NTSC) / 200 (PAL)ips @ CIF: SRD-850DC
- Up to 16ch audio inputs and 1ch audio outputs: SRD-1650DC
 8ch audio inputs and 1ch audio outputs: SRD-850DC
- Combined BNC and VGA/HDMI video output for main display
- Up to 5 internal HDDs
- Free DDNS Service
- · Built-in web viewer, DVD-RW
- PTZ control via Coaxial cable
- Splits and exports small parts of a recorded video Brightness and Contrast control via SmartViewer (SRD-1650DC)



16CH/8CH H.264 Digital Video Recorder

SRD-1650DC/850DC
















SRD-1650DC



SRD-850DC

Dimensions

Unit: mm (inch)



| ecifica | | SRD-1650DC | SRD-850DC | | |
|------------------|----------------------------------|---|--|--|--|
| DISPLAY | | 16 Composite video 0.5-1 Vp-p, 75 ohm automatic | | | |
| Video | Inputs | termination | 8 Composite video 0.5-1 Vp-p, 75 ohm automatic termination | | |
| | Resolution | NTSC: 704 x 480 / PAL: 704 x 576 | | | |
| Live | Frame Rate | NTSC: 480fps / PAL: 400fps NTSC: 240fps / PAL: 200fps | | | |
| | Resolution | NTSC: 704 x 480 / PAL: 704 x 576 | | | |
| | Multi Screen Display | 1/4/6/8/9/13/16/PiP | | | |
| PERFORMANCE | | | | | |
| Operating System | Embedded | Unux | | | |
| | Compression | H264 | | | |
| | Record Rate | NTSC: Up to 120/ps@704 x 480 NTSC: Up to 240/ps@704 x 240 NTSC: Up to 480/ps@352 x 240 | NTSC : Up to 60fps@704 x 480 NTSC : Up to 120fps@704 x 240 NTSC : Up to 240fps@352 x 240 | | |
| Recording | Mode | NTSC: Manual, Schedule (Continuous / Event), Event (Pre / Post), Time lapse (0.9 / 1 PAL: Manual, Schedule (Continuous / Event), Event (Pre / Post), Time lapse (0.9 / 1 | 19/38/75/15/30(ps) | | |
| | Overwrite Modes | Continuous | | | |
| | Pre-alarm | Up to 30sec (5, 10, 20, 30sec) | | | |
| | Post-alarm | Up to 6hour (5,10, 20, 30sec, 1, 3, 5, 10, 20min, 1, 2, 3, 4, 5, 6hour) | | | |
| | Editing Function-Software | Contrast, brightness and color editing on live and recorded videos (SRD-1650DC) | | | |
| Search & | Search Mode | Date/Time, Event, Back up, Pos, Motion ("All search include p | AND ADDRESS OF CONTRACT AND AD | | |
| Playback | Playback Function | Fast forward / backward, Slow forward / backward, Step forw | | | |
| | Transmission Speed | CIF 480/400fps | CIF 240/200fps | | |
| | Bandwidth | Up to 8Mbps, 2/1.5 / 1Mbps / 800 / 600 / 500 / 400 / 300 / 200 / 100 / | - Control of the Cont | | |
| | Bandwidth Control | Selectable | | | |
| Network | Stream | H 264 (40F / 20F / CIF selectable) | | | |
| | Max. Remote Users | Search 3 / Live unicast 10 / Live multicast 20 | | | |
| | Protocol Support | TCP/IP, DHCP, PPPOE, SMTP, NTP, HTTP, DDNS, RTP, RTSP | | | |
| | Monitoring | NET-I viewer, SmartViewer, Webviewer | | | |
| | Smart Phone | Android, I-Phone | | | |
| | Protocol Support | RTSP/RTP, CGI, HTTP | | | |
| Smart Phone | Transmission Speed | Wi-Fi : OF Max. 4(ps (Single channel) / OF Max. 4(ps (Quad channel) 3G : OF Max. 4(ps (Single channel) / OF Max. 4(ps (Quad channel) | | | |
| | Max. Remote Users | Live 1 | | | |
| | Internal HOD | Up to 5 SATA HDDs | | | |
| | External HDD | Up to 2 expansion bay (Up to 4 HDD each) | | | |
| Storage | DVD Writer (Back up) | Yes | | | |
| | USB (Back up) | 3 USB ports | | | |
| | File Format (8ack up) | AVI, BU (DVR player), EXE (include player) | | | |
| Security | Password Protection | 1 Admin, 10 Group, 20 User per 1 group, User can be assigned a | authority for function | | |
| | Data Authentication | Watermark | | | |
| NTERFACE | | | | | |
| | VGA | 1 VGA (800 x 600, 1024 x 768, 1280 x 1024) | | | |
| | HDMI | 480p / 720p / 1080p resolution | | | |
| Monitors | Main Composite | 1 BNC, 1 Vp-p, 75 ohm | V 200025 - Vaga | | |
| | Spot Composite | Digital spot (1 BNC, 1 Vp-p, 75 ohm), support multi screen ar | | | |
| | Loop Outputs | 16 | 8 / SCH line in (Built-In 4CH, option : audio extension cable) | | |
| Audio | Inputs / Output Compression | 1CH line out ADPCM | 1 CH line out | | |
| | Sampling Rate | 16KHz | | | |
| Narm | Inputs / Output | Terminal 16 inputs (NO/NC) / Terminal 4 relay outputs (NO/NC), Rating: 30V DC / 2A, 125V AC / 0.5A | Terminal 8 inputs (NO/NC) / Terminal 4 relay outputs (NO NC), Rating : 30V DC / 2A, 125V AC / 0.5A | | |
| 1001557 | Remote Notification | Notification via e-mail | green earlier invitor out | | |
| | Ethernet | 1 RJ-45 10/100/1000 Base-T | | | |
| | Serial Interface | RS-232/RS-485 for PTZ, Samsung system keyboard | | | |
| | USB | USB 2.0, 3 ports | | | |
| | eSATA | 2 External SATA ports | | | |
| Connections | Application Support | Mouse, Remote controller | | | |
| | Protocol Support | Samsung-T/E, Pelco-D/P, Panasonic, Phillips, AD, D/AMOND, ERNA, KALATEL, VCL TP, Vicon | | | |
| NEW FOLK | | PTZ control via coaxial cable [Samsung CCVC, Pelco-C (Coaxitro | n)] | | |
| SENERAL | L. 111. h 10 | 100 010110 100 5000 | | | |
| Electrical | Input Voltage / Current | 100 ~ 240V AC ±10%, 50/60Hz, Autoranging | | | |
| 25.5.5.5.5.5.5.6 | Power Consumption | Max. 60W (With 1x HDD) | | | |
| invironmental | Operating Temperature / Kumidity | +0°C ~ +40°C (+32°F ~ +104°F) / 20% ~ 85% RH | | | |
| | Dimensions (WxHxD) | 440.0 x 88.0 x 426.8mm (17.32" x 3.46" x 16.80") | | | |
| Mechanical | Weight (With hard disks) | Approx. 7.5Kg (16.53 lb) | | | |
| | Rack Mount Kit | 2ea | | | |
| | | Takes to the first the control of the party to the control of the | anish, Italian, Russian, Polish, Czech, Turkish, Netherlands | | |



SAMSUNG TECHWIN AMERICA Inc.

100 Challenger Road, Suite 700, Ridgefield Park, NJ 07660, UNITED STATES Tol Free: 1-877-213-1222 Fax: 1-201-373-0124

www.samsungsecurityusa.com



The Eco mark represents Samsung Techwins will to create environment-friendly products, and indicates that the product satisfies the EU RoHS Directive.

RFQ No. HUT 993

STATE OF WEST VIRGINIA Purchasing Division

PURCHASING AFFIDAVIT

MANDATE: Under W. Va. Code §5A-3-10a, no contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and: (1) the debt owed is an amount greater than one thousand dollars in the aggregate; or (2) the debtor is in employer default.

EXCEPTION: The prohibition listed above does not apply where a vendor has contested any tax administered pursuant to chapter eleven of the W. Va. Code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Employer default" means having an outstanding balance or liability to the old fund or to the uninsured employers' fund or being in policy default, as defined in W. Va. Code § 23-2c-2, failure to maintain mandatory workers' compensation coverage, or failure to fully meet its obligations as a workers' compensation self-insured employer. An employer is not in employer default if it has entered into a repayment agreement with the Insurance Commissioner and remains in compliance with the obligations under the repayment agreement.

"Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

AFFIRMATION: By signing this form, the vendor's authorized signer affirms and acknowledges under penalty of law for false swearing (*W. Va. Code* §61-5-3) that neither vendor nor any related party owe a debt as defined above and that neither vendor nor any related party are in employer default as defined above, unless the debt or employer default is permitted under the exception above.

| WITNESS THE FOLLOWING SIGNATURE: |
|---|
| Vendor's Name: Electronic, SPECIALTY COMPANY |
| Authorized Signature: |
| |
| State of West Vilginia |
| County of Kanak, to-wit: |
| Taken, subscribed, and sworn to before me this 4 day of Tuve, 20/3. |
| My Commission expires <u>December 30</u> , 20/5. |
| AFFIX SEAL HERE NOTARY PUBLIC Inja Harbert |
| OFFICIAL SEAL Notary Public, State Of West Virginia TONJIA HARBERT |

P.O. Box 461
St. Albans, WV 25177
My Commission Expires Dec 30, 2019