



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

**Solicitation**

NUMBER
DEFK14031

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF:
TARA LYLE 304-558-2544

RFQ COPY

TYPE NAME/ADDRESS HERE

**VENDOR**  
 Danhill Construction Company  
 PO Box 685  
 Gauley Bridge, WV 25085  
 WV 001196

**SHIP TO**

DIV ENGINEERING & FACILITIES  
 ARMORY BOARD SECTION  
 1707 COONSKIN DRIVE  
 CHARLESTON, WV  
 25311-1099 304-341-6368

DATE PRINTED
06/06/2014

BID OPENING DATE: 06/17/2014 BID OPENING TIME: 1:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
				ADDENDUM NO. 1		
				SEE ATTACHED PAGES.		
				END OF ADDENDUM NO. 1		
0001	1	JB		988-15		
				FENCE/GATE REPLACEMENT INSTALLATION PROJECT		
				***** THIS IS THE END OF RFQ DEFK14031 ***** TOTAL:		
				06/16/14 03:49:35PM West Virginia Purchasing Division		

SIGNATURE <i>Robert D. Hill</i>	TELEPHONE 304-632-1600	DATE 6/17/2014
TITLE President	FEIN 55-0648251	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO SOLICITATION, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

**SOLICITATION NUMBER: DEFK14031**  
**Addendum Number: 1**

---

The purpose of this addendum is to modify the solicitation identified as DEFK14031 ("Solicitation") to reflect the change(s) identified and described below.

**Applicable Addendum Category:**

- Modify bid opening date and time
- Modify specifications of product or service being sought
- Attachment of vendor questions and responses
- Attachment of pre-bid sign-in sheet
- Correction of error
- Other

**Description of Modification to Solicitation:**

1. Responses to vendor questions attached.
2. The bid opening remains on 06/17/2014 at 1:30 pm.

**Additional Documentation:** Documentation related to this Addendum (if any) has been included herewith as Attachment A and is specifically incorporated herein by reference.

**Terms and Conditions:**

1. All provisions of the Solicitation and other addenda not modified herein shall remain in full force and effect.
2. Vendor should acknowledge receipt of all addenda issued for this Solicitation by completing an Addendum Acknowledgment, a copy of which is included herewith. Failure to acknowledge addenda may result in bid disqualification. The addendum acknowledgement should be submitted with the bid to expedite document processing.

**ATTACHMENT A****Questions:**

- 1Q. Can you clarify what kind of framework you want? It lists everything, including Schedule 40 for heavy industrial (recommended), roll form for light industrial, square tube, etc.?
- 1A. Please use Schedule 40.
- 2Q. Can we use bollard covers in lieu of painting?
- 2A. No, the WVARNG wants the project bid as specified.
- 3Q. Does the grounding need to be done?
- 3A. Yes. It is required by fencing standards cited by the National Guard Bureau in the Design Guide for Readiness Centers and is specified accordingly.
- 4Q. Who is responsible for providing the needed work area for the installation of the new fence plus the removal of old fence?
- 4A. The West Virginia Army National Guard will be responsible for the removal of any equipment or supplies in order to provide the contractor an adequate working area or space to both remove the old fence and install the new one.
- 5Q. Who is responsible for locating utility lines?
- 5A. The West Virginia Army National Guard will be responsible for locating and marking all utility lines within the internal confines of the complex. If utility lines located outside of the property need to be located, the contractor will be responsible for locating them.
- 6Q. Regarding the curing concrete around fence post, how long before the fabric can be installed?
- 6A. The curing time is seventy-two (72) hours before the fabric is hung.
- 7Q. There are a couple of notes that indicate an 8" fence. Is the fabric 8" or 6"?
- 7A. The fence fabric is to be 6"-0" Height.

- 8Q. I know on most military jobs we have done, the bottom of the fence needs to be kept fairly tight to the ground. Is it to be kept from ground level to 2" above or is there variance allowed? The exception to this would be gates to allow clearance to swing and slide gates will be at least 5" off due to hardware.
- 8A. Bottom of fence is to be kept at ground level to 2" above ground. The exception would be as noted above to allow for hardware clearance, etc.
- 9Q. The detail chart on post size indicates 2.375" for terminals and 1.875" for lines. What you have already on site and what I would recommend especially for the fence designs your specified, is 2.875" terminals and 2.375" lines.
- 9A. The WVARNG wants the project bid as specified.
- 10Q. Concrete footer/post embedment chart on C1 indicates 12" dia., 38" concrete, 36" post embedment. The detail drawing on C1 indicates 16" x 40" concrete with 34" embedment for terminals and 10" x 40" concrete with 34" embedment for lines. Also, gate posts for slides and double slides are inconsistent. Which would be correct? ASTM Standard and I would recommend diameter to be four (4) times the post diameter or 16" for 4", 12" for 3", 10" for 2-1/2". Most other military sites have been 40" concrete with 36" embedment.
- 10A. The chart is incorrect. Please use the dimension found on Detail No.1, Drawing C-1.
- 11Q. Is all material (including fittings) to be domestic?
- 11A. Please reference Item #52 of the State of West Virginia's General Terms and Conditions on page 17 of the RFQ, as well as Item #53 on page 18. On page 26 of the RFQ, please note Item 1.4.D for reference to domestic certifications.
- 12Q. The tie detail shows 15" spacing for ties on line posts (which is standard). The specifications say 12". Which is correct?
- 12A. Please calculate with the spacing provided in the written specifications, 12".
- 13Q. Do we need to put a temporary fence or make other arrangements to maintain some security while fence is down and concrete is curing?
- 13A. The fence section along Virginia Ave. shall be installed by the contractor during the period between July 7 – 27, 2014. Security will be provided by the West Virginia Army National Guard during all other times the contractor is on the project.

- 14Q. Who is responsible for securing the facility and how will the security be secured?
- 14A. The fence section along Virginia Ave. shall be installed by the contractor during the period between July 7 – 27, 2014. Security will be provided by the West Virginia Army National Guard during all other times the contractor is on the project.
- 15Q. Do we have to reinstall fence as we go or do we provide temporary fence to secure the area?
- 15A. The fence section along Virginia Ave. shall be installed by the contractor during the period between July 7 – 27, 2014. Security will be provided by the West Virginia Army National Guard during all other times the contractor is on the project.
- 16Q. What material do we need to backfill holes with where fence is removed and relocated? Back fill with excess dirt from holes? What material do we need to top with?
- 16A. Backfill holes with gravel.
- 17Q. Can dirt from holes on the new fence on the upper side of the compound be raked out or does it need to be hauled off of site?
- 18A. Dirt must be hauled off of site.

**Other Information:**

1. The bid opening remains on June 17, 2014 at 1:30 pm.
2. No additional questions will be accepted on this RFQ.

**SIGN IN SHEET**

Page 1 of 3

Request for Proposal No. DEFK14031

PLEASE PRINT

Date: 6-3-14

~~HUNTINGTON BARBOUR ANIMY FENCE PROJECT~~

\* PLEASE BE SURE TO PRINT LEGIBLY - IF POSSIBLE, LEAVE A BUSINESS CARD

FIRM & REPRESENTATIVE NAME	MAILING ADDRESS	TELEPHONE & FAX NUMBERS
Company: <u>ENSTEAD STEEL</u>	<u>PO Box 309</u>	PHONE <u>304 877 6837</u>
Rep: <u>ORILL THOMAS</u>	<u>BRADLEY, WV 25818</u>	TOLL FREE
Email Address: <u>ENSTEAD@SUDONLAKMAIL.COM</u>		FAX <u>304 877 6896</u>
Company: <u>Dashill Construction</u>	<u>PO Box 685</u>	PHONE <u>304 632-1600</u>
Rep: <u>David Elsmick</u>	<u>Gasley Bridge WV 25085</u>	TOLL FREE
Email Address: <u>justin_dozier@yahoo.com</u>		FAX <u>304 632-1501</u>
Company: <u>Odehead Door</u>	<u>P.O. Box 250</u>	PHONE <u>606-824-4262</u>
Rep: <u>Brett Meade</u>	<u>Banner Ky 41603</u>	TOLL FREE
Email Address: <u>brett@odeky.com</u>		FAX <u>606-874-4265</u>
Company: <u>Babcock Fence Company</u>	<u>1261 Laurel Ridge Rd</u>	PHONE <u>740525 9211</u>
Rep: <u>Mike Babcock</u>	<u>Lewell, OH 45744</u>	TOLL FREE
Email Address: <u>mikebabcock@frontier.com</u>		FAX <u>740 8962277</u>
Company: <u>Whittington Fence Company</u>	<u>400 Campers Drive</u>	PHONE <u>304 935 4826</u>
Rep: <u>Greg Whittington</u>	<u>Charleston WV</u>	TOLL FREE
Email Address: <u>gregwhittington35@yahoo</u>		FAX <u>304 935 4825</u>

All Quality LLC  
 Jason Davis  
 allqualityllc@aol.com

PO Box 7169  
 Cross Lanes WV 25356

304 776 9473  
 304 776 9474

900000

**SIGN IN SHEET**

Page 2 of 3

Request for Proposal No. DEFK14031

PLEASE PRINT

Date: 6-3-14

**HUNTINGTON BARBOUR AMORY FENCE PROJECT**

\* PLEASE BE SURE TO PRINT LEGIBLY - IF POSSIBLE, LEAVE A BUSINESS CARD

FIRM & REPRESENTATIVE NAME	MAILING ADDRESS	TELEPHONE & FAX NUMBERS
Company: <u>Hurricane Fence</u>	<u>2850 Cromwell Road</u>	PHONE <u>757-253-5669</u>
Rep: <u>Mike Trammell</u>	<u>Norfolk VA 23509</u>	TOLL FREE
Email Address: <u>tjones @ hurricane fence inc.com</u>		FAX <u>757-852-9247</u>
Company: <u>Bare's Fence Company LLC</u>	<u>1484 Utah Rd,</u>	PHONE <u>304-532-5985</u>
Rep: <u>Jim Bare</u>	<u>Ravenswood, WV 26164</u>	TOLL FREE
Email Address: <u>barefencecompany@gmail.com</u>		FAX
Company: <u>All Fence Co</u>	<u>729 Lynn Camp Rd</u>	PHONE <u>304-904-8423</u>
Rep: <u>Mike Trammell</u>	<u>Pennsboro, WV 26415</u>	TOLL FREE
Email Address: <u>All Fence Sales@gmail.com</u>		FAX <u>866-993-5353</u>
Company: <u>Superior Fence Inc</u>	<u>8233 Acorn Park Rd</u>	PHONE <u>304 261-9191</u>
Rep: <u>Harley Burgess</u>	<u>Elkview WV 25011</u>	TOLL FREE
Email Address: <u>Superior Fence WV Inc</u>		FAX <u>None</u>
Company: <u>Classic Fence</u>	<u>P.O. Box 1493</u>	PHONE <u>304-523-4628</u>
Rep: <u>Carl Bailey</u>	<u>Huntington WV</u>	TOLL FREE
Email Address: <u>Carl Classic Builders @ G-mail.com</u>	<u>25716</u>	FAX <u>304-523-7469</u>

MONIEL FENCE CO  
CHARLES SNYDER  
CHARLES @ Moniel Fence.com

P.O. Box 6122  
CHAS WV  
25362

304 744 8051  
304 794 4411

0000007

SIGN IN SHEET

Page 3 of 3

Request for Proposal No. DEFK14031 PLEASE PRINT

Date: 6-3-14

HUNTINGTON BARBOUR ARMY FENCE PROJECT

\* PLEASE BE SURE TO PRINT LEGIBLY - IF POSSIBLE, LEAVE A BUSINESS CARD

FIRM & REPRESENTATIVE NAME	MAILING ADDRESS	TELEPHONE & FAX NUMBERS
Company: <u>Dennler's Fence Co</u>	<u>492 Washington Ave</u>	PHONE <u>304 4694366</u>
Rep: <u>John Given</u>	<u>Oak Hill WV</u>	TOLL FREE
Email Address: <u>dennlerfence@gbpsi-net.com</u>	<u>25901</u>	FAX <u>304 4694366</u>
Company: _____	_____	PHONE TOLL FREE
Rep: _____	_____	FAX
Email Address: _____	_____	PHONE TOLL FREE
Company: _____	_____	FAX
Rep: _____	_____	PHONE TOLL FREE
Email Address: _____	_____	FAX
Company: _____	_____	PHONE TOLL FREE
Rep: _____	_____	FAX
Email Address: _____	_____	PHONE TOLL FREE
Company: _____	_____	FAX

800000



**ADDENDUM ACKNOWLEDGEMENT FORM**  
**SOLICITATION NO.: DEFK14031**

**Instructions:** Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

**Acknowledgment:** I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

**Addendum Numbers Received:**

(Check the box next to each addendum received)

- |  |  |
|--|--|
| <input checked="" type="checkbox"/> Addendum No. 1 | <input type="checkbox"/> Addendum No. 6  |
| <input type="checkbox"/> Addendum No. 2            | <input type="checkbox"/> Addendum No. 7  |
| <input type="checkbox"/> Addendum No. 3            | <input type="checkbox"/> Addendum No. 8  |
| <input type="checkbox"/> Addendum No. 4            | <input type="checkbox"/> Addendum No. 9  |
| <input type="checkbox"/> Addendum No. 5            | <input type="checkbox"/> Addendum No. 10 |

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

Danhill Construction Company

\_\_\_\_\_  
Company

*Robert D. Hill*

\_\_\_\_\_  
Authorized Signature

6/17/2014

\_\_\_\_\_  
Date

NOTE: This addendum acknowledgment should be submitted with the bid to expedite document processing.



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

**Solicitation**

NUMBER
DEFK14031

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF
TARA LYLE
304-558-2544

RFQ COPY  
 TYPE NAME/ADDRESS HERE

VENDOR

SHIP TO

DIV ENGINEERING & FACILITIES  
 ARMORY BOARD SECTION  
  
 1707 COONSKIN DRIVE  
 CHARLESTON, WV  
 25311-1099 304-341-6368

DATE PRINTED
05/22/2014

BID OPENING DATE: 06/17/2014

BID OPENING TIME 1:30PM

LINE	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
***** PLEASE NOTE A MANDATORY PRE-BID MEETING IS SCHEDULED FOR 06/03/2014 AT 10:00 AM AT THE HUNTINGTON BARBOUR ARMORY LOCATED AT 800 VIRGINIA AVENUE HUNTINGTON, WV 25704. ***** PLEASE NOTE: THE DRUG-FREE WORKPLACE AFFIDAVIT AND BID BOND ARE REQUIRED WITH BID SUBMISSION. ***** FULL SIZED DRAWINGS AVAILABLE - CONTACT JOE MCCLUNG AT THE WV ARMY NATIONAL GUARD BY PHONE AT 304-561-6548 OR BY EMAIL AT JOSEPH.D.MCCLUNG4.NFG@MAIL. *****						
0001	1	JB		988-15		
				FENCE/GATE REPLACEMENT INSTALLATION PROJECT	Please SEE Bid FORM	
THE WEST VIRGINIA PURCHASING DIVISION FOR THE AGENCY, WV NATIONAL GUARD, DIVISION OF ENGINEERING AND FACILITIES, IS SOLICITING BIDS FOR A FENCE/GATE REPLACEMENT INSTALLATION PROJECT AT THE HUNTINGTON BARBOUR ARMORY LOCATED AT 800 VIRGINIA AVENUE HUNTINGTON, WV, PER THE ATTACHED SPECIFICATIONS.  ATTACHMENTS INCLUDE:						

SIGNATURE <i>Robert D. Hill</i>	TELEPHONE 304-632-1600	DATE 6/17/2014
TITLE President	FEIN 55-0648251	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO SOLICITATION, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

**Solicitation**

NUMBER
DEFK14031

PAGE
2

ADDRESS CORRESPONDENCE TO ATTENTION OF
TARA LYLE
304-558-2544

RFQ COPY  
 TYPE NAME/ADDRESS HERE

VENDOR

SHIP TO

DIV ENGINEERING & FACILITIES  
 ARMORY BOARD SECTION

1707 COONSKIN DRIVE  
 CHARLESTON, WV  
 25311-1099 304-341-6368

DATE PRINTED
05/22/2014

BID OPENING DATE: 06/17/2014 BID OPENING TIME 1:30PM

LINE	QUANTITY	UCP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
1.				INSTRUCTIONS TO VENDORS SUBMITTING BIDS		
2.				GENERAL TERMS AND CONDITIONS		
3.				ADDITIONAL TERMS AND CONDITIONS (CONSTRUCTION CONTRACTS ONLY)		
4.				DEFK14031 SPECIFICATIONS AND DRAWINGS		
5.				CERTIFICATION AND SIGNATURE PAGE		
6.				PURCHASING AFFIDAVIT		
7.				DRUG-FREE WORKPLACE AFFIDAVIT		
8.				BID BOND INSTRUCTIONS AND FORM		
9.				WV-75-CONSTRUCTION BID SUBMISSION REVIEW FORM		
<p>THE MODEL/BRAND/SPECIFICATIONS NAMED HEREIN ESTABLISH THE ACCEPTABLE LEVEL OF QUALITY ONLY AND ARE NOT INTENDED TO REFLECT A PREFERENCE OR FAVOR ANY PARTICULAR BRAND OR VENDOR. VENDORS WHO ARE BIDDING ALTERNATES SHOULD SO STATE AND INCLUDE PERTINENT LITERATURE AND SPECIFICATIONS. FAILURE TO PROVIDE INFORMATION FOR ANY ALTERNATES MAY BE GROUNDS FOR REJECTION OF THE BID. THE STATE RESERVES THE RIGHT TO WAIVE MINOR IRREGULARITIES IN BIDS OR SPECIFICATIONS IN ACCORDANCE WITH SECTION 148-1-4(F) OF THE WEST VIRGINIA LEGISLATIVE RULES AND REGULATIONS.</p>						
***** THIS IS THE END OF RFQ DEFK14031 ***** TOTAL:						_____

SIGNATURE	<i>Robert D. Hall</i>	TELEPHONE	304-632-1600	DATE	6/17/2014
TITLE	President	FEIN	55-0648251	ADDRESS CHANGES TO BE NOTED ABOVE	

WHEN RESPONDING TO SOLICITATION, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

**INSTRUCTIONS TO VENDORS SUBMITTING BIDS**

1. **REVIEW DOCUMENTS THOROUGHLY:** The attached documents contain a solicitation for bids. Please read these instructions and all documents attached in their entirety. These instructions provide critical information about requirements that if overlooked could lead to disqualification of a Vendor's bid. All bids must be submitted in accordance with the provisions contained in these instructions and the Solicitation. Failure to do so may result in disqualification of Vendor's bid.
2. **MANDATORY TERMS:** The Solicitation may contain mandatory provisions identified by the use of the words "must," "will," and "shall." Failure to comply with a mandatory term in the Solicitation will result in bid disqualification.

3. **PREBID MEETING:** The item identified below shall apply to this Solicitation.

- A pre-bid meeting will not be held prior to bid opening.
- A **NON-MANDATORY PRE-BID** meeting will be held at the following place and time:

- A **MANDATORY PRE-BID** meeting will be held at the following place and time:

June 3, 2014 at 10:00 am

Huntington Barbour Armory  
800 Virginia Avenue  
Huntington, WV 25704

All Vendors submitting a bid must attend the mandatory pre-bid meeting. Failure to attend the mandatory pre-bid meeting shall result in disqualification of the Vendor's bid. No one person attending the pre-bid meeting may represent more than one Vendor.

An attendance sheet provided at the pre-bid meeting shall serve as the official document verifying attendance. The State will not accept any other form of proof or documentation to verify attendance. Any person attending the pre-bid meeting on behalf of a Vendor must list on the attendance sheet his or her name and the name of the Vendor he or she is representing. Additionally, the person attending the pre-bid meeting should include the Vendor's E-Mail address, phone number, and Fax number on the attendance sheet. It is the Vendor's responsibility to locate the attendance sheet and provide the required information. Failure to complete the attendance sheet as required may result in disqualification of Vendor's bid.

All Vendors should arrive prior to the starting time for the pre-bid. Vendors who arrive after the starting time but prior to the end of the pre-bid will be permitted to sign in, but are charged with knowing all matters discussed at the pre-bid.

Questions submitted at least five business days prior to a scheduled pre-bid will be discussed at the pre-bid meeting if possible. Any discussions or answers to questions at the pre-bid meeting are preliminary in nature and are non-binding. Official and binding answers to questions will be published in a written addendum to the Solicitation prior to bid opening.

4. **VENDOR QUESTION DEADLINE:** Vendors may submit questions relating to this Solicitation to the Purchasing Division. Questions must be submitted in writing. All questions must be submitted on or before the date listed below and to the address listed below in order to be considered. A written response will be published in a Solicitation addendum if a response is possible and appropriate. Non-written discussions, conversations, or questions and answers regarding this Solicitation are preliminary in nature and are non-binding.

Question Submission Deadline: June 5, 2014 at 2:00 pm

Submit Questions to: Tara Lyle, File 32

2019 Washington Street, East

Charleston, WV 25305

Fax: (304) 558-4115

*(Vendors should not use this fax number for bid submission)*

Email: [Tara.L.Lyle@wv.gov](mailto:Tara.L.Lyle@wv.gov)

5. **VERBAL COMMUNICATION:** Any verbal communication between the Vendor and any State personnel is not binding, including that made at the mandatory pre-bid conference. Only information issued in writing and added to the Solicitation by an official written addendum by the Purchasing Division is binding.
6. **BID SUBMISSION:** All bids must be signed and delivered by the Vendor to the Purchasing Division at the address listed below on or before the date and time of the bid opening. Any bid received by the Purchasing Division staff is considered to be in the possession of the Purchasing Division and will not be returned for any reason. The Purchasing Division will not accept bids, modification of bids, or addendum acknowledgment forms via e-mail. Acceptable delivery methods include hand delivery, delivery by courier, or facsimile. The bid delivery address is:

Department of Administration, Purchasing Division

2019 Washington Street East

Charleston, WV 25305-0130

The bid should contain the information listed below on the face of the envelope or the bid may not be considered:

SEALED BID: \_\_\_\_\_  
 BUYER: \_\_\_\_\_  
 SOLICITATION NO.: \_\_\_\_\_  
 BID OPENING DATE: \_\_\_\_\_  
 BID OPENING TIME: \_\_\_\_\_  
 FAX NUMBER: \_\_\_\_\_

In the event that Vendor is responding to a request for proposal, the Vendor shall submit one original technical and one original cost proposal plus N/A convenience copies of each to the Purchasing Division at the address shown above. Additionally, the Vendor should identify the bid type as either a technical or cost proposal on the face of each bid envelope submitted in response to a request for proposal as follows:

BID TYPE:  Technical  
 Cost

7. **BID OPENING:** Bids submitted in response to this Solicitation will be opened at the location identified below on the date and time listed below. Delivery of a bid after the bid opening date and time will result in bid disqualification. For purposes of this Solicitation, a bid is considered delivered when time stamped by the official Purchasing Division time clock.

Bid Opening Date and Time: June 17, 2014 at 1:30 pm

Bid Opening Location: Department of Administration, Purchasing Division  
 2019 Washington Street East  
 Charleston, WV 25305-0130

8. **ADDENDUM ACKNOWLEDGEMENT:** Changes or revisions to this Solicitation will be made by an official written addendum issued by the Purchasing Division. Vendor should acknowledge receipt of all addenda issued with this Solicitation by completing an Addendum Acknowledgment Form, a copy of which is included herewith. Failure to acknowledge addenda may result in bid disqualification. The addendum acknowledgement should be submitted with the bid to expedite document processing.
9. **BID FORMATTING:** Vendor should type or electronically enter the information onto its bid to prevent errors in the evaluation. Failure to type or electronically enter the information may result in bid disqualification.

**GENERAL TERMS AND CONDITIONS:**

1. **CONTRACTUAL AGREEMENT:** Issuance of a Purchase Order signed by the Purchasing Division Director, or his designee, and approved as to form by the Attorney General's office constitutes acceptance of this Contract made by and between the State of West Virginia and the Vendor. Vendor's signature on its bid signifies Vendor's agreement to be bound by and accept the terms and conditions contained in this Contract.
  
2. **DEFINITIONS:** As used in this Solicitation/Contract, the following terms shall have the meanings attributed to them below. Additional definitions may be found in the specifications included with this Solicitation/Contract.
  - 2.1 **"Agency" or "Agencies"** means the agency, board, commission, or other entity of the State of West Virginia that is identified on the first page of the Solicitation or any other public entity seeking to procure goods or services under this Contract.
  - 2.2 **"Contract"** means the binding agreement that is entered into between the State and the Vendor to provide the goods and services requested in the Solicitation.
  - 2.3 **"Director"** means the Director of the West Virginia Department of Administration, Purchasing Division.
  - 2.4 **"Purchasing Division"** means the West Virginia Department of Administration, Purchasing Division.
  - 2.5 **"Purchase Order"** means the document signed by the Agency and the Purchasing Division, and approved as to form by the Attorney General, that identifies the Vendor as the successful bidder and Contract holder.
  - 2.6 **"Solicitation"** means the official solicitation published by the Purchasing Division and identified by number on the first page thereof.
  - 2.7 **"State"** means the State of West Virginia and/or any of its agencies, commissions, boards, etc. as context requires.
  - 2.8 **"Vendor" or "Vendors"** means any entity submitting a bid in response to the Solicitation, the entity that has been selected as the lowest responsible bidder, or the entity that has been awarded the Contract as context requires.

3. **CONTRACT TERM; RENEWAL; EXTENSION:** The term of this Contract shall be determined in accordance with the category that has been identified as applicable to this Contract below:

**Term Contract**

**Initial Contract Term:** This Contract becomes effective on \_\_\_\_\_  
and extends for a period of \_\_\_\_\_ year(s).

**Renewal Term:** This Contract may be renewed upon the mutual written consent of the Agency, and the Vendor, with approval of the Purchasing Division and the Attorney General's office (Attorney General approval is as to form only). Any request for renewal must be submitted to the Purchasing Division Director thirty (30) days prior to the expiration date of the initial contract term or appropriate renewal term. A Contract renewal shall be in accordance with the terms and conditions of the original contract. Renewal of this Contract is limited to \_\_\_\_\_ successive one (1) year periods. Automatic renewal of this Contract is prohibited. Notwithstanding the foregoing, Purchasing Division approval is not required on agency delegated or exempt purchases. Attorney General approval may be required for vendor terms and conditions.

**Reasonable Time Extension:** At the sole discretion of the Purchasing Division Director, and with approval from the Attorney General's office (Attorney General approval is as to form only), this Contract may be extended for a reasonable time after the initial Contract term or after any renewal term as may be necessary to obtain a new contract or renew this Contract. Any reasonable time extension shall not exceed twelve (12) months. Vendor may avoid a reasonable time extension by providing the Purchasing Division Director with written notice of Vendor's desire to terminate this Contract 30 days prior to the expiration of the then current term. During any reasonable time extension period, the Vendor may terminate this Contract for any reason upon giving the Purchasing Division Director 30 days written notice. Automatic extension of this Contract is prohibited. Notwithstanding the foregoing, Purchasing Division approval is not required on agency delegated or exempt purchases, but Attorney General approval may be required.

**Release Order Limitations:** In the event that this contract permits release orders, a release order may only be issued during the time this Contract is in effect. Any release order issued within one year of the expiration of this Contract shall be effective for one year from the date the release order is issued. No release order may be extended beyond one year after this Contract has expired.

**Fixed Period Contract:** This Contract becomes effective upon Vendor's receipt of the notice to proceed and must be completed within 60 (sixty) \_\_\_\_\_ days.



- One Time Purchase:** The term of this Contract shall run from the issuance of the Purchase Order until all of the goods contracted for have been delivered, but in no event shall this Contract extend for more than one fiscal year.
- Other:** See attached.
4. **NOTICE TO PROCEED:** Vendor shall begin performance of this Contract immediately upon receiving notice to proceed unless otherwise instructed by the Agency. Unless otherwise specified, the fully executed Purchase Order will be considered notice to proceed
5. **QUANTITIES:** The quantities required under this Contract shall be determined in accordance with the category that has been identified as applicable to this Contract below.
- Open End Contract:** Quantities listed in this Solicitation are approximations only, based on estimates supplied by the Agency. It is understood and agreed that the Contract shall cover the quantities actually ordered for delivery during the term of the Contract, whether more or less than the quantities shown.
- Service:** The scope of the service to be provided will be more clearly defined in the specifications included herewith.
- Combined Service and Goods:** The scope of the service and deliverable goods to be provided will be more clearly defined in the specifications included herewith.
- One Time Purchase:** This Contract is for the purchase of a set quantity of goods that are identified in the specifications included herewith. Once those items have been delivered, no additional goods may be procured under this Contract without an appropriate change order approved by the Vendor, Agency, Purchasing Division, and Attorney General's office.
6. **PRICING:** The pricing set forth herein is firm for the life of the Contract, unless specified elsewhere within this Solicitation/Contract by the State. A Vendor's inclusion of price adjustment provisions in its bid, without an express authorization from the State in the Solicitation to do so, may result in bid disqualification.
7. **EMERGENCY PURCHASES:** The Purchasing Division Director may authorize the Agency to purchase goods or services in the open market that Vendor would otherwise provide under this Contract if those goods or services are for immediate or expedited delivery in an emergency. Emergencies shall include, but are not limited to, delays in transportation or an unanticipated increase in the volume of work. An emergency purchase in the open market, approved by the Purchasing Division Director, shall not constitute of breach of this Contract and shall not entitle the Vendor to any form of compensation or damages. This provision does not excuse the State from fulfilling its obligations under a One Time Purchase contract.
8. **REQUIRED DOCUMENTS:** All of the items checked below must be provided to the Purchasing Division by the Vendor as specified below.

**BID BOND:** All Vendors shall furnish a bid bond in the amount of five percent (5%) of the total amount of the bid protecting the State of West Virginia. The bid bond must be submitted with the bid.

**PERFORMANCE BOND:** The apparent successful Vendor shall provide a performance bond in the amount of 100% of contract value. The performance bond must be issued and received by the Purchasing Division prior to Contract award. On construction contracts, the performance bond must be 100% of the Contract value.

**LABOR/MATERIAL PAYMENT BOND:** The apparent successful Vendor shall provide a labor/material payment bond in the amount of 100% of the Contract value. The labor/material payment bond must be issued and delivered to the Purchasing Division prior to Contract award.

In lieu of the Bid Bond, Performance Bond, and Labor/Material Payment Bond, the Vendor may provide certified checks, cashier's checks, or irrevocable letters of credit. Any certified check, cashier's check, or irrevocable letter of credit provided in lieu of a bond must be of the same amount and delivered on the same schedule as the bond it replaces. A letter of credit submitted in lieu of a performance and labor/material payment bond will only be allowed for projects under \$100,000. Personal or business checks are not acceptable.

**MAINTENANCE BOND:** The apparent successful Vendor shall provide a two (2) year maintenance bond covering the roofing system. The maintenance bond must be issued and delivered to the Purchasing Division prior to Contract award.

**WORKERS' COMPENSATION INSURANCE:** The apparent successful Vendor shall have appropriate workers' compensation insurance and shall provide proof thereof upon request.

**INSURANCE:** The apparent successful Vendor shall furnish proof of the following insurance prior to Contract award and shall list the state as a certificate holder:

- Commercial General Liability Insurance:**  
\$250,000.00 or more.
- Builders Risk Insurance:** builders risk – all risk insurance in an amount equal to 100% of the amount of the Contract.
- 
- 
- 
- 
- 
-

The apparent successful Vendor shall also furnish proof of any additional insurance requirements contained in the specifications prior to Contract award regardless of whether or not that insurance requirement is listed above.

- LICENSE(S) / CERTIFICATIONS / PERMITS:** In addition to anything required under the Section entitled Licensing, of the General Terms and Conditions, the apparent successful Vendor shall furnish proof of the following licenses, certifications, and/or permits prior to Contract award, in a form acceptable to the Purchasing Division.

WV Contractor's License

The apparent successful Vendor shall also furnish proof of any additional licenses or certifications contained in the specifications prior to Contract award regardless of whether or not that requirement is listed above.

9. **LITIGATION BOND:** The Director reserves the right to require any Vendor that files a protest of an award to submit a litigation bond in the amount equal to one percent of the lowest bid submitted or \$5,000, whichever is greater. The entire amount of the bond shall be forfeited if the hearing officer determines that the protest was filed for frivolous or improper purpose, including but not limited to, the purpose of harassing, causing unnecessary delay, or needless expense for the Agency. All litigation bonds shall be made payable to the Purchasing Division. In lieu of a bond, the protester may submit a cashier's check or certified check payable to the Purchasing Division. Cashier's or certified checks will be deposited with and held by the State Treasurer's office. If it is determined that the protest has not been filed for frivolous or improper purpose, the bond or deposit shall be returned in its entirety.
10. **ALTERNATES:** Any model, brand, or specification listed herein establishes the acceptable level of quality only and is not intended to reflect a preference for, or in any way favor, a particular brand or vendor. Vendors may bid alternates to a listed model or brand provided that the alternate is at least equal to the model or brand and complies with the required specifications. The equality of any alternate being bid shall be determined by the State at its sole discretion. Any Vendor bidding an alternate model or brand should clearly identify the alternate items in its bid and should include manufacturer's specifications, industry literature, and/or any other relevant documentation demonstrating the equality of the alternate items. Failure to provide information for alternate items may be grounds for rejection of a Vendor's bid.
11. **EXCEPTIONS AND CLARIFICATIONS:** The Solicitation contains the specifications that shall form the basis of a contractual agreement. Vendor shall clearly mark any exceptions, clarifications, or

other proposed modifications in its bid. Exceptions to, clarifications of, or modifications of a requirement or term and condition of the Solicitation may result in bid disqualification.

- 12. LIQUIDATED DAMAGES:** Vendor shall pay liquidated damages in the amount  
for

This clause shall in no way be considered exclusive and shall not limit the State or Agency's right to pursue any other available remedy.

- 13. ACCEPTANCE/REJECTION:** The State may accept or reject any bid in whole, or in part. Vendor's signature on its bid signifies acceptance of the terms and conditions contained in the Solicitation and Vendor agrees to be bound by the terms of the Contract, as reflected in the Purchase Order, upon receipt.
- 14. REGISTRATION:** Prior to Contract award, the apparent successful Vendor must be properly registered with the West Virginia Purchasing Division and must have paid the \$125 fee if applicable.
- 15. COMMUNICATION LIMITATIONS:** In accordance with West Virginia Code of State Rules §148-1-6.6, communication with the State of West Virginia or any of its employees regarding this Solicitation during the solicitation, bid, evaluation or award periods, except through the Purchasing Division, is strictly prohibited without prior Purchasing Division approval. Purchasing Division approval for such communication is implied for all agency delegated and exempt purchases.
- 16. FUNDING:** This Contract shall continue for the term stated herein, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise made available, this Contract becomes void and of no effect beginning on July 1 of the fiscal year for which funding has not been appropriated or otherwise made available.
- 17. PAYMENT:** Payment in advance is prohibited under this Contract. Payment may only be made after the delivery and acceptance of goods or services. The Vendor shall submit invoices, in arrears, to the Agency at the address on the face of the purchase order labeled "Invoice To."
- 18. UNIT PRICE:** Unit prices shall prevail in cases of a discrepancy in the Vendor's bid.
- 19. DELIVERY:** All quotations are considered freight on board destination ("F.O.B. destination") unless alternate shipping terms are clearly identified in the bid. Vendor's listing of shipping terms that contradict the shipping terms expressly required by this Solicitation may result in bid disqualification.
- 20. INTEREST:** Interest attributable to late payment will only be permitted if authorized by the West Virginia Code. Presently, there is no provision in the law for interest on late payments.
- 21. PREFERENCE:** Vendor Preference may only be granted upon written request and only in accordance with the West Virginia Code § 5A-3-37 and the West Virginia Code of State Rules. A Resident Vendor Certification form has been attached hereto to allow Vendor to apply for the preference. Vendor's

failure to submit the Resident Vendor Certification form with its bid will result in denial of Vendor Preference. Vendor Preference does not apply to construction projects.

- 22. SMALL, WOMEN-OWNED, OR MINORITY-OWNED BUSINESSES:** For any solicitations publicly advertised for bid on or after July 1, 2012, in accordance with West Virginia Code §5A-3-37(a)(7) and W. Va. CSR § 148-22-9, any non-resident vendor certified as a small, women-owned, or minority-owned business under W. Va. CSR § 148-22-9 shall be provided the same preference made available to any resident vendor. Any non-resident small, women-owned, or minority-owned business must identify itself as such in writing, must submit that writing to the Purchasing Division with its bid, and must be properly certified under W. Va. CSR § 148-22-9 prior to submission of its bid to receive the preferences made available to resident vendors. Preference for a non-resident small, women-owned, or minority-owned business shall be applied in accordance with W. Va. CSR § 148-22-9.
- 23. TAXES:** The Vendor shall pay any applicable sales, use, personal property or any other taxes arising out of this Contract and the transactions contemplated thereby. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 24. CANCELLATION:** The Purchasing Division Director reserves the right to cancel this Contract immediately upon written notice to the vendor if the materials or workmanship supplied do not conform to the specifications contained in the Contract. The Purchasing Division Director may cancel any purchase or Contract upon 30 days written notice to the Vendor in accordance with West Virginia Code of State Rules § 148-1-7.16.2.
- 25. WAIVER OF MINOR IRREGULARITIES:** The Director reserves the right to waive minor irregularities in bids or specifications in accordance with West Virginia Code of State Rules § 148-1-4.6.
- 26. TIME:** Time is of the essence with regard to all matters of time and performance in this Contract.
- 27. APPLICABLE LAW:** This Contract is governed by and interpreted under West Virginia law without giving effect to its choice of law principles. Any information provided in specification manuals, or any other source, verbal or written, which contradicts or violates the West Virginia Constitution, West Virginia Code or West Virginia Code of State Rules is void and of no effect.
- 28. COMPLIANCE:** Vendor shall comply with all applicable federal, state, and local laws, regulations and ordinances. By submitting a bid, Vendors acknowledge that they have reviewed, understand, and will comply with all applicable law.
- 29. PREVAILING WAGE:** On any contract for the construction of a public improvement, Vendor and any subcontractors utilized by Vendor shall pay a rate or rates of wages which shall not be less than the fair minimum rate or rates of wages (prevailing wage), as established by the West Virginia Division of Labor under West Virginia Code §§ 21-5A-1 et seq. and available at <http://www.sos.wv.gov/administrative-law/wagerates/Pages/default.aspx>. Vendor shall be responsible for ensuring compliance with prevailing wage requirements and determining when prevailing wage

requirements are applicable. The required contract provisions contained in West Virginia Code of State Rules § 42-7-3 are specifically incorporated herein by reference.

- 30. ARBITRATION:** Any references made to arbitration contained in this Contract, Vendor's bid, or in any American Institute of Architects documents pertaining to this Contract are hereby deleted, void, and of no effect.
- 31. MODIFICATIONS:** This writing is the parties' final expression of intent. Notwithstanding anything contained in this Contract to the contrary, no modification of this Contract shall be binding without mutual written consent of the Agency, and the Vendor, with approval of the Purchasing Division and the Attorney General's office (Attorney General approval is as to form only). **No Change shall be implemented by the Vendor until such time as the Vendor receives an approved written change order from the Purchasing Division.**
- 32. WAIVER:** The failure of either party to insist upon a strict performance of any of the terms or provision of this Contract, or to exercise any option, right, or remedy herein contained, shall not be construed as a waiver or a relinquishment for the future of such term, provision, option, right, or remedy, but the same shall continue in full force and effect. Any waiver must be expressly stated in writing and signed by the waiving party.
- 33. SUBSEQUENT FORMS:** The terms and conditions contained in this Contract shall supersede any and all subsequent terms and conditions which may appear on any form documents submitted by Vendor to the Agency or Purchasing Division such as price lists, order forms, invoices, sales agreements, or maintenance agreements, and includes internet websites or other electronic documents. Acceptance or use of Vendor's forms does not constitute acceptance of the terms and conditions contained thereon.
- 34. ASSIGNMENT:** Neither this Contract nor any monies due, or to become due hereunder, may be assigned by the Vendor without the express written consent of the Agency, the Purchasing Division, the Attorney General's office (as to form only), and any other government agency or office that may be required to approve such assignments. Notwithstanding the foregoing, Purchasing Division approval may or may not be required on certain agency delegated or exempt purchases.
- 35. WARRANTY:** The Vendor expressly warrants that the goods and/or services covered by this Contract will: (a) conform to the specifications, drawings, samples, or other description furnished or specified by the Agency; (b) be merchantable and fit for the purpose intended; and (c) be free from defect in material and workmanship.
- 36. STATE EMPLOYEES:** State employees are not permitted to utilize this Contract for personal use and the Vendor is prohibited from permitting or facilitating the same.
- 37. BANKRUPTCY:** In the event the Vendor files for bankruptcy protection, the State of West Virginia may deem this Contract null and void, and terminate this Contract without notice.

**38. [RESERVED]**

**39. CONFIDENTIALITY:** The Vendor agrees that it will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the Agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the Agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in <http://www.state.wv.us/admin/purchase/privacy/default.html>.

**40. DISCLOSURE:** Vendor's response to the Solicitation and the resulting Contract are considered public documents and will be disclosed to the public in accordance with the laws, rules, and policies governing the West Virginia Purchasing Division. Those laws include, but are not limited to, the Freedom of Information Act found in West Virginia Code § 29B-1-1 et seq.

If a Vendor considers any part of its bid to be exempt from public disclosure, Vendor must so indicate by specifically identifying the exempt information, identifying the exemption that applies, providing a detailed justification for the exemption, segregating the exempt information from the general bid information, and submitting the exempt information as part of its bid but in a segregated and clearly identifiable format. Failure to comply with the foregoing requirements will result in public disclosure of the Vendor's bid without further notice. A Vendor's act of marking all or nearly all of its bid as exempt is not sufficient to avoid disclosure and WILL NOT BE HONORED. Vendor's act of marking a bid or any part thereof as "confidential" or "proprietary" is not sufficient to avoid disclosure and WILL NOT BE HONORED. In addition, a legend or other statement indicating that all or substantially all of the bid is exempt from disclosure is not sufficient to avoid disclosure and WILL NOT BE HONORED. Vendor will be required to defend any claimed exemption for nondisclosure in the event of an administrative or judicial challenge to the State's nondisclosure. Vendor must indemnify the State for any costs incurred related to any exemptions claimed by Vendor. Any questions regarding the applicability of the various public records laws should be addressed to your own legal counsel prior to bid submission.

**41. LICENSING:** In accordance with West Virginia Code of State Rules §148-1-6.1.7, Vendor must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agency or political subdivision. Upon request, the Vendor must provide all necessary releases to obtain information to enable the Purchasing Division Director or the Agency to verify that the Vendor is licensed and in good standing with the above entities.

**42. ANTITRUST:** In submitting a bid to, signing a contract with, or accepting a Purchase Order from any agency of the State of West Virginia, the Vendor agrees to convey, sell, assign, or transfer to the State of West Virginia all rights, title, and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired

by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to Vendor.

- 43. VENDOR CERTIFICATIONS:** By signing its bid or entering into this Contract, Vendor certifies (1) that its bid was made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership, person or entity submitting a bid for the same material, supplies, equipment or services; (2) that its bid is in all respects fair and without collusion or fraud; (3) that this Contract is accepted or entered into without any prior understanding, agreement, or connection to any other entity that could be considered a violation of law; and (4) that it has reviewed this RFQ in its entirety; understands the requirements, terms and conditions, and other information contained herein. Vendor's signature on its bid also affirms that neither it nor its representatives have any interest, nor shall acquire any interest, direct or indirect, which would compromise the performance of its services hereunder. Any such interests shall be promptly presented in detail to the Agency.

The individual signing this bid on behalf of Vendor certifies that he or she is authorized by the Vendor to execute this bid or any documents related thereto on Vendor's behalf; that he or she is authorized to bind the Vendor in a contractual relationship; and that, to the best of his or her knowledge, the Vendor has properly registered with any State agency that may require registration.

- 44. PURCHASING CARD ACCEPTANCE:** The State of West Virginia currently utilizes a Purchasing Card program, administered under contract by a banking institution, to process payment for goods and services. The Vendor must accept the State of West Virginia's Purchasing Card for payment of all orders under this Contract unless the box below is checked.

Vendor is not required to accept the State of West Virginia's Purchasing Card as payment for all goods and services.

- 45. VENDOR RELATIONSHIP:** The relationship of the Vendor to the State shall be that of an independent contractor and no principal-agent relationship or employer-employee relationship is contemplated or created by this Contract. The Vendor as an independent contractor is solely liable for the acts and omissions of its employees and agents. Vendor shall be responsible for selecting, supervising, and compensating any and all individuals employed pursuant to the terms of this Solicitation and resulting contract. Neither the Vendor, nor any employees or subcontractors of the Vendor, shall be deemed to be employees of the State for any purpose whatsoever. Vendor shall be exclusively responsible for payment of employees and contractors for all wages and salaries, taxes, withholding payments, penalties, fees, fringe benefits, professional liability insurance premiums, contributions to insurance and pension, or other deferred compensation plans, including but not limited to, Workers' Compensation and Social Security obligations, licensing fees, *etc.* and the filing of all necessary documents, forms and returns pertinent to all of the foregoing. Vendor shall hold harmless the State, and shall provide the State and Agency with a defense against any and all claims including, but not limited to, the foregoing payments, withholdings, contributions, taxes, Social Security taxes, and employer income tax returns.

- 46. INDEMNIFICATION:** The Vendor agrees to indemnify, defend, and hold harmless the State and the Agency, their officers, and employees from and against: (1) Any claims or losses for services rendered



by any subcontractor, person, or firm performing or supplying services, materials, or supplies in connection with the performance of the Contract; (2) Any claims or losses resulting to any person or entity injured or damaged by the Vendor, its officers, employees, or subcontractors by the publication, translation, reproduction, delivery, performance, use, or disposition of any data used under the Contract in a manner not authorized by the Contract, or by Federal or State statutes or regulations; and (3) Any failure of the Vendor, its officers, employees, or subcontractors to observe State and Federal laws including, but not limited to, labor and wage and hour laws.

- 47. PURCHASING AFFIDAVIT:** In accordance with West Virginia Code § 5A-3-10a, all Vendors are required to sign, notarize, and submit the Purchasing Affidavit stating that neither the Vendor nor a related party owe a debt to the State in excess of \$1,000. The affidavit must be submitted prior to award, but should be submitted with the Vendor's bid. A copy of the Purchasing Affidavit is included herewith.
- 48. ADDITIONAL AGENCY AND LOCAL GOVERNMENT USE:** This Contract may be utilized by and extends to other agencies, spending units, and political subdivisions of the State of West Virginia; county, municipal, and other local government bodies; and school districts ("Other Government Entities"). This Contract shall be extended to the aforementioned Other Government Entities on the same prices, terms, and conditions as those offered and agreed to in this Contract. If the Vendor does not wish to extend the prices, terms, and conditions of its bid and subsequent contract to the Other Government Entities, the Vendor must clearly indicate such refusal in its bid. A refusal to extend this Contract to the Other Government Entities shall not impact or influence the award of this Contract in any manner.
- 49. CONFLICT OF INTEREST:** Vendor, its officers or members or employees, shall not presently have or acquire any interest, direct or indirect, which would conflict with or compromise the performance of its obligations hereunder. Vendor shall periodically inquire of its officers, members and employees to ensure that a conflict of interest does not arise. Any conflict of interest discovered shall be promptly presented in detail to the Agency.
- 50. REPORTS:** Vendor shall provide the Agency and/or the Purchasing Division with the following reports identified by a checked box below:
- Such reports as the Agency and/or the Purchasing Division may request. Requested reports may include, but are not limited to, quantities purchased, agencies utilizing the contract, total contract expenditures by agency, etc.
  - Quarterly reports detailing the total quantity of purchases in units and dollars, along with a listing of purchases by agency. Quarterly reports should be delivered to the Purchasing Division via email at [purchasing.requisitions@wv.gov](mailto:purchasing.requisitions@wv.gov).
- 51. BACKGROUND CHECK:** In accordance with W. Va. Code § 15-2D-3, the Director of the Division of Protective Services shall require any service provider whose employees are regularly employed on the grounds or in the buildings of the Capitol complex or who have access to sensitive or critical information

to submit to a fingerprint-based state and federal background inquiry through the state repository. The service provider is responsible for any costs associated with the fingerprint-based state and federal background inquiry.

After the contract for such services has been approved, but before any such employees are permitted to be on the grounds or in the buildings of the Capitol complex or have access to sensitive or critical information, the service provider shall submit a list of all persons who will be physically present and working at the Capitol complex to the Director of the Division of Protective Services for purposes of verifying compliance with this provision.

The State reserves the right to prohibit a service provider's employees from accessing sensitive or critical information or to be present at the Capitol complex based upon results addressed from a criminal background check.

Service providers should contact the West Virginia Division of Protective Services by phone at (304)558-9911 for more information.

**52. PREFERENCE FOR USE OF DOMESTIC STEEL PRODUCTS:** Except when authorized by the Director of the Purchasing Division pursuant to W. Va. Code § 5A-3-56, no contractor may use or supply steel products for a State Contract Project other than those steel products made in the United States. A contractor who uses steel products in violation of this section may be subject to civil penalties pursuant to W. Va. Code § 5A-3-56. As used in this section:

- a. "State Contract Project" means any erection or construction of, or any addition to, alteration of or other improvement to any building or structure, including, but not limited to, roads or highways, or the installation of any heating or cooling or ventilating plants or other equipment, or the supply of and materials for such projects, pursuant to a contract with the State of West Virginia for which bids were solicited on or after June 6, 2001.
- b. "Steel Products" means products rolled, formed, shaped, drawn, extruded, forged, cast, fabricated or otherwise similarly processed, or processed by a combination of two or more or such operations, from steel made by the open heath, basic oxygen, electric furnace, Bessemer or other steel making process.

The Purchasing Division Director may, in writing, authorize the use of foreign steel products if:

- a. The cost for each contract item used does not exceed one tenth of one percent (.1%) of the total contract cost or two thousand five hundred dollars (\$2,500.00), whichever is greater. For the purposes of this section, the cost is the value of the steel product as delivered to the project; or
- b. The Director of the Purchasing Division determines that specified steel materials are not produced in the United States in sufficient quantity or otherwise are not reasonably available to meet contract requirements.

**53. PREFERENCE FOR USE OF DOMESTIC ALUMINUM, GLASS, AND STEEL:** In Accordance with W. Va. Code § 5-19-1 et seq., and W. Va. CSR § 148-10-1 et seq., for every contract or subcontract, subject to the limitations contained herein, for the construction, reconstruction, alteration, repair, improvement or maintenance of public works or for the purchase of any item of machinery or equipment to be used at sites of public works, only domestic aluminum, glass or steel products shall be supplied unless the spending officer determines, in writing, after the receipt of offers or bids, (1) that the cost of domestic aluminum, glass or steel products is unreasonable or inconsistent with the public interest of the State of West Virginia, (2) that domestic aluminum, glass or steel products are not produced in sufficient quantities to meet the contract requirements, or (3) the available domestic aluminum, glass, or steel do not meet the contract specifications. This provision only applies to public works contracts awarded in an amount more than fifty thousand dollars (\$50,000) or public works contracts that require more than ten thousand pounds of steel products.

The cost of domestic aluminum, glass, or steel products may be unreasonable if the cost is more than twenty percent (20%) of the bid or offered price for foreign made aluminum, glass, or steel products. If the domestic aluminum, glass or steel products to be supplied or produced in a "substantial labor surplus area", as defined by the United States Department of Labor, the cost of domestic aluminum, glass, or steel products may be unreasonable if the cost is more than thirty percent (30%) of the bid or offered price for foreign made aluminum, glass, or steel products.

This preference shall be applied to an item of machinery or equipment, as indicated above, when the item is a single unit of equipment or machinery manufactured primarily of aluminum, glass or steel, is part of a public works contract and has the sole purpose or of being a permanent part of a single public works project. This provision does not apply to equipment or machinery purchased by a spending unit for use by that spending unit and not as part of a single public works project.

All bids and offers including domestic aluminum, glass or steel products that exceed bid or offer prices including foreign aluminum, glass or steel products after application of the preferences provided in this provision may be reduced to a price equal to or lower than the lowest bid or offer price for foreign aluminum, glass or steel products plus the applicable preference. If the reduced bid or offer prices are made in writing and supersede the prior bid or offer prices, all bids or offers, including the reduced bid or offer prices, will be reevaluated in accordance with this rule.

**ADDITIONAL TERMS AND CONDITIONS (Construction Contracts Only)**

1. **CONTRACTOR'S LICENSE:** West Virginia Code § 21-11-2 requires that all persons desiring to perform contracting work in this state be licensed. The West Virginia Contractors Licensing Board is empowered to issue the contractor's license. Applications for a contractor's license may be made by contacting the West Virginia Division of Labor.

West Virginia Code § 21-11-11 requires any prospective Vendor to include the contractor's license number on its bid. Failure to include a contractor's license number on the bid shall result in Vendor's bid being disqualified. Vendors should include a contractor's license number in the space provided below.

**Contractor's Name:** Danhill Construction Company

**Contractor's License No.** WV 001196

The apparent successful Vendor must furnish a copy of its contractor's license prior to the issuance of a purchase order/contract.

2. **DRUG-FREE WORKPLACE AFFIDAVIT:** W. Va. Code § 21-1D-5 provides that any solicitation for a public improvement contract requires each Vendor that submits a bid for the work to submit at the same time an affidavit that the Vendor has a written plan for a drug-free workplace policy. To comply with this law, Vendor must either complete the enclosed drug-free workplace affidavit and submit the same with its bid or complete a similar affidavit that fulfills all of the requirements of the applicable code. Failure to submit the signed and notarized drug-free workplace affidavit or a similar affidavit that fully complies with the requirements of the applicable code, with the bid shall result in disqualification of Vendor's bid.

**2.1 DRUG-FREE WORKPLACE POLICY:** Pursuant to W. Va. Code § 21-1D-4, Vendor and its subcontractors must implement and maintain a written drug-free workplace policy that complies with said article.

The awarding public authority may cancel this contract if: (1) Vendor fails to implement and maintain a written drug-free workplace policy described in the preceding paragraph, (2) Vendor fails to provide information regarding implementation of its drug-free workplace policy at the request of the public authority; or (3) Vendor provides to the public authority false information regarding the contractor's drug-free workplace policy.

3. **DRUG FREE WORKPLACE REPORT:** Pursuant to W. Va. Code § 21-1D-7b, no less than once per year, or upon completion of the project, every contractor shall provide a certified report to the public authority which let the contract. For contracts over \$25,000, the public authority shall be the West Virginia Purchasing Division. For contracts of \$25,000 or less, the public authority shall be the agency issuing the contract. The report shall include:

- (1) Information to show that the education and training service to the requirements of West Virginia Code § 21-1D-5 was provided;
- (2) The name of the laboratory certified by the United States Department of Health and Human Services or its successor that performs the drug tests;
- (3) The average number of employees in connection with the construction on the public improvement;
- (4) Drug test results for the following categories including the number of positive tests and the number of negative tests: (A) Pre-employment and new hires; (B) Reasonable suspicion; (C) Post-accident; and (D) Random.

Vendor should utilize the attached Certified Drug Free Workplace Report Coversheet when submitting the report required hereunder.

4. **AIA DOCUMENTS:** All construction contracts that will be completed in conjunction with architectural services procured under Chapter 5G of the West Virginia Code will be governed by the AIA A101-2007 and A201-2007 or the A107-2007 documents, as amended by the Supplementary Conditions for the State of West Virginia, in addition to the terms and conditions contained herein.
5. **SUBCONTRACTOR LIST SUBMISSION:** In accordance with W. Va. Code § 5-22-1, The apparent low bidder on a contract for the construction, alteration, decoration, painting or improvement of a new or existing building or structure valued at more than \$250,000.00 shall submit a list of all subcontractors who will perform more than \$25,000.00 of work on the project including labor and materials. This provision shall not apply to any other construction projects, such as highway, mine reclamation, water or sewer projects. Additionally, if no subcontractors who will perform more than \$25,000.00 of work are to be used to complete the project, it will be noted on the subcontractor list.
  - a. **Required Information.** The subcontractor list shall contain the following information:
    - i. Bidder's name
    - ii. Name of each subcontractor
    - iii. License numbers as required by W. Va. Code § 21-11-1 et. seq.
    - iv. Notation that no subcontractor will be used to perform more than \$25,000.00 of work, when applicable
  - b. **Submission.** The completed subcontractor list shall be provided to the Purchasing Division within one business day of the opening of bids for review. Failure to submit the subcontractor list within one business day after the deadline for submitting bids shall result in disqualification of the bid.
  - c. **Substitution of Subcontractor.** Written approval must be obtained from the State Spending Unit before any subcontractor substitution is permitted. Substitutions are not permitted unless:

- i. The subcontractor listed in the original bid has filed for bankruptcy,
  - ii. The subcontractor in the original bid has been debarred or suspended; or
  - iii. The contractor certifies in writing that the subcontractor listed in the original bill fails, is unable, or refuses to perform his subcontract.
6. **GREEN BUILDINGS MINIMUM ENERGY STANDARDS:** In accordance with § 22-29-4, all new building construction projects of public agencies that have not entered the schematic design phase prior to July 1, 2012, or any building construction project receiving state grant funds and appropriations, including public schools, that have not entered the schematic design phase prior to July 1, 2012, shall be designed and constructed complying with the ICC International Energy Conservation Code, adopted by the State Fire Commission, and the ANSI/ASHRAE/IESNA Standard 90.1-2007: *Provided*, That if any construction project has a commitment of federal funds to pay for a portion of such project, this provision shall only apply to the extent such standards are consistent with the federal standards.

Fence, Gate, and Bollard Project for Huntington Barbour Armory, Huntington, WV

**SPECIFICATIONS**

1. **PURPOSE AND SCOPE:** The West Virginia Purchasing Division is soliciting bids on behalf of the West Virginia Army National Guard's Division of Engineering & Facilities to establish a contract for the one time purchase of labor, materials, and all associated costs, to install new perimeter fencing, gates, and bollards at the Huntington Barbour Armory located at 800 Virginia Avenue in Huntington WV, 25704.
2. **DEFINITIONS:** The terms listed below shall have the meanings assigned to them below. Additional definitions can be found in section 2 of the General Terms and Conditions.
  - 2.1 **"Contract Item"** means the provision of labor, materials, and all associated costs to install fencing, gates, and bollards per the scope of work and the specifications and drawings contained herein.
  - 2.2 **"Pricing Page"** means the pages upon which Vendor should list its proposed price for the Contract Items in the manner requested. The Pricing Page is either included on the last page of this RFQ or attached hereto as Exhibit A.
  - 2.3 **"RFQ"** means the official request for quotation published by the Purchasing Division and identified as **DEFK14031**.
3. **GENERAL REQUIREMENTS:**
  - 3.1 **Mandatory Contract Item Requirements:** Contract Item must meet or exceed the mandatory requirements listed below.
    - 3.1.1 **Labor, Materials, and all associated costs to install fencing, gates, and bollards at Huntington Barbour Armory in Huntington, WV.**
      - 3.1.1.1 Fencing must be produced and installed in accordance with the drawings and specifications incorporated herein.
      - 3.1.1.2 Gates must be produced and installed in accordance with the drawings and specifications incorporated herein.

REQUEST FOR QUOTATION  
DEFK14031

000023

Fence, Gate, and Bollard Project for Huntington Barbour Armory, Huntington, WV

**3.1.1.3** Bollards must be produced and installed in accordance with the drawings and specifications incorporated herein.

**4. CONTRACT AWARD:**

**4.1 Contract Award:** The Contract is intended to provide the Agency with a purchase price for the Contract Items. The Contract shall be awarded to the Vendor that provides the Contract Items in the Base Bid meeting the required specifications for the lowest overall total cost as shown on the Pricing Pages. Bid Alternate #1 will be awarded only if funding is available.

**4.2 Pricing Page:** Vendor should complete the Pricing Page by completing the attached Bid Form. Vendor is to submit a "Base Bid" lump sum total price inclusive of all labor, materials, and associated costs to complete the project as designed as specified. Vendor is also to bid the additional cost of "Alternate Bid #1" to provide and install one (1) 24'-0" slide gate in lieu of two (2) 12'-0" swing gates with 6'-0" fence fabric. Vendor should complete the Pricing Page in full as failure to complete the Pricing Page in its entirety may result in Vendor's bid being disqualified.

Notwithstanding the foregoing, the Purchasing Division may correct errors as it deems appropriate. Vendor should type or electronically enter the information into the Pricing Page to prevent errors in the evaluation.

**5. PAYMENT:**

**5.1 Payment:** Vendor shall accept payment in accordance with the payment procedures of the State of West Virginia.



**DEFK14031 – HUNTINGTON BARBOUR ARMORY FENCE AND GATE PROJECT****PART 1 – GENERAL****1.1 SUMMARY OF WORK**

- A. Vendor is to provide all labor, materials, and associated costs to install new fencing, gates, and bollards at the Huntington Barbour Armory located at 800 Virginia Avenue in Huntington, WV 25704.

Due to the nature of this project, vendors are solely responsible for field verifying measurements of current site conditions at the Huntington Barbour Armory with regards to proposed locations of fencing, gates, and bollard installations as specified. Vendors are responsible for identifying the locations of any utility or structural impediments that may determine the actual location or installation method for installing the fencing, gates, or bollards. The measurements incorporated in this solicitation are estimates provided by the owner for bidding purposes and are to be verified by the vendor.

Vendors quoting this project shall comply with the below specifications and the scope of work as follows:

Vendor will provide a lump sum price to provide and install the items below at the Huntington Barbour Armory located at 800 Virginia Avenue Huntington, WV 25704.

Remove approximately 1,200 lf of existing fence.

Provide and install approximately 1,500 lf of 6'-0" high new galvanized chain-link fence.

Provide and install one (1) 30'-0" wide sliding gate.

Provide and install one (1) 6'-0" wide man gate.

Provide and install two (2) 12'-0" wide swing gates.

Provide and install eight (8) 8" dia. Steel bollards.

Prepare site; including, but not limited to, removal of vegetation and incidental grading as required to successfully install fencing, gates, and bollards per the specifications.

Vendor will also be required to provide alternate pricing as indicated on the bid schedule.

## 1.2 PROJECT SCHEDULE

- A. Mandatory on-site pre-bid conference is scheduled for June 3, 2014 at 10:00 am.
- B. A pre-construction meeting will be scheduled with the successful vendor after the contract award to review the work schedule and to issue the notice to proceed.
- C. Project is to be completed within 60 calendar days of the notice to proceed.
- D. Work is to be performed between the hours of 7:30 am and 4:00 pm Monday through Friday. Requests for additional work hours are at the discretion of the WVANG and the caretaker of the facility.

## CHAIN-LINK FENCES AND GATES

### 1.1 RELATED DOCUMENTS

- A. Contract Drawings and general provisions of the Contract apply to this Section.

### 1.2 SUMMARY

- A. This Section includes the following:
  - 1. Galvanized steel chain-link fabric
  - 2. Galvanized steel framework
  - 3. Barbed wire
  - 4. Grounding and bonding
  - 5. Horizontal Sliding Gates
  - 6. Swing Gates
  - 7. Bollards

### 1.3 DEFINITIONS

- A. CLFMI: Chain Link Fence Manufacturers Institute.

### 1.4 SUBMITTALS

- A. Product Data: Material descriptions, construction details, dimensions of individual components and profiles, and finishes for the following:
  - 1. Fence and gate posts, rails, and fittings
  - 2. Chain-link fabric, reinforcements, and attachments
  - 3. Gates and hardware
  - 4. Barbed wire
  - 5. Heavy Duty Slide Gates

6. Swing Gates
  7. Bollards
- B. Shop Drawings: Show locations of fence, each gate, posts, rails, and tension wires and details of extended posts, extension arms, gate swing, or other operation, hardware, bollards, and accessories. Indicate materials, dimensions, sizes, weights, and finishes of components. Include plans, elevations, sections, gate swing and other required installation and operational clearances, and details of post anchorage and attachment and bracing.
  - C. Certifications: Manufacturers material certifications in compliance with current ASTM specifications.
  - D. Domestic certifications: Material certifications, Made in U.S.A.
  - E. Qualification Data: For firms and persons specified in "Quality Assurance" Article to demonstrate their capabilities and experience. Include lists of completed projects with project names and addresses, names and addresses of architects and C&FMO, and other information specified.
  - F. Field Test Reports: Indicate and interpret test results for compliance of chain-link fence and gate grounding and bonding with performance requirements.
  - G. Operation and Maintenance Data for each gate type. Vendor to deliver three (3) copies of instructions for operation, maintenance, recommendations, and parts manuals covering the installed products to the Owners Representative, inclusive of the name, address, and telephone number of the nearest fully equipped service organization.
  - H. Certification: Deliver to the Owners Representative written certification form the manufacturer's technical advisor that the gate systems and accessories are installed and operating properly and include a System Acceptance Test Report.

#### **1.5 QUALITY ASSURANCE**

- A. Manufacturer: Company operating in the United States and having U.S. manufacturing facility/facilities specializing in manufacturing chain link fence products with at least five (5) years experience.
- B. Installer Qualifications: An experienced installer who has completed chain-link fences and gates similar in material, design, and extent to those indicated for this Project and whose work has resulted in construction with a record of successful in-service performance in accordance with ASTM F567 and has at least five (5) years experience.
- C. Tolerances: Current published edition of ASTM specifications tolerances apply. ASTM specification tolerances supersede any conflicting tolerance.
- D. Testing Agency Qualifications: Testing agency as defined by OSHA in 29 CFR 1910.7 or a member company of the InterNational Electrical Testing Association and that is acceptable to authorities having jurisdiction.

1. Testing Agency's Field Supervisor: Person currently certified by the InterNational Electrical Testing Association or the National Institute for Certification in Engineering Technologies, to supervise on-site testing specified in Part 3.
- E. Source Limitations for Chain-Link Fences and Gates: Obtain each color, grade, finish, type, and variety of component for chain-link fences and gates from one source with resources to provide chain-link fences and gates of consistent quality in appearance and physical properties.

## 1.6 PROJECT CONDITIONS

- A. Existing Utilities: Do not interrupt utilities serving facilities occupied by C&FMO or others unless permitted under the following conditions and then only after arranging to provide temporary utility services according to requirements indicated:
1. Notify C&FMO not less than two days in advance of proposed utility interruptions.
  2. Do not proceed with utility interruptions without C&FMO's written permission.
- B. Field Measurements: Verify layout information for chain-link fences and gates shown on Contract Drawings in relation to property survey and existing structures. Verify dimensions by field measurements.
- C. Delivery and Storage: Deliver products to site and store off the ground in designated area.

## PART 2 - PRODUCTS

### 2.1 MANUFACTURERS

- A. Available Manufacturers: Subject to compliance with requirements, manufacturers offering products that may be incorporated into the Work include, but are not limited to, the following:
1. The Tymetal Corporation (or Equal)

### 2.2 CHAIN-LINK FENCE FABRIC

- A. Steel Chain-Link Fence Fabric: Height indicated on Contract Drawings. Provide fabric fabricated in one-piece widths for fencing in height of 12 feet and less. Comply with CLFMI's "Product Manual" and with requirements indicated below:
1. Mesh and Wire Size: As indicated on Contract Drawings.
  2. Zinc-Coated Fabric: ASTM A 392, with zinc coating applied to steel wire before weaving according to ASTM A 817, Type II, zinc coated (galvanized) with the following minimum coating weight:
    - a. Class 2: Not less than 2 oz./sq. ft. of uncoated wire surface.
  3. Coat selvage ends of fabric that is metallic coated during the weaving process with manufacturer's standard clear protective coating.
- B. Selvage: Knuckled at both selvages.

### 2.3 INDUSTRIAL FENCE FRAMING

- A. Round Steel Pipe: Standard weight, Schedule 40, galvanized steel pipe complying with ASTM F 1083. Comply with ASTM F 1043, Material Design Group IA, external and internal coating Type A, consisting of not less than 1.8-oz./sq. ft. zinc; and the following strength and stiffness requirements:
  - 1. Line, End, Corner, and Pull Posts and Top Rail: Per requirements for Heavy Industrial Fence.
- B. Roll-Formed Steel Shapes: C-sections or other shape, produced from structural steel. Comply with ASTM F 1043, Material Design Group II, with minimum yield strength of 45,000 psi; and the following coating and strength and stiffness requirements:
  - 1. Coating: Type A, consisting of not less than minimum 2.0-oz./sq. ft. average zinc coating per ASTM A 123/A 123M or 4.0-oz./sq. ft. zinc coating per ASTM A 653/A 653M.
  - 2. Line, End, Corner, and Pull Posts and Top Rail: Per requirements for Heavy Industrial Fence.
  - 3. Line, End, Corner, and Pull Posts and Top Rail: Per requirements for Light Industrial Fence.
- C. Roll-Formed Steel Shapes: Hot-rolled H-beams or other shape, produced from structural steel. Comply with ASTM F 1043, Material Design Group III, with minimum yield strength of 45,000 psi; Heavy Industrial Fence strength and stiffness for line posts, and external and internal coating Type A, consisting of not less than minimum 2.0-oz./sq. ft. average zinc coating per ASTM A 123/A 123M or 4.0-oz./sq. ft. zinc coating per ASTM A 653/A 653M.
- D. Square Steel Tubing: Galvanized steel-tubing end, corner, and pull posts and top rail with coating Type A, consisting of not less than 1.8-oz./sq. ft. zinc according to ASTM F 1043, and complying with CLFMI's "Product Manual," Type I for the following components and fence fabric height:
  - 1. End, Corner, and Pull Posts: For fence fabric height more than 6 feet.
- E. Post Brace Rails: Provide brace rail with truss rod assembly for each gate, end, and pull post. Provide two brace rails extending in opposing directions, each with truss rod assembly, for each corner post and for pull posts. Provide rail ends and clamps for attaching rails to posts.

### 2.4 TENSION WIRE

- A. General: Provide horizontal tension wire at the following locations:
  - 1. Location: Extended along top and bottom of fence fabric.
- B. Metallic-Coated Steel Wire: 0.177-inch- diameter, marcelled tension wire complying with ASTM A 824 and the following:
  - 1. Coating: Type II, zinc coated (galvanized) by the hot-dip process, with the following minimum coating weight:
    - a. Matching chain-link fabric coating weight.

## 2.5 INDUSTRIAL SWING GATES

- A. General: Comply with ASTM F 900 for the following swing-gate types:
  - 1. Double gate.
- B. Metal Pipe and Tubing: Galvanized steel. Comply with ASTM F 1083 and ASTM F 1043 for materials and protective coatings.
- C. Frames and Bracing: Fabricate members from galvanized steel tubing with outside dimension and weight according to ASTM F 900 for the following gate fabric height:
  - 1. Gate Fabric Height: 8 feet.
- D. Frame Corner Construction: As follows:
  - 1. Welded or assembled with corner fittings and 5/16-inch- diameter, adjustable truss rods for panels 5 feet wide or wider.
- E. Gate Posts: Fabricate members from round aluminum pipe with outside dimension and weight according to ASTM F 900 for the following gate fabric heights and leaf widths:
  - 1. Gate Fabric Height by Leaf Width: 8 feet by 4 feet.
- F. Extended Gate Posts and Frame Members: Extend gate posts and frame end members above top of chain-link fabric at both ends of gate frame as required to attach barbed wire assemblies.
- G. Hardware: Latches permitting operation from both sides of gate, hinges, center gate stops and, for each gate leaf more than 3 feet wide, keepers. Fabricate latches with integral eye openings for padlocking; padlock accessible from both sides of gate.

## 2.6 INDUSTRIAL HORIZONTAL SLIDE GATES

- A. General: Comply with ASTM F 1184, Type II, Class 2 for the following slide-gate types as listed below. ASTM offers minimal requirements; cantilever sliding gate system(s) shall additionally meet the performance requirements as listed herein.
- B. Metal Piping and Tubing: Galvanized steel. Comply with ASTM F 1043 for materials and protective coatings.
- C. Materials:
  - 1. The gate frame shall be fabricated from 6063-T5 aluminum alloy extrusions. The top member shall be a 3" x 5" aluminum structural channel/tube extrusion weighing not less than 3.9 lbs/lf. This is also referred to as a "5" extrusion or "large primary". This member shall be "keyed" to interlock with "keyed" track member. If fabricated as a single horizontal piece, the bottom member shall be 2" x 5" aluminum structural tube weighing not less than 2.0 lbs/lf. If fabricated in two horizontal pieces, the bottom member shall be a 5" aluminum structural channel weighing not less than 2.65 lbs/lf. The two horizontal pieces or sections shall be spliced in the field.

SPLICING: A 1/4" x 5" x 24" galvanized steel splice plate shall be used to secure the two 5" channel bottom members together utilizing eight (8) 3/8" x 1-1/2" plated carriage bolts

with lock nuts. The top members will be spliced together on the side opposite the track member using  $\frac{1}{4}$ " x 2" x 24" aluminum splice plate secured with six (6)  $\frac{1}{4}$ " x  $\frac{1}{2}$ " drive rivets on one side and welded to the top member on the other side. On the track side, the track is overlapped 24" onto the opposing section, interlocked with the primary member and vertically secured on top using six (6)  $\frac{5}{16}$ " x 1" plated hex head cap screws. The respective splice end vertical member shall be 1"x2" weighing not less than .82 lbs/lf. The 1" x 2" members will be joined utilizing  $\frac{5}{16}$ " x 3" plated hex head cap screws, quantity varying by height of gate.

2. The vertical members shall alternate between 2"x2" and 1"x2" in cross section weighing not less than 1.1 lbs/lf and .82 lbs/lf respectively. The spacing for the vertical intermediates shall be no greater than half the height of the gate frame.
  3. The gate frame shall be fabricated in one or multiple sections depending on size requirements / constraints.
  4. The gate frame shall have a separate semi-enclosed "keyed" track, extruded from 6105-T6 aluminum alloy, weighing not less than 2.9 lbs/ft. Track member to be located on only one side of the top primary. When interlocked with the "keyed" top member and welded to it, it forms a composite structure with the top of the gate frame. Welds to be placed alternately along the top and side of the track at 9" centers and will be a minimum of 2" long.
  5. The gate frame is to be supported from the track by two swivel type, self-aligning, 4 or 8-wheeled, sealed lubricant, ball bearing truck assemblies. The bottom of the support posts shall be equipped with two pairs of 3" rubber guide wheels.
  6. Diagonal "X" bracing of  $\frac{3}{16}$ " minimum diameter stainless steel aircraft cable shall be installed to brace the gate.
  7. The gate shall be completed by installation of approved filler as specified. It shall extend the entire length of the gate which (including the opening and counterbalance) and shall be secured at the ends by standard fence industry tension bars and tied with standard fence industry ties at each vertical member.
  8. The gate and installation shall conform to ASTM F-1184 standards for aluminum cantilever slide gated, Type II, Class 2 and as specified herein.
- D. Gate Posts: Fabricate members from 4" OD SCH 40 round galvanized steel pipe with concrete footings as specified by the WVARNG and outside dimension and minimum weight according to ASTM F 1184 for the following gate characteristics:
1. Type II, Class 2 Gate Opening.
- E. Extended Gate Posts and Frame Members: Extend gate posts and frame end members above top of chain-link fabric at both ends of gate frame as required to attach barbed wire assemblies.
- F. Guide Posts and Roller Guards: As required per ASTM F 1184.
- G. Hardware: Latches permitting operation from both sides of gate, locking devices, hangers, roller assemblies and stops. Fabricate latches with integral eye openings for padlocking; padlock accessible from both sides of gate.
- H. Installation: Excavate, place concrete and install 4" OD posts in footings as detailed, and in accordance with the WVARNG's design. Install hanger brackets and guide roller assemblies, attach truck assemblies to hanger and make final adjustments to align gate with latch.

**2.7 FITTINGS**

- A. General: Provide fittings for a complete fence installation, including special fittings for corners. Comply with ASTM F 626.
- B. Post and Line Caps: Hot-dip galvanized pressed steel or hot-dip galvanized cast iron. Provide weathertight closure cap for each post.
  - 1. Provide line post caps with loop to receive tension wire or top rail.
- C. Rail and Brace Ends: Hot-dip galvanized pressed steel or hot-dip galvanized cast iron. Provide rail ends or other means for attaching rails securely to each gate, corner, pull, and end post.
- D. Tension and Brace Bands: Hot-dip galvanized pressed steel.
- E. Tension Bars: Hot-dip galvanized steel, length not less than 2 inches shorter than full height of chain-link fabric. Provide one bar for each gate and end post, and two for each corner and pull post, unless fabric is integrally woven into post.
- F. Truss Rod Assemblies: Hot-dip galvanized steel rod and turnbuckle or other means of adjustment.
- G. Barbed Wire Arms: Hot-dip galvanized pressed steel. Provide the following type, according to ASTM F 626, with clips, slots, or other means for attaching strands of barbed wire, integral with post cap; one for each post, unless otherwise indicated. Provide line posts with arms designed with opening to accommodate tension wire. Provide corner arms at fence corner posts, unless extended posts are indicated.
  - 1. Type I, single slanted arm.
- H. Tie Wires, Clips, and Fasteners: Provide the following types according to ASTM F 626:
  - 1. Standard Round Wire Ties: For attaching chain-link fabric to posts, rails, and frames, complying with the following:
    - a. Hot-Dip Galvanized Steel: 0.148-inch- diameter wire; galvanized coating thickness matching coating thickness of chain-link fence fabric.
  - 2. Power-driven fasteners.
  - 3. Round Wire Clips: Hot-dip galvanized steel or aluminum for attaching chain-link fabric to H-beam posts.
  - 4. Round Wire Hog Rings: Hot-dip galvanized steel or aluminum for attaching chain-link fabric to horizontal tension wires.
- I. Pipe Sleeves: For posts set into concrete, provide preset hot-dip galvanized steel pipe sleeves complying with ASTM A 53, not less than 6 inches long with inside dimensions not less than 1/2 inch more than outside dimension of post, and flat steel plate forming bottom closure.

**2.8 BARBED WIRE**

- A. Zinc-Coated Steel Barbed Wire: Comply with ASTM A 121, Chain-Link Fence grade for the following two-strand barbed wire:



1. Standard Size and Construction: 0.099-inch- diameter line wire with 0.080-inch- diameter, 2-point round barbs spaced not more than 4 inches o.c.

## **2.9 CAST-IN-PLACE CONCRETE**

- A. General: Comply with ACI 301 for cast-in-place concrete.
- B. Materials: Portland cement complying with ASTM C 150 aggregates complying with ASTM C 33, and potable water for ready-mixed concrete complying with ASTM C 94. Measure, batch, and mix Project-site-mixed concrete according to ASTM C 94.
  1. Concrete Mixes: Normal-weight concrete with not less than 3000-psi compressive strength (28 days), 3-inch slump, and 1-inch maximum size aggregate.
- C. Materials: Dry-packaged concrete mix complying with ASTM C 387 for normal-weight concrete mixed with potable water according to manufacturer's written instructions.

## **2.10 GROUT AND ANCHORING CEMENT**

- A. Nonshrink, Nonmetallic Grout: Premixed, factory-packaged, nonstaining, noncorrosive, nongaseous grout complying with ASTM C 1107. Provide grout, recommended in writing by manufacturer, for exterior applications.
- B. Erosion-Resistant Anchoring Cement: Factory-packaged, nonshrink, nonstaining, hydraulic-controlled expansion cement formulation for mixing with potable water at Project site to create pourable anchoring, patching, and grouting compound. Provide formulation that is resistant to erosion from water exposure without needing protection by a sealer or waterproof coating and that is recommended in writing by manufacturer for exterior applications.

## **2.11 FENCE GROUNDING**

- A. Conductors: Bare, solid wire for No. 6 AWG and smaller; stranded wire for No. 4 AWG and larger.
  1. Material Above Finished Grade: Copper.
  2. Material On or Below Finished Grade: Copper.
  3. Bonding Jumpers: Braided copper tape, 1 inch wide, woven of No. 30 AWG bare copper wire, terminated with copper ferrules.
- B. Connectors and Ground Rods: Listed in UL 467.
  1. Connectors for Below-Grade Use: Exothermic welded type.
  2. Ground Rods: Copper-clad steel.
    - a. Size: 5/8 inch by 96 inches.

**2.12 CONCRETE FILLED BOLLARD**

- A. Passive steel bollards may be constructed locally and shall be manufactured of structural steel pipe filled with concrete and painted and striped in owner selected color(s).
- B. Steel pipe should be a minimum outside diameter of 8-in., ½" wall, and be a minimum of 10"-0" in length.
- C. Bollard should extend 46" above finished grade from a footing with a minimum width of 36".

**PART 3 - EXECUTION****3.1 EXAMINATION**

- A. Examine areas and conditions, with Installer present, for compliance with requirements for site clearing, earthwork, pavement work, and other conditions affecting performance.
  - 1. Do not begin installation before final grading is completed, unless otherwise permitted by C&FMO.
- B. Proceed with installation only after unsatisfactory conditions have been corrected.

**3.2 PREPARATION**

- A. Stake locations of fence lines, gates, and terminal posts. Do not exceed intervals of 500 feet or line of sight between stakes. Indicate locations of utilities, lawn sprinkler system, underground structures, benchmarks, and property monuments.

**3.3 INSTALLATION, GENERAL**

- A. General: Install chain-link fencing to comply with ASTM F 567 and more stringent requirements specified.
  - 1. Install fencing on established boundary lines inside property line.
- B. Post Excavation: Drill or hand-excavate holes for posts to diameters and spacings indicated, in firm, undisturbed or compacted soil.
- C. Post Setting: Hand-excavate holes for post foundations in firm, undisturbed or compacted soil. Set terminal line gate posts in concrete footing. Protect portion of posts aboveground from concrete splatter. Place concrete around posts and vibrate or tamp for consolidation. Using mechanical devices to set line posts per ASTM F 567 is not permitted. Verify that posts are set plumb, aligned, and at correct height and spacing, and hold in position during placement and finishing operations until concrete is sufficiently cured.
  - 1. Dimensions and Profile: As indicated on Contract Drawings.
  - 2. Exposed Concrete Footings: Extend concrete 2 inches above grade, smooth, and shape to shed water.

### 3.4 CHAIN-LINK FENCE INSTALLATION

- A. Terminal Posts: Locate terminal end, corner, and gate posts per ASTM F 567 and terminal pull posts at changes in horizontal or vertical alignment of 30 degrees or more.
- B. Line Posts: Space line posts uniformly at 10 feet maximum o.c.
- C. Post Bracing Assemblies: Install according to ASTM F 567, maintaining plumb position and alignment of fencing. Install braces at end and gate posts and at both sides of corner and pull posts. Locate horizontal braces at two-thirds fabric height on fences without top rail. Install so posts are plumb when diagonal rod is under proper tension.
- D. Tension Wire: Install according to ASTM F 567, maintaining plumb position and alignment of fencing. Pull wire taut, without sags. Fasten fabric to tension wire with 0.120-inch- diameter hog rings of same material and finish as fabric wire, spaced a maximum of 24 inches o.c. Install tension wire in locations indicated before stretching fabric.
  - 1. Top Tension Wire: Install tension wire through post cap loops.
  - 2. Bottom Tension Wire: Install tension wire within 6 inches of bottom of fabric and tie to each post with not less than same gage and type of wire.
- E. Intermediate Rails: Install in one piece at as indicated on Contract Drawings, spanning between posts, using fittings, special offset fittings, and accessories.
- F. Chain-Link Fabric: Apply fabric to outside of enclosing framework. Leave 2 inches between finish grade or surface and bottom selvage, unless otherwise indicated. Pull fabric taut and tie to posts, rails, and tension wires. Anchor to framework so fabric remains under tension after pulling force is released.
- G. Tension or Stretcher Bars: Thread through fabric and secure to end, corner, pull, and gate posts with tension bands spaced not more than 15 inches o.c.
- H. Tie Wires: Use wire of proper length to firmly secure fabric to line posts and rails. Attach wire at one end to chain-link fabric, wrap wire around post a minimum of 180 degrees, and attach other end to chain-link fabric per ASTM F 626. Bend ends of wire to minimize hazard to individuals and clothing.
  - 1. Maximum Spacing: Tie fabric to line posts 12 inches o.c. and to braces 24 inches o.c.
- I. Fasteners: Install nuts for tension bands and carriage bolts on the side of the fence opposite the fabric side. Peen ends of bolts or score threads to prevent removal of nuts.
- J. Barbed Wire: Install barbed wire uniformly spaced as indicated on Contract Drawings. Pull wire taut and install securely to extension arms and secure to end post or terminal arms.

### 3.5 GATE INSTALLATION

- A. General: Install gates according to manufacturer's written instructions, level, plumb, and secure for full opening without interference. Attach fabric as for fencing. Attach hardware using tamper-resistant or concealed means. Install ground-set items in concrete for anchorage. Adjust hardware for smooth operation and lubricate where necessary.

### 3.6 GROUNDING AND BONDING

- A. Fence Grounding: Install at maximum intervals of 1500 feet except as follows:
1. Fences within 100 Feet of Buildings, Structures, Walkways, and Roadways: Ground at maximum intervals of 750 feet.
    - a. Gates and Other Fence Openings: Ground fence on each side of opening.
      - 1) Bond metal gates to gate posts.
      - 2) Bond across openings, with and without gates, except openings indicated as intentional fence discontinuities. Use No. 2 AWG wire and bury it at least 18 inches below finished grade.
- B. Protection at Crossings of Overhead Electrical Power Lines: Ground fence at location of crossing and at a maximum distance of 150 feet on each side of crossing.
- C. Grounding Method: At each grounding location, drive a ground rod vertically until the top is 6 inches below finished grade. Connect rod to fence with No. 6 AWG conductor. Connect conductor to each fence component at the grounding location, including the following:
1. Each Barbed Wire Strand. Make grounding connections to barbed wire with wire-to-wire connectors designed for this purpose.
- D. Bonding Method for Gates: Connect bonding jumper between gate post and gate frame.
- E. Connections: Make connections so possibility of galvanic action or electrolysis is minimized. Select connectors, connection hardware, conductors, and connection methods so metals in direct contact will be galvanically compatible.
1. Use electroplated or hot-tin-coated materials to ensure high conductivity and to make contact points closer in order of galvanic series.
  2. Make connections with clean, bare metal at points of contact.
  3. Make aluminum-to-steel connections with stainless-steel separators and mechanical clamps.
  4. Make aluminum-to-galvanized-steel connections with tin-plated copper jumpers and mechanical clamps.
  5. Coat and seal connections having dissimilar metals with inert material to prevent future penetration of moisture to contact surfaces.
- F. Bonding to Lightning Protection System: If fence terminates at lightning-protected building or structure, ground the fence and bond the fence grounding conductor to lightning protection down conductor or lightning protection grounding conductor complying with NFPA 780.

### 3.7 CONCRETE FILLED BOLLARD

- A. Vendor shall install concrete filled bollards in accordance with the detail provided on the drawings and adhere to standard ASTM, ACI, and CRSI specification requirements for the work required.
- B. Exact bollard placement requirements will be determined at the pre-construction meeting held after contract award and prior to issuance of notice to proceed.

**3.8 FIELD QUALITY CONTROL**

- A. Ground-Resistance Testing Agency: Engage a qualified independent testing agency to perform field quality-control testing.
- B. Ground-Resistance Tests: Subject completed grounding system to a megger test at each grounding location. Measure ground resistance not less than two full days after last trace of precipitation, without soil having been moistened by any means other than natural drainage or seepage and without chemical treatment or other artificial means of reducing natural ground resistance. Perform tests by two-point method according to IEEE 81.
- C. Desired Maximum Grounding Resistance Value: 25 ohms.
- D. Excessive Ground Resistance: If resistance to ground exceeds desired value, notify C&FMO promptly. Include recommendations to reduce ground resistance and proposal to accomplish recommended work.
- E. Report: Prepare test reports, certified by testing agency, of ground resistance at each test location. Include observations of weather and other phenomena that may affect test results.

**3.9 ADJUSTING**

- A. Gate: Adjust gate to operate smoothly, easily, and quietly, free from binding, warp, excessive deflection, distortion, nonalignment, misplacement, disruption, or malfunction, throughout entire operational range. Confirm that latches and locks engage accurately and securely without forcing or binding.
- B. Lubricate hardware, gate operator, and other moving parts.


**3.10 DISPOSAL OF WASTE**

- A. General: Except for items to be salvaged, recycled, or otherwise reused, remove waste materials from Project site and legally dispose of them in a landfill or incinerator acceptable to authorities having jurisdiction.
  - 1. Except as otherwise specified, do not allow waste materials that are to be disposed of accumulate on site.
  - 2. Remove and transport debris in a manner that will prevent spillage on adjacent surfaces and areas.
- B. Burning: Do not burn waste materials.
- C. Disposal: Transport waste materials off Owner's property and legally dispose of them.







**END OF SECTION**


000037

DEFK14031  
**Huntington Barbour**  
**Site Plan**  
 Huntington, WV

-Imagery courtesy of ESRI  
 -Boundaries derived from real estate documents maintained by CFMO  
 -All locations and data is approximate  
 Map name: HutningtonBarbourFence 3/6/2014

-  Remove existing fence and gates
-  Existing fence replaced
-  Existing fence to remain
-  New fence
-  New gate
-  New bollard



**RFQ # DEFK14031**

ALL LABOR, MATERIALS, EQUIPMENT, AND SUPPLIES NECESSARY TO INSTALL NEW FENCING, GATES, AND BOLLARDS AT THE HUNTINGTON BARBOUR ARMORY FACILITY IN HUNTINGTON, WV

**Pricing Page**

The undersigned, hereafter called the Bidder, being familiar with and understanding the bidding documents; and being familiar with the site and all local conditions affecting the Project, hereby proposes to furnish labor, material, equipment, supplies, and transportation to perform the work as described in the bidding documents.

BIDDERS COMPANY NAME: Danhill Construction Company

VENDOR ADDRESS: PO Box 685  
Gauley Bridge, WV 25085

TELEPHONE: 304-632-1600

FAX NUMBER: 304-632-1501

E-MAIL ADDRESS: rdanhill@hotmail.com

WV CONTRACTOR'S  
 LICENSE NO. WV 001196

**CONTRACT BASE BID OF 6'-0" HT FABRIC:**

Remove approximately 1,200 lf of existing fence.  
 Provide & Install approximately 1,500 lf of new fence  
 Provide & Install one (1) 30'-0" Sliding Gate  
 Provide & Install one (1) 6'-0" Man Gate  
 Provide & Install two (2) 12'-0" Swing Gates  
 Provide & Install eight (8) 8" dia. Concrete Filled Steel Bollards

One Hundred Four Thousand Dollars and Zero Cents

(\$ 104,000.00 ) \*\*\* (Contract Base Bid to be written in words and numbers.)

**ALTERNATE BID #1 (ADD TO BASE BID)**

The additional cost to provide and install one (1) 24'-0" Slide Gate in lieu of two (2) 12'-0" Swing Gates as noted in Base Bid with 6'-0" Fence Fabric.

+ Six Thousand Dollars and Zero Cents

(\$ 6,000.00 ) \*\*\* (Contract Alternate #1 Bid to be written in words and numbers.)

The contract will be awarded to the Bidder with the lowest total BASE BID meeting all of the specifications. ALTERNATE BID #1 will be awarded only if funding is available. Bidder understands that to the extent allowed by the West Virginia Code, the OWNER reserves the right to waive any informality or irregularity in any bid, or bids, and to reject any and all bids in whole or in part; to reject a bid not accompanied by the required bid security or by other data required by the bidding documents; to reject any conditions of the bid by the Bidder that is any way inconsistent with the requirements, terms, and conditions of the bidding documents; or to reject a bid that is in any way incomplete or irregular. If there is a discrepancy between the dollar amounts expressed in number form and in written form, the written form of the amount will prevail.

Failure to use this bid form may result in bid disqualification.

SIGNATURE: Robert D. Hill DATE: 6/17/2014  
NAME: Robert Dan Hill  
(Please Print)  
TITLE: President



**CERTIFICATION AND SIGNATURE PAGE**

By signing below, I certify that I have reviewed this Solicitation in its entirety; understand the requirements, terms and conditions, and other information contained herein; that I am submitting this bid or proposal for review and consideration; that I am authorized by the bidder to execute this bid or any documents related thereto on bidder's behalf; that I am authorized to bind the bidder in a contractual relationship; and that to the best of my knowledge, the bidder has properly registered with any State agency that may require registration.

Danhill Construction Company

\_\_\_\_\_  
(Company)

*Robert D. Hill*

\_\_\_\_\_  
(Authorized Signature)

Robert Dan Hill, President

\_\_\_\_\_  
(Representative Name, Title)

304-632-1600

304-632-1501

\_\_\_\_\_  
(Phone Number)

\_\_\_\_\_  
(Fax Number)

6/17/2014

\_\_\_\_\_  
(Date)

STATE OF WEST VIRGINIA  
Purchasing Division

**PURCHASING AFFIDAVIT**

**MANDATE:** Under W. Va. Code §5A-3-10a, no contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and: (1) the debt owed is an amount greater than one thousand dollars in the aggregate; or (2) the debtor is in employer default.

**EXCEPTION:** The prohibition listed above does not apply where a vendor has contested any tax administered pursuant to chapter eleven of the W. Va. Code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

**DEFINITIONS:**

**"Debt"** means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

**"Employer default"** means having an outstanding balance or liability to the old fund or to the uninsured employers' fund or being in policy default, as defined in W. Va. Code § 23-2c-2, failure to maintain mandatory workers' compensation coverage, or failure to fully meet its obligations as a workers' compensation self-insured employer. An employer is not in employer default if it has entered into a repayment agreement with the Insurance Commissioner and remains in compliance with the obligations under the repayment agreement.

**"Related party"** means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceeds five percent of the total contract amount.

**AFFIRMATION:** By signing this form, the vendor's authorized signer affirms and acknowledges under penalty of law for false swearing (W. Va. Code §61-5-3) that neither vendor nor any related party owe a debt as defined above and that neither vendor nor any related party are in employer default as defined above, unless the debt or employer default is permitted under the exception above.

**WITNESS THE FOLLOWING SIGNATURE:**

Vendor's Name: Danhill Construction Company

Authorized Signature: Robert D. Hill Date: 6/17/2014

State of West Virginia

County of Fayette, to-wit:

Taken, subscribed, and sworn to before me this 17 day of June, 2014.


My Commission expires April 17, 2024.

**AFFIX SEAL HERE**

NOTARY PUBLIC

Jessica Taylor

*Purchasing Affidavit (Revised 07/01/2012)*





State of West Virginia
DRUG FREE WORKPLACE CONFORMANCE AFFIDAVIT
West Virginia Code §21-1D-5

STATE OF West Virginia

COUNTY OF Fayette, TO-WIT:

I, Robert D. Hill, after being first duly sworn, depose and state as follows:

- 1. I am an employee of Danhill Construction Company; and,
2. I do hereby attest that Danhill Construction Company

maintains a valid written drug free workplace policy and that such policy is in compliance with West Virginia Code §21-1D-5.

The above statements are sworn to under the penalty of perjury.

Danhill Construction Company
(Company Name)

By: Robert D. Hill

Title: President

Date: June 17, 2014

Taken, subscribed and sworn to before me this 17th day of June

By Commission expires April 17 2024

OFFICIAL SEAL
Notary Public, State Of West Virginia
JESSICA TAYLOR
9626 Rich Creek Rd
Jodie, WV 26690
My Commission Expires April 17, 2024

Jessica Taylor
(Notary Public)

THIS AFFIDAVIT MUST BE SUBMITTED WITH THE BID IN ORDER TO COMPLY WITH WV CODE PROVISIONS. FAILURE TO INCLUDE THE AFFIDAVIT WITH THE BID SHALL RESULT IN DISQUALIFICATION OF THE BID.

**BID BOND**

KNOW ALL MEN BY THESE PRESENTS, That we, the undersigned, Danhill Construction Company  
of Gauley Bridge, West Virginia, as Principal, and Colonial Surety Co. of  
Montvale, New Jersey, a corporation organized and existing under the laws of the State of NJ with its  
principal office in the City of Montvale, as Surety, are held and firmly bound unto the State of West Virginia, as Obligee, in the  
penal sum of 5 % Of Bid Amount (\$ 5% ) for the payment of which, well and truly to be made, we jointly and  
severally bind ourselves, our heirs, administrators, executors, successors and assigns.

The Condition of the above obligation is such that whereas the Principal has submitted to the Purchasing Section of the  
Department of Administration a certain bid or proposal, attached hereto and made a part hereof, to enter into a contract in writing for  
Fence/Gate Replacement Installation Project

NOW THEREFORE,

(a) If said bid shall be rejected, or  
(b) If said bid shall be accepted and the Principal shall enter into a contract in accordance with the bid or proposal attached  
hereto and shall furnish any other bonds and insurance required by the bid or proposal, and shall in all other respects perform the  
agreement created by the acceptance of said bid, then this obligation shall be null and void, otherwise this obligation shall remain in full  
force and effect. It is expressly understood and agreed that the liability of the Surety for any and all claims hereunder shall, in no event,  
exceed the penal amount of this obligation as herein stated.

The Surety, for the value received, hereby stipulates and agrees that the obligations of said Surety and its bond shall be in no  
way impaired or affected by any extension of the time within which the Obligee may accept such bid, and said Surety does hereby  
waive notice of any such extension.

IN WITNESS WHEREOF, Principal and Surety have hereunto set their hands and seals, and such of them as are corporations  
have caused their corporate seals to be affixed hereunto and these presents to be signed by their proper officers, this  
17<sup>th</sup> day of June, 20 14.

Principal Corporate Seal

Danhill Construction Company  
(Name of Principal)

By Robert D. Hill *Robert D. Hill*  
(Must be President or  
Vice President)

President  
(Title)

Surety Corporate Seal

Colonial Surety company  
(Name of Surety)

Roberta Bird *Roberta Bird*  
Attorney-in-Fact

**IMPORTANT – Surety executing bonds must be licensed in West Virginia to transact surety insurance. Raised corporate seals  
must be affixed, a power of attorney must be attached.**

COLONIAL SURETY COMPANY

Duncannon, Pennsylvania
Administrative Office: 50 Chestnut Ridge Road, Montvale, New Jersey 07645

GENERAL POWER OF ATTORNEY

Know all Men by These Presents, That COLONIAL SURETY COMPANY, a corporation duly organized and existing under the laws of the Commonwealth of Pennsylvania and having an administrative office in Montvale, Bergen County, NJ does by these presents make, constitute and appoint Roberta Bird Gauley Bridge Wayne Nunziata or Anthony J. Cimasko or Audie B. Murphy of Montvale and the State of New Jersey its true and lawful Attorney(s)-in-Fact, with full power and authority hereby conferred in its name, place and stead, to execute, acknowledge and deliver.

Any and All Bonds

and to bind the Company thereby as fully and to the same extent as if such bonds were signed by the President, sealed with the corporate seal of the Company and duly attested by its Secretary, hereby ratifying and confirming all that the said Attorney(s)-in-Fact may do in the premises. Said appointment is made under and by authority of the following resolution adopted by the Board of Directors of the Colonial Surety Company at a meeting held on the 25th day of July, 1950.

Be it Resolved, that the President, any Vice-President, any Secretary or any Assistant Secretary shall be and is hereby vested with full power and authority to appoint any one or more suitable persons as Attorney(s)-in-Fact to represent and act for and on behalf of the Company subject to the following provisions:

Section 1. Attorney-in-Fact. Attorney-in-Fact may be given full power and authority for and in the name of and on behalf of the Company, to execute, acknowledge and deliver, any and all bonds, recognizances, contracts, agreements of indemnity and other conditional or obligatory undertakings and any and all notices and documents canceling or terminating the Company's liability thereunder, and any such instruments so executed by any such Attorney-in-Fact shall be binding upon the Company as if signed by the President and sealed and attested by the Corporate Secretary.

In Witness Whereof, Colonial Surety Company has caused these presents to be signed by its President and its corporate seal to be hereto affixed the 27th day of April, A.D., 2011.

State of New Jersey
County of Bergen
SS.:



COLONIAL SURETY COMPANY
By Wayne Nunziata, President

On this 27th day of April, in the year 2011, before me Theresa Spinelli, a notary public, personally appeared Wayne Nunziata, personally known to me to be the person who executed the within instrument as President, on behalf of the corporation therein named and acknowledged to me that the corporation executed it.



THERESA SPINELLI
A Notary Public of New Jersey
My Commission Expires September 9, 2015

Theresa Spinelli, Notary Public

I, the undersigned Secretary of Colonial Surety Company, hereby certify that the above and foregoing is a full, true and correct copy of the Original Power of Attorney issued by said Company, and do hereby further certify that the said Power of Attorney is still in force and effect.

And I do hereby further certify that the Certification of this Power of Attorney is signed and sealed by facsimile under and by the authority of the following resolution adopted by the Board of Directors of the Colonial Surety Company at a meeting duly called and held on the 30th of January 1968, and that said resolution has not been amended or repealed:

RESOLVED, that the signature of the Secretary or any Assistant Secretary of this Corporation, and the seal of Corporation, may be affixed or printed by facsimile to any certificate to a Power of Attorney of this Corporation, and that such printed facsimile signature and seal shall be valid and binding upon this Corporation.

GIVEN under my hand and the seal of said Company, at Montvale, New Jersey this 17th day of June, 20 14.

Original printed with Blue and Black ink. For verification of the authenticity of this Power of Attorney you may call (201) 573-8788 and ask for the Power of Attorney clerk. Please refer to the above named individual(s) and details of the bond to which the power is attached.

Audie B. Murphy, Secretary

State of West Virginia

County of Fayette

AND NOW, this 17th day of June, in the calendar year of 2014, before me, a duly appointed and commissioned notary public, came the identified subscriber to the within instrument or instruments, and/or the demonstrated attorney-in-fact for said signatory and subscriber on said instrument or instruments, **Roberta Bird, attorney-in-fact of Colonial Surety Company**, an insurance company duly organized and existing under the laws of the Commonwealth of Pennsylvania and which is authorized to conduct business in this State, and that as such being authorized to do so, acknowledged that the within instrument or instruments were executed as the authorized act of his disclosed principal for the purposes therein contained, and declared to be a person executing said instrument or instruments as attorney-in-fact and with full capacity and competency, at the request of and on behalf of Colonial Surety Company therein named and acknowledged to me that the aforesaid Colonial Surety Company had authorized the execution by the aforesaid attorney-in-fact of said instrument or instruments with the intent to be legally bound as required by common and statutory law.

IN WITNESS WHEREOF, I hereunto set my hand and official seal.

A Notary Public of West Virginia  
My Commission Expires on 4/17/2024

Notary Public in and for the

County of Fayette  
State of West Virginia



Jessica Taylor  
NOTARY PUBLIC



# CONTRACTOR LICENSE

Authorized by the

**West Virginia Contractor Licensing Board**

**Number:** WV001196

**Classification:**

ELECTRICAL  
GENERAL BUILDING  
HEATING, VENTILATING & COOLING  
MULTIFAMILY  
PIPING  
PLUMBING  
RESIDENTIAL

DANHILL CONSTRUCTION COMPANY  
DBA DANHILL CONSTRUCTION COMPANY  
PO BOX 685  
GAULEY BRIDGE, WV 25085-0685

**Date Issued**

AUGUST 06, 2013

**Expiration Date**

AUGUST 06, 2014

*Robert D. Hill*

Authorized Company Signature

*Michael A. Carl*

Chair, West Virginia Contractor  
Licensing Board

**WEST VIRGINIA  
CONTRACTOR  
LICENSING  
BOARD**

This license, or a copy thereof, must be posted in a conspicuous place at every construction site where work is being performed. This license number must appear in all advertisements, on all bid submissions and on all fully executed and binding contracts. This license cannot be assigned or transferred by licensee. Issued under provisions of West Virginia Code, Chapter 21, Article 11.





## DESCRIPTIONS (Continued from Page 1)

Blanket Waiver of Subrogation Endt Included

Evidence of Coverage