RICHARDSON COPY CONCEPTS

FACSIMILE TRA	INSMITTAL SHEET
	-6-
Totalyle	FROM: Sucur
COMPANY:	DATE: 0725/13
FAX PROMBER: \$1.558 - 4115	TOTAL NO OF PAGES INCLUDING COVER:
PHONE NUMBER:	SENDER'S REFERENCE NUMBER:
RE-PRI 4437	YOUR REFERENCE NUMBER:
[]URGENT []FOR REVIEW []PLEASE C	OMIMENT []PLEASE REPLY []RECYCLE
NOTES/COMMENTS:	· · · · · · · · · · · · · · · · · · ·

10/25/13 10:45:40 AM West Virginia Purchasing Division

IF YOU DO NOT RECEIVE THIS, TRANSMITTAL IN ITS ENTIRETY OR IF IT IS NOT LEGIBLE, PLEASE CONTACT ROBIN/BRANDI/SALLIE AT (304) 242-1030.

Addendum Numbers Received:

] Addendum No. 4

Addendum No. 5

000004

ADDENDUM ACKNOWLEDGEMENT FORM SOLICITATION NO.: PRU14437

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

(Check	(the	e bo	x next to each addendum rece	vec	1)		
	19	d	Addendum No. 1	ĺ]	Addendum No. 6	
	[]	Addendum No. 2	[J	Addendum No. 7	
	Ţ]	Addendum No. 3	Į]	Addendum No. 8	10/25/13 10:45:35 AM West Virginia Purchasing Division

Addendum No. 9

Addendum No. 10

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

Company

All Authorized Signature

10-77-13

Date

NOTE: This addendum acknowledgement should be submitted with the bid to expedite document processing.

P.003

0000063

SOLICITATION NUMBER: PRI14437 Addendum Number: 1

The purpose of this addendum is to modify the solicitation identified as PRI14437 ("Solicitation") to reflect the change(s) identified and described below.

Applicable Addendum Category:	App	licab	le A	dden	dum	Category:
-------------------------------	-----	-------	------	------	-----	-----------

1.	X. J	Modify bid opening date and time
I]	Modify specifications of product or service being sought
Į	J	Attachment of vendor questions and responses
Ţ]	Attachment of pre-bid sign-in sheet
[]	Correction of error
[J	Other

Description of Modification to Solicitation:


- 1. The bid opening date has moved from 10/15/2013 to 10/29/2013.
- 2. Responses to vendor questions will be issued under separate addendum.

Additional Documentation: Documentation related to this Addendum (if any) has been included herewith as Attachment A and is specifically incorporated herein by reference.

Terms and Conditions:

- 1. All provisions of the Solicitation and other addenda not modified herein shall remain in full force and effect.
- 2. Vendor should acknowledge receipt of all addenda issued for this Solicitation by completing an Addendum Acknowledgment, a copy of which is included herewith. Failure to acknowledge addenda may result in bid disqualification. The addendum acknowledgement should be submitted with the bid to expedite document processing.

Presented To:



RFQ PRI14437

Northern Regional Jail October 15, 2013 130pm

Richardson Copy Concepts

72 East Cove Ave.

Wheeling, WV 26003

304-242-1030 Office

Andy Richardson, Owner

Stacey Longenette, Sales Representative

October 8, 2013

10/09/13 10:12:21 AM West Virginia Purchasing Division





COMPANY HISTORY

Since December of 1991, Richardson Copy Concepts has been an authorized Toshiba dealer. In August of 2010, we expanded our product line to include Ricoh/Savin. We are currently the Toshiba dealership as well as the Ricoh/Savin dealership for the tri-state area. This has made Richardson Copy Concepts one of the largest copier companies in the Ohio Valley.

Presently, we have over 700 satisfied customers. We have retained 94% of our customers in an industry that averages less than 65% renewals. Richardson Copy Concepts prides itself in the partnership we establish with each and every customer.

Over the past 20 years, our business has succeeded due to a commitment to treating customers fairly and working hard to satisfy them. Through our relationships at RG Steel, Wheeling Hospital, Ohio Coatings, West Liberty University, and Marshall County Schools, we have grown in offering the most reliable service possible. In fact, in 2005, Richardson Copy Concepts was awarded National Runner-Up for the largest small market dealer within the dealership, ranked 2nd for 2011, and ranked 3rd for 2012. As our account base has grown, so has our facility. In 2002, Richardson Copy Concepts invested in a new facility to accommodate our customers' needs.

Currently Richardson Copy Concepts employs **seven technicians** with combined experience of ninety five years in "copier sales and service" which averages to be 13 years of experience per technician. Our customer ratio is 100:1. Because of our commitment to employing the best and most capable technicians, we are confident of our ability to reach all customers within a 2 1/2 hour window. Using only genuine OEM parts and supplies, reduces the number of service calls per machine.





CONTACT INFORMATION:

Richardson Copy Concepts

72 East Cove Avenue Wheeling, WV 26003 304-242-1030 (office) 304-242-8009 (fax)

Andy Richardson, owner of Richardson Copy Concepts, will oversee all aspects of each phase of the project. Stacey Longenette will be the lead communicator representing Richardson Copy Concepts.

Andy Richardson

Owner

304-281-0592 (cell)

andyr@richardsoncopy.com


Stacey Longenette
Sales Representative
740-391-3173 (cell)
staceyl@richardsoncopy.com





Savin Pro 907EX

- 90 Pages per minute B&W
- Copy, Print, Scan
- Automatic Duplex
- Reduction & Enlargement
- Automatic Document Feeder
- Automatic Exposure
- Automatic Job Start
- Booklet Finisher: SR5020
- Internal Puncher Unit: PU5020
- External Booklet Trimmer: TR5020
- LCIT: RT5030





State of West Virginia Department of Administration **Purchasing Division** 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

PRI14437

PAGE

ADDRESS CORRESPONDENCE TO ATTENTION OF.

DATE 10-8-13

ADDRESS CHANGES TO BE NOTED ABOVE

TARA LYLE 304-558-2544

NUMBER

TTLE President

*201152731 304-242-1030 RICHARDSON COPY CONCEPTS INC 72 EAST COVE AVE

WHEELING WV 26003 WV PRISON INDUSTRIES NORTHERN REGIONAL JAIL AND CORRECTIONAL FACILITY 12TH ST. & GRAVE CREEK ROAD MOUNDSVILLE, WV 26041 304-843-4079

DATE PRINTED 09/15/2013 3ID OPENING DATE 10/15/2013 BID OPENING TIME 01:30PM CAT. LINE QUANTITY UOP ITEM NUMBER UNIT PRICE AMOUNT THE WEST VIRGINIA PURCHASING DIVISION FOR THE AGENCY, WV CORRECTIONAL INDUSTRIES, IS SOLICITING BIDS TO PROVIDE A DIGITAL MULTIFUNCTION IMAGING SYSTEM, IMAGE RUNNER ADVANCE 8085, OR EQUAL, POD DECK LITE, OR EQUAL, DIMENSION 425 COMPUTER TO PLATE, OR EQUAL, PER THE ATTACHED SPECIFICATIONS. ATTACHMENTS INCLUDE: INSTRUCTIONS TO VENDORS SUBMITTING BIDS GENERAL TERMS AND CONDITIONS PRI14437 SPECIFICATIONS CERTIFICATION AND SIGNATURE PAGE 5. PURCHASING AFFIDAVIT 6. RESIDENT VENDOR PREFERENCE (RVP) FORM THE MODEL/BRAND/SPECIFICATIONS NAMED HEREIN ESTABLISH THE ACCEPTABLE LEVEL OF QUALITY ONLY AND ARE NOT INTENDED TO REFLECT A PREFERENCE OR FAVOR ANY PARTICULAR BRAND OR VENDOR. VENDORS WHO ARE BIDDING ALTERNATES SHOULD SO STATE AND INCLUDE PERTINENT LITERATURE AND SPECIFICATIONS. FAILURE TO PROVIDE INFORMATION FOR ANY ALTERNATES MAY BE GROUNDS FOR REJECTION OF THE BID. THE STATE RESERVES THE RIGHT TO WAIVE MINOR IRREGULARITIES IN BIDS OR SPECIFICATIONS IN ACCORDANCE WITH SECTION 148-1-4(F) OF THE WEST VIRGINIA LEGISLATIVE RULES AND REGULATIONS. 7001 985-26-22-001 EA DIGITAL MULTIFUNCTION IMAGING SYSTEM \$25,000.00 \$25,000.00 Savin Pro 907EX

Solicitation

55-0713489

TELE 304-242-1030



State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130 NUMBER PRII4437

PAGE

ADDRESS CORRESPONDENCE TO ATTENTION OF

ADDRESS CHANGES TO BE NOTED ABOVE

TARA LYLE 304-558-2544

DOCZM<

TTLE President

*201152731 304-242-1030 RICHARDSON COPY CONCEPTS INC 72 EAST COVE AVE

WHEELING WV 26003

WV PRISON INDUSTRIES
NORTHERN REGIONAL JAIL AND
CORRECTIONAL FACILITY
12TH ST. & GRAVE CREEK ROAD
MOUNDSVILLE, WV
26041 304-843-4079

DATE PRIN	900000000000000000000000000000000000000					
09/15/2013 BID OPENING TIME 01:30PM						
LINE	QUANTITY	LIND CAT	ILEW NAMBER RID	OPENING TIME 01	L:30PM AMOUNT	
		NO.		Jan 1192	AMOGN1:	
002	1 DELIVERY ANI		962-46 TION	No Charge	No Charge	
J003	8 TRAINING	HR	952-90	No Charge	No Charge	
v 0 0 4	1 MONTHLY MAIN		939-27-07-001 ARGE 0-150,000 C	\$550.00 OPIES	(x 12 months) \$6,600.00	
0005	1 PER COPY MAI		939-27-07-001 Verage Charge (1	\$.0045 50,001 AND UP)	\$.0045	
0006	1 POD DECK LIT		985-26-22-001 L LCIT/RT 5030	\$2,000.00	\$2,000.00	
SIGNATURE	Jack Land	<i>-</i>	TELES PONE242	2-1030 DATE(C)-8-13	

Solicitation

FEIN 55-0713489



State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

NUMBER PRI14437 PAGE

TARA LYLE 304-558-2544

ADDRESS CORRESPONDENCE TO ATTENTION OF

ADDRESS CHANGES TO BE NOTED ABOVE

VENDOR

President

*201152731 304-242-1030 RICHARDSON COPY CONCEPTS INC 72 EAST COVE AVE

WHEELING WV 26003

WV PRISON INDUSTRIES NORTHERN REGIONAL JAIL AND CORRECTIONAL FACILITY 12TH ST. & GRAVE CREEK ROAD MOUNDSVILLE, WV 26041 304-843-4079

Solicitation

DATE PRINTED 09/15/2013 3ID OPENING DATE: 10/15/2013 BID OPENING TIME 01:30PM CAT. LINE QUANTITY UOP ITEM NUMBER UNIT PRICE AMOUNT 0007 EA 985-26-22-001 Not Applicable Not Applicable 1 DIMENSION 425 COMPUTER TO PLATE, OR EQUAL \$33,600.00 ***** THIS IS THE END OF REQ PRI14437 ***** TOTAL: TELEPHONE 304-242-1030 DATE 10-8-13

FEIN 55-0713489

GENERAL TERMS AND CONDITIONS

ALL TERMS AND CONDITIONS "UNDERSTOOD AND AGREED"





PRI14437 - Image Runner Advance 8085, or Equal and Dimension 425, or equal

EXHIBIT A - Pricing Page

Item#	Description	Unit of Measure	Quantity		Unit Price	Number of Months	Extended Price
3.1.1	Image Runner Advance 8085, or Equal	Each	1	\$	25,000		25,000
3.1.1.8	Pod Deck Lite, or equal	Each	1	\$	2,000		2,000
3.1.2	Dimension 425 Computer to Plate, or Equal	Each	1	\$	N/A		s N/A
3.1.3.1	Onsite Delivery/Installation	Each	1	\$	0.00		0.00
		Hour	8	\$	0.00		9.00
3.1.2.2	Onsite Training	rioui		TY.		N. S.	
3.1.4.2	Monthly Maintenance Charge (0-150,000 copies)	Сору	150,000	\$.004	12	\$ \$6,600
3.1.4.3	Per Copy Maintenance Overage Charge (150,001+)	Сору	10,000	\$.0045		\$ 45

TOTAL COST:

\$ 33,645

Name:	Richardson Copy Concepts
Address:	72 East Cove Avenue
	Wheeling, WV 26003
Phone No.:	304-242-1030
Fax No.:	304-242-8009

Failure to use this form may result in disqualification

CERTIFICATION AND SIGNATURE PAGE

By signing below, I certify that I have reviewed this Solicitation in its entirety, understand the requirements, terms and conditions, and other information contained herein; that I am submitting this bid or proposal for review and consideration; that I am authorized by the bidder to execute this bid or any documents related thereto on bidder's behalf; that I am authorized to bind the bidder in a contractual relationship; and that to the best of my knowledge, the bidder has properly registered with any State agency that may require registration.

Richardson Copy Cor	ncepts	
(Company)		
(Authorized Signature)		***************************************
Andy Richardson, Pr	resident	
(Representative Name, T	itle)	
304-242-1030	304-242-8009	
(Phone Number)	(Fax Number)	
10-8-13		
(Date)		-

RFQ No. PRI14437

STATE OF WEST VIRGINIA Purchasing Division

PURCHASING AFFIDAVIT

MANDATE: Under W. Va. Code §5A-3-10a, no contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and: (1) the debt owed is an amount greater than one thousand dollars in the aggregate; or (2) the debtor is in employer default.

EXCEPTION: The prohibition listed above does not apply where a vendor has contested any tax administered pursuant to chapter eleven of the W. Va. Code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

DEFINITIONS:

WITNESS THE FOLLOWING SIGNATURE:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Employer default" means having an outstanding balance or liability to the old fund or to the uninsured employers' fund or being in policy default, as defined in W. Va. Code § 23-2c-2, failure to maintain mandatory workers' compensation coverage, or failure to fully meet its obligations as a workers' compensation self-insured employer. An employer is not in employer default if it has entered into a repayment agreement with the Insurance Commissioner and remains in compliance with the obligations under the repayment agreement.

"Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

AFFIRMATION: By signing this form, the vendor's authorized signer affirms and acknowledges under penalty of law for false swearing (*W. Va. Code* §61-5-3) that neither vendor nor any related party owe a debt as defined above and that neither vendor nor any related party are in employer default as defined above, unless the debt or employer default is permitted under the exception above.

Vendor's Name: Richardson Copy Concepts	1
Authorized Signature: And Authorized Signature:	Date: 10-8-13
State of Ohio	
County of, to-wit:	
Taken, subscribed, and sworn to before me this	hay of October 2013
My Commission expires November 23	, 20 15.
AFFIX SEAL HERETTE NO.	NOTARY PUBLIC DECLY MONTH
	Purchasing Affidavit (Revised 07/01/2012

10-8-13

Date:

State of West Virginia

VENDOR PREFERENCE CERTIFICATE

000029

Certification and application* is hereby made for Preference in accordance with **West Virginia Code**, §5A-3-37. (Does not apply to construction contracts). **West Virginia Code**, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the **West Virginia Code**. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

620	a applicable.
1.	Application is made for 2.5% resident vendor preference for the reason checked: Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; or, Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in Vest Virginial place of the Vest Virginia
	maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or, Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or,
2.	Application is made for 2.5% resident vendor preference for the reason checked: Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
3.	Application is made for 2.5% resident vendor preference for the reason checked: Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the continuously for the two years immediately preceding submission of this bid; or,
4 X	Application is made for 5% resident vendor preference for the reason checked: Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated shows as
5.	Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is
6.	Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and residents of West Virginia who have resided in the state continuously for the two immediately preceding years.
	dance with West Virginia Code §5A-3-59 and West Virginia Code of State Rules. Bidder has been or expects to be approved prior to contract expects by the Province of State Rules.
Bidder u requirem against s or deduc	inderstands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the nents for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency sted from any unpaid balance on the contract or purchase order.
By submauthorize the requideemed	dission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and set the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid business taxes, provided that such information does not contain the amounts of taxes paid nor any other information by the Tax Commissioner to be confidential.
Under po	enalty of law for false swearing (West Virginia Code, §61-5-3), Bidder hereby certifies that this certificate is true true in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.
Bidder:	Richardson Copy Concepts

Title: President

Richardson Copy Concepts REFERENCES

Wheeling Hospital

1 Medical Park Wheeling, WV 26003 Contact: Eric Warren (304) 243-3000

Wheeling Park Commission

465 Lodge Drive Wheeling, WV 26003 Contact: Dave Holloway (304) 243-4000

Liberty Distributors, Inc.

Route 40 East, P.O. Box 279 Triadelphia, WV 26059 Contact: Mark Peluchette (304) 547-0414

Wheeling Health Right

61 29th Street Wheeling, WV 26003 Contact: Kathy Brown (304) 233-1135

Bordas & Bordas

106 E Main Street St. Clairsville, OH 43950 Contact: Patty Fisher (740) 695-8141

Belmont College

Fox Shannon Place St. Clairsville, OH 43950 Contact: John Koucoumaris (740) 695-9500

West Liberty University

PO Box 295 West Liberty, WV 26074 Contact: Ed Stewart (304) 336-8510

Kepner Funeral Homes

1308 Chapline Street Wheeling, WV 26003 Contact: John Kepner Jr. (304) 232-5110

Barnesville Schools

210 W Church Street Barnesville, OH 43713 Contact: Matt King (740) 425-3639

Main Street Bank

2001 Main Street Wheeling, WV 26003 Contact: Bruce Wilson (304) 232-2001







Pro 907EX/1107EX/1357EX

Digital Imaging System



Workhorse capabilities for efficient, production-grade performance.

Savin



Exceptional uptime and flexibility for production workflow.

Depend on the SAVIN® Pro 907EX/1107EX/1357EX digital imaging systems to deliver the speed, flexibility and failsafe reliability you need to maximize productivity in production-grade environments. Whether you need to add capacity for commercial or corporate production, these powerful systems deliver precise black & white output at speeds up to 135 pages-per-minute with versatile in-line finishing. So you can turn jobs faster, increase efficiency and consistently exceed customers' expectations.



Set up complex jobs in seconds with the Super VGA Color Touch Panel Graphical Interface.

Unbeatable Reliability

Designed to run without interruption, SAVIN Pro 907EX/1107EX/1357EX ensure maximum uptime for high-volume copying, printing and scanning.

- Expect reliable operation during peak production, plus outstanding long-term reliability.
- Identify and correct multiple-sheet feeding with an innovative ultrasonic sensor that improves detection accuracy.
- Use a wider range of stocks, from thin (40 g/m²) to thick (300 g/m²) with the Air Assist feature on the DLT/LCT. It uses precise airflow to ensure fast, error-free media handling.
- Minimize downtime with Trained Customer Replaceable Units (TCRUs), which can easily be replaced by trained users without making a service call.

Production-Class Productivity

Not only are these systems among the fastest in the market, they are equipped with the capabilities you need to maximize throughput and productivity.

 Process large or complicated files significantly faster with a 1.4 GHz CPU.

- Expect faster performance from the enhanced memory architecture, including 512 MB RAM standard (upgradeable to 1.5 GB) and a 320 GB Hard Disk Drive.
- Complete high-volume runs of large, multi-page documents without pausing to reload trays with the virtually limitless media supply.
- Expand in-house capabilities and reduce outsourcing by handling a wider variety of media sizes (up to offset-sized 13" x 19.2") and stocks (up to 300 g/m²).

Flexible Finishing

Create an incredible variety of professionally finished documents without losing valuable production time.

- Produce captivating booklets with a highperformance finisher that offers 100-Sheet stapling in two positions, 20-Sheet saddlestitching, trimming and hole punching at speeds up to 135 pages-per-minute with extremely accurate registration.
- Give customers even more options with a new Multi-Folding Unit that offers six patterns, including Z-Fold, Half-Fold, Letter Fold-in, Letter Fold-out, Double Parallel Fold, and Gate-Fold.

- Take on high-volume finishing jobs with the High Capacity Stacker, which stacks up to 5,250 sheets. Connect two in tandem for 10,250-Sheet capacity.
 A roll-away cart makes it easy to transport output for nearline finishing.
- Savin's Ring Binder Unit produces readyto-distribute, ring-bound booklets that are seamlessly punched and bound completely on-line.
- Create perfect-bound books up to 400 pages (duplex), such as technical manuals, training materials and operation guides, with the in-line Perfect Binder.
- Significantly reduce labor costs when printing bound books with the GBC StreamPunchTM III, which offers on-line punching in a variety of patterns.

Simple, Easy Operation

The SAVIN Pro 907EX/1107EX/1357EX systems are designed to ensure intuitive, fast-paced operation in the face of demanding workloads.

 Find copy/scan features quickly with the Super VGA Color Touch Panel Display's large graphics, intuitive menus and tilting screen for convenient viewing.


Ring Binder RB5000

In-line ring binding eliminates the time and expense of inserting binding elements off-line, dramatically reducing labor costs.



Multi-Folding Unit

Enable your customers to choose from a full menu of folding options with the versatile Multi-Folding Unit.




Pro 907EX/1107EX/1357EX Digital Imaging System

SPEED > RELIABILITY > UPTIME > EFFICIENCY > PRODUCTION >

GBC StreamPunch III

Use the GBC StreamPunch III to produce clear, precisely punched documents in a range of styles.



Perfect Binder GB5000

Produce perfect-bound books at the touch of a button, up to 200 sheets (400 pages in duplex mode) with one-or three-edge knife trimming for an attractive finish.



- Eliminate errors by previewing and approving thumbnails of scanned documents before final output or distribution via Scan-to-Email or Scan-to-Folder.
- Perform administrative tasks remotely with Web Image Monitor, a utility that allows you to check supply levels, change print queues and adjust settings.
- Report usage meter data automatically with the @Remote Intelligent Remote Management System, which facilitates remote device management.
- Promote multitasking and minimize time spent at the system with high-speed scanning—up to 80 sides-per-minute—for black & white and color images.

Essential Security Tools

Protect sensitive customer documents and the system itself from unauthorized use with advanced security features.


- Confirm the identity of individuals prior to system access with internal and external authentication, including options for Windows and LDAP.
- Control which features authorized users can employ via access restriction.
- Protect data from interception, analysis and tampering with encrypted transmission supported by Secure Socket Layer (SSL) technology.
- Overwrite latent hard drive data automatically after every copy, print and scan job with the optional DataOverwriteSecurity System (DOSS).
- Prevent Denial of Service (DoS) attacks, reduce the risk of virus relay and defend against user name/password theft with the Network Protocol On/Off function.
- Embed an invisible masking pattern in originals that shows up if unauthorized users attempt to copy or scan documents on any system with this same feature.

The Total Green Office Solution

Savin continues its long-standing commitment to developing office solutions with environmentally friendly and superior energy- and supply-saving features, without compromising productivity.







RB5000 Ring Binder (optional/not shown): Produce finished ring-bound books completely on-line. Users can even open the binding to insert or remove pages at will.

SR5000 Finisher (optional/not shown): Staple up to 100 sheets in multiple positions with a 3,000-Sheet Finisher.


SK5010 High Capacity Stacker (optional/not shown): Accept high-volume finishing jobs without hesitation. This stacker holds up to 5,250 sheets and can be connected to a second stacker to hold up to 10,250 sheets.

FD5000 Multi-Fold Unit (optional/not shown): Meet a wide range of folding requirements with the versatile Multi-Fold Unit.

Air Assist Drawer

The Air Assist feature uses controlled airflow to handle a wider range of media stocks—from very thin to very thick—with high reliability.

Note: Available on DLT/LCT



Modular Design

All systems feature Trained Customer Replaceable Units, which trained operators can replace quickly to maximize uptime without calling for service.





Pro 907EX/1107EX/1357EX SPECIFICATIONS

SPEED > RELIABILITY > **UPTIME > EFFICIENCY > PRODUCTION >**

GENERAL SPECIFICATIONS

Warm-Up Time Media Weights

Less than 360 seconds Trays 1, 2, 3: 14 lb. Bond -80 lb. Cover (52-216 g/m²) LT LCT Trays 4, 5: 14 lb. Bond -80 lb. Cover (52-216 g/m²) LT LCT Tray 6: 14 lb. Bond -60 lb. Cover (52-163 g/m²) DLT LCT Trays 4, 6: 14 lb. Bond -90 lb. Cover (52-256 g/m²) DLT LCT Tray 5: 11 lb. Bond -100 lb. Cover (40-300 g/m²)

Standard Media Capacity

3,000 sheets Tray 1: 2 x 1,000-Sheet Tray Tray 2: 1 x 500-Sheet Tray Tray 3: 1 x 500-Sheet Tray 208 - 240V, 50/60 Hz, 20A

Power Requirements

(dedicated outlet) Dimensions (WxDxH) 34.3" x 33.9" x 58.2"

SYSTEM SPECIFICATIONS

Speed

Pro 907EX: 90 pages-per-minute Pro 1107EX: 110 pages-per-minute Pro 1357EX: 135 pages-per-minute 5.5" x 8.5" to 13" x 19.2"

Throughput Size Reduction/Enlargement

25% - 400% (1% increments)

SYSTEM ACCESSORIES

100-Sheet Automatic Document Feeder (Standard)

Original Media Weights 11 - 34 lb. Bond (simplex) 14 - 28 lb. Bond (duplex)

RT5030 LT Large Capacity Tray (Optional)

5.5" x 8.5" to 8.5" x 11" Tray 4: 1,000 sheets Media Sizes Supported Media Capacity Tray 5: 1,000 sheets Tray 6: 2,550 sheets Media Weights Tray 4/5: 14 lb. Bond - 80 lb. Cover

Dimensions (WxDxH)

Tray 6: 14 lb. Bond - 60 lb. Cover 21.2" x 28.7" x 38.6"

RT5040 DLT Large Capacity Tray (Optional)

Media Sizes Supported Media Capacity

5.5" x 8.5" to 13" x 19.2" Tray 4: 1,000 sheets Tray 5: 2,000 sheets Tray 6: 1,000 sheets

Media Weights

Tray 4/6: 14 lb. Bond - 90 lb. Cover Tray 5: 11 lb. Bond - 100 lb. Cover 34.6" x 28.8" x 38.6"

Dimensions (WxDxH)

SR5000 Finisher with 100-Sheet Stapler (Optional)

Media Weights

Proof Tray: 16 lb. Bond - 80 lb. Cover Shift Tray: 14 lb. Bond - 100 lb. Cover Z-Folding: 18 - 20 lb. Bond 3,000 sheets (8.5" x 11")

Shift Tray **Proof Tray**

1,500 sheets (8.5" x 14"/11" x 17") 1,000 sheets (13" x 19.2") 500 sheets (8.5" x 11" or smaller) 250 sheets (8.5" x 14" or larger) 100 sheets (based on 20 lb. Bond)

Staple Capacity Z-Folding Hole Punching Dimensions (WxDxH)

10 sheets 2 or 3 holes 31.5" x 28.7" x 38.6"

CI5010 Cover Interposer (Optional)

Media Sizes Supported 5.5" x 8.5" to 13" x 19.2" Media Capacity 2 x 200 sheets

Media Weights 17 - 58 lb. Bond/80 lb. Cover Dimensions (WxDxH) 27.9" x 28.7" x 50"

BY5000 Multi Bypass Tray (Optional)

Media Capacity 500 sheets (based on 8.5" x 11") 5.5" x 8.5" to 12" x 18" (RT5030) 5.5" x 8.5" to 13" x 19.2" (RT5040) Media Sizes Supported

PU5000 Punch Unit (Optional)

Punch Type 2 or 3 holes (user-selectable) Weights Punched 16 lb. Bond - 90 lb. Index

RB5000 Ring Binder (Optional)

8.5" x 11" (LEF only) Media Sizes Supported 100 sheets/booklet Maximum Capacity

Ring Sizes Supported Media Weight Punched Dimensions (WxDxH) Power Requirements

50-Sheet/100-Sheet 20 - 40 lb. Bond, 50 - 80 lb. Cover 34.2" x 28.7" x 38.5" 120V, 60Hz

GB5000 Perfect Binder (Optional) 200 sheets (400 pages in

Maximum Capacity Media Sizes Supported

duplex mode, 80 g/m²)
Body: Width 10.11" – 12.59",
Length 7.16" – 9"(20 – 40 lb.
Bond, 50 – 60 lb. Cover)
Cover: Width 10.11" – 13", Length 14.3" - 19.20" (24 - 40 lb. Bond, 50 - 100 lb. Cover)

Finished Booklet Size: Width 7.9" 11.7", Length 5.5" - 8.5' 42.91" x 31.14" x 54.60"

Dimensions (WxDxH) Interposer Tray Power Requirements

2 x 200 sheets 200 - 240V, 50/60 Hz

GBC StreamPunch III (Optional)

Punch Type Media Size Supported Dimensions (WxDxH)

Customer-replaceable die sets 8.5" x 11", long edge feed 12" x 28.5" x 38.5"

SR5020 Booklet Finisher (Optional)

Media Sizes Supported Media Weights

Stacking Capacity

Staple Capacity

Saddle-Stitch

Up to 13" x 19.2" Proof Tray: 14 - 40 lb. Bond, 50 - 80 lb. Cover, (without Z-folding) Shift Tray: 14 lb. Bond - 100 lb.

Cover (without Z-folding), 18 - 28 lb. Bond (Z-folding) Proof Tray: 250 sheets (letter or smaller)

50 sheets (8.5" x 14" or larger) Shift Tray: 2,500 sheets (8.5" x 11" LEF)

1,500 sheets (letter SEF, 11" x 17" SEF) 1,000 sheets (13" x 19.2" or smaller)

500 sheets (5.5" x 8.5" LEF) 100 sheets (5.5" x 8.5" SEF) 30 sheets (Z-folding media) 100 sheets (8.5" x 11", (80 g/m²)

50 sheets (8.5" x 14" or 11" x 17" (80 g/m²)

Media Size: 8.5" x 11" - 13" x 19.2" Media Weight: 18 - 24 lb. Bond Staple Position: Center 2 position

Staple Capacity: 20 sheets (18 - 20 lb. Bond). 15 sheets (20 - 24 lb. Bond)

Hole Punching (optional) 2 or 3 holes

FD5000 Multi-Folding (Optional)

Copy Dimensions (WxDxH) Power Consumption Folding Patterns

18.3 x 28.7 x 38.6 120V, 60HZ

Z-Fold, Half-Fold/Print inside, Half-Fold/Print outside, Letter Foldin/Print inside, Letter Fold-in/Print

outside, Letter Fold-out, Double Parallel/Print inside, Double Parallel/Print outside, Gate-Fold/Print inside, Gate-Fold/Print outside

Media Sizes Supported 8.5 x 11 - 13 x 19.2"

TR5020 Booklet Trimmer (Optional)

Dimensions (WxDxH) Power Consumption Trimming Type Trimming Capacity Media Sizes Supported

43.9" x 35" x 21.9" 120V. 60Hz One side edge 40 sheets after folding 5.5" x 8.5" - 13" x 19.2"

RT5040 DLT/A3 Tray Kit* (Optional)

Dimensions (WxDxH) Media Sizes Supported Media Capacity

19.5" x 21" x 6.9" 8.5" x 11", 8.5" x 14", 11" x 17" 1,000 sheets

*This option is put on the Tandem LCT in Tray 1 of base unit and can feed DLT or A3 media

SK5010 High Capacity Stacker* (Optional)
Dimensions (WxDxH) 35.4" x 38.6" x 28.7"
Power Consumption 120V, 60Hz

Media Sizes Supported Proof Tray & Shift Tray: Up to 13" x 19.2" 14 lb. – 100 lb. Cover Media Weight Proof Tray: 250 sheets Stack Capacity

Shift Tray: 5,000 sheets (output

iogger standard)

Roll-Away Cart One included (second one optional)

*Decurl Unit must be connected when Large Capacity Stacker is configured

DU5000 Decurl Unit (Optional)
Dimensions (WxDxH) 6.7" x 28.7" x 39" Power Consumption From mainframe

Decurl Function Pressure Adjustment: 5 steps

PRINTER SPECIFICATIONS

CPU Intel Pentium M 1.4 GHz Memory 512 MB standard 1.5 GB (standard + Printer/

Scanner Unit) 320 GB (320 GB x 1) RPCS, PCL5e/6 **HDD Capacity** Drivers / PDL

Optional: Adobe® PostScript 3™, Genuine IPDS

Print Resolution 1200 dpi (max.)

Fonts PCL: TrueType: 45 Intellifonts, 13 International Fonts

Optional: PS3: 136 Adobe Type 1 100Base-TX/10Base-T Ethernet,

Standard Connectivity USB 2.0

IEEE 1284, IEEE 802,11a/b/g Optional Connectivity* Wireless LAN, Bluetooth, 1000Base-T

Network Protocol TCP/IP, IPX/SPX, AppleTalk Windows 2000, XP, Vista, Server Operating Systems

2003, Server 2008 Mac OS 8.6 - 9.2.X (OS X Classic)

Mac OS 10.1.X - 10.4.X Max 0S 10.5.X

Utilities Supported Web Image Monitor, Web

SmartDeviceMonitor, SmartDeviceMonitor, Printer Utility for Mac, PDF Direct Printing

(through DeskTopBinder), DeskTopBinder IEEE 1284 Interface.

IEEE 802.1a/b/g Wireless, Interface

Gigabit Ethernet, Bluetooth Interface

*Only one of these options can be installed at one time

SCANNER SPECIFICATIONS (STANDARD)

Scan Speed 80 spm in black & white or color Optical Resolution TWAIN Resolution 100/150/200/300/400/600 dpi 100-1200 dpi TIFF/JPEG/PDF and High File Formats

Scan-to-Email

Printer Options

Requirement SMTP Gateway and TCP/IP Registered E-mail Addr. 2,000 Maximum Addresses/Send 500 Address Support via LDAP 100 addresses

Scan-to-Folder

Protocol Support Resolution Client Folders Per Send File Types Supported

SMB/FTP/NCP

Compression PDF

100/150/200/300/400/600 dpi 50 (max.)

Single Page TIFF/JPEG/PDF, Multi-Page TIFF/PDF, High Compression

For maximum performance and yield, we recommend using genuine Savin parts and supplies.

www.savin.com

Bringing Savin Value to Your Organization

Bringing Savin value to Your Urganization
Savin technology offers a diverse portfolio of solutions to help your organization
stay competitive and move ahead. Let Savin show you how to empower your business
to improve critical processes, keep information secure, ensure compliance and promote
environmental sustainability while reducing the total cost of ownership.

Savin Five Dedrick Place West Caldwell N.I 07006 Savin' he Destink rate, west callent, NO 07000

SAVIN' is a registered trademark of Ricoh Americas Corporation. All other trademarks are the property of their respective owners. Print speed may be affected by network, application or PC performance. Specifications and external appearances are subject to change without notice. Products are shown with optional features.

S2973



@Remote





