



LEETE

3360 McMaude Place • Santa Rosa, CA 95407
 Ph: 800-649-0484 • Fax: 707-545-8930
 March 8, 2016

Department of Administration, Purchasing Division
 State of West Virginia
 2019 Washington Street
 Charleston, WV 25305-0130

FAX: 304-558-3970

(17 Pages)

Re: Sealed Bid: 100Kw Portable Generator with Trailer
 Solicitation No. CRFQ GSD 1600000019
 Due Date: March 8, 2016 at 1:30 EST

03/08/16 13:37:35
 WV Purchasing Division

To whom it may concern:

Attached is the pertinent information on the above listed bid:

One (1) Blue Star Model JD100-01 Portable Trailer Mount Generator meeting the specifications of Solicitation No. CRFQ GSD 1600000019. All Generator data and specifications are included with this submittal as requested.

Total Quoted Price: \$56,900.00 United States Dollars

Price Does Not Include Sales Taxes

Exceptions to the bid:

- Time Delivery: Delivery is estimated to be eight (8) weeks from approved Purchase Order
- No Off-Loading of Unit (off-loading by others)
- No Diesel Fuel included
- Generator Unit does not have a rear door access (listed unit access located on sides of the generator unit).

If you have any questions on this quote, please feel free to contact me at the below listed email or telephone number.

Joseph D. Netter
 Ramsay-Bliese Corp. dba Leete Generators
 General Manager
 Leete Generators
j.netter@leeteGenerators.com
 707 545-0484 ext. 416

BID RECEIVED LATE

BUYER Linda Harper
 WITNESS [Signature]

DISQUALIFIED

RECEIVED TIME MAR. 8. 1:30PM

SOLICITATION NUMBER: GSD1600000019

Addendum Number: 1

The purpose of this addendum is to modify the solicitation identified as ("Solicitation") to reflect the change(s) identified and described below.

Applicable Addendum Category:

- | Modify bid opening date and time
- | Modify specifications of product or service being sought
- | Attachment of vendor questions and responses
- | Attachment of pre-bid sign-in sheet
- | Correction of error
- | Other

Description of Modification to Solicitation:

1. To publish Vendor Questions with responses.

No other changes.

Additional Documentation: Documentation related to this Addendum (if any) has been included herewith as Attachment A and is specifically incorporated herein by reference.

Terms and Conditions:

1. All provisions of the Solicitation and other addenda not modified herein shall remain in full force and effect.
2. Vendor should acknowledge receipt of all addenda issued for this Solicitation by completing an Addendum Acknowledgment, a copy of which is included herewith. Failure to acknowledge addenda may result in bid disqualification. The addendum acknowledgement should be submitted with the bid to expedite document processing.

Revised 6/8/2012

RECEIVED TIME MAR. 8. 1:30PM

ATTACHMENT A

Revised 5/8/2012

RECEIVED TIME MAR. 8. 1:30PM

CRFQ GSD1600000019

100KW Generator Caterpillar XQ100 (or Equal)

Vendor Questions/Responses

1. Please confirm the 100 kW rating is standby.
 - 100KW New Portable Generator with Trailer Caterpillar
 - XQ100 (or equal)

ANSWER: Yes

2. What do you require for set-up?
3. Do you require installation?

ANSWER 2 & 3: There is only set-up, no installation. Provide training for staff electricians.

4. Do you require Simultaneous 3 Phase Voltage Output?

ANSWER: Yes

ADDENDUM ACKNOWLEDGEMENT FORM
SOLICITATION NO.: GSD160000019

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

Addendum Numbers Received:

(Check the box next to each addendum received)

- | | |
|--|--|
| <input checked="" type="checkbox"/> Addendum No. 1 | <input type="checkbox"/> Addendum No. 6 |
| <input type="checkbox"/> Addendum No. 2 | <input type="checkbox"/> Addendum No. 7 |
| <input type="checkbox"/> Addendum No. 3 | <input type="checkbox"/> Addendum No. 8 |
| <input type="checkbox"/> Addendum No. 4 | <input type="checkbox"/> Addendum No. 9 |
| <input type="checkbox"/> Addendum No. 5 | <input type="checkbox"/> Addendum No. 10 |

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

Ramsay - Biese Corp dba Acete Generators
Company
[Signature]
Authorized Signature
3/7/2016
Date

NOTE: This addendum acknowledgement should be submitted with the bid to expedite document processing.
Revised 6/8/2012

RECEIVED TIME MAR. 8. 1:30PM

Request for Taxpayer Identification Number and Certification

Give Form to the
requester. Do not
send to the IRS.

Print or type See Specific Instructions on page 2.	1 Name (as shown on your income tax return). Name is required on this line; do not leave this line blank. Ramsay-Bilase Corp		
	2 Business name/disregarded entity name, if different from above dba Leete Generators		
	3 Check appropriate box for federal tax classification; check only one of the following seven boxes: <input type="checkbox"/> Individual/sole proprietor or single-member LLC <input type="checkbox"/> Limited liability company. Enter the tax classification (C=C corporation, S=S corporation, P=partnership) ▶ <input type="checkbox"/> Other (see instructions) ▶		<input checked="" type="checkbox"/> C Corporation <input type="checkbox"/> S Corporation <input type="checkbox"/> Partnership <input type="checkbox"/> Trust/estate
	4 Exemptions (codes apply only to certain entities, not individuals; see instructions on page 3): Exempt payee code (if any) _____ Exemption from FATCA reporting code(s) (if any) _____ <small>(Applies to A-E entities only on the U.S.)</small>		
	5 Address (number, street, and apt. or suite no.) 2360 McMaude Place		Requester's name and address (optional)
	6 City, state, and ZIP code Santa Rosa, CA 95407		
	7 List account number(s) here (optional)		

Part I Taxpayer Identification Number (TIN)

Enter your TIN in the appropriate box. The TIN provided must match the name given on line 1 to avoid backup withholding. For individuals, this is generally your social security number (SSN). However, for a resident alien, sole proprietor, or disregarded entity, see the Part I instructions on page 3. For other entities, it is your employer identification number (EIN). If you do not have a number, see *How to get a TIN* on page 3.

Note. If the account is in more than one name, see the instructions for line 1 and the chart on page 4 for guidelines on whose number to enter.

Social security number								
OR								
Employer identification number								
6	8		0	1	8	9	4	9

Part II Certification

Under penalties of perjury, I certify that:

- The number shown on this form is my correct taxpayer identification number (or I am waiting for a number to be issued to me); and
- I am not subject to backup withholding because: (a) I am exempt from backup withholding, or (b) I have not been notified by the Internal Revenue Service (IRS) that I am subject to backup withholding as a result of a failure to report all interest or dividends, or (c) the IRS has notified me that I am no longer subject to backup withholding; and
- I am a U.S. citizen or other U.S. person (defined below); and
- The FATCA code(s) entered on this form (if any) indicating that I am exempt from FATCA reporting is correct.

Certification instructions. You must cross out item 2 above if you have been notified by the IRS that you are currently subject to backup withholding because you have failed to report all interest and dividends on your tax return. For real estate transactions, item 2 does not apply. For mortgage interest paid, acquisition or abandonment of secured property, cancellation of debt, contributions to an individual retirement arrangement (IRA), and generally, payments other than interest and dividends, you are not required to sign the certification, but you must provide your correct TIN. See the instructions on page 3.

Sign Here Signature of U.S. person ▶ *Wayne Baker* Date ▶ *11/17/2015*

General Instructions

Section references are to the Internal Revenue Code unless otherwise noted.

Future developments. Information about developments affecting Form W-9 (such as legislation enacted after we release it) is at www.irs.gov/fw9.

Purpose of Form

An individual or entity (Form W-9 requester) who is required to file an information return with the IRS must obtain your correct taxpayer identification number (TIN) which may be your social security number (SSN), individual taxpayer identification number (ITIN), adoption taxpayer identification number (ATIN), or employer identification number (EIN), to report on an information return the amount paid to you, or other amount reportable on an information return. Examples of information returns include, but are not limited to, the following:

- Form 1099-INT (interest earned or paid)
- Form 1099-DIV (dividends, including those from stocks or mutual funds)
- Form 1099-MISC (various types of income, prizes, awards, or gross proceeds)
- Form 1099-B (stock or mutual fund sales and certain other transactions by brokers)
- Form 1099-S (proceeds from real estate transactions)
- Form 1099-K (merchant card and third party network transactions)
- Form 1098 (home mortgage interest), 1098-E (student loan interest), 1098-T (tuition)
- Form 1099-C (canceled debt)
- Form 1099-A (acquisition or abandonment of secured property)

Use Form W-9 only if you are a U.S. person (including a resident alien), to provide your correct TIN.

If you do not return Form W-9 to the requester with a TIN, you might be subject to backup withholding. See *What is backup withholding?* on page 2.

By signing the filled-out form, you:

- Certify that the TIN you are giving is correct (or you are waiting for a number to be issued).
- Certify that you are not subject to backup withholding, or
- Claim exemption from backup withholding if you are a U.S. exempt payee. If applicable, you are also certifying that as a U.S. person, your allocable share of any partnership income from a U.S. trade or business is not subject to the withholding tax on foreign partners' share of effectively connected income, and
- Certify that FATCA code(s) entered on this form (if any) indicating that you are exempt from the FATCA reporting, is correct. See *What is FATCA reporting?* on page 2 for further information.

RECEIVED TIME MAR. 8. 1:30PM

Unit Model	JD100-01	Standby / Prime	Mobile Standby Power
kWe Rating	100 kWe	UL 2200 Listed	No
Fuel	Diesel	CSA Approved	No
EPA	Tier 3 TPEM [Flex]	Paint Color	White

Engine Model:	John Deere 4045HF285 (FLEX) 100kW Standby Power Rating at 1800 RPM Governor - Electronic Isochronous
Voltage:	208/120V 3 Phase 60 Hz 0.8 PF
Gen Model:	Marathon 362CSL1606 12 Lead Wired 208V 3 Phase Low Wye 130°C Rise Over 27°C Ambient
Voltage Regulator:	Marathon DVR2000E+ Digital Voltage Regulator with PMG Excitation
Generator Space Heater:	Generator Space Heater 250W 120VAC Wired to Terminal
Control Panel:	Blue Star DGC-2020 Microprocessor Based Gen-Set Controller Mounted Facing Left from Generator End (Unless Specified Otherwise) Standard Features: Low Oil Pressure, High Coolant Temp, Overspeed, Overcrank Shutdowns Emergency Stop Pushbutton, Audible Alarm Buzzer with Silencing Switch Optional Features Include: Generator Protection (Undervoltage, Overvoltage, Underfrequency, Overfrequency, Overcurrent) 15 Contact Outputs: Additional (8) Programmable 2ADC Contacts Low Water Level Sensor with Shutdown Control Panel Battery Disconnect Switch Break Glass E-Stop Station - Send Loose
Unit Color:	White
Enclosure:	Level 3 (Sound Attenuated Enclosure) Powder Coated 14 Gauge Steel Rugged and Durable 150 MPH Wind Rated Enclosure with Exhaust Hood Pitched Roof for Increased Structural Integrity and Improved Watershed Punched Intake with Baffle and Punched Exhaust Openings Keyed Alike Lockable Doors with Draw Down Latches and Stainless Steel Component Hinges Additional 1.5" Thick Polydamp Type D Acoustical Foam (PAF) Formed Steel Base with Mounting and Lifting Holes Includes Vibration Mounts to Isolate Unit from Base Rail
Sound Attenuation Foam:	Sound Attenuation Installed in Enclosure and Exhaust Hood
Enclosure Options:	Load Distribution Center for Single Point Accessory Wiring
Cooling:	Unit Mounted Radiator (50°C Ambient)
Oil Drain Extension:	Plumbed to Bulkhead Fitting in Base
Mainline Breaker:	400 Amp 3 Pole 240 Volt Breaker Mounted & Wired in a NEMA 1 Enclosure OPTIONS: Shunt Trip 400A Breaker Additional Breaker: 250A 480/277V 3 Phase with shunt trip
Jacket Water Heater:	Engine Block Heater 1500W 120VAC Rated for -20°F Heater Installed with Isolation Valves and Wired to Terminal
Air Cleaner:	Dry Single Stage

Air Restrictor Indicator: Installed In Air Filtration System
Silencer: Critical Grade Compact (CPJ Series) Silencer Mounted to Engine
Battery: 12 Volt System with Rack and Cables
Battery Charger: 12 Volt 6 Amp Mounted and Wired to Terminal
Gen-Set Trailer Package: T10000-2 Tandem Axle DOT Approved Trailer Package Including:
3" Pintle Eye, Safety Chains, Electric Brakes with Breakaway Kit
Radial Tires, Fenders, Adjustable Tongue Jack, Rear Stabilizing Jacks
OPTIONS:
Fuel Tank: 250 Gallon Single Wall Tank Including Supply & Return Connections
Fuel Level Gauge and Fill & Vent Plumbing
Factory Test: Standard Commercial Testing Includes:
Verification of Alarm Shutdowns, Voltage Settings, Block Loading to Rated kWe and PF
Owner's Manual: Print Copy (Qty 1)
Warranty: 5 Year / 3000 Hour Comprehensive

Notes:

Enclosure Option: Slight Glass window for control panel viewing

Voltage Selector Switch: 3 Position: 480/277V 3 Phase, 208/120V 3 Phase,
240/120V 3 Phase.

Distribution Panel:

*Cam Lok connections

*2-single phase-California style twistlocks, 50 amps @ 208 volt phase to phase, 120
volt phase to neutral or 240 volt phase to phase, 139 volt phase to neutral.

*2-single phase-GFCI Duplex receptacles, 20 amps @ 120volts

*1-single phase-Nema locking inlet rece

**Additional Options
(Not Included in Price):**

BLUE STAR

Power Systems Inc.

Diesel Product Line

208-600 Volt

JD100-01

60 Hz / 1800 RPM

100 kWe / 90 kWe

Standby / Prime

Ratings

	240V	208V	240V	480V	600V
Phase	1	3	3	3	3
PF	1.0	0.8	0.8	0.8	0.8
Hz	60	60	60	60	60
Generator Model	363PSL3133	362CSL1606	362CSL1606	362CSL1606	362PSL1636
Connection	12 LEAD ZIG-ZAG	12 LEAD WYE	12 LEAD DELTA	12 LEAD WYE	4 LEAD WYE
Standby					
kWe	100	100	100	100	100
AMPS	417	347	301	151	120
Temp Rise	130°C / 27°C	130°C / 27°C	130°C / 27°C	130°C / 27°C	130°C / 27°C
Prime [Only Available For Mobile Applications]					
kWe	90	90	90	90	90
AMPS	375	312	271	135	108
Temp Rise	105°C / 40°C	105°C / 40°C	105°C / 40°C	105°C / 40°C	105°C / 40°C

Standard Equipment

- | | | |
|---|--|---|
| <p>Engine</p> <ul style="list-style-type: none"> ▶ Radiator Cooled Unit Mounted (50°C) ▶ Blower Fan & Fan Drive ▶ Starter & Alternator ▶ Oil Pump & Filter ▶ Oil Drain Extension w/Valve ▶ Governor - Electronic Isochronous ▶ 12V Battery System & Cables ▶ Air Cleaner (Dry Single Stage) ▶ Flexible Fuel Connector ▶ EPA Certified Tier 3 <p>Listing Certifications</p> <ul style="list-style-type: none"> ▶ UL 2200 Listed ▶ cUL Listed ▶ CSA Certified ▶ Seismic Certified to IBC 2012 | <p>Generator</p> <ul style="list-style-type: none"> ▶ Brushless Single Bearing ▶ Automatic Voltage Regulator ▶ ± 1% Voltage Regulation ▶ 4 Pole, Rotating Field ▶ 130°C Standby Temperature Rise ▶ 105°C Prime Temperature Rise ▶ 100% of Rated Load - One Step ▶ 5% Maximum Harmonic Content ▶ NEMA MG 1, IEEE and ANSI Standards Compliance for Temperature Rise | <p>Additional</p> <ul style="list-style-type: none"> ▶ Microprocessor Based Digital Control ▶ Interface Connection Box ▶ Control Panel Mounted in NEMA 12 Enclosure ▶ Base - Formed Steel ▶ Main Line Circuit Breaker Mounted & Wired ▶ Critical Grade Silencer Mounted ▶ Battery Charger 12V 8 Amp ▶ Jacket Water Heater -20°F 1500W 120V w/Isolation Valves ▶ Vibration Isolation Mounts ▶ Radiator Duct Flange (OPU Only) ▶ Single Source Supplier ▶ 2YR / 2000HR Standby Warranty ▶ 1YR / 1500HR Prime Warranty ▶ Standard Colors - White / Tan / Gray |
|---|--|---|

Diesel Product Line

100 kWe / 90 kWe



Application Data

Engine

Manufacturer:	John Deere	Displacement - Cu. In. (lit):	275 (4.50)
Model:	4045HF285	Bore - In. (cm) x Stroke - in. (cm):	4.19 (10.6) x 5.00 (12.7)
Type:	4-Cycle	Compression Ratio:	19.0:1
Aspiration:	Turbo Charged, CAC	Rated RPM:	1800
Cylinder Arrangement:	4 Cylinder Inline	Max HP Stby (kWrn):	158 (118)

Exhaust System

	Standby	Prime
Gas Temp. (Stack): °F (°C)	1,076 (580)	1,040 (560)
Gas Volume at Stack Temp: CFM (m³/min)	805 (22.8)	750 (21.2)
Maximum Allowable Exhaust Restriction: in. H ₂ O (kPa)	30.0 (7.50)	30.0 (7.50)

Cooling System

Ambient Capacity of Radiator: °F (°C)	122 (50.0)	122 (50.0)
Maximum Allowable Static Pressure on Rad. Exhaust: in. H ₂ O (kPa)	0.50 (0.12)	0.50 (0.12)
Water Pump Flow Rate: GPM (lit/min)	48.0 (182)	48.0 (182)
Heat Rejection to Coolant: BTUM (kW)	3,544 (62.0)	3,470 (60.7)
Heat Rejection to CAC: BTUM (kW)	1,127 (19.8)	1,002 (17.6)
Heat Radiated to Ambient: BTUM (kW)	1,281 (22.4)	1,153 (20.2)

Air Requirements

Aspirating: CFM (m³/min)	288 (8.15)	273 (7.73)
Air Flow Required for Rad. Cooled Unit: CFM (m³/min)	6,640 (188)	6,640 (188)
Air Flow Required for Heat Exchanger/Rem. Rad. CFM (m³/min)	Consult Factory For Remote Cooled Applications	

Fuel Consumption

At 100% of Power Rating: gal/hr (lit/hr)	8.21 (31.1)	7.55 (28.6)
At 75% of Power Rating: gal/hr (lit/hr)	6.56 (24.8)	6.03 (22.8)
At 50% of Power Rating: gal/hr (lit/hr)	4.69 (17.8)	4.31 (16.3)

Fluids Capacity

Total Oil System: gal (lit)	3.43 (13.0)	3.43 (13.0)
Engine Jacket Water Capacity: gal (lit)	2.24 (8.50)	2.24 (8.50)
System Coolant Capacity: gal (lit)	5.40 (20.4)	5.40 (20.4)

Deration Factors

Rated Power is available up to 10,000 ft (3,048 m) at ambient temperatures to 122°F (50°C) standby and prime. Consult factory for site conditions above these parameters.

Diesel Product Line


100 kWe / 90 kWe



DGC-2020 Control Panel

Standard Features


- ▶ Digital Metering
- ▶ Engine Parameters
- ▶ Generator Protection Functions
- ▶ Engine Protection
- ▶ CAN Bus ECU Communications
- ▶ Windows-Based Software
- ▶ Multilingual Capability
- ▶ Remote Communications to RDP-110 Remote Annunciator
- ▶ 16 Programmable Contact Inputs
- ▶ Up to 15 Contact Outputs (7 standard)
- ▶ UL Recognized, CSA Certified, CE Approved
- ▶ Event Recording
- ▶ IP 54 Front Panel Rating with Integrated Gasket
- ▶ NFPA 110 Level 1 Compatible




Weights / Dimensions / Sound Data

	L x W x H	Weight lbs
OPU	90 x 44 x 61 in	2,550
Level 1	102 x 44 x 66 in	3,150
Level 2	102 x 44 x 66 in	3,200
Level 3	132 x 44 x 66 in	3,375

Please allow 6-12 inches for height of exhaust stack.



	No Load	Full Load
OPU	78 dBA	82 dBA
Level 1	75 dBA	78 dBA
Level 2	72 dBA	74 dBA
Level 3	66 dBA	68 dBA



Drawings based on standard open power 480 volt standby generator. Lengths may vary with other voltages. Subject to change without notice. Sound data as measured at 23 feet (7 meters) in accordance with ISO 8528-10 at standby rating.


Diesel Product Line

100 kWe / 90 kWe




Enclosures


Level 1 & 2 | Side View (Weather Proof)



Level 3 | Side View (Sound Attenuated)



Level 1, 2 & 3 | Intake View



All enclosures are 150 MPH Wind Rated.


Level 2 & 3 enclosures include sound attenuation foam.

Level 3 enclosure includes frontal sound & exhaust hood.


*Enclosure height does not include exhaust stack.

Double Wall UL 142 Listed Fuel Tanks

Side View



Rear View



	24 Hour 250 Gallon	48 Hour 500 Gallon	72 Hour 750 Gallon
A	90.00	120.00	174.00
B	44.00	44.00	44.00
C	28.00	36.00	36.00

All specification sheet dimensions are represented in inches.

All enclosures and fuel tanks are based on the standard standby unit configuration. Any deviation can change dimensions.

Materials and specifications subject to change without notice.

American Owned



American Made

Distributed By:

Blue Star Power Systems, Inc.

52146 Ember Road

Lake Crystal, Minnesota 56055

Phone + 1 507 726 2508

bluestarps.com

quote.bluestarps.com


sales@bluestarps.com

BLUE STAR

Gen-Set Trailers

Power on the Go!

Blue Star gen-set trailers are specifically designed and manufactured for mounting and transportation of standby generator sets. Our trailers are built to last with heavy duty steel construction. Blue Star offers custom trailers to fit almost any size or specification up to 500kW.




Standard Features:

- All Steel Double Frame Channel Construction or Pre-Fab Side Front & Back Rails
- Adjustable Mounted Tongue Jack
- 2 5/16" Ball Coupler or 3" Pintle Eye
- Safety Chains
- DOT Lighting
 - Rear Lights
 - Side Markers
 - License Plate Bracket and Light
 - Trailer Connector - Six Pole Connector Plug
- Breakaway Kit (Electric Brakes Only)
- Slipper Axles
- Radial or Bias Tires With Rams
- Adjustable (2) Rear Stabilizers
- Tie Down Brackets for Shipping
- Teardrop Fenders

Design Options:

- Single or Double Wall Tank Designed To Fit Trailer
- Hydraulic Surge Brakes
- Spare Tire with mounting bracket
- Cable/Storage Box, Lockable
 - Weld-On
 - Bolt-On
- Parking Brake
- D-Ring Tie Downs
- Wheel Chocks
- DOT Reflective Tape
- LED Light Package



BLUE STAR
Power Systems Inc.

465 Commerce Street
Lake Crystal, MN 56055

Office: 507-726-2508
Fax: 507-726-2670

www.bluestarpowersystems.com


RECEIVED TIME MAR. 8. 1:30PM

BLUE STAR

Blue Star offers trailer designs according to the gross vehicle weight and number of axles required. However, Blue Star's flexibility allows for us to design trailers to almost any unique specification or requirement. Trailers with single or tandem axles are available depending on gen-set size and weight.

AVAILABLE MODELS

Model	Number of Axles	Gross Vehicle Weight Rating
T3000-1	One	3000 lbs.
T5000-2	Two	5000 lbs.
T7000-2	Two	7000 lbs.
T10000-2	Two	10000 lbs.
T12000-2	Two	12000 lbs.
T16000-2	Two	16000 lbs.
T20000-2	Two	20000 lbs.
T30000-3	Three	30000 lbs.



Unit with weather protective housing mounted on tandem axle trailer equipped with frontal storage option.

BLUE STAR

Power Systems Inc.

465 Commerce Street
Lake Crystal, MN 56055

Office: 507-726-2508
Fax: 507-726-2670

www.bluestarpowersystems.com

RECEIVED TIME MAR. 8. 1:30PM

CALL 1-866-TRYPSTAR (879-7827) TO PLACE YOUR ORDER.

TRYPSTAR

TRYPSTAR PORTABLE POWER CABLE (UL) C(UL)

AVAILABLE IN: CUSTOM COLOR, ANY LENGTH, CUT, COILED, COMPLETE WITH CONNECTOR ASSEMBLY

FEATURES

- Available colors: Black, blue, red, green, white, yellow, orange, brown or custom
- Extra Flexible Class K (ASTM-B) Bare annealed copper stranding
- -45°C to 105°C, 2000 Volt Rating, flame retardant
- Resistant to oil, water, acid, gas, ozone, cuts, tears and abrasion
- (UL) 2000 volt rating, C(UL) 600 volts continuous use
- Manufactured to (UL) & C(UL) standard 1650
- MSHA Listed
- RoHS Compliant
- Surpasses NEC 400 requirements and may be used in any application where Type W, G or G-GC cable is used

APPLICATIONS

Designed for use with industrial equipment, including portable generators, chillers, air conditioners, motor and welding leads, submersible wells, heavy tools, power extensions, marine dockside, mining and oil drilling applications, where long-term, quality performance at all operating temperatures is desired.

CONSTRUCTION

Conductor

- Bare, annealed electrolytic copper
- 30 AWG Class K rope lay stranding

DUAL INSULATED JACKETING TECHNOLOGY


Inner Jacket- Added for Your Safety

A separator of high contrast color is applied between the conductor and outer sheath for your added safety. This provides increased insulation, added flexibility, and allows you to easily identify damage or wear.

Outer Jacket

TYPE PPE (FT5) provides oil, water, acid, gas, ozone, resistance, flame retardant, durability and extreme flexibility at all operating temperatures.

Indented into outer jacket: (UL) TYPE PPE 90°C DRY 75°C WET SUN RES 2000V E204219 P-07-KA070022-MSHA AWG 4/0 C(UL) PPC/TPE FT5 90°C SUN RES 600V



AVAILABLE SIZES, SPECIFICATIONS & AMPERAGE CORRECTION FACTORS

Size	Stranding	Strand Nominal OD	Finished Nominal OD	Weight lbs. / M FT	Ampacity*
8	168 x 30	0.150	0.485	162	80
6	266 x 30	0.192	0.525	197	105
4	420 x 30	0.252	0.582	204	125
2	665 x 30	0.320	0.650	315	190
1	833 x 30	0.354	0.725	376	220
1/0	1064 x 30	0.397	0.775	480	260
2/0	1330 x 30	0.450	0.820	603	300
3/0	1691 x 30	0.510	0.880	716	350

TEMPERATURE CORRECTION FACTORS **				
Ambient Temp °C	FACTOR	Ambient Temp °F	Number of Conductors	Temperature Adjustment
21-25	1.04	70-77	4-6	80%
26-30	1.00	78-86	7-9	70%
31-35	0.96	87-95	10-20	50%
36-40	0.91	96-104	21-30	45%
41-45	0.87	105-113	41-40	40%
46-50	0.82	114-122	41+	35%
51-55	0.76	123-131	D RATING FOR CONDUIT OR TRAY APPLICATION	
56-60	0.71	132-140		
61-70	0.58	141-158		
71-80	0.41	159-176	28%	

Adjustment factor for more than three current carrying conductors
 * For ambient temperatures other than 30 C (86 F) multiply the allowable ampacities stated above by the appropriate conversion factor.
 ** Indented into sheath: (UL) TYPE PPE 90°C DRY 75°C WET SUN RES 2000V E204219 P-07-KA070022-MSHA AWG 4/0 C(UL) PPC/TPE FT5 90°C SUN RES 600V
 *** Values Listed are for single conductors, where the individual conductor is not installed in raceways or physical contact with each other except in the lengths not exceeding 24.0 inches.



RECEIVED TIME MAR. 8. 1:30PM

Single Pole Connectors

Project Name:	Prepared By:
Project Number:	Date:
Catalog Number:	Type:


Cam-Lok™ J-Series E1016 Plugs

Cable Size 2/0 - 4/0
600V AC/DC, Up to 400A Continuous
NEMA 3R

J-Series E1016, Elastomeric, Non-Vulcanized, Double Set Screw Connection

FEATURES

- Double cam principle provides a positive, vibration-proof connection.
- Self-compensating for wear.
- No moving contact surfaces, eliminating arcing or burning.
- Superior electro-mechanical connections.
- 400A continuous duty rating when used with 90°C 4/0 cable.
- Locked contacts will withstand a pulling force of 1,000 lbs.
- 1/3 of a turn assures a high pressure contact approaching 600 lbs. per sq. in. providing minimum resistance.
- Contacts carefully machined from a high conductivity brass to a smooth sliding fit and easy locking action.
- Watertight elastomeric insulators molded from colorfast material, color-coded for easy phase identification.
- Recessed contacts protected by insulating jacket that extends beyond contact ends for safety.
- Integrated strain relief system features a retaining wire that prevents cable jacket pull-away and bare conductor exposure.
- Plugs feature a high-strength, molded-in-place locking ring to capture and secure the insulator to the contact.
- Accepts a wide range of cable sizes.



E1016-8387

DOUBLE SET SCREW NON-VULCANIZED MALE PLUGS



CABLE SIZE	COLOR	COMPLETE PART NO.	CONTACT ONLY PART NO.	INSULATOR ONLY PART NO.
2/0-4/0	BLACK	E1016-8382	A200638-1	A200074-60
	RED	E1016-8384		A200074-62
	GREEN	E1016-8386		A200074-64
	WHITE	E1016-8387		A200074-66
	BLUE	E1016-8388		A200074-68
	BROWN	E1016-8389		A200074-67
	ORANGE	E1016-8385		A200074-63
	YELLOW	E1016-8383		A200074-61



E1016-8393

DOUBLE SET SCREW NON-VULCANIZED FEMALE PLUGS

CABLE SIZE	COLOR	COMPLETE PART NO.	CONTACT ONLY PART NO.	INSULATOR ONLY PART NO.
2/0-4/0	BLACK	E1016-8387	A200641-1	A200075-60
	RED	E1016-8389		A200075-62
	GREEN	E1016-8391		A200075-64
	WHITE	E1016-8392		A200075-65
	BLUE	E1016-8393		A200075-46
	BROWN	E1016-8384		A200075-67
	ORANGE	E1016-8390		A200075-63
	YELLOW	E1016-8388		A200075-61



RECEIVED TIME MAR. 8. 1:30PM

RECEIVED TIME MAR. 8. 1:30PM



LEETE

1.1.1 1568

3360 McMaude Place • Santa Rosa, CA 95407
Ph: 800-649-0484 • Fax: 707-545-8930
March 8, 2016

Department of Administration, Purchasing Division
State of West Virginia
2019 Washington Street
Charleston, WV 25305-0130

FAX: 304-558-3970

(17 Pages)

Re: Sealed Bid: 100Kw Portable Generator with Trailer
Solicitation No. CRFQ GSD 160000019
Due Date: March 8, 2016 at 1:30 EST

To whom it may concern:

Attached is the pertinent information on the above listed bid:

One (1) Blue Star Model JD100-01 Portable Trailer Mount Generator meeting the specifications of Solicitation No. CRFQ GSD 160000019. All Generator data and specifications are included with this submittal as requested.

Total Quoted Price: \$56,900.00 United States Dollars

Price Does Not Include Sales Taxes

Exceptions to the bid:

- Time Delivery: Delivery is estimated to be eight (8) weeks from approved Purchase Order
- No Off-Loading of Unit (off-loading by others)
- No Diesel Fuel included
- Generator Unit does not have a rear door access (listed unit access located on sides of the generator unit).

If you have any questions on this quote, please feel free to contact me at the below listed email or telephone number.

Joseph D. Netter
Ramsay-Bliese Corp. dba Leete Generators
General Manager
Leete Generators
j.netter@leetegenerators.com
707 545-0484 ext. 416

RECEIVED TIME MAR. 8. 1:23PM

PRINT TIME MAR. 8. 1:25PM

SOLICITATION NUMBER: GSD160000019

Addendum Number: 1

The purpose of this addendum is to modify the solicitation identified as ("Solicitation") to reflect the change(s) identified and described below.

Applicable Addendum Category:

- | Modify bid opening date and time
- | Modify specifications of product or service being sought
- | Attachment of vendor questions and responses
- | Attachment of pre-bid sign-in sheet
- | Correction of error
- | Other

Description of Modification to Solicitation:

1. To publish Vendor Questions with responses.

No other changes.

Additional Documentation: Documentation related to this Addendum (if any) has been included herewith as Attachment A and is specifically incorporated herein by reference.

Terms and Conditions:

1. All provisions of the Solicitation and other addenda not modified herein shall remain in full force and effect.
2. Vendor should acknowledge receipt of all addenda issued for this Solicitation by completing an Addendum Acknowledgment, a copy of which is included herewith. Failure to acknowledge addenda may result in bid disqualification. The addendum acknowledgement should be submitted with the bid to expedite document processing.

Revised 6/8/2012

RECEIVED TIME MAR. 8. 1:23PM

PRINT TIME MAR. 8. 1:25PM

ATTACHMENT A

Revised 6/8/2012

RECEIVED TIME MAR. 8. 1:23PM

PRINT TIME MAR. 8. 1:25PM

CRFQ.GSD1600000019

100KW Generator Caterpillar XQ100 (or Equal)

Vendor Questions/Responses.

1. Please confirm the 100 kW rating is standby.
 - 100KW New Portable Generator with Trailer Caterpillar
 - XQ100 (or equal)

ANSWER: Yes

2. What do you require for set-up?
3. Do you require installation?

ANSWER 2 & 3: There is only set-up, no installation. Provide training for staff electricians.

4. Do you require Simultaneous 3 Phase Voltage Output?

ANSWER: Yes

ADDENDUM ACKNOWLEDGEMENT FORM
SOLICITATION NO.: GSD1600000019

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

Addendum Numbers Received:

(Check the box next to each addendum received)

- | | |
|--|--|
| <input checked="" type="checkbox"/> Addendum No. 1 | <input type="checkbox"/> Addendum No. 6 |
| <input type="checkbox"/> Addendum No. 2 | <input type="checkbox"/> Addendum No. 7 |
| <input type="checkbox"/> Addendum No. 3 | <input type="checkbox"/> Addendum No. 8 |
| <input type="checkbox"/> Addendum No. 4 | <input type="checkbox"/> Addendum No. 9 |
| <input type="checkbox"/> Addendum No. 5 | <input type="checkbox"/> Addendum No. 10 |

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

Ramsay - Bliese Corp dba Deete Generators
Company
[Signature], General Mgr.
Authorized Signature
3/7/2016
Date

NOTE: This addendum acknowledgement should be submitted with the bid to expedite document processing.
Revised 6/8/2012

Request for Taxpayer Identification Number and Certification

Give Form to the
requester. Do not
send to the IRS.

1 Name (as shown on your income tax return). Name is required on this line; do not leave this line blank.
Ramsay-Bilase Corp

2 Business name/disregarded entity name, if different from above
dba Leete Generators

3 Check appropriate box for federal tax classification; check only one of the following seven boxes:
 Individual/sole proprietor or single-member LLC
 C Corporation S Corporation Partnership Trust/estate
 Limited liability company. Enter the tax classification (C=C corporation, S=S corporation, P=partnership) ▶ _____
Note. For a single-member LLC that is disregarded, do not check LLC; check the appropriate box in the line above for the tax classification of the single-member owner.
 Other (see instructions) ▶ _____

4 Exemptions (codes apply only to certain entities, not individuals; see instructions on page 3):
 Exempt payee code (if any) _____
 Exemption from FATCA reporting code (if any) _____
(Applies to accounts maintained only on the U.S.)

5 Address (number, street, and apt. or suite no.) **Requester's name and address (optional)**
2360 McMaude Place

6 City, state, and ZIP code
Santa Rosa, CA 95407

7 List account number(s) here (optional)

Part I Taxpayer Identification Number (TIN)

Enter your TIN in the appropriate box. The TIN provided must match the name given on line 1 to avoid backup withholding. For individuals, this is generally your social security number (SSN). However, for a resident alien, sole proprietor, or disregarded entity, see the Part I instructions on page 3. For other entities, it is your employer identification number (EIN). If you do not have a number, see *How to get a TIN* on page 3.

Social security number

			-			-			
--	--	--	---	--	--	---	--	--	--

OR

Employer identification number

6	8	-	0	1	8	9	4	9	0
---	---	---	---	---	---	---	---	---	---

Note. If the account is in more than one name, see the instructions for line 1 and the chart on page 4 for guidelines on whose number to enter.

Part II Certification

Under penalties of perjury, I certify that:

- The number shown on this form is my correct taxpayer identification number (or I am waiting for a number to be issued to me); and
- I am not subject to backup withholding because: (a) I am exempt from backup withholding, or (b) I have not been notified by the Internal Revenue Service (IRS) that I am subject to backup withholding as a result of a failure to report all interest or dividends, or (c) the IRS has notified me that I am no longer subject to backup withholding; and
- I am a U.S. citizen or other U.S. person (defined below); and
- The FATCA code(s) entered on this form (if any) indicating that I am exempt from FATCA reporting is correct.

Certification instructions. You must cross out item 2 above if you have been notified by the IRS that you are currently subject to backup withholding because you have failed to report all interest and dividends on your tax return. For real estate transactions, item 2 does not apply. For mortgage interest paid, acquisition or abandonment of secured property, cancellation of debt, contributions to an individual retirement arrangement (IRA), and generally, payments other than interest and dividends, you are not required to sign the certification, but you must provide your correct TIN. See the instructions on page 3.

Sign Here Signature of U.S. person ▶ *Wayne Baker* Date ▶ *11/17/2015*

General Instructions

Section references are to the Internal Revenue Code unless otherwise noted.
Future developments. Information about developments affecting Form W-9 (such as legislation enacted after we release it) is at www.irs.gov/ir9.

Purpose of Form

An individual or entity (Form W-9 requester) who is required to file an information return with the IRS must obtain your correct taxpayer identification number (TIN) which may be your social security number (SSN), individual taxpayer identification number (ITIN), adoption taxpayer identification number (ATIN), or employer identification number (EIN), to report on an information return the amount paid to you, or other amount reportable on an information return. Examples of information returns include, but are not limited to, the following:

- Form 1099-INT (interest earned or paid)
- Form 1099-DIV (dividends, including those from stocks or mutual funds)
- Form 1099-MISC (various types of income, prizes, awards, or gross proceeds)
- Form 1099-B (stock or mutual fund sales and certain other transactions by brokers)
- Form 1099-S (proceeds from real estate transactions)
- Form 1099-K (merchant card and third party network transactions)

- Form 1098 (home mortgage interest), 1098-E (student loan interest), 1098-T (tuition)
 - Form 1099-C (cancelled debt)
 - Form 1099-A (acquisition or abandonment of secured property)
- Use Form W-9 only if you are a U.S. person (including a resident alien), to provide your correct TIN.
- If you do not return Form W-9 to the requester with a TIN, you might be subject to backup withholding. See *What is backup withholding?* on page 2.
- By signing this filled-out form, you:
- Certify that the TIN you are giving is correct (or you are waiting for a number to be issued).
 - Certify that you are not subject to backup withholding, or
 - Claim exemption from backup withholding if you are a U.S. exempt payee. If applicable, you are also certifying that as a U.S. person, your allocable share of any partnership income from a U.S. trade or business is not subject to the withholding tax on foreign partners' share of effectively connected income, and
 - Certify that FATCA code(s) entered on this form (if any) indicating that you are exempt from the FATCA reporting, is correct. See *What is FATCA reporting?* on page 2 for further information.

RECEIVED TIME MAR. 8. 1:23PM PRINT TIME MAR. 8. 1:26PM

Unit Model	JD100-01	Standby / Prime	Mobile Standby Power
kWe Rating	100 kWe	UL 2200 Listed	No
Fuel	Diesel	CSA Approved	No
EPA	Tier 3 TPEM [Flex]	Paint Color	White

Engine Model: John Deere 4045HF285 (FLEX) 100kW Standby Power Rating at 1800 RPM Governor - Electronic Isochronous

Voltage: 208/120V 3 Phase 60 Hz 0.8 PF

Gen Model: Marathon 362CSL1606 12 Lead Wired 208V 3 Phase Low Wye 130°C Rise Over 27°C Ambient

Voltage Regulator: Marathon DVR2000E+ Digital Voltage Regulator with PMG Excitation

Generator Space Heater: Generator Space Heater 250W 120VAC Wired to Terminal

Control Panel: Blue Star DGC-2020 Microprocessor Based Gen-Set Controller Mounted Facing Left from Generator End (Unless Specified Otherwise)
Standard Features: Low Oil Pressure, High Coolant Temp, Overspeed, Overcrank Shutdowns
Emergency Stop Pushbutton, Audible Alarm Buzzer with Silencing Switch
Optional Features Include: Generator Protection (Undervoltage, Overvoltage, Underfrequency, Overfrequency, Overcurrent)
15 Contact Outputs: Additional (8) Programmable 2ADC Contacts
Low Water Level Sensor with Shutdown
Control Panel Battery Disconnect Switch
Break Glass E-Stop Station - Send Loose

Unit Color: White

Enclosure: Level 3 (Sound Attenuated Enclosure) Powder Coated 14 Gauge Steel Rugged and Durable 150 MPH Wind Rated Enclosure with Exhaust Hood Pitched Roof for Increased Structural Integrity and Improved Watershed Punched Intake with Baffle and Punched Exhaust Openings Keyed Alike Lockable Doors with Draw Down Latches and Stainless Steel Component Hinges Additional 1.5" Thick Polydamp Type D Acoustical Foam (PAF) Formed Steel Base with Mounting and Lifting Holes Includes Vibration Mounts to Isolate Unit from Base Rail

Sound Attenuation Foam: Sound Attenuation Installed in Enclosure and Exhaust Hood

Enclosure Options: Load Distribution Center for Single Point Accessory Wiring

Cooling: Unit Mounted Radiator (50°C Ambient)

Oil Drain Extension: Plumbed to Bulkhead Fitting in Base

Mainline Breaker: 400 Amp 3 Pole 240 Volt Breaker Mounted & Wired in a NEMA 1 Enclosure
OPTIONS: Shunt Trip 400A Breaker
Additional Breaker: 250A 480/277V 3 Phase with shunt trip

Jacket Water Heater: Engine Block Heater 1500W 120VAC Rated for -20°F Heater Installed with Isolation Valves and Wired to Terminal

Air Cleaner: Dry Single Stage



Solicitation No. CRFQ GSD 16 000000 19

Capability Statement

Core Competencies:

Leete Generators provides the services that the State of West Virginia requires to meet its mission of being the standard in water conservation and a commitment to environmental stewardship through leadership, expertise and strategic partnerships while delivering innovative and cost effective services and solutions throughout its operations.

Differentiators:

- Established 1908
- Diversification of sales and services representing over 16 major American brands (ASCO, Cummins/Onan, Generac, Kohler, HiPower, Magnum, Blue Star, Olympian/CAT, Taylor, and others)
- General Manager with 25 years of City Management experience who understands Municipal operations and challenges
- *Electrical Generating Systems Association Certified (EGSA) employees*
- Required background checks and drug testing on all employees
- Environmentally responsible emission reduction and permitting, noise ordinance compliance, fuel-type limitations, ease of use, portability, sophisticated switching capabilities, installation irregularities or other unique requirements
- 24/7/365 emergency service
- Warranty Certified

Qualifications:

- Leete Generators will be able to supply State of West Virginia with the required Trailer Mount Portable Generator. Past performance includes: City of Long Beach (2) 150 Kw Tier 4 Magnum Mobile Generators, June 2014, 100% timely fulfillment; 7-day delivery, Lowest priced bid. Reference call: (562) 570-5404.
- Being a company over one hundred years old makes for lasting relationships, rock solid trust and dependability. *But don't make the mistake that our long history makes us out of date and irrelevant.* The secret to Leete Generators success is constant innovation and reinvention. We use state of the art sales and service software, which coupled with our knowledgeable staff, efficiently provides each customer with extraordinary tailored power solutions.
- Leete Generators understands the value of outstanding customer service, reputation and results, and takes great

LEETE


Joseph D. Netter, General Manager/V.P.
 Ph: (707) 545-0484 ext. 416
 Cell: (707) 484-9504
 j.netter@leeteGenerators.com
 www.leeteGenerators.com

Company Data:




- WOSB (Woman-owned, small business)
- DUNS 29431665
- State of California Contractor's License Board, Classification: C-10, License No. 657760.
- CAGE Code 1DVH9
- Accept Credit/Purchase Cards
- GSA #GS07F0358Y
- Supp. Clearing House #10080103

Independent Survey, "Would you use this company Again?"



SALES: Repeat/Referral VS. New Customer





RAMSCRO-01

DWATTS

CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)
11/3/2015

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, the certificate holder waives the right to subrogation against the certificate holder.

RECEIVED TIME: MAR. 8. 1:27PM

PRINT TIME: MAR. 8. 1:28PM

* * * ERROR REPORT (MAR. 8. 2016 1:25PM) * * *

FAX HEADER 1: WV DIV OF PURCH
FAX HEADER 2: 3045583970

FILE	USER NAME	ADDRESS	MODE	TIME	PAGE	RESULT
9506			RES	1'17"	P. 8	E

PAGE NOT RECEIVED

QUICK SERVICE CODE

P. 8


00-20

: BATCH
M : MEMORY TX
S : STANDARD
U : SUPER FINE
* : LAN-FAX

C : CONFIDENTIAL
L : SEND LATER
D : DETAIL
X : EXTRA SUPER FINE
+ : ROUTING

\$: TRANSFER
@ : FORWARDING
F : FINE
b : COLOR
Q : RECEPT. NOTICE REQ.

P : POLLING
E : ECM
O : 300dpi
!\$: REMOTE TRANSFER
A : RECEPT. NOTICE



LG LEETE

EST. 1968

3360 McMaude Place • Santa Rosa, CA 95407
Ph: 800-649-0484 • Fax: 707-545-8930
March 8, 2016

Department of Administration, Purchasing Division
State of West Virginia
2019 Washington Street
Charleston, WV 25305-0130

FAX: 304-558-3970
(17 Pages)

Re: Sealed Bid: 100Kw Portable Generator with Trailer
Solicitation No. CRFQ GSD 1600000019
Due Date: March 8, 2016 at 1:30 EST

To whom it may concern:

Attached is the pertinent information on the above listed bid:

One (1) Blue Star Model JD100-01 Portable Trailer Mount Generator meeting the specifications of Solicitation No. CRFQ GSD 1600000019. All Generator data and specifications are included with this submittal as requested.

Total Quoted Price: \$56,900.00 United States Dollars

Price Does Not Include Sales Taxes

Exceptions to the bid:

- Time Delivery: Delivery is estimated to be eight (8) weeks from approved Purchase Order
- No Off-Loading of Unit (off-loading by others)
- No Diesel Fuel included
- Generator Unit does not have a rear door access (listed unit access located on sides of the generator unit).

If you have any questions on this quote, please feel free to contact me at the below listed email or telephone number.

Joseph D. Netter
Ramsay-Bliese Corp. dba Leete Generators
General Manager
Leete Generators
j.netter@leetegenerators.com
707 545-0484 ext. 416

RECEIVED TIME MAR. 8. 1:28PM

SOLICITATION NUMBER: GSD1600000019

Addendum Number: 1

The purpose of this addendum is to modify the solicitation identified as ("Solicitation") to reflect the change(s) identified and described below.

Applicable Addendum Category:

- | Modify bid opening date and time
- | Modify specifications of product or service being sought
- | Attachment of vendor questions and responses
- | Attachment of pre-bid sign-in sheet
- | Correction of error
- | Other

Description of Modification to Solicitation:

1. To publish Vendor Questions with responses.

No other changes.

Additional Documentation: Documentation related to this Addendum (if any) has been included herewith as Attachment A and is specifically incorporated herein by reference.

Terms and Conditions:

1. All provisions of the Solicitation and other addenda not modified herein shall remain in full force and effect.
2. Vendor should acknowledge receipt of all addenda issued for this Solicitation by completing an Addendum Acknowledgment, a copy of which is included herewith. Failure to acknowledge addenda may result in bid disqualification. The addendum acknowledgement should be submitted with the bid to expedite document processing.

Revised 6/8/2012

RECEIVED TIME MAR. 8. 1:28PM

ATTACHMENT A

Revised 6/8/2012

RECEIVED TIME MAR. 8. 1:28PM

CRFQ GSD1600000019

100KW Generator Caterpillar XQ100 (or Equal)

Vendor Questions/Responses

1. Please confirm the 100 kW rating is standby.
 - 100KW New Portable Generator with Trailer Caterpillar
 - XQ100 (or equal)

ANSWER: Yes

2. What do you require for set-up?
3. Do you require installation?

ANSWER 2 & 3: There is only set-up, no installation. Provide training for staff electricians.

4. Do you require Simultaneous 3 Phase Voltage Output?

ANSWER: Yes

ADDENDUM ACKNOWLEDGEMENT FORM
SOLICITATION NO.: GSD160000019

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

Addendum Numbers Received:

(Check the box next to each addendum received)

- | | |
|--|--|
| <input checked="" type="checkbox"/> Addendum No. 1 | <input type="checkbox"/> Addendum No. 6 |
| <input type="checkbox"/> Addendum No. 2 | <input type="checkbox"/> Addendum No. 7 |
| <input type="checkbox"/> Addendum No. 3 | <input type="checkbox"/> Addendum No. 8 |
| <input type="checkbox"/> Addendum No. 4 | <input type="checkbox"/> Addendum No. 9 |
| <input type="checkbox"/> Addendum No. 5 | <input type="checkbox"/> Addendum No. 10 |

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

Ramsay - Biese Corp. dba Acete Generators
Company
[Signature]
Authorized Signature
3/7/2016
Date

NOTE: This addendum acknowledgment should be submitted with the bid to expedite document processing.
Revised 6/8/2012

RECEIVED TIME MAR. 8. 1:28PM

Request for Taxpayer Identification Number and Certification

Give Form to the
requester. Do not
send to the IRS.

1 Name (as shown on your income tax return). Name is required on this line; do not leave this line blank.
Ramsay-Bliese Corp

2 Business name/disregarded entity name, if different from above
dba Leete Generators

3 Check appropriate box for federal tax classification; check only one of the following seven boxes:
 Individual/sole proprietor or single-member LLC
 C Corporation
 S Corporation
 Partnership
 Trust/estate
 Limited liability company. Enter the tax classification (C=C corporation, S=S corporation, P=partnership) ▶ _____
 Note. For a single-member LLC that is disregarded, do not check LLC; check the appropriate box in the line above for the tax classification of the single-member owner.
 Other (see instructions) ▶ _____

4 Exemptions (codes apply only to certain entities, not individuals; see instructions on page 3):
 Exempt payee code (if any) _____
 Exemption from FATCA reporting code (if any) _____
(Applies to accounts maintained outside the U.S.)

5 Address (number, street, and apt. or suite no.)
3360 McMaude Place

6 City, state, and ZIP code
Santa Rosa, CA 95407

7 List account number(s) here (optional)

Requester's name and address (optional)

Part I Taxpayer Identification Number (TIN)

Enter your TIN in the appropriate box. The TIN provided must match the name given on line 1 to avoid backup withholding. For individuals, this is generally your social security number (SSN). However, for a resident alien, sole proprietor, or disregarded entity, see the Part I Instructions on page 3. For other entities, it is your employer identification number (EIN). If you do not have a number, see *How to get a TIN* on page 3.

Note. If the account is in more than one name, see the instructions for line 1 and the chart on page 4 for guidelines on whose number to enter.

Social security number									
OR									
Employer identification number									
6	3	-	0	1	8	9	4	9	0

Part II Certification

Under penalties of perjury, I certify that:

- The number shown on this form is my correct taxpayer identification number (or I am waiting for a number to be issued to me); and
- I am not subject to backup withholding because: (a) I am exempt from backup withholding, or (b) I have not been notified by the Internal Revenue Service (IRS) that I am subject to backup withholding as a result of a failure to report all interest or dividends, or (c) the IRS has notified me that I am no longer subject to backup withholding; and
- I am a U.S. citizen or other U.S. person (defined below); and
- The FATCA code(s) entered on this form (if any) indicating that I am exempt from FATCA reporting is correct.

Certification instructions. You must cross out item 2 above if you have been notified by the IRS that you are currently subject to backup withholding because you have failed to report all interest and dividends on your tax return. For real estate transactions, item 2 does not apply. For mortgage interest paid, acquisition or abandonment of secured property, cancellation of debt, contributions to an individual retirement arrangement (IRA), and generally, payments other than interest and dividends, you are not required to sign the certification, but you must provide your correct TIN. See the instructions on page 3.

Sign Here Signature of U.S. person ▶ *Wayne Baker* Date ▶ *11/17/2015*

General Instructions

Section references are to the Internal Revenue Code unless otherwise noted.

Future developments. Information about developments affecting Form W-9 (such as legislation enacted after we release it) is at www.irs.gov/fw9.

Purpose of Form

An individual or entity (Form W-9 requester) who is required to file an information return with the IRS must obtain your correct taxpayer identification number (TIN) which may be your social security number (SSN), individual taxpayer identification number (ITIN), adoption taxpayer identification number (ATIN), or employer identification number (EIN), to report on an information return the amount paid to you, or other amount reportable on an information return. Examples of information returns include, but are not limited to, the following:

- Form 1099-INT (interest earned or paid)
- Form 1099-DIV (dividends, including those from stocks or mutual funds)
- Form 1099-MISC (various types of income, prizes, awards, or gross proceeds)
- Form 1099-B (stock or mutual fund sales and certain other transactions by brokers)
- Form 1099-S (proceeds from real estate transactions)
- Form 1099-K (merchant card and third party network transactions)

- Form 1099 (home mortgage interest), 1099-E (student loan interest), 1099-T (tuition)
- Form 1099-C (canceled debt)
- Form 1099-A (acquisition or abandonment of secured property)

Use Form W-9 only if you are a U.S. person (including a resident alien), to provide your correct TIN.

If you do not return Form W-9 to the requester with a TIN, you might be subject to backup withholding. See *What is backup withholding?* on page 2.

By signing the filled-out form, you:

- Certify that the TIN you are giving is correct (or you are waiting for a number to be issued).
- Certify that you are not subject to backup withholding, or
- Claim exemption from backup withholding if you are a U.S. exempt payee. If applicable, you are also certifying that as a U.S. person, your allocable share of any partnership income from a U.S. trade or business is not subject to the withholding tax on foreign partners' share of effectively connected income, and
- Certify that FATCA code(s) entered on this form (if any) indicating that you are exempt from the FATCA reporting, is correct. See *What is FATCA reporting?* on page 2 for further information.

* * * ERROR REPORT (MAR. 8. 2016 1:30PM) * * *

FAX HEADER 1: WV DIV OF PURCH
FAX HEADER 2: 3045583970

FILE	USER NAME	ADDRESS	MODE	TIME	PAGE	RESULT
9507			RES	0'28"	P. 2	E

PAGE NOT RECEIVED

QUICK SERVICE CODE

P. 2

00-00

: BATCH
M : MEMORY TX
S : STANDARD
U : SUPER FINE
* : LAN-FAX

C : CONFIDENTIAL
L : SEND LATER
D : DETAIL
X : EXTRA SUPER FINE
+ : ROUTING

\$: TRANSFER
@ : FORWARDING
F : FINE
b : COLOR
Q : RECEPT. NOTICE REQ.

P : POLLING
E : ECM
O : 300dpi
!\$: REMOTE TRANSFER
A : RECEPT. NOTICE

* * * ERROR REPORT (MAR. 8. 2016 1:30PM) * * *

FAX HEADER 1: WV DIV OF PURCH
FAX HEADER 2: 3045583970

FILE	USER NAME	ADDRESS	MODE	TIME	PAGE	RESULT
9508			RES	1'05"	P. 7	E

PAGE NOT RECEIVED

QUICK SERVICE CODE

P. 7

00-20

: BATCH
M : MEMORY TX
S : STANDARD
U : SUPER FINE
* : LAN-FAX

C : CONFIDENTIAL
L : SEND LATER
D : DETAIL
X : EXTRA SUPER FINE
+ : ROUTING

\$: TRANSFER
@ : FORWARDING
F : FINE
b : COLOR
Q : RECEPT. NOTICE REQ.

P : POLLING
E : ECM
O : 300dpi
!\$: REMOTE TRANSFER
A : RECEPT. NOTICE

Capability Statement

Core Competencies:

Leete Generators provides the services that the State of West Virginia requires to meet its mission of being the standard in water conservation and a commitment to environmental stewardship through leadership, expertise and strategic partnerships while delivering innovative and cost effective services and solutions throughout its operations.

Differentiators:

- Established 1908
- Diversification of sales and services representing over 16 major American brands (ASCO, Cummins/Onan, Generac, Kohler, HiPower, Magnum, Blue Star, Olympian/CAT, Taylor, and others)
- General Manager with 25 years of City Management experience who understands Municipal operations and challenges
- *Electrical Generating Systems Association Certified (EGSA) employees*
- Required background checks and drug testing on all employees
- Environmentally responsible emission reduction and permitting, noise ordinance compliance, fuel-type limitations, ease of use, portability, sophisticated switching capabilities, installation irregularities or other unique requirements
- 24/7/365 emergency service
- Warranty Certified

Qualifications:

- Leete Generators will be able to supply State of West Virginia with the required Trailer Mount Portable Generator. Past performance includes: City of Long Beach (2) 150 Kw Tier 4 Magnum Mobile Generators, June 2014, 100% timely fulfillment; 7-day delivery, Lowest priced bid. Reference call: (562) 570-5404.
- Being a company over one hundred years old makes for lasting relationships, rock solid trust and dependability. *But don't make the mistake that our long history makes us out of date and irrelevant.* The secret to Leete Generators success is constant innovation and reinvention. We use state of the art sales and service software, which coupled with our knowledgeable staff, efficiently provides each customer with extraordinary tailored power solutions.
- Leete Generators understands the value of outstanding customer service, reputation and results, and takes great

LEETE


Joseph D. Netter, General Manager/V.P.
 Ph: (707) 545-0484 ext. 416
 Cell: (707) 484-9504
 j.netter@leeteGenerators.com
 www.leeteGenerators.com

Company Data:




- WOSB (Woman-owned, small business)
- DUNS 29431665
- State of California Contractor's License Board, Classification: C-10, License No. 657760.
- CAGE Code 1DVH9
- Accept Credit/Purchase Cards
- GSA #GS07F0358Y
- Supp. Clearing House #10080103

Independent Survey, "Would you use this company again?"



SALES: Repeat/Referral VS. New Customer





RAMSCRO-01 DWATTS

CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)

11/3/2015

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER George Petersen Insurance Agency, Inc. P.O. Box 3539 Santa Rosa, CA 95402	CONTACT NAME:		
	PHONE (A/C, No, Ext): (707) 525-4150	FAX (A/C, No): (707) 525-4175	
	E-MAIL ADDRESS: info@gpins.com		
INSURER(S) AFFORDING COVERAGE		NAIC #	
INSURER A: Tokio Marine Specialty Insurance		23850	
INSURER B: Nationwide Mutual Insurance Company		23787	
INSURER C: State Compensation Insurance Fund		35076	
INSURER D:			
INSURER E:			
INSURER F:			

INSURED
Ramsay-Bliese Corporation
DBA: Leete Generators
3360 McMaude Place
Santa Rosa, CA 95407

COVERAGES

CERTIFICATE NUMBER:

REVISION NUMBER:

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	AGG. SUBR. INSD. Y/N	POLICY NUMBER	POLICY EFF. (MM/DD/YYYY)	POLICY EXP. (MM/DD/YYYY)	LIMITS
A	<input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR <input checked="" type="checkbox"/> Policy Aggregate \$10 GEN'L AGGREGATE LIMIT APPLIES PER: <input checked="" type="checkbox"/> POLICY <input checked="" type="checkbox"/> PRO-JECT <input type="checkbox"/> LOC OTHER:		PPK1415440	11/05/2015	11/05/2016	EACH OCCURRENCE \$ 1,000,000 DAMAGE TO RENTED PREMISES (Ea occurrence) \$ 100,000 MED EXP (Any one person) \$ 5,000 PERSONAL & ADV INJURY \$ 1,000,000 GENERAL AGGREGATE \$ 2,000,000 PRODUCTS - COMP/DP AGG \$ 2,000,000
B	AUTOMOBILE LIABILITY <input checked="" type="checkbox"/> ANY AUTO <input type="checkbox"/> ALL OWNED AUTOS <input checked="" type="checkbox"/> HIRED AUTOS <input type="checkbox"/> SCHEDULED AUTOS <input checked="" type="checkbox"/> NON-OWNED AUTOS		ACP7826342812	11/05/2015	11/05/2016	COMBINED SINGLE LIMIT (Ea accident) \$ 1,000,000 BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$
A	<input type="checkbox"/> UMBRELLA LIAB <input checked="" type="checkbox"/> OCCUR <input checked="" type="checkbox"/> EXCESS LIAB <input type="checkbox"/> CLAIMS-MADE DED <input checked="" type="checkbox"/> RETENTION \$ 0		PUB520418	11/05/2015	11/05/2016	EACH OCCURRENCE \$ 5,000,000 AGGREGATE \$ Aggregate \$ 5,000,000
C	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below	N/A	8069683-15	09/14/2015	09/14/2016	<input checked="" type="checkbox"/> PER STATUTE <input type="checkbox"/> OTHER E.L. EACH ACCIDENT \$ 1,000,000 E.L. DISEASE - EA EMPLOYEE \$ 1,000,000 E.L. DISEASE - POLICY LIMIT \$ 1,000,000
B	Leased/Rented Equip		ACP7826342812	11/05/2015	11/05/2016	50,000
B	BPP		ACP7826342812	11/05/2015	11/05/2016	Ded: \$1,000 665,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)
Proof of Coverage Only

CERTIFICATE HOLDER

CANCELLATION

Proof of Coverage - All Lines

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE



IG LEETE

1998

3360 McMaude Place • Santa Rosa, CA 95407
Ph: 800-649-0484 • Fax: 707-545-8930
March 8, 2016

Department of Administration, Purchasing Division FAX: 304-558-3970
State of West Virginia (17 Pages)
2019 Washington Street
Charleston, WV 25305-0130

Re: Sealed Bid: 100Kw Portable Generator with Trailer
Solicitation No. CRFQ GSD 1600000019
Due Date: March 8, 2016 at 1:30 EST

To whom it may concern:

Attached is the pertinent information on the above listed bid:

One (1) Blue Star Model JD100-01 Portable Trailer Mount Generator meeting the specifications of Solicitation No. CRFQ GSD 1600000019. All Generator data and specifications are included with this submittal as requested.

Total Quoted Price: \$56,900.00 United States Dollars

Price Does Not Include Sales Taxes

Exceptions to the bid:

- Time Delivery: Delivery is estimated to be eight (8) weeks from approved Purchase Order
- No Off-Loading of Unit (off-loading by others)
- No Diesel Fuel included
- Generator Unit does not have a rear door access (listed unit access located on sides of the generator unit).

If you have any questions on this quote, please feel free to contact me at the below listed email or telephone number.

Joseph D. Netter
Ramsay-Bliese Corp. dba Leete Generators
General Manager
Leete Generators
j.netter@leetegenerators.com
707 545-0484 ext. 416

SOLICITATION NUMBER: GSD1600000019

Addendum Number: 1

The purpose of this addendum is to modify the solicitation identified as ("Solicitation") to reflect the change(s) identified and described below.

Applicable Addendum Category:

- | Modify bid opening date and time
- | Modify specifications of product or service being sought
- | Attachment of vendor questions and responses
- | Attachment of pre-bid sign-in sheet
- | Correction of error
- | Other

Description of Modification to Solicitation:

1. To publish Vendor Questions with responses.

No other changes.

Additional Documentation: Documentation related to this Addendum (if any) has been included herewith as Attachment A and is specifically incorporated herein by reference.

Terms and Conditions:

1. All provisions of the Solicitation and other addenda not modified herein shall remain in full force and effect.
2. Vendor should acknowledge receipt of all addenda issued for this Solicitation by completing an Addendum Acknowledgment, a copy of which is included herewith. Failure to acknowledge addenda may result in bid disqualification. The addendum acknowledgement should be submitted with the bid to expedite document processing.

Revised 6/8/2012

RECEIVED TIME MAR. 8. 1:38PM

ATTACHMENT A

Revised 6/8/2012

RECEIVED TIME MAR. 8. 1:38PM

CRFQ GSD1600000019

100KW Generator Caterpillar XQ100 (or Equal)

Vendor Questions/Responses

1. Please confirm the 100 kW rating is standby.
 - 100KW New Portable Generator with Trailer Caterpillar
 - XQ100 (or equal)

ANSWER: Yes

2. What do you require for set-up?
3. Do you require installation?

ANSWER 2 & 3: There is only set-up, no installation. Provide training for staff electricians.

4. Do you require Simultaneous 3 Phase Voltage Output?

ANSWER: Yes

* * * ERROR REPORT (MAR. 8. 2016 1:40PM) * * *

FAX HEADER 1: WV DIV OF PURCH
FAX HEADER 2: 3045583970

FILE	USER NAME	ADDRESS	MODE	TIME	PAGE	RESULT
9511			RES	1'10"	P. 5	E

PAGE NOT RECEIVED

QUICK SERVICE CODE

P. 5

00-20

: BATCH
M : MEMORY TX
S : STANDARD
U : SUPER FINE
* : LAN-FAX

C : CONFIDENTIAL
L : SEND LATER
D : DETAIL
X : EXTRA SUPER FINE
+ : ROUTING

\$: TRANSFER
@ : FORWARDING
F : FINE
b : COLOR
Q : RECEPT. NOTICE REQ.

P : POLLING
E : ECM
O : 300dpi
!\$: REMOTE TRANSFER
A : RECEPT. NOTICE