

**BRIDGEPORT EQUIPMENT AND TOOL
1504 OAKHURST DRIVE
CHARLESTON, WV 25314
PHONE NUMBER: 304-659-2917**

DATE: SEPTEMBER 17, 2015

TO: WEST VIRGINIA PURCHASING

SEALED BID:

BUYER: GUY NISBET

SOLICITATION NUMBER: CRFQ 0310 DNR1600000009

BID OPENING DATE: 09/17/ 2015

BID OPENING TIME: 1:30 PM

FAX NUMBER: 304-558-3970

09/17/15 11:42:34
WV Purchasing Division

FROM: RON GARDNER

RECEIVED TIME SEP. 17. 11:37AM



Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

State of West Virginia
Request for Quotation
13 - Equipment

Proc Folder: 140713

Doc Description: Addendum No.01 Utility tractor w/front loader & bucket

Proc Type: Central Purchase Order

Date Issued	Solicitation Closes	Solicitation No	Version
2015-09-09	2015-09-17 13:30:00	CRFQ 0310 DNR1600000009	2

BID RECEIVING LOCATION

BID CLERK
DEPARTMENT OF ADMINISTRATION
PURCHASING DIVISION
2018 WASHINGTON ST E
CHARLESTON WV 25305
US

VENDOR

Vendor Name, Address and Telephone Number:

BRIDGEPORT EQUIPMENT AND TOOL
1504 OAKHURSY DRIVE
CHARLESTON, WV 25314
304-659-2917

FOR INFORMATION CONTACT THE BUYER

Guy Nisbet
(304) 558-2596
guy.i.nisbet@wv.gov

Signature X

FEIN #

34-1800484

DATE

9/16/2015

All offers subject to all terms and conditions contained in this solicitation

ADDITIONAL INFORMATION

Addendum

Addendum No.01 issued to publish and distribute the following attached information to the vendor community.

CRFQ

The West Virginia Purchasing Division is soliciting bids on behalf of the Agency, The West Virginia Division of Natural Resources, Parks and Recreation Section, to establish a contract for the one-time purchase of a 4 x 4 utility tractor with front loader and quick attach bucket, for Babcock State Park per the specifications, terms and conditions and the bid requirements as attached.

INVOICE TO:		SHIP TO:	
DIVISION OF NATURAL RESOURCES WEST VIRGINIA STATE PARKS 324 4TH AVE SOUTH CHARLESTON WV25303-1228 US		PARK SUPERINTENDENT DIVISION OF NATURAL RESOURCES BABCOCK STATE PARK HC 35, BOX 150 CLIFFTOP WV 25831 US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
1	Agricultural tractors	1.00000	EA	\$24,372.00	\$24,372.00

Comm Code	Manufacturer	Specification	Model #
25101901	JOHN DEERE	AS PER SPECIFICATIONS	5055E

Extended Description :

Utility tractor, Mahindra 5530 or equal, per requirements in Section 3.1.1

INVOICE TO:		SHIP TO:	
DIVISION OF NATURAL RESOURCES WEST VIRGINIA STATE PARKS 324 4TH AVE SOUTH CHARLESTON WV25303-1228 US		PARK SUPERINTENDENT DIVISION OF NATURAL RESOURCES BABCOCK STATE PARK HC 35, BOX 150 CLIFFTOP WV 25831 US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
2	Agricultural tractors	1.00000	EA	\$625.00	\$625.00

Comm Code	Manufacturer	Specification	Model #
25101901	HLA	PER SPECIFICATION	HD2048

Extended Description :

Utility Tractor Pallet Forks, per requirements in Section 3.1.2

INVOICE TO		SHIP TO	
DIVISION OF NATURAL RESOURCES WEST VIRGINIA STATE PARKS 324 4TH AVE SOUTH CHARLESTON WV25303-1228 US		PARK SUPERINTENDENT DIVISION OF NATURAL RESOURCES BABCOCK STATE PARK HC 35, BOX 150 CLIFFTOP WV 25831 US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
3	Agricultural tractors	1.00000	EA	\$2,876.00	\$2,876.00

Comm Code	Manufacturer	Specification	Model #
25101901	HLA	PER SPECIFICATION	SB2000/84

Extended Description :
 Utility Tractor Front Mount Snow Blade, per requirements in Section 3.1.3

000027

**ADDENDUM ACKNOWLEDGEMENT FORM
SOLICITATION NO.:**

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

Addendum Numbers Received:

(Check the box next to each addendum received)

- | | |
|--|--|
| <input checked="" type="checkbox"/> Addendum No. 1 | <input type="checkbox"/> Addendum No. 6 |
| <input type="checkbox"/> Addendum No. 2 | <input type="checkbox"/> Addendum No. 7 |
| <input type="checkbox"/> Addendum No. 3 | <input type="checkbox"/> Addendum No. 8 |
| <input type="checkbox"/> Addendum No. 4 | <input type="checkbox"/> Addendum No. 9 |
| <input type="checkbox"/> Addendum No. 5 | <input type="checkbox"/> Addendum No. 10 |

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

BRIDGEPORT EQUIPMENT AND TOOL

Company

Ronald A. Gardner

Authorized Signature

9/16/2015

Date

NOTE: This addendum acknowledgement should be submitted with the bid to expedite document processing.

Revised 08/01/2015

RECEIVED TIME SEP. 17. 11:37AM

Babcock State Park					
Utility Tractor - Pricing Page					
Item No.	Description	Manufacturer and Model for "or equal" bids	Qty	Unit Price	Extended Price
1	Utility Tractor with front loader and quick attach bucket, Mahindra 5530, or equal	JOHN DEERE 5055E TRACTOR WITH H240 LOADER	1	\$24,372.00	\$24,372.00
2	Pallet Forks	HLA - MODEL RD2048	1	\$625.00	\$ 625.00
3	Front Mount Snow Blade	HLA- SB2000/84	1	\$2,876.00	\$ 2,876.00
TOTAL BID AMOUNT					\$27,873.00

If bidding "or equal" brands, vendor must include manufacturer's literature documenting it meets the mandatory requirements stated in the specifications.

Bid price must include shipping charges.

BIDDING (2015) JOHN DEERE 5055E WITH A (2105) JOHN DEERE H240 LOADER.
PLEASE SEE ENCLOSED SPECIFICATION SHEETS.

BIDDING (2015) HLA PALLET FORK - MODEL 2048. - SKID STEER CONNECT

BIDDING (2015) HLA SNOW BLADE - SKID STEER CONNECT - MODEL SB2000/84

000026

RECEIVED TIME SEP. 17. 11:37AM

REQUEST FOR QUOTATION
Babcock State Park
4 x 4 Utility Tractor

000022

SPECIFICATIONS

- 1. PURPOSE AND SCOPE:** The West Virginia Purchasing Division is soliciting bids on behalf of Carnifex Ferry Battlefield State Park to establish a contract for the one-time purchase of a 4 x 4 utility tractor with front loader and quick attach bucket.
- 2. DEFINITIONS:** The terms listed below shall have the meanings assigned to them below. Additional definitions can be found in section 2 of the General Terms and Conditions.
 - 2.1 "Contract Item"** means Mahindra 5530, or Equal, as more fully described by these specifications.
 - 2.2 "Pricing Page"** means the pages, contained in wvOASIS or attached as Exhibit "A", upon which Vendor should list its proposed price for the Contract Items.
 - 2.3 "Solicitation"** means the official notice of an opportunity to supply the State with goods or services that is published by the Purchasing Division.
 - 2.4 "RPM"** means rotations per minute.
- 3. GENERAL REQUIREMENTS:**
 - 3.1 Mandatory Contract Item Requirements:** Contract Item must meet or exceed the mandatory requirements listed below.
 - 3.1.1 Utility tractor, Mahindra 5530 or equal**
 - 3.1.1.1** Utility tractor must have a minimum of 3 cylinders, turbo charged, intercooled, diesel engine with a minimum of 54 horsepower @ 2100 rpm.
 - 3.1.1.2** Utility tractor transmission must have synchronized forward and reverse gears and must have a minimum of 8 forward and 8 reverse gears.
 - 3.1.1.3** Utility tractor must be equipped with front loader and quick attach (skid steer style) bucket.

Revised 10/27/2014

RECEIVED TIME SEP. 17. 11:37AM

**REQUEST FOR QUOTATION
Babcock State Park
4 x 4 Utility Tractor**

000023

3.1.1.4 Utility tractor must be 4-wheel drive with hydrostatic power steering.

3.1.1.5 Utility tractor must be equipped with Type R-1 tread style agricultural tires with a minimum 6-ply.

3.1.2 Utility Tractor Pallet Forks

3.1.2.1 Pallet Forks must be quick attaching (skid steer style) and must be interchangeable with the bucket

3.1.3 Utility Tractor Front Mount Snow Blade

3.1.3.1 Front Mount Steel Snow Blade must be a minimum of 84" wide, 22" – 25" tall.

3.1.3.2 Must be made with steel cutting edge, and quick attach with hydraulic power adjustment (side to side angle) and interchangeable with the bucket.

3.1.3.3 Blade should have adjustable skid feet (bumpers on front for leveling).

4. CONTRACT AWARD:

4.1 Contract Award: The Contract is intended to provide Agencies with a purchase price for the Contract Items. The Contract shall be awarded to the Vendor that provides the Contract Items meeting the required specifications for the lowest overall total cost as shown on the Pricing Pages.

4.2 Pricing Page: Vendor should complete the Pricing Page by including the cost per contract item (shipping fees to be included in price per item), and including manufacturer information on "or equal" bids. Vendor should complete the Pricing Page in full as failure to complete the Pricing Page in its entirety may result in Vendor's bid being disqualified.

Vendor must identify "or Equal" Brand and Model of equipment being submitted for bid with their submitted bid response. Vendor should provide equipment brochures with their submitted bid noting equipment being submitted for bid with their submitted bid response. This information will be required before award of contract.

REQUEST FOR QUOTATION
Babcock State Park
4 x 4 Utility Tractor

000024

Vendor should enter the information into the Pricing Page to prevent errors in the evaluation.

Vendors who wish to respond to a Centralized Request for Quotation (CRFQ) online may submit information through the State's wvOASIS Vendor Self Service (VSS). Vendors should download the Exhibit "A": Pricing Page that is attached separately to the CRFQ and published to the VSS. Vendors must complete this form with their pricing information and include it as an attachment to their online response.

If unable to respond online Vendor must submit the Exhibit "A" Pricing Pages in their entirety with your bid prior to the scheduled bid opening date and time.

5. PAYMENT:

5.1 Payment: Vendor shall accept payment in accordance with the payment procedures of the State of West Virginia.

6. DELIVERY AND RETURN:

6.1 Shipment and Delivery: Vendor shall ship the Contract Items immediately after being awarded this Contract and receiving a purchase order. Vendor shall deliver the Contract Items within thirty (30) calendar days after receiving a purchase order. Contract Items must be delivered to the Agency at:

Babcock State Park,
486 Babcock Road, Clifftop
WV 25831-7240

Please coordinate the delivery with the Park Office by calling 304-438-3004.

6.2 Late Delivery: The Agency placing the order under this Contract must be notified in writing if the shipment of the Contract Items will be delayed for any reason. Any delay in delivery that could cause harm to an Agency will be grounds for cancellation of the Contract, and/or obtaining the Contract Items from a third party.

Any Agency seeking to obtain the Contract Items from a third party under this provision must first obtain approval of the Purchasing Division.

6.3 Delivery Payment/Risk of Loss: Vendor shall deliver the Contract Items F.O.B. destination to the Agency's location.

REQUEST FOR QUOTATION
Babcock State Park
4 x 4 Utility Tractor

000025

- 6.4 Return of Unacceptable Items:** If the Agency deems the Contract Items to be unacceptable, the Contract Items shall be returned to Vendor at Vendor's expense and with no restocking charge. Vendor shall either make arrangements for the return within five (5) days of being notified that items are unacceptable, or permit the Agency to arrange for the return and reimburse Agency for delivery expenses. If the original packaging cannot be utilized for the return, Vendor will supply the Agency with appropriate return packaging upon request. All returns of unacceptable items shall be F.O.B. the Agency's location. The returned product shall either be replaced, or the Agency shall receive a full credit or refund for the purchase price, at the Agency's discretion.
- 6.5 Return Due to Agency Error:** Items ordered in error by the Agency will be returned for credit within 30 days of receipt, F.O.B. Vendor's location. Vendor shall not charge a restocking fee if returned products are in a resalable condition. Items shall be deemed to be in a resalable condition if they are unused and in the original packaging. Any restocking fee for items not in a resalable condition shall be the lower of the Vendor's customary restocking fee or 5% of the total invoiced value of the returned items.

7 VENDOR DEFAULT:

7.1 The following shall be considered a vendor default under this Contract.

- 7.1.1** Failure to provide Contract Items in accordance with the requirements contained herein.
- 7.1.2** Failure to comply with other specifications and requirements contained herein.
- 7.1.3** Failure to comply with any laws, rules, and ordinances applicable to the Contract Services provided under this Contract.
- 7.1.4** Failure to remedy deficient performance upon request.

7.2 The following remedies shall be available to Agency upon default.

- 7.2.1** Immediate cancellation of the Contract.
- 7.2.2** Immediate cancellation of one or more release orders issued under this Contract.
- 7.2.3** Any other remedies available in law or equity.

Revised 10/27/2014

RECEIVED TIME SEP. 17. 11:37AM

000030**CERTIFICATION AND SIGNATURE PAGE**

By signing below, or submitting documentation through wvOASIS, I certify that I have reviewed this Solicitation in its entirety; understand the requirements, terms and conditions, and other information contained herein; that I am submitting this bid, offer or proposal for review and consideration; that I am authorized by the vendor to execute and submit this bid, offer, or proposal, or any documents related thereto on vendor's behalf; that I am authorized to bind the vendor in a contractual relationship; and that to the best of my knowledge, the vendor has properly registered with any State agency that may require registration.

BRIDGEPORT EQUIPMENT AND TOOL

(Company)

Ronald A. Gardner RONALD A. GARDNER - SALES
(Authorized Signature) (Representative Name, Title)

304-659-2917 304-659-3276 9/16/2015
(Phone Number) (Fax Number) (Date)

Revised 08/01/2015

RECEIVED TIME SEP. 17. 11:37AM

Print Specifications

Manufacturer	John Deere
MODEL	5055E (2015)
SERIAL NUMBERS	---
Official Test	
Nebraska Test number	Factory Observed
Engine	
Manufacturer	John Deere PowerTech
Engine family	3029
Aspiration	---
Cylinders/Displacement, cu. in. (L)	Turbocharged
Cylinder Liners	2.9 L
Fuel tank capacity, US Gal. (L) (Open; Cab)	3/179 cu In.
Standard	Wet Sleeved
Optional	---
Underhood muffler	68.0; 82 L
Performance	18.0; 21.0 U.S. gal.
Advertised PTO hp (kW) @ Rated rpm	---
Official PTO hp (kW) @ Rated rpm	29 @ 2100 (OOS) per SAE
@ Standard PTO @ Eng rpm	kW
Maximum @ Eng rpm	38.9 @ 2100 (OOS) per
Advertised Engine hp (kW) @ Rated speed	SAE PTO hp
Max Unballast Drwbr hp (kW) @ Eng rpm	---
Maximum Torque (PTO) @ rpm, lb-ft (Nm)	42 @ 2100 kW
Max Torque Rise (80% rtd spd) @ Eng rpm	57 @ 2100 engine hp
Maximum Torque Rise % (PTO) @ Eng rpm	---
Fuel Use, U.S. gal./hr & hp hr/gal. at:	
PTO @ Rated Eng rpm	---
Standard PTO Speed @ Eng speed	---
Maximum PTO Power @ Eng rpm	---
Maximum Engine Power @ Eng rpm	---
Max Unballasted Drawbar Power @ Eng rpm	---
75% Load, Full Engine rpm (Unballasted)	---
75% Load @ Reduced rpm (Unballasted)	---
Transmission	
Std. Transmission; Forward/Reverse	9F/3R SyncShuttle
Opt. Transmission; Forward/Reverse	12F/12R PowrReverser
Reverser	Optional
On-the-Go Shifting (Yes/No/Partial)	Partial
Clutch; Wet/Dry	Dry on 9F/3R SyncShuttle;
Creeper	Wet on 12F/12R
Power Take-Off (PTO)	PowrReverser
Standard	Option on 9F/3R
Optional	transmission models
PTO Speeds @ Engine rpm	Independent 540
PTO Actuation	Independent 540E (12x12)
Hydraulics	540 @ 2400 rpm
Type	Mechanical (lever on 9x3);
Pump Rated Output, GPM (L/min.)	Electrohydraulic with Wet
Standard	Clutch(12x12)
Optional	---
	Open Center

	68.9 L/min
	18.2 gpm

Print Specifications

Rated Flow @ One SCV, GPM (L/min.)	43.1 L/min 11.4 gpm
Max Output @ SCV Couplers, GPM (L/min.)	---
Maximum Operating Pressure, psi (kPa)	---
Maximum Hydraulic Power, hp (kW)	---
Hitch Draft Control Load Sense Type	Mechanical
Remote Control Valves Available	1 (2 opt.)
Hitch Category (SAE Designation)	2 ; convertible to 1
Hitch Lift Cap. lb (kg) @24 in. Bhd Lift Pt.	---
OECD	---
Standard	---
Optional	---
Hitch Lift Cap. lb (kg) @24 in. Bhd Lift Pt. (SAE)	---
Standard	1448 kg 3192 lb
Optional	---
Hitch Lift Cap. lb (kg) @24 in. Bhd Lift Pt. (ASAE)	---
Standard	---
Optional	---
Sensing type	Top Link
Joystick SCV control	2WD- FIK MFWD-Std
Final Drive	
Type	Planetary
Differential controls	Mechanical (Pedal)
Availability	---
Front	No
Front & Rear	No
Engage On-the-Go Rear Differential Lock	Yes
Axle Type	Flanged
Brakes, Type and Control	Hydraulic Wet Disc
Operator Station	
Rollover Protective Structure, OOS	---
Rigid - Foldable - Telescopic	Foldable, 2-Post
Platform - Flat/Straddle	Straddle
Gearshift Location - Console/Floor	Floor, on the side
Cab	
Doors	LH door (RH door optional)
Platform - Flat/Straddle	Straddle
dB(A) Rating	---
Seat Suspension System	---
2WD Dimensions	
Wheelbase, in. (mm)	2050 mm 80.7 in.
Front Tread Range, in. (mm)	---
Rear Tread Range, in. (mm)	---
Minimum Rear Tread Setting, in. (mm)	---
Front Axle Clearance, in. (mm)	---
Turning Radius w/Brakes, ft (m)	3.1 m 10.6 ft
Turning Radius w/o Brakes, ft (m)	3.5 m 11.6 ft
Unballasted Operating Weight, lb (kg)	---
Approx. Ship Wgt, lb (kg) Open; Cab	---
MFWD Dimensions	
Wheelbase, in. (mm)	2050 mm 80.7 in.
Front Tread Range, in. (mm)	---
Front Axle Clearance, in. (mm)	340 mm 13.4 in.
Turning Radius w/Brakes, ft (m)	---
Turning Radius w/o Brakes, ft (m)	---


Print Specifications

Limited Slip Differential	---
Unballasted Operating Weight, lb (kg)	---
Approx. Ship Wgt, lb (kg) Open; Cab	2300; 2550 kg 5070; 5620 lb
4WD Dimensions	
Wheelbase, in. (mm)	---
Wheel Tread, Min. to Max. in. (mm)	---
Turning Radius w/o Brakes, ft (m)	---
Nebraska Test Unballasted w/Duals, lb (kg)	---
Unballasted Weight, lb (kg)	---
Standard Tires	
2WD	
Front	7.5 - 16, R1
Rear	13.6 - 28, R1
MFWD	
Front	9.5 - 24, R1
Rear	14.9 - 28, R1
4WD	
Track widths	---
Miscellaneous	
Country of Manufacture	Pune, India
Ballasting Restrictions, lb (kg)	---
*Notes	---

12F/12R PowrReverser™ transmission is ideal for demanding applications

12F/12R PowrReverser™ transmission is ideal for demanding applications

Print



Electrohydraulic reverser lever

The John Deere built PowrReverser transmission provides 12 forward and 12 reverse gears for operators requiring additional flexibility for multiple applications. It comes standard with shiftable 540/540 Economy PTO. This transmission is ideal for operators using their tractors to perform in versatile applications.

Hydraulic wet forward and reverse clutches maximize durability and will outlast the life of any dry clutch. When tractors are run by multiple operators with a variety of experience levels, a wet clutch is the best way to maintain transmission integrity and performance while decreasing clutch replacement costs.

Two platform-mounted levers offer easy and comfortable shifting for a pleasant operator experience. The gear-shift lever is easy to reach and the less-used range lever is now shorter.


Unique knobs make it easier to distinguish between the two. The forward lever selects one of four speeds, all synchronized shifts for on-the-go shifting with the use of the clutch. The rear lever selects collar-shift A, B, and C ranges, which are not synchronized.

Maximum productivity is achieved with hydraulic PowerShift between forward and reverse and is ideal for loader and rear blade applications that require frequent directional switches in tight spaces. Excellent modulation allows the operator to shift the direction lever from neutral to forward or reverse, forward to reverse, reverse to forward, or to neutral from forward or reverse.

Operators can accomplish all these directional changes without sacrificing comfort or having to depress the clutch pedal. The speed of directional changes can be adjusted to the operator's preference or application demands with the field-installed infinitely variable control kit.

An electrohydraulic fingertip directional lever control allows the operator to effortlessly switch directions with a small finger motion. The control is located on the left side of the instrument console and selects forward, reverse, and neutral positions.

It also allows the operator to steer and shift direction with the left hand, freeing the right hand to operate other tractor controls, such as the loader, rear implements, or hand throttle.



5075E

Constant-mesh, helical-cut gears provide quieter operation and excellent reliability while the pressure-lubricated top shaft adds to the transmission durability. Fully enclosed, rigid shift linkages for short throw and crisp shifts enable all operators to clearly know in what range and gear they are operating.

Positive park pawl on the transmission provides positive park and eliminates the need for a hand brake.

This also eliminates clutch service costs that occur when the park brake is accidentally left engaged. A neutral start switch requires the directional lever to be in the neutral position to start the engine.

Ground speeds

See the story on 12F/12R transmission ground speeds.

Availability for 3-cylinder SE Tractors:

Model	12F/12R Transmission

12F/12R PowrReverser™ transmission is ideal for demanding applications

5045E (2WD)	
5045E (MFWD)	
5055E (2WD)	
5055E (MFWD)	X
5065E (2WD)	
5065E (MFWD)	X
5075E (2WD)	
5075E (MFWD)	X

X = Available

Base Equipment On : 5085E and 5100E
Optional Equipment On : 5055E, 5065E, 5075E

[Provide feedback about this page](#)

Last Updated : 29-May-2015

Product features are based on published information at the time of publication and are subject to change without notice. All trademarked terms, including John Deere, the leaping deer symbol and the colors green and yellow used herein are the property of Deere & Company, unless otherwise noted. Availability of products, product features, and other content on this site may vary by model and geographic region.

Engine horsepower and torque information for non-Deere engines are provided by the engine manufacturer for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's Web site for additional information.

Copyright © 2015 Deere & Company. All Rights Reserved.

RECEIVED TIME SEP. 17. 11:37AM

Print Specifications

Page 1 of 2

Manufacturer	John Deere
MODEL	H240 NSL on SE Final
SERIAL NUMBERS	Tier 4 (FT4) 3-Cyl (5045E, 5055E, 5065E, 5075E)


Technical drawing	
Technical drawing	View diagram
Tractor	
Model	SE Final Tier 4 (FT4) 3-Cyl (5045E, 5055E, 5065E, 5075E)
Front tire	320/85 R24 BKT (12.4 R24)
Rear tire	420/85 R30 BTK (16.9)
Front axle configuration	---
Wheelbase	81 in.
Pump capacity, gpm	11 gpm
Rated pressure, psi	2828 psi
Loader	
Leveling configuration	Non-Self Leveling (NSL)
Bucket used	General Purpose 1850 mm 73 in.
Bucket weight, lb (kg)	178 kg 392 lb
Lift capacity at full height, lb (kg)	---
Measured at pivot (U)	1598.0 kg 3523.0 lb
Measured at 500 mm ahead of pivot (V)	---
Measured at 800 mm ahead of pivot (V)	1040.0 kg 2292.8 lb
Lift capacity at 59 in. (1500 mm), lb (kg)	---
Measured at pivot (W)	1828 kg 4030 lb
Measured at 500 mm ahead of pivot (X)	---
Measured at 800 mm ahead of pivot (X)	1349 kg 2974 lb
Boom breakout force, lbf (kgf)	---
Measured at pivot (Y)	2105 kgf 4640.7 lbf
Measured at 500 mm ahead of pivot (Z)	---
Measured at 800 mm ahead of pivot (Z)	1437 kgf 3168 lbf
Bucket rollback force capacity, lbf (kgf)	---
At maximum height (VV)	1209 kgf 2665.4 lbf
At 59-in. (1500-mm) lift height (XX)	2151.0 kgf 4742.1 lbf
At ground-level line (ZZ)	2191.0 kgf 4830.3 lbf
Dimensions	---
Maximum lift height, in. (mm) (A)	3352.0 mm 3157.0 in.
Clearance	---
At full height - bucket level, in. (mm) (B)	3157 mm 98.3 in.
At full height - bucket dumped, in. (mm) (C)	2497.1 mm 98.3 in.
Overall length (I+F), ft (m)	4.2 m 13.8 ft
Overall height in carry position, ft (m) (J)	---
Digging depth, in. (mm) (H)	---

Print Specifications

	73 mm 2.9 in.
Reach	---
At maximum height, in. (mm) (D)	965.2 mm 38.0 in.
At ground level - bucket level, in. (mm) (F)	2246 mm 88.5 in.
Bucket angle	---
Dump angle, degrees (E)	-58.8 degree (angle)
Rollback angle, degrees (G)	44 degree (angle)
Dump angle, ground	-144 degree (angle)
Cycle times	---
Loader raise, seconds	5.1 seconds
Loader lower, seconds	3.4 seconds
Bucket dump, seconds	4.3 seconds
Bucket rollback, seconds	2.6 seconds
Date collected	---

Search

Forks | Pallet Forks



2,000 LB Cap. - Heavy Duty Pallet Fork

1 1/2" X 3 1/8" class II hook type
Solid fork lift tines
2000 lbs capacity @ 24" L.C.
C/w guard
90" wide carriage

SPECIFICATIONS

PART#	NAME	TINE LENGTH	APPROX. WEIGHT LBS.
HD2136	2000LB PALLET FORK C/W GUARD 36" TINES	36"	270
HD2042	2000LB PALLET FORK C/W GUARD 42" TINES	42"	270
HD2048	2000LB PALLET FORK C/W GUARD 48" TINES	48"	270

- Adaptors
- Buckets
- Blades
- Forks
- Big Arm
- Grapples
- Hydraulic Rotary Broom
- Scrapers
- Silage
- Spears
- Accessories

DEALER | WHERE TO BUY | CONTACT

Associated Companies



Copyright © 2015 Horst Welding

000079

STATE OF WEST VIRGINIA
Purchasing Division

PURCHASING AFFIDAVIT

MANDATE: Under W. Va. Code §5A-3-10a, no contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and: (1) the debt owed is an amount greater than one thousand dollars in the aggregate; or (2) the debtor is in employer default.

EXCEPTION: The prohibition listed above does not apply where a vendor has contested any tax administered pursuant to chapter eleven of the W. Va. Code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Employer default" means having an outstanding balance or liability to the old fund or to the uninsured employers' fund or being in policy default, as defined in W. Va. Code § 23-2c-2, failure to maintain mandatory workers' compensation coverage, or failure to fully meet its obligations as a workers' compensation self-insured employer. An employer is not in employer default if it has entered into a repayment agreement with the Insurance Commissioner and remains in compliance with the obligations under the repayment agreement.

"Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceeds five percent of the total contract amount.

AFFIRMATION: By signing this form, the vendor's authorized signer affirms and acknowledges under penalty of law for false swearing (W. Va. Code §61-5-3) that neither vendor nor any related party owe a debt as defined above and that neither vendor nor any related party are in employer default as defined above, unless the debt or employer default is permitted under the exception above.

WITNESS THE FOLLOWING SIGNATURE:

Vendor's Name: BRIDGEPORT EQUIPMENT AND TOOL


Authorized Signature: *Ronald A. Gardner* Date: 9/16/2015

State of WV

County of Kitchie, to-wit:

Taken, subscribed, and sworn to before me this 16 day of Sept, 2015

My Commission expires March 10, 2019.



NOTARY PUBLIC *Kenna S. Davis*

Purchasing Affidavit (Revised 08/01/2015)

WV-10
Approved Revisited
08/01/15

State of West Virginia VENDOR PREFERENCE CERTIFICATE

000028

Certification and application is hereby made for Preference in accordance with **West Virginia Code, §5A-3-37**. (Does not apply to construction contracts). **West Virginia Code, §5A-3-37**, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the **West Virginia Code**. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Vendor Preference, if applicable.

- 1. **Application is made for 2.5% vendor preference for the reason checked:**
 Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,
 Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,
 Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or,
- 2. **Application is made for 2.5% vendor preference for the reason checked:**
 Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
- 3. **Application is made for 2.5% vendor preference for the reason checked:**
 Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
- 4. **Application is made for 5% vendor preference for the reason checked:**
 Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,
- 5. **Application is made for 3.5% vendor preference who is a veteran for the reason checked:**
 Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or,
- 6. **Application is made for 3.5% vendor preference who is a veteran for the reason checked:**
 Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.
- 7. **Application is made for preference as a non-resident small, women- and minority-owned business, in accordance with West Virginia Code §5A-3-59 and West Virginia Code of State Rules.**
 Bidder has been or expects to be approved prior to contract award by the Purchasing Division as a certified small, women- and minority-owned business.

Bidder understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the requirements for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty against such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency or deducted from any unpaid balance on the contract or purchase order.

By submission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and authorizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid the required business taxes, provided that such information does not contain the amounts of taxes paid nor any other information deemed by the Tax Commissioner to be confidential.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), Bidder hereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate changes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.

Bidder: BRIDGEPORT EQUIPMENT AND TOOL

Signed: *Ronald A. Gardner*

Date: 9/16/2015

Title: SALES