



Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

State of West Virginia  
 Request for Quotation  
 13 - Equipment

Proc Folder: 126501

Doc Description: ADDENDUM # 2 UTILITY FARM TRACTORS AND ATTACHMENTS

Proc Type: Central Purchase Order

Date Issued	Solicitation Closes	Solicitation No	Version
2015-08-14	2015-08-20 13:30:00	CRFQ 0603 ADJ1600000003	3

BID CLERK  
 DEPARTMENT OF ADMINISTRATION  
 PURCHASING DIVISION  
 2019 WASHINGTON ST E  
 CHARLESTON WV 25305  
 US

Vendor Name, Address and Telephone Number:

JSC Enterprises Inc  
 2809 Charleston Rd  
 Spencer WV 25276  
 304-927-4822

08/19/15 13:08:02  
 WV Purchasing Division

FOR INFORMATION CONTACT THE BUYER

Crystal Rink  
 (304) 558-2402  
 crystal.g.rink@wv.gov

Signature X

FEIN #

20-8836925

DATE

8/19/15

All offers subject to all terms and conditions contained in this solicitation

INVOICE TO		SHIP TO	
STATE FINANCE ADJUTANT GENERALS OFFICE 1703 COONSKIN DR		DIVISION ENGINEERING & FACILITIES ADJUTANT GENERALS OFFICE 1707 COONSKIN DR	
CHARLESTON	WV25311-1085	CHARLESTON	WV 25311
US		US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
1	Utility Farm Tractor P7040CPS or Equal ( Brushfork Armory)	1.00000	EA	41213.40	41213.40

Comm Code	Manufacturer	Specification	Model #
25101901	LS	Cab tractor	P7040CPS

Extended Description :

Utility Farm Tractor with Cab LS- Model P7040CPS or equal

INVOICE TO		SHIP TO	
STATE FINANCE ADJUTANT GENERALS OFFICE 1703 COONSKIN DR		DIVISION ENGINEERING & FACILITIES ADJUTANT GENERALS OFFICE 1707 COONSKIN DR	
CHARLESTON	WV25311-1085	CHARLESTON	WV 25311
US		US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
2	Utility Farm Tractor P7040CPS or Equal (for Buckhannon AFRC)	1.00000	EA	41213.40	41213.40

Comm Code	Manufacturer	Specification	Model #
25101901	LS	Cab tractor	P7040CPS

Extended Description :

Utility Farm Tractor with Cab LS- Model P7040CPS or equal

INVOICE TO		SHIP TO	
STATE FINANCE ADJUTANT GENERALS OFFICE 1703 COONSKIN DR		DIVISION ENGINEERING & FACILITIES ADJUTANT GENERALS OFFICE 1707 COONSKIN DR	
CHARLESTON	WV25311-1085	CHARLESTON	WV 25311
US		US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
3	Utility Farm Tractor P7040CPS or Equal (for Logan/Mingo RC)	1.00000	EA	41213.40	41213.40

Comm Code	Manufacturer	Specification	Model #
25101901	LS	Cab tractor	P7040CPS

Extended Description :

Utility Farm Tractor with Cab LS- Model P7040CPS or equal

VOICE TO		SHIP TO	
STATE FINANCE ADJUTANT GENERALS OFFICE 1703 COONSKIN DR		DIVISION ENGINEERING & FACILITIES ADJUTANT GENERALS OFFICE 1707 COONSKIN DR	
CHARLESTON	WV25311-1085	CHARLESTON	WV 25311
US		US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
4	Loader Bucket Attachment LL7101 or Equal ( Brushfork Armory)	1.00000	EA	7500.00	7500.00

Comm Code	Manufacturer	Specification	Model #
25101901	LS	Loader bucket attachment	LL7101

Extended Description :

Loader Bucket Attachment LS-Model LL7101 with 78" Bucket or equal

VOICE TO		SHIP TO	
STATE FINANCE ADJUTANT GENERALS OFFICE 1703 COONSKIN DR		DIVISION ENGINEERING & FACILITIES ADJUTANT GENERALS OFFICE 1707 COONSKIN DR	
CHARLESTON	WV25311-1085	CHARLESTON	WV 25311
US		US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
5	Loader Bucket Attachment LL7101 or Equal ( Buckhannon AFRC)	1.00000	EA	7500.00	7500.00

Comm Code	Manufacturer	Specification	Model #
25101901	LS	Loader bucket attachment	LL7101

Extended Description :

Loader Bucket Attachment LS-Model LL7101 with 78" Bucket or equal

INVOICE TO		SHIP TO	
STATE FINANCE ADJUTANT GENERALS OFFICE 1703 COONSKIN DR		DIVISION ENGINEERING & FACILITIES ADJUTANT GENERALS OFFICE 1707 COONSKIN DR	
CHARLESTON	WV25311-1085	CHARLESTON	WV 25311
US		US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
6	Loader Bucket Attachment LL7101 or Equal (for Logan/MingoRC)	1.00000	EA	7500.00	7500.00

Comm Code	Manufacturer	Specification	Model #
25101901	LG	Loader bucket attachment	LL7101

Extended Description :  
Loader Bucket Attachment LS-Model LL7101 with 78" Bucket or equal

INVOICE TO		SHIP TO	
STATE FINANCE ADJUTANT GENERALS OFFICE 1703 COONSKIN DR		DIVISION ENGINEERING & FACILITIES ADJUTANT GENERALS OFFICE 1707 COONSKIN DR	
CHARLESTON	WV25311-1085	CHARLESTON	WV 25311
US		US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
7	Snow Blade Attachment W9027S or Equal (Brushfork Armory)	1.00000	EA	2531.30	2531.30

Comm Code	Manufacturer	Specification	Model #
22101710	Allied	Front snow blade	W9027S

Extended Description :  
Front Mounted, Front Snow Blade, Allied Model W9027S or equal

INVOICE TO		SHIP TO	
STATE FINANCE ADJUTANT GENERALS OFFICE 1703 COONSKIN DR		DIVISION ENGINEERING & FACILITIES ADJUTANT GENERALS OFFICE 1707 COONSKIN DR	
CHARLESTON	WV25311-1085	CHARLESTON	WV 25311
US		US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
8	Snow Blade Attachment W9027S or Equal (for Buckhannon AFRC)	1.00000	EA	2531.30	2531.30

Comm Code	Manufacturer	Specification	Model #
22101710	Allied	Front snow blade	W9027S

Extended Description :

Front Mounted, Front Snow Blade, Allied Model W9027S or equal

INVOICE TO		SHIP TO	
STATE FINANCE ADJUTANT GENERALS OFFICE 1703 COONSKIN DR		DIVISION ENGINEERING & FACILITIES ADJUTANT GENERALS OFFICE 1707 COONSKIN DR	
CHARLESTON	WV25311-1085	CHARLESTON	WV 25311
US		US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
9	Snow Blade Attachment W9027S or Equal (for Logan/Mingo RC)	1.00000	EA	2531.30	2531.30

Comm Code	Manufacturer	Specification	Model #
22101710	Allied	Front snow blade	W9027S

Extended Description :

Front Mounted, Front Snow Blade, Allied Model W9027S or equal

INVOICE TO		SHIP TO	
STATE FINANCE ADJUTANT GENERALS OFFICE 1703 COONSKIN DR		DIVISION ENGINEERING & FACILITIES ADJUTANT GENERALS OFFICE 1707 COONSKIN DR	
CHARLESTON	WV25311-1085	CHARLESTON	WV 25311
US		US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
10	Snow Blade Attachment W9027S or Equal (for CSMS Eleanor)	1.00000	EA	2531.30	2531.30

Comm Code	Manufacturer	Specification	Model #
22101710	Allied	Front snow blade	W9027S

Extended Description :

Front Mounted, Front Snow Blade, Allied Model W9027S or equal

INVOICE TO:		SHIP TO:	
STATE FINANCE ADJUTANT GENERALS OFFICE 1703 COONSKIN DR		DIVISION ENGINEERING & FACILITIES ADJUTANT GENERALS OFFICE 1707 COONSKIN DR	
CHARLESTON	WV25311-1085	CHARLESTON	WV 25311
US		US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
11	Snow Blade Attachment W9027S or Equal ( TriState AFRC Kenov)	1.00000	EA	2531.30	2531.30

Comm Code	Manufacturer	Specification	Model #
22101710	Allied	Front snow blade	W9027S

Extended Description :  
Front Mounted, Front Snow Blade, Allied Model W9027S or equal

INVOICE TO:		SHIP TO:	
STATE FINANCE ADJUTANT GENERALS OFFICE 1703 COONSKIN DR		DIVISION ENGINEERING & FACILITIES ADJUTANT GENERALS OFFICE 1707 COONSKIN DR	
CHARLESTON	WV25311-1085	CHARLESTON	WV 25311
US		US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
12	Utility Farm Tractor XU5065CPS or Equal (for CSMS Eleanor)	1.00000	EA	29555.80	29555.80

Comm Code	Manufacturer	Specification	Model #
25101901	LS	Cab tractor	XU5065CPS

Extended Description :  
Utility Farm Tractor with Cab LS- Model XU5065CPS or equal

INVOICE TO:		SHIP TO:	
STATE FINANCE ADJUTANT GENERALS OFFICE 1703 COONSKIN DR		DIVISION ENGINEERING & FACILITIES ADJUTANT GENERALS OFFICE 1707 COONSKIN DR	
CHARLESTON	WV25311-1085	CHARLESTON	WV 25311
US		US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
13	Utility Farm Tractor XU5065CPS or Equal (for Tri-State AFRC)	1.00000	EA	29555.80	29555.80

Comm Code	Manufacturer	Specification	Model #
25101901	LS	Cab tractor	XU5065CPS

Extended Description :  
Utility Farm Tractor with Cab LS- Model XU5065CPS or equal

INVOICE TO		SHIP TO	
STATE FINANCE ADJUTANT GENERALS OFFICE 1703 COONSKIN DR		DIVISION ENGINEERING & FACILITIES ADJUTANT GENERALS OFFICE 1707 COONSKIN DR	
CHARLESTON	WV25311-1085	CHARLESTON	WV 25311
US		US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
14	Loader Bucket Attachment LL5103 or Equal (for CSMS Eleanor)	1.00000	EA	6500.00	6500.00

Comm Code	Manufacturer	Specification	Model #
25101901	LG	Loader bucket attachment	LL5103

Extended Description :  
Loader Bucket Attachment LS-Model LL5103 or equal

INVOICE TO		SHIP TO	
STATE FINANCE ADJUTANT GENERALS OFFICE 1703 COONSKIN DR		DIVISION ENGINEERING & FACILITIES ADJUTANT GENERALS OFFICE 1707 COONSKIN DR	
CHARLESTON	WV25311-1085	CHARLESTON	WV 25311
US		US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
15	Loader Bucket Attachment LL5103 or Equal (TriState AFRC)	1.00000	EA	6500.00	6500.00

Comm Code	Manufacturer	Specification	Model #
25101901	LG	Loader bucket attachment	LL5103

Extended Description :  
Loader Bucket Attachment LS-Model LL5103 or equal

BILL TO		SHIP TO	
STATE FINANCE ADJUTANT GENERALS OFFICE 1703 COONSKIN DR		DIVISION ENGINEERING & FACILITIES ADJUTANT GENERALS OFFICE 1707 COONSKIN DR	
CHARLESTON	WV25311-1085	CHARLESTON	WV 25311
US		US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
16	Mower Attachment RD990-X or Equal (for Brushfork Armory)	1.00000	EA	4578.12	4578.12

Comm Code	Manufacturer	Specification	Model #
21101701	Woods	Finish mower attachment	RD990X

Extended Description :  
Finish Mower Attachment, Rear Mount, Woods Model RD990-X or equal

BILL TO		SHIP TO	
STATE FINANCE ADJUTANT GENERALS OFFICE 1703 COONSKIN DR		DIVISION ENGINEERING & FACILITIES ADJUTANT GENERALS OFFICE 1707 COONSKIN DR	
CHARLESTON	WV25311-1085	CHARLESTON	WV 25311
US		US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
17	Mower Attachment RD990-X or Equal (for Buckhannon AFRC)	1.00000	EA	4578.12	4578.12

Comm Code	Manufacturer	Specification	Model #
21101701	Woods	Finish mower attachment	RD990X

Extended Description :  
Finish Mower Attachment, Rear Mount, Woods Model RD990-X or equal

BILL TO		SHIP TO	
STATE FINANCE ADJUTANT GENERALS OFFICE 1703 COONSKIN DR		DIVISION ENGINEERING & FACILITIES ADJUTANT GENERALS OFFICE 1707 COONSKIN DR	
CHARLESTON	WV25311-1085	CHARLESTON	WV 25311
US		US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
18	Polyethylene Spreader S-400-P or Equal ( Brushfork Armory)	1.00000	EA	449.79	449.79



Comm Code	Manufacturer	Specification	Model #
21101804	King Kutter	Poly Spreader	S-400 P

Extended Description :

Polyethylene Fertilizer Spreader, King Kutter Model S-400-P or equal

INVOICE TO		SHIP TO	
STATE FINANCE ADJUTANT GENERALS OFFICE 1703 COONSKIN DR		DIVISION ENGINEERING & FACILITIES ADJUTANT GENERALS OFFICE 1707 COONSKIN DR	
CHARLESTON	WV25311-1085	CHARLESTON	WV 25311
US		US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
19	Polyethylene Spreader S-400-P or Equal (for Buckhannon AFRC)	1.00000	EA	449.79	449.79

Comm Code	Manufacturer	Specification	Model #
21101804	King Kutter	Poly Spreader	S-400 P

Extended Description :

Polyethylene Fertilizer Spreader, King Kutter Model S-400-P or equal

INVOICE TO		SHIP TO	
STATE FINANCE ADJUTANT GENERALS OFFICE 1703 COONSKIN DR		DIVISION ENGINEERING & FACILITIES ADJUTANT GENERALS OFFICE 1707 COONSKIN DR	
CHARLESTON	WV25311-1085	CHARLESTON	WV 25311
US		US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
20	Polyethylene Spreader S-400-P or Equal (for Logan/Mingo RC)	1.00000	EA	449.79	449.79

Comm Code	Manufacturer	Specification	Model #
21101804	King Kutter	Poly Spreader	S-400 P

Extended Description :

Polyethylene Fertilizer Spreader, King Kutter Model S-400-P or equal

INVOICE TO		SHIP TO	
STATE FINANCE ADJUTANT GENERALS OFFICE 1703 COONSKIN DR		DIVISION ENGINEERING & FACILITIES ADJUTANT GENERALS OFFICE 1707 COONSKIN DR	
CHARLESTON	WV25311-1085	CHARLESTON	WV 25311
US		US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
21	Polyethylene Spreader S-400-P or Equal (for CSMS Eleanor)	1.00000	EA	449.79	449.79

Comm Code	Manufacturer	Specification	Model #
21101804	King Kutter	Poly Spreader	S-400P

Extended Description :

Polyethylene Fertilizer Spreader, King Kutter Model S-400-P or equal

INVOICE TO		SHIP TO	
STATE FINANCE ADJUTANT GENERALS OFFICE 1703 COONSKIN DR		DIVISION ENGINEERING & FACILITIES ADJUTANT GENERALS OFFICE 1707 COONSKIN DR	
CHARLESTON	WV25311-1085	CHARLESTON	WV 25311
US		US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
22	Polyethylene Spreader S-400-P or Equal (TriState AFRC Kenov)	1.00000	EA	449.79	449.79

Comm Code	Manufacturer	Specification	Model #
21101804	King Kutter	Poly Spreader	S-400P

Extended Description :

Polyethylene Fertilizer Spreader, King Kutter Model S-400-P or equal

ADJ1600000003	<b>Document Phase</b> Draft	<b>Document Description</b> ADDENDUM # 2 UTILITY FARM TRAC TORS AND ATTACHMENTS	<b>Page</b> 11 of 11
---------------	--------------------------------	---------------------------------------------------------------------------------------	----------------------------

**ADDITIONAL TERMS AND CONDITIONS**

See attached document(s) for additional Terms and Conditions

EXHIBIT A

Utility Farm Tractors & Accessories

PRICING PAGE

CONTRACT ITEM NO. 1	DESCRIPTION	QTY	UNIT PRICE	TOTAL
Item No. 3.1.1	Utility Farm Tractor with Cab LS-Model P7040CPS or equal	1	\$ 41213.40	\$ 41213.40
	Manufacturer Bid: LS			
	Model No. Bid: P7040CPS			
Item No. 3.1.1	Utility Farm Tractor with Cab LS-Model P7040CPS or equal	1	\$ 41213.40	\$ 41213.40
	Manufacturer Bid: LS			
	Model No. Bid: P7040CPS			
Item No. 3.1.1	Utility Farm Tractor with Cab LS-Model P7040CPS or equal	1	\$ 41213.40	\$ 41213.40
	Manufacturer Bid: LS			
	Model No. Bid: P7040CPS			

EXHIBIT A

Utility Farm Tractors & Accessories

PRICING PAGE

CONTRACT ITEM NO. 2	DESCRIPTION	QTY	UNIT PRICE	TOTAL
Item No. 3.1.2	Loader Bucket Attachment LS-Model LL7101 w/78"Bucket or equal	1	\$ 7500.00	\$ 7500.00
	Manufacturer Bld: LS			
	Model No. Bld: LL7101			
Item No. 3.1.2	Loader Bucket Attachment LS-Model LL7101 w/78"Bucket or equal	1	\$ 7500.00	\$ 7500.00
	Manufacturer Bld: LS			
	Model No. Bld: LL7101			
Item No. 3.1.2	Loader Bucket Attachment LS-Model LL7101 w/78"Bucket or equal	1	\$ 7500.00	\$ 7500.00
	Manufacturer Bld: LS			
	Model No. Bld: LL7101			

EXHIBIT A

Utility Farm Tractors & Accessories

PRICING PAGE

CONTRACT ITEM NO. 3	DESCRIPTION	QTY	UNIT PRICE	TOTAL
Item No. 3.1.3	Front Mounted Front Snow Blade, Allied Model W9027S or equal	1	\$ 2531.30	\$ 2531.30
	Manufacturer Bid: <i>Allied</i>			
	Model No. Bid: <i>W90275</i>			
Item No. 3.1.3	Front Mounted Front Snow Blade, Allied Model W9027S or equal	1	\$ 2531.30	\$ 2531.30
	Manufacturer Bid: <i>Allied</i>			
	Model No. Bid: <i>W90275</i>			
Item No. 3.1.3	Front Mounted Front Snow Blade, Allied Model W9027S or equal	1	\$ 2531.30	\$ 2531.30
	Manufacturer Bid: <i>Allied</i>			
	Model No. Bid: <i>W90275</i>			

Item No. 3.1.3	Front Mounted Front Snow Blade, Allied Model W9027S or equal	1	\$ 2531.30	\$ 2531.30
	Manufacturer Bld: <i>Allied</i>			
	Model No. Bld: <i>W9027S</i>			
Item No. 3.1.3	Front Mounted Front Snow Blade, Allied Model W9027S or equal	1	\$ 2531.30	\$ 2531.30
	Manufacturer Bld: <i>Allied</i>			
	Model No. Bld: <i>W9027S</i>			
<b>CONTRACT ITEM NO. 4</b>	<b>DESCRIPTION</b>	<b>QTY</b>	<b>UNIT PRICE</b>	<b>TOTAL</b>
Item No. 3.1.4	Utility Farm Tractor with Cab LS-Model XU5065CPS or equal	1	\$ 29555.80	\$ 29555.80
	Manufacturer Bld: <i>LS</i>			
	Model No. Bld: <i>XU5065CPS</i>			
Item No. 3.1.4	Utility Farm Tractor with Cab LS-Model XU5065CPS or equal	1	\$ 29555.80	\$ 29555.80
	Manufacturer Bld: <i>LS</i>			
	Model No. Bld: <i>XU5065CPS</i>			

**EXHIBIT A**

**Utility Farm Tractors & Accessories**

**PRICING PAGE**

CONTRACT ITEM NO. 5	DESCRIPTION	QTY	UNIT PRICE	TOTAL
Item No. 3.1.5	Front End Loader w/ Bucket LS-Model LL5103 or equal	1	\$ 6500.00	\$ 6500.00
	Manufacturer Bid: LS			
	Model No. Bid: LL5103			
Item No. 3.1.5	Front End Loader w/ Bucket LS-Model LL5103 or equal	1	\$ 6500.00	\$ 6500.00
	Manufacturer Bid: LS			
	Model No. Bid: LL5103			
CONTRACT ITEM NO. 6	DESCRIPTION	QTY	UNIT PRICE	TOTAL
Item No. 3.1.6	Woods Model RD990-X Finish Mower Rear Mount or equal	1	\$ 4578.12	\$ 4578.12
	Manufacturer Bid: Woods			
	Model No. Bid: RD990-X			
Item No. 3.1.6	Woods Model RD990-X Finish Mower Rear Mount or equal	1	\$ 4578.12	\$ 4578.12
	Manufacturer Bid: Woods			
	Model No. Bid: RD990-X			




EXHIBIT A

Utility Farm Tractors & Accessories

PRICING PAGE

CONTRACT ITEM NO. 7	DESCRIPTION	QTY	UNIT PRICE	TOTAL
Item No. 3.1.7	Polyethylene Fertilizer Spreader, King Kutter Model S-400-P or equal	1	\$ 449.79	\$ 449.79
	Manufacturer Bid: King Kutter			
	Model No. Bid: S-400-P			
Item No. 3.1.7	Polyethylene Fertilizer Spreader, King Kutter Model S-400-P or equal	1	\$ 449.79	\$ 449.79
	Manufacturer Bid: King Kutter			
	Model No. Bid: S-400-P			
Item No. 3.1.7	Polyethylene Fertilizer Spreader, King Kutter Model S-400-P or equal	1	\$ 449.79	\$ 449.79
	Manufacturer Bid: King Kutter			
	Model No. Bid: S-400-P			
Item No. 3.1.7	Polyethylene Fertilizer Spreader, King Kutter Model S-400-P or equal	1	\$ 449.79	\$ 449.79
	Manufacturer Bid: King Kutter			
	Model No. Bid: S-400-P			

Item No. 3.1.7	Polyethylene Fertilizer Spreader, King Kutter Model S-400-P or equal	1	\$ 449.79	\$ 449.79
	Manufacturer Bld: King Kutter			
	Model No. Bld: S-400-P			
	Unit prices to be inclusive of all freight/delivery costs Failure to use this form may result in disqualification			
	Bid TOTAL			\$242,313.49
Bidder / Vendor Information:				
Name: JSC Enterprises Inc				
Address: 2809 Charleston Road				
Spencer WV 25276				
Phone: 304-927-4822				
Fax: 304-927-4823				
E-mail Address: stricklin@hughes.net				
Authorized Signature:			Date:	
			8/19/15	

**CERTIFICATION AND SIGNATURE PAGE**

By signing below, or submitting documentation through wvOASIS, I certify that I have reviewed this Solicitation in its entirety; understand the requirements, terms and conditions, and other information contained herein; that I am submitting this bid, offer or proposal for review and consideration; that I am authorized by the vendor to execute and submit this bid, offer, or proposal, or any documents related thereto on vendor's behalf; that I am authorized to bind the vendor in a contractual relationship; and that to the best of my knowledge, the vendor has properly registered with any State agency that may require registration.

JSC Enterprises Inc

(Company)

Clyde E Stricklin Clyde E Stricklin, JR, President

(Authorized Signature) (Representative Name, Title)

304-927-4822 / 304-927-4823 / 8/19/15

(Phone Number) (Fax Number) (Date)

**ADDENDUM ACKNOWLEDGEMENT FORM**  
**SOLICITATION NO.: ADJ160000003**

**Instructions:** Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

**Acknowledgment:** I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

**Addendum Numbers Received:**

(Check the box next to each addendum received)

- |                                                    |                                          |
|----------------------------------------------------|------------------------------------------|
| <input checked="" type="checkbox"/> Addendum No. 1 | <input type="checkbox"/> Addendum No. 6  |
| <input checked="" type="checkbox"/> Addendum No. 2 | <input type="checkbox"/> Addendum No. 7  |
| <input type="checkbox"/> Addendum No. 3            | <input type="checkbox"/> Addendum No. 8  |
| <input type="checkbox"/> Addendum No. 4            | <input type="checkbox"/> Addendum No. 9  |
| <input type="checkbox"/> Addendum No. 5            | <input type="checkbox"/> Addendum No. 10 |

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

JSC Enterprises Inc.  
Company  
Clyde E. Struckmeyer  
Authorized Signature  
8/19/15  
Date

**NOTE:** This addendum acknowledgment should be submitted with the bid to expedite document processing.  
Revised 6/8/2012

# Excel in Your Field™

## Specifications

CATEGORY	P7010C	P7040	P7040 CPS
<b>ENGINE</b>			
Type	4 - Cylinder, Direct - injection, Water - cooled		
Model(Tier 4 Interim)	Iveco FPT F5C	Iveco FPT NEF	
Engine HP(Gross)	72	97	
PTO HP	63	85	
Rated speed, RPM	2300		
Displacement-cu, in.	195.3 + TC	273.4 + TCA	
Fuel tank capacity(gal)	26.4		
Alternator(V-A)	12V - 120 Amps	12V - 90 Amps	
<b>DRIVE TRAIN</b>			
Transmission	Synchro shuttle	Power Shuttle with hi-low	
No. of Speed with creeper	20F x 20R	40F x 40R	
Brakes	Wet, Multi - disc		
Steering	Hydrostatic Power Steering		
<b>PTO</b>			
Type	Fully Independent or Manual		
Rear(rpm)	Standard(540 / 750 / 1,000 rpm)		
PTO Function	Shiftable ground speed PTO		
<b>HYDRAULIC SYSTEM</b>			
Implement pump, gpm	12.0	15.9	
Steering pump, gpm	7.0	7.0	
Total flow, gpm	19.0	22.9	
Category, 3pt hitch	CAT 2		
Hitch Lift capacity, lbs(Hitch end)	6,173		
Lift control type	Position / Draft		
<b>DIMENSION</b>			
Overall length with 3pt, in.	157.1	160.5	
Min. overall width with Ag tires, in.	77.8	78.7	
Wheelbase, in.	86.6	90	
Ht to top of Cab with Ag tires, in.	102.3	104.8	103.9
<b>TIRE SIZE</b>			
Ag Front	11.2 - 24	12.4 - 24	13.6 - 24
Ag Rear	16.9 - 30	18.4 - 30	18.4 - 34
<b>WEIGHT</b>			
Total weight without ballast, lbs.	6,675	6,660	7,143

Note Specifications and design are subject to change without prior notice.

### Get More Standard Features


- Power & tilt steering
- Switch operated Independent PTO with 540, 750 & 1000 RPM
- Front loader valve and fender mounted joystick
- Deluxe cabin with A/C, heating & air recirculation
- Interior lighting
- Front & rear wipers & washers
- Premium stereo with AM/FM/CD
- Clock
- Deluxe adjustable seat
- Remote control valves (3 pair)
- Rear work light
- Horn
- 7 pin electrical connector
- Extendable lower links and telescopic stabilizers
- Draw bar
- Hydraulic draft & position control with auto lift
- Pre-heat starting aid
- Hand & foot accelerator control
- Safety flashers & turn signals
- Fuel, coolant temperature, tachometer & hour meter gauges
- Differential lock, parking brake, battery charging, engine oil pressure, fuel filter, hydraulic oil filter pressure, 4WD, PTO operation, electro-hydraulic lift and high beam operation/warning lights



LS Tractor USA | 6900 Corporation Parkway, Battletown, NC  
P: 252.984.0700 | F: 252.984.0701 | www.lstractorusa.com

Front end Loader	LL713E	LL710T
<b>Tractor Application</b>	P7010C	P7040 7040CPS
Maximum Lift height, in.	135	136.4
Clearance with Attachment Dump, in.	100.6	101.6
Reach at Maximum Height, in.	23	20
Maximum Dump Angle, deg.	47	47
Maximum Rollback Angle, deg.	50	50
Digging Depth, in.	6.1	5
Overall Height in Carry Position, in.	69.7	70.8
Lift Capacity(@ Pivot pin), lbs.	3,500	3,500
Breakout Force(@ Pivot pin), lbs.	5,088	5,088
Approx. Weight (Loader w/o Bucket), lbs.	1,892	1,984





**PRODUCT OVERVIEW**

- Constructed for residential and commercial snow removal
- 25 - 80 hp recommended horsepower


**FEATURES**

- 10 gauge blade thickness
- 7 and 9 foot models have 5 degree oscillation
- 2 extension trip springs


**OPTIONS**

- Hydraulic angle lift
- Crossover release valve

The extremely versatile Allied by Farm King snow blade can come equipped for a front end loader or skid steer configuration. The snow blade is constructed using 3/8 inch by 6 inch cutting blade. Furthermore, the cutting edge is reversible to extend the overall life of the blade. At each end of the blade are adjustable skid shoes for a precise blading depth.



[1] Dual acting cylinder hydraulics provide hands free angle adjustment.



[2] The 5 degrees of oscillation allows the blade to contact uneven surfaces.

**Skid Steer and Euro Mount**

MODEL	W6021S	W7221S	W9027E	W9027S	W10027E	W10027S
Overall width	60"	72"	90"	90"	100"	100"
Overall height	21"	21"	27"	27"	27"	27"
Moldboard thickness	10 gauge	10 gauge	10 gauge	10 gauge	10 gauge	10 gauge
Cutting edge	3/8" x 6"	3/8" x 6"	3/8" x 6"	3/8" x 6"	3/8" x 6"	3/8" x 6"
Lateral oscillation	n/a	n/a	5°	5°	5°	5°
Manual angle positions	5	5	5	5	n/a	n/a
Skid steer mount	Universal	Universal	n/a	Universal	n/a	Universal
Adjustable skid shoes	Standard	Standard	Standard	Standard	Standard	Standard
Horsepower range	up to 40 hp	up to 40 hp	30 - 80 hp	30 - 80 hp	40 - 95 hp	40 - 95 hp
Weight	334 lb	350 lb	555 lb	555 lb	665 lb	690 lb

# Excel in Your Field™

## Specifications

CATEGORY	XU5055	XU5055G	XU5065PS	XU5065GPS
<b>ENGINE</b>				
Type	4 Cylinder CRDI, Water-cooled, Turbo			
Model(Tier4)	ISM N4LDI-TA			
Engine HP(Gross)	55		65	
PTO HP	46.5		53.4	
Rated speed, RPM	2,600			
Displacement-cu. in <sup>3</sup>	135.2			
Fuel tank capacity(gal)	15.8			
Alternator(V-A)	12 - 55			
<b>DRIVE TRAIN</b>				
Transmission	Synchro Shuttle		Power Shuttle	
No. of Speed	16F x 16R			
Brakes	Wet, Multi - disc			
Steering	Hydrostatic Power Steering			
<b>PTO</b>				
Type	Independent			
Rear(rpm)	540			
Mid PTO(Optional)	N/A			
<b>HYDRAULIC SYSTEM</b>				
Control system	Position / Draft			
Implement pump, gpm	10.5			
Steering pump, gpm	5.3			
Total flow, gpm	15.8			
Category, 3pt hitch	CAT2			
Hitch Lift capacity, lbs(hitch end)	4,079			
Remote valves	4 (front), 4 (rear)			
<b>DIMENSION</b>				
Overall length, Bumper to link in.	141.5			
Overall width with tires, in.	67			
Wheelbase, in.	80.3			
Ht to top of rops, in.	102.9	100.7	102.9	100.7
<b>TIRE SIZE</b>				
Ag Front / Rear	9.5 - 20 / 16.9 - 24			
IND Front / Rear	10.5 / 80 - 18 / 19.5L - 24			
Turf Front / Rear	36 x 13.5 - 15 / 16.9 - 24			
<b>WEIGHT</b>				
Total weight without ballast, lbs.	4,674	5,121	4,674	5,121

Note Specifications and design are subject to change without prior notice.

### Get More Standard Features

- Dry-type air cleaner
- Pre-heat starting aid
- Hand and foot throttle control
- Instrumentation-alternator
- Warning and engine oil pressure light
- Remote control valves (2 pair)
- Hydrostatic power & tilt steering
- Front loader valve and joystick
- Hydraulic draft and position control
- Automatic lift
- Adjustable seat
- Extendable lower links and telescopic stabilizers
- Drawbar
- Turn signals
- Safety flashers
- Standard 7 pin implement socket

Front end Loader	LB310E
<b>Tractor Application</b>	XU-5000 Series
Maximum Lift height, in.	116
Clearance with Attachment Dump, in.	82.5
Reach at Maximum Height, in.	15.1
Maximum Dump Angle, deg.	48
Maximum Rollback Angle, deg.	46
Digging Depth, in.	4.3
Overall Height in Carry Position, in.	65.5
Lift Capacity@ Pivot pin, lbs.	3,060
Breakout Force@ Pivot pin, lbs.	4,616
Approx. Weight (Loader w/o Bucket), lbs.	1,276

Backhoe	LB310D
<b>Tractor Application</b>	XU-5000 Series
Digging Depth, in.	94.4
Reach from centerline of swing Pivot, in.	136.1
Loading Height, in.	80.3
Swing Arc, deg.	180
Transport Height, in.	92.9
Bucket Rotating, deg.	180
Stabilizer Spread(Down position), in.	68.7
Stabilizer Spread(Up position), in.	46.4
Bucket Digging force, lbs.	3,748

### Additional Equipment on Cab Models

- Deluxe cabin with Heating and A/C
- Cabin air recirculation
- Front & Rear windshield washer/wiper system
- Deluxe Stereo system with CD Player, USB

### Dealer Installed Options

- Beacon Lamp Kit



# LS Tractor USA

LS Tractor USA | 6900 Corporation Parkway, Battleboro, NC  
P: 252.984.0700 | F: 252.984.0701 | www.lstractorusa.com



**1 | Six-year Gearbox Warranty**

With twice the oil capacity of many competitors and an improved breather system that maintains oil lubrication of gears, RD990X gearboxes carry a 6-year limited warranty to ensure years of worry-free performance

**2 | Tapered Roller Bearings**

Tapered roller bearings in caster wheels provide superior performance and longevity in rough conditions



**RD990X**

**3 | Replaceable Side Skids**

Replaceable side skids attach to heavy side frames for durability and long life

<i>Specifications</i>		ES-8000-DIMENSIONS INCHES
Model		RD990X
Tractor PTO HP Range		45-75 hp
Hitch / Quick Hitch Compatible		Cat 1 & 2 / yes
Cutting Width (inches)		90"
Weight		1,993 lbs
Cutting Height Range (inches)		1.5-7"
Overall Width (inches)		97"
Deck Material Thickness		7 gauge
Side Skirt (Inches)		.31 x 8.5" with add onoes
Gearbox HP Rating		75 hp
Blade Tip Speed		17,000 fpm
Blade Overlap (inches)		2"
Blade Spindles/ Bearings		3 cast iron housings / greasable tapered roller bearings
Tractor PTO Speed		540 rpm
Driveline Size		Cat 4
Belt		Powerband w/double B-section
Belt Adjustment		spring-loaded idler
Cutting Area Shielding		chain shielding
Mulching Kit		-
Mower Warranty		1 year
Gearbox Warranty (limited)		6 years
Spindle Warranty (limited)		3 years

**Heavy-duty Rear Discharge Model**

**RD990X** | 90-inch cutting width

The Woods RD990X rear discharge finish mower is tough yet versatile enough to move from rough, weedy farmland to commercial lawns and landscapes.

- Tractor PTO HP range: 45 – 75 hp
- Three-point hitch: Cat 1 and 2
- Blade tip speed: 17,000 fpm
- Takes down grass and light weeds, and leaves a high grade finish cut behind
- Features a quick change blade system, an extra strong double B-section belt, and anti-wrap bars that prevent damage caused by material wrapped around lower spindle
- Deep deck and stump jumper blade carrier with free-swinging blades ideal for rough grass
- Floating lower hitch points allow the mower to follow uneven terrain
- Chain shielding standard





Click on image to zoom



KING KUTTER'S POLY SEEDER/SPREADER is an ideal tool for farmers, ranchers, gardeners, and landscapers. This seeder/spreader can spread grass seed, granular fertilizer, crystalline herbicides, pesticides, sand and salt. You can choose from 3 different spreading patterns; predominately left, predominately right or right and left. The seamless polyethylene hopper is strong enough to endure rough handling and is ideal for sue with today's highly corrosive fertilizers and herbicides. Each unit comes standard with a greasable gearbox and shielded PTO shaft.

**Specifications**

- Hitch Category: CAT 1
- Capacity: 800 LBS
- Painted Galvanized Metal Yellow bucket is made of durable plastic.



© 2008 Carter Manufacturing Company. All rights reserved. This document is the property of Carter Manufacturing Company. No part of this document may be reproduced without the written permission of Carter Manufacturing Company. For more information, contact Carter Manufacturing Company at 1-800-368-2222 or visit our website at www.cartermfg.com.

State of West Virginia  
**VENDOR PREFERENCE CERTIFICATE**

Certification and application\* is hereby made for Preference in accordance with *West Virginia Code*, §5A-3-37. (Does not apply to construction contracts). *West Virginia Code*, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the *West Virginia Code*. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Vendor Preference, if applicable.

**1. Application is made for 2.5% vendor preference for the reason checked:**

Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,

Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,

Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or,

**2. Application is made for 2.5% vendor preference for the reason checked:**

Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,

**3. Application is made for 2.5% vendor preference for the reason checked:**

Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,

**4. Application is made for 5% vendor preference for the reason checked:**

Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,

**5. Application is made for 3.5% vendor preference who is a veteran for the reason checked:**

Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or,

**6. Application is made for 3.5% vendor preference who is a veteran for the reason checked:**

Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.

**7. Application is made for preference as a non-resident small, women- and minority-owned business, in accordance with *West Virginia Code* §5A-3-59 and *West Virginia Code of State Rules*.**

Bidder has been or expects to be approved prior to contract award by the Purchasing Division as a certified small, women- and minority-owned business.

Bidder understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the requirements for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty against such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency or deducted from any unpaid balance on the contract or purchase order.

By submission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and authorizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid the required business taxes, provided that such information does not contain the amounts of taxes paid nor any other information deemed by the Tax Commissioner to be confidential.

Under penalty of law for false swearing (*West Virginia Code*, §61-5-3), Bidder hereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate changes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.

Bidder: JSC ENTERPRISES INC

Signed: 

Date: 08-19-15

Title: PRESIDENT

STATE OF WEST VIRGINIA  
Purchasing Division**PURCHASING AFFIDAVIT**

**MANDATE:** Under W. Va. Code §5A-3-10a, no contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and: (1) the debt owed is an amount greater than one thousand dollars in the aggregate; or (2) the debtor is in employer default.

**EXCEPTION:** The prohibition listed above does not apply where a vendor has contested any tax administered pursuant to chapter eleven of the W. Va. Code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

**DEFINITIONS:**

**"Debt"** means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

**"Employer default"** means having an outstanding balance or liability to the old fund or to the uninsured employers' fund or being in policy default, as defined in W. Va. Code § 23-2c-2, failure to maintain mandatory workers' compensation coverage, or failure to fully meet its obligations as a workers' compensation self-insured employer. An employer is not in employer default if it has entered into a repayment agreement with the Insurance Commissioner and remains in compliance with the obligations under the repayment agreement.

**"Related party"** means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceeds five percent of the total contract amount.

**AFFIRMATION:** By signing this form, the vendor's authorized signer affirms and acknowledges under penalty of law for false swearing (W. Va. Code §61-5-3) that neither vendor nor any related party owe a debt as defined above and that neither vendor nor any related party are in employer default as defined above, unless the debt or employer default is permitted under the exception above.

**WITNESS THE FOLLOWING SIGNATURE:**Vendor's Name: JSC ENTERPRISES INCAuthorized Signature: *Clyde B. Strickland*Date: 8/19/15State of WVCounty of ROANE, to-wit:Taken, subscribed, and sworn to before me this 19 day of Aug, 2015.My Commission expires February 11, 2024.

AFFIX SEAL HERE

NOTARY PUBLIC *Monica R Cox**Purchasing Affidavit (Revised 07/01/2012)*