


2019 Washington Street, East Charleston, WV 25305 Telephone: 304-558-2306 General Fax: 304-558-6026 Bid Fax: 304-558-3970

The following documentation is an electronically-submitted vendor response to an advertised solicitation from the *West Virginia Purchasing Bulletin* within the Vendor Self-Service portal at *wvOASIS.gov*. As part of the State of West Virginia's procurement process, and to maintain the transparency of the bid-opening process, this documentation submitted online is publicly posted by the West Virginia Purchasing Division at *WVPurchasing.gov* with any other vendor responses to this solicitation submitted to the Purchasing Division in hard copy format.





Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

State of West Virginia Solicitation Response

Proc Folder: 216719

Solicitation Description: EQUIPMENT LEASE/RENTAL WITHOUT OPERATOR

Proc Type: Central Master Agreement

Date iss	ued	Solicitation Closes	Solicitation No	Version
		2016-06-30 13:30:00	SR 0803 ESR06291600000006319	1

VENDOR

VS0000005172

Industrial Commercial Residential Equipment & Supply

FOR INFORMATION CONTACT THE BUYER

Misty Delong (304) 558-8802 misty.m.delong@wv.gov

Signature X FEIN # DATE

All offers subject to all terms and conditions contained in this solicitation

Page: 1 FORM ID: WV-PRC-SR-001

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
1	EQUIPMENT LEASE/RENTAL WITHOUT OPERATOR	0.00000	EA	\$0.000000	\$0.00

Comm Code	Manufacturer	Specification	Model #	
72141702				

Extended Description:

EQUIPMENT LEASE/RENTAL WITHOUT OPERATOR

Vendor should enter \$0.00 in the Oasis Commodity line. Vendor shall enter pricing for items being bid on Exhibit A Pricing page.

Please contact misty.g.delong@wv.gov for an Excel version

	Equipment Offered fo	ease/Rental Rate of Equipmer Without Delivery/ Without Operator			Equipment Delivery Fee		
Equipment Description	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
AERIAL BUCKET TRUCK							
Highway Rated TRK. MTD							
50' Reach Min. 43.5' Radious 360 degrees							
Boom Rotation @ level position							
AERIAL PLATFORM TRUCK							
Highway Rated TRK. MTD							
40' Reach Min. 360 degrees							
Boom Rotation @ level position							
AERIAL PLATFORM TRUCK							
Highway Rated TRK. MTD							
55' Reach Min. 360 degrees							
Boom Rotation @ level position							
AERIAL PLATFORM TRUCK							
Elliott Model G50 or similar							
AERIAL PLATFORM TRUCK							
Elliott Model L55 or similar							
ARROW BOARDS							
4' x 8' panel 15 lamp							
ASPHALT DISTRIBUTOR							
Trk. Mtd. w/spray bar							
ASPHALT RECYCLER							
KM T-2 or similar							
ASPHALT RECYCLER							
Self Loading - Stepp SRM 10x120 or similar							
ASPHALT RECYLING ATTACHMENT							
Endloader bucket - mounted, asphalt grinder/recycle							
attachment; min. 185 hp, app. 8,500 lb. wt. capable of							
grinding and remixing up to 12" deep and 48" wide							
pavement and base.							

Please contact misty.g.delong@wv.gov for an Excel version

	Equipment Offered fo	Equipment Offered for Lease/Rental			ease/Rental Rate of Equipmer Without Delivery/ Without Operator		
Equipment Description	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
ASPHALT RECYLING ATTACHMENT							
Zipper or similar							
ASPHALT REMOVAL/RECYCLER							
Benedetti or similar to							
AUGER							
Track Mtd.							
AUGER							
Truck Mtd.							
BACKHOE							
Crawler Mech./Hyd. 0.75 Cyd.							
24,000 lbs 28,000 lbs. Working Weight							
BACKHOE							
Crawler Mech./Hyd. 0.75 Cyd.	Komatsu	PC138	450	1,300	3,400	125	1
29,000 lbs 35,800 lbs. Working Weight							
BACKHOE							
Crawler Mech./Hyd. 1.00 Cyd.	Komatsu	PC160	480	1,400	3,600	150	1
36,000 lbs 40,000 lbs. Working Weight							
Attachment: Grapple							
BACKHOE							
Crawler Mech./Hyd. 1.25 Cyd., 128 - 141 HP	Komatsu	PC210	530	1,550	3,850	175	1
42,700 lbs 45,900 lbs. Working Weight							
BACKHOE (HY-RAM)							
Crawler 2,000 ft./lbs. min.	Komatsu	PC160	480	1,400	3,600	150	1
24,400 lbs 35,800 lbs. Excavator Size							
BACKHOE (HY-RAM)							
Crawler 2,000 ft./lbs. min.	Komatsu	PC160	480	1,400	3,600	150	1
36,000 lbs 42,900 lbs. Excavator Size							
Attachment: Grapple							
BACKHOE (HY-RAM)							

Please contact misty.g.delong@wv.gov for an Excel version

	Equipment Offered fo	r Lease/Rental	ease/Rental Rate of Equipmer Without Delivery/ Without Operator			Equipment Delivery Fee	
Equipment Description	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
Crawler 2,000 ft./lbs. min.	Komatsu	PC228	550	1,650	5,000	200	1
43,000 lbs 60,000 lbs. Excavator Size							
BACKHOE (HY-RAM)							
Crawler 2,000 ft./lbs. min.							
61,000 lbs 80,000 lbs. Excavator Size							
HYRAM ATTACHMENT ONLY							
2,000 ft./lbs. min							
BACKHOE							
Crawler with a thumb							
BACKHOE LOADER	Case	580	300	900	2,250	100	1
Rubber Tired 55-85 DHP	Case	360	300	900	2,230	100	ı
BACKHOE LOADER (HY-RAM)							
Mtd. Hyd. Breaker 55-85 DHP D							
BACKHOE LOADER (HO-RAM)							
Mtd. Air Breaker 1,000 ft./lbs. min.							
BACKHOE LOADER TRACTOR - Compact							
Rubber Tired 20-30 HP max. height - 83"							
BASE WIDENER SP							
Shoulder Stone							
BRUSH CHIPPER - up to 49 hp	Vermeer	BC1500XL	250	700	2,000	90	1
Cutting size - 12" in diameter.	Vermeer	BCT300AL	250	700	2,000	70	1
BRUSH CHIPPER - from 50 hp to 85 hp	Vermeer	BC1500XL	250	700	2,000	90	1
Cutting size - 12" in diameter.	Vermeer	DCT300XL	230	700	2,000	70	'
BULLDOZER	Komatsu	D37	325	900	2,700	175	4
Crawler GD 65 -75 DHP D	Komatsu	D31	JZJ	700	2,700	175	4
BULLDOZER	Komatsu	D37	325	900	2,700	175	4
Crawler GD 80 -90 DHP D	Komatsu	D31	JZJ	700	2,700	173	7
BULLDOZER	Komatsu	D39	450	1,200	3,400	100	1
Crawler GD 100 -120 DHP D	Komatsu	537	730	1,200	5,700	100	'

Please contact misty.g.delong@wv.gov for an Excel version

	Equipment Offered for Lease/Rental			ease/Rental Rate of Equipmer Without Delivery/ Without Operator			oment ery Fee
Equipment Description	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
BULLDOZER Crawler GD 130 -140 DHP D	Komatsu	D51	625	1,800	4,668	150	3
BULLDOZER Crawler TC 150 - 250 EHP D	Komatsu	D61	800	2,400	6,100	200	5
BULLDOZER Crawler/Ripper TCP 181 - 250 EHP D	Komatsu	D65	900	2,900	7,400	200	5
BULLDOZER Crawler/Winch TCP 181 - 250 EHP D	Komatsu	D65	900	2,900	7,400	200	5
CHIP SPREADER SP							
COLD MILLING - Stabilizer/Recycler BOMAG MPH 364 R-2 or similar							
COLD MILL PLANER Self Loading - 2'							
COLD MILL PLANER Self Loading - 4'							
COMPRESSOR 125 - 160 CFM Portwhl.							
COMPRESSOR 170 - 210 CFM Portwhl.	Chicago Pneumatic	CPS 185	80	250	750	90	1
COMPRESSOR 250 - 300 CFM Portwhl.							
COMPRESSOR 350 - 375 CFM Portwhl.							
COMPRESSOR 600 CFM Portwhl.							
COMPRESSOR 700 - 800 CFM Portwhl.							
CONCRETE MIXER							

Please contact misty.g.delong@wv.gov for an Excel version

	Equipment Offered fo	r Lease/Rental	ease/Rental Rate of Equipme Without Delivery/ Without Operator \$ /Day \$ /Week \$ /Month			Equipment Delivery Fee	
Equipment Description	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
Trk. Mtd. 6.0 Cyd.							
CONCRETE SAW							
Full Depth CAP - 24" Blade							
CONCRETE SAW							
12 1/2" Maximum Depth of Cut - 30" Blade							
CONCRETE SAW							
15" Maximum Depth of Cut - 36" Blade							
CONCRETE VIBRATORY SCREED							
Air Powered - 36 ft. max.							
CONVEYER							
Port. Elev. W/Dumpster 2T min. @ 32 ° - Incline 18"Wx60'L							
PTO Gas or Diesel Engine Self-Elev.							
CRACK SEALING MACHINE							
Trlr. Mtd. Dbl. Drum, 100 - 125 GLN. D							
CRACK SEALING MACHINE							
Trl. Mtd. DblBoiler Type, 250 GLN Diesel							
with Pump on Demand Features							
CRACK SEALING MACHINE							
Trl. Mtd. DblBoiler Type, 250 GLN Diesel							
with Pump on Demand Features and 53.8 CFM Compressor							
CRACK SEALING MACHINE							
Trl. Mtd. DblBoiler Type, 250 GLN Diesel							
with Pump on Demand Features and 70 CFM Compressor							
CRANE 10 T Hyd.							
Trk. Mtd. min. 18' Bed							
CRANE 12 - 1/2 T Hyd.							
Trk. Mtd. min. 18' Bed							
CRANE 14 T Hyd.							
Trk. Mtd. min. 18' Bed							

Please contact misty.g.delong@wv.gov for an Excel version

	Equipment Offered fo	Equipment Offered for Lease/Rental			ease/Rental Rate of Equipmer Without Delivery/ Without Operator		
Equipment Description	Equipment Description Manufacturer's Name Model/Serial # \$/Day \$/Week \$/Month 1st Mile A	Add. Mi.					
CRANE 15 - 25 T							
Hyd. Rough Terrain							
CRANE 20 - 25 T							
Cable D Crawler							
CRANE 25 - 30 T							
Cable, Trk. Mtd. G							
CRANE 30 T Hyd.							
CRANE 35 T Hyd.							
CRANE 40 T Hyd.							
CRANE 50 T Hyd.							
CRANE 15 - 20 T							
Truck Mounted Boom							
CRANE 21 - 25 T							
Truck Mounted Boom							
CULVERT CLEANER							
Trk. Mtd. min. 1,500 gal. tank , 1,400 PSI min.							
CULVERT CLEANER							
Trk. Mtd. 65 - 80 GPM 2,000 PSI min.							
DITCH WITCH	Vermeer	RT200	140	400	1,200	90	1
EQUIPMENT TRAILER							
10,000 lbs or less, tilt style deck							
16ft - 18 ft length to attach to a pintle hitch							
EQUIPMENT TRAILER							
12,000 lbs - 14,000 lbs, tilt style deck							

Please contact misty.g.delong@wv.gov for an Excel version

	Equipment Offered fo	r Lease/Rental	ease/Rental Rate of Equipmer Without Delivery/ Without Operator		Equipment Delivery Fee		
Equipment Description	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
16ft - 18 ft length to attach to a pintle hitch							
EQUIPMENT TRAILER							
14,000 GVWR							
16' + 2' dovetail, with 24" wide x 60" wide long stand-up							
ramps with support leg and stand-up bar, spring assisted							
EXCAVATOR - TELEBOOM							
Track Mtd. SP 0.5 Cyd. D							
EXCAVATOR - TELEBOOM							
Truck Mtd. SP 0.5 Cyd. D							
EXCAVATOR							
w/McMillen extreme duty earth auger or similar							
EXCAVATOR	Komatsu	PC09	150	450	1,350	100	1
Mini-Hyd. Track Mtd. 2,600 lbs. max.	Komatsu	F C07	150	430	1,330	100	Į.
EXCAVATOR	Komatsu	PC35	200	600	1,700	100	1
Mini-Hyd. Track Mtd. 6,500 lbs. max.	Komatsu	F C33	200	000	1,700	100	I
EXCAVATOR - 1/8 Cyd. 30 HP	Komatsu	PC35	200	600	1,700	100	1
D Track Width 5' out-to-out	Komatsu	1 033	200	000	1,700	100	ı
EXCAVATOR - 1/5 Cyd. 44 HP	Komatsu	PC45	230	650	1,700	100	1
11,000 lbs. Track Width 6' out-to-out	Komatsu	F C43	230	030	1,700	100	I
EXCAVATOR - 1/4 Cyd. 55 HP	Komatsu	PC55	320	960	2,400	100	1
D 14,000 lbs. Bucket, Track Width 6' out-to-out	Komatsu	F C33	320	700	2,400	100	I
EXCAVATOR ATTACHMENT	Compactor Attachment		135	405	1,200	50	2
Plate compactor for 15,000-20,000 lb excavator	Compactor Attachment		133	403	1,200	30	2
EXCAVATOR ATTACHMENT	Hammer Attachment		125	375	1,125	50	2
Hydraulic hammer for 15,000-20,000 lb excavator	Hammor Attachment		123	373	1,123	30	۷
FLATBED TRUCK							
1 Ton minimum with 22 ft. bed length minimum							
FORCE FED LOADER							
Athey Loader or similar							

Please contact misty.g.delong@wv.gov for an Excel version

	Equipment Offered fo	Equipment Offered for Lease/Rental			ease/Rental Rate of Equipmer Without Delivery/ Without Operator		
Equipment Description	Manufacturer's Name	Model/Serial #			\$ /Month		ry Fee Add. Mi.
FORKLIFT TRUCK	JLG	G10 (55' Boom) 10K lb	350	1,000	2,500	100	1
Rough Terrain, 5 - 10 K lb. lift cap.	JLG	G 10 (33 B00111) 10K 10	330	1,000	2,300	100	I
GRAPPLE ATTACHMENTS							
for Skid Steer Loaders 72" - 78" attachments							
HAMMER (DELMAG) PILE-D.							
D8-22							
HIGH FLOW SKID STEER	Takeuchi	TL10	200	500	1,400	100	1
Attachment: Broom			125	375	1,125	100	1
Attachment: Bucket			40	120	360	100	1
Attachment: Broom Bucket							
Attachment: Auger of any diameter			125	375	1,125	100	1
Attachment: 1' - 5' Milling Planer							
Attachment: Trencher of any width							
HYDRO-SEEDER	Finn	T120 (900 gal)	250	625	1,712	95	1
HYDRO-SEEDER	Finn	T120 (900 gal)	250	625	1,712	95	1
Trk. Mtd. 1,500 - 2,500 Gal.		1 120 (700 gai)	200	020	1,7.12	, 0	·
JOINT SEALER							
3 Cylinder, Tandum Dual 2 Axle, Vat. Cap 200 Gal.							
Double Boiler Type Tank - opening 16"x24"							
Maximum Heat Input - Diesel 290,000 BTU							
Incl. Full Sweep Mixer with 2 horizontal paddles							
LIGHT TOWERS PORT.	Chicago Pneumatic	CPMT-M10	65	170	424	75	1
4 - 1,000 watt bulbs	Chicago Fricultatic	OI WIT-WITO	00	170	424	70	'
LOWBOY							
with two drops in deck height - min 35 T							
MANLIFT SP	JLG	450AJ	200	500	1,750	100	1
40 ft.	JLU	4000	200	300	1,750	100	'
MANLIFT SP	II C	400 N I	202	705	2 150	100	1

Please contact misty.g.delong@wv.gov for an Excel version

			ease/Ren	tal Rate of	Equipmer		
	Equipment Offered fo	r Lease/Rental		thout Deli	-		pment
		_	-	thout Oper			ry Fee
Equipment Description	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
60 ft.	320	0007.5	200	7,0	2,100	100	
MANLIFT SP	JLG	800S	390	1,175	3,500	100	1
80 ft.	320	0000	0,0	.,.,0	3,000		
MANLIFT SP	JLG	1200	950	2,850	8,550	100	1
125 ft. minimum to 135 ft. maximum	320	1200	700	2,000	0,000	100	<u> </u>
MESSAGE SIGN - PROGRAMMABLE	Addco	DH1000	120	375	1,100	100	1
MILLING PLANER SKID STEER	Takeuchi	TL230	230	690	1,700	100	1
Attachment: Broom			125	375	1,125	100	1
Attachment: Bucket			125	375	1,125	100	1
Attachment: Broom Bucket			125	375	1,125	100	1
Attachment: Auger of any diameter							
Attachment: 1' - 5' Milling Planer							
Attachment: Trencher of any width							
MORTAR MIXER							
6 CF 5 HP G							
MOTOR GRADER							
35,000-45,000 lbs. class							
PATCH TRAILER							
DuraPatcher or similar							
PATCH TRUCK							
DuraMAXX or similar							
PAVER - HOT MIX ASPHALT							
Rubber-tired Paver							
PAVER - HOT MIX ASPHALT							1
Track Paver							
POLY PATCHER II or simliar							1
Double-boiler type mixer, Trl Mtd.							<u> </u>
ROCKDRILL - SP							1

Please contact misty.g.delong@wv.gov for an Excel version

	Equipment Offered for			se/Rental Rate of Equipmer Without Delivery/ Without Operator		Equipment Delivery Fee	
Equipment Description	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
Hyd. Excav./Boom Mtd. 3" Holes/20" deep min.							
ROCK HAMMER FOR EXCAVATOR							
5000-7000 lbs. class							
ROCK WAGON							
20 -30 T							
ROLLER							
5 Ton with 2 steel drums							
ROLLER							
10-15 Tons with 2 steel drums							
ROLLER							
5 - 6 T PNEUTR TOW/Trk. Mtd.							
ROLLER	Bomag	211D 84" Drum	350	1,200	4,000	100	1
10 T PNEUTR	Bonlag	ZTTD 04 DIGIII	330	1,200	4,000	100	'
ROLLER	Dynapac	362 84" Drum	350	1,200	4,000	100	1
7-15 T PNEUTR, Articulated	Бупарас	302 04 Druin	330	1,200	4,000	100	'
ROLLER SP							
PNEUTR - 10K GVW G							
ROLLER SP							
PNEUTR - 20K GVW G							
ROLLER - TRENCH VIB							
Dual Drum Approx. 10 HP, Appox. 2.5ft W x 8.3 ft L							
ROLLER - VIB	Dynapac	362 84" Drum	350	1,200	4,000	100	1
SP 1 Drum 2XL 10 - 15 K GVW D	Бупарас	302 04 Didili	330	1,200	4,000	100	'
ROLLER - VIB	Dynapac	362 84" Drum	350	1,200	4,000	100	1
SP 1 Drum 2XL 10 - 20 K GVW D	Бупарас	JUZ UT DIGITI	330	1,200	7,000	100	'
SCREENERS, Material							
Mobile - Diesel							
SHADOW TRUCK w/Attenuator							
min. 30,000 GVW							

Please contact misty.g.delong@wv.gov for an Excel version

	e Equipment Offered for Lease/Rental		ease/Rental Rate of Equipmer Without Delivery/ Without Operator			Equipment Delivery Fee	
Equipment Description	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
SHOULDER MAINTAINER SP							
w/G (min. 67 HP) or w/D (min. 46 HP)							
asphalt or stone width, 1' to 6' and 6" to 12" depth							
SPRAY PATCHER							
Self-contained, Trl Mtd, spray-injection machine							
Self-supporting, rear mounted tri-fold articulating boom							
with fully counterweighted arm. Radius: Min 20'-10".							
Vert.Stroke: 5' - 2' below pavement level.							
STABILIZER (BO-MAG) SP							
250 HP min.							
STRAW / MULCH BLOWER	Finn		100	300	900	100	1
Trk. Mtd.	1 11111		100	300	700	100	ı
STREET SWEEPER SP	Superior Broom	DT80CT	290	900	2,500	100	1
3.0 Cyd. (min.)	Superior Broom	DIOUCI	270	700	2,300	100	ı
STREET SWEEPER SP							
8.0 Cyd. (min.)							
STREET SWEEPER							
Trlr. Type							
STREET SWEEPER - HYDROSTATIC							
Elgin Pelican III or similar							
STREET SWEEPER - Towable							
Self-Propelled							
STREET SWEEPER - Truck-Mounted							
4.0 C.Y. Min. hopper cap., water-spray system for dust control							
Side/curb brooms & rear/center broom, 11,000 lbs - 33,000 lbs							
TRACTOR							
John Deere 6200 or similar							
Boom Mower Attachment to be used with the above Tractor							
Flail Mower Attqachment to be used with the above Tractor							

Please contact misty.g.delong@wv.gov for an Excel version

	Equipment Offered for Lease/Rental		ease/Rental Rate of Equipmer Without Delivery/ Without Operator			Equipment Delivery Fee	
Equipment Description	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
Sicklebar Mower Attachment to be used with the above Tractor							
TRAILER							
6 tons with ramps, minimum 18' length, 8.5' width							
TRAILER - LowBoy							
35 - 50 ton - pony motor, self contained hydraulics							
TRAFFIC SIGNALS - PORT							
2 Phase Operation D/E							
TRENCH PAVER							
Base Widening Machine							
TRUCK - Heavy Industrial							
2 Axle Steel Bed							
TRUCK - Heavy Industrial							
3 Axle Steel Bed							
TRUCK - Heavy Industrial							
4 Axle Steel Bed							
TRUCK - Heavy Industrial							
5 Axle Steel Bed							
TRUCK - Heavy Industrial							
2 Axle Aluminum "V" Bed							
TRUCK - Heavy Industrial							
3 Axle Aluminum "V" Bed							
TRUCK - Heavy Industrial							
4 Axle Aluminum "V" Bed							
TRUCK - Heavy Industrial							
5 Axle Aluminum "V" Bed							
TRUCK - Water							
Tanker - min 1500 gallons							
UNDERBRIDGE PLATFORM							
Trailer Mtd., Hyd. SP Min. 20 ft. horizontal reach							

Please contact misty.g.delong@wv.gov for an Excel version

	Equipment Offered for Lease/Rental		ease/Rental Rate of Equipmer Without Delivery/ Without Operator			Equipment Delivery Fee	
Equipment Description	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
UNDERBRIDGE PLATFORM							
Trailer Mtd., Hyd. SP Min. 30 ft. horizontal reach							
UNDERBRIDGE PLATFORM							
Trailer Mtd., Hyd. SP Min. 40 ft. horizontal reach							
UNDERBRIDGE PLATFORM							
Trailer Mtd., Hyd. SP Min. 50 ft. horizontal reach							
UNDERBRIDGE PLATFORM							
Trailer Mtd., Hyd. SP Min. 60 ft. horizontal reach							
UNDERBRIDGE PLATFORM							
Truck Mtd., Hyd. Min. 23 ft. horizontal reach							
(driver to be included)							
VACUUM/SPRAY UNIT							
Trk. Mtd. min. 1,000 gal. tank min. 60 gpm							
4 ft. teleboom w/swivel/rotating hose reel							
VACUUM/STREET SWEEPER							
Self-Propelled, 4 Cyd., Gas, 5 ft wide path							
VAN - BOX							
21,000 or greater							
VIBRATORY ROLLER with Water							
4 - 5 ton Steel Double Drum							
VIBRATORY ROLLER with Water							
8 - 10 ton Steel Double Drum							
WATER PUMPS - 3"	Koshin		50	150	450	75	1
w/SUCTION & DISCHARGE HOSES	KOSHIII		30	100	400	10	
WATER PUMPS - 4"	Koshin		60	180	540	75	1
w/SUCTION & DISCHARGE HOSES	KOSHIII		00	100	040	10	<u>'</u>
WATER PUMPS - 6"	Koshin		70	210	630	75	1
w/SUCTION & DISCHARGE HOSES	KOSHIII		70	210	030	75	<u>'</u>
WATER PUMPS - 12"							

Please contact misty.g.delong@wv.gov for an Excel version

	Equipment Offered for Lease/Rental		ease/Rental Rate of Equipmer Without Delivery/ Without Operator			Equipment Delivery Fee	
Equipment Description	Manufacturer's Name Model/Serial # \$ /Day		\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
w/SUCTION & DISCHARGE HOSES							
WORK PLATFORM SP							
SL 25' High Platform 1,500# CAP							
WORK PLATFORM SP							
SL 35' High Platform 1,500# CAP							

Equipment Rental WITHOUT Operator

Information Attachment

Base Location:

The Vendor shall identify the base location and any other potential base locations where the equipment bid may be delivered by the Vendor or picked up by the WVDOH. The Vendor shall provide the 911 address or the most recent physical street address, city and state for the base location(s). If the Vendor fails to provide the base location(s) on the Information Attachment Form, the Vendor's bid may be disqualified. If additional space is needed for additional base locations, you may duplicate this page. This list does not determine sole base locations for a Vendor, but provides a base for determining potential mileage.

Vendor Base Location:							
CR Equipment Rental, Sales & Supply							
3351 Hamilton Street							
Bellaire, OH 43906							
Vendor Base Location:							
Vendor Base Location:							

Counties Bid:

Vendor shall indicate the area which he wishes to lease/rent equipment to the WVDOH by placing an "X" or " $\sqrt{}$ " beside the County, Counties or Statewide. If the Vendor fails to indicate which County or Counties, it will be assumed that the Vendor's bid is for Statewide.

Х	STATEWIDE		
	Barbour	Kanawha	Pocahontas
	Berkeley	Lewis	Preston
	Boone	Lincoln	Putnam
	Braxton	Logan	Raleigh
	Brooke	McDowell	Randolph
	Cabell	Marion	Ritchie
	Calhoun	Marshall	Roane
	Clay	Mason	Summers
	Doddridge	Mercer	Taylor
	Fayette	Mineral	Tucker
	Gilmer	Mingo	Tyler
	Grant	Monongalia	Upshur
	Greenbrier	Monroe	Wayne
	Hampshire	Morgan	Webster
	Hancock	Nicholas	Wetzel
	Hardy	Ohio	Wirt
	Harrison	Pendleton	Wood
	Jackson	Pleasants	Wyoming
	Jefferson		