



Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

**State of West Virginia
 Request for Quotation**

Proc Folder: 117736

Doc Description: RFQ TO PROVIDE TWO SECURITY CAMERA SYSTEMS

Proc Type: Central Purchase Order

Date Issued	Solicitation Closes	Solicitation No	Version
2015-09-11	2015-10-07 13:30:00	CRFQ 0932 DRS1600000001	1

10/07/15 13:14:58
 WV Purchasing Division

FOR INFORMATION CONTACT THE BUYER

Laura E Hooper
 (304) 558-0468
 laura.e.hooper@wv.gov

Signature X

FEIN #

20-3881880

DATE

10/7/2015

All offers subject to all terms and conditions contained in this solicitation



Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

State of West Virginia
Request for Quotation

Proc Folder: 117736

Doc Description: Addendum #2 - Two Security Camera Systems

Proc Type: Central Purchase Order

Date Issued	Solicitation Closes	Solicitation No	Version
2015-09-11	2015-10-07 13:30:00	CRFQ 0932 DRS1600000001	3

FOR INFORMATION CONTACT THE BUYER

Laura E Hooper
(304) 558-0468
laura.e.hooper@wv.gov

Signature X

FEIN # 20-3881880

DATE 10/7/2015

All offers subject to all terms and conditions contained in this solicitation

ADDITIONAL INFORMATION

Addendum #2:

To provide a copy of the pre bid sign in sheet.
 To provide technical questions and responses.
 To modify specifications of product or service being sought.

End of Addendum #2

INVOICE TO		BILL TO	
IT UNIT DIVISION OF REHABILITATION SERVICES 107 CAPITOL ST		STATE OF WEST VIRGINIA VARIOUS LOCATIONS AS INDICATED BY ORDER	
CHARLESTON	WV25301	No City	WV 99999
US		US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
1	SECURITY CAMERA SYSTEMS	1.00000	LS	26,820.40	26,820.40

Comm Code	Manufacturer	Specification	Model #
46171610			

Extended Description :
 SECURITY CAMERA SYSTEMS INCLUDING INSTALLATION, TESTING, EMPLOYEE USE TRAINING AND THREE YEAR WARRANTY.

SCHEDULE OF EVENTS

Line	Event	Event Date
1	Mandatory Pre-Bid Meeting	2015-09-23
2	Technical Questions Due	2015-09-25

Longs' Security Camera Systems

102 38th Street SE

Charleston, West Virginia 25304

Phone: (304) 925-0338 Fax: (304) 925-0338 Email: longscctv@suddenlink.net

16 years Experience* BS Electronics Engineering Technology Degree * Military Electronics Trained
CCTV Analog and Digital * Card Access * School Intercom * Security * Patient Wondering

TO: Stephanie Gale	Proposal ID: 10072015DRS
Attn: CRFQ 0932 DRS1600000001	Date: 10/07/15
Division of Rehabilitation Services	Terms: Net at Completion
Charleston, WV	Sales Tax: Not Included
Phone: 304-437-7418	FOB: Job Site
Fax: Stephanie.l.gale@wv.gov	Proposal Expires: N/A

Project Name: Camera System: Division Rehabilitation Services Charleston/Nitro

LSCS will install equal to better digital camera system as prescribed in the camera specifications.

Acknowledgment of spec requirement 3. Qualifications / 3.2: No manufacture certification is required to purchase, install and service Hikvision Camera Systems. My qualification as a provider and installer are listed in my provide Resume. In addition Longs' Security Camera Systems is the contracted camera service provider for DHHR Diamond and One Davis Square and Jackie Withrow Hospital.

Hikvision Rep: Traci Nunn 1-919-800-9185

Acknowledgment that items provide have variation from the listed manufacture specification. Each company has their own system requirements. Equipment provided meets and exceeds listed specifications. Also as listed in original specification provided equipment can be rack mounted. LSCS will secure rack to floor prior to installing camera equipment. No additional desk needed. In addition an LED not a LCD monitor is being proposed. LCD monitors generate more heat than LED monitors.

LSCS is available to install after hours if requested.

Qty	Description
	Charleston Division of Rehabilitation Services
1	Hikvision DS-9664NI-H8 NVR 64 Camera Inputs 8TB Hard Drive \$3,032.88 Per Unit
1	Hikvision DS-3D2000 Multi-service Gigabit POE Switch \$959.39 Per Unit
1	ViewSonic VT3200-L-32 LED Display \$474.50 Per Unit
1	CyberPower OR2200LCDRTXL2U 2190 VA 1650 Watts with Optional Network Card \$852.78 Per Unit
4	Hikvision DS-2CD2122FWD-IS 4MM Vandal Proof 2MP Camera \$210.00 Per Unit
4	Hikvision DS-CD6362F-IV 360/180 deg IP Camera 6MP with wall mount \$682.5 Per Unit
1	Lot Materials \$1320.65 Lot
1	Lot Labor \$2500.00 Lot Labor


	Grand Total Charleston Facility \$12,710.20
	Nitro Division of Rehabilitation Services
1	Hikvision DS-9664NI-H8 NVR 64 Camera Inputs 8TB Hard Drive \$3,032.88 Per Unit
1	Hikvision DS-3D2000 Multi-service Gigabit POE Switch \$959.39 Per Unit
1	ViewSonic VT3200-L-32 LED Display \$474.50 Per Unit
1	CyberPower OR2200LCDRTL2U 2190 VA 1650 Watts with Optional Network Card \$852.78 Per Unit
4	Hikvision DS-2CD2122FWD-IS 4MM Vandal Proof 2MP Camera \$210.00 Per Unit
4	Hikvision DS-CD6362F-IV 360/180 deg IP Camera 6MP with wall mount \$682.5 Per Unit
1	Lot Materials \$1520.65 Lot
1	Lot Labor \$2500.00 Lot Labor
	Total \$12,910.20
1	Lot Lift Rental
	Total \$1,200.00
	Grand Total Nitro Facility \$14,110.20
	Grand Total Both Facilities \$26,820.40
	PS.. note Division has an option to use the DS-CD6362F-IV Camera or the DS-2CD2742FWD-ISZ Vari-Focal 4MP Color Camera if a different view is required at no change to cost of project.

TERMS AND CONDITIONS:

- Three Year manufacture warranty during normal working hours will be provided on all new equipment provided by Long's Security Cameras Systems. Abuse, Neglect or Acts of God not covered under warranty agreement. One Year Warranty on labor. Any special lift or equipment is to be provided by the owner.
- LSCS is not responsible for any other system defects not covered in the proposal.
- Owner to provide 120 Volts Power to power equipment as required. Established electrical circuit are usually adequate providing the source is a clean electrical source and un-switched.

Thank you,

Alan E. Long
Owner
Long's Security Camera Systems



Date: October 7, 2015

Re: Dealer Procurement Through Authorized Distribution Channels

To Whom It May Concern,

Hikvision does not require non-dealer partners to become solution certified providing that the non-dealer purchase Hikvision solutions through our authorized distributor partner channel (please visit www.hikvision.com for a complete list). All dealers who purchase through our authorized distributor partners are then authorized to resell solution software, hardware and services, and are entitled to receive commercial and technical support from Hikvision as well as have access to necessary installation & technical documentation.

We hereby confirm that we will provide **Longs' Security Camera System, LLC** our full support for projects or business developments involving our solutions and/or products purchased through our authorized distributor partner channel.

Hikvision does not warrant to provide the after-sale services or support for any of the Hikvision products purchased through any channels other than Hikvision's official website or the local authorized retailers.

Sincerely,

Vince Lupe

Vince Lupe
Director, Business Development
Hikvision USA

REQUEST FOR QUOTATION
DRS1500000008 – SECURITY CAMERA SYTEMS

9.5. Vendor shall inform all staff of Agency's security protocol and procedures.

10. VENDOR DEFAULT:

10.1. The following shall be considered a vendor default under this Contract.

10.1.1. Failure to perform Contract Services in accordance with the requirements contained herein.

10.1.2. Failure to comply with other specifications and requirements contained herein.

10.1.3. Failure to comply with any laws, rules, and ordinances applicable to the Contract Services provided under this Contract.

10.1.4. Failure to remedy deficient performance upon request.

10.2. The following remedies shall be available to Agency upon default.

10.2.1. Immediate cancellation of the Contract.

10.2.2. Immediate cancellation of one or more release orders issued under this Contract.

10.2.3. Any other remedies available in law or equity.

11. MISCELLANEOUS:

11.1. **Contract Manager:** During its performance of this Contract, Vendor must designate and maintain a primary contract manager responsible for overseeing Vendor's responsibilities under this Contract. The Contract manager must be available during normal business hours to address any customer service or other issues related to this Contract. Vendor should list its Contract manager and his or her contact information below.

Contract Manager: ALAN E LONG
Telephone Number: 304-925-0338
Fax Number: 304-925-0338
Email Address: longscctv@suddenlink.net

ADDENDUM ACKNOWLEDGEMENT FORM
SOLICITATION NO.: CRFO DRS160000001

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

Addendum Numbers Received:

(Check the box next to each addendum received)

- | | |
|--|--|
| <input checked="" type="checkbox"/> Addendum No. 1 | <input type="checkbox"/> Addendum No. 6 |
| <input checked="" type="checkbox"/> Addendum No. 2 | <input type="checkbox"/> Addendum No. 7 |
| <input type="checkbox"/> Addendum No. 3 | <input type="checkbox"/> Addendum No. 8 |
| <input type="checkbox"/> Addendum No. 4 | <input type="checkbox"/> Addendum No. 9 |
| <input type="checkbox"/> Addendum No. 5 | <input type="checkbox"/> Addendum No. 10 |

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

Longs Security Camera Systems LLC
Company

Alan E. Long
Authorized Signature

10/7/2015
Date

NOTE: This addendum acknowledgment should be submitted with the bid to expedite document processing.

CERTIFICATION AND SIGNATURE PAGE

By signing below, or submitting documentation through wvOASIS, I certify that I have reviewed this Solicitation in its entirety; understand the requirements, terms and conditions, and other information contained herein; that I am submitting this bid, offer or proposal for review and consideration; that I am authorized by the vendor to execute and submit this bid, offer, or proposal, or any documents related thereto on vendor's behalf; that I am authorized to bind the vendor in a contractual relationship; and that to the best of my knowledge, the vendor has properly registered with any State agency that may require registration.

Long's Security Camera Systems LLC
(Company)

Oliver Egley Owner
(Authorized Signature) (Representative Name, Title)

304-925-0338 Phone
(Phone Number) (Fax Number) (Date)

304-925-0338 FAX

10/7/2015 DATE

ADDITIONAL TERMS AND CONDITIONS (Construction Contracts Only)

1. **CONTRACTOR'S LICENSE:** West Virginia Code § 21-11-2 requires that all persons desiring to perform contracting work in this state be licensed. The West Virginia Contractors Licensing Board is empowered to issue the contractor's license. Applications for a contractor's license may be made by contacting the West Virginia Division of Labor. West Virginia Code § 21-11-11 requires any prospective Vendor to include the contractor's license number on its bid. Failure to include a contractor's license number on the bid shall result in Vendor's bid being disqualified. Vendors should include a contractor's license number in the space provided below.

Contractor's Name: Long's Security Camera Systems LLC

Contractor's License No. WV040102

The apparent successful Vendor must furnish a copy of its contractor's license prior to the issuance of a Award Document.

2. **DRUG-FREE WORKPLACE AFFIDAVIT:** W. Va. Code § 21-1D-5 provides that any solicitation for a public improvement contract requires each Vendor that submits a bid for the work to submit at the same time an affidavit that the Vendor has a written plan for a drug-free workplace policy. To comply with this law, Vendor must either complete the enclosed drug-free workplace affidavit and submit the same with its bid or complete a similar affidavit that fulfills all of the requirements of the applicable code. Failure to submit the signed and notarized drug-free workplace affidavit or a similar affidavit that fully complies with the requirements of the applicable code, with the bid shall result in disqualification of Vendor's bid. Pursuant to W. Va. Code 21-1D-2(b) and (k), this provision does not apply to public improvement contracts the value of which is \$100,000 or less or temporary or emergency repairs.

2.1. DRUG-FREE WORKPLACE POLICY: Pursuant to W. Va. Code § 21-1D-4, Vendor and its subcontractors must implement and maintain a written drug-free workplace policy that complies with said article. The awarding public authority shall cancel this contract if: (1) Vendor fails to implement and maintain a written drug-free workplace policy described in the preceding paragraph, (2) Vendor fails to provide information regarding implementation of its drug-free workplace policy at the request of the public authority; or (3) Vendor provides to the public authority false information regarding the contractor's drug-free workplace policy. Pursuant to W. Va. Code 21-1D-2(b) and (k), this provision does not apply to public improvement contracts the value of which is \$100,000 or less or temporary or emergency repairs.

3. **DRUG FREE WORKPLACE REPORT:** Pursuant to W. Va. Code § 21-1D-7b, no less than once per year, or upon completion of the project, every contractor shall provide a certified report to the public authority which let the contract. For contracts over \$25,000, the

BID BOND: All Vendors shall furnish a bid bond in the amount of five percent (5%) of the total amount of the bid protecting the State of West Virginia. The bid bond must be submitted with the bid.

PERFORMANCE BOND: The apparent successful Vendor shall provide a performance bond in the amount of the contract value. The performance bond must be received by the Purchasing Division prior to Contract award. On construction contracts, the performance bond must be 100% of the Contract value.

LABOR/MATERIAL PAYMENT BOND: The apparent successful Vendor shall provide a labor/material payment bond in the amount of 100% of the Contract value. The labor/material payment bond must be delivered to the Purchasing Division prior to Contract award.

In lieu of the Bid Bond, Performance Bond, and Labor/Material Payment Bond, the Vendor may provide certified checks, cashier's checks, or irrevocable letters of credit. Any certified check, cashier's check, or irrevocable letter of credit provided in lieu of a bond must be of the same amount and delivered on the same schedule as the bond it replaces. A letter of credit submitted in lieu of a performance and labor/material payment bond will only be allowed for projects under \$100,000. Personal or business checks are not acceptable.

MAINTENANCE BOND: The apparent successful Vendor shall provide a two (2) year maintenance bond covering the roofing system. The maintenance bond must be issued and delivered to the Purchasing Division prior to Contract award.

INSURANCE: The apparent successful Vendor shall furnish proof of the following insurance prior to Contract award and shall list the state as a certificate holder:

Commercial General Liability Insurance: In the amount of \$1,000,000.00 or more.

Builders Risk Insurance: In an amount equal to 100% of the amount of the Contract.

DS-9600NI-H8 Series NVR

Introduction:

DS-9600NI-H8 series NVR (Network Video Recorder) is a new generation recorder developed by Hikvision independently. Combined with multiple advanced technologies, such as audio and video decoding technology, embedded system technology, storage technology, network technology and intelligent technology, it can both work alone as a recorder and cooperate with other device to build a comprehensive surveillance system.


The DS-9600NI-H8 series NVR can be widely applied in the areas of finance, public security, military, communication, transportation, education, etc..

Available Models:


DS-9616NI-H8, DS-9632NI-H8, DS-9664NI-H8

Main Features:

- Pluggable HDD design provides convenient HDD installation and maintenance way.
- Connectable to the third-party network cameras like ACTI, Arecont, AXIS, Bosch, Brickcom, Canon, PANASONIC, Pelco, SAMSUNG, SANYO, SONY, Vivotek and ZAVIO, and cameras that adopt ONVIF or PSIA protocol.
- Up to 64 network cameras can be connected.
- Support live view, storage, and playback of the connected camera at up to 8 megapixels resolution.
- Simultaneous HDMI and VGA outputs.
- HDMI2 output supports at up to 3840×2160/30Hz resolution, and HDMI1/VGA output at up to 1920×1080 resolution.
- New GUI and support starting record with one key.
- Redundant recording, holiday recording and capture schedule configuration.
- Realize instant playback for assigned channel during multi-channel display mode.
- Up to 16-ch synchronous playback.
- Smart playback to quick get through the less effective information.
- Connectable to the smart IP cameras from Hikvision, and VCA functions can be realized.
- Customization of tags, searching, and playing back by tags.
- Locking and unlocking record files.
- Support HDD quota and group modes; different capacity can be assigned to different channel.
- Up to 8 SATA hard disks and 1 eSATA disk can be connected, for both recording and backup.
- Hot-swappable HDD supporting RAID0, RAID1, RAID5, RAID10 storage scheme. And 8 virtual disks can be configured.
- Either normal or hot spare working mode is configurable to constitute an N+1 hot spare system.
- 2 self-adaptive 10M/100M/1000M network interfaces, with working modes configurable: multi-address, load balance, network fault tolerance.
- Support Hikvision DDNS (Dynamic Domain Name System).
- Support Channel-zero encoding, which enables you to get a view in the remote client or web browser of all the channels in one screen.
- Support network detection, including network delay, packet loss, etc.
- Adopt pioneering dual-OS design to ensure the security of system running.




Physical Interfaces:



Index	Name
1	USB Interface
2	AUDIO IN
3	AUDIO OUT
4	VGA
5	HDMI/HDMI2
6	RS-232 Serial Interface
7	eSATA Interfaces
8	LAN1, LAN2 Network Interface
9	Termination Switch
10	RS-485 Serial Interface, Keyboard Interface,
11	ALARM IN and ALARM OUT
12	GND
13	100~240VAC Power Input
14	Power Switch
14	USB Interface

Typical Application:



Specifications:

Model		DS-9616NI-H8	DS-9632NI-H8	DS-9664NI-H8
Video/Audio Input	IP video input	16-ch	32-ch	64-ch
	Two-way audio	1-ch, RCA (2.0 Vp-p, 1kΩ)		
Network	Incoming bandwidth	192 Mbps	384Mbps	768Mbps
	Outgoing bandwidth	768Mbps		
	Remote connection	128		
	Network Protocol	HIKVISION, ACTI, ARECONT, AXIS, BOSCH, BRICKCOM, CANON, HUNT, ONVIF(Version 2.4), PANASONIC, PELCO, PSIA, SAMSUNG, SANYO, SONY, VIVOTEK, ZAVIO		
	HDMI output	2-ch, resolution: HDMI1: 1920 × 1080P /60Hz, 1600 × 1200 /60Hz, 1280 × 1024 /60Hz, 1280 × 720 /60Hz, 1024 × 768 /60Hz; HDMI2: 3840×2160/30Hz, 1920 × 1080P /60Hz, 1600 × 1200 /60Hz, 1280 × 1024 /60Hz, 1280 × 720 /60Hz, 1024 × 768 /60Hz		
	VGA output	1-ch, resolution: 1920 × 1080P /60Hz, 1600 × 1200 /60Hz, 1280 × 1024 /60Hz, 1280 × 720 /60Hz, 1024 × 768 /60Hz		
	Audio output	1-ch, RCA (Linear, 1kΩ)		
Decoding	Decoding format	H.264, MPEG4, M-JPEG		
	Recording resolution	8MP/5MP/3MP/1080p/U/XGA/720p/VGA/4CIF/DCIF/2CIF/CIF/QCIF		
	Synchronous playback	16-ch		
Hard disk	SATA	8 SATA interfaces for 4 HDDs + 1 DVD-R/W (default), or 8HDDs		
	eSATA	1 eSATA interface		
	Capacity	Up to 4TB capacity for each HDD		
Disk array	Array type	RAID0, RAID1, RAID5, RAID10		
	Number of array	8		
External interface	Network interface	2 RJ-45 10 /100 /1000 Mbps self-adaptive Ethernet interfaces		
	Serial interface	RS-232; RS-485; Keyboard;		
	USB interface	2 × USB 2.0 on front panel and 2 × USB 3.0 on rear panel		
	Alarm in/out	16/4		
Others	Power supply	100 ~ 240 VAC, 50 ~ 60 Hz		
	Consumption (without hard disk or DVD-R/W)	≤ 100 W		
	Working temperature	-10 °C ~ +55 °C (14°F ~ 131°F)		
	Working humidity	10 % ~ 90 %		
	Chassis	19-inch rack-mounted 2U chassis		
	Dimensions (W × D × H)	445 × 470 × 90 mm (17.5" × 18.5" × 3.5")		
Weight (without hard disk or DVD-R/W)	≤ 8 Kg (17.64 lb)			

DS-3D2000 Multiservice Gigabit Ethernet PoE Switch Series

Overview

Adopting Broadcom chip, DS-3D2000 PoE switch series is a two-layer network switch designed for video data transmission. They support all kinds of connections varying from 10/100M to 1000M for the flexible network configuration. The device supports various network management standards such as SNMP, Telnet, RMON and CLI. It can be managed by different network management platforms for a safe surveillance environment with high-bandwidth and high-performance.

DS-3D2000 PoE switches support 802.3af and 802.3at power supply modes with the maximum power supply on each port reaching up to 30W. The product is capable of distributing power automatically according to each port's load characteristic, which is ideal for video surveillance application.

- The rate limitation in a minimum step of 64K is supported on the Ethernet port;
- IP multicast and QoS;

Varied protocols

- 802.3af power supply on all ports;
- 802.3at power supply with the maximum power supply on each port reaching up to 30W;
- Configurable power supply priority guarantees, continuous power supply at key network nodes;
- Configurable power consumption to save power and users' cost.

Key Features

Excellent performance

- 64Gbps backplane capacity, non-blocking design; video streaming forwarding at full speed;
- Gigabit optical-fiber transmission with up to 120Km distance;

High security and reliability

- Providing multiple user authentication modes such as 802.1x authentication;
- Port-MAC-IP bind;
- Special ARP invasion detection to effectively stop ARP cheat;

Flexible and various managements

- Adopt cluster technology, support device stacking and use an unified IP address for management;
- Multiple management modes such as Console port, Telnet, Web and SNMP;

Powerful flow and broadcast management

- Automatically detecting and controlling broadcast storms, monitoring IGMP packets and effectively preventing broadcast packet's flooding;
- Flow control in full-duplex mode or half-duplex mode;



DS-3D2000 Multiservice Gigabit Ethernet PoE Switch Series



Model	DS-3D2208P	DS-3D2216P	DS-3D2228P
Port	8 100M Ethernet Ports 2 1000M Ethernet Ports 2 1000M SFP Optical Multiplex Ports 1 Console Port	16 100M Ethernet Ports 2 1000M Ethernet Ports 2 1000M SFP Optical Multiplex Ports 1 Console port	24 100M Ethernet Ports 4 1000M Ethernet Ports 4 1000M SFP Optical Multiplex Ports 1 Console port
Backplane Capacity	64Gbps		
Switching Bandwidth	32Gbps		
Forwarding	4.2Mpps	5.4Mpps	9.6Mpps
MAC Table	8K		
Video Buffering	64MB		
STP	IEEE 802.1D STP IEEE 802.1w RSTP IEEE 802.1s MSTP		
VLAN	Port-based VLAN 802.1Q VLAN GVRP		
VLAN No.	4K (any division)		
QinQ	Support		
QoS	Support		
Flow Control	Backpressure is adopted for half-duplex, while IEEE802.3x is adopted for full-duplex.		
Multicast	IGMP Snooping		
Network Management	SNMP, Telnet, RMON, CLI, support multiple SNMP network management software		
Network Security	IEEE 802.1x Port access control IP ACL, MAC ACL and VLAN ACL DHCP snooping DAI and static/dynamic ARP prevention RADIUS		

DS-3D2000 Multiservice Gigabit Ethernet PoE Switch Series

Dimension	340mm × 250mm × 44mm (13.39" × 9.84" × 1.73")	442mm × 315mm × 44mm (17.40" × 12.40" × 1.73")	442mm × 315mm × 44mm (17.40" × 12.40" × 1.73")
Power Source	110-240VAC (self-adaptive), 47-63Hz, 1A/230V PoE/PoE+ power supply		
Power Consumption	Max. 170W (including PoE power supply) , support 802.3af power supply on 8 ports or 802.3at power supply on 5 ports	Max. 400W (including PoE power supply) , support 802.3af power supply on 16 ports or 802.3at power supply on 12 ports	Max. 400W (including PoE power supply), support 802.3af power supply on 24 ports or 802.3at power supply on 12 ports
Indicator	Power indicator, system indicator, connection/data forwarding indicator, 10/100M indicator		
Environment	Working temperature: 0 °C ~55 °C (32 °F ~ 131 °F) Humidity: 0-90% (no condensation)		
SFP modules (Optional)	HK-1.25G-20-1550: 1000M SFP module, TX1550nm/RX1310nm, LC, single-mode single-fiber, 20km HK-155M-20-1550: 100M SFP module, TX1550nm/RX1310nm, LC, single-mode single-fiber, 20km		

OR2200LCDRTL2U SPECIFICATIONS

GENERAL	
UPS Topology	Line-Interactive
Energy Saving	GreenPower LP5™ Bypass Technology
INPUT	
Voltage	90Vac - 140Vac
Frequency	47Hz - 63Hz
Plug Type	NEMA 5-20P
Plug Style	Straight
Cord Length	10'
OUTPUT	
VA	2100
Watts	1650
Automatic Voltage Regulation	Yes
On Battery Voltage	120Vac +/- 10%
On Battery Frequency	60Hz +/- 1%
On Battery Waveform	Simulated sine wave
Overload Protection	Internal circuitry limiting / circuit breaker
Outlet Type	NEMA 5-20R
Outlets - Battery & Surge Protected	8
Transfer Time	4ms

BATTERY	
Runtime at Half Load (min.)	14
Runtime at Full Load (min.)	6
Extended Runtimes Available	Yes, with optional BP46V75ART2U Battery Pack
Battery Type	Sealed lead acid
Battery Size	12V/9AH
User Replaceable	Yes
Typical Recharge Time	8 Hours
Replacement Battery	BB Battery - HR9-12
Battery Quantity	4
MANAGEMENT & COMMUNICATIONS	
Multifunction LCD Display	Yes
HID Compliant USB Port	Yes
Serial Port	Yes (2x)
Management Cable	USB Cable, Serial Cable (2)
LED Indicators	Power on, wiring fault
Audible Alarms	On battery, low battery, overload
Software	PowerPanel® Business Edition
SNMP / HTTP Remote Monitoring	Yes, with optional RMCARD202

SURGE PROTECTION & FILTERING	
Surge Suppression	2,060 Joules
Phone / Ethernet RJ11 / RJ45	1-In, 1-Out (Combo)
Coax Protection RG6	1-In, 1-Out
PHYSICAL	
Dimensions (WxHxD)	17" x 3.5" x 18.8"
Rack Size	2U
Weight (lbs.)	66.1
CERTIFICATIONS	
Certifications	UL1778, cUL 1073, FCC DOC Class B
RoHS Compliant	RoHS Compliant
WARRANTY	
Product Warranty	3 Years Limited
Connected Equipment Guarantee	Lifetime
CEG Amount	\$300,000



DS-2CD2122FWD-I (W) (S) 2MP WDR Fixed Dome Network Camera



- Up to 2 megapixel high resolution
- Full HD1080p video
- Dual video streams
- 2.8mm/4mm/6mm fixed lens
- 120dB Wide Dynamic Range
- 3D Digital Noise Reduction
- 3-axis adjustment
- DC12V & PoE
- Up to 30m IR range
- IP66 weather-proof protection
- IK08 vandal-proof protection
- -S: Audio/Alarm IQ
- -W: Built-in Wi-Fi
- Mobile Monitoring via EZVIZ P2P or iVMS-4500

Camera Accessories



Inclined ceiling mount
DS-1259ZJ



Wall mount
DS-1272ZJ-110



Wall mount + Junction Box
DS-1272ZJ-110B



Pendant mount
DS-1271ZJ-110B



Junction Box
DS-1280ZJ-DM18



Corner mount
DS-1276ZJ



Vertical Pole mount
DS-1275ZJ



Rain-proof Cap
DS-1250ZJ



DS-2CD2122FWD-I (W)(S) 2MP WDR Fixed Dome Network Camera



Specification

Camera	
Image Sensor	1/2.8" Progressive Scan CMOS
Min. Illumination	0.01Lux @ (F1.2, AGC ON) .0 Lux with IR
Shutter Speed	1/3 s to 1/10,000 s
Lens	2.8mm, 4mm, 6mm @ F2.0
Lens Mount	M12
Day & Night	IR cut filter with auto switch
DNR	3D DNR
Wide Dynamic Range	120dB
P&T rotation	Motorized Pan: -90° ~ 90°, Tilt: 0° ~ 75°
Compression Standard	
Video Compression	H.264 / MJPEG
H.264 Type	Main Profile
Video Bit Rate	32 Kbps ~ 16 Mbps
Dual streams	Support
Image	
Max. Resolution	1920 × 1080
Frame Rate	50Hz: 25fps (1920 × 1080), 25fps (1280 × 960), 25fps (1280 × 720) 60Hz: 30fps (1920 × 1080), 30fps (1280 × 960), 30fps (1280 × 720)
Image Setting	Rotate Mode, Saturation, Brightness, Contrast, Sharpness adjustable by client software or web browser
BLC	Support, zone configurable
ROI Codec	Support
Network	
Network Storage	NAS (Support NFS, SMB/CIFS), ANR
Alarm Trigger	Motion detection, Tampering alarm, Network disconnect, IP address conflict, Storage exception
Protocols	TCP/IP, UDP, ICMP, HTTP, HTTPS, FTP, DHCP, DNS, DDNS, RTP, RTSP, RTCP, PPPoE, NTP, UPnP, SMTP, SNMP, IGMP, 802.1X, QoS, IPv6, Bonjour
General	One-key reset, Flash-prevention, dual stream, heartbeat, mirror, password protection, privacy mask, watermark, IP address filtering, Anonymous access
Standard	ONVIF (PROFILE S, PROFILE G), PSIA, CGI, ISAPI
Interface	
Communication Interface	1 RJ45 10M/100M Ethernet port
On-board storage	Built-in Micro SD/SDHC/SDXC slot, up to 128 GB
Alarm interface	1x alarm I/O *only for -S models
Audio interface	1x audio I/O *only for -S models
Reset	Yes



OR2200LCDRTXL2U

Designed to safeguard networking hardware, telecom equipment, workstations and home entertainment systems and equipment without Active PFC power supplies.

KEY FEATURES:

- 2190VA / 1850W Simulated Sine Wave
- Line-Interactive Topology
- AVR & GreenPower UPS™
- 2U Rack Mount/Tower Convertible
- Multifunction Rotatable LCD display
- SNMP/HTTP Remote Management
- 8 Outlets / USB and Serial Ports
- EMI/RFI Filters
- External Battery Pack Option
- PowerPanel® Business Edition



Runtimes:

The OR2200LCDRTXL2U allows for the addition of up to ten (10) BP48V75ART2U external battery packs to increase the runtime of the unit. The battery packs are easy to plug-in and can be "hot-swapped" to maintain system uptime during normal UPS maintenance.

6 Minutes at Full-load
14 Minutes at Half-load

Please note:
This unit requires a NEMA 5-20R outlet.



CyberPower's patented GreenPower UPS™ technology reduces UPS energy costs up to 75%! Save money and help reduce carbon emissions.

CyberPower Systems, Inc.
4241 12th Ave. E, Suite 400
Shakopee, MN 55379
Toll-free 877. 297. 6937
CPSwww.com

The CyberPower Smart App Intelligent LCD OR2200LCDRTXL2U uninterruptible power supply (UPS) safeguards networking hardware, telecom equipment, workstations and home entertainment systems that do not have active PFC power supplies. Its full automatic voltage regulation (AVR) boost/buck topology delivers a consistent and clean AC power, protecting connected equipment and preventing costly business interruptions.

The OR2200LCDRTXL2U unit has a capacity of 2190VA/1850Watts, eight (8) NEMA 5-20R receptacles and four (4) maintenance-free, user-replaceable 12V/9Ah batteries. The rotatable front LCD panel displays all major UPS vitals for ease of use. This unit offers connectivity via one (1) HID USB and two (2) DB9 serial ports. Protection for phone/network (RJ11/RJ45) and cable/coax (RG-6) is included. EMI/RFI filters increase the immunity of the load to noise disturbances.

An optional SNMP / HTTP Remote Management adapter (RMCARD202) supports remote management and control of the OR2200LCDRTXL2U through a standard web browser.

FEATURES & BENEFITS:

Microprocessor-Based Digital Control: Digital routing is maintained through a network of integrated circuitry and discrete values that are used for internal system processing, which significantly increases efficiency and responsiveness.

RM/T Configuration: The OR2200LCDRTXL2U can be installed in either a Tower or Rack Mount (2U) configuration.

Extended Runtime (XL) Battery Expansion: The XL battery expansion port allows for the addition of multiple battery packs to increase back-up time.

Full AVR: Boost/Buck topology increases low voltages and decreases high voltages, without switching to battery-mode. This conserves battery life and delivers power with a more stable and consistent voltage to connected equipment.

GreenPower UPS™: GreenPower UPS Technology significantly reduces UPS energy costs by bypassing the AVR transformer when incoming AC power is clean. This not only dramatically reduces utility consumption, but also reduces heat dissipation and system noise.

EMI/RFI Filters: Filters against electromagnetic interference and radio frequency interference ensuring clean power for connected equipment.

Dual PC Support: The OR2200LCDRTXL2U has two (2) serial communication ports to connect two PCs or servers, giving the user full control and the ability to prioritize their operation.

Multifunction Rotatable LCD Display: UPS battery status and power conditions are easily viewed on this Liquid Crystal Blue readout when the UPS is rack mounted or standing as a tower.

Metal Housing: Rugged, industrial-grade metal construction allows for installation of the unit in demanding environments.

PowerPanel® Business Edition: Manage the power for all the servers and computers electrically connected to a UPS on a network. PowerPanel® Business Edition also has application/OS shutdown, event logging (power, surge, voltage variations), hibernation mode, internal reports and analysis, and remote management.


Technical Support: CyberPower assists users with any product, installation, or warranty concerns—free of charge.

3-Year Warranty: Stringent manufacturing processes and innovative product design enables CyberPower to offer one of the strongest warranties in our industry. CyberPower will repair or replace damaged units within three (3) years of purchase date.

ISO & Safety Certifications: All CyberPower manufacturing facilities are state-of-the-art and ISO-9001 Quality Tested. Our products are certified by the FCC, cUL, and UL.

Windows Compatibility: Our PowerPanel® power management software has been fully tested and is compatible with Windows 2000, 2003, XP 32/64, Vista 32/64, 7, and Server 2008.


DS-2CD6362F-I(S)(V) 6MP Fisheye Network Camera




Key features

- 1/1.8" progressive scan CMOS
- 6 mega-pixel image sensor
- Up to 3072 x 2048 real-time streaming
- 360° view angle
- Multiple viewing modes
- Multiple ePTZ streams with preset and patrol functions
- Ceiling, Wall or Table mount modes
- Up to 10m IR range
- Audio/Alarm IO optional/RS485 (-S)
- Outdoor version optional (-V)

Dimensions



Accessories



Available models

DS-2CD6362F-I, DS-2CD6362FD-I/S
 DS-2CD6362F-IV, DS-2CD6362F-IVS
 *-S: Audio/Alarm, RS 485 interface optional
 *-V: IP66, Vandal-proof optional

DS-2CD6362F-I(S)(V)	
Camera	
Image Sensor	1/1.8" progressive scan CMOS
Min. Illumination	0.05 lux @ (F1.2, AGC ON) 0.3 lux @ (F2.8, AGC ON) 0 lux with IR
Shutter Speed	1/25 (1/30)s - 1/100,000s
Lens	1.27mm @F2.8, angle of view: 360°
Lens mount	M12
Day & Night	ICR
Compression Standards	
Video Compression	H.264/MJPEG
H.264 Type	Baseline Profile / Main Profile / High Profile
Video Bit Rate	32 Kbps - 16 Mbps
Audio Compression	G.711/G.726/MP2L2
Audio Bit Rate	64Kbps (G.711) / 16Kbps (G.726) / 64Kbps (MP2L2)
Image	
Max. Resolution	3072 x 2048
Frame Rate	High-frame Mode: support 50Hz: 1 x fisheye (3072 x 2048, 25fps) or (2048 x 2048, 25fps) or 4 x PTZ at (1024 x 768, 30fps) 60Hz: 1 x fisheye (3072 x 2048, 25fps) or (2048 x 2048, 30fps) or 4 x PTZ at (1024 x 768, 30fps) Multi-channel Mode: support 50Hz: 1 x fisheye (1280 x 1280, 12.5fps) and 1 x panoramic (2048 x 1536, 12.5fps) and 3 x PTZ (1024 x 768, 12.5fps) 60Hz: 1 x fisheye (1280 x 1280, 15fps) and 1 x panoramic (2048 x 1536, 15fps) and 3 x PTZ (1024 x 768, 15fps)
Number of Streams	High Frame Rate Mode: 1 or 4 Multi-Channel: up to 5 (No sub-streams)
Digital Noise Reduction	3D DNR
Wide Dynamic Range	Digital WDR
Image Setting	Saturation, Brightness, Contrast, Hue, Sharpness, AGC, White Balance
High Light Compensation	Support
Day/Night Switch	Auto / Manual / Scheduled / Alarm trigger
Network	
Network Storage	NAS, SAMB / CIFS
Alarm trigger	Motion detection, dynamic analysis, tamper alarm, network disconnect, IP address conflict, storage full, storage error
Protocols	TCP/IP, ICMP, HTTP, HTTPS, FTP, DHCP, DNS, DDNS, RTP, RTSP, RTCP, PPPoE, NTP, UPnP, SMTP, SNMP, IGMP, 802.1X, QoS, IPv6, Bonjour
Security	User Authentication, Watermark, IP address filtering, Anonymous access
Standard	ONVIF, PSIA, CGI
Interface	
Audio Input	1-ch 3.5 mm audio interface, Mic in/Line in, built-in Microphone
Audio Output	1-ch 3.5 mm audio interface
Communication Interface	1 RJ45 10M/100M/1000M Ethernet port 1 RS-485 interface (-S)
Alarm Input	1
Alarm Output	1
On-board storage	Built-in Micro SD/SDXC slot, up to 64 GB
General	
Operating Conditions	-30 °C - 60 °C (-22 °F - 140 °F) Humidity 95% or less (non-condensing)
Power Supply	DC12V±10% / PoE
Power Consumption	Max. 11W
IR range	Max. 10m
Protection	IEC 60068-2-75 test, Eh, 50J; EN 50102, EN50155, IK10 (-V)
Dimensions	164 x 152.8 x 43.8mm (6.46" x 6.02" x 1.72")
Weight	1400g

Alan E. Long

EDUCATION

BS. West Virginia Institute of Technology, Montgomery, 1991-1995

- Major: Electronic Engineering Technology

EXPERIENCE

Avionics System Technician, United States Marine Corps, V.M.F.A., Beaufort, SC: 1984 - 1990

- Night crew supervisor of the Communication, Navigation/Radar shop.
- Tested and repaired avionics systems utilizing test equipment and technical manuals.
- Additional responsibilities: Quality control, Safety Supervisor, Hazardous Material Control, Tool Control, Corrosion Control, and Embarkation

**Electrician, Trudeau Electric,
Hilton Head SC: 1990 - 1991**

- Installed residential and commercial electrical wiring to specifications.
- Tested and repaired residential and commercial electrical wiring.

Building Systems Salesman,

**Simplex Time Recorder Company Inc., NorthGate Business Park,
10 Kenton Drive, Charleston, WV: 1996 - 1997**

- Responsible for maintaining and building a customer base.
- Wrote specifications and designed fire alarm, sound, and security systems for engineers and end-users .

Building Systems Sales, New Construction,

Electronic Specialty Company, 1325 Dunbar Ave, Dunbar, WV 1997-2000

- Developed specifications and designed fire alarm, sound, and security systems for engineers, architects and end-users by direction of customer needs and applicable codes.
- Interpreted bid specifications and drawings to design the appropriate system.
- Responsible for project management to include: system design, product ordering, shipment scheduling and managing project man-hours and service requests.

Building Systems Sales, End-User Focus,

Buchanan Sound & Electronics, Inc., 420 16th St., Dunbar, WV 2000-2005

- Develop job-specific specifications and system lay-outs for engineers, architects and end-users.
- Developed new customer relationships and maintained current customer relationships by with competitive product lines coupled with quality customer service.
- Interpreted bid specifications and drawings, utilizing this information to design and bid the appropriate building systems.
- Responsible for project management to include: system design, product ordering, shipment scheduling and managing project man-hours and service requests.
- Maintain working knowledge of past, present and up-coming construction project.
- Maintained working knowledge of represented vendors and products lines.
- Installed and Programmed CCTV, Intercoms and Card Access Systems.

Owner, Longs' Security Camera Systems LLC,

102 38th Street SE, Charleston, West Virginia 25304 2005- Current

- Owner and operator of a Security System supply and installation company.
- Work with customers from the design, sales and installation of systems.
- Coordinated and work with State Government facilities, Jackie Withrow Hospital, Mitchell Bateman Hospital, Welch Hospital and Department of Health and Human Resources, on the implementation of security systems.
- Installed, tested and repaired various building systems: Card Access, CCTV, Fire Alarm, Patient Wandering and others.

Computer and Programming Skills:

Microsoft Office, Internet, Card Access, IP Cameras and other security programs.

CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)
10/07/2015

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).


PRODUCER USI Ins Svcs Sm C/L Bluefield 745 S. College Ave Bluefield, VA 24605 276 979-1799	CONTACT NAME: Teresa Alley
	PHONE (A/C, No, Ext): 276-979-1751 FAX (A/C, No): 866-609-0867 E-MAIL ADDRESS: teresa.alley@usi.biz
INSURED Long's Security System LLC 102 38th St. SE Charleston, WV 25304	INSURER(S) AFFORDING COVERAGE
	INSURER A: Maxum Indemnity Company NAIC # 28743
	INSURER B:
	INSURER C:
	INSURER D:
	INSURER E:

COVERAGES **CERTIFICATE NUMBER:** **REVISION NUMBER:**

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL INSR	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
A	GENERAL LIABILITY			BDG005077602	12/20/2014	12/20/2015	EACH OCCURRENCE \$1,000,000
	<input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR <input checked="" type="checkbox"/> BI/PP Ded:500 GEN'L AGGREGATE LIMIT APPLIES PER: <input checked="" type="checkbox"/> POLICY <input type="checkbox"/> PRO-JECT <input type="checkbox"/> LOC						DAMAGE TO RENTED PREMISES (Ea occurrence) \$100,000 MED EXP (Any one person) \$1,000 PERSONAL & ADV INJURY \$1,000,000 GENERAL AGGREGATE \$2,000,000 PRODUCTS - COMP/OP AGG \$2,000,000 \$
	AUTOMOBILE LIABILITY						COMBINED SINGLE LIMIT (Ea accident) \$ BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$ \$
	UMBRELLA LIAB						EACH OCCURRENCE \$
	EXCESS LIAB						AGGREGATE \$
	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY						WC STATUTORY LIMITS OTH-ER E.L. EACH ACCIDENT \$ E.L. DISEASE - EA EMPLOYEE \$ E.L. DISEASE - POLICY LIMIT \$
	ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below			N/A			

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (Attach ACORD 101, Additional Remarks Schedule, if more space is required)

CERTIFICATE HOLDER WV Division of Rehabilitation Services 4701 McCorkle Ave. SE Charleston, WV 25330	CANCELLATION SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.
	AUTHORIZED REPRESENTATIVE 

CONTRACTOR LICENSE

Authorized by the
West Virginia Contractor Licensing Board

Number: WV040102

Classification:
LOW VOLTAGE SYSTEMS

LONGS SECURITY CAMERA SYSTEMS LLC
DBA LONGS SECURITY CAMERA SYSTEMS LLC
102 38TH STREET SE
CHARLESTON, WV 25304

Date Issued

DECEMBER 22, 2014

Expiration Date

DECEMBER 22, 2015



**WEST VIRGINIA
CONTRACTOR
LICENSING
BOARD**

Authorized Company Signature

Michael A. Carl

Chair, West Virginia Contractor
Licensing Board

This license, or a copy thereof, must be posted in a conspicuous place at every construction site where work is being performed. This license number must appear in all advertisements, on all bid submissions and on all fully executed and binding contracts. This license cannot be assigned or transferred by licensee. Issued under provisions of West Virginia Code, Chapter 21, Article 11.

VERIFY THE AUTHENTICITY OF THIS MULTI-TONE SECURITY DOCUMENT

CHECK BACKGROUND AREA CHANGES COLOR GRADUALLY FROM TOP TO BOTTOM



FIFTH THIRD BANK

CASHIER'S CHECK

October 07, 2015

25494600

Pay to the Order of: WEST VIRGINIA DIVISION OF REHABILITATION SERVICES***

\$*****1,341.02

Amount: ONE THOUSAND THREE HUNDRED FORTY ONE 02/100 US DOLLARS

Drawn on: Fifth Third Bank, Kentucky, Inc
Lexington, KY

Transaction Number: 687569170
Cost Center: 1852

Memo: 5% BID BOND
Purchased by: ALAN LONG

The purchase of a Surety Bond may be required before any Cashier's Check on this bank will be replaced or refunded in the event it is lost, misplaced, or stolen.

Authorized Signature 

THE ORIGINAL DOCUMENT HAS A WHITE REFLECTIVE WATERMARK ON THE BACK

HOLD AT AN ANGLE TO SEE THE MARK WHEN CHECKING THE ENDORSEMENTS



**State of West Virginia
DRUG FREE WORKPLACE CONFORMANCE AFFIDAVIT
West Virginia Code §21-1D-5**

**STATE OF WEST VIRGINIA,
COUNTY OF Kanawha, TO-WIT:**


I, _____, after being first duly sworn, depose and state as follows:

- 1. I am an employee of Long's Security Camera System LLC; and,
(Company Name)
- 2. I do hereby attest that Long's Security Camera System LLC
(Company Name)


maintains a written plan for a drug-free workplace policy and that such plan and policy are in compliance with **West Virginia Code §21-1D**.

The above statements are sworn to under the penalty of perjury.

Printed Name: Alan E Long
 Signature: Alan E Long
 Title: Owner
 Company Name: Long's Security Camera Systems LLC
 Date: 10/7/2015



Taken, subscribed and sworn to before me this 7th day of October, 2015.



4th 2024

 (Notary Public)

THIS AFFIDAVIT MUST BE SUBMITTED WITH THE BID IN ORDER TO COMPLY WITH WV CODE PROVISIONS. FAILURE TO INCLUDE THE AFFIDAVIT WITH THE BID SHALL RESULT IN DISQUALIFICATION OF THE BID.

State of West Virginia

VENDOR PREFERENCE CERTIFICATE

Certification and application is hereby made for Preference in accordance with **West Virginia Code**, §5A-3-37. (Does not apply to construction contracts). **West Virginia Code**, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the **West Virginia Code**. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Vendor Preference, if applicable.

1. **Application is made for 2.5% vendor preference for the reason checked:**
 Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; **or,**
 Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; **or** 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; **or,**
 Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; **or,**
2. **Application is made for 2.5% vendor preference for the reason checked:**
 Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; **or,**
3. **Application is made for 2.5% vendor preference for the reason checked:**
 Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; **or,**
4. **Application is made for 5% vendor preference for the reason checked:**
 Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; **or,**
5. **Application is made for 3.5% vendor preference who is a veteran for the reason checked:**
 Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; **or,**
6. **Application is made for 3.5% vendor preference who is a veteran for the reason checked:**
 Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.
7. **Application is made for preference as a non-resident small, women- and minority-owned business, in accordance with West Virginia Code §5A-3-59 and West Virginia Code of State Rules.**
 Bidder has been or expects to be approved prior to contract award by the Purchasing Division as a certified small, women- and minority-owned business.

Bidder understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the requirements for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty against such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency or deducted from any unpaid balance on the contract or purchase order.

By submission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and authorizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid the required business taxes, provided that such information does not contain the amounts of taxes paid nor any other information deemed by the Tax Commissioner to be confidential.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), Bidder hereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate changes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.

Bidder: Long's Security Camera Systems LLC

Signed: Alan E. [Signature]

Date: 10/7/2015

Title: Owner

AGREEMENT ADDENDUM FOR SOFTWARE

In the event of conflict between this addendum and the agreement, this addendum shall control:

1. **DISPUTES** - Any references in the agreement to arbitration or to the jurisdiction of any court are hereby deleted. Disputes arising out of the agreement shall be presented to the West Virginia Court of Claims.
2. **HOLD HARMLESS** - Any provision requiring the Agency to indemnify or hold harmless any party is hereby deleted in its entirety.
3. **GOVERNING LAW** - The agreement shall be governed by the laws of the State of West Virginia. This provision replaces any references to any other State's governing law.
4. **TAXES** - Provisions in the agreement requiring the Agency to pay taxes are deleted. As a State entity, the Agency is exempt from Federal, State, and local taxes and will not pay taxes for any Vendor including individuals, nor will the Agency file any tax returns or reports on behalf of Vendor or any other party.
5. **PAYMENT** - Any references to prepayment are deleted. Fees for software licenses, subscriptions, or maintenance are payable annually in advance. Payment for services will be in arrears.
6. **INTEREST** - Any provision for interest or charges on late payments is deleted. The Agency has no statutory authority to pay interest or late fees.
7. **NO WAIVER** - Any language in the agreement requiring the Agency to waive any rights, claims or defenses is hereby deleted.
8. **FISCAL YEAR FUNDING** - Service performed under the agreement may be continued in succeeding fiscal years for the term of the agreement, contingent upon funds being appropriated by the Legislature or otherwise being available for this service. In the event funds are not appropriated or otherwise available for this service, the agreement shall terminate without penalty on June 30. After that date, the agreement becomes of no effect and is null and void. However, the Agency agrees to use its best efforts to have the amounts contemplated under the agreement included in its budget. Non-appropriation or non-funding shall not be considered an event of default.
9. **STATUTE OF LIMITATION** - Any clauses limiting the time in which the Agency may bring suit against the Vendor, lessor, individual, or any other party are deleted.
10. **SIMILAR SERVICES** - Any provisions limiting the Agency's right to obtain similar services or equipment in the event of default or non-funding during the term of the agreement are hereby deleted.
11. **FEES OR COSTS** - The Agency recognizes an obligation to pay attorney's fees or costs only when assessed by a court of competent jurisdiction. Any other provision is invalid and considered null and void.
12. **ASSIGNMENT** - Notwithstanding any clause to the contrary, the Agency reserves the right to assign the agreement to another State of West Virginia agency, board or commission upon thirty (30) days written notice to the Vendor and Vendor shall obtain the written consent of Agency prior to assigning the agreement.
13. **LIMITATION OF LIABILITY** - The Agency, as a State entity, cannot agree to assume the potential liability of a Vendor. Accordingly, any provision in the agreement limiting the Vendor's liability for direct damages is hereby deleted. Vendor's liability under the agreement shall not exceed three times the total value of the agreement. Limitations on special, incidental or consequential damages are acceptable. In addition, any limitation is null and void to the extent that it precludes any action for injury to persons or for damages to personal property.
14. **RIGHT TO TERMINATE** - Agency shall have the right to terminate the agreement upon thirty (30) days written notice to Vendor. Agency agrees to pay Vendor for services rendered or goods received prior to the effective date of termination. In such event, Agency will not be entitled to a refund of any software license, subscription or maintenance fees paid.
15. **TERMINATION CHARGES** - Any provision requiring the Agency to pay a fixed amount or liquidated damages upon termination of the agreement is hereby deleted. The Agency may only agree to reimburse a Vendor for actual costs incurred or losses sustained during the current fiscal year due to wrongful termination by the Agency prior to the end of any current agreement term.
16. **RENEWAL** - Any reference to automatic renewal is deleted. The agreement may be renewed only upon mutual written agreement of the parties.
17. **INSURANCE** - Any provision requiring the Agency to purchase insurance for Vendor's property is deleted. The State of West Virginia is insured through the Board of Risk and Insurance Management, and will provide a certificate of property insurance upon request.
18. **RIGHT TO NOTICE** - Any provision for repossession of equipment without notice is hereby deleted. However, the Agency does recognize a right of repossession with notice.
19. **ACCELERATION** - Any reference to acceleration of payments in the event of default or non-funding is hereby deleted.
20. **CONFIDENTIALITY** - Any provision regarding confidentiality of the terms and conditions of the agreement is hereby deleted. State contracts are public records under the West Virginia Freedom of Information Act.
21. **AMENDMENTS** - All amendments, modifications, alterations or changes to the agreement shall be in writing and signed by both parties. No amendment, modification, alteration or change may be made to this addendum without the express written approval of the Purchasing Division and the Attorney General.

ACCEPTED BY:

STATE OF WEST VIRGINIA

Spending Unit: _____

Signed: _____

Title: _____

Date: _____

VENDOR

Company Name: Long's Security Camera Systems LLC

Signed: [Signature]

Title: Owner

Date: 10/7/2015

AGREEMENT ADDENDUM

In the event of conflict between this addendum and the agreement, this addendum shall control:

1. **DISPUTES** - Any references in the agreement to arbitration or to the jurisdiction of any court are hereby deleted. Disputes arising out of the agreement shall be presented to the West Virginia Court of Claims.
2. **HOLD HARMLESS** - Any provision requiring the Agency to indemnify or hold harmless any party is hereby deleted in its entirety.
3. **GOVERNING LAW** - The agreement shall be governed by the laws of the State of West Virginia. This provision replaces any references to any other State's governing law.
4. **TAXES** - Provisions in the agreement requiring the Agency to pay taxes are deleted. As a State entity, the Agency is exempt from Federal, State, and local taxes and will not pay taxes for any Vendor including individuals, nor will the Agency file any tax returns or reports on behalf of Vendor or any other party.
5. **PAYMENT** - Any references to prepayment are deleted. Payment will be in arrears.
6. **INTEREST** - Any provision for interest or charges on late payments is deleted. The Agency has no statutory authority to pay interest or late fees.
7. **NO WAIVER** - Any language in the agreement requiring the Agency to waive any rights, claims or defenses is hereby deleted.
8. **FISCAL YEAR FUNDING** - Service performed under the agreement may be continued in succeeding fiscal years for the term of the agreement, contingent upon funds being appropriated by the Legislature or otherwise being available for this service. In the event funds are not appropriated or otherwise available for this service, the agreement shall terminate without penalty on June 30. After that date, the agreement becomes of no effect and is null and void. However, the Agency agrees to use its best efforts to have the amounts contemplated under the agreement included in its budget. Non-appropriation or non-funding shall not be considered an event of default.
9. **STATUTE OF LIMITATION** - Any clauses limiting the time in which the Agency may bring suit against the Vendor, lessor, individual, or any other party are deleted.
10. **SIMILAR SERVICES** - Any provisions limiting the Agency's right to obtain similar services or equipment in the event of default or non-funding during the term of the agreement are hereby deleted.
11. **FEES OR COSTS** - The Agency recognizes an obligation to pay attorney's fees or costs only when assessed by a court of competent jurisdiction. Any other provision is invalid and considered null and void.
12. **ASSIGNMENT** - Notwithstanding any clause to the contrary, the Agency reserves the right to assign the agreement to another State of West Virginia agency, board or commission upon thirty (30) days written notice to the Vendor and Vendor shall obtain the written consent of Agency prior to assigning the agreement.
13. **LIMITATION OF LIABILITY** - The Agency, as a State entity, cannot agree to assume the potential liability of a Vendor. Accordingly, any provision limiting the Vendor's liability for direct damages to a certain dollar amount or to the amount of the agreement is hereby deleted. Limitations on special, incidental or consequential damages are acceptable. In addition, any limitation is null and void to the extent that it precludes any action for injury to persons or for damages to personal property.
14. **RIGHT TO TERMINATE** - Agency shall have the right to terminate the agreement upon thirty (30) days written notice to Vendor. Agency agrees to pay Vendor for services rendered or goods received prior to the effective date of termination.
15. **TERMINATION CHARGES** - Any provision requiring the Agency to pay a fixed amount or liquidated damages upon termination of the agreement is hereby deleted. The Agency may only agree to reimburse a Vendor for actual costs incurred or losses sustained during the current fiscal year due to wrongful termination by the Agency prior to the end of any current agreement term.
16. **RENEWAL** - Any reference to automatic renewal is deleted. The agreement may be renewed only upon mutual written agreement of the parties.
17. **INSURANCE** - Any provision requiring the Agency to purchase insurance for Vendor's property is deleted. The State of West Virginia is insured through the Board of Risk and Insurance Management, and will provide a certificate of property insurance upon request.
18. **RIGHT TO NOTICE** - Any provision for repossession of equipment without notice is hereby deleted. However, the Agency does recognize a right of repossession with notice.
19. **ACCELERATION** - Any reference to acceleration of payments in the event of default or non-funding is hereby deleted.
20. **CONFIDENTIALITY** - Any provision regarding confidentiality of the terms and conditions of the agreement is hereby deleted. State contracts are public records under the West Virginia Freedom of Information Act.
21. **AMENDMENTS** - All amendments, modifications, alterations or changes to the agreement shall be in writing and signed by both parties. No amendment, modification, alteration or change may be made to this addendum without the express written approval of the Purchasing Division and the Attorney General.

ACCEPTED BY:

STATE OF WEST VIRGINIA

Spending Unit: _____

Signed: _____

Title: _____

Date: _____

VENDOR

Company Name: Long's Security Camera Systems LLC

Signed: Allen E. [Signature]

Title: OWNER

Date: 10/7/2015