



# West Virginia Purchasing Division

2019 Washington Street, East  
Charleston, WV 25305  
Telephone: 304-558-2306  
General Fax: 304-558-6026  
Bid Fax: 304-558-3970

The following documentation is an electronically-submitted vendor response to an advertised solicitation from the *West Virginia Purchasing Bulletin* within the Vendor Self-Service portal at ***wvOASIS.gov***. As part of the State of West Virginia's procurement process, and to maintain the transparency of the bid-opening process, this documentation submitted online is publicly posted by the West Virginia Purchasing Division at ***WVPurchasing.gov*** with any other vendor responses to this solicitation submitted to the Purchasing Division in hard copy format.

## Header #2

List View

**General Information** | [Contact](#) | [Default Values](#) | [Discount](#) | [Document Information](#)

Procurement Folder: 189203

Procurement Type: Central Master Agreement

Vendor ID: 000000177058 

Legal Name: BRIDGEPORT EQUIPMENT & TOOL

Alias/DBA: BET LTD

Total Bid: \$49,895.00

Response Date: 10/04/2016 

Response Time: 11:26

SO Doc Code: CRFQ

SO Dept: 0310

SO Doc ID: DNR170000007

Published Date: 9/27/16

Close Date: 10/4/16

Close Time: 13:30

Status: Closed

Solicitation Description: Addendum No.01 DNR Fisheries  
Open-End Zero-Turn Mowers 

Total of Header Attachments: 2

Total of All Attachments: 2



Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
1	Zero Turn Riding Lawn Mower; Gravely Model 992279 or Equal	5.00000	EA	\$9,979.000000	\$49,895.00

Comm Code	Manufacturer	Specification	Model #
27112014			

<b>Extended Description :</b>	Gravely Model992279 or Equal
-------------------------------	------------------------------

**Comments:** BIDDING JOH DEERE Z970R ZERO TURN MOWERS WITH 72 INCH MOWER DECKS.





Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

State of West Virginia  
 Request for Quotation  
 13 - Equipment

Proc Folder: 189203

Doc Description: Addendum No.01 DNR Fisheries Open-End Zero-Turn Mowers

Proc Type: Central Master Agreement

Date Issued	Solicitation Closes	Solicitation No	Version
2016-09-27	2016-10-04 13:30:00	CRFQ 0310 DNR1700000007	2

**BID RECEIVING LOCATION**

BID CLERK  
 DEPARTMENT OF ADMINISTRATION  
 PURCHASING DIVISION  
 2019 WASHINGTON ST E  
 CHARLESTON WV 25305  
 US

**VENDOR**

Vendor Name, Address and Telephone Number:  
 BRIDGEPORT EQUIPMENT AND TOOL  
 1504 OAKHURST DRIVE  
 CHARLESTON, WV 25314  
 304-659-2917

**FOR INFORMATION CONTACT THE BUYER**

Guy Nisbet  
 (304) 558-2596  
 guy.l.nisbet@wv.gov

Signature X *Arnold A. Gardner* FEIN # 34-1800484 DATE 10/03/2016

All offers subject to all terms and conditions contained in this solicitation

**ADDITIONAL INFORMATION:**

Addendum

Addendum No.01 issued to publish and distribute the attached information to the vendor community.

\*\*\*\*\*

Request for Quotation

The West Virginia Purchasing Division is soliciting bids on behalf of WV Division of Natural Resources, Bowden Fish Hatchery to establish an open-end contract for the purchase of zero turn riding lawn mowers with a seventy-two (72) inch mowing deck per the specifications, terms and conditions attached hereto as apart of this solicitation.

INVOICE TO		SHIP TO	
DIVISION OF NATURAL RESOURCES WILDLIFE RESOURCES SECTION ELKINS OPERATIONS CENTER PO BOX 67		STATE OF WEST VIRGINIA JOBSITE - SEE SPECIFICATIONS	
ELKINS	WV26241	No City	WV 99999
US		US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
1	Zero Turn Riding Lawn Mower; Gravely Model 992279 or Equal	5.00000	EA	\$9979.00	\$49895.00

Comm Code	Manufacturer	Specification	Model #
27112014	JOHN DEERE	AS PER SPECIFICATION	Z970R

Extended Description :  
Gravely Model992279 or Equal

DNR1700000007	<b>Document Phase</b> Final	<b>Document Description</b> DNR Fisheries Mgt.-Hatcheries Open-End Zero-Turn Mowers	<b>Page 3</b> <b>of 3</b>
---------------	--------------------------------	---	------------------------------

**ADDITIONAL TERMS AND CONDITIONS**

See attached document(s) for additional Terms and Conditions



SOLICITATION NUMBER: CRFQ 0310 DNR1700000007

Addendum Number: No.01

---

The purpose of this addendum is to modify the solicitation identified as ("Solicitation") to reflect the change(s) identified and described below.

**Applicable Addendum Category:**

- | Modify bid opening date and time
- | Modify specifications of product or service being sought
- | Attachment of vendor questions and responses
- | Attachment of pre-bid sign-in sheet
- | Correction of error
- | Other

**Description of Modification to Solicitation:**

Addendum issued to publish and distribute the attached documentation to the vendor community.

1. attach and Publish revised Exhibit A Pricing Sheet to reflect correct Model or Equal of equipment being requested.

No other changes.

**Additional Documentation:** Documentation related to this Addendum (if any) has been included herewith as Attachment A and is specifically incorporated herein by reference.

**Terms and Conditions:**

1. All provisions of the Solicitation and other addenda not modified herein shall remain in full force and effect.
2. Vendor should acknowledge receipt of all addenda issued for this Solicitation by completing an Addendum Acknowledgment, a copy of which is included herewith. Failure to acknowledge addenda may result in bid disqualification. The addendum acknowledgement should be submitted with the bid to expedite document processing.

# ATTACHMENT A

**Exhibit A Pricing Page**

**West Virginia Division of Natural Resources- Wildlife Resources' Fisheries Management  
Open-End Contract for Zero Turn Riding Lawn Mowers**

Item	Description	Year, Make and Model	Estimated Quantity	Unit Price	Extended Price
3.1.1	Zero Turn Riding Lawn Mower, Gravely Model, <u>Model 992279</u> , or <b>Equal</b> . (Must include Shipping Costs.)	2016 - JOHN DEERE - Z970R WITH 72 INCH MOWER DECK	5	\$9979.00	\$49895.00
<b>TOTAL BID AMOUNT:</b>					\$49895.00



**ADDENDUM ACKNOWLEDGEMENT FORM****SOLICITATION NO.:** CRFQ 0310 DNR17000007

**Instructions:** Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

**Acknowledgment:** I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

**Addendum Numbers Received:**


(Check the box next to each addendum received)

<input checked="" type="checkbox"/> Addendum No. 1	<input type="checkbox"/> Addendum No. 6
<input type="checkbox"/> Addendum No. 2	<input type="checkbox"/> Addendum No. 7
<input type="checkbox"/> Addendum No. 3	<input type="checkbox"/> Addendum No. 8
<input type="checkbox"/> Addendum No. 4	<input type="checkbox"/> Addendum No. 9
<input type="checkbox"/> Addendum No. 5	<input type="checkbox"/> Addendum No. 10

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

BRIDGEPORT EQUIPMENT AND TOOL

Company



Authorized Signature

10/03/2016

Date

NOTE: This addendum acknowledgment should be submitted with the bid to expedite document processing.

Revised 6/8/2012



Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

State of West Virginia  
 Request for Quotation  
 13 - Equipment

Proc Folder: 189203

Doc Description: DNR Fisheries Mgt.-Hatcheries Open-End Zero-Turn Mowers

Proc Type: Central Master Agreement

Date Issued	Solicitation Closes	Solicitation No	Version
2016-09-14	2016-10-04 13:30:00	CRFQ 0310 DNR1700000007	1

**BID RECEIVING LOCATION**

BID CLERK  
 DEPARTMENT OF ADMINISTRATION  
 PURCHASING DIVISION  
 2019 WASHINGTON ST E  
 CHARLESTON WV 25305  
 US

**VENDOR**

Vendor Name, Address and Telephone Number:

BRIDGEPORT EQUIPMENT AND TOOL  
 1504 OAKHURST DRIVE  
 CHARLESTON, WV 25314  
 304-659-2917

**FOR INFORMATION CONTACT THE BUYER**

Guy Nisbet  
 (304) 558-2596  
 guy.l.nisbet@wv.gov

Signature X *Ronald A. Gardner* FEIN # 34-1800484 DATE 10/03/2016

All offers subject to all terms and conditions contained in this solicitation



**ADDITIONAL INFORMATION:**

## Request for Quotation

The West Virginia Purchasing Division is soliciting bids on behalf of WV Division of Natural Resources, Bowden Fish Hatchery to establish an open-end contract for the purchase of zero turn riding lawn mowers with a seventy-two (72) inch mowing deck per the specifications, terms and conditions attached hereto as apart of this solicitation.

INVOICE TO		SHIP TO	
DIVISION OF NATURAL RESOURCES WILDLIFE RESOURCES SECTION ELKINS OPERATIONS CENTER PO BOX 67  ELKINS WV26241  US		STATE OF WEST VIRGINIA JOBSITE - SEE SPECIFICATIONS  No City WV 99999  US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
1	Zero Turn Riding Lawn Mower	5.00000	EA	\$9979.00	\$49895.00

Comm Code	Manufacturer	Specification	Model #
27112014	JOHN DEERE	AS PER SPECIFICATION	Z970R

**Extended Description :**

Open end contract to purchase zero turn riding lawn mowers for DNR Fisheries Management-Hatcheries.

<b>DNR1700000007</b>	<b>Document Phase</b> Draft	<b>Document Description</b> DNR Fisheries Mgt.-Hatcheries Open-End Zero-Turn Mowers	<b>Page 3</b>
----------------------	--------------------------------	---	---------------

**ADDITIONAL TERMS AND CONDITIONS**

See attached document(s) for additional Terms and Conditions

**DESIGNATED CONTACT:** Vendor appoints the individual identified in this Section as the Contract Administrator and the initial point of contact for matters relating to this Contract.

RONALD A. GARDNER

(Name, Title) RONALD A. GARDNER SALES

(Printed Name and Title) 1504 OAKHURST DRIVE, CHARLESTON, WV 25314

(Address) 304-659-2917 304-659-3276

(Phone Number) / (Fax Number) rgardner@bridgeportequip.com

(email address)

**CERTIFICATION AND SIGNATURE:** By signing below, or submitting documentation through wvOASIS, I certify that I have reviewed this Solicitation in its entirety; that I understand the requirements, terms and conditions, and other information contained herein; that this bid, offer or proposal constitutes an offer to the State that cannot be unilaterally withdrawn; that the product or service proposed meets the mandatory requirements contained in the Solicitation for that product or service, unless otherwise stated herein; that the Vendor accepts the terms and conditions contained in the Solicitation, unless otherwise stated herein; that I am submitting this bid, offer or proposal for review and consideration; that I am authorized by the vendor to execute and submit this bid, offer, or proposal, or any documents related thereto on vendor's behalf; that I am authorized to bind the vendor in a contractual relationship; and that to the best of my knowledge, the vendor has properly registered with any State agency that may require registration.

BRIDGEPORT EQUIPMENT AND TOOL

(Company)

 RONALD A. GARDNER - SALES  
(Authorized Signature) (Representative Name, Title)

RONALD A. GARDNER - SALES

(Printed Name and Title of Authorized Representative)

10/03/2016

(Date)

304-659-2917 304-659-3276

(Phone Number) (Fax Number)



**REQUEST FOR QUOTATION**  
**West Virginia Division of Natural Resources- Wildlife Resources' Fisheries Management**  
**Open-End Contract for Zero Turn Riding Lawn Mowers**

---

**SPECIFICATIONS**

- 1. PURPOSE AND SCOPE:** The West Virginia Purchasing Division is soliciting bids on behalf of WV Division of Natural Resources, Bowden Fish Hatchery to establish an open-end contract for the purchase of zero turn riding lawn mowers with a seventy-two (72) inch mowing deck.

**PLEASE NOTE:** The cost for shipping must be included as a part of the Total Bid Amount. Delivery will be to various locations throughout West Virginia as noted in Item 6 of this Solicitation.

- 2. DEFINITIONS:** The terms listed below shall have the meanings assigned to them below. Additional definitions can be found in section 2 of the General Terms and Conditions.

**2.1 "Contract Item"** means the zero turn riding lawn mower as more fully described by these specifications.

**2.2 "Pricing Pages"** means the schedule of prices, estimated order quantity, and totals contained in wvOASIS or attached hereto as Exhibit A, and used to evaluate the Solicitation responses.

**2.3 "Solicitation"** means the official notice of an opportunity to supply the State with goods or services that is published by the Purchasing Division.

**2.4 "Integrated pumping system"** means built-in fluid reservoir and filter system transmission

**2.5 "Wheel motor transmission"** means wheels are mounted directly on the shaft of the transmission

**3. GENERAL REQUIREMENTS:**

**3.1 Contract Items and Mandatory Requirements:** Vendor shall provide Agency with the Contract Items listed below on an open-end and continuing basis. Contract Items must meet or exceed the mandatory requirements as shown below.

**3.1.1 Zero Turn Riding Lawn Mower, Gravely, Model 992279, or equal.**

**3.1.1.1** Must have a minimum seventy-two (72) inch mowing deck with a minimum of three (3) cutting blades.

**REQUEST FOR QUOTATION**  
**West Virginia Division of Natural Resources- Wildlife Resources' Fisheries Management**  
**Open-End Contract for Zero Turn Riding Lawn Mowers**

---

- 3.1.1.2 Must have three (3) cast iron spindles with ball bearings and electric clutch deck engagement.
- 3.1.1.3 Must have a hydrostatic transmission with an integrated pumping system and wheel motor transmission.
- 3.1.1.3 Must have a minimum thirty-three (33) horsepower air cooled engine.
- 3.1.1.4 Must have adjustable cutting heights with a minimum cutting height of one (1.0) inches.
- 3.1.1.5 Deck must be fabricated and welded with a minimum of seven (7) gauge steel with 0.25 inch minimum spindle reinforcement.
- 3.1.1.7 Front tires must be smooth without tread. Rear tire must have radial turf tread.
- 3.1.1.8 Must have a minimum twelve (12) gallon fuel capacity.
- 3.1.1.9 Must have a minimum ground speed of ten (10) miles per hour in forward gear and five (5) miles per hour in reverse.
- 3.1.1.10 Must include in the Total Bid Amount, a minimum two (2) year limited manufactures warranty. Vendor should submit a copy of the product warranty with their submitted bid response. This information will be required before contract award.
- 3.1.1.11 **Pre-Delivery:** Prior to delivery each piece of equipment must be completely serviced in accordance with Manufactures Dealer "make ready" preparation and in accordance with these specifications and the manufactures recommendations. Owner's manuals must be delivered with the equipment



**REQUEST FOR QUOTATION**  
**West Virginia Division of Natural Resources- Wildlife Resources' Fisheries Management**  
**Open-End Contract for Zero Turn Riding Lawn Mowers**

---

**5. ORDERING AND PAYMENT:**

**5.1 Ordering:** Vendor shall accept orders through wvOASIS, regular mail, facsimile, e-mail, or any other written form of communication. Vendor may, but is not required to, accept on-line orders through a secure internet ordering portal/website. If Vendor has the ability to accept on-line orders, it should include in its response a brief description of how Agencies may utilize the on-line ordering system. Vendor shall ensure that its on-line ordering system is properly secured prior to processing Agency orders on-line.

**5.2 Payment:** Vendor shall accept payment in accordance with the payment procedures of the State of West Virginia.

**6. DELIVERY AND RETURN:**

**6.1 Shipment and Delivery:** Vendor shall ship the Contract Items immediately after being awarded this Contract and receiving a purchase order. Vendor shall deliver the Contract Items within thirty (30) calendar days after receiving a purchase order.

➤ **Contract items must be delivered to agency at any of the following addresses:**

**Apple Grove State Fish Hatchery**  
Rt. 1, Box 124,  
Gallipolis Ferry, WV  
304) 576-2512

**Bowden State Fish Hatchery**  
Rt. 1 Box 80  
Elkins, WV  
(304) 637-0238

**Edray State Fish Hatchery**  
753 Woodrow Road  
Marlinton, WV  
(304) 799-6461

**Palestine State Fish Hatchery**  
Route 1 Box 128  
Elizabeth, WV  
(304) 275-4426

**REQUEST FOR QUOTATION**  
**West Virginia Division of Natural Resources- Wildlife Resources' Fisheries Management**  
**Open-End Contract for Zero Turn Riding Lawn Mowers**

---

**Ridge State Fish Hatchery**  
12051 Valley Road  
Berkeley Springs, WV  
(304) 258-1713

**Reeds Creek State Fish Hatchery**  
41 Hatchery Lane  
Franklin, WV  
(304) 358-2595

**Spring Run State Fish Hatchery**  
1988 Spring Run Road #1  
Petersburg, WV  
(304) 898-3221

**Tate Lohr State Fish Hatchery**  
4065 Pigeon Creek Road  
Princeton, WV  
(304)-898-3221

- 6.2 Late Delivery:** The Agency placing the order under this Contract must be notified in writing if orders will be delayed for any reason. Any delay in delivery that could cause harm to an Agency will be grounds for cancellation of the delayed order, and/or obtaining the items ordered from a third party.

Any Agency seeking to obtain items from a third party under this provision must first obtain approval of the Purchasing Division.

- 6.3 Delivery Payment/Risk of Loss:** Standard order delivery shall be F.O.B. destination to the Agency's location. Vendor shall include the cost of standard order delivery charges in its bid pricing/discount and is not permitted to charge the Agency separately for such delivery. The Agency will pay delivery charges on all emergency orders provided that Vendor invoices those delivery costs as a separate charge with the original freight bill attached to the invoice.
- 6.4 Return of Unacceptable Items:** If the Agency deems the Contract Items to be unacceptable, the Contract Items shall be returned to Vendor at Vendor's expense and with no restocking charge. Vendor shall either make arrangements for the return within five (5) days of being notified that items are unacceptable, or permit the Agency to arrange for the return and reimburse Agency for delivery expenses. If the original packaging cannot be utilized for the return, Vendor will supply the Agency with appropriate return packaging upon request. All returns of unacceptable items shall be F.O.B. the Agency's location. The returned product



**REQUEST FOR QUOTATION****West Virginia Division of Natural Resources- Wildlife Resources' Fisheries Management  
Open-End Contract for Zero Turn Riding Lawn Mowers**

---

shall either be replaced, or the Agency shall receive a full credit or refund for the purchase price, at the Agency's discretion.

- 6.5 Return Due to Agency Error:** Items ordered in error by the Agency will be returned for credit within thirty (30) days of receipt, F.O.B. Vendor's location. Vendor shall not charge a restocking fee if returned products are in a resalable condition. Items shall be deemed to be in a resalable condition if they are unused and in the original packaging. Any restocking fee for items not in a resalable condition shall be the lower of the Vendor's customary restocking fee or 5% of the total invoiced value of the returned items.

**7. VENDOR DEFAULT:**

- 7.1** The following shall be considered a vendor default under this Contract.
- 7.1.1** Failure to provide Contract Items in accordance with the requirements contained herein.
  - 7.1.2** Failure to comply with other specifications and requirements contained herein.
  - 7.1.3** Failure to comply with any laws, rules, and ordinances applicable to the Contract Services provided under this Contract.
  - 7.1.4** Failure to remedy deficient performance upon request.
- 7.2** The following remedies shall be available to Agency upon default.
- 7.2.1** Immediate cancellation of the Contract.
  - 7.2.2** Immediate cancellation of one or more release orders issued under this Contract
  - 7.2.3** Any other remedies available in law or equity.



**REQUEST FOR QUOTATION**  
**West Virginia Division of Natural Resources- Wildlife Resources' Fisheries Management**  
**Open-End Contract for Zero Turn Riding Lawn Mowers**

---

**8. MISCELLANEOUS:**

- 8.1 No Substitutions:** Vendor shall supply only Contract Items submitted in response to the Solicitation unless a contract modification is approved in accordance with the provisions contained in this Contract.
- 8.2 Vendor Supply:** Vendor must carry sufficient inventory of the Contract Items being offered to fulfill its obligations under this Contract. By signing its bid, Vendor certifies that it can supply the Contract Items contained in its bid response.
- 8.3 Reports:** Vendor shall provide quarterly reports and annual summaries to the Agency showing the Agency's items purchased, quantities of items purchased, and total dollar value of the items purchased. Vendor shall also provide reports, upon request, showing the items purchased during the term of this Contract, the quantity purchased for each of those items, and the total value of purchases for each of those items. Failure to supply such reports may be grounds for cancellation of this Contract.
- 8.4 Contract Manager:** During its performance of this Contract, Vendor must designate and maintain a primary contract manager responsible for overseeing Vendor's responsibilities under this Contract. The Contract manager must be available during normal business hours to address any customer service or other issues related to this Contract. Vendor should list its Contract manager and his or her contact information below.

RONALD A. GARDNER

**Contract Manager:** \_\_\_\_\_

**Telephone Number:** 304-659-2917     304-659-3276

**Fax Number:** 304-659-3276

**Email Address:** rgardner@bridgeportequip.com



WV-10  
Approved / Revised  
12/16/15

# State of West Virginia VENDOR PREFERENCE CERTIFICATE

Certification and application is hereby made for Preference in accordance with *West Virginia Code*, §5A-3-37. (Does not apply to construction contracts). *West Virginia Code*, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the *West Virginia Code*. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Vendor Preference, if applicable.

**1. Application is made for 2.5% vendor preference for the reason checked:**

- Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,
- Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification;
- Bidder is a resident vendor partnership, association, or corporation with at least eighty percent of ownership interest of bidder held by another entity that meets the applicable four year residency requirement; or,
- Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or,

**2. Application is made for 2.5% vendor preference for the reason checked:**

- Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,

**3. Application is made for 2.5% vendor preference for the reason checked:**

- Bidder is a nonresident vendor that employs a minimum of one hundred state residents, or a nonresident vendor which has an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia and employs a minimum of one hundred state residents, and for purposes of producing or distributing the commodities or completing the project which is the subject of the bidder's bid and continuously over the entire term of the project, on average at least seventy-five percent of the bidder's employees or the bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years and the vendor's bid; or,

**4. Application is made for 5% vendor preference for the reason checked:**

- Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,

**5. Application is made for 3.5% vendor preference who is a veteran for the reason checked:**

- Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or,

**6. Application is made for 3.5% vendor preference who is a veteran for the reason checked:**

- Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.

**7. Application is made for preference as a non-resident small, women- and minority-owned business, in accordance with *West Virginia Code* §5A-3-59 and *West Virginia Code of State Rules*.**

- Bidder has been or expects to be approved prior to contract award by the Purchasing Division as a certified small, women- and minority-owned business.

Bidder understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the requirements for such preference, the Secretary may order the Director of Purchasing to: (a) rescind the contract or purchase order; or (b) assess a penalty against such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency or deducted from any unpaid balance on the contract or purchase order.

By submission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and authorizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid the required business taxes, provided that such information does not contain the amounts of taxes paid nor any other information deemed by the Tax Commissioner to be confidential.

**Bidder hereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate changes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.**

Bidder: BRIDGEPORT EQUIPMENT AND TOOL      Signed: *Conrad A. Gardner*  
 Date: 10/03/2016      Title: SALES

\*Check any combination of preference consideration(s) indicated above, which you are entitled to receive.



STATE OF WEST VIRGINIA  
Purchasing Division

**PURCHASING AFFIDAVIT**

**MANDATE:** Under W. Va. Code §5A-3-10a, no contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and: (1) the debt owed is an amount greater than one thousand dollars in the aggregate; or (2) the debtor is in employer default.

**EXCEPTION:** The prohibition listed above does not apply where a vendor has contested any tax administered pursuant to chapter eleven of the W. Va. Code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

**DEFINITIONS:**

**"Debt"** means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

**"Employer default"** means having an outstanding balance or liability to the old fund or to the uninsured employers' fund or being in policy default, as defined in W. Va. Code § 23-2c-2, failure to maintain mandatory workers' compensation coverage, or failure to fully meet its obligations as a workers' compensation self-insured employer. An employer is not in employer default if it has entered into a repayment agreement with the Insurance Commissioner and remains in compliance with the obligations under the repayment agreement.

**"Related party"** means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceeds five percent of the total contract amount.

**AFFIRMATION:** By signing this form, the vendor's authorized signer affirms and acknowledges under penalty of law for false swearing (W. Va. Code §61-5-3) that neither vendor nor any related party owe a debt as defined above and that neither vendor nor any related party are in employer default as defined above, unless the debt or employer default is permitted under the exception above.

**WITNESS THE FOLLOWING SIGNATURE:**

Vendor's Name: BRIDGEPORT EQUIPMENT AND TOOL

Authorized Signature: Ronald D. Gardner Date: 10/03/2016


State of WV

County of Kitchie, to-wit:

Taken, subscribed, and sworn to before me this 3 day of Oct, 2016

My Commission expires March 10, 2019.

**AFFIX SEAL HERE**



NOTARY PUBLIC Kenna S Davis



# Commercial Mowers

ZTraks™ | QuikTraks™ | Walk-Behinds | Uptime Solutions



Keep Mowing.



We're in the business of supporting your business.

Z915B



Z997R Diesel with MOD



Z930M Propane with MOD  
(US only)



Z950M with MOD and  
MICHELIN® X TWEEL™ TURF\*






We have a full line of commercial mowers that go the distance – and stand the test of time.

✓ ZTraks™  
35 models

✓ QuikTraks™  
11 models


✓ Walk-Behinds  
11 models



652B



WG32A



WHP48A



652R with MOD



636M



WH61A



# ZTrak™ Mowers

## B SERIES

Z915B



## M SERIES

Z920M

Z920M Propane\*

Z925M Flex Fuel EFI

Z930M

Z930M Propane\*

Z930M EFI

Z950M

Z950M Propane\*

Z960M

Z960M Propane\*



## R SERIES

Z930R

Z930R Propane\*

Z950R

Z950R Propane\*

Z970R

Z970R Propane\*



## R DIESEL SERIES

Z997R



\* Propane conversion kit available in the US only.

## Feel at home with our family of ZTrak™ mowers.



It's all about you. And you. And you.

Our ZTrak™ 900 Series zero-turn mowers were designed with our commercial mowing customers in mind. And since you all have different needs, we came up with different ways to help you meet them.

It starts with the Z900 B Series, a mower that perfectly balances performance and value. It gives you the essential features – including excellent weight distribution, professional-grade seats, and a mow-all-day fuel tank – at a price that's essentially ideal.

With the M Series, we focused on those of you who have a lot to look after – and a big need for efficiency – with EFI and Flex Fuel options, Mulch On Demand™ decks, and Dump From Seat (DFS) Material Collection System (MCS) capability. There's even a propane conversion kit available (it can be used on the R Series, too).

The Z900 R Series was created for contractors who demand the best and want the ultimate feature set. You can see the attention to detail in everything from the Comfort & Convenience controls and Hydraulic Cross-Porting System to the Brake-N-Go foot pedal start. Not to mention the 3-year, 1500-hour warranty.<sup>1</sup>

### Key Features

B SERIES	M SERIES	R SERIES	R DIESEL
<ul style="list-style-type: none"> <li>• Commercial-grade components</li> <li>• Large rear tires</li> <li>• Professional-grade seats</li> <li>• Warranty: 36 months or 1200 hours, whichever comes first; first 24 months, no hour limitation<sup>1</sup></li> <li>• NeverStop™ Loaner Guarantee available</li> </ul>	<ul style="list-style-type: none"> <li>• 7-Iron™ PRO decks with optional Mulch On Demand™</li> <li>• Flat Free front tires</li> <li>• Tuff Torq® heavy-duty integrated transmission</li> <li>• Warranty: 36 months or 1200 hours, whichever comes first; first 24 months, no hour limitation<sup>1</sup></li> <li>• NeverStop™ Loaner Guarantee available</li> </ul>	<ul style="list-style-type: none"> <li>• Cross-Porting Hydraulic Transmission</li> <li>• Comfort &amp; Convenience Package</li> <li>• Brake-N-Go starting</li> <li>• Warranty: 36 months or 1500 hours, whichever comes first; first 24 months, no hour limitation<sup>1</sup></li> <li>• NeverStop™ Loaner Guarantee available</li> </ul>	<ul style="list-style-type: none"> <li>• Powerful 37.4HP (27.9kW) diesel engine</li> <li>• 7-Iron™ PRO decks with optional Mulch On Demand™</li> <li>• Shaft-driven mower decks with heavy duty gear box</li> <li>• Warranty: 36 months or 1500 hours, whichever comes first; first 24 months, no hour limitation<sup>1</sup></li> <li>• NeverStop™ Loaner Guarantee available</li> </ul>




# 7-Iron™ Deck

## Stamped to perfection: The 7-Iron™ Deck



7-Iron™ Comparison	7-Iron™ II	7-Iron™ PRO	7-Iron™ Mulch On Demand™
7-gauge stamped deck	✓	✓	✓
18,000 fpm blade tip speed	✓	✓	✓
Deck step		✓	✓
Redesigned front baffle		✓	✓
Rear anti-scalp wheels		✓	✓
Mulch On Demand			✓

**7-Iron decks** are .275 inches (7 mm) thick, and stamped using 4,000,000 lbs. of force. No wonder they can handle the pressure of sustained daily use.



John Deere's exclusive 7-Iron™ decks are 5.5 inches (13.9 cm) deep and 7-gauge sturdy. Which helps explain why they're the strongest, most durable mowing decks in the industry.

But it's not all about brute force. It's also about giving you incredible cut quality. That's why the 7-Iron PRO and 7-Iron II are designed front-to-back and top-to-bottom with your results in mind.



- **Stamped from a single sheet**, there are no welds or corners on the underside – and no place for clippings to collect and clump.
- **One-inch steel bar** welded to the front and trim side further protects the deck from damage.
- **Round corners** help distribute impact stress – which can reduce damage from contact with trees or curbs.
- **The front edge is raised** on the above-the-blade plane for superior airflow and even cutting of tall grass.
- **Anti-scalp wheels**, dual captured and reinforced, float the deck above the ground to reduce turf damage.
- **The deep deck** provides excellent airflow, so material can be processed quickly and efficiently.
- **The reinforced spindle pockets** won't bend, providing additional structural durability.
- **The 18-in. (45.72 cm) wide discharge chute** on 60 in. and 72 in. decks allows for even clipping dispersal and an excellent finished appearance in all conditions.
- **One-inch cold-forged spindle shafts** are heat-treated for strength and supported by two radial deep groove ball bearings, providing reliability and performance.
- **The strong cast aluminum spindle housing** is webbed to dissipate heat.



## Get a handle on clippings: Mulch On Demand™


Nothing can touch our Mulch On Demand™ deck. Because no other mower puts the power to choose mulching or side-discharge at your fingertips.

You get to decide when you want to mulch your clippings. And when you don't. So you can save time, increase efficiency and keep every surface – from driveways to sidewalks to flowerbeds – looking neat and clean.

- The foundation of the Mulch On Demand deck is the legendary 7-Iron™ deck. Enough said.
- It's simple: with the Mulch On Demand System, you can switch from side discharge to mulching without ever leaving your seat – or pulling out any tools. You can't say that about any other zero turn mower, or deck.
- Just switch the handy lever into mulch position. The moveable gate closes off the discharge chute, the smooth-moving baffles close off the cutting chambers, and you're mulching.
- And when you get to a spot where side discharge is okay? Just switch the lever back.




You won't need to use your blowers nearly as much. And you won't have to worry about clippings sticking to cars, windows or anything else you care about.



### It's not just a chute blocker, it's a true mulcher.

By shifting the lever to mulch position, the movable gate closes off the discharge chute. The adjustable baffles create individual cutting chambers, and let you set openings just the right size to maximize airflow no matter what conditions you're facing. So sit back and say goodbye to recuts.





# ZTrak™ R Series

Z930R | Z930R Propane\* | Z950R  
Z950R Propane\* | Z970R | Z970R Propane\*


For those who want everything  
in a zero-turn mower.









**The Brake-N-Go System** makes it a snap to get started: just set the parking brake and turn the key.



**The Comfort & Convenience Package** features padded, ergonomically angled control levers – complete with electronic controls that let you raise and lower the deck, or disengage the mower blades, at the push of a button.



**The unique Cross-Porting System** routes the coolest hydraulic fluid to the hydraulic pump that's doing the most work – increasing the life of the transmission.




When you're out there cutting the big jobs down to size, you deserve the best: power, proven reliability, the newest time-and-money-saving options, and a comfortable ride that makes it easy to keep going all day long.

Fortunately, we've made the choice an easy one. Our Z900 R Series comes with everything you need to keep working your best from start to finish, including available Mulch On Demand<sup>™</sup>, Flat Free front tires and a power deck lift. The only hard part? Picking the perfect package among the Z930R, Z950R, and Z970R.

\* Propane conversion kit available in the US only.

- Engine options
  - 25.5, 27.0, 35.0 HP (19.0, 20.1, 26.1 kW)<sup>2</sup> gas engines
  - Propane conversion kit available\*
- 3 seat options to choose from
- 7-Iron<sup>™</sup> PRO decks available in 48"/54"/60"/72" (121.9/137.2/152.4/182.9 cm) widths
- Mulch On Demand<sup>™</sup>
- 12 mph (19.3 km/h) maximum ground speed
- Warranty: 36 months or 1500 hours, whichever comes first; first 24 months, no hour limitation<sup>1</sup>
- NeverStop<sup>™</sup> Loaner Guarantee available
- X<sup>™</sup> TWEEL<sup>™</sup> TURF<sup>™</sup> available






### Powerful Engine. Strong design.

The Tier 4 diesel engine is liquid cooled, and features direct fuel injection for efficient combustion and improved starting. The steel oil cooler eliminates potential fin damage from pressure washing and cleaning, and easily flips out for cleaning and radiator access.




### Easy Service and Maintenance

An open engine compartment allows full access to components and service points. The flip-up seat allows easy access to the hydraulic system, and a flip-out panel allows easy entry to the deck spindles.




### Deck Height Adjustment

This innovative, low effort dial height of cut adjustment has fifteen positions from 1.5 inches to 5 inches (3.8 cm to 12.7 cm) in 1/4-inch (6.35 mm) increments, letting you change the height without ever leaving your seat.



### Heavy-Duty Spindles

When the going gets really tough, these spindles – designed specifically for the demands of commercial mowing – are perfect for surviving high temperatures and frequent blade impacts. Standard on the Z997R.



### Dual-Unitized Hydraulic Pump

The hydrostatic drive features a Kanzaki dual-unitized hydraulic pump. This dual pump in a single housing provides longer life and less maintenance than competitive units. The pump features a shaft-driven fan for added cooling and longer component life.





# ZTrak™ Specifications

## R SERIES

<b>Engine</b>	
Certified Horsepower	
Engine Model	
Displacement	
Cylinders	
Oil Filter	
Lubrication	
Cooling	
Air Cleaner	
<b>Fuel System</b>	
Fuel Type	
Fuel Tank Capacity	
<b>Electrical System</b>	
Charge System	
Battery Voltage	
Hour Meter	
Operator Presence Starting System	
<b>Drive Train</b>	
Hydraulic Pumps	
Wheel Motors	
Hydraulic Capacity	
Travel Speed Forward	
Travel Speed Reverse	
<b>PTO</b>	
Type	
Drive	
<b>Brakes</b>	
Park Brake	
Park Brake Actuation	
<b>Mower Decks</b>	
Available Widths / Type	
Deck construction	
Deck thickness	
Height-of-Cut Range / Increment	
<b>Blades</b>	
Tip Speed	
Number	
<b>Wheels and Tires</b>	
Drive (Rear) Tires	
Caster Wheel Type	
Caster Wheel Size	
<b>Dimensions</b>	
Overall Length	
Overall Width (chute down)	
Height	
Weight (with Fluids)	
<b>Warranty<sup>1</sup></b>	
Duration	
Type	

### Z930R

25.5 HP (19.0 kW) <sup>2</sup> @ 3600 RPM
FX801V
852 cc
Two
Full flow, replaceable
Full pressure
Air
Heavy-duty canister type with safety element
Gas
11.5 U.S. gallons (43.5 L)
20 amp
12 Volt
Standard, digital
Brake-N-Go (foot)
Tuff Torq heavy-duty integrated piston pump
Tuff Torq heavy-duty integrated piston wheel motor
5.9 U.S. qt (5.58 L)
0 - 12 mph (0-19.3 km/h)
0 -4.5 mph (0-7.2 km/h)
Electro-magnetic (225 lb. ft.)
V-belt
Internal wet disk integrated in the transmisson
Foot Brake
54, 54 MOD, 60 in. (137.2, 137.2 MOD, 152.4 cm)
7-Iron PRO (One-piece stamped steel with reinforcements)
7-gauge (0.177 in.)
1.0 in. to 5.5 in. (2.5 cm - 13.9 cm) / 0.25 in. (.6 cm)
Approximately 18,000 fpm
Three
24x12-12 Turf; 24x12-12 X TWEEL TURF
Flat Free
13x6.5-6
84 in. (213.4 cm)
68, 74 in. (172.7, 188 cm) with chute down
73 in. (185.4 cm) with ROPS up; 47 in. (119.4 cm) with ROPS down
Not available at time of printing
36 months or 1500 hours, whichever comes first, no hour limitation for the first 24 months
Single Source Commercial

### Z950R

27.0 HP (20.1 kW) <sup>2</sup> @ 3600 RPM
FX850V
852 cc
Two
Full flow, replaceable
Full pressure
Air
Heavy-duty canister type with safety element
Gas
11.5 U.S. gallons (43.5 L)
20 amp
12 Volt
Standard, digital
Brake-N-Go (foot)
Tuff Torq heavy-duty integrated piston pump
Tuff Torq heavy-duty integrated piston wheel motor
5.9 U.S. qt (5.58 L)
0 - 12 mph (0-19.3 km/h)
0 -4.5 mph (0-7.2 km/h)
Electro-magnetic (225 lb. ft.)
V-belt
Internal wet disk integrated in the transmisson
Foot Brake
60, 60 MOD, 72 in. (152.4, 152.4 MOD, 182.9 cm)
7-Iron PRO (One-piece stamped steel with reinforcements)
7-gauge (0.177 in.)
1.0 in. to 5.5 in. (2.5 cm - 13.9 cm) / 0.25 in. (.6 cm)
Approximately 18,000 fpm
Three
24x12-12 Turf; 24x12-12 X TWEEL TURF
Flat Free
13x6.5-6
84 in. (213.4 cm)
74, 86 in. (188, 218.4 cm) with chute down
73 in. (185.4 cm) with ROPS up; 47 in. (119.4 cm) with ROPS down
1340 lb (607.8 kg) - Z930R 54" MOD
36 months or 1500 hours, whichever comes first, no hour limitation for the first 24 months
Single Source Commercial

### Z970R

35.0 HP (26.1 kW) <sup>2</sup> @ 3600 RPM
FX921V
999 cc
Two
Full flow, replaceable
Full pressure
Air
Heavy-duty canister type with safety element
Gas
11.5 U.S. gallons (43.5 L)
20 amp
12 Volt
Standard, digital
Brake-N-Go (foot)
Tuff Torq heavy-duty integrated piston pump
Tuff Torq heavy-duty integrated piston wheel motor
5.9 U.S. qt (5.58 L)
0 - 12 mph (0-19.3 km/h)
0 -4.5 mph (0-7.2 km/h)
Electro-magnetic (225 lb. ft.)
V-belt
Internal wet disk integrated in the transmisson
Foot Brake
60, 60 MOD, 72 in. (152.4, 152.4 MOD, 182.9 cm)
7-Iron PRO (One-piece stamped steel with reinforcements)
7-gauge (0.177 in.)
1.0 in. to 5.5 in. (2.5 cm - 13.9 cm) / 0.25 in. (.6 cm)
Approximately 18,000 fpm
Three
24x12-12 Turf; 24x12-12 X TWEEL TURF
Flat Free
13x6.5-6
84 in. (213.4 cm)
74, 86 in. (188, 218.4 cm) with chute down
73 in. (185.4 cm) with ROPS up; 47 in. (119.4 cm) with ROPS down
1340 lb (607.8 kg) - Z960R 72"
36 months or 1500 hours, whichever comes first, no hour limi for the first 24 months
Single Source Commercial



**JOHN DEERE Z970R (2016)****ENGINE**

Model no.	FX1000V
Horsepower (gross)	At 3600 rpm 35 hp 26.1 kW
Displacement	61 cu in. 999 cc
Cylinders	Two
Crankcase capacity	With filter 2 U.S. qt 1.9 L
Oil filter	Full flow, replaceable
Lubrication	Full pressure
Cooling	Air
Air cleaner	Heavy-duty canister type with safety element
Pre-cleaner	Yes

**FUEL SYSTEM**

Fuel type	Gasoline
Fuel consumption	Under normal conditions, load, operation, and dependent on loads and operating conditions 1.1-1.9 U.S. gal./hr 4.2-7.2 L/hr
Fuel tank capacity	11.5 U.S. gal. 43.5 L
Fuel tank switch/shut-off valve	Yes

**ELECTRICAL SYSTEM**

Charge system	20 amp
Battery voltage	12 V
Cold cranking amp	300 amp

Hour meter	Standard, digital
Operator presence starting system	Brake-N-Go (foot)

**DRIVETRAIN**

Hydraulic pumps	Tuff Torq® heavy-duty integrated piston pump
Wheel motors	Tuff Torq heavy-duty integrated piston wheel motor
Travel speed	
Forward	0-12 mph 0-19.3 km/h
Reverse	0-4.5 mph 0-7.2 km/h
Speed and direction control	Twin levers
Hydraulic capacity	5.9 U.S. qt 5.6 L
Filter	Internal, replaceable

**TIRES**

Drive tires	24x12-12
Load rating	4 PR

**BRAKES**

Dynamic braking	Twin levers
Park brake	Internal wet disk integrated in the transmission
Park brake actuation	Foot brake

**PTO**

Type	Electro-magnetic 225 lb-ft 305 Nm
------	-----------------------------------

Drive V-belt

### MOWER DECKS

Available widths 60, 72 in. 152, 183 cm

Deck construction 7-Iron PRO, one-piece stamped steel w/reinforcements

Deck thickness 7 gauge 0.179 in. 4.6 mm

Discharge Side, MOD

Height-of-cut range 1-5.5 in. 2.54-14 cm

Increments 0.25 in.  
0.64 cm

Cutting width 60, 72 in. 152, 183 cm

### BLADES

Length Varies by deck size

Thickness 0.25 in. 0.64 cm

Tip speed Approximately 18,000 fpm 5486 m/min

Number Three

### WHEELS

Caster wheel type Flat free

Caster wheel size 13x6.5-6

Front anti-scalp rollers RH, center, LH

Rear anti-scalp rollers Optional

### DIMENSIONS

Length 84 in. 213 cm

Width With chute down 74, 86 in. 188, 218 cm



Weight	1336 to 1345 lb 606 to 610 kg
Height	With ROPS up 73 in. 185 cm With ROPS down 47 in. 119 cm

**Three-year bumper-to-bumper warranty**



Z930M ZTrak Mower



Z970R ZTrak Mower

**B and M Series three-year/1200 hr bumper-to-bumper warranty**

An exclusive two-year/unlimited hour, three-year/1200-hr (whichever comes first) bumper-to-bumper warranty is standard for all John Deere B and M Series Mowers. The warranty is best in class and places John Deere at the forefront of commercial mowing. It is also hassle free, with one company handling all of the paperwork.

36 months or 1200 hr, whichever comes first. First 24 months, no hour limitation.

**R Series three-year/1500 hr bumper-to-bumper warranty**

An exclusive two-year/unlimited hour, three-year/1500-hr (whichever comes first) bumper-to-bumper warranty is standard on all John Deere R Series mowers. The warranty is best in the industry and puts John Deere at the forefront of commercial mowing. It is also hassle free, with one company handling all of the paperwork.

36 months or 1500 hr, whichever comes first. First 24 months, no hour limitation.

**Base Equipment On:** Z915B, Z920M, Z925M, Z930M, Z930M EFI, Z950M, Z960M, Z930R, Z950R, Z970R

**Provide feedback about this page** (JavaScript:open\_win ('http://dlrdoc.deere.com/sales/salesmanual/feedback\_form.html?referrer=http://dlrdoc.deere.com/sales/salesmanual/en\_NA/commercial\_mowers/2016/feature/\_warranty\_asset\_program/z900\_3year\_warranty.html'))

Last Updated: 14-Mar-2016

[Home \(http://dlrdoc.deere.com/sales/salesmanual/index.html\)](http://dlrdoc.deere.com/sales/salesmanual/index.html) | [Feedback \(http://dlrdoc.deere.com/sales/salesmanual/feedback\\_form.html\)](http://dlrdoc.deere.com/sales/salesmanual/feedback_form.html) | [Help \(http://dlrdoc.deere.com/sales/salesmanual/en\\_NA/marketing\\_tools/help\\_videos\\_mt.html\)](http://dlrdoc.deere.com/sales/salesmanual/en_NA/marketing_tools/help_videos_mt.html) | [Privacy & Data \(http://www.deere.com/privacy\\_and\\_data/privacy\\_and\\_data\\_us.page\)](http://www.deere.com/privacy_and_data/privacy_and_data_us.page) | [Legal \(http://www.deere.com/en\\_US/footer/legal.page\)](http://www.deere.com/en_US/footer/legal.page)

Product features are based on published information at the time of publication and are subject to change without notice. All trademarked terms, including John Deere, the leaping deer symbol and the colors green and yellow used herein are the property of Deere & Company, unless otherwise noted. Availability of products, product features, and other content on this site may vary by model and geographic region. Engine horsepower and torque information for non-Deere engines are provided by the engine manufacturer for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's Web site for additional information. Copyright © 2016 Deere & Company. All Rights Reserved.