

The following documentation is an electronicallysubmitted vendor response to an advertised solicitation from the *West Virginia Purchasing Bulletin* within the Vendor Self-Service portal at **wvOASIS.gov**. As part of the State of West Virginia's procurement process, and to maintain the transparency of the bid-opening process, this documentation submitted online is publicly posted by the West Virginia Purchasing Division at **WVPurchasing.gov** with any other vendor responses to this solicitation submitted to the Purchasing Division in hard copy format.

WOASIS	Jump to: FORMS 🟦 💁 🥵 Home 🔑 Personalize 🚳 Accessibility 🛜 App Help 🌾 About
Icome, Lu Anne Cottrill	Procurement Budgeting Accounts Receivable Accounts Payable
licitation Response(SR) Dept: 0803 ID: ESR0816170000000626 Ver.: 1 Function: 1	New Phase: Final Modified by batch , 08/16/2017
Header (0) 5	
	List View
General Information Contact Default Values Discount Document Information	
Procurement Folder: 333921	SO Doc Code: CRFQ
Procurement Type: Central Master Agreement	SO Dept: 0803
Vendor ID: VS0000013723	SO Doc ID: DOT1800000008
Legal Name: KEIZER MORRIS INTERNATIONAL INC	Published Date: 8/7/17
Alias/DBA: KM International	Close Date: 8/16/17
Total Bid: \$0.00	Close Time: 13:30
Response Date: 08/16/2017	Status: Closed
Response Time: 13:01	Solicitation Description: ADDENDUM_2: EQUIPMENT
	Total of Header Attachments: 5
	Total of All Attachments: 5



Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

State of West Virginia Solicitation Response

	Proc Folder : 333921 Solicitation Description : ADDENDUM_2: EQUIPMENT LEASE/RENTAL W/O OPERATOR							
1	Proc Type : Central Maste	r Agreement						
Date issued	Solicitation Closes	Solicitation Response	Version					
	2017-08-16 13:30:00	SR 0803 ESR0816170000000626	1					

VENDOR					
VS0000013723					
KEIZER MORRIS INTERN	NATIONAL INC				
KM International					
Solicitation Number:	CRFQ 0803	DOT180000008			
Total Bid : \$0.00		Response Date:	2017-08-16	Response Time:	13:01:35

Comments:

FOR INFORMATION CONTACT THE BUYER		
Mark A Atkins		
(304) 558-2307 mark.a.atkins@wv.gov		
	FEIN #	DATE
All offers subject to all terms and conditions contained in this s	aliaitatian	

All offers subject to all terms and conditions contained in this solicitation

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
1	Vendor shall use Exhibit_A Pricing Page(s) for bid pricing.	0.00000	EA	\$4,800.000000	\$0.00
Comm Code	Manufacturer	Specification		Model #	
72141702					
Extended De	ATTACHMENT FORM:				RICING PAGE AND INFORMATION online vendor should enter \$0.00 in the Oasis

West Virginia Ethics Commission



Disclosure of Interested Parties to Contracts

Pursuant to W. Va. Code § 6D-1-2, a state agency may not enter into a contract, or a series of related contracts, that has/have an actual or estimated value of \$100,000 or more until the business entity submits to the contracting state agency a Disclosure of Interested Parties to the applicable contract. In addition, the business entity awarded a contract is obligated to submit a supplemental Disclosure of Interested Parties reflecting any new or differing interested parties to the contract within 30 days following the completion or termination of the applicable contract.

For purposes of complying with these requirements, the following definitions apply:

"Business entity" means any entity recognized by law through which business is conducted, including a sole proprietorship, partnership or corporation.

"Interested party" or "Interested parties" means:

- (1) A business entity performing work or service pursuant to, or in furtherance of, the applicable contract, including specifically sub-contractors;
- (2) the person(s) who have an ownership interest equal to or greater than 25% in the business entity performing work or service pursuant to, or in furtherance of, the applicable contract. (This subdivision does not apply to a publicly traded company); and
- (3) the person or business entity, if any, that served as a compensated broker or intermediary to actively facilitate the applicable contract or negotiated the terms of the applicable contract with the state agency. (This subdivision does not apply to persons or business entities performing legal services related to the negotiation or drafting of the applicable contract.)

"State agency" means a board, commission, office, department or other agency in the executive, judicial or legislative branch of state government, including publicly funded institutions of higher education: Provided, that for purposes of W. Va. Code § 6D-1-2, the West Virginia Investment Management Board shall not be deemed a state agency nor subject to the requirements of that provision.

The contracting business entity must complete this form and submit it to the contracting state agency prior to contract award and to complete another form within 30 days of contract completion or termination.

This form was created by the State of West Virginia Ethics Commission, 210 Brooks Street, Suite 300, Charleston, WV 25301-1804. Telephone: (304)558-0664; fax: (304)558-2169; e-mail: <u>ethics@wv.gov</u>; website: <u>www.ethics.wv.gov</u>.

Disclosure of Interested Parties to Contracts

Contracting business entity:	
Address:	
Contracting business entity's authorized agent:	
Address:	
Number or title of contract:	
Type or description of contract:	
Governmental agency awarding contract:	
entity (attach additional pages if necessary):	own or reasonably anticipated by the contracting business
Signature: Check here if this is a Supplemental Disclosure.	
Ver	rification
State of, County	of:
I, contracting business entity listed above, being duly made under oath and under the penalty of perjury.	, the authorized agent of the sworn, acknowledges that the Disclosure herein is being
Taken, sworn to and subscribed before me this	day of,
	Notary Public's Signature
To be completed by State Agency:	
Date Received by State Agency:	
Date submitted to Ethics Commission:	
Governmental agency submitting Disclosure:	

Equipment Rental WITHOUT Operator CRFQ 0803 DOT180000008

Information Attachment Form

Base Location:

The Vendor shall identify the base location and any other potential base locations where the equipment bid may be delivered by the Vendor or picked up by the WVDOH. The Vendor shall provide the 911 address or the most recent physical street address, city and state for the base location(s). If the Vendor fails to provide the base location(s) on the Information Attachment Form, the Vendor's bid may be disqualified. If additional space is needed for additional base locations, you may duplicate this page. This list does not determine sole base locations for a Vendor, but provides a base for determining potential mileage.

Vendor Base Location:	
Keizer-Morris International	
6561 Bernie Kohler Dr	
North Branch Mi 48461	
Vendor Base Location:	
Vendor Base Location:	

Counties Bid:

Vendor shall indicate the area which he wishes to lease/rent equipment to the WVDOH by placing an "X" or " $\sqrt{}$ " beside the County, Counties or Statewide. If the Vendor fails to indicate which County or Counties, it will be assumed that the Vendor's bid is for Statewide.

	STATEWIDE				
Х	Barbour	Х	Kanawha	Х	Pocahontas
Х	Berkeley	Х	Lewis	Х	Preston
Х	Boone	Х	Lincoln	Х	Putnam
Х	Braxton	Х	Logan	Х	Raleigh
Х	Brooke	Х	McDowell	Х	Randolph
Х	Cabell	Х	Marion	Х	Ritchie
Х	Calhoun	Х	Marshall	Х	Roane
Х	Clay	Х	Mason	Х	Summers
Х	Doddridge	Х	Mercer	Х	Taylor
Х	Fayette	Х	Mineral	Х	Tucker
Х	Gilmer	Х	Mingo	Х	Tyler
Х	Grant	Х	Monongalia	Х	Upshur
Х	Greenbrier	Х	Monroe	Х	Wayne
Х	Hampshire	Х	Morgan	Х	Webster
Х	Hancock	Х	Nicholas	Х	Wetzel
Х	Hardy	Х	Ohio	Х	Wirt
Х	Harrison	Х	Pendleton	Х	Wood
Х	Jackson	Х	Pleasants	Х	Wyoming
Х	Jefferson				

State of West Virginia

VENDOR PREFERENCE CERTIFICATE

Certification and application is hereby made for Preference in accordance with *West Virginia Code*, §5A-3-37. (Does not apply to construction contracts). *West Virginia Code*, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the *West Virginia Code*. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Vendor Preference, if applicable.

1. Application is made for 2.5% vendor preference for the reason checked:

- Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; **or**,
- Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification;
- Bidder is a resident vendor partnership, association, or corporation with at least eighty percent of ownership interest of bidder held by another entity that meets the applicable four year residency requirement; **or**,
- Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; **or**,

2. Application is made for 2.5% vendor preference for the reason checked:

Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; **or**,

3. Application is made for 2.5% vendor preference for the reason checked:

Bidder is a nonresident vendor that employs a minimum of one hundred state residents, or a nonresident vendor which has an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia and employs a minimum of one hundred state residents, and for purposes of producing or distributing the commodities or completing the project which is the subject of the bidder's bid and continuously over the entire term of the project, on average at least seventy-five percent of the bidder's employees or the bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years and the vendor's bid; **or**,

4. Application is made for 5% vendor preference for the reason checked:

Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,

5. Application is made for 3.5% vendor preference who is a veteran for the reason checked:

Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or,

6. Application is made for 3.5% vendor preference who is a veteran for the reason checked:

- Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.
- 7. Application is made for preference as a non-resident small, women- and minority-owned business, in accordance with *West Virginia Code* §5A-3-59 and *West Virginia Code of State Rules.*

Bidder has been or expects to be approved prior to contract award by the Purchasing Division as a certified small, womenand minority-owned business.

Bidder understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the requirements for such preference, the Secretary may order the Director of Purchasing to: (a) rescind the contract or purchase order; or (b) assess a penalty against such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency or deducted from any unpaid balance on the contract or purchase order.

By submission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and authorizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid the required business taxes, provided that such information does not contain the amounts of taxes paid nor any other information deemed by the Tax Commissioner to be confidential.

Bidder hereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate changes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.

Bidder:	Signed:
Date:	Title:

STATE OF WEST VIRGINIA Purchasing Division PURCHASING AFFIDAVIT

CONSTRUCTION CONTRACTS: Under W. Va. Code § 5-22-1(i), the contracting public entity shall not award a construction contract to any bidder that is known to be in default on any monetary obligation owed to the state or a political subdivision of the state, including, but not limited to, obligations related to payroll taxes, property taxes, sales and use taxes, fire service fees, or other fines or fees.

ALL OTHER CONTRACTS: Under W. Va. Code §5A-3-10a, no contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and: (1) the debt owed is an amount greater than one thousand dollars in the aggregate; or (2) the debtor is in employer default.

EXCEPTION: The prohibition listed above does not apply where a vendor has contested any tax administered pursuant to chapter eleven of the W. Va. Code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Employer default" means having an outstanding balance or liability to the old fund or to the uninsured employers' fund or being in policy default, as defined in W. Va. Code § 23-2c-2, failure to maintain mandatory workers' compensation coverage, or failure to fully meet its obligations as a workers' compensation self-insured employer. An employer is not in employer default if it has entered into a repayment agreement with the Insurance Commissioner and remains in compliance with the obligations under the repayment agreement.

"Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

AFFIRMATION: By signing this form, the vendor's authorized signer affirms and acknowledges under penalty of law for false swearing (*W. Va. Code* §61-5-3) that: (1) for construction contracts, the vendor is not in default on any monetary obligation owed to the state or a political subdivision of the state, and (2) for all other contracts, that neither vendor nor any related party owe a debt as defined above and that neither vendor nor any related party are in employer default as defined above, unless the debt or employer default is permitted under the exception above.

WITNESS THE FOLLOWING SIGNATURE:

Vendor's Name:		
Authorized Signature:		_ Date:
State of		
County of, to-wit:		
Taken, subscribed, and sworn to before me this day	of	, 20
My Commission expires	, 20	
AFFIX SEAL HERE	NOTARY PUBLIC	

CRFQ 0803 DOT180000008

	Equipment Offered 1	Equipment Offered for Lease/Rental			Lease/Rental Rate of Equipment Without Delivery/ Without Operator		
Equipment Description	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
AERIAL BUCKET TRUCK							
Highway Rated TRK. MTD							
50' Reach Min. 43.5' Radious 360 degrees							
Boom Rotation @ level position							
AERIAL PLATFORM TRUCK							
Highway Rated TRK. MTD							
40' Reach Min. 360 degrees							
Boom Rotation @ level position							
AERIAL PLATFORM TRUCK							
Highway Rated TRK. MTD							
55' Reach Min. 360 degrees							
Boom Rotation @ level position							
AERIAL PLATFORM TRUCK							
Elliott Model G50 or similar							
AERIAL PLATFORM TRUCK							
Elliott Model L55 or similar							
ARROW BOARDS							
4' x 8' panel 15 lamp							
ASPHALT DISTRIBUTOR							
Trk. Mtd. w/spray bar							
ASPHALT RECYCLER	Keizer-Morris/KM International	KM T2 Asphalt Recycler	\$3,400	\$3,400	\$3,400	\$3.50	\$3.30
KM T-2 or similar							
ASPHALT RECYCLER							
Self Loading - Stepp SRM 10x120 or similar							
ASPHALT RECYLING ATTACHMENT							
Endloader bucket - mounted, asphalt grinder/recycle							
attachment; min. 185 hp, app. 8,500 lb. wt. capable of							
grinding and remixing up to 12" deep and 48" wide							
pavement and base.							

CRFQ 0803 DOT180000008

	Equipment Offered f	Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee		
Equipment Description	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
ASPHALT RECYLING ATTACHMENT							
Zipper or similar							
ASPHALT REMOVAL/RECYCLER							
Benedetti or similar to							
ATTENUATOR - Trailer Mounted must meet NCHRP 350 TL-3							
AUGER							
Track Mtd.							
AUGER							
Truck Mtd.							
BACKHOE							
Crawler Mech./Hyd. 0.75 Cyd.							
24,000 lbs 28,000 lbs. Working Weight							
BACKHOE							
Crawler Mech./Hyd. 0.75 Cyd.							
29,000 lbs 35,800 lbs. Working Weight							
BACKHOE							
Crawler Mech./Hyd. 1.00 Cyd.							
36,000 lbs 40,000 lbs. Working Weight							
Attachment: Grapple							
BACKHOE							
Crawler Mech./Hyd. 1.25 Cyd., 128 - 141 HP							
42,700 lbs 45,900 lbs. Working Weight							
BACKHOE (HY-RAM)							
Crawler 2,000 ft./lbs. min.							
24,400 lbs 35,800 lbs. Excavator Size							
BACKHOE (HY-RAM)							
Crawler 2,000 ft./lbs. min.							
36,000 lbs 42,900 lbs. Excavator Size							
Attachment: Grapple							

CRFQ 0803 DOT180000008

	Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ <i>Without Operator</i>			Equipment Delivery Fee	
Equipment Description	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
BACKHOE (HY-RAM)							
Crawler 2,000 ft./lbs. min.							
43,000 lbs 60,000 lbs. Excavator Size							
BACKHOE (HY-RAM)							
Crawler 2,000 ft./lbs. min.							
61,000 lbs 80,000 lbs. Excavator Size							
HYRAM ATTACHMENT ONLY							
2,000 ft./lbs. min							
BACKHOE							
Crawler with a thumb							
BACKHOE LOADER							
Rubber Tired 55-85 DHP							
BACKHOE LOADER (HY-RAM)							
Mtd. Hyd. Breaker 55-85 DHP D							
BACKHOE LOADER (HO-RAM)							
Mtd. Air Breaker 1,000 ft./Ibs. min.							
BACKHOE LOADER TRACTOR - Compact							
Rubber Tired 20-30 HP max. height - 83"							
BACKHOE LOADER TRACTOR - Mini							
25-30 HP Standard Stick 12' Backhoe Bucket - T7 or similar							
BASE WIDENER SP							
Shoulder Stone							
BRUSH CHIPPER - up to 49 hp							
Cutting size - 12" in diameter.							
BRUSH CHIPPER - from 50 hp to 85 hp							
Cutting size - 12" in diameter.							
BULLDOZER							
Crawler GD 65 -75 DHP D							
BULLDOZER							
Crawler GD 80 -90 DHP D							
BULLDOZER							

CRFQ 0803 DOT180000008

	Equipment Offered f		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
Equipment Description	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
Crawler GD 100 -120 DHP D							
BULLDOZER							
Crawler GD 130 -140 DHP D							
BULLDOZER							
Crawler TC 150 - 250 EHP D							
BULLDOZER							
Crawler/Ripper TCP 181 - 250 EHP D							
BULLDOZER							
Crawler/Winch TCP 181 - 250 EHP D							
CHIP SPREADER SP							
COLD MILLING - Stabilizer/Recycler							
BOMAG MPH 364 R-2 or similar							
COLD MILL PLANER							
Self Loading - 2'							
COLD MILL PLANER							
Self Loading - 4'							
COMPRESSOR							
125 - 160 CFM Portwhl.							
COMPRESSOR							
170 - 210 CFM Portwhl.							
COMPRESSOR							
250 - 300 CFM Portwhl.							
COMPRESSOR							
350 - 375 CFM Portwhl.							
COMPRESSOR							
600 CFM Portwhl.							
COMPRESSOR							
700 - 800 CFM Portwhl.							
CONCRETE MIXER							
Trk. Mtd. 6.0 Cyd.							

CRFQ 0803 DOT180000008

	Equipment Offered f	or Lease/Rental	Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
Equipment Description	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
CONCRETE SAW							
Full Depth CAP - 24" Blade							
CONCRETE SAW							
12 1/2" Maximum Depth of Cut - 30" Blade							
CONCRETE SAW							
15" Maximum Depth of Cut - 36" Blade							
CRACK SEALING MACHINE							
Trlr. Mtd. Dbl. Drum, 100 - 125 GLN. D							
CRACK SEALING MACHINE							
Trl. Mtd. DblBoiler Type, 250 GLN Diesel							
with Pump on Demand Features							
CRACK SEALING MACHINE							
Trl. Mtd. DblBoiler Type, 250 GLN Diesel							
with Pump on Demand Features and 53.8 CFM Compressor							
CRACK SEALING MACHINE							
Trl. Mtd. DblBoiler Type, 250 GLN Diesel							
with Pump on Demand Features and 70 CFM Compressor							
CRANE 10 T Hyd.							
Trk. Mtd. min. 18' Bed							
CRANE 12 - 1/2 T Hyd.							
Trk. Mtd. min. 18' Bed							
CRANE 14 T Hyd.							
Trk. Mtd. min. 18' Bed							
CRANE 15 - 25 T							
Hyd. Rough Terrain							
CRANE 20 - 25 T							
Cable D Crawler							
CRANE 25 - 30 T							
Cable, Trk. Mtd. G							
CRANE 30 T Hyd.							

CRFQ 0803 DOT180000008

			Lease/Re	ntal Rate of I			
			Offered for Lease/Rental Without Delivery/ Without Operator				pment
			Without Operator			Delivery Fee	
Equipment Description	Manufacturer's Name	Model/Serial #	\$ /Day \$ /Week \$ /Month			1st Mile	Add. Mi.
CRANE 35 T Hyd.							

CRFQ 0803 DOT180000008

	Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ <i>Without Operator</i>			Equipment Delivery Fee	
Equipment Description	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
CRANE 40 T Hyd.							
CRANE 50 T Hyd.							
CRANE 15 - 20 T							
Truck Mounted Boom							
CRANE 21 - 25 T							
Truck Mounted Boom							
CULVERT CLEANER							
Trk. Mtd. min. 1,500 gal. tank , 1,400 PSI min.							
CULVERT CLEANER							
Trk. Mtd. 65 - 80 GPM 2,000 PSI min.							
CULVERT CLEANER - radio remote controlled							
Microtraxx or Similar							
42"Wx42"Hx120"L, 1550# Lift cap, 1/3 CU Yd Cap., 7.5 PSI,							
360° Swing Rotation, to clean 48" to 60" round culverts							
CULVERT CLEANER - radio remote controlled							
Microtraxx or Similar							
32"Wx34"Hx134"L, 1500# Lift cap, 1/4 CU Yd Cap., 5.5 PSI,							
to clean 36" to 48" round culverts							
ЫТСН WITCH							
EQUIPMENT TRAILER							
10,000 lbs or less, tilt style deck							
16ft - 18 ft length to attach to a pintle hitch							
EQUIPMENT TRAILER							
12,000 lbs - 14,000 lbs, tilt style deck							
16ft - 18 ft length to attach to a pintle hitch							
EQUIPMENT TRAILER							
14,000 GVWR							
16' + 2' dovetail, with 24" wide x 60" wide long stand-up							

CRFQ 0803 DOT180000008

	Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
Equipment Description	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
ramps with support leg and stand-up bar, spring assisted							
EXCAVATOR - TELEBOOM							
Track Mtd. SP 0.5 Cyd. D							
EXCAVATOR - TELEBOOM							
Truck Mtd. SP 0.5 Cyd. D							
EXCAVATOR							
w/McMillen extreme duty earth auger or similar							
EXCAVATOR							
Mini-Hyd. Track Mtd. 2,600 lbs. max.							
EXCAVATOR							
Mini-Hyd. Track Mtd. 6,500 lbs. max.							
EXCAVATOR - 1/2 to 3/4 CY bucket, 150 HP							
Track Width 10' out-to-out							
EXCAVATOR - 1/8 Cyd. 30 HP							
D Track Width 5' out-to-out							
EXCAVATOR - 1/5 Cyd. 44 HP							
11,000 lbs. Track Width 6' out-to-out							
EXCAVATOR - 1/4 Cyd. 55 HP							
D 14,000 lbs. Bucket, Track Width 6' out-to-out							
EXCAVATOR ATTACHMENT							
Plate compactor for 15,000-20,000 lb excavator							
EXCAVATOR ATTACHMENT							
Hydraulic hammer for 15,000-20,000 lb excavator							
EXCAVATOR ATTACHMENT							
Swivel head with ditching bucket							
FLATBED TRUCK							
1 Ton minimum with 22 ft. bed length minimum							
FLATLINER - attachment for a skid steer							
Profilograph and bump grinder in one							
FORKLIFT TRUCK							
Rough Terrain, 5 - 10 K lb. lift cap.							

CRFQ 0803 DOT180000008

	Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee		
Equipment Description	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.	
GENERATOR - TRAILER MOUNTED:								
30 kw								
45 kw								
60 kw								
80 kw								
100 kw								
125 kw								
175 kw								
200 kw								
230 kw								
300 kw								
400 kw								
500 kw								
600 kw								
800 kw								
1,000 kw								
2,000 kw								
GRAPPLE ATTACHMENTS								
for Skid Steer Loaders 72" - 78" attachments								
HEATER - Trailer Mounted, Diesel								
22 HP, 1,800 rpm, 16 kw, 190 gal fuel cap., HT1010C or simila	r							
HAMMER (DELMAG) PILE-D.								
D8-22								
HIGH FLOW SKID STEER								
Attachment: Broom								
Attachment: Bucket								
Attachment: Broom Bucket								
Attachment: Auger of any diameter								
Attachment: 1' - 5' Milling Planer								
Attachment: Trencher of any width								

CRFQ 0803 DOT180000008

	Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee		
Equipment Description	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.	
HYDRO-SEEDER								
Trk. Mtd. 1,500 - 2,500 Gal.								
JOINT SEALER								
3 Cylinder, Tandum Dual 2 Axle, Vat. Cap 200 Gal.								
Double Boiler Type Tank - opening 16"x24"								
Maximum Heat Input - Diesel 290,000 BTU								
Incl. Full Sweep Mixer with 2 horizontal paddles								
LIGHT TOWERS PORT.								
4 - 1,000 watt bulbs								
LOWBOY								
with two drops in deck height - min 35 T								
MANLIFT SP								
40 ft.								
MANLIFT SP								
60 ft.								
MANLIFT SP								
80 ft.								
MANLIFT SP								
125 ft. minimum to 135 ft. maximum								
MESSAGE SIGN - PROGRAMMABLE								
MILLING PLANER SKID STEER								
Attachment: Broom								
Attachment: Bucket								
Attachment: Broom Bucket								
Attachment: Auger of any diameter								
Attachment: 1' - 5' Milling Planer								
Attachment: Trencher of any width								
MORTAR MIXER								
6 CF 5 HP G								

CRFQ 0803 DOT180000008

	Equipment Offered f			ental Rate of Without Deliv Without Oper	Equipment Delivery Fee		
Equipment Description	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
MOTOR GRADER							
35,000-45,000 lbs. class							
PATCH TRAILER							
DuraPatcher or similar				_			
PATCH TRUCK							
DuraMAXX or similar							
PAVER - HOT MIX ASPHALT							
Rubber-tired Paver							
PAVER - HOT MIX ASPHALT							
Track Paver							
POLY PATCHER II or simliar							
Double-boiler type mixer, Trl Mtd.							
PRESSURE WASHER/Hot Water							
120° Min, 700-3000 psi Min.							
RECLAIMER							
43,000 lbs min weight, 350 HP, 96" milling head							
0 - 18" cutting depth range							
ROCKDRILL - SP							
Hyd. Excav./Boom Mtd. 3" Holes/20" deep min.							
ROCK HAMMER FOR EXCAVATOR							
5000-7000 lbs. class							
ROCK TRUCK - ARTICULATED							
20 -30 T							
ROLLER							
5 Ton with 2 steel drums							
ROLLER						1	
10-15 Tons with 2 steel drums							
ROLLER						1	
5 - 6 T PNEUTR TOW/Trk. Mtd.							
ROLLER							
10 T PNEUTR							

CRFQ 0803 DOT180000008

	Equipment Offered f	or Lease/Rental	Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
Equipment Description	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
ROLLER							
7-15 T PNEUTR, Articulated							
ROLLER SP							
PNEUTR - 10K GVW G							
ROLLER SP							
PNEUTR - 20K GVW G							
ROLLER - TRENCH VIB							
Dual Drum Approx. 10 HP, Appox. 2.5ft W x 8.3 ft L							
ROLLER - VIB							
SP 1 Drum 2XL 10 - 15 K GVW D							
ROLLER - VIB							
SP 1 Drum 2XL 10 - 20 K GVW D							
SAND BLASTER							
200 lb. hopper min.							
SCREENERS, Material							
Mobile - Diesel							
SHADOW TRUCK w/Attenuator							
min. 30,000 GVW							
SHOULDER MAINTAINER SP							
w/G (min. 67 HP) or w/D (min. 46 HP)							
asphalt or stone width, 1' to 6' and 6" to 12" depth							
SPRAY PATCHER							
Self-contained, Trl Mtd, spray-injection machine							
Self-supporting, rear mounted tri-fold articulating boom							
with fully counterweighted arm. Radius: Min 20'-10".							
Vert.Stroke: 5' - 2' below pavement level.							
STABILIZER (BO-MAG) SP							
250 HP min.							
STRAW / MULCH BLOWER							
Trk. Mtd.							

CRFQ 0803 DOT180000008

	Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
Equipment Description	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
STREET SWEEPER SP							
3.0 Cyd. (min.)							
STREET SWEEPER SP							
8.0 Cyd. (min.)							
STREET SWEEPER							
Trlr. Type							
STREET SWEEPER - HYDROSTATIC							
Elgin Pelican III or similar							
STREET SWEEPER - Towable							
Self-Propelled							
STREET SWEEPER - Truck-Mounted							
4.0 C.Y. Min. hopper cap., water-spray system for dust control							
Side/curb brooms & rear/center broom, 11,000 lbs - 33,000 lbs							
TAMPER/COMPACTOR - Vibratory							
650 min. blows per minute							
TRACTOR							
John Deere 6200 or similar							
Boom Mower Attachment to be used with the above Tractor							
Flail Mower Attqachment to be used with the above Tractor							
Sicklebar Mower Attachment to be used with the above Trac	ctor						
TRAILER							
6 tons with ramps, minimum 18' length, 8.5' width							
TRAILER - FLATBED TRI-AXLE							
22,500 GVWR, 23 ft. with dove tail, Air Breaks							
TRAILER - LowBoy							
35 - 50 ton - pony motor, self contained hydraulics							l
TRAFFIC SIGNALS - PORT							
2 Phase Operation D/E							
TREE TRIMMER - Power Mechanical Trimmer - Track							
Up to 53' Reach - Kwik-Trim Takeuchi TB260 or simliar							

CRFQ 0803 DOT180000008

	Equipment Offered f	W	ntal Rate of I /ithout Delive /ithout Opera	Equipment Delivery Fee			
Equipment Description	Manufacturer's Name	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.	
Up to 75' Reach - 24" diameter saw - SkyTrim 75 or similar							
TRENCH PAVER							
Base Widening Machine							

CRFQ 0803 DOT180000008

Equipment Description	Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ <i>Without Operator</i>			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
TRUCK - Heavy Industrial							
2 Axle Steel Bed							
TRUCK - Heavy Industrial							
3 Axle Steel Bed							
TRUCK - Heavy Industrial							
4 Axle Steel Bed							
TRUCK - Heavy Industrial							
5 Axle Steel Bed							
TRUCK - Heavy Industrial							
2 Axle Aluminum "V" Bed							
TRUCK - Heavy Industrial							
3 Axle Aluminum "V" Bed							
TRUCK - Heavy Industrial							
4 Axle Aluminum "V" Bed							
TRUCK - Heavy Industrial							
5 Axle Aluminum "V" Bed							
TRUCK - Water							
Tanker - min 1500 gallons							
UNDERBRIDGE PLATFORM							
Trailer Mtd., Hyd. SP Min. 20 ft. horizontal reach							
UNDERBRIDGE PLATFORM							
Trailer Mtd., Hyd. SP Min. 30 ft. horizontal reach							
UNDERBRIDGE PLATFORM							
Trailer Mtd., Hyd. SP Min. 40 ft. horizontal reach							
UNDERBRIDGE PLATFORM							
Trailer Mtd., Hyd. SP Min. 50 ft. horizontal reach							
UNDERBRIDGE PLATFORM							
Trailer Mtd., Hyd. SP Min. 60 ft. horizontal reach							
UNDERBRIDGE PLATFORM							
Truck Mtd., Hyd. Min. 23 ft. horizontal reach							
(driver to be included)							

CRFQ 0803 DOT180000008

Equipment Description	Equipment Offered for Lease/Rental		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
VACUUM/JETTER SEWER CLEANER							
Trk. Mtd. 1,000+ gal. debris tank, 30+ gpm							
2000+ CFM Vacuum Pump, 2200+ PSI water pump							
VACUUM/SPRAY UNIT							
Trk. Mtd. min. 1,000 gal. tank min. 60 gpm							
4 ft. teleboom w/swivel/rotating hose reel							
VACUUM/STREET SWEEPER							
Self-Propelled, 4 Cyd., Gas, 5 ft wide path							
VAN - BOX							
21,000 or greater							
VIBRATORY ROLLER with Water							
4 - 5 ton Steel Double Drum							
VIBRATORY ROLLER with Water							
8 - 10 ton Steel Double Drum							
WATER PUMPS - 3"							
w/SUCTION & DISCHARGE HOSES							
WATER PUMPS - 4"							
w/SUCTION & DISCHARGE HOSES							
WATER PUMPS - 6"							
w/SUCTION & DISCHARGE HOSES							
WATER PUMPS - 12"							
w/SUCTION & DISCHARGE HOSES							
WELDER - PORTABLE							
225 AMP min GASOLINE powered							
WELDER - PORTABLE							
225 AMP min DIESEL powered							
WORK PLATFORM SP							
SL 25' High Platform 1,500# CAP							
WORK PLATFORM SP				1		1	
SL 35' High Platform 1,500# CAP							