RECEIVED

2018 JUL -9 AM 9: 57

WV PURCHASING DIVISION

7-9-18 26 Pages

SEALED BID: Equipment Lease/Rental w/o Operator

BUYER: Mark Atkins, File #33

SOLICITATION NO.: CRFQ 0803 DOT1800000116

BID OPENING DATE: 07/11/2018 BID OPENING TIME: 1:30pm EDT FAX NUMBER: 304-558-3970



Purchasing Divison 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130 State of West Virginia Request for Quotation 12 — Equip. Rental

Proc Folder: 455828

Doc Description: EQUIPMENT LEASE/RENTAL WITHOUT OPERATOR

Proc Type: Central Master Agreement

| | The contract interest of the contract of the c | | | | | | | |
|-------------|--|--------------|------|---------------|--|---------|--|--|
| Date Issued | Solicitation Closes | Solicitation | n No | | | Version | | |
| 2018-06-26 | 2018-07-11 | CRFQ | 0803 | DOT1800000116 | | 1 | | |
| | 13;30:00 | İ | | | | | | |

BID CLERK

DEPARTMENT OF ADMINISTRATION

PURCHASING DIVISION

2019 WASHINGTON STE

CHARLESTON

w

25305

US

Vendor Name, Address and Telephone Number:

Vainer Construction LLC PO Box 243

Durbin WV 20264

304-456-4509

FOR INFORMATION CONTACT THE BUYER

Mark A Atkins (304) 558-2307

mark.a.atkins@wv.gov

Signature X

FEIN #

37-150877

DATE 7-7-18

All offers subject to all terms and conditions contained in this adjustation

Page: 1

FORM ID: WV-PRC-CREQ-001

The West Virginia Purchasing Division is soliciting bids on behalf of the West Virginia Division of Highways (WVDOH), to establish an open-end contract to provide Equipment for Lease/Rental without Operator for use at West Virginia Division of Highways' locations throughout the State of West Virginia, per attached documents.

VARIOUS AGENCY LOCATIONS
AS INDICATED BY ORDER

STATE OF WEST VIRGINIA
VARIOUS LOCATIONS AS INDICATED BY ORDER

No City

WW 99999

US

US

| Line Comm Ln Desc | Qty | Unit lesue | Unit Price | Total Price |
|---|-----------------|------------|------------|----------------|
| Vendor shall use Exhibit_A Pages for bid pricing. | Pricing 0.00000 | EA | Se | e Price Sheets |

| | | Model # | |
|----------|---|---------|---|
| 72141702 | _ | | , |
| | | | : |

Extended Description:

EQUIPMENT LEASE/RENTAL WITHOUT OPERATOR:

Note: Vendor shall use Exhibit_A Pricing Pages for bid pricing and Exhibit_B Information Attachment Form. If vendor is submitting a bid online, Vendor should enter \$0.00 in the Oasis commodity line. Vendor shall enter pricing into the Exhibit_A Pricing Page and complete the Exhibit_B Information Attachment Form and attach with bid. See section 18 of Instructions to Bidders.

| Line Event Even | |
|---|---------|
| | t Date |
| 1 Technical Questions due by 2:00pm EDT: 2018 | 3-06-29 |

| | Document Phase | Document Description | Page 3 |
|---------------|----------------|--------------------------------|--------|
| DOT1800000116 | Final , | EQUIPMENT LEASE/RENTAL WITHOUT | of 3 |
| | | OPERATOR | ! |

ADDITIONAL TERMS AND CONDITIONS

See attached document(s) for additional Terms and Conditions

REQUEST FOR QUOTATION CRFQ 0803 DOT1800000116 (DOT6618C057) Equipment Lease/Rental WITHOUT Operator

8.8 Contract Manager: During its performance of this Contract, the Vendor must designate and maintain a primary Contract Manager responsible for overseeing Vendor's responsibilities under this Contract. The Contract Manager must be available during normal business hours to address any customer service or other issues related to this Contract. Vendor should list its Contract Manager and his or her contact information below:

Contract Manager: Kenneth Varner Telephone Number: 304-456-4509 or 4505 Fax Number: 304-456-4500 Email Address: Varner & treatier cet, net

Equipment Rental WITHOUT Operator INFORMATION ATTACHMENT FORM

Base Location;

The Vendor should identify the Base Location and any other potential Base Locations where the lease/rented equipment may be delivered from, by the Vendor or picked up by the WVDOH. The Vendor should provide the 911 address or the most recent physical street address, city and state for each Base Location. If the Vendor fails to provide the Base Location(s) information on the Information Attachment Form, the Vendor's bid may be disqualified. You may duplicate this page, if additional space is needed. This list does not determine sole Base Locations for a Vendor, but provides the WVDOH a base for determining potential mileage.

| Vendor Base Location: | 8 |
|-----------------------|--------------------|
| Varner Constant | tien LLC |
| 4256 Stanto | a farkershung Tapk |
| Vendor Base Location: | 26264 |
| | 11 |
| | |
| Vendor Base Location: | |
| · | |
| | |
| | |

Counties Bid:

Vendor should complete this section by identifying the counties serviced. Vendor shall place an "X" or "\" beside the County, Counties or Statewide. If the Vendor fails to indicate which County or Counties serviced, it will be assumed that the Vendor's bid is for Statewide.

| "X" or "V" | | "X" or "√" | | "X" or "V" | |
|------------|-------------|------------|-------------|------------|------------|
| X | STATEWIDE | | | | , |
| 1 | Barbour | | Kanawha | | Pocahontas |
| | Berkeley | | Lewis | | Preston |
| • | Boone | | Lincoln | | Putnam |
| | Braxton | | Logan | | Raleigh |
| | Brooke | | McDowell | | Randolph |
| | Cabell | | Marion | • | Ritchie |
| | Calhoun | | Marshall | | Roane |
| - | Clay | | Mason | | Summers |
| | Doddridge | | Mercer | | Taylor |
| | Fayette | | Mineral | | Tucker |
| | Gilmer | | Mingo | | Tyler |
| | Grant | | Monongalia. | | Upshur |
| · | Greenbrier | | Monroe | | Wayne |
| | Hampshire | | Morgan | | Webster |
| | Hancock | | Nicholas | | Wetzel |
| | Hardy | | Ohio | | Wirt |
| | Harrison | | Pendleton | | Wood |
| | Jackson | | Pleasants | | Wyoming |
| | Jefferson = | | | | |

Exhibit A Pricing Pages

| | Equipment Offered fo | Lease/Rental Rate of Equipment Without Delivery/ Without Operator | | | Equipment Delivery Fee | | |
|--|----------------------|---|----------------|--|--|-----------------|--------------|
| Equipment Description | Manufacturer's Name | Model/Serial # | \$ /Day | \$ /Week \$ /Month | | 1st Mile Add. N | |
| AERIAL BUCKET TRUCK | | . 00 | | | | | |
| Highway Rated TRK. MTD | | | · | | 1 | | |
| 50' Reach Min. 43.5' Radious 360 degrees | 15 | | | | 1 | | 1 |
| Boom Rotation @ level position | | | | | | | |
| AERIAL PLATFORM LIFT | | | | | | | |
| 80 foot lift minimum | | | | | | | i |
| AERIAL PLATFORM TRUCK | | | | | | | |
| Highway Rated TRK. MTD | .5 | | | | 131 | | |
| 40' Reach Min. 360 degrees | | | | | 1 | | |
| Boom Rotation @ level position | 1 | | 1 | | | 1 | l |
| AERIAL PLATFORM TRUCK | | | | | | | |
| Highway Rated TRK, MTD | | | | | | j . | |
| 55' Reach Min. 360 degrees | | 1 | 1 | | 1 | | |
| Boom Rotation @ level position | | | [. | | İ | | |
| AERIAL PLATFORM TRUCK | | | | | | | |
| Elliott Model G50 or similar | | | 1 | ; | | | |
| AERIAL PLATFORM TRUCK | | | | | | | |
| Elliott Model L55 or similar | 19 | • | | 1. | | ĺ | |
| ARROW BOARDS | | | | | | | |
| 4' x 8' panel 15 lamp | *** | | | 1 | | | |
| ASPHALT DISTRIBUTOR | | | | | | | |
| Trk. Mtd. w/spray bar | | · | | | | | |
| ASPHALT RECYCLER | | | | | | | |
| KM T-2 or similar | | , | | | | | |
| ASPHALT RECYCLER | | | | | | | |
| Self Loading - Stepp SRM 10x120 or similar | 1 | | | | .[| | |
| ASPHALT RECYLING ATTACHMENT | | | - : | | | | |
| Endloader bucket - mounted, asphalt grinder/recycle | | | | | | | |
| attachment; min. 185 hp, app. 8,500 lb. wt. capable of | 1 | | | J | | | |

Vendor Should Type Price Page Schedule

| 12 12 15 15 15 15 15 15 15 15 15 15 15 15 15 | Equipment Offered (| Equipment Offered for Lease/Rental | | | Lease/Rental Rate of Equipment Without Delivery/ Without Operator | | |
|--|---------------------|--|---------|--|---|----------------------------|---------------|
| Equipment Description | Manufacturer's Name | Model/Serial # | \$ /Day | \$ /Week | \$ /Month | والمستقدم والتناوي والمتال | Add. Mi. |
| grinding and remixing up to 12" deep and 48" wide pavement and base. | | | | | | | |
| ASPHALT RECYLING ATTACHMENT | | | | | | | |
| Zipper or similar | | | | | | | |
| ASPHALT REMOVAL/RECYCLER | | | | | | | <u> </u> |
| Benedetti or similar to | | | | | | | |
| ATTENUATOR - Trailer Mounted | | | | | | | - |
| must meet NCHRP 350 TL-3 | | | | | ļ | | |
| AUGER | | | | | | | |
| Track Mtd. | · · | | · · | | İ | İ | |
| AUGER | | | | | | | |
| Truck Mtd. | 1 | | | | | · . | |
| BACKHOE | | | | | | | |
| Crawler Mech./Hyd. 0.75 Cyd. | Hitachi 120-2 | 12N38559 | | 1,333 | 4,000 | 85 | 3 |
| 24,000 lbs 28,000 lbs. Working Weight | · | | | 1,500 | 1,000 | , | , , |
| BACKHOE | | | | | | <u> </u> | |
| Crawler Mech./Hyd. 0.75 Cyd. | Hitachi 120-2 | 12N38559 | | 1,500 | 4,500 | 85 | 3 |
| 29,000 lbs 35,800 lbs. Working Weight | | | | 1,000 | 1,555 | | v |
| BACKHOE | | | | | | | |
| Crawler Mech./Hyd. 1.00 Cyd. | Hitachi 200LC-5 | HITAMD300466 | | 1,600 | 5,000 | 85 | 3 |
| 36,000 lbs 40,000 lbs. Working Weight | | | | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | 9,200 | | |
| Attachment: Grapple | | | | | | | |
| BACKHOE | | | | | - | | |
| Crawler Mech./Hyd. 1.25 Cyd., 128 - 141 HP | Hitachi 200LC-5 | HITAMD300466 | | 1,600 | 5,000 | 85 | 3 |
| 42,700 lbs 45,900 lbs. Working Weight | | | | 1 | 5,250 | 00 | |
| BACKHOE (HY-RAM) | | | | | | | |
| Crawler 2,000 ft./lbs. min. | Hitachi 120-2 | 12N38559 | 1,300 | 3,500 | 10,000 | 85 | 3 |
| 24,400 lbs 35,800 lbs. Excavator Size | | | -, | - | . 5,000 | | 3 |
| BACKHOE (HY-RAM) | | | | | | | |

Exhibit A Pricing Pages

| 10 E | Equipment Offered fo | r Lease/Rental | Lease/Rental Rate of Equipment Without Delivery/ Without Operator | | | Equipment Delivery Fee | |
|---------------------------------------|----------------------|----------------|---|-------------|--------------|------------------------|--------------|
| Equipment Description | Nanufacturer's Name | Model/Serial # | \$ /Day | \$ /Week | \$ /Month | | Add. Mi. |
| Crawler 2,000 ft./ibs. min. | | | | | | 100 111111 | 1 |
| 36,000 lbs 42,900 lbs. Excavator Size | | | | | | | i |
| Attachment: Grapple | | | | | - | | |

Exhibit A Pricing Pages

| ** | Equipment Offered f | Lease/Rental Rate of Equipment Without Delivery/ Without Operator | | | Equipment Delivery Fee | | |
|--|---------------------|---|---------|--|--|-------------|--|
| Equipment Description | Manufacturer's Name | Model/Serial # | \$ /Day | \$ /Week | \$ /Month | 1st Mile | Add. Mi. |
| BACKHOE (HY-RAM) | · | | | | | | - ' |
| Crawler 2,000 ft./ibs. min. | | |] | | | | i |
| 43,000 lbs 60,000 lbs. Excavator Size | | | i . | İ | | | 1 |
| BACKHOE (HY-RAM) | | | | | | | — |
| Crawler 2,000 ft./lbs. min. | | 1 | | | | | |
| 61,000 lbs 80,000 lbs. Excavator Size | | | | ŀ | 1 | | 1 |
| HYRAM ATTACHMENT ONLY | | | | | | | |
| 2,000 ft./lbs. min | | | İ | | 1 | | |
| BACKHOE | | | - | | | | — — |
| Crawler with a thumb | John Deere | 75D - | 700 | 1,800 | 5,400 | 85 | 3 |
| BACKHOE LOADER | | - | | 2 | | | |
| Rubber Tired 55-85 DHP | 2006 Volvo | BL160 4x4 | | 900 | 2,700 | 85 | 3 |
| BACKHOE LOADER (HY-RAM) | | | | | | | <u> </u> |
| Mtd. Hyd. Breaker 55-85 DHP D | | | | | ľ | Ì | |
| BACKHOE LOADER (HO-RAM) | - | | | | | | |
| Mtd. Air Breaker 1,000 ft./ibs. min. | | | | | | l | |
| BACKHOE LOADER TRACTOR - Compact | | | an . | | 1 | | <u> </u> |
| Rubber Tired 20-30 HP max. height - 83" | | | | 1 | ŀ | | |
| BACKHOE LOADER TRACTOR - Minj | | | | - | | | |
| 25-30 HP Standard Stick 12' Backhoe Bucket - T7 or similar | | | | | . | | |
| BASE WIDENER SP | | | | | | | <u> </u> |
| Shoulder Stone | Blaw Knox (have 2) | | 400 | 2,000 | 5,800 | 100 | 5 |
| BRUSH CHIPPER - up to 49 hp | , | | | | | | |
| Cutting size - 12" in diameter. | | | | | ŀ | Į į | İ |
| BRUSH CHIPPER - from 50 hp to 85 hp | | | | | | | |
| Cutting size - 12" in diameter. | | | | | | Ì | |
| BULLDOZER | | <u> </u> | | | | | <u> </u> |
| Crawler GD 65 -75 DHP D | | | | | | | j I |

Exhibit A Pricing Pages

| | 377 87 |
|------------------------|--------------|
| ntal Rate of Equipment | |
| /ithout Delivery/ 👞 | Equipment |
| ithout Operator | Delivery Fee |
| | |

| 53 | Equipment Offered for | or Lease/Rental | ٧ | ental Rate of Vithout Deliv Vithout Open | • | | pment |
|-------------------------|-----------------------|---------------------------------------|---------|--|-----------|----------|----------|
| Equipment Description | Manufacturer's Name | Model/Serial # | \$ /Day | \$ /Week | \$ /Month | 1șt Mile | Add. Mi. |
| BULLDOZER | | ————————————————————————————————————— | | | | | |
| Crawler GD 80 -90 DHP D | John Deare 650H | T0650HX942108 | 500 | 1,300 | 3,500 | 85 | 3 |

Exhibit A Pricing Pages

| 5 · · · · · · · · · · · · · · · · · · · | Equipment Offered | Equipment Offered for Lease/Rental | | | Lease/Rental Rate of Equipment Without Delivery/ Without Operator | | | |
|---|---------------------|------------------------------------|---------|--|---|----------|--|--|
| Equipment Description | Manufacturer's Name | Model/Serial # | \$ /Day | \$ /Week | \$ /Month | 1st Mile | Add. Mi | |
| BULLDOZER | John Deere 700H | TD700HX942108 | 600 | 1,800 | 5,400 | 95 | 3 | |
| Crawler GD 100 -120 DHP D | | | | 1,000 | . 0,400 | 30. | , | |
| BULLDOZER | CAT D6N Dozer | CATOOD6NTAKM01240 | 600 | 2,600 | 8,000 | 150 | 4 | |
| Crawler GD 130 -140 DHP D | | | | 2,000 | 0,000 | 150 | " | |
| BULLDOZER | CAT D8H | 46A12282 | 900 | 3,000 | 9,000 | 180 | | |
| Crawler TC 150 - 250 EHP D | | 10/102202 | | 3,000 | 9,000 | 160 | 5 | |
| BULLDÖZER | | | | | | | | |
| Crawler/Ripper TCP 181 - 250 EHP D | | <u>.</u> | | | | | ľ | |
| BULLDOZER | | | | | | | | |
| Crawfer/Winch TCP 181 - 250 EHP D | | | | | | | | |
| CHIP SPREADER SP | | | | | | | | |
| | | | | 1. | 1 | | | |
| COLD MILLING - Stabilizer/Recycler | | | | | | | | |
| BOMAG MPH 364 R-2 or similar | | | | | | | | |
| COLD MILL PLANER | | | | | | | | |
| Self Loading - 2' | • | | | 1 | | | | |
| COLD MILL PLANER | | | | | - | | | |
| Self Loading - 4' | | | | | | | | |
| COMPRESSOR | | | | | | | | |
| 125 - 160 CFM Portwhi. | | | | | | | | |
| COMPRESSOR | | | | | - | | _ | |
| 170 - 210 CFM Portwhi. |] | | | l . | | | | |
| COMPRESSOR | | | | | | | | |
| 250 - 300 CFM Portwhl. | | . | | | | | 1 | |
| COMPRESSOR | | <u> </u> | | | | | - | |
| 350 - 375 CFM Portwhi. | | | | |] | | | |
| COMPRESSOR | | | - | | <u> </u> | | | |
| 300 CFM Portwhi. | | | | | | | 1 | |
| COMPRESSOR | | | | | | | | |

Exhibit A Pricing Pages

| | | | Lease/R | ental Rate o | f Equipment | | |
|------------------------|----------------------|----------------|---------|--------------|--------------|----------|----------|
| | Equipment Offered fo | r Lease/Rental | 1 | Without Deli | • | Equi | pment |
| | <u>·</u> | | | Nithout Ope | Delivery Fee | | |
| Equipment Description | Manufacturer's Name | Model/Serial # | \$ /Day | \$ /Week | \$ /Month | 1st Mile | Add. Mi. |
| 700 - 800 CFM Portwhl. | | | | | | | |

Exhibit A Pricing Pages

| N# | Equipment Offered fo | | ental Rate o Without Deli | Equipment Delivery Fee | | | |
|--|----------------------|---------------------------------------|------------------------------|--|--|------------|---------|
| Equipment Description | Manufacturer's Name | Model/Serial # | \$ /Day | \$ /Week | \$ /Month | 1st Mile | Add. Mi |
| CONCRETE MIXER | - | | | | | | |
| Trk. Mtd. 6.0 Cyd. | | ` <u></u> | | 1 | | | |
| CONCRETE SAW | | | | | | | |
| Full Depth CAP - 24" Blade | | <u> </u> | | | | | |
| CONCRETE SAW | | | | | | | |
| 12 1/2" Maximum Depth of Cut - 30" Blade | | |] . | . | ŀ | | |
| CONCRETE SAW | | | | | 1 | | |
| 15" Maximum Depth of Cut - 36" Blade | | | 1 | | |] | |
| CRACK SEALING MACHINE | | | | | | | |
| Trir. Mtd. Dbl. Drum, 100 - 125 GLN. D | <u> </u> | | | | | | |
| CRACK SEALING MACHINE | | | | † | | | |
| Trl. Mtd. DblBoiler Type, 250 GLN Diesel | | | | | | | |
| with Pump on Demand Features | 1 | | | | | l . | |
| CRACK SEALING MACHINE | 1 | | | | | | |
| Trl. Mtd. DblBoiler Type, 250 GLN Diesel | | | | 1 | | | |
| with Pump on Demand Features and 53.8 CFM Compressor | [| | | | | | |
| CRACK SEALING MACHINE | | " " | | | | | |
| Trl. Mtd. DblBoller Type, 250 GLN Diesel | - | | | | | | |
| with Pump on Demand Features and 70 CFM Compressor | | | | } | | | |
| CRANE 10 T Hyd. | | | | | | | |
| Trk. Mtd. min. 18' Bed | | | | 1 | · | | |
| CRANE 12 - 1/2 T Hyd. | | | | | | | |
| Trk. Mtd. min. 18' Bed | | | | | | | |
| CRANE 14 T Hyd. | | | | | | | |
| Trk. Mtd. min. 18' Bed | | | | | <u> </u> | | |
| CRANE 15 - 25 T | | · · · · · · · · · · · · · · · · · · · | | | | | |
| Hyd. Rough Terrain | | | | | | | |
| CRANE 20 - 25 T | | <u> </u> | | ļ | | | |
| Cable D Crawler | | | | | | | |

Vendor Should Type Price Page Schedule

| # | Equipment Offered fo | Equipment Offered for Lease/Rental | | | Lease/Rental Rate of Equipment Without Delivery/ Without Operator | | |
|-----------------------|----------------------|------------------------------------|---------|----------|---|----------|----------|
| Equipment Description | Manufacturer's Name | Model/Serial # | \$ /Day | \$ /Week | \$ /Month | 1st Mile | Add. Mi. |
| CRANE 25 - 30 T | | N, " , | | | | 1 19 | |
| Cable, Trk. Mtd. G | | | | · | | | |

Vendor Should Type Price Page Schedule

| - Thomas reges | | | | 4 | | | |
|---|-----------------------|----------------|-------------|--|--|-------|------------------|
| | Equipment Offered (c | - Lagar/Daytal | 1 | | f Equipment | | |
| 9 | Equipment Offered for | LTBSSAKBUISI | | Without Deli <i>Vithout Ope</i> | - | | oment ery Fee |
| Equipment Description | Manufacturer's Name | Model/Serial # | \$ /Day | \$ /Week | \$ /Month | | Add. Mi. |
| CRANE 30 T Hyd. | | 10 | | | | t ins | |
| CRANE 35 T Hyd. | | | · · | | | | |
| CRANE 40 T Hyd. | | | | | | | <u> </u> |
| CRANE 50 T Hyd: | | | | <u> </u> | | | |
| CRANE 15 - 20 T | | | | <u> </u> | | ļ | |
| Truck Mounted Boom | | | | | 1 | | |
| CRANE 21 - 25 T | | | | | | | |
| Truck Mounted Boom | | | | | Ì | | |
| CULVERT CLEANER | | | | | | | |
| Trk. Mtd. min. 1,500 gal. tank , 1,400 PSI min. | | | | | | | |
| CULVERT CLEANER | | | - | | | | |
| Trk. Mtd. 65 - 80 GPM 2,000 PSI min. | | , | | 1 | | | |
| CULVERT CLEANER - radio remote controlled | | | | | | | |
| Microtraxx or Similar | | | | | | | |
| 42"Wx42"Hx120"L, 1550# Lift cap, 1/3 CU Yd Cap., 7.5 PSI, 360° Swing Rotation, to clean 48" to 60" round culverts | | | | | | | |
| CULVERT CLEANER - radio remote controlled | | | | | | | |
| Microtraxx or Similar | | | | | | | |
| 32"Wx34"Hx134"L, 1500# Lift cap, 1/4 CU Yd Cap., 5.5 PSI, | | | | | | | |
| to clean 36" to 48" round culverts | = | | | 1 | | | |
| DITCH WITCH | | - ' | | | | | |
| | | | | | | | |
| EQUIPMENT TRAILER | | | | | | | |
| 10,000 lbs or less, tilt style deck | | | | | | | |
| 16ft - 18 ft length to attach to a pintle hitch | | | | | | | |

Vendor Should Type Price Page Schedule

| \$************************************* | Equipment Offered for Lease/Rental | | Lease/Rental Rate of Equipment Without Delivery/ Without Operator | | | Equipment Delivery Fee | |
|---|------------------------------------|--|---|--|--|---------------------------|--|
| Equipment Description | Manufacturer's Name | Model/Serial # | \$ /Day | \$ /Week | \$ /Month | 1st Mile | Add. Mi |
| EQUIPMENT TRAILER | | | | | | | <u> </u> |
| 12,000 lbs - 14,000 lbs, tilt style deck | | 1 | | | 1 | | |
| 16ft - 18 ft length to attach to a pintle hitch | | | 1 | | 1 | | |
| EQUIPMENT TRAILER | = * | | | | | | |
| 14,000 GVWR | 76 | | | 1 | 1 | | |
| 16' + 2' dovetail, with 24" wide x 60" wide long stand-up | | 2.0 | | 1 | 121 | | |
| ramps with support leg and stand-up bar, spring assisted | 1.5 | | | 1 | | | ļ · |
| EXCAVATOR - TELEBOOM | 0 11 | | | | | | |
| Track Mid. SP 0.5 Cyd. D | Grade | XL4100 | 800 | 2,500 | 7,500 | 100 | 3 |
| EXCAVATOR - TELEBOOM | | | <u> </u> | | | | |
| Truck Mtd. SP 0.5 Cyd. D | | | | | | | l. |
| EXCAVATOR | | | | | | | - |
| w/McMillen extreme duty earth auger or similar | 1 | | | 1 | 1 | | i |
| EXCAVATOR | | | | | | | |
| Mini-Hyd. Track Mtd. 2,600 lbs. max. | 1 | , | | | 1 | | |
| EXCAVATOR | | | | | | | |
| Mini-Hyd. Track Mtd. 6,500 lbs. max. | | | | | | | ĺ |
| EXCAVATOR - 1/2 to 3/4 CY bucket, 150 HP | | | | | | | |
| Track Width 10' out-to-out | | | | | | | |
| EXCAVATOR - 1/8 Cyd. 30 HP | | | | | | | |
| D Track Width 5' out-to-out | · | | l | 1 | | | · |
| EXCAVATOR - 1/5. Cyd. 44 HP | | | | | | | |
| 11,000 lbs. Track Width 6' out-to-out | | | | | | | |
| EXCAVATOR - 1/4 Cyd. 55 HP | | | <u> </u> | | | | |
| D 14,000 lbs. Bucket, Track Width 6' out-to-out | | | | | | - | |
| EXCAVATOR ATTACHMENT | | | | | <u> </u> | | |
| Plate compactor for 15,000-20,000 ib excavator | | | | | | | |
| EXCAVATOR ATTACHMENT | | | | | | | |
| Hydraulic hammer for 15,000-20,000 lb excavator | | | |] | [· | | |

Exhibit A Pricing Pages

| | • | Equipment Offered for | or Lease/Rental | , v | ental Rate of Without Deli Vithout Oper | | 1 ' | pment ery Fee |
|--|-------------|-----------------------|--|--------------|---|--|----------|--|
| Equipment Description | _ | Manufacturer's Name | Model/Serial # | \$ /Day | \$ /Week | \$ /Month | 1st Mile | Add. Mi |
| EXCAVATOR ATTACHMENT | | | | | · · | | | |
| Swivel head with ditching bucket | | | | | 1 | | | |
| FLATBED TRUCK | | | | | | | | |
| 1 Ton minimum with 22 ft: bed length minimum | • | | | | | | | |
| FLATLINER - attachment for a skid steer | | | | | | | · · · | |
| Profilograph and bump grinder in one | | | | | | | l | |
| FORKLIFT TRUCK | | | | | | | | |
| Rough Terrain, 5 - 10 K lb. lift cap. | | Gradall | 542D35 | 400 | 1,333 | 4,000 | 150 | 3 |
| FORKLIFT TRUCK | | | - | | | | | |
| 6,000 # Load Cap., Min. 63 HP | | | | | | | | i |
| GENERATOR - TRAILER MOUNTED: | | | | | A Resident | BED WAY | | Building. |
| 30 kw | | | | 18.7 | | | 25年11日63 | |
| 45 kw | | | | | | | | |
| 60 kw | | | | | | | | |
| 80 kw | | | · · · · · · · · · · · · · · · · · · · | - | | | | |
| 100 kw | · · · · | | | | | - | | |
| 125 kw | | | | | | | | |
| 175 kw | | <u> </u> | | <u> </u> | | ļ <u>.</u> | | |
| 200 kw | | | | | | ļ ———— | | <u> </u> |
| 230 kw | | | · | | - | | | |
| 300 kw | | | · · · · · · · · · · · · · · · · · · · | | | | | <u> </u> |
| 400 kw | | | <u> </u> | | | - | | <u> </u> |
| 500 ƙw | | | | | | ļ | | |
| 500 kw | | | | | ļ | | | |
| 300 kw | | | | | ļ | } | | - |
| 1,000 kw | | | · | | | | | - |
| 2,000 kw | <u> </u> | | <u> </u> | | <u> </u> | | | |
| GRAPPLE ATTACHMENTS | | | | | <u> </u> | | _ | <u> </u> |
| or Skid Steer Loaders 72" - 78" attachments | | 150 | | 200 | 600 | 2,000 | 100 | 3 |

Vendor Should Type Price Page Schedule

| • · | Equipment Offered f | , | ental Rate o Without Deli Vithout Ope | Equipment Delivery Fee | | | |
|--|--|----------------|---|---------------------------|--|----------|---------------|
| Equipment Description | Manufacturer's Name | Model/Serial # | \$ /Day | \$ /Week | \$ /Month | 1st Mile | Add. Mi. |
| HEATER - Trailer Mounted, Diesel | | | | | | | |
| 22 HP, 1,800 rpm, 16 kw, 190 gal fuel cap., HT1010C or similar | | | | | 1 | | |
| HAMMER (DELMAG) PILE-D. | | | | | | | |
| D8-22 | <u>. </u> | | | , | | • | · |
| HYDRO-SEEDER | | | | | | | |
| HYDRO-SEEDER | <u> </u> | | | | | | · |
| Trk. Mtd. 1,500 - 2,500 Gal. | FINN . | T170/SLA2191 | 300 | 1,600 | 4,300 | 50 | 3 |
| JOINT SEALER | | | | | | | - |
| 3 Cylinder, Tandum Dual 2 Axle, Vat. Cap 200 Gal. | | | | | ĺ | | 1 |
| Double Boiler Type Tank - opening 16"x24" | | | | | | | |
| Maximum Heat Input - Diesel 290,000 BTU | | | | | | | |
| Incl. Full Sweep Mixer with 2 horizontal paddles | | | ļ · | | 1 | | ĺ |
| LIGHT TOWERS PORT. | | | | | ļ | | |
| 4 - 1,000 watt bulbs | Have 3 | 1 | 100 | 500 | 1,500 | 35 | 3 |
| LOWBOY | | | <u> </u> | | | | |
| with two drops in deck height - min 35 T | | | | | | | |
| MANLIFT SP | · | | | | | | |
| 40 ft. | | | | | 1 | | |
| MANLIFT SP | | | | | | | <u> </u> |
| 60 ft. | | | | | ŧ | | |
| MANLIFT SP | | | | | | , | |
| 80 ff. | | | | | | | |
| MANLIFT SP | | | | | | | |
| 125 ft. minimum to 135 ft. maximum | | · | | | | | |
| MESSAGE SIGN - PROGRAMMABLE | | | | | | | |
| MORTAR MIXER | | | | | | | |
| 6 CF 5 HP G | | | | | | | |

Exhibit A Pricing Pages

| | | Equipment Offered for Lease/Rental | | Lease/Rental Rate of Equipment Without Delivery/ Without Operator | | | Equipment Delivery Fee | |
|---|-----------------------|------------------------------------|--------|---|--|----------|---------------------------|--|
| Equipment Description | lilanufacturer's Name | Model/Serial # | \$/Day | \$ /Week | \$ /Month | 1st Mile | Add. Mi. | |
| MOTOR GRADER | CAT (have 3) | 120G | 500 | 200 | | | | |
| 35,000-45,000 lbs. class | CAT (Have 5) | 1206 | 500 | 200 | 5,000 | 50 | 3 | |
| PATCH TRAILER | | | | | | | | |
| DuraPatcher or similar | | | 1 | | | , | | |
| PATCH TRUCK | | | | | | | | |
| DuraMAXX or similar | | | | | 1 | | | |
| PAVER - HOT MIX ASPHALT | | | | | | | · | |
| Rubber-tired Paver | Blaw Know (have 3) | 0494-012 | 400 | 2,000 | 5,800 | 50 | 3 | |
| PAVER - HOT MIX ASPHALT | | | | | | | | |
| Track Paver | Lee Eoy (have 4) | | 400 | 2,000 | 5,800 | 50 | 3 | |
| POLY PATCHER II or similar | | | | | | | | |
| Double-boiler type mixer, Trl Mtd. | | | | | İ | | | |
| PRESSURE WASHER/Hot Water 120° Min, 700-3000 psi Min. | | | | | | | | |
| RECLAIMER | | | | <u> </u> | ļ | | | |
| 43,000 lbs min weight, 350 HP, 96" milling head | | | | | 1 | | | |
| 0 - 18" cutting depth range | | | | ĺ | | | | |
| ROCKDRILL - SP | | | | | | | | |
| Hyd. Excav./Boom Mtd. 3" Holes/20" deep min. | | | | | i i | | | |
| ROCK HAMMER FOR EXCAVATOR | | | | | | | | |
| 5000-7000 lbs. class | | | | | | | | |
| ROCK TRUCK - ARTICULATED | | | | | | | | |
| 20 -30 T | CAT (have 2) | | 900 | 2,300 | 6,500 | 100 | 5 | |
| ROLLER | | | | | | | | |
| 5 Ton with 2 steel drums | CAT (have 2) | DCB34B 51" | 270 | 1,350 | 3,800 | 50 | 4 | |
| ROLLER | | | | | ļI | | | |
| 10-15 Tons with 2 steel drums | Hypac Articulated | C7668 | 270 | 1,350 | 3,800 | 50 | 4 | |
| ROLLER | - | | | <u> </u> | | | | |
| 5 - 6 T PNEUTR TOW/Trk. Mtd. | | | | | | | | |

Exhibit A Pricing Pages

| | Equipment Offered t | Equipment Offered for Lease/Rental | | Lease/Rental Rate of Equipment Without Delivery/ Without Operator | | | Equipment Delivery Fee | |
|--|---------------------|------------------------------------|--|---|--|----------|------------------------|--|
| Equipment Description | Малиfacturer's Name | Model/Serial # | \$ /Day | \$ /Week | \$ /Month | 1st Mile | Add. Mi. | |
| ROLLER 10 T PNEUTR | - | | | | | | | |
| ROLLER | • | | | | Ļ | | <u> </u> | |
| 7-15 T PNEUTR, Articulated | | | | · . | | | | |
| ROLLER SP | | | - | | <u> </u> | | | |
| PNEUTR - 10K GVW G | · | 1 | | | 1 | | | |
| ROLLER SP | | · . | | | | | <u> </u> | |
| PNEUTR - 20K GVW G | i | | | | | | | |
| ROLLER - TRENCH VIB | | | | | | | | |
| Dual Drum Approx. 10 HP, Appox. 2.5ft W x 8.3 ft L | Wacker | RT82 | 200 | 600 | 1,800 | 35 | 3 | |
| ROLLER - VIB | | | | | | | · | |
| SP 1 Drum 2XL 10 - 15 K GVW D | HAMM 3410 | H1690223 | 400 | 1,200 | 3,600 | 50 | 3 | |
| ROLLER - VIB | | | | | | | - | |
| SP 1 Drum 2XL 10 - 20 K GVW D | HAMIW 3410 | H1690223 | 400 | 1,200 | 3,600 | 50 | 3 | |
| SAND BLASTER | | | | | | | | |
| 200 lb. hopper min. | | • | | | | | | |
| SCREENERS, Material | | | | | | | | |
| Mobile - Diesel | NordBarge | CV40-D 1853 | 500 | 200 | 6,000 | 50 | 3 | |
| SHADOW TRUCK w/Attenuator | | | | | | | | |
| min. 30,000 GVW | • | | | i | | | | |
| SHOULDER MAINTAINER SP | | , | | | | | | |
| w/G (min. 67 HP) or w/D (min. 46 HP) | Blaw Know (have 2) | i l | 400 | 200 | 5,800 | 50 | 262D | |
| asphalt or stone width, 1' to 6' and 6" to 12" depth | , | | ,,,, | | 0,000 | | 2020 | |
| SKID STEER - HIGH FLOW | CAT | 262D | 500 | 1,200 | 2,900 | 100 | 2 | |
| Attachment: Broom | CAT | BP18 | | 500 | 1,200 | 100 | 3 | |
| Attachment: Bucket | CAT | included with skildsteer | | | 1,200 | 100 | <u> </u> | |
| Attachment: Broom Bucket | | 110. 5.555700 | - | ··· | | | | |
| Attachment: Auger of any diameter | CAT | | | | 800 | 100 | 3 | |
| Attachment: 1' - 5' Milling Planer | CAT | PC308 | | 1,300 | 3,800 | 100 | 3 | |

Exhibit A Pricing Pages

| | Equipment Offered for Lease/Rental | | j | ental Rate o Without Deli <i>Vit</i> hout Ope | Equipment Delivery Fee | | |
|--|------------------------------------|----------------|----------|---|---|----------|---------|
| Equipment Description | Manufacturer's Name | Model/Serial # | \$ /Day | \$ /Week | \$ /Month | 1st Mile | Add. Mi |
| Attachment: Trencher of any width | CAT | T9 | | 450 | 1,300 | 100 | 3 |
| Attachment: Jackhammer - Caterpillar CAT H55D S or equal | | | | | | | |
| Attachment: Concrete Slab Dowel | | | | | | - | |
| SKID STEER - MILLING PLANER | CAT | 257B | | | 2,695 | 35 | 3 |
| Attachment: Broom | | † | | | | | |
| Attachment: Bucket | CAT | | | | 500 | 35 | 3 |
| Attachment: Broom Bucket | | - | <u> </u> | <u> </u> | | - 55 | |
| Attachment: Auger of any diameter | CAT | | <u> </u> | | 1,600 | 35 | 3 |
| Attachment: 1' - 5' Milling Planer | | | | | 1,000 | 30 | |
| Attachment: Trencher of any width | BOBCAT | | _ | | 1,500 | 35 | 3 |
| SPRAY PATCHER | | · | | | 1,000 | 35 | |
| Self-contained, Trl Mtd, spray-injection machine | | | | | 1 | | |
| Self-supporting, rear mounted tri-fold articulating boom | 2 | | | } | 1 | | |
| with fully counterweighted arm, Radius: Min 20'-10", | | | | | 1 | | 1 |
| Vert.Stroke: 5' - 2' below pavement level. | | | | 1 | 1 | 1 | |
| STABILIZER (BO-MAG) SP | | | | | 1 | | |
| 250 HP min. | | i | | 1 | ı | | |
| STRAW / MULCH BLOWER | | | | | | | |
| Trk. Mtd. | Finn | B70T SE-3389 | 200 | 590 | 1,775 | 35 | 3 |
| STREET SWEEPER SP | | | | | | | |
| 3.0 Cyd. (min.) | | | | | | | |
| STREET SWEEPER SP | | | | | | | · |
| 8.0 Cyd. (min.) | | | | | | | |
| STREET SWEEPER | | | | | | | |
| Trir. Type | • | | | | 1 | | |
| STREET SWEEPER - HYDROSTATIC | | | | | | | |
| Elgin Pelican III or similar | | | | | | | |
| STREET SWEEPER - Towable | | | | | | | |
| Self-Propelled | | | | | | | |

Exhibit A Pricing Pages

| X 2 ± | Equipment Offered for Lease/Rental | | Lease/Rental Rate of Equipment Without Delivery/ Without Operator | | | Equipment Delivery Fee | |
|--|---------------------------------------|----------------|---|--|--|--|---|
| Equipment Description | Manufacturer's Name | Model/Serial # | \$ /Day | \$ /Week | \$ /Month | 1st Mile | Add. Mi. |
| STREET SWEEPER - Truck-Mounted | | <u>"</u> | | <u> </u> | | | |
| 4.0 C.Y. Min. hopper cap., water-spray system for dust control | | | | | | 1 | |
| Side/curb brooms & rear/center broom, 11,000 lbs - 33,000 lbs | | 1 | 1 | | İ | 1 | |
| TAMPER/COMPACTOR - Vibratory | | | | † | | | |
| 650 min. blows per minute | • | į. | | | 1 | | ł |
| TRACTOR | | | | - | | | |
| John Deere 6200 or similar | | | | | 1 | | 1 . |
| Boom Mower Attachment to be used with the above Tractor | | | | | | | ├── |
| Flail Mower Attqachment to be used with the above Tractor | | | | | | | |
| Sicklebar Mower Attachment to be used with the above Tractor | | | | - | | | |
| TRAILER | | | | | + | | |
| 6 tons with ramps, minimum 18' length, 8.5' width | | | ļ | | | | i |
| TRAILER - FLATBED TRI-AXLE | | <u> </u> | - | | | | |
| 22,500 GVWR, 23 ft. with dove tail, Air Breaks | | | | | | | ļ |
| TRAILER - FLATBED - Two Axles | | | | | + | | |
| 20,000# Payload Cap. Min.Width 8.5', Min.Length 24' | | | | | Ì. | · | |
| TRAILER - LowBoy | | | | - | | | |
| 35 - 50 ton - pony motor, self contained hydraulics | | | | | | | |
| TRAFFIC SIGNALS - PORT | | | | | | | |
| 2 Phase Operation D/E | • | | | | | | |
| TREE TRIMMER - Power Mechanical Trimmer - Track | | - | | | | | |
| Up to 53' Reach - Kwik-Trim Takeuchi TB260 or similar | | | | | 1 | | |
| TREE TRIMMER - Telescoping Trimmer Power Train - Track | · | | | | <u> </u> | | |
| Jp to 75' Reach - 24" diameter saw - SkyTrim 75 or similar | | | | | | | |
| RENCH BOX | | | | | | | |
| /arious Sizes - Vendor provide sizes available | · | | | | | | l |
| RENCH PAVER | · · · · · · · · · · · · · · · · · · · | | | | | | |
| Base Widening Machine | | | | | 5,800 | 100 | 3 |
| RUCK - Heavy Industrial | | | | | - | | |

Exhibit A Pricing Pages

| Equipment Description | Equipment Offered for Lease/Rental | | Lease/Rental Rate of Equipment Without Delivery/ Without Operator | | | Equipment Delivery Fee | |
|--------------------------|------------------------------------|----------------|---|--------------|---------------|---------------------------|----------------|
| | Manufacturer's Name | Model/Serial # | \$ /Day | \$ /Week | \$ /Month | 1st Mile | |
| 2 Axle Steel Bed | | | | <u> </u> | 7 ///(0.1/61/ | 10111110 | Add. IN |
| TRUCK - Heavy Industrial | · | | | | | | |
| 3 Axle Steel Bed | Ford | ĺ | j | 4.000 | | . 1 | ĺ |
| TRUCK - Heavy Industrial | MACK | | | 1,800 | 5,400 | 1 | 1 |
| 4 Axle Steel Bed | } | | | 2,000 | 6,000 | 1 1 | 1 |
| TRUCK - Heavy Industrial | | | · | - | | | |
| 5 Axle Steel Bed | čá. | 1 | | | | · | |
| FRUCK - Heavy Industrial | | | | ļ | | | |
| 2 Axle Aluminum "V" Bed | | • | | | | | j [*] |
| RUCK - Heavy Industrial | | <u>-</u> | | | | | |
| 3 Axle Aluminum "V" Bed | | | | | | | |
| RUCK - Heavy industrial | | | | <u>.</u> | · | | |
| Axle Aluminum "V" Bed | | | | | | 1 | |

Exhibit A Pricing Pages

| # /# 204 | Equipment Offered for Lease/Rental | | Lease/Rental Rate of Equipment Without Delivery/ Without Operator | | | Equipment Delivery Fee | |
|--|------------------------------------|---|---|--|--|---------------------------|--------------|
| Equipment Description | Manufacturer's Name | Model/Serial # | \$ /Day | \$ /Week | \$ /Month | | Add. Mi |
| TRUCK - Heavy Industrial | | | | , , , | | | |
| 5 Axle Aluminum "V" Bed | | | | | | | |
| TRUCK - Water | | | | | - | - | |
| Tanker - min 1500 gallons | | | İ | | 1 | | l |
| UNDERBRIDGE PLATFORM | | | | | | | |
| Trailer Mtd., Hyd. SP Min. 20 ft. horizontal reach | | | | İ | 1 | | |
| UNDERBRIDGE PLATFORM | | | | | | | |
| Trailer Mtd., Hyd. SP Min. 30 ft. horizontal reach | _1 | | } | | | | |
| UNDERBRIDGE PLATFORM | | | | | | | |
| Trailer Mtd., Hyd. SP Min. 40 ft. horlzontal reach | 1 | | | | i . | | |
| UNDERBRIDGE PLATFORM | | , | - | | | | |
| Trailer Mtd., Hyd. SP Min. 50 ft. horizontal reach | | | | | 1 | | |
| UNDERBRIDGE PLATFORM | | | | | · | | |
| Trailer Mtd., Hyd. SP Min. 60 ft. horizontal reach | | | | İ | | | |
| UNDERBRIDGE PLATFORM | | | | | | | |
| Truck Mtd., Hyd. Min. 23 ft. horizontal reach | i · | 1 | | | 1 | | |
| (driver to be included) | | [| | | | | |
| VACUUM/JETTER SEWER CLEANER | | | | | | | |
| Trk. Mtd. 1,000+ gal. debris tank, 30+ gpm | | | | | | | |
| 2000+ CFM Vacuum Pump, 2200+ PSI water pump | | | | ł | 1 1 | | |
| VACUUM/SPRAY UNIT | | | | | | | |
| Trk. Mtd. min. 1,000 gal. tank min. 60 gpm | | | | | | | |
| 4 ft. teleboom w/swivel/rotating hose reel | | | - | | | | |
| VACUUM/STREET SWEEPER | | | , | | | | |
| Self-Propelled, 4 Cyd., Gas, 5 ft wide path | - | | | | | | |
| VAN - BOX | | | | | | | |
| 21,000 or greater | | | • | | | | |
| VIBRATORY ROLLER with Water | | | | | | | |
| 4 - 5 ton Steel Double Drum | Bomag | 1450 | 300 | 900 | 1,500 | 50 | 4 |

Exhibit A Pricing Pages

| Equipment Description VIBRATORY ROLLER with Water | Equipment Offered t | Lease/Rental Rate of Equipment Without Delivery/ Without Operator | | | Equipment Delivery Fee | | |
|---|---------------------|---|----------|--------------|---------------------------|----------|---|
| | Manufacturer's Name | Model/Serial # | \$ /Day | \$ /Week | \$ /Month | 1st Mile | |
| 8 - 10 ton Steel Double Drum | Hydro Pack | | 270 | 1,350 | 3,800 | 50 | 4 |
| WATER PUMPS - 3" | | | | ļ | | | |
| w/suction & discharge hoses | Honda (have 2) | | 35 | 140 | 420 | 50 | 3 |
| WATER PUMPS - 4" | | | | | | | |
| w/SUCTION & DISCHARGE HOSES | Honda | | 45 | 450 | 480 - | 50 | 3 |
| WATER PUMPS - 6" | Godwin (have 2) | | | | | | |
| W/SUCTION & DISCHARGE HOSES | | 9817 | | 500 | 1,500 | 50 | 3 |
| WATER PUMPS - 12" | | · · | | | | | |
| W/SUCTION & DISCHARGE HOSES | | | | | | | |
| WELDER - PORTABLE | | | | | | | i |
| 225 AMP min GASOLINE powered | | | | | | | |
| VELDER - PORTABLE | | | <u> </u> | | | | |
| 25 AMP min DIESEL powered | | | | | | | |
| NORK PLATFORM SP | | | | | - | | |
| SL 25' High Platform 1,500# CAP | | | | | | j | |
| VORK PLATFORM SP | | | | | | | |
| SL 35' High Platform 1,500# CAP | | 1 | | [. | | | |

STATE OF WEST VIRGINIA Purchasing Division

PURCHASING AFFIDAVIT

CONSTRUCTION CONTRACTS: Under W. Va. Code § 5-22-1(i), the contracting public entity shall not award a construction contract to any bidder that is known to be in default on any monetary obligation owed to the state or a political subdivision of the state, including, but not limited to, obligations related to payroll taxes, property taxes, sales and use taxes, fire service fees, or other fines or fees.

ALL CONTRACTS: Under W. Va. Code §5A-3-10a, no contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and: (1) the debt owed is an amount greater than one thousand dollars in the aggregate; or (2) the debtor is in employer default.

EXCEPTION: The prohibition listed above does not apply where a vendor has contested any tax administered pursuant to chapter eleven of the W. Va. Code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has provisions of such plan or agreement.

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Employer default" means having an outstanding balance or liability to the old fund or to the uninsured employers' fund or being in policy default, as defined in W. Va. Code § 23-2c-2, failure to maintain mandatory workers' compensation coverage, or failure to fully meet its obligations as a workers' compensation self-insured employer. An employer is not in employer default if it has entered repayment agreement with the insurance Commissioner and remains in compliance with the obligations under the

"Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

AFFIRMATION: By signing this form, the vendor's authorized signer affirms and acknowledges under penalty of law for false swearing (W. Va. Code §61-5-3) that: (1) for construction contracts, the vendor is not in default on any monetary obligation owed to the state or a political subdivision of the state, and (2) for all other contracts, that neither vendor nor any related party owe a debt as defined above and that neither vendor nor any related party are in employer default as defined above, unless the debt or employer default is permitted under the exception above.

| WITNESS THE FOLLOWING SIGNATURE: | |
|--|---|
| Vendor's Name: Varges Construction LLC | |
| Authorized Signature: Senuth H (hum | Date: 7-7-18 |
| State of West-Virginia | |
| County of Pucahortas to-wit: | |
| Taken, subscribed, and sworn to before me this 2 day of | , 20_18 |
| My Commission expires 3 - 24, 20 19. | |
| AFFIS SPECIAL STATE OF WEST VIRGINIA NOTARY PUBLIC NOTARY PUBLIC | Sandia M Varne |
| Sandra M. Varner PO Box 243 | Purchasing Affidavit (Revised 01/19/2018) |

Durbin, WV 26264

Ny Commission Expires March 24, 2019

DESIGNATED CONTACT: Vendor appoints the individual identified in this Section as the Contract Administrator and the initial point of contact for matters relating to this Contract.

Reacth Varner Owner

(Name, Title)

(Printed Name and Title)

Po Box 243 Dubia WV 26264

(Address)

304-456-4509 or 4505 304-456-4510

(Phone Number) / (Fax Number)

(email address)

CERTIFICATION AND SIGNATURE: By signing below, or submitting documentation through wvOASIS, I certify that I have reviewed this Solicitation in its entirety; that I understand the requirements, terms and conditions, and other information contained herein; that this bid, offer or proposal constitutes an offer to the State that cannot be unilaterally withdrawn; that the product or service proposed meets the mandatory requirements contained in the Solicitation for that product or service, unless otherwise stated herein; that the Vendor accepts the terms and conditions contained in the Solicitation, unless otherwise stated herein; that I am submitting this bid, offer or proposal for review and consideration; that I am authorized by the vendor to execute and submit this bid, offer, or proposal, or any documents related thereto on vendor's behalf; that I am authorized to bind the vendor in a contractual relationship; and that to the best of my knowledge, the vendor has properly registered with any State agency that may require registration.

(Company)

(Authorized Signature) (Representative Name, Title)

(Printed Name and Title of Authorized Representative)

(Date)

(Date)

7-7-18

(Phone Number) (Fax Number)

Revised 06/08/2018