



2019 Washington Street, East Charleston, WV 25305 Telephone: 304-558-2306 General Fax: 304-558-6026

Bid Fax: 304-558-3970

The following documentation is an electronically-submitted vendor response to an advertised solicitation from the *West Virginia Purchasing Bulletin* within the Vendor Self-Service portal at *wvOASIS.gov*. As part of the State of West Virginia's procurement process, and to maintain the transparency of the bid-opening process, this documentation submitted online is publicly posted by the West Virginia Purchasing Division at *WVPurchasing.gov* with any other vendor responses to this solicitation submitted to the Purchasing Division in hard copy format.





State of West Virginia Solicitation Response

Proc Folder: 455828

Solicitation Description: EQUIPMENT LEASE/RENTAL WITHOUT OPERATOR

Proc Type: Central Master Agreement

| Date issued Solid | citation Closes | Solicitation Response | Version |
|-------------------|-------------------|-----------------------------|---------|
| | 18-07-11 30:00 | SR 0803 ESR0709180000000130 | 1 |

VENDOR

000000176734

SOUTHEASTERN EQUIPMENT CO INC

Solicitation Number: CRFQ 0803 DOT1800000116

Total Bid: \$0.00 Response Date: 2018-07-09 Response Time: 14:10:07

Comments:

FOR INFORMATION CONTACT THE BUYER

Mark A Atkins (304) 558-2307 mark.a.atkins@wv.gov

Signature on File FEIN # DATE

All offers subject to all terms and conditions contained in this solicitation

Page: 1 FORM ID: WV-PRC-SR-001

| Line | Comm Ln Desc | Qty | Unit Issue | Unit Price | Ln Total Or Contract Amount |
|------|---|---------|------------|------------|-----------------------------|
| 1 | Vendor shall use Exhibit_A Pricing Pages for bid pricing. | 0.00000 | EA | \$0.000000 | \$0.00 |

| Comm Code | Manufacturer | Specification | Model # | |
|-----------|--------------|---------------|---------|--|
| 72141702 | | | | |

Extended Description:

EQUIPMENT LEASE/RENTAL WITHOUT OPERATOR:

Note: Vendor shall use Exhibit_A Pricing Pages for bid pricing and Exhibit_B Information Attachment Form. If vendor is submitting a bid online, Vendor should enter \$0.00 in the Oasis commodity line. Vendor shall enter pricing into the Exhibit_A Pricing Page and complete the Exhibit_B Information Attachment Form and



CERTIFICATE OF LIABILITY INSURANCE

SOUTEQU-03 D1LNENADAL

> DATE (MM/DD/YYYY) 9/7/2016

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must be endorsed. If SUBROGATION IS WAIVED, subject to

| ı | | erms and condition | | • | | policies may require an e | endorse | ement. A sta | tement on th | nis certificate d | oes not c | onfer | rights to the |
|--------------|--------------------------------|--|--|-----------------------------|---------------------------------|---|------------------------------------|--|--|---|-------------------|--------|---------------|
| PRO Dav | DUCE | R License # 954 Insurance, Clevel pot Street #300 | 553 | 301110 | ,,,,, | • | CONTA NAME: PHONE (A/C, N | E _{o, Ext):} (800) 8 | 60-0090 | | FAX (A/C, No): | (440) | 356-2126 |
| Roo | ky R | iver, OH 44116 | | | | | E-MAIL ADDRE | SS: INS | | RDING COVERAGE | | | NAIC# |
| INS | JRED | | | | | | | R B : Westile | | | | | 24112 |
| | | | | | | | | | Global Gol | p. & Opec. | | | |
| | | Southeastern PO Box 536 | n Equipment Co | Inc. | | | INSURE | | | | | | |
| | | | OH 43725-0536 | | | | INSURE | | | | | | |
| | | • | | | | | INSURE | | | | | | |
| CC | VFR | AGES | CFR | TIFI | CATI | E NUMBER: | INOUNI | | | REVISION NU | MBFR: | | |
| T II C | HIS I NDICA ERTI XCLL | S TO CERTIFY THATED. NOTWITHST | IAT THE POLICII TANDING ANY R SSUED OR MAY | ES O REQU PER POLI | F INS IREM TAIN, CIES. | SURANCE LISTED BELOW ENT, TERM OR CONDITIO , THE INSURANCE AFFOR LIMITS SHOWN MAY HAVE | N OF A | ANY CONTRA Y THE POLIC REDUCED BY | TO THE INSUF CT OR OTHEF IES DESCRIB PAID CLAIMS. | RED NAMED ABOR DOCUMENT WEED HEREIN IS | OVE FOR T | ECT TO | WHICH THIS |
| INSF LTR | | TYPE OF INSUR | RANCE | ADDL | SUBR WVD | POLICY NUMBER | | POLICY EFF (MM/DD/YYYY) | POLICY EXP (MM/DD/YYYY) | | LIMIT | s | |
| Α | X | COMMERCIAL GENER | | | | | | | | EACH OCCURREN | | \$ | 1,000,000 |
| | | CLAIMS-MADE | | X | | CMM 4 890 920 | | 08/01/2016 | 08/01/2017 | DAMAGE TO REN PREMISES (Ea oc | | \$ | 300,000 |
| | | OH Employers L | iab | | | | | | | MED EXP (Any one | e person) | \$ | 10,000 |
| | X | \$1M/\$1M/\$1M | | | | | | | | PERSONAL & AD\ | / INJURY | \$ | 1,000,000 |
| | GEN | I'L AGGREGATE LIMIT A | APPLIES PER: | | | | | | | GENERAL AGGRE | GATE | \$ | 2,000,000 |
| | | POLICY PROJECT OTHER: | LOC | | | | | | | PRODUCTS - COM | MP/OP AGG | \$ | 2,000,000 |
| | AUT | OMOBILE LIABILITY | | | | | | | | COMBINED SINGI (Ea accident) | E LIMIT | \$ | 1,000,000 |
| Α | X | ANY AUTO | | | | CMM 4 890 920 | | 08/01/2016 | 08/01/2017 | BODILY INJURY (F | Per person) | \$ | |
| | | ALL OWNED AUTOS | SCHEDULED AUTOS | | | | | | | BODILY INJURY (F | Per accident) | \$ | |
| | Х | HIRED AUTOS X | NON-OWNED AUTOS | | | | | | | PROPERTY DAMA (Per accident) | (GE | \$ | |
| | | | | | | | | | | , | | \$ | |
| | Х | UMBRELLA LIAB | X OCCUR | | | | | | | EACH OCCURREN | NCE | \$ | 15,000,000 |
| Α | | EXCESS LIAB | CLAIMS-MADE | | | CMM 4 890 920 | | 08/01/2016 | 08/01/2017 | AGGREGATE | | \$ | |
| | | DED RETENTION | ON \$ | | | | | | | | | \$ | 15,000,000 |
| | | KERS COMPENSATION EMPLOYERS' LIABILITY | v | | | | | | | PER STATUTE | OTH- ER | | |
| | ANY | PROPRIETOR/PARTNER | R/EXECUTIVE | N/A | | | | | | E.L. EACH ACCIDI | ENT | \$ | |
| | (Man | CER/MEMBER EXCLUDE | | | | | | | | E.L. DISEASE - EA | EMPLOYEE | \$ | |
| | DES | s, describe under CRIPTION OF OPERATION | ONS below | | | | | | | E.L. DISEASE - PO | LICY LIMIT | \$ | |
| В | Equ | ipment Floater | | | | MZI93021893 | | 08/01/2016 | 08/01/2017 | R/L Equip | | | 1,000,000 |
| Wes | t Vir | ion of operations / ginia Dept. of High nt with regard to Lo | ways is include | d as | Addit | D 101, Additional Remarks Schedu iional Insured under Gener | ule, may k ral Liab | l pe attached if mor ility per forms | l re space is requii s CG2028 7/04 | red) 4, as required in | ı written c | ontrac | ct or |
| CE | RTIF | ICATE HOLDER | | | | | CAN | CELLATION | | | | | |
| _ | | | | /s | | | SHC THE ACC | OULD ANY OF EXPIRATION CORDANCE WI | N DATE TH TH THE POLIC | ESCRIBED POLI IEREOF, NOTIC Y PROVISIONS. | E WILL | | |
| | | | | | | | | RIZED REPRESE | | | | | |
| | | | | | | | Rad | word al | 6 1. | | | | |

Exhibit A Pricing Pages

| | Equipment Offered fo | Lease/Rental Rate of Equipment Without Delivery/ Without Operator | | | Equipment Delivery Fee | | |
|--|----------------------|---|---------|----------|---------------------------|----------|----------|
| Equipment Description | Manufacturer's Name | Model/Serial # | \$ /Day | \$ /Week | \$ /Month | 1st Mile | Add. Mi. |
| AERIAL BUCKET TRUCK | | | | | | | |
| Highway Rated TRK. MTD | | | | | | | |
| 50' Reach Min. 43.5' Radious 360 degrees | | | | | | | |
| Boom Rotation @ level position | | | | | | | |
| AERIAL PLATFORM LIFT | | | | | | | |
| 80 foot lift minimum | | | | | | | |
| AERIAL PLATFORM TRUCK | | | | | | | |
| Highway Rated TRK. MTD | | | | | | | |
| 40' Reach Min. 360 degrees | | | | | | | |
| Boom Rotation @ level position | | | | | | | |
| AERIAL PLATFORM TRUCK | | | | | | | |
| Highway Rated TRK. MTD | | | | | | | |
| 55' Reach Min. 360 degrees | | | | | | | |
| Boom Rotation @ level position | | | | | | | |
| AERIAL PLATFORM TRUCK | | | | | | | |
| Elliott Model G50 or similar | | | | | | | |
| AERIAL PLATFORM TRUCK | | | | | | | |
| Elliott Model L55 or similar | | | | | | | |
| ARROW BOARDS | | | | | | | |
| 4' x 8' panel 15 lamp | | | | | | | |
| ASPHALT DISTRIBUTOR | | | | | | | |
| Trk. Mtd. w/spray bar | | | | | | | |
| ASPHALT RECYCLER | | | | | | | |
| KM T-2 or similar | | | | | | | |
| ASPHALT RECYCLER | | | | | | | |
| Self Loading - Stepp SRM 10x120 or similar | | | | | | | |
| ASPHALT RECYLING ATTACHMENT | | | | | | | |
| Endloader bucket - mounted, asphalt grinder/recycle | | | | | | | |
| attachment; min. 185 hp, app. 8,500 lb. wt. capable of | | | | | | | |
| grinding and remixing up to 12" deep and 48" wide | | | | | | | |
| pavement and base. | | | | | | | |

Exhibit A Pricing Pages

| | | Equipment Offered for Lease/Rental | | | Lease/Rental Rate of Equipment Without Delivery/ Without Operator | | | |
|--|---------------------|------------------------------------|---------|----------|---|----------|----------|--|
| Equipment Description | Manufacturer's Name | Model/Serial # | \$ /Day | \$ /Week | \$ /Month | 1st Mile | Add. Mi. | |
| ASPHALT RECYLING ATTACHMENT | | | | | | | | |
| Zipper or similar | | | | | | | | |
| ASPHALT REMOVAL/RECYCLER | | | | | | | | |
| Benedetti or similar to | | | | | | | | |
| ATTENUATOR - Trailer Mounted | | | | | | | | |
| must meet NCHRP 350 TL-3 | | | | | | | | |
| AUGER | | | | | | | | |
| Track Mtd. | | | | | | | | |
| AUGER | | | | | | | | |
| Truck Mtd. | | | | | | | | |
| BACKHOE | | | | | | | | |
| Crawler Mech./Hyd. 0.75 Cyd. | | | | | | | | |
| 24,000 lbs 28,000 lbs. Working Weight | | | | | | | | |
| BACKHOE | | | | | | | | |
| Crawler Mech./Hyd. 0.75 Cyd. | | | | | | | | |
| 29,000 lbs 35,800 lbs. Working Weight | | | | | | | | |
| BACKHOE | | | | | | | | |
| Crawler Mech./Hyd. 1.00 Cyd. | | | | | | | | |
| 36,000 lbs 40,000 lbs. Working Weight | | | | | | | | |
| Attachment: Grapple | | | | | | | | |
| BACKHOE | | | | | | | | |
| Crawler Mech./Hyd. 1.25 Cyd., 128 - 141 HP | | | | | | | | |
| 42,700 lbs 45,900 lbs. Working Weight | | | | | | | | |
| BACKHOE (HY-RAM) | | | | | | | | |
| Crawler 2,000 ft./lbs. min. | | | | | | | | |
| 24,400 lbs 35,800 lbs. Excavator Size | | | | | | | | |
| BACKHOE (HY-RAM) | | | | | | | | |
| Crawler 2,000 ft./lbs. min. | | | | | | | | |
| 36,000 lbs 42,900 lbs. Excavator Size | | | | | | | | |
| Attachment: Grapple | | | | | | | | |

Exhibit A Pricing Pages

| Exhibit A Pricing Pages | Equipment Offered fo | Lease/Rental Rate of Equipment Without Delivery/ Without Operator | | | Equipment Delivery Fee | | |
|--|----------------------|---|---------|----------|---------------------------|----------|----------|
| Equipment Description | Manufacturer's Name | Model/Serial # | \$ /Day | \$ /Week | \$ /Month | 1st Mile | Add. Mi. |
| BACKHOE (HY-RAM) | | | | | | | |
| Crawler 2,000 ft./lbs. min. | | | | | | | |
| 43,000 lbs 60,000 lbs. Excavator Size | | | | | | | |
| BACKHOE (HY-RAM) | | | | | | | |
| Crawler 2,000 ft./lbs. min. | | | | | | | |
| 61,000 lbs 80,000 lbs. Excavator Size | | | | | | | |
| HYRAM ATTACHMENT ONLY | | | | | | | |
| 2,000 ft./lbs. min | | | | | | | |
| BACKHOE | | | | | | | |
| Crawler with a thumb | | | | | | | |
| BACKHOE LOADER | | | | | | | |
| Rubber Tired 55-85 DHP | | | | | | | |
| BACKHOE LOADER (HY-RAM) | | | | | | | |
| Mtd. Hyd. Breaker 55-85 DHP D | | | | | | | |
| BACKHOE LOADER (HO-RAM) | | | | | | | |
| Mtd. Air Breaker 1,000 ft./lbs. min. | | | | | | | |
| BACKHOE LOADER TRACTOR - Compact | | | | | | | |
| Rubber Tired 20-30 HP max. height - 83" | | | | | | | |
| BACKHOE LOADER TRACTOR - Mini | | | | | | | |
| 25-30 HP Standard Stick 12' Backhoe Bucket - T7 or similar | | | | | | | |
| BASE WIDENER SP | | | | | | | |
| Shoulder Stone | | | | | | | |
| BRUSH CHIPPER - up to 49 hp | | | | | | | |
| Cutting size - 12" in diameter. | | | | | | | |
| BRUSH CHIPPER - from 50 hp to 85 hp | | | | | | | |
| Cutting size - 12" in diameter. | | | | | | | |
| BULLDOZER | | | | | | | |
| Crawler GD 65 -75 DHP D | | | | | | | |
| BULLDOZER | | | | | | | |
| Crawler GD 80 -90 DHP D | | | | | | | |

Exhibit A Pricing Pages

| | Equipment Offered fo | Lease/Rental Rate of Equipment Without Delivery/ Without Operator | | | Equipment Delivery Fee | | |
|------------------------------------|----------------------|---|---------|----------|---------------------------|----------|----------|
| Equipment Description | Manufacturer's Name | Model/Serial # | \$ /Day | \$ /Week | \$ /Month | 1st Mile | Add. Mi. |
| BULLDOZER | | | | | | | |
| Crawler GD 100 -120 DHP D | | | | | | | |
| BULLDOZER | | | | | | | |
| Crawler GD 130 -140 DHP D | | | | | | | |
| BULLDOZER | | | | | | | |
| Crawler TC 150 - 250 EHP D | | | | | | | |
| BULLDOZER | | | | | | | |
| Crawler/Ripper TCP 181 - 250 EHP D | | | | | | | |
| BULLDOZER | | | | | | | |
| Crawler/Winch TCP 181 - 250 EHP D | | | | | | | |
| CHIP SPREADER SP | | | | | | | |
| | | | | | | | |
| COLD MILLING - Stabilizer/Recycler | | | | | | | |
| BOMAG MPH 364 R-2 or similar | | | | | | | |
| COLD MILL PLANER | | | | | | | |
| Self Loading - 2' | | | | | | | |
| COLD MILL PLANER | | | | | | | |
| Self Loading - 4' | | | | | | | |
| COMPRESSOR | | | | | | | |
| 125 - 160 CFM Portwhl. | | | | | | | |
| COMPRESSOR | | | | | | | |
| 170 - 210 CFM Portwhl. | | | | | | | |
| COMPRESSOR | | | | | | | |
| 250 - 300 CFM Portwhl. | | | | | | | |
| COMPRESSOR | | | | | | | |
| 350 - 375 CFM Portwhl. | | | | | | | |
| COMPRESSOR | | | | | | | |
| 600 CFM Portwhl. | | | | | | | |
| COMPRESSOR | | | | | | | |
| 700 - 800 CFM Portwhl. | | | | | | | |

| | Equipment Offered fo | Lease/Rental Rate of Equipment Without Delivery/ Without Operator | | | Equipment Delivery Fee | | |
|--|----------------------|---|---------|----------|---------------------------|----------|----------|
| Equipment Description | Manufacturer's Name | Model/Serial # | \$ /Day | \$ /Week | \$ /Month | 1st Mile | Add. Mi. |
| CONCRETE MIXER | | | | | | | |
| Trk. Mtd. 6.0 Cyd. | | | | | | | |
| CONCRETE SAW | | | | | | | |
| Full Depth CAP - 24" Blade | | | | | | | |
| CONCRETE SAW | | | | | | | |
| 12 1/2" Maximum Depth of Cut - 30" Blade | | | | | | | |
| CONCRETE SAW | | | | | | | |
| 15" Maximum Depth of Cut - 36" Blade | | | | | | | |
| CRACK SEALING MACHINE | | | | | | | |
| Trlr. Mtd. Dbl. Drum, 100 - 125 GLN. D | | | | | | | |
| CRACK SEALING MACHINE | | | | | | | |
| Trl. Mtd. DblBoiler Type, 250 GLN Diesel | | | | | | | |
| with Pump on Demand Features | | | | | | | |
| CRACK SEALING MACHINE | | | | | | | |
| Trl. Mtd. DblBoiler Type, 250 GLN Diesel | | | | | | | |
| with Pump on Demand Features and 53.8 CFM Compressor | | | | | | | |
| CRACK SEALING MACHINE | | | | | | | |
| Trl. Mtd. DblBoiler Type, 250 GLN Diesel | | | | | | | |
| with Pump on Demand Features and 70 CFM Compressor | | | | | | | |
| CRANE 10 T Hyd. | | | | | | | |
| Trk. Mtd. min. 18' Bed | | | | | | | |
| CRANE 12 - 1/2 T Hyd. | | | | | | | |
| Trk. Mtd. min. 18' Bed | | | | | | | |
| CRANE 14 T Hyd. | | | | | | | |
| Trk. Mtd. min. 18' Bed | | | | | | | |
| CRANE 15 - 25 T | | | | | | | 1 |
| Hyd. Rough Terrain | | | | | | | <u> </u> |
| CRANE 20 - 25 T | | | | | | | |
| Cable D Crawler | | | | | | | |
| CRANE 25 - 30 T | | | | | | | |
| Cable, Trk. Mtd. G | | | | | | | 1 |

Exhibit A Pricing Pages

| | Equipment Offered fo | | ental Rate o Without Deli <i>Vithout Ope</i> l | Equipment Delivery Fee | | | |
|---|----------------------|----------------|--|---------------------------|-----------|----------|----------|
| Equipment Description | Manufacturer's Name | Model/Serial # | \$ /Day | \$ /Week | \$ /Month | 1st Mile | Add. Mi. |
| CRANE 30 T Hyd. | | | | | | | |
| CRANE 35 T Hyd. | | | | | | | |
| CRANE 40 T Hyd. | | | | | | | |
| CRANE 50 T Hyd. | | | | | | | |
| CRANE 15 - 20 T | | | | | | | |
| Truck Mounted Boom | | | | | | | |
| CRANE 21 - 25 T | | | | | | | |
| Truck Mounted Boom | | | | | | | |
| CULVERT CLEANER | | | | | | | |
| Trk. Mtd. min. 1,500 gal. tank , 1,400 PSI min. | | | | | | | |
| CULVERT CLEANER | | | | | | | |
| Trk. Mtd. 65 - 80 GPM 2,000 PSI min. | | | | | | | |
| CULVERT CLEANER - radio remote controlled | | | | | | | |
| Microtraxx or Similar | | | | | | | |
| 42"Wx42"Hx120"L, 1550# Lift cap, 1/3 CU Yd Cap., 7.5 PSI, | | | | | | | |
| 360° Swing Rotation, to clean 48" to 60" round culverts | | | | | | | |
| CULVERT CLEANER - radio remote controlled | | | | | | | |
| Microtraxx or Similar | | | | | | | |
| 32"Wx34"Hx134"L, 1500# Lift cap, 1/4 CU Yd Cap., 5.5 PSI, | | | | | | | |
| to clean 36" to 48" round culverts | | | | | | | |
| DITCH WITCH | | | | | | | |
| EQUIPMENT TRAILER | | | | | 1 | | |
| 10,000 lbs or less, tilt style deck | | | | | | | |
| 16ft - 18 ft length to attach to a pintle hitch | | | | | | | |

Exhibit A Pricing Pages

| Vendo | r Should Type Pri | ice Page Sche | dule | | | | | |
|-------------|-------------------|---------------|----------|--|--|--|--|--|
| tal Rate of | Equipment | | | | | | | |
| hout Deliv | ery/ | Equip | ment | | | | | |
| hout Opera | ntor | Delivery Fee | | | | | | |
| /Week | \$ /Month | 1st Mile | Add. Mi. | | | | | |
| | _ | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

| | Equipment Offered fo | Lease/Rental Rate of Equipment Without Delivery/ Without Operator | | | Equipment Delivery Fee | | |
|---|----------------------|---|---------|---------|---------------------------|----------|----------|
| Equipment Description | Manufacturer's Name | Model/Serial # | \$ /Day | \$/Week | \$ /Month | 1st Mile | Add. Mi. |
| EQUIPMENT TRAILER | | | | | | | |
| 12,000 lbs - 14,000 lbs, tilt style deck | | | | | | | |
| 16ft - 18 ft length to attach to a pintle hitch | | | | | | | |
| EQUIPMENT TRAILER | | | | | | | |
| 14,000 GVWR | | | | | | | |
| 16' + 2' dovetail, with 24" wide x 60" wide long stand-up | | | | | | | |
| ramps with support leg and stand-up bar, spring assisted | | | | | | | |
| EXCAVATOR - TELEBOOM | | | | | | | |
| Track Mtd. SP 0.5 Cyd. D | | | | | | | |
| EXCAVATOR - TELEBOOM | | | | | | | |
| Truck Mtd. SP 0.5 Cyd. D | | | | | | | |
| EXCAVATOR | | | | | | | |
| w/McMillen extreme duty earth auger or similar | | | | | | | |
| EXCAVATOR | | | | | | | |
| Mini-Hyd. Track Mtd. 2,600 lbs. max. | | | | | | | |
| EXCAVATOR | | | | | | | |
| Mini-Hyd. Track Mtd. 6,500 lbs. max. | | | | | | | |
| EXCAVATOR - 1/2 to 3/4 CY bucket, 150 HP | | | | | | | |
| Track Width 10' out-to-out | | | | | | | |
| EXCAVATOR - 1/8 Cyd. 30 HP | | | | | | | |
| D Track Width 5' out-to-out | | | | | | | |
| EXCAVATOR - 1/5 Cyd. 44 HP | | | | | | | |
| 11,000 lbs. Track Width 6' out-to-out | | | | | | | |
| EXCAVATOR - 1/4 Cyd. 55 HP | | | | | | | |
| D 14,000 lbs. Bucket, Track Width 6' out-to-out | | | | | | | |
| EXCAVATOR ATTACHMENT | | | | | | | |
| Plate compactor for 15,000-20,000 lb excavator | | | | | | | |
| EXCAVATOR ATTACHMENT | | | | | | | |
| Hydraulic hammer for 15,000-20,000 lb excavator | | | | | | | |
| EXCAVATOR ATTACHMENT | | | | | | | |
| Swivel head with ditching bucket | | | | | | | |

Exhibit A Pricing Pages

| | Equipment Offered for Lease/Rental | | Lease/Rental Rate of Equipment Without Delivery/ Without Operator | | | Equipment Delivery Fee | |
|--|------------------------------------|----------------|---|----------|-----------|---------------------------|----------|
| Equipment Description | Manufacturer's Name | Model/Serial # | \$ /Day | \$ /Week | \$ /Month | 1st Mile | Add. Mi. |
| FLATBED TRUCK | | | | | | | |
| 1 Ton minimum with 22 ft. bed length minimum | | | | | | | |
| FLATLINER - attachment for a skid steer | | | | | | | |
| Profilograph and bump grinder in one | | | | | | | |
| FORKLIFT TRUCK | | | | | | | |
| Rough Terrain, 5 - 10 K lb. lift cap. | | | | | | | |
| FORKLIFT TRUCK | | | | | | | |
| 6,000 # Load Cap., Min. 63 HP | | | | | | | |
| GENERATOR - TRAILER MOUNTED: | | | | | | | |
| 30 kw | | | | | | | |
| 45 kw | | | | | | | |
| 60 kw | | | | | | | |
| 80 kw | | | | | | | |
| 100 kw | | | | | | | |
| 125 kw | | | | | | | |
| 175 kw | | | | | | | |
| 200 kw | | | | | | | |
| 230 kw | | | | | | | |
| 300 kw | | | | | | | |
| 400 kw | | | | | | | |
| 500 kw | | | | | | | |
| 600 kw | | | | | | | |
| 800 kw | | | | | | | |
| 1,000 kw | | | | | | | |
| 2,000 kw | | | | | | | |
| GRAPPLE ATTACHMENTS | | | | | | | |
| for Skid Steer Loaders 72" - 78" attachments | | | | | | | |
| HEATER - Trailer Mounted, Diesel | | | | | | | |
| 22 HP, 1,800 rpm, 16 kw, 190 gal fuel cap., HT1010C or similar | | | | | | | |
| HAMMER (DELMAG) PILE-D. | | | | | | | 1 |
| D8-22 | | | | | | | |

Exhibit A Pricing Pages

| | Equipment Offered fo | r Lease/Rental | Lease/Rental Rate of Equipment Without Delivery/ Without Operator | | | Equipment Delivery Fee | |
|---|----------------------|----------------|---|----------|-----------|---------------------------|----------|
| Equipment Description | Manufacturer's Name | Model/Serial # | \$ /Day | \$ /Week | \$ /Month | 1st Mile | Add. Mi. |
| HYDRO-SEEDER | | | | | | | |
| HYDRO-SEEDER | | | | | | | |
| Trk. Mtd. 1,500 - 2,500 Gal. | | | | | | | |
| JOINT SEALER | | | | | | | |
| 3 Cylinder, Tandum Dual 2 Axle, Vat. Cap 200 Gal. | | | | | | | |
| Double Boiler Type Tank - opening 16"x24" | | | | | | | |
| Maximum Heat Input - Diesel 290,000 BTU | | | | | | | |
| Incl. Full Sweep Mixer with 2 horizontal paddles | | | | | | | |
| LIGHT TOWERS PORT. | | | | | | | |
| 4 - 1,000 watt bulbs | | | | | | | |
| LOWBOY | | | | | | | |
| with two drops in deck height - min 35 T | | | | | | | |
| MANLIFT SP | | | | | | | |
| 40 ft. | | | | | | | |
| MANLIFT SP | | | | | | | |
| 60 ft. | | | | | | | |
| MANLIFT SP | | | | | | | |
| 80 ft. | | | | | | | |
| MANLIFT SP | | | | | | | |
| 125 ft. minimum to 135 ft. maximum | | | | | | | |
| MESSAGE SIGN - PROGRAMMABLE | | | | | | | |
| MORTAR MIXER | | | | 1 | 1 | | |
| 6 CF 5 HP G | | | | | | | |
| MOTOR GRADER | | | | | | | |
| 35,000-45,000 lbs. class | | | | | | | |
| PATCH TRAILER | | | | | | | |
| DuraPatcher or similar | | | | | | | |
| PATCH TRUCK | | | | | | | |
| DuraMAXX or similar | | | | | | | |

Exhibit A Pricing Pages

| Exhibit A Pricing Pages | | | 1 | | . <u> </u> | | |
|---|----------------------|-----------------|---------|---------------------------|------------|----------|----------|
| | Equipment Offered fo | r I oaso/Pontal | | ental Rate o Without Deli | Equipment | | |
| | Equipment Offered to | i Lease/neillai | | Without Ope | | | ery Fee |
| Equipment Description | Manufacturer's Name | Model/Serial # | \$ /Day | \$ /Week | \$ /Month | 1st Mile | Add. Mi. |
| PAVER - HOT MIX ASPHALT | | | | | | | |
| Rubber-tired Paver | | | | | | | |
| PAVER - HOT MIX ASPHALT | | | | | | | |
| Track Paver | | | | | | | |
| POLY PATCHER II or simliar | | | | | | | |
| Double-boiler type mixer, Trl Mtd. | | | | | | | |
| PRESSURE WASHER/Hot Water | | | | | | | |
| 120° Min, 700-3000 psi Min. | | | | | | | |
| RECLAIMER | | | | | | | |
| 43,000 lbs min weight, 350 HP, 96" milling head | | | | | | | |
| 0 - 18" cutting depth range | | | | | | | |
| ROCKDRILL - SP | | | | | | | |
| Hyd. Excav./Boom Mtd. 3" Holes/20" deep min. | | | | | | | |
| ROCK HAMMER FOR EXCAVATOR | | | | | | | |
| 5000-7000 lbs. class | | | | | | | |
| ROCK TRUCK - ARTICULATED | | | | | | | |
| 20 -30 T | | | | | | | |
| ROLLER | | | | | | | |
| 5 Ton with 2 steel drums | | | | | | | |
| ROLLER | | | | | | | |
| 10-15 Tons with 2 steel drums | | | | | | | |
| ROLLER | | | | | | | |
| 5 - 6 T PNEUTR TOW/Trk. Mtd. | | | | | | | |
| ROLLER | | | | | | | |
| 10 T PNEUTR | | | | | | | |
| ROLLER | | | | | | | |
| 7-15 T PNEUTR, Articulated | | | | | | | |
| ROLLER SP | | | | | | | |
| PNEUTR - 10K GVW G | | | | | | | |
| ROLLER SP | | | | | | | |
| PNEUTR - 20K GVW G | | | | | | | |

| | Equipment Offered fo | r Lease/Rental | Lease/Rental Rate of Equipment Without Delivery/ Without Operator | | | Equipment Delivery Fee | |
|--|----------------------|----------------|---|----------|-----------|---------------------------|----------|
| Equipment Description | Manufacturer's Name | Model/Serial # | \$ /Day | \$ /Week | \$ /Month | 1st Mile | Add. Mi. |
| ROLLER - TRENCH VIB | | | | | | | |
| Dual Drum Approx. 10 HP, Appox. 2.5ft W x 8.3 ft L | | | | | | | |
| ROLLER - VIB | | | | | | | |
| SP 1 Drum 2XL 10 - 15 K GVW D | | | | | | | |
| ROLLER - VIB | | | | | | | |
| SP 1 Drum 2XL 10 - 20 K GVW D | | | | | | | |
| SAND BLASTER | | | | | | | |
| 200 lb. hopper min. | | | | | | | |
| SCREENERS, Material | | | | | | | |
| Mobile - Diesel | | | | | | | |
| SHADOW TRUCK w/Attenuator | | | | | | | |
| min. 30,000 GVW | | | | | | | |
| SHOULDER MAINTAINER SP | | | | | | | |
| w/G (min. 67 HP) or w/D (min. 46 HP) | | | | | | | |
| asphalt or stone width, 1' to 6' and 6" to 12" depth | | | | | | | |
| SKID STEER - HIGH FLOW | | | | | | | |
| Attachment: Broom | | | | | | | |
| Attachment: Bucket | | | | | | | |
| Attachment: Broom Bucket | | | | | | | |
| Attachment: Auger of any diameter | | | | | | | |
| Attachment: 1' - 5' Milling Planer | | | | | | | |
| Attachment: Trencher of any width | | | | | | | |
| Attachment: Jackhammer - Caterpillar CAT H55D S or equal | | | | | | | |
| Attachment: Concrete Slab Dowel | | | | | | | |
| SKID STEER - MILLING PLANER | | | | | | | |
| Attachment: Broom | | | | | | | |
| Attachment: Bucket | | | | | | | |
| Attachment: Broom Bucket | | | | | | | |
| Attachment: Auger of any diameter | | | | | | | |
| Attachment: 1' - 5' Milling Planer | | | | | | | |
| Attachment: Trencher of any width | | | | | | | |

Exhibit A Pricing Pages

| | Equipment Offered for Lease/Rental | | Lease/Rental Rate of Equipment Without Delivery/ Without Operator | | | Equipment Delivery Fee | |
|--|------------------------------------|----------------|---|----------|-----------|---------------------------|----------|
| Equipment Description | Manufacturer's Name | Model/Serial # | \$ /Day | \$ /Week | \$ /Month | 1st Mile | Add. Mi. |
| SPRAY PATCHER | | | | | | | |
| Self-contained, Trl Mtd, spray-injection machine | | | | | | | |
| Self-supporting, rear mounted tri-fold articulating boom | | | | | | | |
| with fully counterweighted arm. Radius: Min 20'-10". | | | | | | | |
| Vert.Stroke: 5' - 2' below pavement level. | | | | | | | |
| STABILIZER (BO-MAG) SP | | | | | | | |
| 250 HP min. | | | | | | | |
| STRAW / MULCH BLOWER | | | | | | | |
| Trk. Mtd. | | | | | | | |
| STREET SWEEPER SP | | | | | | | |
| 3.0 Cyd. (min.) | | | | | | | |
| STREET SWEEPER SP | | | | | | | |
| 8.0 Cyd. (min.) | | | | | | | |
| STREET SWEEPER | | | | | | | |
| Trlr. Type | | | | | | | |
| STREET SWEEPER - HYDROSTATIC | | | | | | | |
| Elgin Pelican III or similar | | | | | | | |
| STREET SWEEPER - Towable | | | | | | | |
| Self-Propelled | | | | | | | |
| STREET SWEEPER - Truck-Mounted | | | | | | | |
| 4.0 C.Y. Min. hopper cap., water-spray system for dust control | | | | | | | |
| Side/curb brooms & rear/center broom, 11,000 lbs - 33,000 lbs | | | | | | | |
| TAMPER/COMPACTOR - Vibratory | | | | | | | |
| 650 min. blows per minute | | | | | | | |
| TRACTOR | | | | | | | |
| John Deere 6200 or similar | | | | | | | |
| Boom Mower Attachment to be used with the above Tractor | | | | | | | |
| Flail Mower Attqachment to be used with the above Tractor | | | | | | | |
| Sicklebar Mower Attachment to be used with the above Tractor | | | | | | | |
| TRAILER | | | | | | | |
| 6 tons with ramps, minimum 18' length, 8.5' width | | | | | | | |

Exhibit A Pricing Pages

| Exhibit A Pricing Pages | Equipment Offered fo | Equipment Offered for Lease/Rental | | Lease/Rental Rate of Equipment Without Delivery/ Without Operator | | | pment |
|--|----------------------|------------------------------------|--------------------|---|------------|-----------|---------------------|
| Equipment Description | Manufacturer's Name | Model/Serial # | \$ /Day | \$ /Week | \$ /Month | 1st Mile | ery Fee Add. Mi. |
| TRAILER - FLATBED TRI-AXLE | | | <i>ψ12u</i> | - V / II GGIN | 4 / | 100111110 | 71000111111 |
| 22,500 GVWR, 23 ft. with dove tail, Air Breaks | | | | | | | |
| TRAILER - FLATBED - Two Axles | | | | | | | |
| 20,000# Payload Cap. Min.Width 8.5', Min.Length 24' | | | | | | | |
| TRAILER - LowBoy | | | | | | | |
| 35 - 50 ton - pony motor, self contained hydraulics | | | | | | | |
| TRAFFIC SIGNALS - PORT | | | | | | | |
| 2 Phase Operation D/E | | | | | | | |
| TREE TRIMMER - Power Mechanical Trimmer - Track | | | | | | | |
| Up to 53' Reach - Kwik-Trim Takeuchi TB260 or simliar | | | | | | | |
| TREE TRIMMER - Telescoping Trimmer Power Train - Track | | | | | | | |
| Up to 75' Reach - 24" diameter saw - SkyTrim 75 or similar | | | | | | | |
| TRENCH BOX | | | | | | | |
| Various Sizes - Vendor provide sizes available | | | | | | | |
| TRENCH PAVER | | | | | | | |
| Base Widening Machine | | | | | | | |
| TRUCK - Heavy Industrial | | | | | | | |
| 2 Axle Steel Bed | | | | | | | |
| TRUCK - Heavy Industrial | | | | | | | |
| 3 Axle Steel Bed | | | | | | | |
| TRUCK - Heavy Industrial | | | | | | | |
| 4 Axle Steel Bed | | | | | | | |
| TRUCK - Heavy Industrial | | | | | | | |
| 5 Axle Steel Bed | | | | | | | |
| TRUCK - Heavy Industrial | | | | | | | |
| 2 Axle Aluminum "V" Bed | | | | | | | <u> </u> |
| TRUCK - Heavy Industrial | | | | | | | |
| 3 Axle Aluminum "V" Bed | | | | | | | <u> </u> |
| TRUCK - Heavy Industrial | | | | | | | |
| 4 Axle Aluminum "V" Bed | | | | | | | |

Exhibit A Pricing Pages

| Exhibit A Pricing Pages | Equipment Offered for Lease/Rental | | Lease/Rental Rate of Equipment Without Delivery/ Without Operator | | | Equipment Delivery Fee | |
|--|------------------------------------|----------------|---|----------|-----------|---------------------------|----------|
| Equipment Description | Manufacturer's Name | Model/Serial # | \$ /Day | \$ /Week | \$ /Month | 1st Mile | Add. Mi. |
| TRUCK - Heavy Industrial | | | | | | | |
| 5 Axle Aluminum "V" Bed | | | | | | | |
| TRUCK - Water | | | | | | | |
| Tanker - min 1500 gallons | | | | | | | |
| UNDERBRIDGE PLATFORM | | | | | | | |
| Trailer Mtd., Hyd. SP Min. 20 ft. horizontal reach | | | | | | | |
| UNDERBRIDGE PLATFORM | | | | | | | |
| Trailer Mtd., Hyd. SP Min. 30 ft. horizontal reach | | | | | | | |
| UNDERBRIDGE PLATFORM | | | | | | | |
| Trailer Mtd., Hyd. SP Min. 40 ft. horizontal reach | | | | | | | |
| UNDERBRIDGE PLATFORM | | | | | | | |
| Trailer Mtd., Hyd. SP Min. 50 ft. horizontal reach | | | | | | | |
| UNDERBRIDGE PLATFORM | | | | | | | |
| Trailer Mtd., Hyd. SP Min. 60 ft. horizontal reach | | | | | | | |
| UNDERBRIDGE PLATFORM | | | | | | | |
| Truck Mtd., Hyd. Min. 23 ft. horizontal reach | | | | | | | |
| (driver to be included) | | | | | | | |
| VACUUM/JETTER SEWER CLEANER | | | | | | | |
| Trk. Mtd. 1,000+ gal. debris tank, 30+ gpm | | | | | | | |
| 2000+ CFM Vacuum Pump, 2200+ PSI water pump | | | | | | | |
| VACUUM/SPRAY UNIT | | | | | | | |
| Trk. Mtd. min. 1,000 gal. tank min. 60 gpm | | | | | | | |
| 4 ft. teleboom w/swivel/rotating hose reel | | | | | | | |
| VACUUM/STREET SWEEPER | | | | | | | |
| Self-Propelled, 4 Cyd., Gas, 5 ft wide path | | | | | | | |
| VAN - BOX | | | | | | | |
| 21,000 or greater | | | | | | | |
| VIBRATORY ROLLER with Water | | | | | | | |
| 4 - 5 ton Steel Double Drum | | | | | | | |
| VIBRATORY ROLLER with Water | | | | | | | |
| 8 - 10 ton Steel Double Drum | | | | | | | |

Exhibit A Pricing Pages

| | - · · · · · · · · · · · · · · · · · · · | | | ental Rate of | | | _ |
|---------------------------------|---|----------------|---------|--------------------------------|-----------|----------|--------------------|
| | Equipment Offered fo | r Lease/Rental | | Nithout Deliv Vithout Opera | - | | oment |
| Equipment Description | Manufacturer's Name | Model/Serial # | \$ /Day | \$ /Week | \$ /Month | 1st Mile | ry Fee Add. Mi. |
| WATER PUMPS - 3" | | | | | | | |
| w/SUCTION & DISCHARGE HOSES | | | | | | | |
| WATER PUMPS - 4" | | | | | | | |
| w/SUCTION & DISCHARGE HOSES | | | | | | | |
| WATER PUMPS - 6" | | | | | | | |
| w/SUCTION & DISCHARGE HOSES | | | | | | | |
| WATER PUMPS - 12" | | | | | | | |
| w/SUCTION & DISCHARGE HOSES | | | | | | | |
| WELDER - PORTABLE | | | | | | | |
| 225 AMP min GASOLINE powered | | | | | | | |
| WELDER - PORTABLE | | | | | | | |
| 225 AMP min DIESEL powered | | | | | | | |
| WORK PLATFORM SP | | | | | | | |
| SL 25' High Platform 1,500# CAP | | | | | | | |
| WORK PLATFORM SP | | | | | | | |
| SL 35' High Platform 1,500# CAP | | | | | | | |

Exhibit A Pricing Pages

| | Equipment Offered for Lease/Rental | | Lease/Rental Rate of Equipment Without Delivery/ Without Operator | | | Equipment Delivery Fee | |
|--|------------------------------------|----------------|---|----------|-----------|---------------------------|----------|
| Equipment Description | Manufacturer's Name | Model/Serial # | \$ /Day | \$ /Week | \$ /Month | 1st Mile | Add. Mi. |
| AERIAL BUCKET TRUCK | | | | | | | |
| Highway Rated TRK. MTD | | | | | | | |
| 50' Reach Min. 43.5' Radious 360 degrees | | | | | | | |
| Boom Rotation @ level position | | | | | | | |
| AERIAL PLATFORM LIFT | | | | | | | |
| 80 foot lift minimum | | | | | | | |
| AERIAL PLATFORM TRUCK | | | | | | | |
| Highway Rated TRK. MTD | | | | | | | |
| 40' Reach Min. 360 degrees | | | | | | | |
| Boom Rotation @ level position | | | | | | | |
| AERIAL PLATFORM TRUCK | | | | | | | |
| Highway Rated TRK. MTD | | | | | | | |
| 55' Reach Min. 360 degrees | | | | | | | |
| Boom Rotation @ level position | | | | | | | |
| AERIAL PLATFORM TRUCK | | | | | | | |
| Elliott Model G50 or similar | | | | | | | |
| AERIAL PLATFORM TRUCK | | | | | | | |
| Elliott Model L55 or similar | | | | | | | |
| ARROW BOARDS | | | | | | | |
| 4' x 8' panel 15 lamp | | | | | | | |
| ASPHALT DISTRIBUTOR | | | | | | | |
| Trk. Mtd. w/spray bar | | | | | | | |
| ASPHALT RECYCLER | | | | | | | |
| KM T-2 or similar | | | | | | | |
| ASPHALT RECYCLER | | | | | | | |
| Self Loading - Stepp SRM 10x120 or similar | | | | | | | |
| ASPHALT RECYLING ATTACHMENT | | | | | | | |
| Endloader bucket - mounted, asphalt grinder/recycle | | | | | | | |
| attachment; min. 185 hp, app. 8,500 lb. wt. capable of | | | | | | | |
| grinding and remixing up to 12" deep and 48" wide | | | | | | | |
| pavement and base. | | | | | | | |

Exhibit A Pricing Pages

| | Equipment Offered for | Equipment Offered for Lease/Rental | | Lease/Rental Rate of Equipment Without Delivery/ Without Operator | | | oment ery Fee |
|--|-----------------------|------------------------------------|---------|---|-----------|----------|------------------|
| Equipment Description | Manufacturer's Name | Model/Serial # | \$ /Day | \$/Week | \$ /Month | 1st Mile | Add. Mi. |
| ASPHALT RECYLING ATTACHMENT | | | | | | | |
| Zipper or similar | | | | | | | |
| ASPHALT REMOVAL/RECYCLER | | | | | | | |
| Benedetti or similar to | | | | | | | |
| ATTENUATOR - Trailer Mounted | | | | | | | |
| must meet NCHRP 350 TL-3 | | | | | | | |
| AUGER | | | | | | | |
| Track Mtd. | | | | | | | |
| AUGER | | | | | | | |
| Truck Mtd. | | | | | | | |
| BACKHOE | | | | | | | |
| Crawler Mech./Hyd. 0.75 Cyd. | | | | | | | |
| 24,000 lbs 28,000 lbs. Working Weight | | | | | | | |
| BACKHOE | | | | | | | |
| Crawler Mech./Hyd. 0.75 Cyd. | kobelco/casa | sk140/cx130 | 600 | 1,700 | 3,500 | 450 | 3 |
| 29,000 lbs 35,800 lbs. Working Weight | | | | | | | |
| BACKHOE | | | | | | | |
| Crawler Mech./Hyd. 1.00 Cyd. | kobelco/case | sk170/cx160 | 800 | 2,000 | 4,200 | 500 | 4 |
| 36,000 lbs 40,000 lbs. Working Weight | | | | | | | |
| Attachment: Grapple | | | | | | | |
| BACKHOE | | | | | | | |
| Crawler Mech./Hyd. 1.25 Cyd., 128 - 141 HP | kobelco/case | sk210/cx210 | 900 | 2,200 | 4,400 | 600 | 4 |
| 42,700 lbs 45,900 lbs. Working Weight | | | | | | | |
| BACKHOE (HY-RAM) | | | | | | | |
| Crawler 2,000 ft./lbs. min. | kobelco/case-kent | sk140/cx130/kf19 | 1,300 | 2,800 | 7,200 | 600 | 4 |
| 24,400 lbs 35,800 lbs. Excavator Size | | | | | | | |
| BACKHOE (HY-RAM) | | | | | | | |
| Crawler 2,000 ft./lbs. min. | kobelco/case-kent | sk170/cx160/kf19-22 | 1,400 | 3,000 | 8,200 | 600 | 4 |
| 36,000 lbs 42,900 lbs. Excavator Size | | | | | | | |
| Attachment: Grapple | | | | | | | |

Exhibit A Pricing Pages

Vendor Should Type Price Page Schedule
ate of Equipment

| | Equipment Offered for Lease/Rental | | Lease/Rental Rate of Equipment Without Delivery/ Without Operator | | | Equipment Delivery Fee | |
|--|------------------------------------|------------------|---|----------|-----------|---------------------------|----------|
| Equipment Description | Manufacturer's Name | Model/Serial # | \$ /Day | \$ /Week | \$ /Month | 1st Mile | Add. Mi. |
| BACKHOE (HY-RAM) | | | | | | | |
| Crawler 2,000 ft./lbs. min. | kobelco/case-kent | sk210/cx210/kf22 | 1,600 | 3,200 | 8,600 | 700 | 4 |
| 43,000 lbs 60,000 lbs. Excavator Size | | | | | | | |
| BACKHOE (HY-RAM) | | | | | | | |
| Crawler 2,000 ft./lbs. min. | kobelco/case-kent | sk350/cx350/kf22 | 2,000 | 3,600 | 9,000 | 1,000 | 5 |
| 61,000 lbs 80,000 lbs. Excavator Size | | | | | | | |
| HYRAM ATTACHMENT ONLY | kent | kf19 | 900 | 1,500 | 4,000 | 300 | 2 |
| 2,000 ft./lbs. min | Kerit | KITS | 300 | 1,300 | 4,000 | 300 | |
| BACKHOE | | | | | | | |
| Crawler with a thumb | | | | | | | |
| BACKHOE LOADER | case | 580n/580sn | 400 | 900 | 2,600 | 300 | 3 |
| Rubber Tired 55-85 DHP | case | 3001/300311 | 400 | 300 | 2,000 | 300 | |
| BACKHOE LOADER (HY-RAM) | | | | | | | |
| Mtd. Hyd. Breaker 55-85 DHP D | | | | | | | |
| BACKHOE LOADER (HO-RAM) | | | | | | | |
| Mtd. Air Breaker 1,000 ft./lbs. min. | | | | | | | |
| BACKHOE LOADER TRACTOR - Compact | | | | | | | |
| Rubber Tired 20-30 HP max. height - 83" | | | | | | | |
| BACKHOE LOADER TRACTOR - Mini | | | | | | | |
| 25-30 HP Standard Stick 12' Backhoe Bucket - T7 or similar | | | | | | | |
| BASE WIDENER SP | midland | sp6/sp8 | 1,400 | 3,400 | 6,800 | 400 | 300 |
| Shoulder Stone | midiand | spo/spo | 1,400 | 3,400 | 0,000 | 400 | 300 |
| BRUSH CHIPPER - up to 49 hp | | | | | | | |
| Cutting size - 12" in diameter. | | | | | | | |
| BRUSH CHIPPER - from 50 hp to 85 hp | | | | | | | _ |
| Cutting size - 12" in diameter. | | | | | | | |
| BULLDOZER | 0000 | 650l/650m | 600 | 1 400 | 2 200 | 400 | 3 |
| Crawler GD 65 -75 DHP D | case | 111000/1000 | 600 | 1,400 | 3,300 | 400 | 3 |
| BULLDOZER | 0000 | 750m/850m | 700 | 1 600 | 2 000 | F00 | |
| Crawler GD 80 -90 DHP D | case | 1 30111/030111 | 700 | 1,600 | 3,800 | 500 | 4 |

Exhibit A Pricing Pages

| Exhibit A Fricing Pages | Equipment Offered f | Equipment Offered for Lease/Rental | | Lease/Rental Rate of Equipment Without Delivery/ Without Operator | | | Equipment Delivery Fee | |
|--|---------------------|------------------------------------|---------|---|-----------|----------|---------------------------|--|
| Equipment Description | Manufacturer's Name | Model/Serial # | \$ /Day | \$ /Week | \$ /Month | 1st Mile | Add. Mi. | |
| BULLDOZER Crawler GD 100 -120 DHP D | case | 1150m | 800 | 1,800 | 4,200 | 600 | 4 | |
| BULLDOZER Crawler GD 130 -140 DHP D | case | 1650m | 1,000 | 2,800 | 8,000 | 1,000 | 5 | |
| BULLDOZER Crawler TC 150 - 250 EHP D | case | 2050m | 1,300 | 3,200 | 9,000 | 1,200 | 5 | |
| BULLDOZER Crawler/Ripper TCP 181 - 250 EHP D | | | | | | | | |
| BULLDOZER Crawler/Winch TCP 181 - 250 EHP D | | | | | | | | |
| CHIP SPREADER SP | | | | | | | | |
| COLD MILLING - Stabilizer/Recycler | bomag | mph 125/ mph 364 | 2,000 | 9,000 | 22,000 | 1,000 | 5 | |
| BOMAG MPH 364 R-2 or similar | | | | <u> </u> | | | | |
| COLD MILL PLANER Self Loading - 2' | | | | | | | | |
| COLD MILL PLANER | | | | | | | | |
| Self Loading - 4' | | | | | | | | |
| COMPRESSOR | | | | | | | | |
| 125 - 160 CFM Portwhl. | | | | | | | | |
| COMPRESSOR 170 - 210 CFM Portwhl. | silair | 185 | 200 | 450 | 1,000 | 200 | 2 | |
| COMPRESSOR 250 - 300 CFM Portwhl. | | | | | | | | |
| COMPRESSOR 350 - 375 CFM Portwhl. | | | | | | | | |
| COMPRESSOR 600 CFM Portwhl. | | | | | | | | |
| COMPRESSOR 700 - 800 CFM Portwhl. | | | | | | | | |

| | Equipment Offered for Lease/Rental | | Lease/Rental Rate of Equipment Without Delivery/ Without Operator | | | Equipment Delivery Fee | |
|--|------------------------------------|----------------|---|----------|-----------|---------------------------|----------|
| Equipment Description | Manufacturer's Name | Model/Serial # | \$ /Day | \$ /Week | \$ /Month | 1st Mile | Add. Mi. |
| CONCRETE MIXER | | | | | | | |
| Trk. Mtd. 6.0 Cyd. | | | | | | | |
| CONCRETE SAW | | | | | | | |
| Full Depth CAP - 24" Blade | | | | | | | |
| CONCRETE SAW | | | | | | | |
| 12 1/2" Maximum Depth of Cut - 30" Blade | | | | | | | |
| CONCRETE SAW | | | | | | | |
| 15" Maximum Depth of Cut - 36" Blade | | | | | | | |
| CRACK SEALING MACHINE | | | | | | | |
| Trlr. Mtd. Dbl. Drum, 100 - 125 GLN. D | | | | | | | |
| CRACK SEALING MACHINE | | | | | | | |
| Trl. Mtd. DblBoiler Type, 250 GLN Diesel | | | | | | | |
| with Pump on Demand Features | | | | | | | |
| CRACK SEALING MACHINE | | | | | | | |
| Trl. Mtd. DblBoiler Type, 250 GLN Diesel | | | | | | | |
| with Pump on Demand Features and 53.8 CFM Compressor | | | | | | | |
| CRACK SEALING MACHINE | | | | | | | |
| Trl. Mtd. DblBoiler Type, 250 GLN Diesel | | | | | | | |
| with Pump on Demand Features and 70 CFM Compressor | | | | | | | |
| CRANE 10 T Hyd. | | | | | | | |
| Trk. Mtd. min. 18' Bed | | | | | | | |
| CRANE 12 - 1/2 T Hyd. | | | | | | | |
| Trk. Mtd. min. 18' Bed | | | | | | | |
| CRANE 14 T Hyd. | | | | | | | |
| Trk. Mtd. min. 18' Bed | | | | | | | |
| CRANE 15 - 25 T | | | | | | | 1 |
| Hyd. Rough Terrain | | | | | | | <u> </u> |
| CRANE 20 - 25 T | | | | | | | |
| Cable D Crawler | | | | | | | |
| CRANE 25 - 30 T | | | | | | | |
| Cable, Trk. Mtd. G | | | | | | | 1 |

Exhibit A Pricing Pages

| | Equipment Offered for Lease/Rental | | Lease/Rental Rate of Equipment Without Delivery/ Without Operator | | | Equipment Delivery Fee | |
|---|------------------------------------|----------------|---|----------|-----------|---------------------------|----------|
| Equipment Description | Manufacturer's Name | Model/Serial # | \$ /Day | \$ /Week | \$ /Month | 1st Mile | Add. Mi. |
| CRANE 30 T Hyd. | | | | | | | |
| CRANE 35 T Hyd. | | | | | | | |
| CRANE 40 T Hyd. | | | | | | | |
| CRANE 50 T Hyd. | | | | | | | |
| CRANE 15 - 20 T | | | | | | | |
| Truck Mounted Boom | | | | | | | |
| CRANE 21 - 25 T | | | | | | | |
| Truck Mounted Boom | | | | | | | |
| CULVERT CLEANER | | | | | | | |
| Trk. Mtd. min. 1,500 gal. tank , 1,400 PSI min. | | | | | | | |
| CULVERT CLEANER | | | | | | | |
| Trk. Mtd. 65 - 80 GPM 2,000 PSI min. | | | | | | | |
| CULVERT CLEANER - radio remote controlled | | | | | | | |
| Microtraxx or Similar | | | | | | | |
| 42"Wx42"Hx120"L, 1550# Lift cap, 1/3 CU Yd Cap., 7.5 PSI, | | | | | | | |
| 360° Swing Rotation, to clean 48" to 60" round culverts | | | | | | | |
| CULVERT CLEANER - radio remote controlled | | | | | | | |
| Microtraxx or Similar | | | | | | | |
| 32"Wx34"Hx134"L, 1500# Lift cap, 1/4 CU Yd Cap., 5.5 PSI, | | | | | | | |
| to clean 36" to 48" round culverts | | | | | | | |
| DITCH WITCH | | | | | | | |
| EQUIPMENT TRAILER | | | | | 1 | | |
| 10,000 lbs or less, tilt style deck | | | | | | | |
| 16ft - 18 ft length to attach to a pintle hitch | | | | | | | |

| Exhibit A Pricing Pages | | | | Vende | or Should Type Pr | ice Page Sche | edule |
|---|---------------------|------------------------------------|---------|---|-------------------|---------------|------------------|
| LAMBITA THEMS Tages | Equipment Offered f | Equipment Offered for Lease/Rental | | Lease/Rental Rate of Equipment Without Delivery/ Without Operator | | | oment ery Fee |
| Equipment Description | Manufacturer's Name | Model/Serial # | \$ /Day | \$ /Week | \$ /Month | 1st Mile | Add. Mi. |
| EQUIPMENT TRAILER | | | | | | | |
| 12,000 lbs - 14,000 lbs, tilt style deck | | | | | | | |
| 16ft - 18 ft length to attach to a pintle hitch | | | | | | | |
| EQUIPMENT TRAILER | | | | | | | |
| 14,000 GVWR | | | | | | | |
| 16' + 2' dovetail, with 24" wide x 60" wide long stand-up | | | | | | | |
| ramps with support leg and stand-up bar, spring assisted | | | | | | | |
| EXCAVATOR - TELEBOOM | | | | | | | |
| Track Mtd. SP 0.5 Cyd. D | | | | | | | |
| EXCAVATOR - TELEBOOM | gradall | xl4100 | | 4,000 | 12,500 | 500 | 5 |
| Truck Mtd. SP 0.5 Cyd. D | gradali | XI4 100 | | 4,000 | 12,500 | 500 | 5 |
| EXCAVATOR | | | | | | | |
| w/McMillen extreme duty earth auger or similar | | | | | | | |
| EXCAVATOR | | | | | | | |
| Mini-Hyd. Track Mtd. 2,600 lbs. max. | | | | | | | |
| EXCAVATOR | | | | | | | |
| Mini-Hyd. Track Mtd. 6,500 lbs. max. | | | | | | | |
| EXCAVATOR - 1/2 to 3/4 CY bucket, 150 HP | | | | | | | |
| Track Width 10' out-to-out | | | | | | | |
| EXCAVATOR - 1/8 Cyd. 30 HP | | | | | | | |
| D Track Width 5' out-to-out | | | | | | | |
| EXCAVATOR - 1/5 Cyd. 44 HP | | | | | | | |
| 11,000 lbs. Track Width 6' out-to-out | | | | | | | |
| EXCAVATOR - 1/4 Cyd. 55 HP | | | | | | | |
| D 14,000 lbs. Bucket, Track Width 6' out-to-out | | | | | | | |
| EXCAVATOR ATTACHMENT | | | | | | | |
| Plate compactor for 15,000-20,000 lb excavator | | | | | | | |
| EXCAVATOR ATTACHMENT | | | | | | | |
| Hydraulic hammer for 15,000-20,000 lb excavator | | | | | | | |
| EXCAVATOR ATTACHMENT | | | | | | | |
| Swivel head with ditching bucket | | | | | | | |

Exhibit A Pricing Pages

| Equipment Description | Equipment Offered for Lease/Rental | | Lease/Rental Rate of Equipment Without Delivery/ Without Operator | | | Equipment Delivery Fee | |
|--|------------------------------------|----------------|---|----------|-----------|---------------------------|----------|
| Equipment Description | Manufacturer's Name | Model/Serial # | \$ /Day | \$ /Week | \$ /Month | 1st Mile | Add. Mi. |
| FLATBED TRUCK | | | | | | | |
| 1 Ton minimum with 22 ft. bed length minimum | | | | | | | |
| FLATLINER - attachment for a skid steer | | | | | | | |
| Profilograph and bump grinder in one | | | | | | | |
| FORKLIFT TRUCK | | | | | | | |
| Rough Terrain, 5 - 10 K lb. lift cap. | | | | | | | |
| FORKLIFT TRUCK | | | | | | | |
| 6,000 # Load Cap., Min. 63 HP | | | | | | | |
| GENERATOR - TRAILER MOUNTED: | | | | | | | |
| 30 kw | | | | | | | |
| 45 kw | | | | | | | |
| 60 kw | | | | | | | |
| 80 kw | | | | | | | |
| 100 kw | | | | | | | |
| 125 kw | | | | | | | |
| 175 kw | | | | | | | |
| 200 kw | | | | | | | |
| 230 kw | | | | | | | |
| 300 kw | | | | | | | |
| 400 kw | | | | | | | |
| 500 kw | | | | | | | |
| 600 kw | | | | | | | |
| 800 kw | | | | | | | |
| 1,000 kw | | | | | | | |
| 2,000 kw | | | | | | | |
| GRAPPLE ATTACHMENTS | | | | | | | |
| for Skid Steer Loaders 72" - 78" attachments | | | | | | | |
| HEATER - Trailer Mounted, Diesel | | | | | | | |
| 22 HP, 1,800 rpm, 16 kw, 190 gal fuel cap., HT1010C or similar | | | | | | | |
| HAMMER (DELMAG) PILE-D. | | | | | | | |
| D8-22 | | | | | | | |

Exhibit A Pricing Pages

| | | Equipment Offered for Lease/Rental | | Lease/Rental Rate of Equipment Without Delivery/ Without Operator | | | Equipment Delivery Fee | |
|---|---------------------|------------------------------------|---------|---|-----------|----------|---------------------------|--|
| Equipment Description | Manufacturer's Name | Model/Serial # | \$ /Day | \$ /Week | \$ /Month | 1st Mile | Add. Mi. | |
| HYDRO-SEEDER | | | | | | | | |
| HYDRO-SEEDER | | | | | | | | |
| Trk. Mtd. 1,500 - 2,500 Gal. | | | | | | | | |
| JOINT SEALER | | | | | | | | |
| 3 Cylinder, Tandum Dual 2 Axle, Vat. Cap 200 Gal. | | | | | | | | |
| Double Boiler Type Tank - opening 16"x24" | | | | | | | | |
| Maximum Heat Input - Diesel 290,000 BTU | | | | | | | | |
| Incl. Full Sweep Mixer with 2 horizontal paddles | | | | | | | | |
| LIGHT TOWERS PORT. | | | | | | | | |
| 4 - 1,000 watt bulbs | | | | | | | | |
| LOWBOY | | | | | | | | |
| with two drops in deck height - min 35 T | | | | | | | | |
| MANLIFT SP | | | | | | | | |
| 40 ft. | | | | | | | | |
| MANLIFT SP | jig | s-600 | 250 | 1.000 | 3,000 | 500 | 4 | |
| 60 ft. |) is | 0 000 | 200 | 1,000 | 0,000 | 000 | <u>'</u> | |
| MANLIFT SP | | | | | | | | |
| 80 ft. | | | | | | | | |
| MANLIFT SP | | | | | | | | |
| 125 ft. minimum to 135 ft. maximum | | | | | | | | |
| MESSAGE SIGN - PROGRAMMABLE | | | | | | | | |
| MORTAR MIXER | | | | | | | | |
| 6 CF 5 HP G | | | | | | | | |
| MOTOR GRADER | | | | | | | | |
| 35,000-45,000 lbs. class | | | | | | | | |
| PATCH TRAILER | | | | | | | | |
| DuraPatcher or similar | | | | | | | | |
| PATCH TRUCK | | | | | | | | |
| DuraMAXX or similar | | | | | | | | |

PNEUTR - 10K GVW G

PNEUTR - 20K GVW G

ROLLER SP

| | (50100100 | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | Vendor Should Type Price Page Schedule | | | | | | |
|--|---------------------|---|---------|---|---|----------|------------------|--|--|--|
| Exhibit A Pricing Pages | | | | | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | | | | |
| | Equipment Offered f | Equipment Offered for Lease/Rental | | Lease/Rental Rate of Equipment Without Delivery/ Without Operator | | | oment ery Fee | | | |
| Equipment Description | Manufacturer's Name | Model/Serial # | \$ /Day | \$ /Week | \$/Month | 1st Mile | Add. Mi. | | | |
| PAVER - HOT MIX ASPHALT | bomag | cr352l | 1,500 | 5,000 | 14,000 | 600 | 4 | | | |
| Rubber-tired Paver | | | | · | | | | | | |
| PAVER - HOT MIX ASPHALT | bomag | cr362l | 1,500 | 5,000 | 14,000 | 600 | 4 | | | |
| Track Paver | <u> </u> | | , | , | , | | | | | |
| POLY PATCHER II or simliar | | | | | | | | | | |
| Double-boiler type mixer, Trl Mtd. | | | | | | | | | | |
| PRESSURE WASHER/Hot Water 120° Min, 700-3000 psi Min. | | | | | | | | | | |
| RECLAIMER | | | | | | | | | | |
| 43,000 lbs min weight, 350 HP, 96" milling head | | | | | | | | | | |
| 0 - 18" cutting depth range | | | | | | | | | | |
| ROCKDRILL - SP | | | | | | | | | | |
| Hyd. Excav./Boom Mtd. 3" Holes/20" deep min. | | | | | | | | | | |
| ROCK HAMMER FOR EXCAVATOR | | | | | | | | | | |
| 5000-7000 lbs. class | | | | | | | | | | |
| ROCK TRUCK - ARTICULATED | terex | ta300 | 1,200 | 3,800 | 10,500 | 1,200 | 5 | | | |
| 20 -30 T | terex | 18300 | 1,200 | 3,000 | 10,300 | 1,200 | 3 | | | |
| ROLLER | bomag | bw138 | 350 | 1,200 | 3,200 | 300 | 3 | | | |
| 5 Ton with 2 steel drums | bomag | DW 100 | 330 | 1,200 | 3,200 | 300 | J | | | |
| ROLLER | homag | bw266/bw278/bw161 | 500 | 1,500 | 4,000 | 400 | 3 | | | |
| 10-15 Tons with 2 steel drums | bomag | DW200/DW2/ 0/DW 101 | 300 | 1,500 | 4,000 | 400 | 3 | | | |
| ROLLER | | | | | | | | | | |
| 5 - 6 T PNEUTR TOW/Trk. Mtd. | | | | | | | | | | |
| ROLLER | | | | | | | | | | |
| 10 T PNEUTR | | | | | | | | | | |
| ROLLER | | | | | | | | | | |
| 7-15 T PNEUTR, Articulated | | | | | | | | | | |
| ROLLER SP | | | | | | | | | | |
| PNEUTR - 10K GVW G | | | | | | | | | | |

Attachment: Auger of any diameter Attachment: 1' - 5' Milling Planer Attachment: Trencher of any width

| | (50100100 | ,001, | Vendor Should Type Price Page Schedule | | | | | | | |
|--|------------------------------------|----------------|---|----------|-----------|---------------------------|----------|--|--|--|
| Exhibit A Pricing Pages | Equipment Offered for Lease/Rental | | Lease/Rental Rate of Equipment Without Delivery/ Without Operator | | | Equipment Delivery Fee | | | | |
| Equipment Description | Manufacturer's Name | Model/Serial # | \$ /Day | \$ /Week | \$ /Month | 1st Mile | Add. Mi. | | | |
| ROLLER - TRENCH VIB | | | , , , | , , | 1 | | | | | |
| Dual Drum Approx. 10 HP, Appox. 2.5ft W x 8.3 ft L | | | | | | | | | | |
| ROLLER - VIB | | 1 477 | 400 | 4 400 | 0.000 | 000 | _ | | | |
| SP 1 Drum 2XL 10 - 15 K GVW D | bomag | bw177 | 400 | 1,400 | 3,300 | 300 | 3 | | | |
| ROLLER - VIB | homag | bw211 | 500 | 1,500 | 3,600 | 300 | 3 | | | |
| SP 1 Drum 2XL 10 - 20 K GVW D | bomag | DWZTT | 500 | 1,500 | 3,000 | 300 | 3 | | | |
| SAND BLASTER | | | | | | | | | | |
| 200 lb. hopper min. | | | | | | | | | | |
| SCREENERS, Material | | | | | | | | | | |
| Mobile - Diesel | | | | | | | | | | |
| SHADOW TRUCK w/Attenuator | | | | | | | | | | |
| min. 30,000 GVW | | | | | | | | | | |
| SHOULDER MAINTAINER SP | | | | | | | | | | |
| w/G (min. 67 HP) or w/D (min. 46 HP) | | | | | | | | | | |
| asphalt or stone width, 1' to 6' and 6" to 12" depth | | | | | | | | | | |
| SKID STEER - HIGH FLOW | case | sr240/sr270 | 450 | 1,500 | 2,800 | 300 | 3 | | | |
| Attachment: Broom | case/bradco/palidin | 84" | 200 | 600 | 1,100 | 200 | 2 | | | |
| Attachment: Bucket | | | | | | | | | | |
| Attachment: Broom Bucket | | | | | | | | | | |
| Attachment: Auger of any diameter | | | | | | | | | | |
| Attachment: 1' - 5' Milling Planer | case/bradco/palidin | 18"-30" | 300 | 600 | 1,200 | 200 | 2 | | | |
| Attachment: Trencher of any width | | | | | | | | | | |
| Attachment: Jackhammer - Caterpillar CAT H55D S or equal | kent | fx45 | 300 | 600 | 1,200 | 200 | 2 | | | |
| Attachment: Concrete Slab Dowel | | | | | | | | | | |
| SKID STEER - MILLING PLANER | | | | | | | | | | |
| Attachment: Broom | | | | | | | | | | |
| Attachment: Bucket | | | | | | | | | | |
| Attachment: Broom Bucket | | | | | | | | | | |
| Attachment: Auger of any diameter | | | | | | | | | | |

Exhibit A Pricing Pages

| Equipment Description | Equipment Offered for Lease/Rental | | Lease/Rental Rate of Equipment Without Delivery/ Without Operator | | | Equipment Delivery Fee | |
|--|------------------------------------|-------------------|---|---------|-----------|---------------------------|--|
| Equipment Description | Manufacturer's Name | Model/Serial # | \$ /Day | \$/Week | \$ /Month | 1st Mile | Add. Mi. |
| SPRAY PATCHER | | | | | | | |
| Self-contained, Trl Mtd, spray-injection machine | | | | | | | |
| Self-supporting, rear mounted tri-fold articulating boom | | | | | | | |
| with fully counterweighted arm. Radius: Min 20'-10". | | | | | | | |
| Vert.Stroke: 5' - 2' below pavement level. | | | | | | | |
| STABILIZER (BO-MAG) SP | bomag | mph125/362/364 | 2,000 | 9,000 | 22,000 | 1,500 | 6 |
| 250 HP min. | bornag | IIIpi1123/302/304 | 2,000 | 3,000 | 22,000 | 1,500 | o de la companya de l |
| STRAW / MULCH BLOWER | | | | | | | |
| Trk. Mtd. | | | | | | | |
| STREET SWEEPER SP | | | | | | | |
| 3.0 Cyd. (min.) | | | | | | | |
| STREET SWEEPER SP | | | | | | | |
| 8.0 Cyd. (min.) | | | | | | | |
| STREET SWEEPER | | | | | | | |
| Trlr. Type | | | | | | | |
| STREET SWEEPER - HYDROSTATIC | | | | | | | |
| Elgin Pelican III or similar | | | | | | | |
| STREET SWEEPER - Towable | | | | | | | |
| Self-Propelled | | | | | | | |
| STREET SWEEPER - Truck-Mounted | | | | | | | |
| 4.0 C.Y. Min. hopper cap., water-spray system for dust control | | | | | | | |
| Side/curb brooms & rear/center broom, 11,000 lbs - 33,000 lbs | | | | | | | |
| TAMPER/COMPACTOR - Vibratory | | | | | | | |
| 650 min. blows per minute | | | | | | | |
| TRACTOR | | | | | | | |
| John Deere 6200 or similar | | | | | | | |
| Boom Mower Attachment to be used with the above Tractor | | | | | | | |
| Flail Mower Attqachment to be used with the above Tractor | | | | | | | |
| Sicklebar Mower Attachment to be used with the above Tractor | | | | | | | |
| TRAILER | | | | | | | |
| 6 tons with ramps, minimum 18' length, 8.5' width | | | | 1 | | | |

Exhibit A Pricing Pages

| Exhibit A Pricing Pages | Equipment Offered for Lease/Rental | | Lease/Rental Rate of Equipment Without Delivery/ Without Operator | | | Equipment | |
|--|------------------------------------|-----------------|---|-----------|------------|------------|---------------------|
| Equipment Description | Manufacturer's Name | Model/Serial # | \$ /Day | \$ /Week | \$ /Month | 1st Mile | ery Fee Add. Mi. |
| TRAILER - FLATBED TRI-AXLE | manufacturor o reality | model/cortal // | ψγσαy | ψ / H σσκ | ψγιιιστιατ | 100 111110 | 7144111111 |
| 22,500 GVWR, 23 ft. with dove tail, Air Breaks | | | | | | | |
| TRAILER - FLATBED - Two Axles | | | | | | | |
| 20,000# Payload Cap. Min.Width 8.5', Min.Length 24' | | | | | | | |
| TRAILER - LowBoy | | | | | | | 1 |
| 35 - 50 ton - pony motor, self contained hydraulics | | | | | | | |
| TRAFFIC SIGNALS - PORT | | | | | | | |
| 2 Phase Operation D/E | | | | | | | |
| TREE TRIMMER - Power Mechanical Trimmer - Track | | | | | | | |
| Up to 53' Reach - Kwik-Trim Takeuchi TB260 or simliar | | | | | | | |
| TREE TRIMMER - Telescoping Trimmer Power Train - Track | | | | | | | |
| Up to 75' Reach - 24" diameter saw - SkyTrim 75 or similar | | | | | | | |
| TRENCH BOX | | | | | | | |
| Various Sizes - Vendor provide sizes available | | | | | | | |
| TRENCH PAVER | | | | | | | |
| Base Widening Machine | | | | | | | |
| TRUCK - Heavy Industrial | | | | | | | |
| 2 Axle Steel Bed | | | | | | | |
| TRUCK - Heavy Industrial | | | | | | | |
| 3 Axle Steel Bed | | | | | | | |
| TRUCK - Heavy Industrial | | | | | | | |
| 4 Axle Steel Bed | | | | | | | |
| TRUCK - Heavy Industrial | | | | | | | |
| 5 Axle Steel Bed | | | | | | | |
| TRUCK - Heavy Industrial | | | | | | | |
| 2 Axle Aluminum "V" Bed | | | | | | | <u> </u> |
| TRUCK - Heavy Industrial | | | | | | | |
| 3 Axle Aluminum "V" Bed | | | | | | | <u> </u> |
| TRUCK - Heavy Industrial | | | | | | | |
| 4 Axle Aluminum "V" Bed | | | | | | | |

Exhibit A Pricing Pages

| Exhibit A Pricing Pages | Equipment Offered for Lease/Rental | | Lease/Rental Rate of Equipment Without Delivery/ Without Operator | | | Equipment Delivery Fee | |
|--|------------------------------------|----------------|---|----------|-----------|---------------------------|----------|
| Equipment Description | Manufacturer's Name | Model/Serial # | \$ /Day | \$ /Week | \$ /Month | 1st Mile | Add. Mi. |
| TRUCK - Heavy Industrial | | | | | | | |
| 5 Axle Aluminum "V" Bed | | | | | | | |
| TRUCK - Water | | | | | | | |
| Tanker - min 1500 gallons | | | | | | | |
| UNDERBRIDGE PLATFORM | | | | | | | |
| Trailer Mtd., Hyd. SP Min. 20 ft. horizontal reach | | | | | | | |
| UNDERBRIDGE PLATFORM | | | | | | | |
| Trailer Mtd., Hyd. SP Min. 30 ft. horizontal reach | | | | | | | |
| UNDERBRIDGE PLATFORM | | | | | | | |
| Trailer Mtd., Hyd. SP Min. 40 ft. horizontal reach | | | | | | | |
| UNDERBRIDGE PLATFORM | | | | | | | |
| Trailer Mtd., Hyd. SP Min. 50 ft. horizontal reach | | | | | | | |
| UNDERBRIDGE PLATFORM | | | | | | | |
| Trailer Mtd., Hyd. SP Min. 60 ft. horizontal reach | | | | | | | |
| UNDERBRIDGE PLATFORM | | | | | | | |
| Truck Mtd., Hyd. Min. 23 ft. horizontal reach | | | | | | | |
| (driver to be included) | | | | | | | |
| VACUUM/JETTER SEWER CLEANER | | | | | | | |
| Trk. Mtd. 1,000+ gal. debris tank, 30+ gpm | | | | | | | |
| 2000+ CFM Vacuum Pump, 2200+ PSI water pump | | | | | | | |
| VACUUM/SPRAY UNIT | | | | | | | |
| Trk. Mtd. min. 1,000 gal. tank min. 60 gpm | | | | | | | |
| 4 ft. teleboom w/swivel/rotating hose reel | | | | | | | |
| VACUUM/STREET SWEEPER | | | | | | | |
| Self-Propelled, 4 Cyd., Gas, 5 ft wide path | | | | | | | |
| VAN - BOX | | | | | | | |
| 21,000 or greater | | | | | | | |
| VIBRATORY ROLLER with Water | | | | | | | |
| 4 - 5 ton Steel Double Drum | | | | | | | |
| VIBRATORY ROLLER with Water | | | | | | | |
| 8 - 10 ton Steel Double Drum | | | | | | | |

Exhibit A Pricing Pages

| | - · · · · · · · · · · · · · · · · · · · | | Lease/Rental Rate of Equipment Without Delivery/ | | | | _ |
|---------------------------------|---|----------------|--|--------------------------------|-----------|------------------------|----------|
| | Equipment Offered fo | r Lease/Rental | | Nithout Deliv Vithout Opera | - | Equipment Delivery Fee | |
| Equipment Description | Manufacturer's Name | Model/Serial # | \$ /Day | \$ /Week | \$ /Month | 1st Mile | Add. Mi. |
| WATER PUMPS - 3" | | | , , , , | | * | | |
| w/SUCTION & DISCHARGE HOSES | | | | | | | |
| WATER PUMPS - 4" | | | | | | | |
| w/SUCTION & DISCHARGE HOSES | | | | | | | |
| WATER PUMPS - 6" | | | | | | | |
| w/SUCTION & DISCHARGE HOSES | | | | | | | |
| WATER PUMPS - 12" | | | | | | | |
| w/SUCTION & DISCHARGE HOSES | | | | | | | |
| WELDER - PORTABLE | | | | | | | |
| 225 AMP min GASOLINE powered | | | | | | | |
| WELDER - PORTABLE | | | | | | | |
| 225 AMP min DIESEL powered | | | | | | | |
| WORK PLATFORM SP | | | | | | | |
| SL 25' High Platform 1,500# CAP | | | | | | | |
| WORK PLATFORM SP | | | | | | | |
| SL 35' High Platform 1,500# CAP | | | | | | | |