

The following documentation is an electronicallysubmitted vendor response to an advertised solicitation from the *West Virginia Purchasing Bulletin* within the Vendor Self-Service portal at *wvOASIS.gov*. As part of the State of West Virginia's procurement process, and to maintain the transparency of the bid-opening process, this documentation submitted online is publicly posted by the West Virginia Purchasing Division at *WVPurchasing.gov* with any other vendor responses to this solicitation submitted to the Purchasing Division in hard copy format.

WOASIS	Jump to: FORMS 🚖 😡 🐼 Home 🔑 Personalize 🚳 Accessibility 🛜 App Help 🌾 About 🔮
Welcome, Lu Anne Cottrill	Procurement Budgeting Accounts Receivable Accounts Payable
Solicitation Response(SR) Dept: 0803 ID: ESR0604190000005600 Ver.: 1 Fur	nction: New Phase: Final Modified by batch, 06/04/2019
Header 🕘 3	
	⊟ List View ∧
General Information Contact Default Values Discount Document Infor	mation
Procurement Folder: 572453	SO Doc Code: CRFQ
Procurement Type: Central Purchase Order	SO Dept: 0803
Vendor ID: 000000209783	SO Doc ID: DOT1900000110
Legal Name: AMERICAN GARAGE DOOR LLC	Published Date: 5/23/19
Alias/DBA:	Close Date: 6/4/19
Total Bid: \$36,242.36	Close Time: 13:30
Response Date: 06/04/2019	Status: Closed
Response Time: 12:33	Solicitation Description: ADDENDUM 1 PURCHASE OF GARAGE DOORS AND INSTALL
	Total of Header Attachments: 3
	Total of All Attachments: 3
	V



Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

State of West Virginia Solicitation Response

	Proc Folder : 572453 Solicitation Description : ADDENDUM 1 PURCHASE OF GARAGE DOORS AND INSTALL (05190299) Proc Type : Central Purchase Order						
Date issued	Solicitation Closes	olicitation Response Version					
	2019-06-04 13:30:00	SR 0803 ESR0604190000005600	1				

VENDOR	
00000209783	
AMERICAN GARAGE DOOR LLC	
Solicitation Number: CRFQ 0803	DOT1900000110

2019-06-04

Response Time:

12:33:23

Response Date:

Comments:

Total Bid :

\$36,242.36

FOR INFORMATION CONTACT THE BUYER		
Crystal G Hustead		
(304) 558-2402 crystal.g.hustead@wv.gov		
Signature on File F	EIN #	DATE
All offers subject to all terms and conditions contained in this so	licitation	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
1	16'X16' Overhead Garage Door	4.00000	EA	\$2,194.360000	\$8,777.44
Comm Code	Manufacturer	Specification		Model #	
30172100					
Extended Des					VERHEAD GARAGE DOORS AND DOOR 30 LUNICE CREEK HIGHWAY,

Comments: Clopay 3715 door R 12.9

Line	Comm Ln	Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
2	16'x14' O	verhead Garage Door	4.00000	EA	\$2,099.430000	\$8,397.72
Comm Code	Ma	nufacturer	Specification		Model #	
30172100						
Extended Des	scription :					DVERHEAD GARAGE DOORS AND DOOR 930 LUNICE CREEK HIGHWAY,
Cor	nments:	clopay 3715 door R 12.9				
Line	Comm Ln	Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
3		EATHER SEAL FOR VERHEAD GARAGE	16.00000	EA	\$8.600000	\$137.60
Comm Codo	N/a	pufacturar	Specification		Model #	

Comm Code	Manufacturer	Specification	Model #
30172109			
Extended Description			OUR 16X14 OVERHEAD GARAGE DOORS AND DOOR OCATED AT 930 LUNICE CREEK HIGHWAY,

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
4	VINYL WEATHER SEAL FOR 16'X14' OVERHEAD GARAGE	8.00000	EA	\$17.200000	\$137.60
Comm Code	Manufacturer	Specification		Model #	
30172109					

Extended Description : PURCHASE AND INSTALLATION OF FOUR 16X16 AND FOUR 16X14 OVERHEAD GARAGE DOORS AND DOOR OPENER SYSTEMS AT THE NEW GRANT COUNTY HQ LOCATED AT 930 LUNICE CREEK HIGHWAY, PETERSBURG, WV.

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
5	DOOR OPENER SYSTEM FOR 16'X16' OVERHEAD GARAGE	4.00000	EA	\$677.750000	\$2,711.00
Comm Code	Manufacturer	Specification		Model #	
30172100					
Extended Des					VERHEAD GARAGE DOORS AND DOOR 30 LUNICE CREEK HIGHWAY,

Comments: Liftmaster T331L5 operator

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
6	DOOR OPENER SYSTEM FOR 16'X14' OVERHEAD GARAGE	4.00000	EA	\$677.750000	\$2,711.00
Comm Code	Manufacturer	Specification		Model #	
	Manufacturer	Specification		Model #	
30172100					
Extended Dea					VERHEAD GARAGE DOORS AND DOOR 930 LUNICE CREEK HIGHWAY,
Cor	nments: liftmaster T331L5	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
-					
7	INSTALLATION OF 16'X16' OVEREHAD GARAGE DOORS	4.00000	EA	\$1,402.500000	\$5,610.00
Comm Code	Manufacturer	Specification		Model #	
30172100					
Extended Dea					VERHEAD GARAGE DOORS AND DOOR 330 LUNICE CREEK HIGHWAY,

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
8	INSTALLATION OF 16'X14' OVERHEAD GARAGE DOOR	4.00000	EA	\$1,402.500000	\$5,610.00
Comm Code	Manufacturer	Specification		Model #	
30172100					
Extended Des	scription : PURCHASE AND INSTA	LLATION OF FOU	JR 16X16 AN	ID FOUR 16X14 OV	ERHEAD GARAGE DOORS AND DOOR

OPENER SYSTEMS AT THE NEW GRANT COUNTY HQ LOCATED AT 930 LUNICE CREEK HIGHWAY, PETERSBURG, WV.

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
9	REMOVAL AND DISPOSAL OF OLD GARAGE DOORS	1.00000	EA	\$2,000.000000	\$2,000.00
Comm Code	Manufacturer	Specification		Model #	
30172100					
Extended Des					/ERHEAD GARAGE DOORS AND DOOR

OPENER SYSTEMS AT THE NEW GRANT COUNTY HQ LOCATED AT 930 LUNICE CREEK HIGHWAY, PETERSBURG, WV.

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
10	DELIVERY FEE, IF APPLICABLE	1.00000	EA	\$150.000000	\$150.00
Comm Code	Manufacturer	Specification		Model #	
30172100					
Extended De	scription : PURCHASE AND INSTA	LLATION OF FOU	UR 16X16 AN	ID FOUR 16X14 C	OVERHEAD GARAGE DOORS AND DOOF

Description : PURCHASE AND INSTALLATION OF FOUR 16X16 AND FOUR 16X14 OVERHEAD GARAGE DOORS AND DOOR OPENER SYSTEMS AT THE NEW GRANT COUNTY HQ LOCATED AT 930 LUNICE CREEK HIGHWAY, PETERSBURG, WV.

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
11	FUEL CHARGE, IF APPLICABLE	1.00000	EA	\$0.000000	\$0.00

Comm Code	Manufacturer	Specification	Model #	
30172100				
Extended Descripti		MS AT THE NEW GRANT COUN	6 AND FOUR 16X14 OVERHEAD C TY HQ LOCATED AT 930 LUNICE	

CLOPAY COMMERCIAL - MODEL 3715 energy series with intellicore®



	and the second se
	A
lodel 3715, 14'2" × 14" Doors	
CONSTRUCTION EFFICIENCY WARRANTY	
1 ³ / ₈ " 12.9 10YR	intelli core
1 ³ / ₈ " 12.9 10YR	
THICKNESS R-VALUE CONSTRUCTION	Core
	0010

POLYURETHANE INSULATED STEEL DOORS WITH MINOR RIBS


Clopay Model 3715 is an ideal choice for commercial and industrial facilities where economy is required without sacrificing reliability and workmanship.

- Intellicore[®] polyurethane insulation and thermal break for improved energy efficiency.
- Three-layer steel plus steel insulation enhances durability, strength and quiet operation.
- 3-stage paint process delivers a virtually maintenance-free finish.
- Injection-molded lite frames with integral weatherseal are durable and seal against the elements. Many glass options available for visibility, privacy or energy efficiency.



Panels are prepainted inside and out to inhibit rust. Hot-dipped, galvanized steel is painted with primer and given a tough oven-baked polyester top coat to provide the most rust-resistant steel door available. Ten-year warranty against rust-through.

PANEL DESIGN



Mocha Brown

Gray

CUSTOM PAINT OPTION

Charcoal



Color Blast® offers more than 1,500 Sherwin-Williams® color options to complement your building design. This durable two-part paint system has been thoroughly tested and is backed by a five-year warranty.

Due to solar reflective formulation to meet greater than a 38 LRV, some colors may not be available.

FEATURES

STANDARD HARDWARE

TPE astragal in aluminum retainer Commercial 10-ball steel rollers (nylon tires available) Steel step plate and lift handle

Galvanized steel end stiles

Inside slide lock for increased security

2" (50.8 mm) or 3" (76.2 mm) track

10,000 cycle springs

Galvanized aircraft cable with minimum 7:1 safety factor Variety of track configurations to meet building specifications

MATERIALS AND CONSTRUCTION

	Panel Thickness	1-3/8" (34.9 mm)
	Insulation	CFC and HCFC-free Intellicore® polyurethane
	R-value	12.9*
	Thermal Break	Continuous foam
	Exterior Steel	27 gauge (.016" min.) (.41 mm)
	Interior Steel	28 gauge (.015" min.) (.38 mm)
	Exterior Surface	Stucco embossed, minor ribbed
	Max Width	18'2" (5.5 m)
	Max Height	16' (4.9 m)
	Exterior Colors	Standard White, Glacier White, Commercial Tan, Chocolate, Mocha Brown, Charcoal and Gray. Also available in Color Blast [®] .
	Interior Color	Standard White
	Limited Warranties	10-year delamination 10-year rust-through 1-year material and workmanship

*Calculated door section R-value is in accordance with DASMA TDS-163.

For special sizes, applications and options, consult Commercial Information Assistance (CIA) at 1-800-526-4301.



For more information on these and other Clopay products, call 1-800-526-4301 or visit clopaycommercial.com











Upgrade your standard door with industrial-grade components.

HIGH CYCLE SPRINGS



tested 50% greater than DP.

25,000, 50,000 or 100,000 cycle springs available.

CODE COMPLIANT


This Clopay door complies with the 2015 IECC (International Energy Conservation Code) with an air infiltration rating of .40 cfm/ft² or less (IECC, Section 402.5.2), and also meets the U-factor requirement of .37 or less (IECC, Section C402.4, for Climate Zones 1 through 8).

TDAwww.doors.org



©2019 Clopay Corporation, a Griffon company

CMDC-3715-07 REV0519







Available with insulated, insulated tempered or tempered glass. Full-view section, prepainted Standard White or Chocolate; glazing options include DSB, tempered, plexiglass and insulated.

26" × 13" (66.04 cm × 33.02 cm) windows are available with Lexan® or plexiglass.

3" Track

HEAVY-DUTY HARDWARE (where not standard)





ADDITIONAL OPTIONS

WINDOW OPTIONS

24" × 8'

Full-View

Outside keyed lock

24" × 12"

26" × 13'



TROLLEY (T)

INDUSTRIAL DUT PRECTIONAL LOGIC 5.0 COMMERCIAL DOOR OPERATOR

MONITORED ENTRAPMENT PROTECTION:

COMMERCIAL PHOTO EYES Indoor use; NEMA 1 rated; max. range: 30 ft.



RETRO-REFLECTIVE PHOTO EYE Photo eye and reflector with polarized beam; indoor/outdoor use; NEMA 4X rated; max. range: 50 ft.



DUAL-SIDED PHOTO EYES Flexible rubber housings resist water spray and corrosion; indoor/outdoor use; NEMA 4X rated; max. range: 45 ft.



CPS-OPEN

COMMERCIAL PROTECTOR SYSTEM Heavy-duty industrial housings; indoor/outdoor use; NEMA 4 rated; max. range: 45 ft.



OPTICAL EDGE SYSTEM Infrared optical sensors in a customizable

rubber enclosure are protected against

water; indoor/outdoor use; NEMA 6 rated;



NON-MONITORED ENTRAPMENT PROTECTION:

LIGHT CURTAIN Provides 36 inches of increased zone coverage for additional protection; indoor use; max. range: 33 ft.



TOTAL SOLUTION ACCESSORIES:

max. range: 33 ft.





INTERNET GATEWAY Enables smartphone monitoring and control of each operator.

for open/close/stop operation.



RED/GREEN TRAFFIC LIGHT

High-intensity LED lights indicate the door status for safe exit and entry in any light (TLS1CARD recommended).



LiftMaster offers accessory solutions for any commercial application. View the full product lineup at LiftMaster.com



5

Directly Attaches to Drive and Controls the Door

SMART

Battente

MyQ® TECHNOLOGY ENABLES MONITORING AND CONTROL OF THE FACILITY OPERATORS THROUGH A MOBILE APP.

GRID VIEW TO EFFICIENTLY MONITOR ALL THE DOORS IN THE FACILITY.

REAL-TIME ALERTS INDICATE THE STATUS OF DOORS VIA EMAIL **OB PUSH NOTIFICATIONS.**

CONNECTIVITY REQUIRES PURCHASE OF INTERNET GATEWAY (828LM) OR MyQ HOME BRIDGE (819LMB), SOLD SEPARATELY.

SAFE AND SECURE

SECURITY + 2.0[®] SAFEGUARDS FACILITY ACCESS WITH ROLLING CODE TECHNOLOGY. OPENING FOR REGISTERED DEVICES ONLY.

TIMER-TO-CLOSE CAN BE PROGRAMMED TO CLOSE THE DOOR AFTER A SET AMOUNT OF TIME.

THE COMMERCIAL PROTECTOR SYSTEM® AUTO-REVERSES THE DOOR IF AN ENTRAPMENT PROTECTION DEVICE DETECTS AN OBSTRUCTION.

UL 325 REQUIRES ALL COMMERCIAL DOOR OPERATORS TO BE EITHER CONSTANT PRESSURE TO CLOSE OR BE EQUIPPED WITH A PRIMARY EXTERNAL MONITORED ENTRAPMENT DEVICE.

RELIABLE

CONTINUOUS-DUTY HIGH-STARTING TORQUE MOTOR PERFORMS IN DEMANDING INDUSTRIAL OVERHEAD DOOR APPLICATIONS.

WARRANTY 2 YEARS.

BEYOND INDUSTRY STANDARDS: LIFTMASTER[®] IS COMMITTED TO QUALITY PRODUCTS, INNOVATIVE DESIGN AND COMPREHENSIVE SERVICES.

PRODUCT GUIDE T LOGIC 5.0 TROLLEY OPERATOR



MASTERFUL ENGINEERING.

MOTOR

- -Available in 1/3, 1/2, 3/4 and 1 HP
- -Instant Reverse and Overload Protection
- -Capacitor Start on Single-Phase
- -Removable without Affecting Limit-Switch Settings

POWER

- Dual-Voltage Connections

 - -3-Phase: 208V, 230V and 460V
 - Discrete Model: 575V
- Customizable Voltage to Meet Job Requirements
- 5V DC NEC Class 2 Control Voltage

COMMERCIAL-GRADE DESIGN

- Industrial Ball Bearings on Output Shaft
- Emergency Disconnect for Manual Lifting in an Emergency - Solenoid Brake Standard on 3/4 and 1 HP Operators (Optional on 1/2 HP; Not Available on 1/3 HP)
- **Drive Reduction:** Heavy-Duty 5L V-Belt (First Stage); #41 Chain (Second Reduction)
- **Trolley Chain:** #48 for 1/3 and 1/2 HP, #41 for 3/4 and 1 HP

STANDARD SPECS.

SECURITY+ 2.0[®] RADIO RECEIVER

ACCEPTS:


- (30) 3-Button Remote Controls or (90) 1-Button Remote Controls
- Additional 30 Wireless Keypads
- Unlimited DIP Switch Remotes

WIRING

- Control Function Selector Dial Allows Easy Selection of 7 Wiring Types to Meet Users' Needs
- C2 (Constant Pressure to Close) Wiring Preset
- Wiring Types B2, T, TS and FSTS Can Be Selected with the Addition of an Entrapment Protection Device
- Monitored Entrapment Protection Is Recommended When Using C2, D1 or E2
- -Logic 5.0 Operators Only Accept UL-Approved
- LiftMaster[®] Entrapment Protection Devices

CONSTRUCTION

- NEMA 1 Type Electrical Box
- Heavy-Duty 11-Gauge Steel Frame with Durable Powder-Coated Finish
- All Reduction Sprockets Drilled and Pinned to Shafts - Mid-Stop Enables Partial Openings to a Programmed
- Position for Environmental Control and Time Savings - Adjustable Friction Clutch Protects the Door and Operator from Damage and Obstructions



MAXIMUM DOOR AREA (SQ. FT.)						
		-	24 GA., 22 GA. STEEL	20 GA. STEEL	16 GA. STEEL	-
STANDARD Sectional		FIBERGLASS	ALUMINUM DOORS	WOOD DOORS	-	-
		-	-	24 GA. STEEL INSULATED	20 GA. STEEL INSULATED	16 GA. STEEL INSULATED
	1/3	310	285	260	175	125
HP	1/2	400	350	320	250	200
	3/4	560	500	450	325	275
	1	640	625	560	400	310

MODIFICATIONS AND ACCESSORIES. Built for any application.

- Damp Environment (C-Prefix): Moisture-Resistant Electrical Box, Push-Button Control Station and Photo Eyes with TEFC Motor and without Solenoid Brake
- **TLS1CARD**: Timer Light Status Plug-In Option Card (Typically Used to Control Red/Green Traffic Light and Audible Devices)
- AUXCARD: Auxiliary Contacts Plug-In Option Card (with Relays That Change State While the Door Is Moving and When the Operator Is Powered Down)
- Auxiliary Limits: Auxiliary Limit Switches at Open and Closed Limits to Control Lights, Heaters, Dock Levelers and Other Auxiliary Devices

For more detailed information or to configure your model number, please visit Dealer.LiftMaster.com

LiftMaster

		REQ.P.O# CRFQ 0903
	BID BOND	DOT1900000110
ofV	KNOW ALL MEN BY THESE PRESENTS, That we, the undersigned, A M & CAN of <u>A OF SMINISTON PIVE SWINNSTON</u> , <u>W 26431</u> as Principal, an of a corporation organized and exist <i>linears</i> with its principal office in the City of <u>Peerice</u> , as surety, are in Nest Virginia, as Obligate, in the penal sum of <u>O OF B</u> ; <u>(</u> f) and truly to be made, we jointly and severally bind ourselves, our heirs, administrators, execut	ing under the laws of the State of

The Condition of the above obligation is such that whereas the Principal has submitted to the Purchasing Section of the Department of Administration a certain bid or proposal, attached hereto and made a part hereof, to enter into a contract in writing for Replace 8 Course Dours and OPE atos at Potersburg, we have here the Remove and Dispose OF did doors

NOW THEREFORE.

If said bid shall be rejected, or (a) (b)

If said bid shall be accepted and the Principal shall enter into a contract in accordance with the bid or proposal attached hereio and shall furnish any other bonds and insurance required by the bid or proposal, and shall furnish any other bonds and insurance required by the bid or proposal, and shall in all other respects perform the agreement created by the acceptance of said bid, then this obligation shall be null and void, otherwise this obligation shall remain in full force and effect. It is expressly understood and agreed that the flability of the Suraty for any and all claims hereunder shall, in no event, exceed the panel amount of this obligation as herein stated.

The Surety, for the value received, hereby stipulates and agrees that the obligations of said Surety and its bond shall be in no way impaired or effected by any extension of the time within which the Obligee may accept such bid, and said Surety does hereby

WITNESS, the following signatures and seals of Principal and Suraty, executed and sealed by a proper officer of Principal and Sumty, or by Principal individually if Principal is an individual, this _____ day of _____ Tune 2017

Principal Seal

Suraty Seal

(Heme of Pri 12 Mory aque (Must be President, Vice President, or

Duty Authorized Agent) etnog

Insurance (Name of Surety)

SIGN HERE

NV DOH

hompson, SR. Attomey-In-Fact

INPORTANT - Surety executing bonds must be licensed in West Virginia to transact surety insurance, must affix its essi, and must attach a power of attomey with its sezi affitiad.



9025 N. Lindbergh Dr. | Peoria, IL 61615 Phone: (800)645-2402 | Fax: (309)689-2036

POWER OF ATTORNEY RLI Insurance Company Contractors Bonding and Insurance Company

Know All Men by These Presents:

That this Power of Attorney is not valid or in effect unless attached to the bond which it authorizes executed, but may be detached by the approving officer if desired.

That this Power of Attorney may be effective and given to either or both of RLI Insurance Company and Contractors Bonding and Insurance Company, required for the applicable bond.

That RLI Insurance Company and/or Contractors Bonding and Insurance Company, each Illinois corporations (as applicable), each authorized and licensed to do business in all states and the District of Columbia do hereby make, constitute and appoint:

Timothy W. Dyer, Janet L. Cox, John C. Thompson, Adam Dyer, jointly or severally

in the City of Clarksburg State of West Virginia , as Attorney in Fact, with full power and authority hereby conferred upon him/her to sign, execute, acknowledge and deliver for and on its behalf as Surety, in general, any and all bonds, undertakings, and recognizances in an amount not to exceed **Ten Million** Dollars \$10,000,000.00) for any single obligation.

The acknowledgment and execution of such bond by the said Attorney in Fact shall be as binding upon this Company as if such bond had been executed and acknowledged by the regularly elected officers of this Company.

RLI Insurance Company and Contractors Bonding and Insurance Company, as applicable, have each further certified that the following is a true and exact copy of the Resolution adopted by the Board of Directors of each such corporation, and now in force, to-wit:

"All bonds, policies, undertakings, Powers of Attorney or other obligations of the Corporation shall be executed in the corporate name of the Corporation by the President, Secretary, any Assistant Secretary, Treasurer, or any Vice President, or by such other officers as the Board of Directors may authorize. The President, any Vice President, Secretary, any Assistant Secretary, or the Treasurer may appoint Attorneys in Fact or Agents who shall have authority to issue bonds, policies or undertakings in the name of the Corporation. The corporate seal is not necessary for the validity of any bonds, policies, undertakings, Powers of Attorney or other obligations of the Corporation. The signature of any such officer and the corporate seal may be printed by facsimile or other electronic image."

IN WITNESS WHEREOF, RLI Insurance Company and/or Contractors Bonding and Insurance Company, as applicable, have caused these presents to be executed by its respective Vice President with its corporate seal affixed this _28th day of March, 2017.

State of Illinois County of Peoria

On this



RLI Insurance Company Contractors Bonding and Insurance Company Barton W. Davis

Vice President

CERTIFICATE

28th I, the undersigned officer of **RLI Insurance Company**, and/or **Contractors Bonding and Insurance Company**, each Illinois corporations, do hereby certify that the attached Power of Attorney is day of March 2017 before me, a Notary Public, personally appeared Barton W. Davis who being by me duly sworn, acknowledged that he signed the above Power of Attorney as the aforesaid officer of the RLI Insurance Company and/or in full force and effect and is irrevocable; and furthermore, that the Contractors Bonding and Insurance Company, and acknowledged said Resolution of the Company as set forth in the Power of Attorney, is instrument to be the voluntary act and deed of said corporation. now in force. In testimony whereof, I have hereunto set my hand and the seal of the RLI Insurance Company and/or Contractors Bonding and Insurance Company this

Gretchen L. Johnigk



RLI Insurance Company Contractors Bonding and Insurance Company

Barton W. Davis

4737970020212

Notary Public

Vice President

day of

West Virginia Offices of the Insurance Commissioner





COPY

Certificate of Authority

Whereas, **RLI INSURANCE COMPANY**, domiciled in the State of **ILLINOIS**, has complied with all the requirements of the laws of this State so as to entitle it to transact its appropriate business in the State of West Virginia.

Therefore, I the undersigned, Insurance Commissioner of the State of West Virginia, pursuant to the authority vested in me by the laws of this State, do hereby authorize it to transact the business of insurance as defined in Chapter 33

ACCIDENT & SICKNESS - ARTICLE 1, SECTION 10(b) CASUALTY - ARTICLE 1, SECTION 10(e) CASUALTY - ARTICLE 1, SECTION 10(e)(14) FIRE - ARTICLE 1, SECTION 10(c) MARINE - ARTICLE 1, SECTION 10(d) SURETY - ARTICLE 1, SECTION 10(f) (1) SURETY - ARTICLE 1, SECTION 10(f) (2) SURETY - ARTICLE 1, SECTION 10(f) (3)

of the 1931 Code of West Virginia as amended, in the State of West Virginia in accordance with the laws thereof until midnight on the 31st day of May, 2020, unless this license be sooner revoked. Pursuant to W. Va. Code §33-3-2(c), the above authorization does not allow the insurer to transact a kind of insurance in this State unless duly authorized or qualified to transact such insurance in the state or country of its domicile.

In Testimony Whereof, I have hereunto set my hand and affixed my seal of office at the City of Charleston this 1st day of June, 2019.

James A. Dodrill Insurance Commissioner

NAIC # 13056 Legacy State ID # 0885