## **Proposal From:**



## In Response to:

# 158"-176" Wheelbase Cutaway Vehicles CFRQ PTR1900000002

BID OPENING: 13:30, Wednesday, August 15, 2018

RECEIVED

2018 AUG 15 AM 11: 30

W PURCHASING DIVISION



August 15, 2018

Michelle Childers
Department of Administration
Purchasing Division
2019 Washington Street E
Charleston, WV 25305

Ref: PTR1900000002

Dear Michelle Childers:

Rohrer Bus Sales appreciates this opportunity to submit a bid for transit vehicles to the State of West Virginia. Our offerings, a Champion Challenger for classes A through F, meets the intent and letter of your specifications as well as amendment #1 and 2 with the following documentation, clarifications, deviations and/or explanations per your Required Bid Documentation Checklist.

### **Mandatory Bid Forms**

### Enclosure 1 Bid Forms

Includes the Following:

Bid Form 1

Bid Form 2

Bid Form 3

Did Form 3

Bid Form 4 Bid Form 5

Bid Form 6

Bid Form 7

Bid Form 8

Bid Form 9

Bid Form 10

Bid Document

Certification Page

Required Bid Documentation Check List

Addendum Acknowledgment

Insurance Certificate

**Enclosure 2** Exhibit A Pricing Page

### **Section**

### **Mandatory Documentation**

- 3.1.11 Water Testing Procedure can be found on thumb drive labeled E1.
- Ford E-450 Chassis to be utilized for this procurement. For additional information please see Ford E-Series Specifications on thumb drive labeled E2.
- 3.2 The wheelbase shall be 158" and 176" for the required classes.
- 3.3 Engine Ford 6.8L EFI TritonV-10 Gasoline Engine. Warranty is by Ford Motor Corporation under the power train warranty—5yr/60,000 miles. For additional information please see Ford E-Series Specifications on thumb drive labeled E2.
- 3.5 Ford OEM Radiator and Colling System. Warranty is by Ford Motor Company under the Bumper to Bumper Warranty and is 3 years/36,000 miles. For additional information on thumb drive labeled E2.
- 3.5.13 The High Idle System to be provided is the Intermotive Gateway 805. Literature can be found on thumb Drive Labeled E3. Minimum warranty 3 years / 36,000 miles falls under Champion Add-on equipment.
- 3.8 Ford TorqShift 6 Speed Automatic Overdrive with Tow/Haul Mode Transmission. Warranty is by Ford Motor Corporation under the power train warranty—5yr/60,000 miles. For additional information please see Ford E-Series Specifications on Thumb Drive labeled E2.
- 3.10.4 Back Up Camera- An REI Back Up Camera System is to be provided. It includes Camera and a 7" LCD screen. Literature and can be found on thumb drive labeled E4. Minimum warranty 3 years / 36,000 miles falls under Champion Add-on equipment.
- 3.11.4 Tilt Wheel, Cruise Control, and Power Steering will all be Ford OEM. Warranty is by Ford Motor Company under the Bumper to Bumper Warranty and is 3 years/36,000 miles. For additional information please see thumb drive labeled E2.
- 3.13 Ford OEM Heavy Duty Brakes are four wheel disc type: powered, self-adjusting, dual hydraulic with a brake hydro booster and four wheel anti-lock feature. 4 Wheel Disc Anti-Lock Brakes. Warranty is by Ford Motor Company under the Bumper to Bumper Warranty and is 3 years/36,000 miles. For additional information please see thumb drive labeled E2.
- 3.14 Ford OEM Wheels will be 16-inch x 6-inch White-Painted Steel Wheels. Warranty is by Ford Motor Company under the Bumper to Bumper Warranty and is 3 years/36,000 miles. For additional information please see thumb drive labeled E2.
- 3.15 Tires LT225/7Rx16E all season tires. Warranty is by Ford Motor Company under the Bumper to Bumper Warranty and is 3 years/36,000 miles. For additional information please see thumb drive labeled E2.

- 3.16.5 Alternator to be Ford OEM 225 Amp Alternator. Warranty is by Ford Motor Company under the Bumper to Bumper Warranty and is 3 years/36,000 miles. For additional information please see thumb drive labeled E2.
- 3.16.6 Batteries- Gasoline chassis has (1) 650 Cold Cranking Amps (CCA) battery and (1) 625 CCA battery for a total of 1275 CCA's to meet WV spec. One Battery will remain under the hood. The second battery will be located on a stainless-steel tray on the curbside of the unit. Warranty 3yr/36,000 miles. For additional information please see thumb drive labeled E2.
- 3.17.1 Radio provided will be an REI AM/ FM/ USB/ MP3 Radio with 6 speakers to include 1 speaker in the Driver's door. Literature can be found on thumb drive labeled E5. Warranty is by World Trans under add on equipment and is 2 year/ unlimited miles.
- 3.19 Champion Body Construction Method can be found on thumb drive labeled E6. Interior Height is 78". Overall Length is 25'.
- 3.19.15Step Well Construction- Please see Champion Body Construction Method can be found on the thumb drive labeled E6.
- 3.22 Passenger Doors have a minimum clear opening of 30" wide by 80" High. Door will be equipped with an electric toggle switch for driver control and an exterior key switch. It will be equipped with an emergency release for manual operation. Warranty is by Champion Bus under add on equipment and is 2 year/unlimited miles. For additional information please see Section 11 of the Body Construction Specifications located on thumb drive labeled E6. The Interlock and fast idle system information is located on thumb drive labeled E3.
- 3.23 Transpec Energy Absorbing Rear Bumper to be provided. Please see literature located on thumb drive labeled E7.
- 3.24 Wheel Chair Lift to be provided is a Braun Century 1000lb lift with a 37"x51" platform. For literature please see thumb drive labeled E-8.
- 3.24.9 The Interlock System to be provided is the Intermotive Gateway 805. Literature can be found on thumb Drive Labeled E3. Minimum warranty 3 years / 36,000 miles falls under Champion Add-on equipment.
- 3.2 Front Heating and Air conditioning will be Ford OEM. Warranty is by Ford Motor Company under the Bumper to Bumper Warranty and is 3 years/36,000 miles. For additional information please see thumb drive labeled E2. The Rear Heater provided will be two (2) Pro Air 35,000 BTU Heaters with two shut off valves. Literature can be found at thumb drive labeled E9. Warranty is by Champion Bus under add on equipment and is 2 year/unlimited miles. Rear Air Conditioning- For this specification, Freon lines will be connected to an auxiliary TM-21 compressor in addition to a stand-alone Ford OEM compressor. An ACT ceiling mounted evaporator and a three-fan skirt mounted condenser will function independently of the Ford system. Thermostat and fan speed control wiring are remotely located to the driver's area. Warranty is 2 years/Unlimited miles. For Additional information on the thumb drive labeled E10, E11, and E12.

- 3.29 Gerflor Tarabus flooring will be used. It is a high slip resistant, abrasion resistant, flooring solution. Warranty is by Champion under add on equipment and is 2 year/unlimited miles. For additional information and color choices please see Gerflor Specifications on thumb drive labeled E13.
- 3.30.1 The Seats to be provided will be Freedman Mid High Seats to include 2 ICS positions per floorplan, Grab Handles on all seats except for the rear row, Under Seat Retractable Seat Belts to include 5 extenders per bus and arm rests. Warranty is by Champion under add on equipment and is 2 year/unlimited miles. For additional information and color choices please see Seating Literature can be found on thumb drive at labeled E14, E15, E16, E17, and E18.
- 3.30.2 Padded Grab Rails will be provided at the top of every seatback. Information can be found on the thumb drive labeled E19.
- 3.30.11 Driver's Seat to be provided is the Freedman SHIELD. Warranty is by Champion under add on equipment and is 2 year/unlimited miles. Literature can be found on the thumb drive labeled E20.
- 3.31 Wheelchair Securement System will be Q'Straint QRT Deluxe 4 retractor system with 4 quick straps per unit. Warranty is under Q'Straint and is a 3 Year Unlimited mile warranty. For additional information please see thumb drive labeled E21.
- 3.32 Wheelchair Securement System will be Q'Straint QRT Deluxe 4 retractor system with 4 quick straps per unit. Warranty is under Q'Straint and is a 3 Year Unlimited mile warranty. For additional information please see thumb drive labeled E21.
- 3.33.1 Mirrors to be provided will be Rosco Heated Remote Mirrors for the E Series Chassis. Documentation is located at thumb drive labeled E22. Minimum warranty 3 years / 36,000 miles falls under Champion Add-on equipment.
- 3.37 Destination Signs-The Transign Destinator Destination sign will be Provided. Warranty Statement, Sign Dimensions, Controller layout, Internet Programming Instructions, Operation Instructions and Programming Instructions can all be found on thumb drive labeled E23. The warranty on this sign is a limited Lifetime warranty.
- 3.38 Passenger Stop Request Signal System to be provided included two tone buzzer, light, Pull cords, and ADA locations. Minimum warranty 3 years / 36,000 miles falls under Champion Add-on equipment.
- 3.39 Mobile PA System to be provided to include MIC, Interior and Exterior Speakers.

  Minimum warranty 3 years / 36,000 miles falls under Champion Add-on equipment.

  Documentation is located at thumb drive labeled E24.
- 3.40 Farebox Provision to be provided will be a Ground and Ignition Prewire with a Stanchion mounted to the right of the Driver's Seat, beside the driver's modesty panel. Minimum warranty 3 years / 36,000 miles falls under Champion Add-on equipment.
- 3.41 Strobe Light to be provided is Low Profile Strobe 6810. Literature and can be found on thumb drive labeled E25. Minimum warranty 3 years / 36,000 miles falls under Champion Add-on equipment.

- 3.42 Two way radio prep to be provided to include grounding material at roof level, conduit, ground wire and pull cord. Minimum warranty 3 years / 36,000 miles falls under Champion Add-on equipment.
- 3.44 Provision HD Recording System to be provided. Literature and can be found on thumb drive labeled E26. Minimum warranty 3 years / 36,000 miles falls under Champion Add-on equipment.
- 3.45 Dual Purpose Safety Vent to be provided is a Transpec roof hatch. Literature and can be found on thumb drive labeled E27. Minimum warranty 3 years / 36,000 miles falls under Champion Add-on equipment.
- 3.46 As these units are all equipped with Front Destination signs Storage boxes will be provided in place of storage compartments.
- 3.51 Rohrer Bus understands that they are responsible to coordinate and conduct two (2) one day training sessions. Dates to be mutually agreed upon with the addition of additional training days if necessary.
- 4.5-6 Overhead Luggage Racks to be provided on Classes E & F units. Minimum warranty -3 years / 36,000 miles falls under Champion Add-on equipment.
- 4.5-6 High Back Passenger seats to be provided for Classes E & F. Warranty is by Champion under add on equipment and is 2 year/unlimited miles. For additional information and color choices please see Seating Literature can be found on thumb drive at labeled E16.
- 6.7.4 Ford Dealerships in the state of WV will be able to provide warranty service for the Ford Chassis. For all Body and subsystem warranty repair work Rohrer Bus Sales will be first point of contact. Warranty repair work can be approved to be completed by agency, Rohrer Staff Members Or a 3<sup>rd</sup> party warranty repair facility convenient to the end user.
- 6.7.5 Warranty on Completed Vehicle- The warranty on the complete vehicle is 3 years/36,000 miles. Warranty on Basic Vehicle Structure-The Basic Body Vehicle Structure Warranty is 5 years/75,000 miles. The warranty on the frame suspension system is 3 years/36,000 miles.

Warranty per specs on subsystems and components:

Engine Five (5) Years or 60,000 Miles
Transmission Five (5) Years or 60,000 Miles
Drive Axle Five (5) Years or 60,000 Miles

Brake System Three (3) Years or 36,000 Miles, Excluding Friction

Material

Body Structure Five (6) Years or 60,000 Miles Air Conditioning Two (3) Years/Unlimited Miles

Wheel Chair Lift System Two (2) Years

All Add On Components Three (3) Years, 36,000 Miles

11.1.1 Please see the separate complete Mechanical Description of each Class of vehicles at the following Enclosures:

Enclosure 3 Class A- Mechanical Description

Enclosure 4 Class B- Mechanical Description

Enclosure 5 Class C- Mechanical Description

Enclosure 6 Class D- Mechanical Description

Enclosure 7 Class E- Mechanical Description

Enclosure 8 Class F- Mechanical Description

11.1.2 Floor Plans for each class of vehicle can be found at the following Enclosures:

Enclosure 9 Class A & B- Floor Plan

Enclosure 10 Class C & D - Floor Plan

Enclosure 11 Class E & F- Floorplan

11.1.3 Ford Dealerships in the state of WV will be able to provide warranty service for the Ford Chassis. For all Body and subsystem warranty repair work Rohrer Bus Sales will be first point of contact. Warranty repair work can be approved to be completed by agency, Rohrer Staff Members Or a 3<sup>rd</sup> party warranty repair facility convenient to the end user.

11.1.4 Warranty on Completed Vehicle- The warranty on the complete vehicle is 3 years/36,000 miles. Warranty on Basic Vehicle Structure-The Basic Body Vehicle Structure Warranty is 5 years/75,000 miles. The warranty on the frame suspension system is 3 years/36,000 miles.

Warranty per specs on subsystems and components:

Engine Five (5) Years or 60,000 Miles
Transmission Five (5) Years or 60,000 Miles
Drive Axle Five (5) Years or 60,000 Miles

Brake System Three (3) Years or 36,000 Miles, Excluding Friction

Material

Body Structure Five (6) Years or 6,000 Miles
Air Conditioning Two (3) Years/Unlimited Miles

Wheel Chair Lift System Two (2) Years

All Add On Components Three (3) Years, 36,000 Miles

- 11.1.5 Parts Depot- please refer to bid form 1.
- 11.1.6 All underbody plywood and steel, with the exception of the drive shaft, catalytic converter, engine, transmission, exhaust system, etc. are undercoated to protect against corrosion and provide additional sound deadening. The material is an abrasive-free petroleum black petroleum asphalt emulsion, formulated with corrosion inhibitors. All mechanisms (moving or stationary parts) that are affected or rendered useless by an application of sealant or insulation are protected, including vent canisters and drain pipes

prior to undercoating. Undercoating design to pass a 5% salt spray test for a minimum 1000 hours.

### 11.1.7 Conversion Location

CHAMPION BUS, INC. 331 Graham Road Imlay City, Michigan 48444

### 11.1.8 References:

### Greater Roanoke Transit Company DBA/ Valley Metro

Tiffany Ollie 1108 Campbell Avenue S.E., 2<sup>nd</sup> Floor Roanoke, VA 24013 Phone (540)982-0305, Ext. 116 tollie@valleymetro.com

### Freedom Transit

Tammy Sullivan 50 E Chestnut Street Washington PA 15301 (724) 229-2827 tammy@freedom-transit.org

#### **TANK**

Andrew Aiello General Manager 3375 Madison Pike Ft. Wright, KY 41017 Ph: (859) 814-2143 aaiello@tankbus.org www.tankbus.org

### **NJ Transit**

Irene Felcon
1 Penn Plaza East Newark, NJ 07105
(973) 491-7354
ifelcon@njtransit.com

### **PA Department of General Services**

Alfonzo Robinson Commodity Specialist 555 Walnut Street Harrisburg, PA 17101 (717)346-8181 arobinson@pa.gov

Altoona Test can be located at on thumb drive labeled E28.

Additional Optional Pricing can be found at Enclosure 12.

## Champion FTA Documentation can be found at Enclosure 13

Please contact us immediately at 1.800.735.3900 if any additional documentation is required. Thanks again for your consideration!

Sincerely,

Andrew Clawson

Account Representative

ROHRER

1.800.735.3900 x 4152 410.980.1906 Cell 717.957.4884 Fax

aclawson@rohrerbus.com



**Purchasing Divison** 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

State of West Virginia Request for Quotation 36 - Vehicles

Proc Folder: 461006

Doc Description: 158" 176 " Wheelbase Cutaway Vehicle

Proc Type: Central Master Agreement

Date Issued Solicitation Closes Solicitation No. Version 2018-07-13 2018-08-07 CRFQ 0805 PTR1900000002 13:30:00

BID REPENDING FOR A FON

**BID CLERK** 

DEPARTMENT OF ADMINISTRATION

**PURCHASING DIVISION** 

2019 WASHINGTON ST E

CHARLESTON

W

25305

US

VENDOR

Vendor Name, Address and Telephone Number:

Rohrer Enterprises, Inc. DBA/Rohrer Bus Sales

2075 B West Main Street Waynesboro, VA 22980 Attn: Andrew Clawson

Direct: 804-357-1145

FOR INFORMATION CONTACT THE BUYER

Michelle L Childers (304) 558-2063

michelle.l.childers@wv.gov

gnature X

FEIN# 232059976

DATE

July 30, 2018

All offers subject to all terms and conditions contained in this solicitation

Page: 1

FORM ID: WV-PRC-CRFQ-001

#### Request for Quotation

The West Virginia Purchasing Division is soliciting bids on behalf of the Division of Public Transit and any other state agency that desires to utilize contract to establish an open-end contract for 158" - 176" Wheelbase Dual Rear Wheel (DRW) Cutaway vehicles with air conditioning, fixed ats, wheelchair securements and lift to provide specialized transportation services in an urban and suburban-rural environment, including hilly terrain and a severe operating climate suited to stop-start duty cycles.

| INVOICE TO                               |              | SHIP TO                              |                                 |
|--|--------------|--------------------------------------|---------------------------------|
| ACCOUNTS PAYABLE PUBLIC TRANSIT DIVISION | OF           | GENERAL MANAGER PUBLIC TRANSIT DIVIS | ION OF                          |
| BLDG 5 RM 650                            | . •          |                                      | GIONAL TRANSPORTATION AUTHORITY |
| 1900 KANAWHA BLVD E                      |              | 1550 FOURTH AVE                      |                                 |
| CHARLESTON                               | WV25305-0432 | CHARLESTON                           | WV 25324                        |
| us                                       |              | US                                   |                                 |

| Line | Comm Ln Desc                 | Qty     | Unit Issue | Unit Price | Total Price |
|------|------------------------------|---------|------------|------------|-------------|
| 1    | 158" 176 " Wheelbase Cutaway | 1.00000 | EA         |            |             |
|      | Vehicle                      |         |            |            |             |

| 25101502 | Manufacturer | Specification | Model # |
|----------|--------------|---------------|---------|
|          |              |               |         |

### **Extended Description:**

158" - 176" Wheelbase Cutaway Vehicle

Vendor should type or clearly print the information into the Exhibit A-Pricing Page to prevent errors in the evaluation. If Vendor is submitting bid online Vendor must submit Exhibit A -Pricing Page as attachment. TOTAL BID FOR EVALUATION is the amount Vendor is to enter into wvOASIS commodity line when submitting. Notwithstanding the foregoing, the Purchasing Division may correct errors at its discretion.

- 18.1.2 Failure to comply with other specifications and requirements contained herein.
- 18.1.3 Failure to comply with any laws, rules, and ordinances applicable to the Contract Services provided under this Contract.
- 18.1.4 Failure to remedy deficient performance upon request.
- 18.1.5 The Following remedies shall be available to Agency upon default.
- 18.1.6 Immediate cancellation of the Contract.
- 18.1.7 Immediate cancellation of one or more release orders issued under this Contract.
- 18.1.8 Any other remedies available in law or equity.

#### 19. **MISCELLANEOUS:**

- 19.1 No Substitutions: Vendor shall supply only Vehicles as submitted in response to the Solicitation unless a contract modification is approved in accordance with the provisions contained in this Contract.
- 19.2 Vendor Supply: Vendor must carry sufficient inventory of the Contract Items being offered to fulfill its obligations under this Contract. By signing its bid, Vendor certifies that it can supply the Contract Items contained in its bid response.
- 19.3 Contract Manager: During its performance of this Contract, Vendor must designate and maintain a primary contract manager responsible for overseeing Vendor's responsibilities under this Contract. The Contract manager must be available during normal business hours to address any customer service or other issues related to this Contract. Vendor should list its Contract manager and his or her contact information below.

| Contract Manager: | Andrew Clawson       |
|-------------------|----------------------|
| Telephone Number: | 804-357-1145         |
| Fax Number:       | VA                   |
| Email Address: ac | lawson@rohrerbus.com |

#### 20. NOTIFICATION OF FEDERAL PARTICIPATION

Federal funding for this project is being provided by the Federal Transit Administration through various CFDA grants for 80% of the project cost. CFDA grants will be specified after award.

## 158" – 176" Wheelbase Cutaway Vehicle

### BID FORM #1

## MANDATORY BID FORM – MUST BE SUBMITTED WITH BID

Location(s) of Technical Service Representative(s) closest or in the State of West Virginia

| Name:  | Bert Wolfe Ford, Inc   |
|--|--|
| Address:   | 1900 Patrick Street Plaza  |
| _  | Charleston, WV 25387   |
| Telephone:   | (304)344-1601  |
|  | Turnpike Ford of Charleston/Marmet   |
|  | Route 61 Maccorkle Avenue  |
| ***************************************  | Marmet, WV 25315   |
| Telephone:   | 304-925-0431   |
|  | Location(s) of Parts Distribution Center(s) closest or in the State of West Virginia |
| Name:  | Moses Ford Inc.  |
|  | 2001 Mccorkie Ave. SW  |
| No-executive approximation of the second contractive approximation approximation approximation and the second contractive approximation approx | St. Albans, WV 25117   |
| Telephone:   | 304-722-4900   |
|  | Stephens Auto Center   |
|  | Route 119 Lory Road  |
|  | Danville, WV 25053   |
| Telephone:   |  |

### REQUEST FOR QUOTATION

158" – 176" Wheelbase Cutaway Vehicle

### BID FORM #2

## CERTIFICATION FOR AIR & WATER POLLUTION MANDATORY BID FORM – MUST BE SUBMITTED WITH BID

| The Vendor certifies that the vehicles proposed:  |
|---|
| ARE in compliance with the regulations in 40 CFR Part 85, 40 CFR Part 86, 40 CFR Part 600, Clean Water Act and the air/water pollution criteria established by the Environmental Protection Agency of the United States Government.     |
| ARE NOT in compliance with the regulations in 40 CFR Part 85, 40 CFR Part 86, 40 CFR Part 600, Clean Water Act and the air/water pollution criteria established by the Environmental Protection Agency of the United States Government. |
| July 30, 2018   |
| Date  |
| CC C  |
| Authorized Signature  |
| Account Manager Title   |
|   |
| Rohrer Enterprises, Inc. DBA/Rohrer Bus Sales Company Name  |
| combined tariff   |

## 158" – 176" Wheelbase Cutaway Vehicle

### BID FORM #3

## DISADVANTAGED BUSINESS ENTERPRISE **VENDORS/ MANUFACTURERS CERTIFICATION**

| MANDATORY BID FORM – MUST BE SUBMITTED WITH BID   |
|---|
| (Check appropriate statement)   |
| The Vendor, if a transit vehicle manufacturer, hereby certifies that it has complied with the requirements of 49 CFR Section 26.49 by submitting ar annual DBE goal to the Federal Transit Administration (FTA). The goal has either been approved or not disapproved by FTA. |
| The Vendor, if a non-manufacturing supplier, hereby certifies that the manufacturer of the transit vehicle to be supplied has complied with the above-referenced requirement of 49 CFR Section 26.49.   |
| July 30, 2018   |
| Date  Authorized Signature  |
| Authorized Signature  |
| Account Manager Title   |

Rohrer Enterprises, Inc. DBA/Rohrer Bus Sales Company Name

## REQUEST FOR QUOTATION

158" – 176" Wheelbase Cutaway Vehicle

### BID FORM #4

### **BUY AMERICA CERTIFICATION** ROLLING STOCK MANDATORY BID FORM – MUST BE SUBMITTED WITH BID

## Certificate of Compliance

The bidder or offeror hereby certifies that it will comply with the requirements of 49 U.S.C. §

| 5323(j), as amended and the applicable regulations of 49 CFR 661.12:  |
|---|
| July 30, 2018   |
| Date  Authorized Signature  |
| Rohrer Enterprises, Inc. DBA/Rohrer Bus Sales Company Name  |
| Andrew Clawson Name   |
| Account Manager Title   |
|   |
| Certificate for Non-Compliance  The bidder or offeror hereby certifies that it cannot comply with the requirements of 49 U.S.C. § 5323(j), as amended, but may qualify for an exception to the requirement consistent and the                                     |
| *   |
| The bidder or offeror hereby certifies that it cannot comply with the requirements of 49 U.S.C. § 5323(j), as amended, but may qualify for an exception to the requirement consistent and the   |
| The bidder or offeror hereby certifies that it cannot comply with the requirements of 49 U.S.C. § 5323(j), as amended, but may qualify for an exception to the requirement consistent and the applicable regulations in 49 CFR 661.7.                             |
| The bidder or offeror hereby certifies that it cannot comply with the requirements of 49 U.S.C. § 5323(j), as amended, but may qualify for an exception to the requirement consistent and the applicable regulations in 49 CFR 661.7.  Date                       |
| The bidder or offeror hereby certifies that it cannot comply with the requirements of 49 U.S.C. § 5323(j), as amended, but may qualify for an exception to the requirement consistent and the applicable regulations in 49 CFR 661.7.  Date  Authorized Signature |

Revised 10/27/14

### **BID FORM #5**

## FEDERAL MOTOR VEHICLE SAFETY STANDARDS CERTIFICATION

## MANDATORY BID FORM - MUST BE SUBMITTED WITH BID

The vendor hereby certifies that it shall submit, as required by Title 49 of the CFR, Part 663 - Subpart D, it's self-certification information stating that the vehicle(s) will comply with the relevant Federal Motor Vehicle Safety Standards issued by the National Highway Traffic Safety Administration in Title 49 of the Code of Federal Regulations, Part 571.

| July 30, 2018        |  |
|----------------------|--|
| Date                 |  |
| -aa                  |  |
| Authorized Signature |  |
| Account Manager      |  |
| Title                |  |

Rohrer Enterprises, Inc. DBA/Rohrer Bus Sales

Company Name

Revised 10/27/14

### REQUEST FOR QUOTATION

158" – 176" Wheelbase Cutaway Vehicle

## BID FORM #6 U.S. Comptroller's Debarment List Certification

## MANDATORY BID FORM – MUST BE SUBMITTED WITH BID

| Rohrer Enterprises, Inc. DBA/Rohrer Bus Sales hereby certifies that it  |
|---|
| IS or   |
| IS NOT (specify one) included on the. U.S. GSA's debarment and suspension information available at https://www.sam.gov. |
|   |
| July 30, 2018   |
| Date  |
| Authorized Signature  |
| Account Manager Title   |
| Rohrer Enterprises, Inc. DBA/Rohrer Bus Sales   |

### BID FORM #7

## MANDATORY BID FORM - MUST BE SUBMITTED WITH BID

CERTIFICATION OF PRIMARY PARTICIPANT REGARDING DEBARMENT, SUSPENSION, AND OTHER RESPONSIBILITY MATTERS

| The Primary Participant (applicant for an FTA grant or coopera       | tive agreement or notential  |
|--|------------------------------|
| contractor for a major third party contract),                        | - vo agroundit, or potential |
| Rohrer Enterprises, Inc. DBA/Rohrer Bus Sales                        | (COMPANY NAME) certifies     |
| to the best of its knowledge and belief, that it and its principals: | (Committee Tarrett) confines |

- Are not presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from covered transactions by any Federal department or agency;
- 2. Have not within a three-year period preceding this proposal been convicted of or had a civil judgment rendered against them for commission of fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a public (Federal, State or local) transaction or contract under a public transaction; violation of Federal or State antitrust statutes or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements, or receiving stolen property.
- 3. Are not presently indicted for or otherwise criminally or civilly charged by a governmental entity (Federal, State or local) with commission of any of the offenses enumerated in paragraph (2) of this certification; and
- Have not within a three-year period preceding this application/proposal had one or more public transactions (Federal, State or local) terminated for cause or default.

If the primary participant (applicant for an FTA grant, or cooperative agreement, or potential third party contractor) is unable to certify to any of the statements in this certification, the participant shall attach an explanation to this certification.)

THE PRIMARY PARTICIPANT (APPLICANT FOR AN FTA GRANT OR COOPERATIVE AGREEMENT, OR POTENTIAL CONTRACTOR FOR A MAJOR THIRD PARTY CONTRACT).

Rohrer Enterprises, Inc. DBA/Rohrer Bus Sales , CERTIFIES OR AFFIRMS THE TRUTHFULNESS AND ACCURACY OF THE CONTENTS OF THE STATEMENTS SUBMITTED ON OR WITH THIS CERTIFICATION AND UNDERSTANDS THAT THE PROVISIONS OF 31 U.S.C. SECTIONS 3801 ET SEQ. ARE APPLICABLE THERETO.

Signature and Title of Authorized Official

## BID FORM #8 MANDATORY BID FORM – MUST BE SUBMITTED WITH BID

### VENDOR'S CERTIFICATION OF UNDERSTANDING AND ACCEPTANCE

The Vendor hereby certifies that all Technical Specifications and Contract Terms and Conditions have been carefully reviewed, are fully understood and shall be adhered to in performance and completion of any contract resulting from this bid.

| July 30, 2018   |
|---|
| Date  |
| Authorized Signature  |
| Account Manager   |
| Title   |
| Rohrer Enterprises, Inc. DBA/Rohrer Bus Sales Company Name  |
| SPECIFICATION COMPLIANCE  |
| NOTE: Please check if what is offered is not in exact compliance with specifications. Any discrepancies must be listed as an attachment to the bid proposal. Exact dimensions and/or descriptions must be provided as a part of the Vendor's bid proposal when submitted. |
| Bid proposal submitted meets and/or exceeds all specification requirements.   |
| Bid proposal submitted contains deviations from specification requirements.  Detailed descriptions of these deviations have been provided with this bid proposal.   |
|   |

### REQUEST FOR QUOTATION

176" - 190" Wheelbase Cutaway Vehicle

## BID FORM #9 MANDATORY BID FORM – MUST BE SUBMITTED WITH BID

### CERTIFICATION OF RESTRICTIONS ON LOBBYING

The undersigned (Vendor, Contractor) certifies, to the best of his or her knowledge and belief, that:

- 1. No Federal appropriated funds have been paid or will be paid by or on behalf of the undersigned, to any person for influence or attempt to influence an officer or employee of any Federal agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress regarding the award of a Federal grant, loan (including a line of credit), cooperative agreement, loan guarantee, or loan insurance, or the extension, continuation, renewal, amendment, or modification of any Federal grant, loan (including a line of credit), cooperative agreement, loan guarantee, or loan insurance.
- 2. If any funds other than Federal appropriated funds have been or will be paid to any person to influence or attempt to influence an officer or employee of any Federal agency, a Member of Congress, an officer or employee of Congress, or any employee of a Member of Congress in connection with any application for a Federal grant, loan (including a line of credit), cooperative agreement, loan guarantee, or loan insurance, the undersigned assures that it will complete and submit Standard Form-LLL, "Disclosure of Lobbying Activities," Rev. 7-97; and
- 3. The undersigned understands that the language of this certification shall be included in the award documents for all sub awards at all tiers (including subcontracts, sub grants, sub agreements, and contracts under grants, loans (including a line of credit), cooperative agreements, loan guarantees, and loan insurance.

Undersigned understands that this certification is a material representation of fact upon which reliance is placed by the Federal government and that submission of this certification is a prerequisite for providing a Federal grant, loan (including a line of credit), cooperative agreement, loan guarantee, or loan insurance for a transaction covered by 31 U.S.C. 1352. The undersigned also understands that any person who fails to file a required certification shall be subject to a civil penalty of not less than \$10,000 and not more than \$100,000 for each such failure.

Rohrer Enterprises, Inc.

#### BID FORM #10

## CERTIFICATION OF COMPLIANCE WITH FTA'S BUS TESTING REQUIREMENTS

The undersigned (Vendor/Manufacturer) certifies that the vehicle offered in this procurement complies with 49 U.S.C. 5318, as amended by MAP-21, and FTA regulations, "Bus Testing," 49 CFR Part 665.

The undersigned understands that misrepresenting the testing status of a vehicle acquired with Federal financial assistance may subject the undersigned to civil penalties as outlined in the Department of Transportation's regulation on Program Fraud Civil Remedies, 49 CFR Part 31. In addition, the undersigned understands that FTA may suspend or debar a manufacturer under the procedures in 49 CFR Part 29.

| July 30, 2018            |  |
|--------------------------|--|
| Date                     |  |
| Ma                       |  |
| Authorized Signature     |  |
| Account Manager          |  |
| Title                    | The second secon |
| Rohrer Enterprises, Inc. | DBA/Rohrer Bus Sales   |

Company Name

## REQUIRED BID DOCUMENTATION CHECKLIST

|          | Cha                        | mpion                     |   |                                 |                                    |  |
|----------|----------------------------|---------------------------|---|---------------------------------|------------------------------------|--|
| Man      | ufacturer: Bus.            | lnc.                      | Model Year: _   | 2019                            | Model: _                           | Challenger   |
| Man      | datory Bid For             | ms – musi                 | t be submitted wi   | th bid:                         |                                    |  |
|          | _ Bid Form #1:             | Location and Parts        | s of Technical Ser<br>Distribution Cent                             | vice Represe<br>ters            | ntatives                           |  |
|          | Bid Form #2:               | Certifica                 | tion for Air & Wa   | ter Pollution                   |                                    |  |
|          | Bid Form #3:               | The venc                  | ntaged Business En<br>lor shall also sup<br>ent Fiscal Year A       | ply with bid :                  | FTA TVM I                          | cturers Certification  DBE Goal Concurrence for                          |
| 4        | Bid Form #4:               | Should the Award as       | nd Post Delivery .  | lared respon<br>Audit Requi     | sive and low<br>rements, the       | bid, pursuant to Pre- Division will require the Prior to any award) that |
|          |                            | 1) Con<br>ider            | nponent and sub-c<br>ntified by manufac                             | omponent par<br>turer of the pa | rts of the roll<br>arts, their cou | ing stock to be purchased intry of origin and costs: and                 |
| <i>a</i> |                            | desc                      | location of the fin<br>ription of the acti-<br>the cost of final as | vities that will                | ooint for the                      | rolling stock, including a at the final assembly point                   |
|          | Bid Form #5:               | Vendor si                 | lotor Vehicle Safe<br>nall also supply w<br>vith proposed veh       | ith bid a bre                   | Certification<br>akdown of l       | FMVSS standards to be met  |
| V        | Bid Form #6:               | U.S. Com                  | ptroller's Debarme  | ent List Certif                 | ication                            |  |
|          | Bid Form #7:               | Certificati<br>Debarmer   | on of Primary Part<br>t, Suspension, and                            | ticipant Regar<br>l Other Respo | ding<br>nsibility Ma               | tters  |
| <u> </u> | Bid Form #8:               | Vendor's                  | Certification of Ur   | derstanding a                   | and Acceptar                       | ice  |
| V        | Bid Form #9:               | Certification             | on of Restrictions  | on Lobbying                     |                                    |  |
|          | Bid Form #10:<br>A copy of | Certificati<br>the vehicl | on of Compliance<br>e testing report (i                             | with FTA's vif available) s     | Vehicle Testi<br>hall be inclu     | ing Requirements uded with the bid.                                      |
| 4        | Exhibit A Prici            | ng Page                   |   |                                 |                                    |  |

### **DOCUMENTATION TO BE SUBMITTED WITH BID:**

|                                     | DOCUMENTATION TO BE SUBMITTED WITH BID:   |
|-------------------------------------|---|
| <u>Section</u><br><u>Referenced</u> |   |
| 3.1.11                              | Provide details of water testing procedures.  |
| 3.2                                 | Chassis: provide product description, warranty information and product literature.  |
| 3.2                                 | Wheelbase: provide length of proposed wheelbase.  |
| 3.3                                 | Engine: gasoline: provide product description, warranty information and product literature.   |
| 3.5                                 | Radiator and Cooling System: provide product description, warranty information and product literature.  |
| 3.6                                 | High Idle System, provide product description, warranty information and product literature.   |
| 3.8                                 | Transmission: provide product description, warranty information and product literature.   |
| 3.10,4                              | Rear View Back-Up Camera: provide product description, warranty information and literature.   |
| 3.11.4                              | Tilt Wheel, Cruise Control and Power Steering: provide product description.   |
| 3.13                                | Brakes: provide product description, warranty information and product literature.   |
| 3.14                                | Wheels: provide product description, warranty information and product literature.   |
| 3.15                                | Tires: provide product description, warranty information and product literature.  |
| 3.16.5                              | Alternator: provide product description, warranty information and product literature.   |
| 3.16.6                              | Battery: provide product description, warranty information and product literature.  |
| 3.17.1                              | Radio/AM/FM/USB/MP3: provide product description, warranty information and product literature.  |
| 3.19                                | Body Structure/Roof Specifications: provide a description of how construction/conversion will take place and meet the specification requirements. Provide actual interior height and body length of proposed vehicle. |
| 3.19.15                             | Stepwell: provide a description of construction.  |
| 3.22                                | Entrance, Exit, Lift and Emergency Exit Doors: Provide product description, dimensions, description of connection with interlock system, and locks to be provided.  |

| _       |   |
|---------|---|
| 3.23    | Rear Bumper: provide product description, warranty information and product literature.                                    |
| 3.24    | Wheelchair Lift: provide product description, warranty information and product literature.                                |
| 3.24.9  | Interlock System: provide product description, warranty information and product literature.                               |
| 3.26    | Front and Rear Heating and Air Conditioning: provide product description, warranty information, product literature.       |
| 3.29    | Flooring: provide a description of product to be used, samples of floor covering, colors to be used and assembly process. |
| 3.30.1  | Passenger Seats and Restraints: provide product description, warranty information and product literature.                 |
| 3.30.2  | Padded Grah Handle: provide product description.  |
| 3.30.11 | Driver's Seat: provide product description, warranty information and product literature.                                  |
| 3.31    | Wheelchair Securement System: provide product description, warranty information and product literature.                   |
| 3.32    | Mobility Aid/ Occupant Restraint Systems: provide product description, warranty information and product literature.       |
| 3.33.1  | Exterior Mirrors: provide product description, warranty information and product literature.                               |
| 3.37    | Digital Destination Signs: provide product description, warranty information and product literature.                      |
| 3.38    | Passenger Signaling System: provide product description, warranty information and product literature.                     |
| 3.39    | Mobile PA System: provide product description, warranty information and product literature.                               |
| 3.40    | Fare Box Provision: provide description of provision.   |
| 3.41    | Strobe Light: provide product description, warranty information and product literature.                                   |
| 3.42    | Radio Install Prep: provide description of process.   |
| 3.44    | Security Camera System Including Playback: provide product description, warranty information and product literature.      |

| 3.45         | Dual Purpose Safety Vent: provide product description, warranty information and   |
|--------------|---|
| 3.46         | product literature.   |
| ▼3.46        | Storage Compartment: provide information on proposed location.  |
| 3.51         | Training: submit letter of understanding to the terms in this Section.  |
| 4.0.5        | Overhead Luggage Rack: provide product description and product literature. Classes E & F                                      |
| 4.0.5        | High Back Passenger Seating: provide product description, warranty information and product literature. Classes E & F          |
| 6.1.7.4      | Warranty Provider Locations: provide names of providers in WV.  |
| 6.1.7.5      | Warranties: provide information on warranties to be provided.   |
| 11.1.1       | Complete mechanical description of vehicle, its construction and equipment including manufacturer's model name and/or number. |
| 11.1.2       | Proposed interior floor plans, showing detailed dimensions including the location of the wheelchair securement system.        |
| 11.1.3       | Curb weight (empty weight) and gross vehicle weight rating (GVWR of vehicle.  |
| 11.1.6       | Rustproofing and Undercoating: provide product description, warranty information and product literature.                      |
| 11.1.8       | A list of five (5) users names, addresses, emails and telephone numbers who have been provided similar equipment.             |
|              |   |
| $\checkmark$ | No Debt Affidavit   |
| 4            | Addendum Acknowledgement  |

| DESIGNATED CONTACT: Vendor appoints the individual identified in this Section as the  |
|---|
| Contract Administrator and the initial point of contact for matters relating to this Contract.  |
|   |
| None Till Account Manage-   |
| (Name, Title) Andrew Clawson, Account Manager   |
| (Printed Name and Title)  |
| 2075 B West Main Street, Waynesboro, VA 22980   |
| (Address)   |
| 804-357-1145 / N/A  |
| (Phone Number) / (Fax Number) aclawson@rohrerbus.com  |
| (email address)   |
| (chan address)  |
|   |
| CERTIFICATION AND SIGNATURE: By signing below, or submitting documentation  |
| through wvOASIS, I certify that I have reviewed this Solicitation in its entirety; that I understand  |
| the requirements, terms and conditions, and other information contained herein; that this hid offer   |
| or proposal constitutes an offer to the State that cannot be unilaterally withdrawn; that the product   |
| or service proposed meets the mandatory requirements contained in the Solicitation for that   |
| product or service, unless otherwise stated herein; that the Vendor accepts the terms and conditions contained in the Solicitation, unless otherwise stated herein; that I am submitting this |
| bid, offer or proposal for review and consideration; that I am authorized by the vendor to execute  |
| and submit this bid, offer, or proposal, or any documents related thereto on vendor's behalf; that  |
| I am authorized to bind the vendor in a contractual relationship; and that to the best of my  |
| knowledge, the vendor has properly registered with any State agency that may require  |
| registration.   |
| Pohrer Enterprises Inc. DRA/Dehrer Due Coles  |
| Rohrer Enterprises, Inc. DBA/Rohrer Bus Sales (Company)   |
|   |
| Account Manager   |
| (Authorized Signature) (Representative Name, Title)   |
|   |
| Andrew Clawson, Account Manager   |
| Printed Name and Title of Authorized Representative)  |
| July 30, 2018   |
| Date)   |
|   |
| 804-357-1145 / N/A Phone Number) (Fax Number)   |
| Phone Number) (Fax Number)  |

# West Virginia Ethics Commission Disclosure of Interested Parties to Contracts

(Required by W. Va. Code § 6D-1-2)

Rohrer Enterprises, Inc.

|  | 2075 B West Main Street                    |
|--|--|
|  | Waynesboro, VA 22980                       |
| Name of Authorized Agent: Andrew Clawson Address:  | 2075 B W. Main St, Waynesboro, VA          |
| Openharia A. M   | ion: 158-176" Wheelbase Cutaway            |
| Governmental agency awarding contract:Division of Public Transit   |  |
| ☐ Check here if this is a Supplemental Disclosure  |  |
| List the Names of Interested Parties to the contract which are known or reasonal entity for each category below (attach additional pages if necessary):  | oly anticipated by the contracting busines |
| <ol> <li>Subcontractors or other entities performing work or service under the<br/>\omega Check here if none, otherwise list entity/individual names below.     </li> </ol>  | Contract                                   |
| 2. Any person or entity who owns 25% or more of contracting entity (not ☐ Check here if none, otherwise list entity/individual names below.  | applicable to publicly traded entitles)    |
| Howard E. Rohrer John Schrantz   |  |
| <ol> <li>Any person or entity that facilitated, or negotiated the terms of, the<br/>services related to the negotiation or drafting of the applicable contract</li> <li>Check here if none, otherwise list entity/individual names below.</li> </ol> | applicable contract (excluding legal<br>t) |
|  |  |
| Signature: Date Signed: Notary Verification  |  |
|  | July 27, 2018                              |
| Notary Verification  State of Pennsylvania County of Penny   |  |
| Notary Verification  State of Pennsylvania County of Penny  I, the autrentity listed above, being duly sworn, acknowledge that the Disclosure berein in  |  |

### STATE OF WEST VIRGINIA Purchasing Division

## **PURCHASING AFFIDAVIT**

CONSTRUCTION CONTRACTS: Under W. Va. Code § 5-22-1(i), the contracting public entity shall not award a construction contract to any bidder that is known to be in default on any monetary obligation owed to the state or a political subdivision of the state, including, but not limited to, obligations related to payroll taxes, property taxes, sales and use taxes, fire service fees, or other fines or fees.

ALL CONTRACTS: Under W. Va. Code §5A-3-10a, no contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and: (1) the debt owed is an amount greater than one thousand dollars in the aggregate; or (2) the debtor is in employer default.

**EXCEPTION:** The prohibition listed above does not apply where a vendor has contested any tax administered pursuant to chapter eleven of the W. Va. Code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has provisions of such plan or agreement.

### **DEFINITIONS:**

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Employer default" means having an outstanding balance or liability to the old fund or to the uninsured employers' fund or being in policy default, as defined in W. Va. Code § 23-2c-2, failure to maintain mandatory workers' compensation coverage, or failure to fully meet its obligations as a workers' compensation self-insured employer. An employer is not in employer default if it has entered into a repayment agreement with the Insurance Commissioner and remains in compliance with the obligations under the

"Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

AFFIRMATION: By signing this form, the vendor's authorized signer affirms and acknowledges under penalty of law for false swearing (W. Va. Code §61-5-3) that: (1) for construction contracts, the vendor is not in default on any monetary obligation owed to the state or a political subdivision of the state, and (2) for all other contracts, that neither vendor nor any related party owe a debt as defined above and that neither vendor nor any related party are in employer default as defined above, unless the debt or employer default is permitted under the exception above.

### WITNESS THE FOLLOWING SIGNATURE:

| Vendor's Name: Rohrer Enterprises, Inc. DBA/Rohrer Bus Sales  |   |
|---|---|
| Authorized Signature:   | Date:July 27, 2018  |
| State of Pennsylvania   |   |
| County of Perry to-wit:   |   |
| Taken, subscribed, and sworn to before me this 27 day of  | July , 2018.  |
| My Commission expires3-420_21.  |   |
| AFFIX SEAL HERE COMMONWEALTH OF PENNSYLVANIA NOTARIAL SEAL Kay Hornberger, Notary Public Penn Twp Perry County My Commission Expires March 4, 2021 MEMBER, PENNSYLVANIA ASSOCIATION OF NOTARIES | Hay Hornberger  Purchasing Affidavit (Revised 01/19/2018) |



Purchasing Divison 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

### State of West Virginia Request for Quotation 36 — Vehicles

|             | Proc Folder: 461006      |  |         | _ |
|-------------|--------------------------|--|---------|---|
|             | Doc Description: Addend  | ium 1 - 158" 176 " Wheelbase Cutaway Vehicle |         |   |
| 1           | Proc Type: Central Maste | r Agreement                                  |         |   |
| Date Issued | Solicitation Closes      | Solicitation No                              | Version | _ |
| 2018-07-24  | 2018-08-15<br>13:30:00   | CRFQ 0805 PTR1900000002                      | 2       | - |

BID RECEIVING LOCATION

BID CLERK

DEPARTMENT OF ADMINISTRATION

PURCHASING DIVISION

2019 WASHINGTON ST E

CHARLESTON WV 25305

US

| VENDOR                                     |  |
|--|--|
| Vendor Name, Address and Telephone Number: |  |
|  |  |
|  |  |
|  |  |
|  |  |
| r .  |  |
|  |  |

FOR INFORMATION CONTACT THE BUYER

Michelle L Childers (304) 558-2063

michelle.l.childers@wv.gov

ignature X

FEIN# 232059976

DATE 7/30/18

All offers subject to all terms and conditions contained in this solicitation

Page: 1

FORM ID: WV-PRC-CRFQ-001

|   | - 96        | March Street | G-0. 1   | FOR       | Complete Company | Sink fact |
|---|-------------|--------------|----------|-----------|------------------|-----------|
| в | ·Yaib       | 「見ま「お)、      | 143 18   | 11:7:37-1 | 17.24.67         | 77 15 15  |
| s | Contract of |              | (五人) (1) |           | וומשוו           | ~.1 k #3  |

#### Addendum

ddendum No. 1 issued to modify the following:

Bid Opening Date and Time WAS 08/07/2018 at 1:30 PM EDT

Bid Opening Date and Time CHANGED TO: 08/15/2018 at 1:30 PM EDT

End of Addendum

### Request for Quotation

The West Virginia Purchasing Division is soliciting bids on behalf of the Division of Public Transit and any other state agency that desires to utilize this contract to establish an open-end contract for 158" - 176" Wheelbase Dual Rear Wheel (DRW) Cutaway vehicles with air conditioning, fixed seats, wheelchair securements and lift to provide specialized transportation services in an urban and suburban-rural environment, including hilly terrain and a severe operating climate suited to stop-start duty cycles.

| INVOICETO  |              | SHIP TO                                |  |
|--|--------------|--|--|
| ACCOUNTS PAYABLE PUBLIC TRANSIT DIVISION BLDG 5 RM 650 | N OF         | GENERAL MANAGER PUBLIC TRANSIT DIVISIO | ON OF<br>ONAL TRANSPORTATION AUTHORITY |
| 1900 KANAWHA BLVD E                                    |              | 1550 FOURTH AVE                        | OWNE TOWNS ON A HON A CHICAGO          |
| CHARLESTON   | WV25305-0432 | CHARLESTON                             | WV 25324                               |
| US   |              | US                                     |  |

| Line | Comm Ln Desc                 | Qty     | Unit Issue | Unit Price | Total Price |
|------|------------------------------|---------|------------|------------|-------------|
| 11   | 158" 176 " Wheelbase Cutaway | 1.00000 | EA         |            |             |
| L    | Vehicle                      |         |            |            | i           |

| omm Code | Manufacturer | Specification | Model # | 7 |
|----------|--------------|---------------|---------|---|
| 25101502 |              |               |         | - |
|          |              |               |         | 1 |

### **Extended Description:**

### 158" - 176" Wheelbase Cutaway Vehicle

Vendor should type or clearly print the information into the Exhibit A-Pricing Page to prevent errors in the evaluation. If Vendor is submitting bid online Vendor must submit Exhibit A -Pricing Page as attachment. TOTAL BID FOR EVALUATION is the amount Vendor is to enter into wvOASIS commodity line when submitting. Notwithstanding the foregoing, the Purchasing Division may correct errors at its discretion.



Purchasing Divison 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

### State of West Virginia Request for Quotation 36 — Vehicles

BID RECEIVING LOCATION

BID CLERK

DEPARTMENT OF ADMINISTRATION

PURCHASING DIVISION

2019 WASHINGTON ST E

CHARLESTON WW 25305

US

| VENDOR                                     |  |
|--|--|
| Vendor Name, Address and Telephone Number: |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |

FOR INFORMATION CONTACT THE BUYER

Michelle L Childers (304) 558-2063

michelle.l.childers@wv.gov

<sub>a</sub>nature X

aa

FEIN#

2 3 2 0 5 4 4 7 6

DATE

7/31/18

All offers subject to all terms and conditions contained in this solicitation

| A PARTES | 100        |                 |         | 13 (0) (1                      |
|----------|------------|-----------------|---------|--------------------------------|
| ¥-4818;a | ratais.    | 6 - V 200 1 3 1 | Prair). | ி # - % σ κ ( <b>α.1</b> ή έ⁄2 |
| 100      | - 2 tm / t |                 | 100 100 |                                |

#### Addendum

Idendum No. 2 issued to publish the vendor questions and agency answers.

#### End of Addendum

### Request for Quotation

The West Virginia Purchasing Division is soliciting bids on behalf of the Division of Public Transit and any other state agency that desires to utilize this contract to establish an open-end contract for 158" - 176" Wheelbase Dual Rear Wheel (DRW) Cutaway vehicles with air conditioning, fixed seats, wheelchair securements and lift to provide specialized transportation services in an urban and suburban-rural environment, including hilly terrain and a severe operating climate suited to stop-start duty cycles.

| INVOIGE TO  |              | SRIP TO   | and the second s |  |  |  |  |
|---|--------------|---|--|--|--|--|--|
| ACCOUNTS PAYABLE<br>PUBLIC TRANSIT DIVISIO<br>BLDG 5 RM 650 | N OF         | GENERAL MANAGER PUBLIC TRANSIT DIVISION OF KANAWHA VALLEY REGIONAL TRANSPORTATION AUTHORITY |  |  |  |  |  |
| 1900 KANAWHA BLVD E   |              | 1550 FOURTH AVE   |  |  |  |  |  |
| CHARLESTON  | WV25305-0432 | CHARLESTON  | WV 25324   |  |  |  |  |
| US  |              | us  |  |  |  |  |  |

| Line | Comm Ln Desc                         | Qty     | Unit Issue | Unit Price | Total Price |
|------|--------------------------------------|---------|------------|------------|-------------|
| 1    | 158" 176 " Wheelbase Cutaway Vehicle | 1.00000 | EA         |            |             |

| Comm Code | Manufacturer | Specification | Model # |  |
|-----------|--------------|---------------|---------|--|
| 25101502  |              |               |         |  |
| 1         |              |               |         |  |

#### xtended Description:

### 158" - 176" Wheelbase Cutaway Vehicle

Vendor should type or clearly print the information into the Exhibit A-Pricing Page to prevent errors in the evaluation. If Vendor is submitting bid online Vendor must submit Exhibit A -Pricing Page as attachment. TOTAL BID FOR EVALUATION is the amount Vendor is to enter into wvOASIS commodity line when submitting. Notwithstanding the foregoing, the Purchasing Division may correct errors at its discretion.

## SOLICITATION NUMBER: CRFQ PTR1900000002 Addendum Number: 02

The purpose of this addendum is to modify the solicitation identified as ("Solicitation") to reflect the change(s) identified and described below.

| Appli | cabl | e A | ddendum Category:  |
|-------|------|-----|--|
|       |      | I   | Modify bid opening date and time                         |
|       | [    | 1   | Modify specifications of product or service being sought |
|       | Ī✓   | 1   | Attachment of vendor questions and responses             |
|       | ŧ    | 1   | Attachment of pre-bid sign-in sheet                      |
|       | ĺ    | 1   | Correction of error                                      |
|       | 1    | ı   | Other  |

### **Description of Modification to Solicitation:**

This addendum is issued to modify the solicitation per the attached documentation and the following:

1. To publish vendor questions and agency answers.

No other changes.

Additional Documentation: Documentation related to this Addendum (if any) has been included herewith as Attachment A and is specifically incorporated herein by reference.

### **Terms and Conditions:**

- 1. All provisions of the Solicitation and other addenda not modified herein shall remain in full force and effect.
- 2. Vendor should acknowledge receipt of all addenda issued for this Solicitation by completing an Addendum Acknowledgment, a copy of which is included herewith. Failure to acknowledge addenda may result in bid disqualification. The addendum acknowledgement should be submitted with the bid to expedite document processing.

## ADDENDUM ACKNOWLEDGEMENT FORM SOLICITATION NO.:

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

| Addendum Numbers Received: (Check the box next to each addendum received) |     |                |   |    |                 |  |  |  |
|---|-----|----------------|---|----|-----------------|--|--|--|
| [   | x ] | Addendum No. 1 | [ | J  | Addendum No. 6  |  |  |  |
| []  | ( x | Addendum No. 2 | [ | .] | Addendum No. 7  |  |  |  |
| [   | ]   | Addendum No. 3 | [ | ]  | Addendum No. 8  |  |  |  |
| ]   | ]   | Addendum No. 4 | ſ | ]  | Addendum No. 9  |  |  |  |
| [   | ]   | Addendum No. 5 | [ | ]  | Addendum No. 10 |  |  |  |

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

| Rohrer Bus Sales     |
|----------------------|
| Company              |
| <u>aa</u>            |
| Authorized Signature |
| 8/14/18              |
| Date                 |

NOTE: This addendum acknowledgement should be submitted with the bid to expedite document processing. Revised 6/8/2012



### CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY) 08/09/2018

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES TELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

|             | MPORTANT: If the certificate holder<br>f SUBROGATION IS WAIVED, subject<br>his certificate does not confer rights | is a   | n AD                         | DITIONAL INSURED, the   | he noli            | icy, certain i                           | nolicies may                             | NAL INSURED provision require an endorsemen   | ns or l  | be endorsed.<br>statement on |
|-------------|---|--|------------------------------|---|--------------------|--|--|---|----------|------------------------------|
|             | DDUCER  | to tr  | e cer                        | uncate holder in lieu of s  | CONT.              |  | s).                                      | ······································        |          |                              |
|             | Marsh USA Inc.  |  |                              |   | NAME               |  |  | FAW   |          |                              |
| ł           | One Towne Square, Suite 1100<br>Southfield, MI 48076  |  |                              |   | (A/C. N            | io, Exti:                                |  | FAX<br>(A/C, No)                              | <u> </u> |                              |
|             | Attn: DetroitGroupCaptive.certrequest@mars  | h.com  |                              |   | E-MAIL<br>ADDRESS: |  |  |   |          |                              |
|             |   |  |                              |   |                    | IN                                       | SURER(S) AFFO                            | RDING COVERAGE                                |          | NAIC#                        |
| _           | CN101914100GAWPo-18-19  |  |                              |   | INSUR              | ER A : Zurich Art                        | nerican Insurance                        | Company                                       |          | 16535                        |
| INS         | INSURED Rohrer Enterprises Inc.   |  |                              |   | MSUR               | ER B : American                          | Zurich Insurance                         | Company                                       |          | 40142                        |
|             | dba Rohrer Bus Sales  |  |                              |   | INSUR              | ERC: N/A                                 |  |   |          | N/A                          |
|             | 1515 State Road<br>Duncannon, PA 17020  |  |                              |   | INSUR              | ERD:                                     |  |   |          |                              |
|             | Duticatinon, PA 17020   |  |                              |   | INSUR              | FR F ·                                   |  |   |          |                              |
| L.          |   |  |                              |   | INSUR              |  |  |   |          | <del> </del>                 |
| CO          | VERAGES CE  | RTIF   | CATI                         | E NUMBER:   |                    | 1-009041633-01                           |  | REVISION NUMBER: 3                            | ,        | 1                            |
| T           | HIS IS TO CERTIFY THAT THE POLICIE  | S OF   | INSU                         | RANCE LISTED BELOW HA   | VE DE              | M ISSUED T                               | THE INSUR                                | ED MANED ADOUT FOR T                          | UE 00    | LICY PERIOD                  |
| C<br>E      | ERTIFICATE MAY BE ISSUED OR MAY XXCLUSIONS AND CONDITIONS OF SUCH   | PER<br>POL                                       | REME<br>TAIN.                | INT, TERM OR CONDITION<br>THE INSURANCE AFFORD<br>LIMITS SHOWN MAY HAVE | OF AN              | IY CONTRACT<br>THE POLICIE<br>REDUCED BY | T OR OTHER<br>ES DESCRIBE<br>PAID CLAIMS | DOCUMENT WITH RESPE                           |          |                              |
| INSR<br>LTR |   |  | WAYD                         | POLICY NUMBER   |                    | POLICY EFF<br>(MM/DD/YYYY)               | POLICY EXP<br>(MM/DD/YYYY)               | LINIT   | rs       |                              |
| Α           | X COMMERCIAL GENERAL LIABILITY  |  |                              | GLO6510548-23   |                    | 04/01/2018                               | 04/01/2019                               | EACH OCCURRENCE                               | \$       | 1,000,000                    |
|             | CLAIMS-MADE X OCCUR   |  |                              |   |                    |  | 1  | DAMAGE TO RENTED<br>PREMISES (Ea occurrence)  | \$       | 500,000                      |
|             |   |  |                              |   |                    |  |  | MED EXP (Any one person)                      | s        | 10,000                       |
|             |   |  |                              |   |                    | ļ  |  | PERSONAL & ADV INJURY                         | \$       | 1,000,000                    |
|             | GEN'L AGGREGATE LIMIT APPLIES PER:  |  |                              |   |                    | 1  |  | GENERAL AGGREGATE                             | s        | 2,000,000                    |
|             | X POLICY PRO-   | 1  |                              |   |                    | ]  | 1  | PRODUCTS - COMP/OP AGG                        | -        | 2,000,000                    |
|             | OTHER:  |  |                              |   |                    |  |  | PRODUCTS - COMP/OP AGG                        | \$       | 2,000,000                    |
|             | AUTOMOBILE LIABILITY  | <del>                                     </del> | -                            | BAP6510547-23   |                    | 04/01/2018                               | 04/01/2019                               | COMBINED SINGLE LIMIT<br>(Ea accident)        | \$       | 4 000 000                    |
|             | X ANY AUTO  | ]  |                              | BAP6510812-21   |                    | 04/01/2018                               | 04/01/2019                               |   |          | 1,000,000                    |
|             | OWNED SCHEDULED AUTOS   |  | Ì                            |   |                    | 0.00                                     | 040112013                                | BODILY INJURY (Per person)                    | \$       |                              |
|             | y   HIRED   √   NON-OWNED   |  |                              |   |                    |  |  | BODILY INJURY (Per accident) PROPERTY DAMAGE  | \$       |                              |
|             | AUTOS ONLY AUTOS ONLY   |  |                              |   |                    |  | 1  | (Per accident)                                | \$       |                              |
|             |   | -  |                              |   |                    |  |  |   | \$       |                              |
|             | UMBRELLA LIAB OCCUR   |  |                              |   |                    |  |  | EACH OCCURRENCE                               | \$       |                              |
|             | EXCESS LIAB CLAIMS-MADE   |  |                              |   |                    | ,  |  | AGGREGATE                                     | \$       |                              |
|             | DED RETENTION \$  |  |                              |   |                    |  |  |   | \$       |                              |
| В           | WORKERS COMPENSATION AND EMPLOYERS' LIABILITY   |  |                              | WC 6510546-23   |                    | 04/01/2018                               | 04/01/2019                               | X PER OTH-                                    |          |                              |
|             | ANYPROPRIETOR/PARTNER/EXECUTIVE N   | N/A  |                              | Does not apply to the Monopolistic                                      | 3                  |  | 1  | E.L. EACH ACCIDENT                            | s        | 500,000                      |
|             | (Mandatory in NH)   | " "  | States (ND, OH, WA, and WY), |   | }                  |  | ſ  | E.L. DISEASE - EA EMPLOYEE                    | \$       | 500,000                      |
|             | if yes, describe under<br>DESCRIPTION OF OPERATIONS below   |  | -                            | Puerto Rico, or the Virgin Islands                                      |                    |  |  | E.L. DISEASE - POLICY LIMIT                   | 8        | 500,000                      |
|             |   |  |                              |   |                    |  |  | E.C. DISEASE - POLICY LIMIT                   | 9        |                              |
|             |   |  |                              |   |                    |  |  |   |          |                              |
|             |   |  |                              |   |                    |  |  |   |          |                              |
| DESC        | RIPTION OF OPERATIONS / LOCATIONS / VEHIC   | LES (/   | CORD                         | 101, Additional Remarks Schedul   | e, may be          | attached if mon                          | e space is require                       | d)  |          |                              |
| The         | pertificate holder is included as additional insured for  | Genen  | ai Liabill                   | ty and Auto Liability as required by                                    | written co         | intract or written a                     | greement, per pol                        | cy terms and conditions.                      |          |                              |
|             |   |  |                              |   |                    |  |  |   |          |                              |
|             |   |  |                              |   |                    |  |  |   |          |                              |
|             |   |  |                              |   |                    |  |  |   |          |                              |
|             |   |  |                              |   |                    |  |  |   |          |                              |
|             |   |  |                              |   |                    |  |  |   |          |                              |
| OFF         |   | <del></del>                                      |                              |   |                    | <del></del>                              |  |   |          |                              |
| UER         | RTIFICATE HOLDER  |  |                              |   | CANC               | ELLATION                                 |  |   |          |                              |
|             | State of West Virginia  |  |                              |   | PHO                | III D ANN OF T                           | 51E 45000 De                             |   |          |                              |
| 76          | Capartment of Administration, Purchasing Divis  | ion, 20  | î9 ₩as                       | hington   |                    |  |  | SCRIBED POLICIES BE CA<br>REOF, NOTICE WILL B |          |                              |
| kerie       |   |  |                              | l   | ACC                | ORDANCE WIT                              | TH THE POLICY                            | PROVISIONS.                                   | - 55     |                              |
|             | Charleston, WV 25305  |  |                              | Ĺ   |                    |  |  |   |          |                              |
|             |   |  |                              |   |                    | USA Inc.                                 |  |   |          |                              |
|             |   |  |                              |   |                    | John C Hurley                            |  |   |          |                              |

## **REQUEST FOR QUOTATION EXHIBIT A PRICING PAGE** 158" - 176" Wheelbase Cutway Vehicle

## **VENDOR NAME:** MANUFACTURER/MAKE/MODEL:

| CLASS | VEHICLE DESCRIPTION  | UNIT PRICE PER VEHICLE | ESTIMATED QUANTITY | EXTENDED PRICE |
|-------|--|------------------------|--------------------|----------------|
| А     | 158" Vehicle, Six (6) Fixed Double Seats, Two (2) Wheelchair Positions with One (1) Fold Up Seat (Double), Rear Curbside Lift Location, Vinyl Logo and Stripes   | \$71,927.00            | 5                  | \$359,635.00   |
| В     | 158" Vehicle, Six (6) Fixed Double Seats, Two (2) Wheelchair Positions with One (1) Fold Up Seat (Double), Rear Curbside Lift Location, Full Bus Body Paint or 3/4 Bus Body Paint with Expanded Graphics                                   | \$75,862.00            | 5                  | \$379,310.0    |
| С     | Vehicle, Five (5) Fixed Double Seats, Two (2) Wheelchair Positons with Two (2) Fold Up Seats (Double), Extended Wheelbase to 176", Front Wheel Chair Lift Location, Vinyl Logo and Stripes   | \$72,897.00            | 5                  | \$364,485.0    |
| D     | Vehicle, Five (5) Fixed Double Seats, Two (2) Wheelchair Positons with Two (2) Fold Up Seats (Double), Extended Wheelbase to 176",  Front Wheel Chair Lift Location, Full Bus Body Paint  or 3/4 Bus Body Paint with Expanded Graphics     | \$76,881.00            | 5                  | \$384,405.0    |
| E     | Vehicle, Four (4) Fixed Double Seats, Three (3) Wheelchair Positons with Three (3) Fold Up Seats (Double), Extended Wheelbase to 176", Front Wheel Chair Lift Location, Vinyl Logo and Stripes   | \$75,187.00            | 2                  | \$150,374.0    |
| F     | Vehicle, Four (4) Fixed Double Seats, Three (3) Wheelchair Positons with Three (3) Fold Up Seats (Doulbe), Extended Wheelbase to 176",  Front Wheel Chair Lift Location, Full Bus Body Paint  or 3/4 Bus Body Paint with Expanded Graphics | \$79,167.00            | 2                  | \$158,334.0    |
|       | TOTAL BID FOR EVALUATION   |                        |                    | 1,796,54       |

\*Complete form provided. The DPT may purchase more or less as needed. Note: These are only estimated quantities and do not reflect any guarantee of purchase. Please do not alter pricing page.



### **CLASS A**

| STANDARD FEATURES   |  |  |  |  |  |
|---|--|--|--|--|--|
| Standard Body Construction Feature                                  | Electrical System Features                                     |  |  |  |  |
| <ul> <li>Fully Weided Steel Roll Cage Construction</li> </ul>       | • 30" Electrical Entrance Door                                 |  |  |  |  |
| 1.5X1.5" 16 Ga. Steel Body Superstructure                           | Dual Batteries   |  |  |  |  |
| <ul> <li>14 Gauge Steel Stepwell</li> </ul>                         | <ul> <li>All Battery Cable To Be 2/0 Sgx</li> </ul>            |  |  |  |  |
| <ul> <li>16 Gauge Steel Wheel Wells</li> </ul>                      | • Led Interior Dome Lights                                     |  |  |  |  |
| <ul> <li>Top T-Slider Windows</li> </ul>                            | <ul> <li>Electrical Fuse Panel Located Above Driver</li> </ul> |  |  |  |  |
| <ul> <li>Rear Escape Window</li> </ul>                              | Led Dual Stepwell Lights                                       |  |  |  |  |
| <ul> <li>Integrated Track Seating into Body Construction</li> </ul> | ion • All Led Exterior Lighting                                |  |  |  |  |
| • 5/8" CDX Plywood Floor  | Exterior Features  |  |  |  |  |
| <ul> <li>2.54 Fiberglass Exterior Sidewalls</li> </ul>              | <ul> <li>Black Steel Powder Coated Rear Bumper</li> </ul>      |  |  |  |  |
| <ul> <li>Galvanized Steel Skirts</li> </ul>                         | <ul> <li>Rosco Eurostyle Manual Exterior Mirrors</li> </ul>    |  |  |  |  |
| <ul> <li>Roof One Piece Composite</li> </ul>                        | • Rear Exhaust   |  |  |  |  |
| <ul> <li>Stylish Fiberglass Rear Cap</li> </ul>                     | • Rear Mud Fiaps   |  |  |  |  |
| <ul> <li>Drip Rail Over Passenger Entry Door</li> </ul>             | <ul> <li>Foam Insulation 1/2" Thick - R Value 8</li> </ul>     |  |  |  |  |
| <ul> <li>Rust Inhibitor: Floor, Frame, Lower Sidewalls</li> </ul>   | • Full Body Undercoating                                       |  |  |  |  |
| <ul> <li>Anti-Corrosion Protected Step Wells And Wing</li> </ul>    | <ul> <li>Suspension, Chassis Front End Alignment</li> </ul>    |  |  |  |  |
| <ul> <li>Non-Slip Gerflor-Anthracite</li> </ul>                     | Eccentric CAM Replacement                                      |  |  |  |  |
| <ul> <li>Rubber White Step Nosings</li> </ul>                       |  |  |  |  |  |
| <ul> <li>London Smoke Interior</li> </ul>                           |  |  |  |  |  |
| Flat London Smoke Wire Bars   | Ford QVM Certified Manufacturing                               |  |  |  |  |
| Carlsbad Ceiling  | SO 9001:2000 Certified Facility                                |  |  |  |  |
| <ul> <li>Right Hand Grab Rail</li> </ul>                            |  |  |  |  |  |
| <ul> <li>Left Hand Grab Rail With Stanchion And Mode</li> </ul>     | esty Panel   |  |  |  |  |
| <ul> <li>Black Kick Panel Under Seat Rail</li> </ul>                | Black Kick Panel Under Seat Rail                               |  |  |  |  |

| *Options Override Standard Features |   |  |  |
|-------------------------------------|---|--|--|
| Qty.                                | Description   |  |  |
|                                     | BASE MODEL  |  |  |
| 1                                   | CHALLENGER 158-E350 FORD 6.8L GAS   |  |  |
|                                     | FORD CHASSIS OPTIONS  |  |  |
| 1                                   | FORD E-450-158" W/B, 14,500 # GVWR, 6.8 L GAS-EFI- V10, 320 HP @ 4250 RPM- 420 LB/FT @ 3250 RPM, 5-SPEED HD O/D AUTOMATIC TRANS, AUX. TRANSMISSION COOLER, 4.56 REAR AXLE RATIO, 225-AMP ALTERNATOR, 650 CCA BATTERY, 55 GALLON FUEL TANK, HD GAS SHOCK ABSORBERS, POWER 4-WHEEL DISC (ABS), 16 X 6 STEEL WHEELS, 5000# TWIN I-BEAM FRONT AXLE, 9500# REAR AXLE, TIRES LT225/75R 16E, BSW ALL SEASON, TILT/CRUISE |  |  |

| 1   | DROP SHIP CHASSIS/TRANSEER FEE (REQUIRED ON ALL ORDERS)  |  |  |
|---|--|--|--|
| 1   | ( Carlotte of the control of the con |  |  |
| 1   | RUNNING BOARD, ROADSIDE ALUMINUM   |  |  |
|   | BATTERY, BOX S/S SLIDE/TRAY (CUTAWAYS)   |  |  |
| 1   | EXTENSION, TIRE VALVE STEM   |  |  |
| 1 1   | SPARE TIRE/WHEEL 16.0" SHIP LOOSE  |  |  |
|   | SUSPENSION, MOR/RYDE REAR E450/350   |  |  |
| 1   | AS BUILT WIRING DIAGRAMS   |  |  |
| 2   | DEFROST FAN, EACH  |  |  |
| 1   |  |  |  |
| 1   | LIFT MASTER SWITCH W/INDICATOR LIGHT   |  |  |
|   | LIGHT, DOOR AJAR W/BUZZER (REAR DOOR)  |  |  |
| 1   | LIGHT, REAR CENTER BRAKE "LED"   |  |  |
| 1   | LIGHTS, DOOR ACTUATED DOME   |  |  |
| 1   | LIGHTS, SIDEMARKER LED ONLY  |  |  |
| 1   | LIGHT, STROBE-ROOF MOUNTED   |  |  |
| 1   | REI AUDIO/VIDEO OPTIONS  |  |  |
| 1   | AM/FM/MP3/SAT RADIO W/ 4 SPEAKERS REI  |  |  |
| 1   | MIC HANDHELD IN-DASH REI   |  |  |
| 1   | PAGE, SPEAKER EXTERIOR (EACH)  BACK-UP CAMERA SYST 7" MON. & 1 CAM REI   |  |  |
| 1   | RADIO, TWO WAY PREP  |  |  |
|   |  |  |  |
| 23  | FLOORING OPTIONS  GERFLOOR FLOORING PER FOOT (SIRIUS) COLOR: SELECT COLOR  |  |  |
|   | ,  |  |  |
| 1   | LINDEDRELLY CTEEL  |  |  |
| 1   | UNDERBELLY STEEL   |  |  |
| 1   | PLYWOOD, 5/8" PRESSURE TREATED FLOOR   |  |  |
| 1   | PLYWOOD, 5/8" PRESSURE TREATED FLOOR YELLOW STANDEE LINE   |  |  |
| 1   | PLYWOOD, 5/8" PRESSURE TREATED FLOOR YELLOW STANDEE LINE YELLOW STEP EDGE NOSINGS  |  |  |
| 1   | PLYWOOD, 5/8" PRESSURE TREATED FLOOR YELLOW STANDEE LINE YELLOW STEP EDGE NOSINGS CLIMATE CONTROL OPTIONS  |  |  |
| 1 1 1   | PLYWOOD, 5/8" PRESSURE TREATED FLOOR YELLOW STANDEE LINE YELLOW STEP EDGE NOSINGS  CLIMATE CONTROL OPTIONS  ACT A/C SYSTEMS  |  |  |
| 1 1 1   | PLYWOOD, 5/8" PRESSURE TREATED FLOOR YELLOW STANDEE LINE YELLOW STEP EDGE NOSINGS CLIMATE CONTROL OPTIONS  |  |  |
| 1 1 1   | PLYWOOD, 5/8" PRESSURE TREATED FLOOR  YELLOW STANDEE LINE  YELLOW STEP EDGE NOSINGS  CLIMATE CONTROL OPTIONS  ACT A/C SYSTEMS  ACT 70,000 BTU MAX A/C (FORD 6.8): OEM PLUS TM-16 COMPRESSOR, EZ-5  |  |  |
| 1 1 1 1   | PLYWOOD, 5/8" PRESSURE TREATED FLOOR  YELLOW STANDEE LINE  YELLOW STEP EDGE NOSINGS  CLIMATE CONTROL OPTIONS  ACT A/C SYSTEMS  ACT 70,000 BTU MAX A/C (FORD 6.8): OEM PLUS TM-16 COMPRESSOR, EZ-5  EVAPORATOR, CS-3 CONDENSER  |  |  |
| 1 1 1 1 1 1 1   | PLYWOOD, 5/8" PRESSURE TREATED FLOOR YELLOW STANDEE LINE YELLOW STEP EDGE NOSINGS  CLIMATE CONTROL OPTIONS  ACT A/C SYSTEMS  ACT 70,000 BTU MAX A/C (FORD 6.8): OEM PLUS TM-16 COMPRESSOR, EZ-5 EVAPORATOR, CS-3 CONDENSER  ELECTRIC HEATED ENTRANCE STEP (ONE STEP)   |  |  |
| 1<br>1<br>1<br>1<br>1   | PLYWOOD, 5/8" PRESSURE TREATED FLOOR  YELLOW STANDEE LINE  YELLOW STEP EDGE NOSINGS  CLIMATE CONTROL OPTIONS  ACT A/C SYSTEMS  ACT 70,000 BTU MAX A/C (FORD 6.8): OEM PLUS TM-16 COMPRESSOR, EZ-5  EVAPORATOR, CS-3 CONDENSER  ELECTRIC HEATED ENTRANCE STEP (ONE STEP)  HEAT CIRCULATION PUMP   |  |  |
| 1<br>1<br>1<br>1<br>1   | PLYWOOD, 5/8" PRESSURE TREATED FLOOR YELLOW STANDEE LINE YELLOW STEP EDGE NOSINGS  CLIMATE CONTROL OPTIONS  ACT A/C SYSTEMS  ACT 70,000 BTU MAX A/C (FORD 6.8): OEM PLUS TM-16 COMPRESSOR, EZ-5 EVAPORATOR, CS-3 CONDENSER  ELECTRIC HEATED ENTRANCE STEP (ONE STEP)  HEAT CIRCULATION PUMP  HEATER 35,000 BTU   |  |  |
| 1 1 1 1 1 1 1 1 2 1   | PLYWOOD, 5/8" PRESSURE TREATED FLOOR  YELLOW STANDEE LINE  YELLOW STEP EDGE NOSINGS  CLIMATE CONTROL OPTIONS  ACT A/C SYSTEMS  ACT 70,000 BTU MAX A/C (FORD 6.8): OEM PLUS TM-16 COMPRESSOR, EZ-5  EVAPORATOR, CS-3 CONDENSER  ELECTRIC HEATED ENTRANCE STEP (ONE STEP)  HEAT CIRCULATION PUMP  HEATER 35,000 BTU  EXTERIOR OPTIONS  |  |  |
| 1<br>1<br>1<br>1<br>1<br>1<br>1<br>1<br>1                     | PLYWOOD, 5/8" PRESSURE TREATED FLOOR YELLOW STANDEE LINE YELLOW STEP EDGE NOSINGS  CLIMATE CONTROL OPTIONS  ACT A/C SYSTEMS  ACT 70,000 BTU MAX A/C (FORD 6.8): OEM PLUS TM-16 COMPRESSOR, EZ-5 EVAPORATOR, CS-3 CONDENSER  ELECTRIC HEATED ENTRANCE STEP (ONE STEP)  HEAT CIRCULATION PUMP  HEATER 35,000 BTU  EXTERIOR OPTIONS  BUMPER, ENERGY ABSORBING REAR (TRANSPEC) CH/CR/RAIL  |  |  |
| 1<br>1<br>1<br>1<br>1<br>1<br>1<br>1<br>1<br>1<br>1           | PLYWOOD, 5/8" PRESSURE TREATED FLOOR YELLOW STANDEE LINE YELLOW STEP EDGE NOSINGS  CLIMATE CONTROL OPTIONS  ACT A/C SYSTEMS  ACT 70,000 BTU MAX A/C (FORD 6.8): OEM PLUS TM-16 COMPRESSOR, EZ-5 EVAPORATOR, CS-3 CONDENSER  ELECTRIC HEATED ENTRANCE STEP (ONE STEP) HEAT CIRCULATION PUMP HEATER 35,000 BTU  EXTERIOR OPTIONS  BUMPER, ENERGY ABSORBING REAR (TRANSPEC) CH/CR/RAIL  DRIP MOLDING OVER WINDOWS LARGE   |  |  |
| 1<br>1<br>1<br>1<br>1<br>1<br>1<br>1<br>1<br>1<br>1           | PLYWOOD, 5/8" PRESSURE TREATED FLOOR YELLOW STANDEE LINE YELLOW STEP EDGE NOSINGS  CLIMATE CONTROL OPTIONS  ACT A/C SYSTEMS  ACT 70,000 BTU MAX A/C (FORD 6.8): OEM PLUS TM-16 COMPRESSOR, EZ-5 EVAPORATOR, CS-3 CONDENSER  ELECTRIC HEATED ENTRANCE STEP (ONE STEP) HEAT CIRCULATION PUMP HEATER 35,000 BTU  EXTERIOR OPTIONS  BUMPER, ENERGY ABSORBING REAR (TRANSPEC) CH/CR/RAIL DRIP MOLDING OVER WINDOWS LARGE DOOR, REAR 37-1/8 X 56 W/2 WINDOWS WINDOWS BOTH SIDES OF REAR DOOR (2)   |  |  |
| 1<br>1<br>1<br>1<br>1<br>1<br>1<br>1<br>1<br>1<br>1<br>1      | PLYWOOD, 5/8" PRESSURE TREATED FLOOR YELLOW STANDEE LINE YELLOW STEP EDGE NOSINGS  CLIMATE CONTROL OPTIONS  ACT A/C SYSTEMS  ACT 70,000 BTU MAX A/C (FORD 6.8): OEM PLUS TM-16 COMPRESSOR, EZ-5 EVAPORATOR, CS-3 CONDENSER  ELECTRIC HEATED ENTRANCE STEP (ONE STEP) HEAT CIRCULATION PUMP HEATER 35,000 BTU  EXTERIOR OPTIONS  BUMPER, ENERGY ABSORBING REAR (TRANSPEC) CH/CR/RAIL DRIP MOLDING OVER WINDOWS LARGE DOOR, REAR 37-1/8 X 56 W/2 WINDOWS WINDOWS BOTH SIDES OF REAR DOOR (2) FUEL FILL DOOR- BRUSHED STAINLESS STEEL-ALL   |  |  |
| 1<br>1<br>1<br>1<br>1<br>1<br>1<br>1<br>1<br>1<br>1<br>1<br>1 | PLYWOOD, 5/8" PRESSURE TREATED FLOOR YELLOW STANDEE LINE YELLOW STEP EDGE NOSINGS  CLIMATE CONTROL OPTIONS  ACT A/C SYSTEMS  ACT 70,000 BTU MAX A/C (FORD 6.8): OEM PLUS TM-16 COMPRESSOR, EZ-5 EVAPORATOR, CS-3 CONDENSER  ELECTRIC HEATED ENTRANCE STEP (ONE STEP) HEAT CIRCULATION PUMP HEATER 35,000 BTU  EXTERIOR OPTIONS  BUMPER, ENERGY ABSORBING REAR (TRANSPEC) CH/CR/RAIL DRIP MOLDING OVER WINDOWS LARGE DOOR, REAR 37-1/8 X 56 W/2 WINDOWS WINDOWS BOTH SIDES OF REAR DOOR (2)   |  |  |

| 2   | Q-STRAINT, TIEDOWN MAX W/TRACK RETRACTABLE SHOULDER BELT  |  |  |  |  |  |
|-----|---|--|--|--|--|--|
| 8   | STRAP QUICK SURELOK 16" EACH  |  |  |  |  |  |
| 1   | STORAGE BOX FOR BELTS - HOLDS 2 SETS  |  |  |  |  |  |
|     | SAFETY OPTIONS  |  |  |  |  |  |
| 2   | BLANKET, FIREPROOF 62" X 80"  |  |  |  |  |  |
| 1   | ESCAPE HATCH STANDARD VENT MODEL (TRANSPEC)   |  |  |  |  |  |
| 1   | EXIT BUZZER (1 PER BUS) "IN DASH"   |  |  |  |  |  |
| 4   | EXIT SWITCH (PER EXIT)  |  |  |  |  |  |
| 1   | FRESNAL LENS  |  |  |  |  |  |
| 1   | GRAB RAILS, CEILING   |  |  |  |  |  |
| 2   | KICK OUT WINDOW (ADDITIONAL) - 2 PER SIDE   |  |  |  |  |  |
| 1   | KIT,BLOOD BORN DISEASE  |  |  |  |  |  |
| 1   | MIRROR, INTERIOR 6.0" X 16.0"   |  |  |  |  |  |
| 1   | MIRRORS, EXTERIOR ROSCO HEATED/REMOTE-FORD  |  |  |  |  |  |
| 1   | SAFETY PACKAGE 1: SMALL BACK UP ALARM, 5# FIRE EXTINGUISHER, FIRST AID KIT (13 UNIT), REFLECTOR TRIANGLES |  |  |  |  |  |
| 2   | STANCHION PADDING GRAY (1 SET)  |  |  |  |  |  |
| 1   | STANCHION, W/MODESTY BEHIND DRIVER  |  |  |  |  |  |
| 1   | STANCHION W/INTEGRATED RIGHT HAND GRAB  |  |  |  |  |  |
| 1   | BARRIER, PLEXIGLASS   |  |  |  |  |  |
|     | INTERIOR OPTIONS  |  |  |  |  |  |
| 2   | DECALS, INTERIOR SIGN RED/BLACK LETTERS- MAX 40 LETTERS (PER)   |  |  |  |  |  |
| 4   | DECAL, "EMERGENCY EXIT"   |  |  |  |  |  |
| 1   | DECAL, "NO-SMOKING"   |  |  |  |  |  |
| _1_ | DECAL, "SEAT BELT MUST BE WORN AT ALL"  |  |  |  |  |  |
| 1   | DECAL, "WATCH YOUR STEP"  |  |  |  |  |  |
| 1   | DECAL, CLEARANCE HEIGHT   |  |  |  |  |  |
| 1   | DECAL,STOPS AT ALL RAILROAD CROSSINGS   |  |  |  |  |  |
| 1   | DECAL, VEHICLE MAKES SUDDEN & FREQ STOPS  |  |  |  |  |  |
| 1   | FAREBOX PREP  |  |  |  |  |  |
| 1   | PASSENGER, PULL CORD YELLOW   |  |  |  |  |  |
| 2   | PASSENGER, PUSH BUTTON (PER LOCATION)   |  |  |  |  |  |
| 1   | SIGNAL, CHIME 2-TONE (ADA)  |  |  |  |  |  |
|     | PASSENGER SEATING OPTIONS (SEAT PRICES INCLUDE 60" SEAT BELTS)  |  |  |  |  |  |
| 4   | MID HI FEATHERWEIGHT RIGID W/T LEG SINGLE 2-1 SEATING   |  |  |  |  |  |
| 1   | SEAT, 35" FSC TWO STEP FOLDAWAY FLIP  |  |  |  |  |  |
| 2   | ICS DOUBLE, 1-ICS & 1-COMPANION   |  |  |  |  |  |
| 2   | CHILD SAFETY LATCH SYSTEM FREEDMAN  |  |  |  |  |  |
|     | PASSENGER SEATING FABRIC OPTIONS  |  |  |  |  |  |
| 14  | LEVEL 4 FABRIC UPGRADE (PER PASSENGER)  |  |  |  |  |  |
|     | DRIVER SEATING OPTIONS  |  |  |  |  |  |
| 1   | SEAT, DRIVER/CO-PILOT SHIELD FORD/GM  |  |  |  |  |  |
|     | DRIVER SEATING FABRIC OPTIONS   |  |  |  |  |  |
|     |   |  |  |  |  |  |

| 1 LEVEL 4 FABRIC UPGRADE - DRIVER SEAT |  |  |  |  |
|--|--|--|--|--|
|  | SEAT BELT OPTIONS  |  |  |  |
| 14                                     | SEAT BELT, 2 PT RETRACTABLE (N/A W-PERIMERTER SEATS OR FLIP SEATS)                                       |  |  |  |
| 5                                      | SEAT BELT EXTENSION 24"  |  |  |  |
|  | SEAT ACCESSORY OPTIONS   |  |  |  |
| 7                                      | FREEDMAN US ARM (FLIP UP)  |  |  |  |
|  | UNLISTED FACTORY OPTIONS/ORDER NOTES   |  |  |  |
| 1                                      | Hood Scoops/Bilge Ports  |  |  |  |
| 2                                      | 11"x17" Laminated Electrical Schematics  |  |  |  |
| 1                                      | EXTERIOR GRAPHICS - RAILROAD X'ING, PARATRANSIT, FREQUENT STOPS, STANICLEAR OF LIFT, AND REFLECTIVE TAPE |  |  |  |
| 1                                      | Kubota Key Door Switch   |  |  |  |
| 1                                      | Warning Light and Buzzer for WC Lift door when Interlock conditions are not me                           |  |  |  |
| 1                                      | RACK, PREP BIKE SPORTSWORKS E450 OEM   |  |  |  |
| 1                                      | Need 37"x51" 1000lb lift- Wide Door Required   |  |  |  |
| 1                                      | Lift Activation causes Hazard lights to flash  |  |  |  |
| 1                                      | Red Light at Emergency Exits   |  |  |  |
| 1                                      | Brake Lights and Turn Signals on separate circuit. Brakes=Red Turns=Amber                                |  |  |  |
| 2                                      | SAFETY VEST CLASS 1 XXL ORANGE   |  |  |  |
| 1                                      | WHEEL CHOCKS, PAIR   |  |  |  |
| 1                                      | WV Pro Vision 6 camera system  |  |  |  |
| 2                                      | MYLAR BLANKETS   |  |  |  |



## **CLASS B**

| ndard Body Construction Feature Elect                               | rical System Features                                       |  |  |  |
|---|---|--|--|--|
| <ul> <li>Fully Welded Steel Roll Cage Construction</li> </ul>       | • 30" Electrical Entrance Door                              |  |  |  |
| 1.5X1.5" 16 Ga. Steel Body Superstructure                           | Dual Batteries  |  |  |  |
| 14 Gauge Steel Stepwell   | All Battery Cable To Be 2/0 Sgx                             |  |  |  |
| <ul> <li>16 Gauge Steel Wheel Wells</li> </ul>                      | Led Interior Dome Lights                                    |  |  |  |
| Top T-Slider Windows  | Electrical Fuse Panel Located Above Driver                  |  |  |  |
| Rear Escape Window  | Led Dual Stepwell Lights                                    |  |  |  |
| <ul> <li>Integrated Track Seating into Body Construction</li> </ul> | All Led Exterior Lighting                                   |  |  |  |
| • 5/8" CDX Plywood Floor Exter                                      | ior Features  |  |  |  |
| <ul> <li>2.54 Fiberglass Exterior Sidewalls</li> </ul>              | Black Steel Powder Coated Rear Bumper                       |  |  |  |
| Galvanized Steel Skirts   | Rosco Eurostyle Manual Exterior Mirrors                     |  |  |  |
| <ul> <li>Roof One Piece Composite</li> </ul>                        | Rear Exhaust  |  |  |  |
| Stylish Fiberglass Rear Cap   | • Rear Mud Flaps  |  |  |  |
| <ul> <li>Drip Rail Over Passenger Entry Door</li> </ul>             | • Foam Insulation 1/2" Thick - R Value 8                    |  |  |  |
| <ul> <li>Rust Inhibitor: Floor, Frame, Lower Sidewalls</li> </ul>   | Full Body Undercoating                                      |  |  |  |
| <ul> <li>Anti-Corrosion Protected Step Wells And Wings</li> </ul>   | <ul> <li>Suspension, Chassis Front End Alignment</li> </ul> |  |  |  |
| Non-Slip Gerflor-Anthracite   | Eccentric CAM Replacement                                   |  |  |  |
| Rubber White Step Nosings   |   |  |  |  |
| London Smoke Interior   |   |  |  |  |
| • Flat London Smoke Wire Bars Ford                                  | QVM Certified Manufacturing                                 |  |  |  |
| Carlsbad Ceiling     ISO 9  | 001:2000 Certified Facility                                 |  |  |  |
| Right Hand Grab Rail  | •   |  |  |  |
| Left Hand Grab Rail With Stanchion And Modesty Panel                |   |  |  |  |
| Black Kick Panel Under Seat Rail                                    |   |  |  |  |

| Qty. | Description   |
|------|---|
|      | BASE MODEL  |
| 1    | CHALLENGER 158-E350 FORD 6.8L GAS   |
|      | FORD CHASSIS OPTIONS  |
| 1    | FORD E-450-158" W/B, 14,500 # GVWR, 6.8 L GAS-EFI- V10, 320 HP @ 4250 RPM- 420 LB/FT @ 3250 RPM, 5-SPEED HD O/D AUTOMATIC TRANS, AUX. TRANSMISSION COOLER, 4.56 REAR AXLE RATIO, 225-AMP ALTERNATOR, 650 CCA BATTERY, 55 GALLON FUEL TANK, HD GAS SHOCK ABSORBERS, POWER 4-WHEEL DISC (ABS), 16 X 6 STEEL WHEELS, 5000# TWIN I-BEAM FRONT AXLE, 9500# REAR AXLE, TIRES LT225/75R 16E, BSW ALL SEASON, TILT/CRUISE |

|             | CHASSIS OPTIONS  |  |  |
|-------------|--|--|--|
| 1           | DROP SHIP CHASSIS/TRANSFER FEE (REQUIRED ON ALL ORDERS)  |  |  |
| 1           | RUNNING BOARD, ROADSIDE ALUMINUM   |  |  |
| 1           | BATTERY, BOX S/S SLIDE/TRAY (CUTAWAYS)   |  |  |
| 1           | EXTENSION, TIRE VALVE STEM   |  |  |
| 1           | SPARE TIRE/WHEEL 16.0" SHIP LOOSE  |  |  |
| 1           | SUSPENSION, MOR/RYDE REAR E450/350   |  |  |
|             | ELECTRICAL OPTIONS   |  |  |
| _1_         | AS BUILT WIRING DIAGRAMS   |  |  |
| 2           | DEFROST FAN, EACH  |  |  |
| 1           | LIFT MASTER SWITCH W/INDICATOR LIGHT   |  |  |
| 1           | LIGHT, DOOR AJAR W/BUZZER (REAR DOOR)  |  |  |
| 1           | LIGHT, REAR CENTER BRAKE "LED"   |  |  |
| 1           | LIGHTS, DOOR ACTUATED DOME   |  |  |
| 1           | LIGHTS, SIDEMARKER LED ONLY  |  |  |
| 1           | LIGHT, STROBE-ROOF MOUNTED   |  |  |
|             | REI AUDIO/VIDEO OPTIONS  |  |  |
| 1           | AM/FM/MP3/SAT RADIO W/ 4 SPEAKERS REI  |  |  |
| 1           | MIC HANDHELD IN-DASH REI   |  |  |
| 1           | PAGE,SPEAKER EXTERIOR (EACH)   |  |  |
| 1           | BACK-UP CAMERA SYST 7" MON. & 1 CAM REI  |  |  |
| 1           | RADIO, TWO WAY PREP  |  |  |
|             | FLOORING OPTIONS   |  |  |
| 23          | GERFLOOR FLOORING PER FOOT (SIRIUS) COLOR: SELECT COLO   |  |  |
| 1           | UNDERBELLY STEEL -   |  |  |
| 1           | PLYWOOD, 5/8" PRESSURE TREATED FLOOR   |  |  |
| 1           | YELLOW STANDEE LINE  |  |  |
| 1           | YELLOW STEP EDGE NOSINGS   |  |  |
| 5           | CLIMATE CONTROL OPTIONS  |  |  |
| *           | ACT A/C SYSTEMS  |  |  |
| 1           | ACT 70,000 BTU MAX A/C (FORD 6.8): OEM PLUS TM-16 COMPRESSOR, EZ-5 EVAPORATOR, CS-3, CONDENSER   |  |  |
| 1           | ELECTRIC HEATED ENTRANCE STEP (ONE STEP)   |  |  |
| 1           | HEAT CIRCULATION PUMP  |  |  |
| 2           | HEATER 35,000 BTU  |  |  |
|             | EXTERIOR OPTIONS   |  |  |
|             | BUMPER, ENERGY ABSORBING REAR (TRANSPEC) CH/CR/RAIL  |  |  |
| 1           | DOMPLIN, LIVENOT ADSORDING NEAR (TRANSPEC) CHICKRAIL   |  |  |
| 1           | DRIP MOLDING OVER WINDOWS LARGE  |  |  |
|             | ,  |  |  |
| 1           | DRIP MOLDING OVER WINDOWS LARGE  |  |  |
| 1           | DRIP MOLDING OVER WINDOWS LARGE DOOR, REAR 37-1/8 X 56 W/2 WINDOWS   |  |  |
| 1 1 1       | DRIP MOLDING OVER WINDOWS LARGE DOOR, REAR 37-1/8 X 56 W/2 WINDOWS WINDOWS BOTH SIDES OF REAR DOOR (2)   |  |  |
| 1<br>1<br>1 | DRIP MOLDING OVER WINDOWS LARGE DOOR, REAR 37-1/8 X 56 W/2 WINDOWS WINDOWS BOTH SIDES OF REAR DOOR (2) FUEL FILL DOOR- BRUSHED STAINLESS STEEL-ALL |  |  |

| 2              | Q-STRAINT, TIEDOWN MAX W/TRACK RETRACTABLE SHOULDER BELT   |  |  |  |
|----------------|--|--|--|--|
| 8              | STRAP QUICK SURELOK 16" EACH   |  |  |  |
| 1              | STORAGE BOX FOR BELTS - HOLDS 2 SETS   |  |  |  |
| SAFETY OPTIONS |  |  |  |  |
| 2              | BLANKET, FIREPROOF 62" X 80"   |  |  |  |
| 1              | ESCAPE HATCH STANDARD VENT MODEL (TRANSPEC)  |  |  |  |
| 1              | EXIT BUZZER (1 PER BUS) "IN DASH"  |  |  |  |
| 4              | EXIT SWITCH (PER EXIT)   |  |  |  |
| 1              | FRESNAL LENS   |  |  |  |
| 1              | GRAB RAILS, CEILING  |  |  |  |
| 2              | KICK OUT WINDOW (ADDITIONAL) - 2 PER SIDE  |  |  |  |
| 1              | KIT,BLOOD BORN DISEASE   |  |  |  |
| 1              | MIRROR, INTERIOR 6.0" X 16.0"  |  |  |  |
| 1              | MIRRORS, EXTERIOR ROSCO HEATED/REMOTE-FORD   |  |  |  |
| 1              | SAFETY PACKAGE 1: SMALL BACK UP ALARM, 5# FIRE EXTINGUISHER, FIRST AID KIT (1 UNIT), REFLECTOR TRIANGLES |  |  |  |
| 2              | STANCHION PADDING GRAY (1 SET)   |  |  |  |
| 1              | STANCHION, W/MODESTY BEHIND DRIVER   |  |  |  |
| 1              | STANCHION W/INTEGRATED RIGHT HAND GRAB   |  |  |  |
| 1              | BARRIER, PLEXIGLASS  |  |  |  |
|                | INTERIOR OPTIONS   |  |  |  |
| 2              | DECALS, INTERIOR SIGN RED/BLACK LETTERS- MAX 40 LETTERS (PER)  |  |  |  |
| 4              | DECAL, "EMERGENCY EXIT"  |  |  |  |
| 1              | DECAL, "NO-SMOKING"  |  |  |  |
| 1              | DECAL, "SEAT BELT MUST BE WORN AT ALL"   |  |  |  |
| 1              | DECAL, "WATCH YOUR STEP"   |  |  |  |
| 1              | DECAL, CLEARANCE HEIGHT  |  |  |  |
| 1              | DECAL,STOPS AT ALL RAILROAD CROSSINGS  |  |  |  |
| 1              | DECAL, VEHICLE MAKES SUDDEN & FREQ STOPS   |  |  |  |
| 1              | FAREBOX PREP   |  |  |  |
| 1              | PASSENGER, PULL CORD YELLOW  |  |  |  |
| 2              | PASSENGER, PUSH BUTTON (PER LOCATION)  |  |  |  |
| 1              | SIGNAL, CHIME 2-TONE (ADA)   |  |  |  |
|                | PASSENGER SEATING OPTIONS (SEAT PRICES INCLUDE 60" SEAT BELTS)   |  |  |  |
| 4              | MID HI FEATHERWEIGHT RIGID W/T LEG SINGLE 2-1 SEATING  |  |  |  |
| 1              | SEAT, 35" FSC TWO STEP FOLDAWAY FLIP   |  |  |  |
| 2              | ICS DOUBLE, 1-ICS & 1-COMPANION  |  |  |  |
| 2              | CHILD SAFETY LATCH SYSTEM FREEDMAN   |  |  |  |
|                | PASSENGER SEATING FABRIC OPTIONS   |  |  |  |
| 14             | LEVEL 4 FABRIC UPGRADE (PER PASSENGER)   |  |  |  |
| -5//)<br>      | DRIVER SEATING OPTIONS   |  |  |  |
|                |  |  |  |  |
| 1              | SEAT, DRIVER/CO-PILOT SHIELD FORD/GM   |  |  |  |

| 1  | LEVEL 4 FABRIC UPGRADE - DRIVER SEAT  |  |  |
|----|---|--|--|
|    | SEAT BELT OPTIONS   |  |  |
| 14 | SEAT BELT, 2 PT RETRACTABLE (N/A W-PERIMERTER SEATS OR FLIP SEATS)              |  |  |
| 5  | SEAT BELT EXTENSION 24"   |  |  |
|    | SEAT ACCESSORY OPTIONS  |  |  |
| 7  | FREEDMAN US ARM (FLIP UP)   |  |  |
| ,  | UNLISTED FACTORY OPTIONS/ORDER NOTES  |  |  |
| 1  | Hood Scoops/Bilge Ports   |  |  |
| 2  | 11"x17" Laminated Electrical Schematics   |  |  |
| 1  | EXTERIOR GRAPHICS - RAILROAD X'ING, PARATRANSIT, FREQUENT STOPS, STAND          |  |  |
| _  | CLEAR OF LIFT, AND REFLECTIVE TAPE  |  |  |
| 1  | Kubota Key Door Switch  |  |  |
| 1  | Warning Light and Buzzer for WC Lift door when Interlock conditions are not met |  |  |
| 1  | RACK,PREP BIKE SPORTSWORKS E450 OEM   |  |  |
| 1  | Need 37"x51" 1000lb lift- Wide Door Required                                    |  |  |
| 1  | Lift Activation causes Hazard lights to flash                                   |  |  |
| 1  | Red Light at Emergency Exits  |  |  |
| i  | Brake Lights and Turn Signals on separate circuit. Brakes=Red Turns=Amber       |  |  |
| 2  | SAFETY VEST CLASS 1 XXL ORANGE  |  |  |
| 1  | WHEEL CHOCKS, PAIR  |  |  |
| 1  | WV Pro Vision 6 camera system   |  |  |
| 2  | MYLAR BLANKETS  |  |  |
| L  | FULL BODY PAINT OR ¾ Paint with Expanded Graphics                               |  |  |



### **CLASS C**

|  | STANDAR  | RD FEATURES                                |  |  |  |
|--|--|--|--|--|--|
| Standard Body Construction Feature                               | Electrica  | al System Features                         |  |  |  |
| <ul> <li>Fully Welded Steel Roll Cage Construction</li> </ul>    | •  | 30" Electrical Entrance Door               |  |  |  |
| 1.5X1.5" 16 Ga. Steel Body Superstructure                        | •  | Dual Batteries                             |  |  |  |
| • 14 Gauge Steel Stepwell  | •  | All Battery Cable To Be 2/0 Sgx            |  |  |  |
| • 16 Gauge Steel Wheel Wells                                     | •  | Led Interior Dome Lights                   |  |  |  |
| <ul> <li>Top T-Slider Windows</li> </ul>                         | •  | Electrical Fuse Panel Located Above Driver |  |  |  |
| Rear Escape Window   | •  | Led Dual Stepwell Lights                   |  |  |  |
| <ul> <li>Integrated Track Seating into Body Construct</li> </ul> | tion •   | All Led Exterior Lighting                  |  |  |  |
| <ul> <li>5/8" CDX Plywood Floor</li> </ul>                       | Exterior   | Features                                   |  |  |  |
| <ul> <li>2.54 Fiberglass Exterior Sidewalls</li> </ul>           | •  | Black Steel Powder Coated Rear Bumper      |  |  |  |
| <ul> <li>Galvanized Steel Skirts</li> </ul>                      | •  | Rosco Eurostyle Manual Exterior Mirrors    |  |  |  |
| <ul> <li>Roof One Piece Composite</li> </ul>                     | •  | Rear Exhaust                               |  |  |  |
| <ul> <li>Stylish Fiberglass Rear Cap</li> </ul>                  | •  | Rear Mud Flaps                             |  |  |  |
| Drip Rail Over Passenger Entry Door                              | •  | Foam Insulation 1/2" Thick - R Value 8     |  |  |  |
| <ul> <li>Rust Inhibitor: Floor, Frame, Lower Sidewall</li> </ul> | s •  | Full Body Undercoating                     |  |  |  |
| <ul> <li>Anti-Corrosion Protected Step Wells And Win</li> </ul>  | ıgs •  | Suspension, Chassis Front End Alignment    |  |  |  |
| <ul> <li>Non-Slip Gerflor-Anthracite</li> </ul>                  | •  | Eccentric CAM Replacement                  |  |  |  |
| <ul> <li>Rubber White Step Nosings</li> </ul>                    |  |  |  |  |  |
| <ul> <li>London Smoke Interior</li> </ul>                        |  |  |  |  |  |
| <ul> <li>Flat London Smoke Wire Bars</li> </ul>                  | Ford QV  | M Certified Manufacturing                  |  |  |  |
| Carlsbad Ceiling   | ISO 9001   | :2000 Certified Facility                   |  |  |  |
| <ul> <li>Right Hand Grab Rail</li> </ul>                         |  |  |  |  |  |
| <ul> <li>Left Hand Grab Rail With Stanchion And Mod</li> </ul>   | Left Hand Grab Rail With Stanchion And Modesty Panel |  |  |  |  |
| <ul> <li>Black Kick Panel Under Seat Rail</li> </ul>             |  |  |  |  |  |

| *Options | Override | Standard | Features   |
|----------|----------|----------|------------|
|          | OVUITUO  | Duniana  | 1 Calla Co |

| Qty. | Description   |
|------|---|
|      | BASE MODEL  |
| 1    | CHALLENGER 176-E450 FORD 6.8L GAS   |
|      | FORD CHASSIS OPTIONS  |
| 1    | FORD E-450-176" W/B, 14,500 # GVWR, 6.8 L GAS-EFI- V10, 320 HP @ 4250 RPM- 420 LB/FT @ 3250 RPM, 5-SPEED HD O/D AUTOMATIC TRANS, AUX. TRANSMISSION COOLER, 4.56 REAR AXLE RATIO, 225-AMP ALTERNATOR, 650 CCA BATTERY, 55 GALLON FUEL TANK, HD GAS SHOCK ABSORBERS, POWER 4-WHEEL DISC (ABS), 16 X 6 STEEL WHEELS, 5000# TWIN I-BEAM FRONT AXLE, 9500# REAR AXLE, TIRES LT225/75R 16E, BSW ALL SEASON, TILT/CRUISE |

| 1                     | CHASSIS OPTIONS  DROP SHIP CHASSIS/TRANSFER FEE (REQUIRED ON ALL ORDERS)   |  |  |
|-----------------------|--|--|--|
| 1                     | RUNNING BOARD, ROADSIDE ALUMINUM   |  |  |
| 1                     | BATTERY, BOX S/S SLIDE/TRAY (CUTAWAYS)   |  |  |
| 1                     | EXTENSION, TIRE VALVE STEM   |  |  |
| 1                     | SPARE TIRE/WHEEL 16.0" SHIP LOOSE  |  |  |
| 1                     | SUSPENSION, MOR/RYDE REAR E450/350   |  |  |
|                       | ELECTRICAL OPTIONS   |  |  |
| 1                     | AS BUILT WIRING DIAGRAMS   |  |  |
| 2                     | DEFROST FAN, EACH  |  |  |
| 1                     | LIFT MASTER SWITCH W/INDICATOR LIGHT   |  |  |
| 1                     | LIGHT, DOOR AJAR W/BUZZER (REAR DOOR)  |  |  |
| 1                     | LIGHT, REAR CENTER BRAKE "LED"   |  |  |
| 1                     | LIGHTS, DOOR ACTUATED DOME   |  |  |
| 1                     | LIGHTS, SIDEMARKER LED ONLY  |  |  |
| 1                     | LIGHT, STROBE-ROOF MOUNTED   |  |  |
|                       | REI AUDIO/VIDEO OPTIONS  |  |  |
| 1                     | AM/FM/MP3/SAT RADIO W/ 4 SPEAKERS REI  |  |  |
| 1                     | MIC HANDHELD IN-DASH REI   |  |  |
| 1                     | PAGE, SPEAKER EXTERIOR (EACH)  |  |  |
| 1                     | BACK-UP CAMERA SYST 7" MON. & 1 CAM REI  |  |  |
| 1                     | RADIO, TWO WAY PREP  |  |  |
|                       | FLOORING OPTIONS   |  |  |
| 23                    | GERFLOOR FLOORING PER FOOT (SIRIUS) COLOR: SELECT COLOR  |  |  |
| 1                     | UNDERBELLY STEEL   |  |  |
| 1                     | PLYWOOD, 5/8" PRESSURE TREATED FLOOR   |  |  |
| 1                     | YELLOW STANDEE LINE  |  |  |
| 1                     | YELLOW STEP EDGE NOSINGS   |  |  |
|                       | CLIMATE CONTROL OPTIONS  |  |  |
| *                     | ACT A/C SYSTEMS  |  |  |
| 1                     | ACT 70,000 BTU MAX A/C (FORD 6.8): OEM PLUS TM-16 COMPRESSOR, EZ-5 EVAPORATOR, CS-3 CONDENSER  |  |  |
|                       | EVAPORATOR, CS-3 CONDENSER   |  |  |
| 1                     | EVAPORATOR, CS-3 CONDENSER  ELECTRIC HEATED ENTRANCE STEP (ONE STEP)   |  |  |
| 1                     |  |  |  |
|                       | ELECTRIC HEATED ENTRANCE STEP (ONE STEP)   |  |  |
| 1                     | ELECTRIC HEATED ENTRANCE STEP (ONE STEP) HEAT CIRCULATION PUMP   |  |  |
| 1                     | ELECTRIC HEATED ENTRANCE STEP (ONE STEP) HEAT CIRCULATION PUMP HEATER 35,000 BTU   |  |  |
| 1 2                   | ELECTRIC HEATED ENTRANCE STEP (ONE STEP)  HEAT CIRCULATION PUMP  HEATER 35,000 BTU  EXTERIOR OPTIONS   |  |  |
| 1 2 1                 | ELECTRIC HEATED ENTRANCE STEP (ONE STEP)  HEAT CIRCULATION PUMP  HEATER 35,000 BTU  EXTERIOR OPTIONS  BUMPER, ENERGY ABSORBING REAR (TRANSPEC) CH/CR/RAIL  |  |  |
| 1 1 1                 | ELECTRIC HEATED ENTRANCE STEP (ONE STEP)  HEAT CIRCULATION PUMP  HEATER 35,000 BTU  EXTERIOR OPTIONS  BUMPER, ENERGY ABSORBING REAR (TRANSPEC) CH/CR/RAIL  DRIP MOLDING OVER WINDOWS LARGE   |  |  |
| 1 1 1 1               | ELECTRIC HEATED ENTRANCE STEP (ONE STEP)  HEAT CIRCULATION PUMP  HEATER 35,000 BTU  EXTERIOR OPTIONS  BUMPER, ENERGY ABSORBING REAR (TRANSPEC) CH/CR/RAIL  DRIP MOLDING OVER WINDOWS LARGE  DOOR, REAR 37-1/8 X 56 W/2 WINDOWS   |  |  |
| 1<br>2<br>1<br>1<br>1 | ELECTRIC HEATED ENTRANCE STEP (ONE STEP)  HEAT CIRCULATION PUMP  HEATER 35,000 BTU  EXTERIOR OPTIONS  BUMPER, ENERGY ABSORBING REAR (TRANSPEC) CH/CR/RAIL  DRIP MOLDING OVER WINDOWS LARGE  DOOR, REAR 37-1/8 X 56 W/2 WINDOWS  WINDOWS BOTH SIDES OF REAR DOOR (2)  |  |  |
| 1<br>1<br>1<br>1<br>1 | ELECTRIC HEATED ENTRANCE STEP (ONE STEP)  HEAT CIRCULATION PUMP  HEATER 35,000 BTU  EXTERIOR OPTIONS  BUMPER, ENERGY ABSORBING REAR (TRANSPEC) CH/CR/RAIL  DRIP MOLDING OVER WINDOWS LARGE  DOOR, REAR 37-1/8 X 56 W/2 WINDOWS  WINDOWS BOTH SIDES OF REAR DOOR (2)  FUEL FILL DOOR- BRUSHED STAINLESS STEEL-ALL |  |  |

| 2  | Q-STRAINT, TIEDOWN MAX W/TRACK RETRACTABLE SHOULDER BELT  |  |  |
|----|---|--|--|
| 8  | STRAP QUICK SURELOK 16" EACH  |  |  |
| 1  | STORAGE BOX FOR BELTS - HOLDS 2 SETS  |  |  |
|    | SAFETY OPTIONS  |  |  |
| 2  | BLANKET, FIREPROOF 62" X 80"  |  |  |
| 1  | ESCAPE HATCH STANDARD VENT MODEL (TRANSPEC)   |  |  |
| 1  | EXIT BUZZER (1 PER BUS) "IN DASH"   |  |  |
| 4  | EXIT SWITCH (PER EXIT)  |  |  |
| 1  | FRESNAL LENS  |  |  |
| 1  | GRAB RAILS, CEILING   |  |  |
| 2  | KICK OUT WINDOW (ADDITIONAL) - 2 PER SIDE   |  |  |
| 1  | KIT,BLOOD BORN DISEASE  |  |  |
| 1  | MIRROR, INTERIOR 6.0" X 16.0"   |  |  |
| 1  | MIRRORS, EXTERIOR ROSCO HEATED/REMOTE-FORD  |  |  |
| 1  | SAFETY PACKAGE 1: SMALL BACK UP ALARM, 5# FIRE EXTINGUISHER, FIRST AID KIT (13 UNIT), REFLECTOR TRIANGLES |  |  |
| 2  | STANCHION PADDING GRAY (1 SET)  |  |  |
| 1  | STANCHION, W/MODESTY BEHIND DRIVER  |  |  |
| 1  | STANCHION W/INTEGRATED RIGHT HAND GRAB  |  |  |
| 1  | BARRIER, PLEXIGLASS   |  |  |
|    | INTERIOR OPTIONS  |  |  |
| 2  | DECALS, INTERIOR SIGN RED/BLACK LETTERS- MAX 40 LETTERS (PER)   |  |  |
| 4  | DECAL, "EMERGENCY EXIT"   |  |  |
| 1  | DECAL, "NO-SMOKING"   |  |  |
| 1  | DECAL, "SEAT BELT MUST BE WORN AT ALL"  |  |  |
| 1  | DECAL, "WATCH YOUR STEP"  |  |  |
| 1  | DECAL,CLEARANCE HEIGHT  |  |  |
| 1  | DECAL,STOPS AT ALL RAILROAD CROSSINGS   |  |  |
| 1  | DECAL, VEHICLE MAKES SUDDEN & FREQ STOPS  |  |  |
| 1  | FAREBOX PREP  |  |  |
| 1  | PASSENGER, PULL CORD YELLOW   |  |  |
| 2  | PASSENGER, PUSH BUTTON (PER LOCATION)   |  |  |
| 1  | SIGNAL, CHIME 2-TONE (ADA)  |  |  |
|    | PASSENGER SEATING OPTIONS (SEAT PRICES INCLUDE 60" SEAT BELTS)  |  |  |
| 3  | MID HI FEATHERWEIGHT RIGID W/T LEG SINGLE 2-1 SEATING   |  |  |
| 1  | SEAT, 35" FSC TWO STEP FOLDAWAY FLIP  |  |  |
| 2  | ICS DOUBLE, 1-ICS & 1-COMPANION   |  |  |
| 2  | CHILD SAFETY LATCH SYSTEM FREEDMAN  |  |  |
|    | PASSENGER SEATING FABRIC OPTIONS  |  |  |
| 12 | LEVEL 4 FABRIC UPGRADE (PER PASSENGER)  |  |  |
| •• | DRIVER SEATING OPTIONS  |  |  |
| 1  | SEAT, DRIVER/CO-PILOT SHIELD FORD/GM  |  |  |
|    | OE 11, DINTERFOOT ILOT OFFICED FORD/ON  |  |  |

| 1  | LEVEL 4 FABRIC UPGRADE - DRIVER SEAT  |  |
|----|---|--|
|    | SEAT BELT OPTIONS   |  |
| 12 | SEAT BELT, 2 PT RETRACTABLE (N/A W-PERIMERTER SEATS OR FLIP SEATS)  |  |
| 5  | SEAT BELT EXTENSION 24"   |  |
|    | SEAT ACCESSORY OPTIONS  |  |
| 6  | FREEDMAN US ARM (FLIP UP)   |  |
|    | UNLISTED FACTORY OPTIONS/ORDER NOTES  |  |
| 1  | Hood Scoops/Bilge Ports   |  |
| 2  | 11"x17" Laminated Electrical Schematics   |  |
| 1  | EXTERIOR GRAPHICS - RAILROAD X'ING, PARATRANSIT, FREQUENT STOPS, STAND CLEAR OF LIFT, AND REFLECTIVE TAPE |  |
| 1  | Kubota Key Door Switch  |  |
| 1  | Warning Light and Buzzer for WC Lift door when Interlock conditions are not met                           |  |
| 1  | RACK, PREP BIKE SPORTSWORKS E450 OEM  |  |
| 1  | Need 37"x51" 1000lb lift- Wide Door Required  |  |
| 1  | Lift Activation causes Hazard lights to flash   |  |
| 1  | Red Light at Emergency Exits  |  |
| 1  | Brake Lights and Turn Signals on separate circuit. Brakes=Red Turns=Amber                                 |  |
| 2  | SAFETY VEST CLASS 1 XXL ORANGE  |  |
| 1  | WHEEL CHOCKS, PAIR  |  |
| 1  | WV 6 camera system  |  |
| 2  | MYLAR BLANKETS  |  |



### CLASS D

| STANDARD FEATURES   |   |  |  |
|---|---|--|--|
| Standard Body Construction Feature                                | Electrical System Features                                |  |  |
| <ul> <li>Fully Welded Steel Roll Cage Construction</li> </ul>     | • 30" Electrical Entrance Door                            |  |  |
| 1.5X1.5" 16 Ga. Steel Body Superstructure                         | Dual Batteries  |  |  |
| <ul> <li>14 Gauge Steel Stepwell</li> </ul>                       | All Battery Cable To Be 2/0 Sgx                           |  |  |
| <ul> <li>16 Gauge Steel Wheel Wells</li> </ul>                    | Led Interior Dome Lights                                  |  |  |
| Top T-Slider Windows  | Electrical Fuse Panel Located Above Driver                |  |  |
| Rear Escape Window  | Led Dual Stepwell Lights                                  |  |  |
| <ul> <li>Integrated Track Seating into Body Constructi</li> </ul> | on • All Led Exterior Lighting                            |  |  |
| • 5/8" CDX Plywood Floor  | Exterior Features   |  |  |
| <ul> <li>2.54 Fiberglass Exterior Sidewalls</li> </ul>            | <ul> <li>Black Steel Powder Coated Rear Bumper</li> </ul> |  |  |
| <ul> <li>Galvanized Steel Skirts</li> </ul>                       | Rosco Eurostyle Manual Exterior Mirrors                   |  |  |
| <ul> <li>Roof One Piece Composite</li> </ul>                      | Rear Exhaust  |  |  |
| <ul> <li>Stylish Fiberglass Rear Cap</li> </ul>                   | • Rear Mud Flaps  |  |  |
| <ul> <li>Drip Rail Over Passenger Entry Door</li> </ul>           | Foam Insulation 1/2" Thick - R Value 8                    |  |  |
| <ul> <li>Rust Inhibitor: Floor, Frame, Lower Sidewalls</li> </ul> | Full Body Undercoating                                    |  |  |
| <ul> <li>Anti-Corrosion Protected Step Wells And Wing</li> </ul>  | s • Suspension, Chassis Front End Alignment               |  |  |
| <ul> <li>Non-Slip Gerflor-Anthracite</li> </ul>                   | Eccentric CAM Replacement                                 |  |  |
| <ul> <li>Rubber White Step Nosings</li> </ul>                     |   |  |  |
| <ul> <li>London Smoke Interior</li> </ul>                         |   |  |  |
| Flat London Smoke Wire Bars                                       | Ford QVM Certified Manufacturing                          |  |  |
| Carlsbad Ceiling  | SO 9001:2000 Certified Facility                           |  |  |
| <ul> <li>Right Hand Grab Rail</li> </ul>                          |   |  |  |
| <ul> <li>Left Hand Grab Rail With Stanchion And Mode</li> </ul>   | esty Panel  |  |  |
| Black Kick Panel Under Seat Rail                                  |   |  |  |

| *Options Override Stan | dard Features |
|------------------------|---------------|
|------------------------|---------------|

| Qty. | Description   |  |
|------|---|--|
|      | BASE MODEL  |  |
| 1    | CHALLENGER 176-E450 FORD 6.8L GAS   |  |
|      | FORD CHASSIS OPTIONS  |  |
| 1    | FORD E-450-176" W/B, 14,500 # GVWR, 6.8 L GAS-EFI- V10, 320 HP @ 4250 RPM- 420 LB/FT @ 3250 RPM, 5-SPEED HD O/D AUTOMATIC TRANS, AUX. TRANSMISSION COOLER, 4.56 REAR AXLE RATIO, 225-AMP ALTERNATOR, 650 CCA BATTERY, 55 GALLON FUEL TANK, HD GAS SHOCK ABSORBERS, POWER 4-WHEEL DISC (ABS), 16 X 6 STEEL WHEELS, 5000# TWIN I-BEAM FRONT AXLE, 9500# REAR AXLE, TIRES LT225/75R 16E, BSW ALL SEASON, TILT/CRUISE |  |

|             | CHASSIS OPTIONS  |  |  |
|-------------|--|--|--|
| 1           | DROP SHIP CHASSIS/TRANSFER FEE (REQUIRED ON ALL ORDERS)  |  |  |
| 1           | RUNNING BOARD, ROADSIDE ALUMINUM   |  |  |
| 1           | BATTERY, BOX S/S SLIDE/TRAY (CUTAWAYS)   |  |  |
| 1           | EXTENSION, TIRE VALVE STEM   |  |  |
| 1           | SPARE TIRE/WHEEL 16.0" SHIP LOOSE  |  |  |
| 1           | SUSPENSION, MOR/RYDE REAR E450/350   |  |  |
|             | ELECTRICAL OPTIONS   |  |  |
| 1           | AS BUILT WIRING DIAGRAMS   |  |  |
| 2           | DEFROST FAN, EACH  |  |  |
| 1           | LIFT MASTER SWITCH W/INDICATOR LIGHT   |  |  |
| 1           | LIGHT, DOOR AJAR W/BUZZER (REAR DOOR)  |  |  |
| 1           | LIGHT, REAR CENTER BRAKE "LED"   |  |  |
| 1           | LIGHTS, DOOR ACTUATED DOME   |  |  |
| 1           | LIGHTS, SIDEMARKER LED ONLY  |  |  |
| 1           | LIGHT, STROBE-ROOF MOUNTED   |  |  |
|             | REI AUDIO/VIDEO OPTIONS  |  |  |
| 1           | AM/FM/MP3/SAT RADIO W/ 4 SPEAKERS REI  |  |  |
| 1           | MIC HANDHELD IN-DASH REI   |  |  |
| 1           | PAGE,SPEAKER EXTERIOR (EACH)   |  |  |
| 1           | BACK-UP CAMERA SYST 7" MON. & 1 CAM REI  |  |  |
| 1           | RADIO, TWO WAY PREP  |  |  |
|             | FLOORING OPTIONS   |  |  |
| 23          | GERFLOOR FLOORING PER FOOT (SIRIUS) COLOR: SELECT COLOR  |  |  |
| 1 -         | UNDERBELLY STEEL   |  |  |
| 1           | PLYWOOD, 5/8" PRESSURE TREATED FLOOR   |  |  |
| 1           | YELLOW STANDEE LINE  |  |  |
| 1           | YELLOW STEP EDGE NOSINGS   |  |  |
|             | CLIMATE CONTROL OPTIONS  |  |  |
| *           | ACT A/C SYSTEMS  |  |  |
| 1           | ACT 70,000 BTU MAX A/C (FORD 6.8): OEM PLUS TM-16 COMPRESSOR, EZ-5 EVAPORATOR, CS-3 CONDENSER                      |  |  |
| 1           | ELECTRIC HEATED ENTRANCE STEP (ONE STEP)   |  |  |
| 1           | HEAT CIRCULATION PUMP  |  |  |
| 2           | HEATER 35,000 BTU  |  |  |
|             | EXTERIOR OPTIONS   |  |  |
| 1           | BUMPER, ENERGY ABSORBING REAR (TRANSPEC) CH/CR/RAIL  |  |  |
| -           | DRIP MOLDING OVER WINDOWS LARGE  |  |  |
| 1           | DRIP MOLDING OVER WINDOWS LARGE  |  |  |
|             | DRIP MOLDING OVER WINDOWS LARGE DOOR, REAR 37-1/8 X 56 W/2 WINDOWS   |  |  |
| 1           |  |  |  |
| 1           | DOOR, REAR 37-1/8 X 56 W/2 WINDOWS   |  |  |
| 1 1 1       | DOOR, REAR 37-1/8 X 56 W/2 WINDOWS WINDOWS BOTH SIDES OF REAR DOOR (2)   |  |  |
| 1<br>1<br>1 | DOOR, REAR 37-1/8 X 56 W/2 WINDOWS WINDOWS BOTH SIDES OF REAR DOOR (2) FUEL FILL DOOR- BRUSHED STAINLESS STEEL-ALL |  |  |

| 2  | Q-STRAINT, TIEDOWN MAX W/TRACK RETRACTABLE SHOULDER BELT  |  |  |
|----|---|--|--|
| 8  | STRAP QUICK SURELOK 16" EACH  |  |  |
| 1  | STORAGE BOX FOR BELTS - HOLDS 2 SETS  |  |  |
|    | SAFETY OPTIONS  |  |  |
| 2  | BLANKET, FIREPROOF 62" X 80"  |  |  |
| 1  | ESCAPE HATCH STANDARD VENT MODEL (TRANSPEC)   |  |  |
| 1  | EXIT BUZZER (1 PER BUS) "IN DASH"   |  |  |
| 4  | EXIT SWITCH (PER EXIT)  |  |  |
| 1  | FRESNAL LENS  |  |  |
| 1  | GRAB RAILS, CEILING   |  |  |
| 2  | KICK OUT WINDOW (ADDITIONAL) - 2 PER SIDE   |  |  |
| 1  | KIT,BLOOD BORN DISEASE  |  |  |
| 1  | MIRROR, INTERIOR 6.0" X 16.0"   |  |  |
| 1  | MIRRORS, EXTERIOR ROSCO HEATED/REMOTE-FORD  |  |  |
| 1  | SAFETY PACKAGE 1: SMALL BACK UP ALARM, 5# FIRE EXTINGUISHER, FIRST AID KIT (13 UNIT), REFLECTOR TRIANGLES   |  |  |
| 2  | STANCHION PADDING GRAY (1 SET)  |  |  |
| 1  | STANCHION, W/MODESTY BEHIND DRIVER  |  |  |
| 1  | STANCHION W/INTEGRATED RIGHT HAND GRAB  |  |  |
| 1  | BARRIER, PLEXIGLASS   |  |  |
|    | INTERIOR OPTIONS  |  |  |
| 2  | DECALS, INTERIOR SIGN RED/BLACK LETTERS- MAX 40 LETTERS (PER)   |  |  |
| 4  | DECAL, "EMERGENCY EXIT"   |  |  |
| 1  | DECAL, "NO-SMOKING"   |  |  |
| 1  | DECAL, "SEAT BELT MUST BE WORN AT ALL"  |  |  |
| 1  | DECAL, "WATCH YOUR STEP"  |  |  |
| 1  | DECAL,CLEARANCE HEIGHT  |  |  |
| 1  | DECAL,STOPS AT ALL RAILROAD CROSSINGS   |  |  |
| 1  | DECAL, VEHICLE MAKES SUDDEN & FREQ STOPS  |  |  |
| 1  | FAREBOX PREP  |  |  |
| 1  | PASSENGER, PULL CORD YELLOW   |  |  |
| 2  | PASSENGER, PUSH BUTTON (PER LOCATION)   |  |  |
| 1  | SIGNAL, CHIME 2-TONE (ADA)  |  |  |
|    | PASSENGER SEATING OPTIONS (SEAT PRICES INCLUDE 60" SEAT BELTS)  |  |  |
| 3  | MID HI FEATHERWEIGHT RIGID W/T LEG SINGLE 2-1 SEATING   |  |  |
| 1  | SEAT, 35" FSC TWO STEP FOLDAWAY FLIP  |  |  |
| 2  | ICS DOUBLE, 1-ICS & 1-COMPANION   |  |  |
| 2  | CHILD SAFETY LATCH SYSTEM FREEDMAN  |  |  |
|    | PASSENGER SEATING FABRIC OPTIONS  |  |  |
| 12 | LEVEL 4 FABRIC UPGRADE (PER PASSENGER)  |  |  |
|    | DRIVER SEATING OPTIONS  |  |  |
| 1  | SEAT, DRIVER/CO-PILOT SHIELD FORD/GM  |  |  |
|    | SEAT STATE OF THE POST OF THE |  |  |

| 1  | LEVEL 4 FABRIC UPGRADE - DRIVER SEAT  |  |  |
|----|---|--|--|
|    | SEAT BELT OPTIONS   |  |  |
| 12 | SEAT BELT, 2 PT RETRACTABLE (N/A W-PERIMERTER SEATS OR FLIP SEATS)  |  |  |
| 5  | SEAT BELT EXTENSION 24"   |  |  |
|    | SEAT ACCESSORY OPTIONS  |  |  |
| 6  | FREEDMAN US ARM (FLIP UP)   |  |  |
|    | UNLISTED FACTORY OPTIONS/ORDER NOTES  |  |  |
| 1  | Hood Scoops/Bilge Ports   |  |  |
| 2  | 11"x17" Laminated Electrical Schematics   |  |  |
| 1  | EXTERIOR GRAPHICS - RAILROAD X'ING, PARATRANSIT, FREQUENT STOPS, STAND CLEAR OF LIFT, AND REFLECTIVE TAPE |  |  |
| 1  | Kubota Key Door Switch  |  |  |
| 1  | Warning Light and Buzzer for WC Lift door when Interlock conditions are not met                           |  |  |
| 1  | RACK, PREP BIKE SPORTSWORKS E450 OEM  |  |  |
| 1  | Need 37"x51" 1000lb lift- Wide Door Required  |  |  |
| 1  | Lift Activation causes Hazard lights to flash   |  |  |
| 1  | Red Light at Emergency Exits  |  |  |
| 1  | Brake Lights and Turn Signals on separate circuit. Brakes=Red Turns=Amber                                 |  |  |
| 2  | SAFETY VEST CLASS 1 XXL ORANGE  |  |  |
| 1  | WHEEL CHOCKS, PAIR  |  |  |
| 1  | WV 6 camera system  |  |  |
| 2  | MYLAR BLANKETS  |  |  |
| 1  | FULL BODY PAINT OR ¾ PAINT AND EXPANDED GRAPHICS  |  |  |



### **CLASS E**

| S S   | TANDARD FEATURES   |
|---|--|
| Standard Body Construction Feature                                | Electrical System Features                                     |
| Fully Welded Steel Roll Cage Construction                         | • 30" Electrical Entrance Door                                 |
| 1.5X1.5" 16 Ga. Steel Body Superstructure                         | Dual Batteries   |
| • 14 Gauge Steel Stepwell   | <ul> <li>All Battery Cable To Be 2/0 Sgx</li> </ul>            |
| • 16 Gauge Steel Wheel Wells                                      | • Led Interior Dome Lights                                     |
| Top T-Slider Windows  | <ul> <li>Electrical Fuse Panel Located Above Driver</li> </ul> |
| Rear Escape Window  | • Led Dual Stepwell Lights                                     |
| Integrated Track Seating into Body Construct                      | ion • All Led Exterior Lighting                                |
| • 5/8" CDX Plywood Floor  | Exterior Features  |
| • 2.54 Fiberglass Exterior Sidewalls                              | <ul> <li>Black Steel Powder Coated Rear Bumper</li> </ul>      |
| Galvanized Steel Skirts   | <ul> <li>Rosco Eurostyle Manual Exterior Mirrors</li> </ul>    |
| Roof One Piece Composite  | • Rear Exhaust   |
| Stylish Fiberglass Rear Cap                                       | • Rear Mud Flaps   |
| Drip Rail Over Passenger Entry Door                               | Foam Insulation 1/2" Thick - R Value 8                         |
| <ul> <li>Rust Inhibitor: Floor, Frame, Lower Sidewalls</li> </ul> | Full Body Undercoating   |
| Anti-Corrosion Protected Step Wells And Wing                      | s • Suspension, Chassis Front End Alignment                    |
| Non-Slip Gerflor-Anthracite                                       | Eccentric CAM Replacement                                      |
| Rubber White Step Nosings   |  |
| London Smoke Interior   |  |
| • Flat London Smoke Wire Bars                                     | Ford QVM Certified Manufacturing                               |
| Carlsbad Ceiling  | SO 9001:2000 Certified Facility                                |
| • Right Hand Grab Rail  |  |
| <ul> <li>Left Hand Grab Rail With Stanchion And Mode</li> </ul>   | esty Panel   |
| Black Kick Panel Under Seat Rail                                  |  |

| *Options | Override Standard | d Features |
|----------|-------------------|------------|
|          |                   |            |

| 1250 RPM- 420 LB/FT<br>BION COOLER, 4.56<br>ALLON FUEL TANK,<br>BTEEL WHEELS,<br>R 16E, BSW ALL |
|---|
| 3   |

| 1 DROP SHIP CHASSIS/TRANSFER FEE (REQUIRED ON ALL ORDERS) 1 RUNNING BOARD, ROADSIDE ALUMINUM 1 BATTERY, BOX S/S SLIDE/TRAY (CUTAWAYS) 1 EXTENSION, TIRE VALVE STEM 1 SPARE TIRE/WHEEL 16.0" SHIP LOOSE 1 SUSPENSION, MORRYDE REAR E450/350 2 LECTRICAL OPTIONS 1 AS BUILT WIRING DIAGRAMS 2 DEFROST FAN, EACH 1 LIFT MASTER SWITCH WINDICATOR LIGHT 1 LIGHT, DOOR AJAR WIBUZZER (REAR DOOR) 1 LIGHTS, DOOR ACTUATED DOME 1 LIGHTS, DOOR ACTUATED DOME 1 LIGHTS, SIDEMARKER LED ONLY 1 LIGHTS, SIDEMARKER LED ONLY 1 LIGHTS, SIDEMARKER LED ONLY 1 LIGHT, STROBE-ROOF MOUNTED  **REI AUDIO/VIDEO OPTIONS**  1 AM/FM/MP3/SAT RADIO W/ 4 SPEAKERS REI 1 MIC HANDHELD IN-DASH REI 1 PAGE, SPEAKER EXTERIOR (EACH) 1 BACK-UP CAMERA SYST 7" MON. 8.1 CAM REI 1 RADIO, TWO WAY PREP  **FLOORING OPTIONS**  1 FLAT FLOOR (RAISED 6") 25 GERFLOOR FLOORING PER FOOT (SIRIUS) COLOR: SELECT COLO 1 UNDERBELLY STEEL 1 PLYWOOD, 5/8" PRESSURE TREATED FLOOR 1 YELLOW STANDEE LINE 1 YELLOW STANDEE LINE 1 YELLOW STEP EDGE NOSINGS  **CLIMATE CONTROL OPTIONS**  **ACT A/C SYSTEMS**  1 ELECTRIC HEATED ENTRANCE STEP (ONE STEP) 1 HEAT CIRCULATION PUMP 2 HEATER 35,000 BTU  **EXTERIOR OPTIONS**  1 BUMPER, ENERGY ABSORBING REAR (TRANSPEC) CH/CR/RAIL DRIP MOLDING OVER WINDOWS LARGE 1 DOOR, REAR 37-1/8 X 56 W/2 WINDOWS 1 WINDOWS BOTH SIDES OF REAR DOOR (2) 1 FUEL FILL DOOR - BRUSHED STAINLESS STEEL-ALL  |    | CHASSIS OPTIONS  |
|--|----|--|
| 1 RUNNING BOARD, ROADSIDE ALUMINUM 1 BATTERY, BOX S/S SLIDE/TRAY (CUTAWAYS) 1 EXTENSION, TIRE VALVE STEM 1 SPARE TIRE/WHEEL 16.0° SHIP LOOSE 1 SUSPENSION, MORRYDE REAR E450/350  ELECTRICAL OPTIONS 1 AS BUILT WIRING DIAGRAMS 2 DEFROST FAN, EACH 1 LIFT MASTER SWITCH WI/INDICATOR LIGHT 1 LIGHT, DOOR AJAR WIBUZZER (REAR DOOR) 1 LIGHTS, DOOR ACTUATED DOME 1 LIGHTS, SIDEMARKER LED ONLY 1 LIGHTS, SIDEMARKER LED ONLY 1 LIGHT, STROBE-ROOF MOUNTED  REI AUDIO/VIDEO OPTIONS 1 AM/FM/MP3/SAT RADIO W/ 4 SPEAKER'S REI 1 MICHANDHELD IN-DASH REI 1 PAGE, SPEAKER EXTERIOR (EACH) 1 BACK-UP CAMERA SYST 7" MON. & 1 CAM REI 1 RADIO, TWO WAY PREP  FLOORING OPTIONS 1 FLAT FLOOR (RAISED 6") 2 GERFLOOR FLOORING PER FOOT (SIRIUS) COLOR: SELECT COLOR INDICATOR COLOR STRUMENT STR | 1  | TEACHER STREET, TO STR |
| 1 BATTERY, BOX S/S SLIDE/TRAY (CUTAWAYS) 1 EXTENSION, TIRE VALVE STEM 1 SPARE TIRE/WHEEL 16.0" SHIP LOOSE 1 SUSPENSION, MOR/RYDE REAR E450/350  ELECTRICAL OPTIONS 1 AS BUILT WIRING DIAGRAMS 2 DEFROST FAN, EACH 1 LIFT MASTER SWITCH WINDICATOR LIGHT 1 LIGHT, DOOR AJAR W/BUZZER (REAR DOOR) 1 LIGHT, REAR CENTER BRAKE "LED" 1 LIGHTS, DOOR ACTUATED DOME 1 LIGHTS, SIDEMARKER LED ONLY 1 LIGHT, STROBE-ROOF MOUNTED  REI AUDIO/VIDEO OPTIONS 1 AM/FM/MP3/SAT RADIO W/ 4 SPEAKER'S REI 1 MIC HANDHELD IN-DASH REI 1 PAGE, SPEAKER EXTERIOR (EACH) 1 BACK-UP CAMERA SYST 7" MON. & 1 CAM REI 1 RADIO, TWO WAY PREP  FLOORING OPTIONS 1 FLAT FLOOR (RAISED 6") 25 GERFLOOR FLOORING PER FOOT (SIRIUS) 1 UNDERBELLY STEEL 1 PLYWOOD, 5/8" PRESSURE TREATED FLOOR 1 YELLOW STANDEE LINE 1 YELOW STANDEE LINE 1 YELOW STEP EDGE NOSINGS  CLIMATE CONTROL OPTIONS 2 ACT AC SYSTEMS 1 ACT 70,000 BTU MAX AIC (FORD 6.8): OEM PLUS TM-16 COMPRESSOR, EZ-5 EVAPORATOR, CS-3 CONDENSER 1 HEAT CIRCULATION PUMP 2 HEAT CIRCULATION PUMP 2 HEAT CIRCULATION PUMP 2 HEAT CIRCULATION PUMP 3 DOOR, REAR 37-1/8 X 56 W/Z WINDOWS 1 WINDOWS BOTH SIDES OF REAR DOOR (2) 1 FUEL FILL DOOR- BRUSHED STAINLESS STEEL-ALL  | 1  | <u> </u>   |
| 1 EXTENSION, TIRE VALVE STEM 1 SPARE TIRE/WHEEL 16.0" SHIP LOOSE 1 SUSPENSION, MOR/RYDE REAR E450/350  ELECTRICAL OPTIONS 1 AS BUILT WIRING DIAGRAMS 2 DEFROST FAN, EACH 1 LIFT MASTER SWITCH WINDICATOR LIGHT 1 LIGHT, DOOR AJAR WIBUZZER (REAR DOOR) 1 LIGHT, DOOR ACTUATED DOME 1 LIGHTS, DOOR ACTUATED DOME 1 LIGHTS, SIDEMARKER LED ONLY 1 LIGHT, STROBE-ROOF MOUNTED  REI AUDIO/VIDEO OPTIONS 1 AMFIMMP3/SAT RADIO W/ 4 SPEAKER'S REI 1 MIC HANDHELD IN-DASH REI 1 PAGE, SPEAKER EXTERIOR (EACH) 1 BACK-UP CAMERA SYST 7" MON. & 1 CAM REI 1 RADIO, TWO WAY PREP  FLOORING OPTIONS 1 FLAT FLOOR (RAISED 6") 25 GERFLOOR FLOORING PER FOOT (SIRIUS) COLOR: SELECT COLOR UNDERBELLY STEEL 1 PLYWOOD, 5/8" PRESSURE TREATED FLOOR 1 YELLOW STANDEE LINE 1 YELLOW STEP EDGE NOSINGS  CLIMATE CONTROL OPTIONS 2 ACT A/C SYSTEMS 1 ACT 70,000 BTU MAX A/C (FORD 6.8): OEM PLUS TM-16 COMPRESSOR, EZ-5 EVAPORATOR, CS-3 CONDENSER 1 ELECTRIC HEATED ENTRANCE STEP (ONE STEP) 1 HEAT CIRCULATION PUMP 2 HEATER 35,000 BTU  EXTERIOR OPTIONS 1 BUMPER, ENERGY ABSORBING REAR (TRANSPEC) CHICRIPAIL. 1 DRIP MOLDING OVER WINDOWS LARGE 1 DOOR, REAR 37-1/8 x 56 W/Z WINDOWS 1 WINDOWS BÖTH SIDES OF REAR DOOR (2) 1 FUEL FILL DOOR- BRUSHED STAINLESS STEEL-ALL  | 1  |  |
| 1 SPARE TIREWHEEL 16.0" SHIP LOOSE 1 SUSPENSION, MOR/RYDE REAR E450/350  ELECTRICAL OPTIONS 1 AS BUILT WIRING DIAGRAMS 2 DEFROST FAN, EACH 1 LIFT MASTER SWITCH WINDICATOR LIGHT 1 LIGHT, DOOR AJAR WIBUZZER (REAR DOOR) 1 LIGHT, REAR CENTER BRAKE "LED" 1 LIGHTS, DOOR ACTUATED DOME 1 LIGHTS, SIDEMARKER LED ONLY 1 LIGHTS, STROBE-ROOF MOUNTED  REI AUDIO/VIDEO OPTIONS 1 AM/FMMP3/SAT RADIO W/ 4 SPEAKERS REI 1 MIC HANDHELD IN-DASH REI 1 PAGE, SPEAKER EXTERIOR (EACH) 1 BACK-UP CAMERA SYST 7" MON. & 1 CAM REI 1 RADIO, TWO WAY PREP  FLOORING OPTIONS 1 FLAT FLOOR (RAISED 6") 25 GERFLOOR FLOORING PER FOOT (SIRIUS) COLOR: SELECT COLO 1 UNDERBELLY STEEL 1 PLYWOOD, 5/8" PRESSURE TREATED FLOOR 1 YELLOW STANDEE LINE 1 YELLOW STEP EDGE NOSINGS  CLIMATE CONTROL OPTIONS 2 ACT A/C SYSTEMS 1 ACT 70,000 BTU MAX A/C (FORD 6.8): OEM PLUS TM-16 COMPRESSOR, EZ-5 EVAPORATOR, CS-3 CONDENSER 2 ELECTRIC HEATED ENTRANCE STEP (ONE STEP) 1 HEAT CIRCULATION PUMP 2 HEATER 35,000 BTU  EXTERIOR OPTIONS 1 BUMPER, ENERGY ABSORBING REAR (TRANSPEC) CH/CRIRAIL 1 DRIP MOLDING OVER WINDOWS LARGE 1 DOOR, REAR 37-1/8 X 56 W/Z WINDOWS 1 WINDOWS BOTH SIDES OF REAR DOOR (2) 1 FUEL FILL DOOR- BRUSHED STAINLESS STEEL-ALL   | 1  |  |
| ### PLECTRICAL OPTIONS  AS BUILT WIRING DIAGRAMS  DEFROST FAN, EACH  LIFT MASTER SWITCH WINDICATOR LIGHT  LIGHT, DOOR AJAR WIBUZZER (REAR DOOR)  LIGHT, REAR CENTER BRAKE "LED"  LIGHTS, DOOR ACTUATED DOME  LIGHTS, SIDEMARKER LED ONLY  LIGHTS, SIDEMARKER LED ONLY  LIGHT, STROBE-ROOF MOUNTED  **REI AUDIO/VIDEO OPTIONS**  AMIFMMP3/SAT RADIO W/ 4 SPEAKERS REI  MIC HANDHELD IN-DASH REI  PAGE, SPEAKER EXTERIOR (EACH)  BACK-UP CAMERA SYST 7" MON. & 1 CAM REI  RADIO, TWO WAY PREP  **FLOORING OPTIONS**  FLAT FLOOR (RAISED 6")  SELECT COLO  UNDERBELLY STEEL  PLYWOOD, 5/8" PRESSURE TREATED FLOOR  YELLOW STANDEE LINE  PLYUOW, STANDEE LINE  YELLOW STEP EDGE NOSINGS  **CLIMATE CONTROL OPTIONS**  ACT A/C SYSTEMS  ACT 70,000 BTU MAX A/C (FORD 6.8): OEM PLUS TM-16 COMPRESSOR, EZ-5 EVAPORATOR, CS-3 CONDENSER  ELECTRIC HEATED ENTRANCE STEP (ONE STEP)  HEAT CIRCULATION PUMP  HEATER 35,000 BTU  **EXTERIOR OPTIONS**  BUMPER, ENERGY ABSORBING REAR (TRANSPEC) CH/CR/RAIL  DRIP MOLDING OVER WINDOWS LARGE  DOOR, REAR 37-1/8 X 56 W/Z WINDOWS  WINDOWS BOTH SIDES OF REAR DOOR (2)  FUEL FILL DOOR- BRUSHED STAINLESS STEEL-ALL   | 1  |  |
| ### PLANT PROPRIEST FOR THE PRESSURE TREATED FLOOR  ### PLYWOOD, 5/8* PR | 1  | SUSPENSION, MOR/RYDE REAR E450/350   |
| 1 AS BUILT WIRING DIAGRAMS 2 DEFROST FAN, EACH 1 LIFT MASTER SWITCH WINDICATOR LIGHT 1 LIGHT, DOOR AJAR WIBUZZER (REAR DOOR) 1 LIGHT, REAR CENTER BRAKE "LED" 1 LIGHTS, DOOR ACTUATED DOME 1 LIGHTS, SIDEMARKER LED ONLY 1 LIGHTS, SIDEMARKER LED ONLY 1 LIGHT, STROBE-ROOF MOUNTED  **REI AUDIO/VIDEO OPTIONS**  1 AM/FM/MP3/SAT RADIO W/ 4 SPEAKERS REI 1 MIC HANDHELD IN-DASH REI 1 PAGE, SPEAKER EXTERIOR (EACH) 1 BACK-UP CAMERA SYST 7" MON. & 1 CAM REI 1 RADIO, TWO WAY PREP  **FLOORING OPTIONS** 1 FLAT FLOOR (RAISED 6") 25 GERFLOOR FLOORING PER FOOT (SIRIUS) COLOR: SELECT COLO 1 UNDERBELLY STEEL 1 PLYWOOD, 5/8" PRESSURE TREATED FLOOR 1 YELLOW STANDEE LINE 1 YELLOW STEP EDGE NOSINGS  **ACT 70,000 BTU MAX A/C (FORD 6.8): OEM PLUS TM-16 COMPRESSOR, EZ-5 EVAPORATOR, CS-3 CONDENSER 1 ELECTRIC HEATED ENTRANCE STEP (ONE STEP) 1 HEAT CIRCULATION PUMP 2 HEATER 35,000 BTU  **EXTERIOR OPTIONS** 1 BUMPER, ENERGY ABSORBING REAR (TRANSPEC) CH/CR/RAIL 1 DRIP MOLDING OVER WINDOWS LARGE 1 DOOR, REAR 37-1/8 X 56 W/2 WINDOWS 1 WINDOWS BOTH SIDES OF REAR DOOR (2) 1 FUEL FILL DOOR- BRUSHED STAINLESS STEEL-ALL  |    |  |
| 1 LIFT MASTER SWITCH WINDICATOR LIGHT 1 LIGHT, DOOR AJAR WIBUZZER (REAR DOOR) 1 LIGHT, REAR CENTER BRAKE "LED" 1 LIGHTS, DOOR ACTUATED DOME 1 LIGHTS, SIDEMARKER LED ONLY 1 LIGHT, STROBE-ROOF MOUNTED REI AUDION/IDEO OPTIONS 1 AM/FM/MP3/SAT RADIO W/ 4 SPEAKERS REI 1 MIC HANDHELD IN-DASH REI 1 PAGE, SPEAKER EXTERIOR (EACH) 1 BACK-UP CAMERA SYST 7" MON. & 1 CAM REI 1 RADIO, TWO WAY PREP FLOORING OPTIONS 1 FLAT FLOOR (RAISED 6") 25 GERFLOOR FLOORING PER FOOT (SIRIUS) COLOR: SELECT COLO 1 UNDERBELLY STEEL 1 PLYWOOD, 5/8" PRESSURE TREATED FLOOR 1 YELLOW STEP EDGE NOSINGS  CLIMATE CONTROL OPTIONS 2 ACT A/C SYSTEMS 1 ACT 70,000 BTU MAX A/C (FORD 6.8): OEM PLUS TM-16 COMPRESSOR, EZ-5 EVAPORATOR, CS-3 CONDENSER 1 ELECTRIC HEATED ENTRANCE STEP (ONE STEP) 1 HEAT CIRCULATION PUMP 2 HEATER 35,000 BTU  EXTERIOR OPTIONS 1 BUMPER, ENERGY ABSORBING REAR (TRANSPEC) CH/CR/RAIL 1 DRIP MOLDING OVER WINDOWS LARGE 1 DOOR, REAR 37-1/8 X 56 W/2 WINDOWS 1 WINDOWS BOTH SIDES OF REAR DOOR (2) 1 FUEL FILL DOOR- BRUSHED STAINLESS STEEL-ALL  | 1  | AND A MILE OF THE PARTY OF THE  |
| 1 LIGHT, DOOR AJAR W/BUZZER (REAR DOOR) 1 LIGHT, DOOR ACTUATED DOME 1 LIGHTS, SIDEMARKER LED ONLY 1 LIGHTS, SIDEMARKER LED ONLY 1 LIGHT, STROBE-ROOF MOUNTED REI AUDIO/VIDEO OPTIONS 1 AM/FM/MP3/SAT RADIO W/ 4 SPEAKERS REI 1 MIC HANDHELD IN-DASH REI 1 PAGE, SPEAKER EXTERIOR (EACH) 1 BACK-UP CAMERA SYST 7" MON. & 1 CAM REI 1 RADIO, TWO WAY PREP  FLOORING OPTIONS 1 FLAT FLOOR (RAISED 6") 25 GERFLOOR FLOORING PER FOOT (SIRIUS) COLOR: SELECT COLORIUS PRELLY STEEL 1 PLYWOOD, 5/8" PRESSURE TREATED FLOOR 1 YELLOW STANDEE LINE 1 YELLOW STEP EDGE NOSINGS  CLIMATE CONTROL OPTIONS  * ACT A/C SYSTEMS 1 ACT 70,000 BTU MAX A/C (FORD 6.8): OEM PLUS TM-16 COMPRESSOR, EZ-5 EVAPORATOR, CS-3 CONDENSER 1 ELECTRIC HEATED ENTRANCE STEP (ONE STEP) 1 HEAT CIRCULATION PUMP 2 HEATER 35,000 BTU  EXTERIOR OPTIONS 1 BUMPER, ENERGY ABSORBING REAR (TRANSPEC) CH/CR/RAIL 1 DRIP MOLDING OVER WINDOWS LARGE 1 DOOR, REAR 37-1/8 X 56 W/2 WINDOWS 1 WINDOWS BOTH SIDES OF REAR DOOR (2) 1 FUEL FILL DOOR- BRUSHED STAINLESS STEEL-ALL  | 2  | DEFROST FAN, EACH  |
| 1 LIGHT, DOOR AJAR W/BUZZER (REAR DOOR) 1 LIGHT, REAR CENTER BRAKE "LED" 1 LIGHTS, DOOR ACTUATED DOME 1 LIGHTS, SIDEMARKER LED ONLY 1 LIGHTS, SIDEMARKER LED ONLY 1 LIGHT, STROBE-ROOF MOUNTED REI AUDIO/VIDEO OPTIONS 1 AM/FM/MP3/SAT RADIO W/ 4 SPEAKERS REI 1 MIC HANDHELD IN-DASH REI 1 PAGE, SPEAKER EXTERIOR (EACH) 1 BACK-UP CAMERA SYST 7" MON. & 1 CAM REI 1 RADIO, TWO WAY PREP FLOORING OPTIONS 1 FLAT FLOOR (RAISED 6") 25 GERFLOOR FLOORING PER FOOT (SIRIUS) COLOR: SELECT COLORING OPTIONS 1 VINDERBELLY STEEL 1 PLYWOOD, 5/8" PRESSURE TREATED FLOOR 1 YELLOW STANDEE LINE 1 YELLOW STEP EDGE NOSINGS  CLIMATE CONTROL OPTIONS  * ACT A/C SYSTEMS 1 ACT 70,000 BTU MAX A/C (FORD 6.8): OEM PLUS TM-16 COMPRESSOR, EZ-5 EVAPORATOR, CS-3 CONDENSER 1 ELECTRIC HEATED ENTRANCE STEP (ONE STEP) 1 HEAT CIRCULATION PUMP 2 HEATER 35,000 BTU  EXTERIOR OPTIONS 1 BUMPER, ENERGY ABSORBING REAR (TRANSPEC) CH/CR/RAIL 1 DRIP MOLDING OVER WINDOWS LARGE 1 DOOR, REAR 37-1/8 X 56 W/2 WINDOWS 1 WINDOWS BOTH SIDES OF REAR DOOR (2) 1 FUEL FILL DOOR- BRUSHED STAINLESS STEEL-ALL  | 1  | LIFT MASTER SWITCH WINDICATOR LIGHT  |
| 1 LIGHT, REAR CENTER BRAKE "LED" 1 LIGHTS, DOOR ACTUATED DOME 1 LIGHTS, SIDEMARKER LED ONLY 1 LIGHT, STROBE-ROOF MOUNTED  REI AUDIO/VIDEO OPTIONS 1 AM/FM/MP3/SAT RADIO W/ 4 SPEAKERS REI 1 MIC HANDHELD IN-DASH REI 1 PAGE, SPEAKER EXTERIOR (EACH) 1 BACK-UP CAMERA SYST 7" MON. & 1 CAM REI 1 RADIO, TWO WAY PREP  FLOORING OPTIONS 1 FLAT FLOOR (RAISED 6") 25 GERFLOOR FLOORING PER FOOT (SIRIUS) COLOR: SELECT COLOR UNDERBELLY STEEL 1 PLYWOOD, 5/8" PRESSURE TREATED FLOOR 1 YELLOW STANDEE LINE 1 YELLOW STEP EDGE NOSINGS  CLIMATE CONTROL OPTIONS  * ACT A/C SYSTEMS 1 ACT 70,000 BTU MAX A/C (FORD 6.8): OEM PLUS TM-16 COMPRESSOR, EZ-5 EVAPORATOR, CS-3 CONDENSER 1 ELECTRIC HEATED ENTRANCE STEP (ONE STEP) 1 HEAT CIRCULATION PUMP 2 HEATER 35,000 BTU  EXTERIOR OPTIONS 1 BUMPER, ENERGY ABSORBING REAR (TRANSPEC) CH/CR/RAIL 1 DRIP MOLDING OVER WINDOWS LARGE 1 DOOR, REAR 37-1/8 X 56 W/2 WINDOWS 1 WINDOWS BOTH SIDES OF REAR DOOR (2) 1 FUEL FILL DOOR- BRUSHED STAINLESS STEEL-ALL  | 1  |  |
| 1 LIGHTS, SIDEMARKER LED ONLY 1 LIGHT, STROBE-ROOF MOUNTED  REI AUDIO/VIDEO OPTIONS 1 AM/FM/MP3/SAT RADIO W/ 4 SPEAKERS REI 1 MIC HANDHELD IN-DASH REI 1 PAGE, SPEAKER EXTERIOR (EACH) 1 BACK-UP CAMERA SYST 7" MON. & 1 CAM REI 1 RADIO, TWO WAY PREP  FLOORING OPTIONS 1 FLAT FLOOR (RAISED 6") 25 GERFLOOR FLOORING PER FOOT (SIRIUS) COLOR: SELECT COLOR 1 UNDERBELLY STEEL 1 PLYWOOD, 5/8" PRESSURE TREATED FLOOR 1 YELLOW STANDEE LINE 1 YELLOW STEP EDGE NOSINGS  CLIMATE CONTROL OPTIONS 2 ACT A/C SYSTEMS 1 ACT 70,000 BTU MAX A/C (FORD 6.8): OEM PLUS TM-16 COMPRESSOR, EZ-5 EVAPORATOR, CS-3 CONDENSER 1 ELECTRIC HEATED ENTRANCE STEP (ONE STEP) 1 HEAT CIRCULATION PUMP 2 HEATER 35,000 BTU  EXTERIOR OPTIONS 1 BUMPER, ENERGY ABSORBING REAR (TRANSPEC) CH/CR/RAIL 1 DRIP MOLDING OVER WINDOWS LARGE 1 DOOR, REAR 37-1/8 X 56 W/2 WINDOWS 1 WINDOWS BOTH SIDES OF REAR DOOR (2) 1 FUEL FILL DOOR- BRUSHED STAINLESS STEEL-ALL   | 1  | <u> </u>   |
| 1 LIGHT, STROBE-ROOF MOUNTED  REI AUDIO/VIDEO OPTIONS  1 AM/FMMP3/SAT RADIO W/ 4 SPEAKERS REI  1 MIC HANDHELD IN-DASH REI  1 PAGE, SPEAKER EXTERIOR (EACH)  1 BACK-UP CAMERA SYST 7" MON. & 1 CAM REI  1 RADIO, TWO WAY PREP    FLOORING OPTIONS    1 FLAT FLOOR (RAISED 6")  25 GERFLOOR FLOORING PER FOOT (SIRIUS)   COLOR:   SELECT COLORING PER FOOT (SIRIUS)   COLOR:   SELECT COLORING PER FOOT (SIRIUS)    1 UNDERBELLY STEEL  1 PLYWOOD, 5/8" PRESSURE TREATED FLOOR  1 YELLOW STANDEE LINE  1 YELLOW STEP EDGE NOSINGS    CLIMATE CONTROL OPTIONS    * ACT A/C SYSTEMS    1 ACT 70,000 BTU MAX A/C (FORD 6.8): OEM PLUS TM-16 COMPRESSOR, EZ-5 EVAPORATOR, CS-3 CONDENSER  1 ELECTRIC HEATED ENTRANCE STEP (ONE STEP)  1 HEAT CIRCULATION PUMP  2 HEATER 35,000 BTU    EXTERIOR OPTIONS    1 BUMPER, ENERGY ABSORBING REAR (TRANSPEC) CH/CR/RAIL    1 DRIP MOLDING OVER WINDOWS LARGE    1 DOOR, REAR 37-1/8 X 56 W/Z WINDOWS    1 WINDOWS BOTH SIDES OF REAR DOOR (2)  | 1  |  |
| REI AUDIO/VIDEO OPTIONS  1 AM/FM/MP3/SAT RADIO W/ 4 SPEAKERS REI  1 MIC HANDHELD IN-DASH REI  1 PAGE, SPEAKER EXTERIOR (EACH)  1 BACK-UP CAMERA SYST 7" MON. & 1 CAM REI  1 RADIO, TWO WAY PREP  FLOORING OPTIONS  1 FLAT FLOOR (RAISED 6")  25 GERFLOOR FLOORING PER FOOT (SIRIUS) COLOR: SELECT COLOR  1 UNDERBELLY STEEL  1 PLYWOOD, 5/8" PRESSURE TREATED FLOOR  1 YELLOW STANDEE LINE  1 YELLOW STEP EDGE NOSINGS  CLIMATE CONTROL OPTIONS  * ACT A/C SYSTEMS  1 ACT 70,000 BTU MAX A/C (FORD 6.8): OEM PLUS TM-16 COMPRESSOR, EZ-5 EVAPORATOR, CS-3 CONDENSER  1 ELECTRIC HEATED ENTRANCE STEP (ONE STEP)  1 HEAT CIRCULATION PUMP  2 HEATER 35,000 BTU  EXTERIOR OPTIONS  1 BUMPER, ENERGY ABSORBING REAR (TRANSPEC) CH/CR/RAIL  1 DRIP MOLDING OVER WINDOWS LARGE  1 DOOR, REAR 37-1/8 X 56 W/2 WINDOWS  1 WINDOWS BOTH SIDES OF REAR DOOR (2)  1 FUEL FILL DOOR- BRUSHED STAINLESS STEEL-ALL  | 1  | LIGHTS, SIDEMARKER LED ONLY  |
| REI AUDIO/VIDEO OPTIONS  1 AM/FM/MP3/SAT RADIO W/ 4 SPEAKERS REI  1 MIC HANDHELD IN-DASH REI  1 PAGE, SPEAKER EXTERIOR (EACH)  1 BACK-UP CAMERA SYST 7" MON. & 1 CAM REI  1 RADIO, TWO WAY PREP  FLOORING OPTIONS  1 FLAT FLOOR (RAISED 6")  25 GERFLOOR FLOORING PER FOOT (SIRIUS) COLOR: SELECT COLOR  1 UNDERBELLY STEEL  1 PLYWOOD, 5/8" PRESSURE TREATED FLOOR  1 YELLOW STANDEE LINE  1 YELLOW STEP EDGE NOSINGS  CLIMATE CONTROL OPTIONS  * ACT A/C SYSTEMS  1 ACT 70,000 BTU MAX A/C (FORD 6.8): OEM PLUS TM-16 COMPRESSOR, EZ-5 EVAPORATOR, CS-3 CONDENSER  1 ELECTRIC HEATED ENTRANCE STEP (ONE STEP)  1 HEAT CIRCULATION PUMP  2 HEATER 35,000 BTU  EXTERIOR OPTIONS  1 BUMPER, ENERGY ABSORBING REAR (TRANSPEC) CH/CR/RAIL  1 DRIP MOLDING OVER WINDOWS LARGE  1 DOOR, REAR 37-1/8 X 56 W/2 WINDOWS  1 WINDOWS BOTH SIDES OF REAR DOOR (2)  1 FUEL FILL DOOR- BRUSHED STAINLESS STEEL-ALL  | 1  | LIGHT, STROBE-ROOF MOUNTED   |
| 1 AM/FM/MP3/SAT RADIO W/ 4 SPEAKERS REI 1 MIC HANDHELD IN-DASH REI 1 PAGE, SPEAKER EXTERIOR (EACH) 1 BACK-UP CAMERA SYST 7" MON. & 1 CAM REI 1 RADIO, TWO WAY PREP  FLOORING OPTIONS 1 FLAT FLOOR (RAISED 6") 25 GERFLOOR FLOORING PER FOOT (SIRIUS) COLOR: SELECT COLO 1 UNDERBELLY STEEL 1 PLYWOOD, 5/8" PRESSURE TREATED FLOOR 1 YELLOW STANDEE LINE 1 YELLOW STEP EDGE NOSINGS  CLIMATE CONTROL OPTIONS  ACT A/C SYSTEMS 1 ACT 70,000 BTU MAX A/C (FORD 6.8): OEM PLUS TM-16 COMPRESSOR, EZ-5 EVAPORATOR, CS-3 CONDENSER 1 ELECTRIC HEATED ENTRANCE STEP (ONE STEP) 1 HEAT CIRCULATION PUMP 2 HEATER 35,000 BTU  EXTERIOR OPTIONS 1 BUMPER, ENERGY ABSORBING REAR (TRANSPEC) CH/CR/RAIL 1 DRIP MOLDING OVER WINDOWS LARGE 1 DOOR, REAR 37-1/8 X 56 W/2 WINDOWS 1 WINDOWS BOTH SIDES OF REAR DOOR (2) 1 FUEL FILL DOOR- BRUSHED STAINLESS STEEL-ALL   |    |  |
| 1 MIC HANDHELD IN-DASH REI 1 PAGE, SPEAKER EXTERIOR (EACH) 1 BACK-UP CAMERA SYST 7" MON. & 1 CAM REI 1 RADIO, TWO WAY PREP  FLOORING OPTIONS  1 FLAT FLOOR (RAISED 6") 25 GERFLOOR FLOORING PER FOOT (SIRIUS) COLOR: SELECT COLORING PER FOOT (SIRIUS) 1 UNDERBELLY STEEL 1 PLYWOOD, 5/8" PRESSURE TREATED FLOOR 1 YELLOW STANDEE LINE 1 YELLOW STEP EDGE NOSINGS  CLIMATE CONTROL OPTIONS  * ACT A/C SYSTEMS 1 ACT 70,000 BTU MAX A/C (FORD 6.8): OEM PLUS TM-16 COMPRESSOR, EZ-5 EVAPORATOR, CS-3 CONDENSER 1 ELECTRIC HEATED ENTRANCE STEP (ONE STEP) 1 HEAT CIRCULATION PUMP 2 HEATER 35,000 BTU  EXTERIOR OPTIONS 1 BUMPER, ENERGY ABSORBING REAR (TRANSPEC) CH/CR/RAIL 1 DRIP MOLDING OVER WINDOWS LARGE 1 DOOR, REAR 37-1/8 X 56 W/2 WINDOWS 1 WINDOWS BOTH SIDES OF REAR DOOR (2)  | 1  | The state of the s |
| 1 PAGE, SPEAKER EXTERIOR (EACH) 1 BACK-UP CAMERA SYST 7" MON. & 1 CAM REI 1 RADIO, TWO WAY PREP    FLOORING OPTIONS  | 1  |  |
| 1 BACK-UP CAMERA SYST 7" MON. & 1 CAM REI 1 RADIO, TWO WAY PREP    FLOORING OPTIONS  | 1  |  |
| ### FLOORING OPTIONS  1 FLAT FLOOR (RAISED 6")  25 GERFLOOR FLOORING PER FOOT (SIRIUS) COLOR: SELECT COLOR  1 UNDERBELLY STEEL  1 PLYWOOD, 5/8" PRESSURE TREATED FLOOR  1 YELLOW STANDEE LINE  1 YELLOW STEP EDGE NOSINGS  ** ACT A/C SYSTEMS  1 ACT 70,000 BTU MAX A/C (FORD 6.8): OEM PLUS TM-16 COMPRESSOR, EZ-5 EVAPORATOR, CS-3 CONDENSER  1 ELECTRIC HEATED ENTRANCE STEP (ONE STEP)  1 HEAT CIRCULATION PUMP  2 HEATER 35,000 BTU  ** EXTERIOR OPTIONS**  1 BUMPER, ENERGY ABSORBING REAR (TRANSPEC) CH/CR/RAIL  1 DRIP MOLDING OVER WINDOWS LARGE  1 DOOR, REAR 37-1/8 X 56 W/2 WINDOWS  1 WINDOWS BOTH SIDES OF REAR DOOR (2)  1 FUEL FILL DOOR- BRUSHED STAINLESS STEEL-ALL  | 1  |  |
| 1 FLAT FLOOR (RAISED 6") 25 GERFLOOR FLOORING PER FOOT (SIRIUS) COLOR: SELECT COLOR: UNDERBELLY STEEL 1 PLYWOOD, 5/8" PRESSURE TREATED FLOOR 1 YELLOW STANDEE LINE 1 YELLOW STEP EDGE NOSINGS  ** ACT A/C SYSTEMS 1 ACT 70,000 BTU MAX A/C (FORD 6.8): OEM PLUS TM-16 COMPRESSOR, EZ-5 EVAPORATOR, CS-3 CONDENSER 1 ELECTRIC HEATED ENTRANCE STEP (ONE STEP) 1 HEAT CIRCULATION PUMP 2 HEATER 35,000 BTU  **EXTERIOR OPTIONS** 1 BUMPER, ENERGY ABSORBING REAR (TRANSPEC) CH/CR/RAIL 1 DRIP MOLDING OVER WINDOWS LARGE 1 DOOR, REAR 37-1/8 X 56 W/2 WINDOWS 1 WINDOWS BOTH SIDES OF REAR DOOR (2) 1 FUEL FILL DOOR- BRUSHED STAINLESS STEEL-ALL  | 1  | RADIO, TWO WAY PREP  |
| 25 GERFLOOR FLOORING PER FOOT (SIRIUS)  1 UNDERBELLY STEEL  1 PLYWOOD, 5/8" PRESSURE TREATED FLOOR  1 YELLOW STANDEE LINE  1 YELLOW STEP EDGE NOSINGS  ** ACT A/C SYSTEMS  1 ACT 70,000 BTU MAX A/C (FORD 6.8): OEM PLUS TM-16 COMPRESSOR, EZ-5 EVAPORATOR, CS-3 CONDENSER  1 ELECTRIC HEATED ENTRANCE STEP (ONE STEP)  1 HEAT CIRCULATION PUMP  2 HEATER 35,000 BTU  ** EXTERIOR OPTIONS**  1 BUMPER, ENERGY ABSORBING REAR (TRANSPEC) CH/CR/RAIL  1 DRIP MOLDING OVER WINDOWS LARGE  1 DOOR, REAR 37-1/8 X 56 W/2 WINDOWS  1 WINDOWS BOTH SIDES OF REAR DOOR (2)  1 FUEL FILL DOOR- BRUSHED STAINLESS STEEL-ALL  |    | FLOORING OPTIONS   |
| 1 UNDERBELLY STEEL 1 PLYWOOD, 5/8* PRESSURE TREATED FLOOR 1 YELLOW STANDEE LINE 1 YELLOW STEP EDGE NOSINGS  ** ACT A/C SYSTEMS 1 ACT 70,000 BTU MAX A/C (FORD 6.8): OEM PLUS TM-16 COMPRESSOR, EZ-5 EVAPORATOR, CS-3 CONDENSER 1 ELECTRIC HEATED ENTRANCE STEP (ONE STEP) 1 HEAT CIRCULATION PUMP 2 HEATER 35,000 BTU  ** EXTERIOR OPTIONS 1 BUMPER, ENERGY ABSORBING REAR (TRANSPEC) CH/CR/RAIL 1 DRIP MOLDING OVER WINDOWS LARGE 1 DOOR, REAR 37-1/8 X 56 W/2 WINDOWS 1 WINDOWS BOTH SIDES OF REAR DOOR (2) 1 FUEL FILL DOOR- BRUSHED STAINLESS STEEL-ALL  | 1  | FLAT FLOOR (RAISED 6")   |
| 1 PLYWOOD, 5/8" PRESSURE TREATED FLOOR 1 YELLOW STANDEE LINE 1 YELLOW STEP EDGE NOSINGS  ** ACT A/C SYSTEMS 1 ACT 70,000 BTU MAX A/C (FORD 6.8): OEM PLUS TM-16 COMPRESSOR, EZ-5 EVAPORATOR, CS-3 CONDENSER 1 ELECTRIC HEATED ENTRANCE STEP (ONE STEP) 1 HEAT CIRCULATION PUMP 2 HEATER 35,000 BTU  ** EXTERIOR OPTIONS** 1 BUMPER, ENERGY ABSORBING REAR (TRANSPEC) CH/CR/RAIL 1 DRIP MOLDING OVER WINDOWS LARGE 1 DOOR, REAR 37-1/8 X 56 W/2 WINDOWS 1 WINDOWS BOTH SIDES OF REAR DOOR (2) 1 FUEL FILL DOOR- BRUSHED STAINLESS STEEL-ALL   | 25 | GERFLOOR FLOORING PER FOOT (SIRIUS) COLOR: SELECT COLOR  |
| 1 YELLOW STANDEE LINE 1 YELLOW STEP EDGE NOSINGS  * ACT A/C SYSTEMS 1 ACT 70,000 BTU MAX A/C (FORD 6.8): OEM PLUS TM-16 COMPRESSOR, EZ-5 EVAPORATOR, CS-3 CONDENSER 1 ELECTRIC HEATED ENTRANCE STEP (ONE STEP) 1 HEAT CIRCULATION PUMP 2 HEATER 35,000 BTU  **EXTERIOR OPTIONS**  1 BUMPER, ENERGY ABSORBING REAR (TRANSPEC) CH/CR/RAIL 1 DRIP MOLDING OVER WINDOWS LARGE 1 DOOR, REAR 37-1/8 X 56 W/2 WINDOWS 1 WINDOWS BOTH SIDES OF REAR DOOR (2) 1 FUEL FILL DOOR- BRUSHED STAINLESS STEEL-ALL   | 1  | UNDERBELLY STEEL   |
| CLIMATE CONTROL OPTIONS  * ACT A/C SYSTEMS  1 ACT 70,000 BTU MAX A/C (FORD 6.8): OEM PLUS TM-16 COMPRESSOR, EZ-5 EVAPORATOR, CS-3 CONDENSER  1 ELECTRIC HEATED ENTRANCE STEP (ONE STEP)  1 HEAT CIRCULATION PUMP  2 HEATER 35,000 BTU  EXTERIOR OPTIONS  1 BUMPER, ENERGY ABSORBING REAR (TRANSPEC) CH/CR/RAIL  1 DRIP MOLDING OVER WINDOWS LARGE  1 DOOR, REAR 37-1/8 X 56 W/2 WINDOWS  1 WINDOWS BOTH SIDES OF REAR DOOR (2)  1 FUEL FILL DOOR- BRUSHED STAINLESS STEEL-ALL  | 1  | PLYWOOD, 5/8" PRESSURE TREATED FLOOR   |
| * ACT A/C SYSTEMS  1 ACT 70,000 BTU MAX A/C (FORD 6.8): OEM PLUS TM-16 COMPRESSOR, EZ-5 EVAPORATOR, CS-3 CONDENSER  1 ELECTRIC HEATED ENTRANCE STEP (ONE STEP)  1 HEAT CIRCULATION PUMP  2 HEATER 35,000 BTU  **EXTERIOR OPTIONS**  1 BUMPER, ENERGY ABSORBING REAR (TRANSPEC) CH/CR/RAIL  1 DRIP MOLDING OVER WINDOWS LARGE  1 DOOR, REAR 37-1/8 X 56 W/2 WINDOWS  1 WINDOWS BOTH SIDES OF REAR DOOR (2)  1 FUEL FILL DOOR- BRUSHED STAINLESS STEEL-ALL   | 1  | YELLOW STANDEE LINE  |
| * ACT A/C SYSTEMS  1 ACT 70,000 BTU MAX A/C (FORD 6.8): OEM PLUS TM-16 COMPRESSOR, EZ-5 EVAPORATOR, CS-3 CONDENSER  1 ELECTRIC HEATED ENTRANCE STEP (ONE STEP)  1 HEAT CIRCULATION PUMP  2 HEATER 35,000 BTU  EXTERIOR OPTIONS  1 BUMPER, ENERGY ABSORBING REAR (TRANSPEC) CH/CR/RAIL  1 DRIP MOLDING OVER WINDOWS LARGE  1 DOOR, REAR 37-1/8 X 56 W/2 WINDOWS  1 WINDOWS BOTH SIDES OF REAR DOOR (2)  1 FUEL FILL DOOR- BRUSHED STAINLESS STEEL-ALL   | 1  | YELLOW STEP EDGE NOSINGS   |
| ACT 70,000 BTU MAX A/C (FORD 6.8): OEM PLUS TM-16 COMPRESSOR, EZ-5 EVAPORATOR, CS-3 CONDENSER  1 ELECTRIC HEATED ENTRANCE STEP (ONE STEP)  1 HEAT CIRCULATION PUMP  2 HEATER 35,000 BTU  EXTERIOR OPTIONS  1 BUMPER, ENERGY ABSORBING REAR (TRANSPEC) CH/CR/RAIL  1 DRIP MOLDING OVER WINDOWS LARGE  1 DOOR, REAR 37-1/8 X 56 W/2 WINDOWS  1 WINDOWS BOTH SIDES OF REAR DOOR (2)  1 FUEL FILL DOOR- BRUSHED STAINLESS STEEL-ALL  |    | CLIMATE CONTROL OPTIONS  |
| EVAPORATOR, CS-3 CONDENSER  1 ELECTRIC HEATED ENTRANCE STEP (ONE STEP)  1 HEAT CIRCULATION PUMP  2 HEATER 35,000 BTU  EXTERIOR OPTIONS  1 BUMPER, ENERGY ABSORBING REAR (TRANSPEC) CH/CR/RAIL  1 DRIP MOLDING OVER WINDOWS LARGE  1 DOOR, REAR 37-1/8 X 56 W/2 WINDOWS  1 WINDOWS BOTH SIDES OF REAR DOOR (2)  1 FUEL FILL DOOR- BRUSHED STAINLESS STEEL-ALL   | *  | ACT A/C SYSTEMS  |
| 1 HEAT CIRCULATION PUMP 2 HEATER 35,000 BTU  EXTERIOR OPTIONS  1 BUMPER, ENERGY ABSORBING REAR (TRANSPEC) CH/CR/RAIL 1 DRIP MOLDING OVER WINDOWS LARGE 1 DOOR, REAR 37-1/8 X 56 W/2 WINDOWS 1 WINDOWS BOTH SIDES OF REAR DOOR (2) 1 FUEL FILL DOOR- BRUSHED STAINLESS STEEL-ALL  | 1  | ACT 70,000 BTU MAX A/C (FORD 6.8): OEM PLUS TM-16 COMPRESSOR, EZ-5 EVAPORATOR, CS-3 CONDENSER  |
| 2 HEATER 35,000 BTU  EXTERIOR OPTIONS  1 BUMPER, ENERGY ABSORBING REAR (TRANSPEC) CH/CR/RAIL  1 DRIP MOLDING OVER WINDOWS LARGE  1 DOOR, REAR 37-1/8 X 56 W/2 WINDOWS  1 WINDOWS BOTH SIDES OF REAR DOOR (2)  1 FUEL FILL DOOR- BRUSHED STAINLESS STEEL-ALL  | 1  | ELECTRIC HEATED ENTRANCE STEP (ONE STEP)   |
| EXTERIOR OPTIONS  1 BUMPER, ENERGY ABSORBING REAR (TRANSPEC) CH/CR/RAIL  1 DRIP MOLDING OVER WINDOWS LARGE  1 DOOR, REAR 37-1/8 X 56 W/2 WINDOWS  1 WINDOWS BOTH SIDES OF REAR DOOR (2)  1 FUEL FILL DOOR- BRUSHED STAINLESS STEEL-ALL   | 1  | HEAT CIRCULATION PUMP  |
| 1 BUMPER, ENERGY ABSORBING REAR (TRANSPEC) CH/CR/RAIL 1 DRIP MOLDING OVER WINDOWS LARGE 1 DOOR, REAR 37-1/8 X 56 W/2 WINDOWS 1 WINDOWS BOTH SIDES OF REAR DOOR (2) 1 FUEL FILL DOOR- BRUSHED STAINLESS STEEL-ALL   | 2  | HEATER 35,000 BTU  |
| 1 DRIP MOLDING OVER WINDOWS LARGE 1 DOOR, REAR 37-1/8 X 56 W/2 WINDOWS 1 WINDOWS BOTH SIDES OF REAR DOOR (2) 1 FUEL FILL DOOR- BRUSHED STAINLESS STEEL-ALL   |    | EXTERIOR OPTIONS   |
| 1 DOOR, REAR 37-1/8 X 56 W/2 WINDOWS 1 WINDOWS BOTH SIDES OF REAR DOOR (2) 1 FUEL FILL DOOR- BRUSHED STAINLESS STEEL-ALL   | 1  | BUMPER, ENERGY ABSORBING REAR (TRANSPEC) CH/CR/RAIL  |
| 1 WINDOWS BOTH SIDES OF REAR DOOR (2) 1 FUEL FILL DOOR- BRUSHED STAINLESS STEEL-ALL  | 1  | DRIP MOLDING OVER WINDOWS LARGE  |
| 1 FUEL FILL DOOR- BRUSHED STAINLESS STEEL-ALL  | 1  | DOOR, REAR 37-1/8 X 56 W/2 WINDOWS   |
| TOTAL POOL STOOTING OF THE FEE   | 1  | WINDOWS BOTH SIDES OF REAR DOOR (2)  |
| 1 TRANSIGN VISTA I ED DESTINATION EDT/SIDE   | 1  | FUEL FILL DOOR- BRUSHED STAINLESS STEEL-ALL  |
| T   TARGORI, VIOTA ELD DESTINATION FRITAIDE  | 1  | TRANSIGN, VISTA LED DESTINATION FRT/SIDE   |

| 3 Q-STRAINT, TIEDOWN MAX W/TRACK RETRACTABLE SHOULDER BELT 12 STRAP QUICK SURELOK 16" EACH 1 STORAGE BOX FOR BELTS - HOLDS 2 SETS  SAFETY OPTIONS 2 BLANKET, FIREPROOF 62" X 80" 1 ESCAPE HATCH STANDARD VENT MODEL (TRANSPEC) 1 EXIT BUZZER (1 PER BUS) "IN DASH" 4 EXIT SWITCH (PER EXIT) 1 FRESNAL LENS 1 GRAB RAILS, CEILING 2 KICK OUT WINDOW (ADDITIONAL) - 2 PER SIDE 1 KIT,BLOOD BORN DISEASE 1 MIRROR, INTERIOR 6.0" X 16.0" 1 MIRRORS, EXTERIOR ROSCO HEATED/REMOTE-FORD 1 SAFETY PACKAGE 1: SMALL BACK UP ALARM, 5# FIRE EXTINGUISHER, FIRST AID KIT |     |
|---|-----|
| STORAGE BOX FOR BELTS - HOLDS 2 SETS  SAFETY OPTIONS  BLANKET, FIREPROOF 62" X 80"  ESCAPE HATCH STANDARD VENT MODEL (TRANSPEC)  EXIT BUZZER (1 PER BUS) "IN DASH"  EXIT SWITCH (PER EXIT)  FRESNAL LENS  GRAB RAILS, CEILING  KICK OUT WINDOW (ADDITIONAL) - 2 PER SIDE  KIT,BLOOD BORN DISEASE  MIRROR, INTERIOR 6.0" X 16.0"  MIRRORS, EXTERIOR ROSCO HEATED/REMOTE-FORD   |     |
| SAFETY OPTIONS  2 BLANKET, FIREPROOF 62" X 80"  1 ESCAPE HATCH STANDARD VENT MODEL (TRANSPEC)  1 EXIT BUZZER (1 PER BUS) "IN DASH"  4 EXIT SWITCH (PER EXIT)  1 FRESNAL LENS  1 GRAB RAILS, CEILING  2 KICK OUT WINDOW (ADDITIONAL) - 2 PER SIDE  1 KIT,BLOOD BORN DISEASE  1 MIRROR, INTERIOR 6.0" X 16.0"  1 MIRRORS, EXTERIOR ROSCO HEATED/REMOTE-FORD   |     |
| 2 BLANKET, FIREPROOF 62" X 80"  1 ESCAPE HATCH STANDARD VENT MODEL (TRANSPEC)  1 EXIT BUZZER (1 PER BUS) "IN DASH"  4 EXIT SWITCH (PER EXIT)  1 FRESNAL LENS  1 GRAB RAILS, CEILING  2 KICK OUT WINDOW (ADDITIONAL) - 2 PER SIDE  1 KIT,BLOOD BORN DISEASE  1 MIRROR, INTERIOR 6.0" X 16.0"  1 MIRRORS, EXTERIOR ROSCO HEATED/REMOTE-FORD   |     |
| 1 ESCAPE HATCH STANDARD VENT MODEL (TRANSPEC)  1 EXIT BUZZER (1 PER BUS) "IN DASH"  4 EXIT SWITCH (PER EXIT)  1 FRESNAL LENS  1 GRAB RAILS, CEILING  2 KICK OUT WINDOW (ADDITIONAL) - 2 PER SIDE  1 KIT,BLOOD BORN DISEASE  1 MIRROR, INTERIOR 6.0" X 16.0"  1 MIRRORS, EXTERIOR ROSCO HEATED/REMOTE-FORD   |     |
| 1 EXIT BUZZER (1 PER BUS) "IN DASH" 4 EXIT SWITCH (PER EXIT) 1 FRESNAL LENS 1 GRAB RAILS, CEILING 2 KICK OUT WINDOW (ADDITIONAL) - 2 PER SIDE 1 KIT,BLOOD BORN DISEASE 1 MIRROR, INTERIOR 6.0" X 16.0" 1 MIRRORS, EXTERIOR ROSCO HEATED/REMOTE-FORD   |     |
| 4 EXIT SWITCH (PER EXIT)  1 FRESNAL LENS  1 GRAB RAILS, CEILING  2 KICK OUT WINDOW (ADDITIONAL) - 2 PER SIDE  1 KIT,BLOOD BORN DISEASE  1 MIRROR, INTERIOR 6.0" X 16.0"  1 MIRRORS, EXTERIOR ROSCO HEATED/REMOTE-FORD   |     |
| 1 FRESNAL LENS 1 GRAB RAILS, CEILING 2 KICK OUT WINDOW (ADDITIONAL) - 2 PER SIDE 1 KIT,BLOOD BORN DISEASE 1 MIRROR, INTERIOR 6.0" X 16.0" 1 MIRRORS, EXTERIOR ROSCO HEATED/REMOTE-FORD  |     |
| 1 GRAB RAILS, CEILING 2 KICK OUT WINDOW (ADDITIONAL) - 2 PER SIDE 1 KIT,BLOOD BORN DISEASE 1 MIRROR, INTERIOR 6.0" X 16.0" 1 MIRRORS, EXTERIOR ROSCO HEATED/REMOTE-FORD   |     |
| 2 KICK OUT WINDOW (ADDITIONAL) - 2 PER SIDE  1 KIT,BLOOD BORN DISEASE  1 MIRROR, INTERIOR 6.0" X 16.0"  1 MIRRORS, EXTERIOR ROSCO HEATED/REMOTE-FORD  |     |
| 1 KIT,BLOOD BORN DISEASE 1 MIRROR, INTERIOR 6.0" X 16.0" 1 MIRRORS, EXTERIOR ROSCO HEATED/REMOTE-FORD   |     |
| 1 MIRROR, INTERIOR 6.0" X 16.0" 1 MIRRORS, EXTERIOR ROSCO HEATED/REMOTE-FORD  |     |
| 1 MIRRORS, EXTERIOR ROSCO HEATED/REMOTE-FORD  |     |
| <u></u>   |     |
| 1   SAFETY PACKAGE 1: SMALL BACK UP ALARM 5# FIRE EXTINGUISHED FIRST AID KIT  |     |
| UNIT), REFLECTOR TRIANGLES  | (13 |
| 2 STANCHION PADDING GRAY (1 SET)  |     |
| 1 STANCHION, W/MODESTY BEHIND DRIVER  |     |
| 1 STANCHION W/INTEGRATED RIGHT HAND GRAB  |     |
| 1 BARRIER,PLEXIGLASS  |     |
| INTERIOR OPTIONS  |     |
| 2 DECALS, INTERIOR SIGN RED/BLACK LETTERS- MAX 40 LETTERS (PER)   |     |
| 4 DECAL, *EMERGENCY EXIT"   |     |
| 1 DECAL, "NO-SMOKING"   |     |
| 1 DECAL, "SEAT BELT MUST BE WORN AT ALL"  |     |
| 1 DECAL, "WATCH YOUR STEP"  |     |
| 1 DECAL,CLEARANCE HEIGHT  |     |
| 1 DECAL,STOPS AT ALL RAILROAD CROSSINGS   |     |
| 1 DECAL, VEHICLE MAKES SUDDEN & FREQ STOPS  |     |
| 1 FAREBOX PREP  |     |
| 1 PASSENGER, PULL CORD YELLOW   |     |
| 2 PASSENGER, PUSH BUTTON (PER LOCATION)   |     |
| 1 SIGNAL, CHIME 2-TONE (ADA)  |     |
| PASSENGER SEATING OPTIONS (SEAT PRICES INCLUDE 60" SEAT BELTS)  |     |
| 2 MID HI FEATHERWEIGHT RIGID W/T LEG SINGLE 2-1 SEATING   |     |
| 2 SEAT, 35" FSC TWO STEP FOLDAWAY FLIP  |     |
| 2 ICS DOUBLE, 1-ICS & 1-COMPANION   |     |
| 2 CHILD SAFETY LATCH SYSTEM FREEDMAN  |     |
| PASSENGER SEATING FABRIC OPTIONS  |     |
| 12 LEVEL 4 FABRIC UPGRADE (PER PASSENGER)   |     |
| DRIVER SEATING OPTIONS  | T,  |
| 1 SEAT, DRIVER/CO-PILOT SHIELD FORD/GM  |     |

| DRIVER SEATING FABRIC OPTIONS   |
|---|
| LEVEL 4 FABRIC UPGRADE - DRIVER SEAT  |
| SEAT BELT OPTIONS   |
| SEAT BELT, 2 PT RETRACTABLE (N/A W-PERIMERTER SEATS OR FLIP SEATS)              |
| SEAT BELT EXTENSION 24"   |
| SEAT ACCESSORY OPTIONS  |
| FREEDMAN US ARM (FLIP UP)   |
| UNLISTED FACTORY OPTIONS/ORDER NOTES  |
| Hood Scoops/Bilge Ports   |
| 11"x17" Laminated Electrical Schematics   |
| EXTERIOR GRAPHICS - RAILROAD X'ING, PARATRANSIT, FREQUENT STOPS, STAND          |
| CLEAR OF LIFT, AND REFLECTIVE TAPE  |
| Kubota Key Door Switch  |
| Warning Light and Buzzer for WC Lift door when Interlock conditions are not met |
| RACK,PREP BIKE SPORTSWORKS E450 OEM   |
| Need 37"x51" 1000lb lift- Wide Door Required                                    |
| Lift Activation causes Hazard lights to flash                                   |
| Red Light at Emergency Exits  |
| Brake Lights and Turn Signals on separate circuit. Brakes=Red Turns=Amber       |
| SAFETY VEST CLASS 1 XXL ORANGE  |
| WHEEL CHOCKS, PAIR  |
| WV 6 camera system  |
| MYLAR BLANKETS  |
|   |



### **CLASS F**

| S   | TANDARD FEATURES   |
|---|--|
| Standard Body Construction Feature                                | Electrical System Features                                     |
| Fully Welded Steel Roll Cage Construction                         | • 30" Electrical Entrance Door                                 |
| 1.5X1.5" 16 Ga. Steel Body Superstructure                         | Dual Batteries   |
| • 14 Gauge Steel Stepwell   | All Battery Cable To Be 2/0 Sgx                                |
| • 16 Gauge Steel Wheel Wells                                      | <ul> <li>Led Interior Dome Lights</li> </ul>                   |
| Top T-Slider Windows  | <ul> <li>Electrical Fuse Panel Located Above Driver</li> </ul> |
| Rear Escape Window  | Led Dual Stepwell Lights                                       |
| Integrated Track Seating into Body Constructi                     | on • All Led Exterior Lighting                                 |
| • 5/8" CDX Plywood Floor  | Exterior Features  |
| <ul> <li>2.54 Fiberglass Exterior Sidewalls</li> </ul>            | <ul> <li>Black Steel Powder Coated Rear Bumper</li> </ul>      |
| Galvanized Steel Skirts   | <ul> <li>Rosco Eurostyle Manual Exterior Mirrors</li> </ul>    |
| Roof One Piece Composite  | • Rear Exhaust   |
| Stylish Fiberglass Rear Cap                                       | Rear Mud Flaps   |
| Drip Rail Over Passenger Entry Door                               | <ul> <li>Foam Insulation 1/2" Thick - R Value 8</li> </ul>     |
| <ul> <li>Rust Inhibitor: Floor, Frame, Lower Sidewalls</li> </ul> | Full Body Undercoating   |
| Anti-Corrosion Protected Step Wells And Wing                      | <ul> <li>Suspension, Chassis Front End Alignment</li> </ul>    |
| Non-Slip Gerflor-Anthracite                                       | <ul> <li>Eccentric CAM Replacement</li> </ul>                  |
| • Rubber White Step Nosings                                       |  |
| London Smoke Interior   |  |
| • Flat London Smoke Wire Bars                                     | Ford QVM Certified Manufacturing                               |
| Carlsbad Ceiling  | SO 9001:2000 Certified Facility                                |
| • Right Hand Grab Rail  |  |
| <ul> <li>Left Hand Grab Rail With Stanchion And Mode</li> </ul>   | esty Panel Panel   |
| Black Kick Panel Under Seat Rail                                  |  |


| *Options | Override | Standard | <b>Features</b> |
|----------|----------|----------|-----------------|
|----------|----------|----------|-----------------|


| Qty. | Description   |
|------|---|
|      | BASE MODEL  |
| 1    | CHALLENGER 176-E450 FORD 6.8L GAS   |
|      | FORD CHASSIS OPTIONS  |
| 1    | FORD E-450-176" W/B, 14,500 # GVWR, 6.8 L GAS-EFI- V10, 320 HP @ 4250 RPM- 420 LB/FT @ 3250 RPM, 5-SPEED HD O/D AUTOMATIC TRANS, AUX. TRANSMISSION COOLER, 4.56 REAR AXLE RATIO, 225-AMP ALTERNATOR, 650 CCA BATTERY, 55 GALLON FUEL TANK, HD GAS SHOCK ABSORBERS, POWER 4-WHEEL DISC (ABS), 16 X 6 STEEL WHEELS, 5000# TWIN I-BEAM FRONT AXLE, 9500# REAR AXLE, TIRES LT225/75R 16E, BSW ALL SEASON, TILT/CRUISE |


|  | CHASSIS OPTIONS  |
|--|--|
| 1  | DROP SHIP CHASSIS/TRANSFER FEE (REQUIRED ON ALL ORDERS)  |
| 1  | RUNNING BOARD, ROADSIDE ALUMINUM   |
| 1  | BATTERY, BOX S/S SLIDE/TRAY (CUTAWAYS)   |
| 1  | EXTENSION, TIRE VALVE STEM   |
| 1  | SPARE TIRE/WHEEL 16.0" SHIP LOOSE  |
| 1  | SUSPENSION, MOR/RYDE REAR E450/350   |
|  | ELECTRICAL OPTIONS   |
| 1  | AS BUILT WIRING DIAGRAMS   |
| 2  | DEFROST FAN, EACH  |
| 1  | LIFT MASTER SWITCH W/INDICATOR LIGHT   |
| 1  | LIGHT, DOOR AJAR W/BUZZER (REAR DOOR)  |
| 1  | LIGHT, REAR CENTER BRAKE "LED"   |
| 1  | LIGHTS, DOOR ACTUATED DOME   |
| 1  | LIGHTS, SIDEMARKER LED ONLY  |
| 1  | LIGHT, STROBE-ROOF MOUNTED   |
|  | REI AUDIO/VIDEO OPTIONS  |
| 1  | AM/FM/MP3/SAT RADIO W/ 4 SPEAKERS REI  |
| 1  | MIC HANDHELD IN-DASH REI   |
| 1  | PAGE, SPEAKER EXTERIOR (EACH)  |
| 1  | BACK-UP CAMERA SYST 7" MON. & 1 CAM REI  |
| 1  | RADIO, TWO WAY PREP  |
|  |  |
|  | FLOORING OPTIONS   |
| 1  | FLOORING OPTIONS FLAT FLOOR (RAISED 6")  |
| 1 25                                       | THE PARTY OF THE P |
|  | FLAT FLOOR (RAISED 6")   |
| 25   | FLAT FLOOR (RAISED 6")  GERFLOOR FLOORING PER FOOT (SIRIUS)  COLOR: SELECT COLOR   |
| 25<br>1                                    | FLAT FLOOR (RAISED 6")  GERFLOOR FLOORING PER FOOT (SIRIUS)  UNDERBELLY STEEL  COLOR: SELECT COLOR   |
| 25<br>1<br>1                               | FLAT FLOOR (RAISED 6")  GERFLOOR FLOORING PER FOOT (SIRIUS)  UNDERBELLY STEEL  PLYWOOD, 5/8" PRESSURE TREATED FLOOR  |
| 25<br>1<br>1<br>1                          | FLAT FLOOR (RAISED 6")  GERFLOOR FLOORING PER FOOT (SIRIUS)  UNDERBELLY STEEL  PLYWOOD, 5/8" PRESSURE TREATED FLOOR  YELLOW STANDEE LINE   |
| 25<br>1<br>1<br>1                          | FLAT FLOOR (RAISED 6")  GERFLOOR FLOORING PER FOOT (SIRIUS)  UNDERBELLY STEEL  PLYWOOD, 5/8" PRESSURE TREATED FLOOR  YELLOW STANDEE LINE  YELLOW STEP EDGE NOSINGS   |
| 25<br>1<br>1<br>1<br>1                     | FLAT FLOOR (RAISED 6")  GERFLOOR FLOORING PER FOOT (SIRIUS)  UNDERBELLY STEEL  PLYWOOD, 5/8" PRESSURE TREATED FLOOR  YELLOW STANDEE LINE  YELLOW STEP EDGE NOSINGS  CLIMATE CONTROL OPTIONS  |
| 25<br>1<br>1<br>1<br>1                     | FLAT FLOOR (RAISED 6")  GERFLOOR FLOORING PER FOOT (SIRIUS)  UNDERBELLY STEEL  PLYWOOD, 5/8" PRESSURE TREATED FLOOR  YELLOW STANDEE LINE  YELLOW STEP EDGE NOSINGS  ACT A/C SYSTEMS  ACT 70,000 BTU MAX A/C (FORD 6.8): OEM PLUS TM-16 COMPRESSOR, EZ-5  |
| 25<br>1<br>1<br>1<br>1<br>1                | FLAT FLOOR (RAISED 6")  GERFLOOR FLOORING PER FOOT (SIRIUS)  UNDERBELLY STEEL  PLYWOOD, 5/8" PRESSURE TREATED FLOOR  YELLOW STANDEE LINE  YELLOW STEP EDGE NOSINGS  CLIMATE CONTROL OPTIONS  ACT A/C SYSTEMS  ACT 70,000 BTU MAX A/C (FORD 6.8): OEM PLUS TM-16 COMPRESSOR, EZ-5  EVAPORATOR, CS-3 CONDENSER   |
| 25<br>1<br>1<br>1<br>1<br>1                | FLAT FLOOR (RAISED 6")  GERFLOOR FLOORING PER FOOT (SIRIUS)  UNDERBELLY STEEL  PLYWOOD, 5/8" PRESSURE TREATED FLOOR  YELLOW STANDEE LINE  YELLOW STEP EDGE NOSINGS   CLIMATE CONTROL OPTIONS  ACT A/C SYSTEMS  ACT 70,000 BTU MAX A/C (FORD 6.8): OEM PLUS TM-16 COMPRESSOR, EZ-5  EVAPORATOR, CS-3 CONDENSER  ELECTRIC HEATED ENTRANCE STEP (ONE STEP)  |
| 25<br>1<br>1<br>1<br>1<br>1<br>1           | FLAT FLOOR (RAISED 6")  GERFLOOR FLOORING PER FOOT (SIRIUS)  UNDERBELLY STEEL  PLYWOOD, 5/8" PRESSURE TREATED FLOOR  YELLOW STANDEE LINE  YELLOW STEP EDGE NOSINGS  CLIMATE CONTROL OPTIONS  ACT A/C SYSTEMS  ACT 70,000 BTU MAX A/C (FORD 6.8): OEM PLUS TM-16 COMPRESSOR, EZ-5  EVAPORATOR, CS-3 CONDENSER  ELECTRIC HEATED ENTRANCE STEP (ONE STEP)  HEAT CIRCULATION PUMP  |
| 25<br>1<br>1<br>1<br>1<br>1<br>1           | FLAT FLOOR (RAISED 6")  GERFLOOR FLOORING PER FOOT (SIRIUS)  UNDERBELLY STEEL  PLYWOOD, 5/8" PRESSURE TREATED FLOOR  YELLOW STANDEE LINE  YELLOW STEP EDGE NOSINGS  CLIMATE CONTROL OPTIONS  ACT A/C SYSTEMS  ACT 70,000 BTU MAX A/C (FORD 6.8): OEM PLUS TM-16 COMPRESSOR, EZ-5  EVAPORATOR, CS-3 CONDENSER  ELECTRIC HEATED ENTRANCE STEP (ONE STEP)  HEAT CIRCULATION PUMP  HEATER 35,000 BTU   |
| 25<br>1<br>1<br>1<br>1<br>1<br>1<br>1<br>2 | FLAT FLOOR (RAISED 6")  GERFLOOR FLOORING PER FOOT (SIRIUS)  UNDERBELLY STEEL  PLYWOOD, 5/8" PRESSURE TREATED FLOOR  YELLOW STANDEE LINE  YELLOW STEP EDGE NOSINGS  CLIMATE CONTROL OPTIONS  ACT A/C SYSTEMS  ACT 70,000 BTU MAX A/C (FORD 6.8): OEM PLUS TM-16 COMPRESSOR, EZ-5  EVAPORATOR, CS-3 CONDENSER  ELECTRIC HEATED ENTRANCE STEP (ONE STEP)  HEAT CIRCULATION PUMP  HEATER 35,000 BTU  EXTERIOR OPTIONS   |
| 25<br>1<br>1<br>1<br>1<br>1<br>1<br>2      | FLAT FLOOR (RAISED 6")  GERFLOOR FLOORING PER FOOT (SIRIUS)  UNDERBELLY STEEL  PLYWOOD, 5/8" PRESSURE TREATED FLOOR  YELLOW STANDEE LINE  YELLOW STEP EDGE NOSINGS  CLIMATE CONTROL OPTIONS  ACT 70,000 BTU MAX A/C (FORD 6.8): OEM PLUS TM-16 COMPRESSOR, EZ-5  EVAPORATOR, CS-3 CONDENSER  ELECTRIC HEATED ENTRANCE STEP (ONE STEP)  HEAT CIRCULATION PUMP  HEATER 35,000 BTU  EXTERIOR OPTIONS  BUMPER, ENERGY ABSORBING REAR (TRANSPEC) CH/CR/RAIL   |
| 25<br>1<br>1<br>1<br>1<br>1<br>1<br>2      | FLAT FLOOR (RAISED 6")  GERFLOOR FLOORING PER FOOT (SIRIUS)  UNDERBELLY STEEL  PLYWOOD, 5/8" PRESSURE TREATED FLOOR  YELLOW STANDEE LINE  YELLOW STEP EDGE NOSINGS  CLIMATE CONTROL OPTIONS  ACT A/C SYSTEMS  ACT 70,000 BTU MAX A/C (FORD 6.8): OEM PLUS TM-16 COMPRESSOR, EZ-5  EVAPORATOR, CS-3 CONDENSER  ELECTRIC HEATED ENTRANCE STEP (ONE STEP)  HEAT CIRCULATION PUMP  HEATER 35,000 BTU  EXTERIOR OPTIONS  BUMPER, ENERGY ABSORBING REAR (TRANSPEC) CH/CR/RAIL  DRIP MOLDING OVER WINDOWS LARGE   |
| 25<br>1<br>1<br>1<br>1<br>1<br>1<br>2      | FLAT FLOOR (RAISED 6")  GERFLOOR FLOORING PER FOOT (SIRIUS)  UNDERBELLY STEEL  PLYWOOD, 5/8" PRESSURE TREATED FLOOR YELLOW STANDEE LINE YELLOW STEP EDGE NOSINGS  CLIMATE CONTROL OPTIONS  ACT A/C SYSTEMS  ACT 70,000 BTU MAX A/C (FORD 6.8): OEM PLUS TM-16 COMPRESSOR, EZ-5 EVAPORATOR, CS-3 CONDENSER  ELECTRIC HEATED ENTRANCE STEP (ONE STEP)  HEAT CIRCULATION PUMP  HEATER 35,000 BTU  EXTERIOR OPTIONS  BUMPER, ENERGY ABSORBING REAR (TRANSPEC) CH/CR/RAIL  DRIP MOLDING OVER WINDOWS LARGE  DOOR, REAR 37-1/8 X 56 W/2 WINDOWS  |
| 25<br>1<br>1<br>1<br>1<br>1<br>1<br>2      | FLAT FLOOR (RAISED 6")  GERFLOOR FLOORING PER FOOT (SIRIUS)  UNDERBELLY STEEL  PLYWOOD, 5/8" PRESSURE TREATED FLOOR  YELLOW STANDEE LINE  YELLOW STEP EDGE NOSINGS  CLIMATE CONTROL OPTIONS  ACT A/C SYSTEMS  ACT 70,000 BTU MAX A/C (FORD 6.8): OEM PLUS TM-16 COMPRESSOR, EZ-5 EVAPORATOR, CS-3 CONDENSER  ELECTRIC HEATED ENTRANCE STEP (ONE STEP)  HEAT CIRCULATION PUMP  HEATER 35,000 BTU  EXTERIOR OPTIONS  BUMPER, ENERGY ABSORBING REAR (TRANSPEC) CH/CR/RAIL  DRIP MOLDING OVER WINDOWS LARGE  DOOR, REAR 37-1/8 X 56 W/2 WINDOWS  WINDOWS BOTH SIDES OF REAR DOOR (2)   |

| 3  | POUCH, Q'STRAINT TIEDOWN - BLACK VINYL  |
|----|---|
| 3  | Q-STRAINT, TIEDOWN MAX W/TRACK RETRACTABLE SHOULDER BELT  |
| 12 | STRAP QUICK SURELOK 16" EACH  |
| 1  | STORAGE BOX FOR BELTS - HOLDS 2 SETS  |
|    | SAFETY OPTIONS  |
| 2  | BLANKET, FIREPROOF 62" X 80"  |
| 1  | ESCAPE HATCH STANDARD VENT MODEL (TRANSPEC)   |
| 1  | EXIT BUZZER (1 PER BUS) "IN DASH"   |
| 4  | EXIT SWITCH (PER EXIT)  |
| 1  | FRESNAL LENS  |
| 1  | GRAB RAILS, CEILING   |
| 2  | KICK OUT WINDOW (ADDITIONAL) - 2 PER SIDE   |
| 1  | KIT,BLOOD BORN DISEASE  |
| 1  | MIRROR, INTERIOR 6.0" X 16.0"   |
| 1  | MIRRORS, EXTERIOR ROSCO HEATED/REMOTE-FORD  |
| 1  | SAFETY PACKAGE 1: SMALL BACK UP ALARM, 5# FIRE EXTINGUISHER, FIRST AID KIT (13 UNIT), REFLECTOR TRIANGLES |
| 2  | STANCHION PADDING GRAY (1 SET)  |
| 1  | STANCHION, W/MODESTY BEHIND DRIVER  |
| 1  | STANCHION W/INTEGRATED RIGHT HAND GRAB  |
| 1  | BARRIER, PLEXIGLASS   |
|    | INTERIOR OPTIONS  |
| 2  | DECALS, INTERIOR SIGN RED/BLACK LETTERS- MAX 40 LETTERS (PER)   |
| 4  | DECAL, "EMERGENCY EXIT"   |
| 1  | DECAL, "NO-SMOKING"   |
| 1  | DECAL, "SEAT BELT MUST BE WORN AT ALL"  |
| 1  | DECAL, "WATCH YOUR STEP"  |
| 1  | DECAL,CLEARANCE HEIGHT  |
| 1  | DECAL,STOPS AT ALL RAILROAD CROSSINGS   |
| 1  | DECAL, VEHICLE MAKES SUDDEN & FREQ STOPS  |
| 1  | FAREBOX PREP  |
| 1  | PASSENGER, PULL CORD YELLOW   |
| 2  | PASSENGER, PUSH BUTTON (PER LOCATION)   |
| 1  | SIGNAL, CHIME 2-TONE (ADA)  |
|    | PASSENGER SEATING OPTIONS (SEAT PRICES INCLUDE 60" SEAT BELTS)  |
| 2  | MID HI FEATHERWEIGHT RIGID W/T LEG SINGLE 2-1 SEATING   |
| 2  | SEAT, 35" FSC TWO STEP FOLDAWAY FLIP  |
| 2  | ICS DOUBLE, 1-ICS & 1-COMPANION   |
| 2  | CHILD SAFETY LATCH SYSTEM FREEDMAN  |
|    | PASSENGER SEATING FABRIC OPTIONS  |
| 12 | LEVEL 4 FABRIC UPGRADE (PER PASSENGER)  |
|    | DRIVER SEATING OPTIONS  |
| 1  | SEAT, DRIVER/CO-PILOT SHIELD FORD/GM  |

|    | DRIVER SEATING FABRIC OPTIONS   |
|----|---|
| 1  | LEVEL 4 FABRIC UPGRADE - DRIVER SEAT  |
|    | SEAT BELT OPTIONS   |
| 12 | SEAT BELT, 2 PT RETRACTABLE (N/A W-PERIMERTER SEATS OR FLIP SEATS)  |
| 5  | SEAT BELT EXTENSION 24"   |
|    | SEAT ACCESSORY OPTIONS  |
| 6  | FREEDMAN US ARM (FLIP UP)   |
|    | UNLISTED FACTORY OPTIONS/ORDER NOTES  |
| 1  | Hood Scoops/Bilge Ports   |
| 2  | 11"x17" Laminated Electrical Schematics   |
| 1  | EXTERIOR GRAPHICS - RAILROAD X'ING, PARATRANSIT, FREQUENT STOPS, STAND CLEAR OF LIFT, AND REFLECTIVE TAPE |
| 1  | Kubota Key Door Switch  |
| 1  | Warning Light and Buzzer for WC Lift door when Interlock conditions are not met                           |
| 1  | RACK, PREP BIKE SPORTSWORKS E450 OEM  |
| 1  | Need 37"x51" 1000lb lift- Wide Door Required  |
| 1  | Lift Activation causes Hazard lights to flash   |
| 1  | Red Light at Emergency Exits  |
| 1  | Brake Lights and Turn Signals on separate circuit. Brakes=Red Turns=Amber                                 |
| 2  | SAFETY VEST CLASS 1 XXL ORANGE  |
| 1  | WHEEL CHOCKS, PAIR  |
| 1  | WV 6 camera system  |
| 2  | MYLAR BLANKETS  |
| 1  | FULL BODY PAINT OR % PAINT AND EXPANDED GRAPHICS PACKAGE  |









## **Optional Equipment**

| Angel Trax 6 Camera Vulcan System to include 1 TB Hard Drive IPO Pro Vision | No Charge  |
|---|------------|
| Pro Vision 500 GB Solid State Hard Drive                                    | .\$625.00  |
| Pro Vision 1 TB Solid State Hard Drive                                      | .\$995.00  |
| Altro Meta Or Chroma IPO Gerflor Flooring                                   | .\$765.00  |
| Upgrade to 90K BTU AC IPO 70K BTU   | \$1,564.00 |
| Extend Flat Floor to Front of Vehicle on Front Lift C-F Classes             | \$321.00   |



U.S. Department Of Transportation Federal Transit Administration

#### Headquarters

East Building, 5th Floor – TCR 1200 New Jersey Avenue, SE Washington, DC 20590

September 1, 2017

Brad Lupo, DBELO Champion Bus/General Coach America, Inc. 331 Graham Road Imlay City, MI 48444

Re: TVM DBE Goal Concurrence/Certification Letter - Fiscal Year 2018

Dear Mr. Lupo:

This letter is to inform you that the Federal Transit Administration's (FTA) Office of Civil Rights has received Champion Bus/General Coach America's Disadvantaged Business Enterprise (DBE) goal and methodology for FY 2018 for the period of October 1, 2017–September 30, 2018. This goal submission is required by the U.S. Department of Transportation's DBE regulations at 49 CFR Part 26 and must be implemented in good faith.

We have reviewed your FY 2018 DBE goal and determined that it is compliant with DOT's DBE regulations. You are eligible to bid on FTA-funded transit contracts. This letter or a copy of the TVM listing on FTA's website may be used to demonstrate your compliance with DBE requirements when bidding on federally funded vehicle procurements.

FTA reserves the right to remove/suspend this concurrence if your DBE program or FY 2018 DBE goal is not implemented in good faith. In accordance with this good faith requirement, you must submit your DBE Uniform Report to FTA by December 1, 2017. This report should reflect all FTA-funded contracting activity for the second period of FY 2017 (i.e., from April 1 to September 30).

Please also be mindful that your FY 2019 DBE goal methodology must be submitted to FTA by August 1, 2018. Any updates to the program plan must be submitted to FTA as they occur. Thank you for your cooperation. If you have any questions regarding this approval, please contact the FTA DBE Team via e-mail at FTATVMSubmissions@dot.gov.

Sincerely,

Program/Manager for Policy and Technical Assistance

Office of Civil Rights



# Federal Motor Vehicle Safety Standards

The following is a brief summary of all applicable FMVSS Title 49 (Federal Motor Vehicle Safety Standards) of which Champion Bus Freightliner Defender Transit Buses comply. Complete and up to date copies of the FMVSS worksheets supporting test data is available upon request by calling 1-810-724-6474 or writing to Champion Bus Inc. 331 Graham Rd. Imlay City, Mi. 48444.

**Definitions: OEM** 

Original Equipment Manufacturer

**FSM** 

Final Stage Manufacturer

FMVSS 101 Control Location, Identification and Illumination

\* This is certified by the OEM and the FSM.

FMVSS 102 Transmission Shift Lever Sequence & Starter Interlock

\* This is certified by the OEM and the FSM.

FMVSS 103 Windshield Defrosting and Defogging System

\* This is certified by the OEM.

FMVSS 104 Windshield Wiping and Washing System

\* This is certified by the OEM.

FMVSS 105 Hydraulic Brake System

\* This is certified by the OEM and the FSM does not alter their system.

**FMVSS 106 Brake Hoses** 

\* This is certified by the OEM and the FSM does not alter their hoses.

FMVSS 108 Lamps, Reflective Devices & Associated Equipment

\* The devices installed by the FSM meet all requirements.

**FMVSS 111 Rearview Mirrors** 

\* The is certified by the OEM.

**FMVSS 113 Hood Latch System** 

\* This is certified by the OEM.

#### **FMVSS 115 Vehicle Identification Number**

\* This is certified by the OEM and the FSM does not alter their numbers.

#### FMVSS 116 Hydraulic Brake Fluids

\* This is certified by the OEM and the FSM does not alter their system.

#### FMVSS 119 New Pneumatic Tires for Motor Vehicles Other Than Passenger Cars

\* This is certified by the OEM and the FSM does not alter their system.

#### FMVSS 120 Tire Selection and Rims for Motor Vehicles Other Than Passenger Cars

\* This is certified by the OEM and the FSM does not alter their tires or rims.

#### **FMVSS 124 Accelerator Controls**

\* This is certified by the OEM and the FSM does not alter their system.

#### **FMVSS 125 Warning Devices**

\* This is not a requirement of the OEM or FSM. This is a requirement the end user must meet.

#### FMVSS 204 Steering Control Rearward Displacement

\* This is certified by the OEM and the FSM does not alter their system.

#### **FMVSS 205 Glazing Material (Windows)**

\* The windows supplied by the FSM meet all requirements.

#### **FMVSS 207 Seating Systems**

\* The seating supplied by the FSM meet all requirements.

#### **FMVSS 209 Seat Belt Assemblies**

\* The seat belts supplied by the FSM meet all requirements.

#### **FMVSS 210 Seat Belt Assemblies Anchorages**

\* The seat belt assemblies' anchorages supplied by the FSM meet all requirements.

#### FMVSS 217 Bus Window Retention and Release

\* The windows installed by the FSM meet all requirements.

#### **FMVSS 220 School Bus Roll Over Protection**

\* Even though this is not a requirement for transit buses, Champion Bus Inc. has tested to this standard and meets all requirements.

#### **FMVSS 301 Fuel System Integrity**

\* This is certified by the OEM and the FSM does not alter their system.

### **FMVSS 302 Flammability of Interior Materials**

• The interior materials supplied by the FSM meet all requirements.

## FMVSS 403 Platform Lift Systems for Motor Vehicles

\* The Platform Lift installed by the FSM meet all requirements.

### **FMVSS 404 Platform Lift Installations in Motor Vehicles**

\* The Platform Lift installed by the FSM meet all requirements.

Ben Cupp

Director of Engineering Champion Bus Inc.



#### FINAL ASSEMBLY LOCATION

Final assembly of the Ford E-450 with the Champion Bus Body will be made at 331 Graham Road Imlay City, Michigan, 48444, USA. The following activities will take place at the final assembly point.

- Construct Body (Steel Cage; Interior & Exterior Walls)
- Mount Body-On Chassis and Exterior Cap-To Chassis
- Install Customer Specified Options, Such As Wheelchair Lift, Clamps and Seats
- Fabricate and Install Wiring Harnesses

If you have any additional questions, please feel free to inquire at 1-800-735-3900 ext. 4151.