



The following documentation is an electronically-submitted vendor response to an advertised solicitation from the *West Virginia Purchasing Bulletin* within the Vendor Self-Service portal at wvOASIS.gov. As part of the State of West Virginia's procurement process, and to maintain the transparency of the bid-opening process, this documentation submitted online is publicly posted by the West Virginia Purchasing Division at WVPurchasing.gov with any other vendor responses to this solicitation submitted to the Purchasing Division in hard copy format.

Header @ 3

List View

General Information [Contact](#) [Default Values](#) [Discount](#) [Document Information](#)

Procurement Folder: 574017

Procurement Type: Central Master Agreement

Vendor ID:

Legal Name: NEWLONS INTL SALES LLC

Alias/DBA:

Total Bid: \$0.00

Response Date:

Response Time:

SO Doc Code: CRFQ

SO Dept: 0803

SO Doc ID: DOT1900000124

Published Date: 7/17/19

Close Date: 7/24/19

Close Time: 13:30

Status: Closed

Solicitation Description:

Total of Header Attachments: 3

Total of All Attachments: 3



Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

**State of West Virginia
 Solicitation Response**

Proc Folder : 574017

Solicitation Description : ADDENDUM 1 TANDEM AXLE ROAD TRACTOR (7019EC14)

Proc Type : Central Master Agreement

Date issued	Solicitation Closes	Solicitation Response	Version
	2019-07-24 13:30:00	SR 0803 ESR07241900000000339	1

VENDOR
000000207254 NEWLONS INTL SALES LLC

Solicitation Number: CRFQ 0803 DOT1900000124

Total Bid : \$0.00 **Response Date:** 2019-07-24 **Response Time:** 13:22:47

Comments:

FOR INFORMATION CONTACT THE BUYER
 Crystal G Hustead
 (304) 558-2402
 crystal.g.hustead@wv.gov

Signature on File	FEIN #	DATE
--------------------------	---------------	-------------

All offers subject to all terms and conditions contained in this solicitation

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
1	TANDEM AXLE ROAD TRACTOR	15.00000	EA	\$0.000000	\$0.00

Comm Code	Manufacturer	Specification	Model #
25102100			

Extended Description :	52,000 GVWR TANDEM AXLE ROAD TRACTOR 6X4 DAY CAB, WITH AIR SLIDING 5TH WHEEL
-------------------------------	--



Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

State of West Virginia
 Request for Quotation
 13 - Equipment

Proc Folder: 574017

Doc Description: TANDEM AXLE ROAD TRACTOR (7019EC14)

Proc Type: Central Master Agreement

Date Issued	Solicitation Closes	Solicitation No	Version
2019-06-04	2019-07-24 13:30:00	CRFQ 0803 DOT1900000124	1

BID RECEIVING LOCATION

BID CLERK
 DEPARTMENT OF ADMINISTRATION
 PURCHASING DIVISION
 2019 WASHINGTON ST E
 CHARLESTON WV 25305
 US

VENDOR

Vendor Name, Address and Telephone Number: Newlons International Sales, LLC
 PO Box 1334 / 16 Ward Rd
 Elkins, WV 26241

FOR INFORMATION CONTACT THE BUYER

Crystal G Husted
 (304) 558-2402
 crystal.g.husted@wv.gov

Signature X *Beau Newlon*

FEIN # 55-0704897

DATE 7/24/2019

All offers subject to all terms and conditions contained in this solicitation

ADDITIONAL INFORMATION:

THE STATE OF WEST VIRGINIA PURCHASING DIVISION FOR THE AGENCY, WEST VIRGINIA DIVISION OF HIGHWAYS, IS SOLICITING BIDS TO ESTABLISH AN OPEN-END CONTRACT FOR A TANDEM AXEL ROAD TRACTOR PER THE ATTACHED DOCUMENTS.

INVOICE TO	SHIP TO
DIVISION OF HIGHWAYS EQUIPMENT DIVISION RT 33 83 BRUSHY ROAD CROSSING, PO BOX 610 BUCKHANNON WV26201 US	DIVISION OF HIGHWAYS EQUIPMENT DIVISION 83 BRUSHY FORK RD CROSSING BUCKHANNON WV 26201 US

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
1	TANDEM AXLE ROAD TRACTOR	15.00000	EA		

Comm Code	Manufacturer	Specification	Model #
25102100	International	Low-Boy Tractor	HX520

Extended Description :

52,000 GVWR TANDEM AXLE ROAD TRACTOR 6X4 DAY CAB, WITH AIR SLIDING 5TH WHEEL

SCHEDULE OF EVENTS

Line	Event	Event Date
1	MANDATORY PRE-BID MEETING	2019-07-09
2	VENDOR QUESTION DEADLINE	2019-07-12

DESIGNATED CONTACT: Vendor appoints the individual identified in this Section as the Contract Administrator and the initial point of contact for matters relating to this Contract.

Beau Newlon (Manager)
(Name, Title)
Beau Newlon, Manager
(Printed Name and Title)
PO Box 1334 / 16 Ward Rd Elkins, WV 26241
(Address)
304-636-4561 / 304-636-7155
(Phone Number) / (Fax Number)
beau@newlonswv.com
(email address)

CERTIFICATION AND SIGNATURE: By signing below, or submitting documentation through wvOASIS, I certify that I have reviewed this Solicitation in its entirety; that I understand the requirements, terms and conditions, and other information contained herein; that this bid, offer or proposal constitutes an offer to the State that cannot be unilaterally withdrawn; that the product or service proposed meets the mandatory requirements contained in the Solicitation for that product or service, unless otherwise stated herein; that the Vendor accepts the terms and conditions contained in the Solicitation, unless otherwise stated herein; that I am submitting this bid, offer or proposal for review and consideration; that I am authorized by the vendor to execute and submit this bid, offer, or proposal, or any documents related thereto on vendor's behalf; that I am authorized to bind the vendor in a contractual relationship; and that to the best of my knowledge, the vendor has properly registered with any State agency that may require registration.

Newlons International Sales, LLC
(Company)

Beau Newlon Beau Newlon, Manager
(Authorized Signature) (Representative Name, Title)

Beau Newlon, Manager
(Printed Name and Title of Authorized Representative)

7/24/2019
(Date)

304-636-4561 / 304-636-7155
(Phone Number) (Fax Number)

ADDENDUM ACKNOWLEDGEMENT FORM
SOLICITATION NO.: CRFQ DOT1900000124

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

Addendum Numbers Received:

(Check the box next to each addendum received)

- | | |
|--|--|
| <input checked="" type="checkbox"/> Addendum No. 1 | <input type="checkbox"/> Addendum No. 6 |
| <input type="checkbox"/> Addendum No. 2 | <input type="checkbox"/> Addendum No. 7 |
| <input type="checkbox"/> Addendum No. 3 | <input type="checkbox"/> Addendum No. 8 |
| <input type="checkbox"/> Addendum No. 4 | <input type="checkbox"/> Addendum No. 9 |
| <input type="checkbox"/> Addendum No. 5 | <input type="checkbox"/> Addendum No. 10 |

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

Newlons International Sales, LLC
Company

Beau Newlon
Authorized Signature

7/24/2019
Date

NOTE: This addendum acknowledgment should be submitted with the bid to expedite document processing.

REQUEST FOR QUOTATION
CRFQ DOT1900000124
WVDOH 283 Class Tandem Axle Road Tractor (7019EC14)

7.2 The following remedies shall be available to Agency upon default.

7.2.1 Immediate cancellation of the Contract.

7.2.2 Immediate cancellation of one or more release orders issued under this Contract.

7.2.3 Any other remedies available in law or equity.

8. MISCELLANEOUS:

8.1 No Substitutions: Vendor shall supply only Contract Items submitted in response to RFQ unless a contract modification is approved in accordance with the provisions contained in this contract.

8.2 Reports: Vendor shall provide quarterly reports and annual summaries to the Agency showing the Agency's items purchased, quantities of items purchased, and total dollar value of the items purchased. Vendor shall also provide reports, upon request, showing the items purchased during the term of this Contract, the quantity purchased for each of those items, and the total value of purchases for each of those items. Failure to supply such reports may be grounds for cancellation of this Contract.

8.3 Contract Manager: During its performance of this Contract, Vendor must designate and maintain a primary contract manager responsible for overseeing Vendor's responsibilities under this Contract. The Contract manager must be available during normal business hours to address any customer service or other issues related to this Contract. Vendor should list its Contract manager and his or her contact information below.

Contract Manager: Beau Newlon
Telephone Number: 304-636-4561
Fax Number: 304-636-7155
Email Address: beau@newlonswv.com

West Virginia Ethics Commission
Disclosure of Interested Parties to Contracts

(Required by W. Va. Code § 6D-1-2)

Name of Contracting Business Entity: Newlons Int'l Sales, LLC Address: PO Box 1334
Elkins, WV 26241

Name of Authorized Agent: Beau Newlon Address: Same

Contract Number: 304-636-4561 Contract Description: Manager

Governmental agency awarding contract: West Virginia Dept of Highways

Check here if this is a Supplemental Disclosure

List the Names of Interested Parties to the contract which are known or reasonably anticipated by the contracting business entity for each category below (attach additional pages if necessary):

1. Subcontractors or other entities performing work or service under the Contract

Check here if none, otherwise list entity/individual names below.
Navistar

2. Any person or entity who owns 25% or more of contracting entity (not applicable to publicly traded entities)

Check here if none, otherwise list entity/individual names below.
Chadwick Newlon
Christopher Newlon

3. Any person or entity that facilitated, or negotiated the terms of, the applicable contract (excluding legal services related to the negotiation or drafting of the applicable contract)

Check here if none, otherwise list entity/individual names below.

Signature: Beau Newlon Date Signed: 7/24/2019

Notary Verification

State of West Virginia, County of Randolph:

I, Beau Newlon, the authorized agent of the contracting business entity listed above, being duly sworn, acknowledge that the Disclosure herein is being made under oath and under the penalty of perjury.

Taken, sworn to and subscribed before me this 24th day of July, 2019.


John A. Yeager
Notary Public's Signature

To be completed by State Agency:

Date Received by State Agency: _____

Date submitted to Ethics Commission: _____

Governmental agency submitting Disclosure: _____



STATE OF WEST VIRGINIA
Purchasing Division

PURCHASING AFFIDAVIT

CONSTRUCTION CONTRACTS: Under W. Va. Code § 5-22-1(i), the contracting public entity shall not award a construction contract to any bidder that is known to be in default on any monetary obligation owed to the state or a political subdivision of the state, including, but not limited to, obligations related to payroll taxes, property taxes, sales and use taxes, fire service fees, or other fines or fees.

ALL CONTRACTS: Under W. Va. Code §5A-3-10a, no contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and: (1) the debt owed is an amount greater than one thousand dollars in the aggregate; or (2) the debtor is in employer default.

EXCEPTION: The prohibition listed above does not apply where a vendor has contested any tax administered pursuant to chapter eleven of the W. Va. Code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Employer default" means having an outstanding balance or liability to the old fund or to the uninsured employers' fund or being in policy default, as defined in W. Va. Code § 23-2c-2, failure to maintain mandatory workers' compensation coverage, or failure to fully meet its obligations as a workers' compensation self-insured employer. An employer is not in employer default if it has entered into a repayment agreement with the Insurance Commissioner and remains in compliance with the obligations under the repayment agreement.

"Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceeds five percent of the total contract amount.

AFFIRMATION: By signing this form, the vendor's authorized signer affirms and acknowledges under penalty of law for false swearing (W. Va. Code §61-5-3) that: (1) for construction contracts, the vendor is not in default on any monetary obligation owed to the state or a political subdivision of the state, and (2) for all other contracts, that neither vendor nor any related party owe a debt as defined above and that neither vendor nor any related party are in employer default as defined above, unless the debt or employer default is permitted under the exception above.

WITNESS THE FOLLOWING SIGNATURE:

Vendor's Name: Newlons International Sales, LLC

Authorized Signature: Beau Newlon Date: 7/24/2019


State of West Virginia

County of Randolph, to-wit:

Taken, subscribed, and sworn to before me this 24th day of July, 2019.

My Commission expires March 11, 2023.


AFFIX SEAL HERE



NOTARY PUBLIC

John A. Yeager
Purchasing Affidavit (Revised 01/19/2018)

Exhibit A**CRFQ DOT1900000124****Tandem Axle Road Tractor**

Item No.	Description:	Make/Model & Year	Estimated Quantity	Unit Price	Item Total Cost
1	One Complete unit:52,000 GVWR Tandem Axle Road Tractor 6x4 Day Cab w/air-sliding 5th Wheel	2021 International HX520	15	\$132,785.47	\$1,991,782.05
Total Bid Amount					\$1,991,782.05

Vendor Information

Company Name: Newlons International Sales, LLC

Contract Manager: Beau Newlon

Address: PO Box 1334 / 16 Ward Rd Elkins, WV 26241

Phone: 304-636-4561

Fax: 304-636-7155

Email: beau@newlonswv.com

Signature: *Beau Newlon*

ENGINE, DIESEL {Cummins X15 605} Performance Series, EPA 2017, 605HP @ 1950 RPM, 2050 lb-ft Torque @ 1150 RPM, 2000 RPM Governed Speed, 605 Peak HP (Max)

RADIATOR Aluminum; Welded, Down Flow System, Front to Back, 1325 SqIn, 806 SqIn CAC

FAN DRIVE {Horton Drivemaster} Direct Drive Type, Two Speed with Residual Torque Device for Disengaged Fan Speed

AIR CLEANER Dual, Polished Stainless Steel, One Mounted on Each Side of Cowl Ahead of The Doors

ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection

BLOCK HEATER, ENGINE {Phillips} 120V/1500W

EMISSION COMPLIANCE Federal, Does Not Comply with California Clean Air Idle Regulations

FAN DRIVE SPECIAL EFFECTS Fan Cooling Ring with Fan Shroud Effects, Engine Mounted

FEDERAL EMISSIONS {Cummins X15} EPA, OBD and GHG Certified for Calendar Year 2019

HOSE CLAMPS, RADIATOR HOSES {Gates} Shrink Band Type

RADIATOR DRAIN & FILL FITTING SPECIAL; To Vacuum Out or Fill the Cooling System from the Bottom of Radiator, for Use with Quick-Connect Radiator Drain Tool or Shop Coolant Evacuation-Fill System

TRANSMISSION, MANUAL {Fuller RTLOF-20918B} 18-Speed Manual, Double Overdrive, Air Shift, Internal Lube Oil Pump

CLUTCH HOUSING Aluminum; Available with 1350 to 2050 lb-ft Capacity Fuller Transmissions

OIL COOLER MANUAL TRANSMISSION Water to Oil Type Included in Radiator End Tank (REQUIRES TRANSMISSION LUBE PUMP)

PTO CONTROL, DASH MOUNTED For Customer Provided PTO; Includes Control Valve, Piping and Wiring, Wired for PTO

TRANSMISSION OIL {EmGard 40W} Synthetic; 22 thru 33.99 Pints

CLUTCH {Eaton Fuller Advantage} Self-Adjusting, Two-Plate, Cast Angle Spring; Ceramic, 15.5" Diameter, 7-Spring Coaxial VCT Plus Damper (Soft Rate) Mechanical Pull-Type Control, 6-Button Disc, 2050 lb-ft Torque Capacity

CLUTCH EFFECTS Hydraulic Clutch Actuation System, with Air Assist

AXLE, REAR, TANDEM {Meritor RT-46-160} Single Reduction, 46,000-lb Capacity, 200 Wheel Ends . Gear Ratio: 3.91

SUSPENSION, REAR, AIR, TANDEM {Hendrickson PRIMAXX EX} 46,000-lb Capacity, 55" Axle Spacing, 9.0" Ride Height, with Shock Absorbers

AXLE SHAFT MODIFICATION Axle Shaft Flanges Modified for 0.625" Diameter Drive Studs with Solid Type Cone-Locks

SUSPENSION AIR CONTROL VALVE Pressure Release Control In Cab

AXLE, FRONT NON-DRIVING {Meritor MFS-14-143A} Wide Track, I-Beam Type, 14,000-lb Capacity

SUSPENSION, FRONT, SPRING Parabolic Taper Leaf, Shackle Type, 14,000-lb Capacity, with Shock Absorbers

CAB Conventional, Day Cab

Includes

- : CLEARANCE/MARKER LIGHTS (5) LED Roof Mounted
- : COAT HOOK, CAB Located on Rear Wall, Centered Above Rear Window
- : CONSOLE, CENTER Includes Two Cup Holders with Ash Cup and One Additional Storage Area
- : GLASS, ALL WINDOWS Tinted
- : GRAB HANDLE, CAB INTERIOR (2) One Each Side
- : GRAB HANDLE, EXTERIOR (2) Mounted Behind Driver and Passenger Doors
- : SPEAKERS IN CAB (4) Two Located in B-Pillar, Two Located Overhead on Driver and Passenger Sides
- : STEP (4) Two Steps Per Door

Description

ACCESS, FRAME Aluminum, Driver & Passenger Sides, Two Steps per Door, Full Length Steps per Tank, Frame Access Steps, Includes Deck Plate and Grab Handle, for use with Day Cab or Sleeper Cab

AIR CONDITIONER {International Blend-Air} with Integral Heater and Defroster

CAB DOOR LOCKS Power

CAB INTERIOR TRIM Classic, for HX Day Cab

Includes

: CONSOLE, OVERHEAD Molded Plastic with Three Storage Pockets; One with Velcro Strap for CB Radio Mounting; Two with Netting
: DOME LIGHT, CAB (2) Rectangular, Door Activated; Above Door Mounted, One Each Side
: FLOOR COVERING Rubber, Black
: SUN VISOR (2) Vinyl with Toll Ticket Strap

CAB REAR SUSPENSION Dual Air Suspension, Includes Special Crossmember Assembly

GAUGE CLUSTER English with English Electronic Speedometer

GAUGE, AIR CLEANER RESTRICTION {Filter-Minder} Mounted in Instrument Panel

GAUGE, OIL TEMP, REAR AXLE

GRAB HANDLE Exterior; Towel Bar Type In Lieu Of Non-Bright Grab Handles; for use with Cab or Cab/Sleeper Non-Bright Access, without Frame Access or Chassis Skirts

HEATER, ENHANCED CIRCULATION {Bergstrom} Control, for Extreme Cold Weather Climates

MIRRORS (2) C-Loop, Power Adjust, Heated, LED Clearance Lights, Bright Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width

Notes

: Mirror Dimensions are Rounded to the Nearest 0.5"

MIRROR, CONVEX, HOOD MOUNTED (2) Right and Left Sides, Bright, 7.5" x 7"

SEAT, DRIVER {National 2000 Model 195} Air Suspension, Hi Back, Vinyl w/Cloth Insert, 2 Arm Rests, Isolator, Adjuster, 3 Chamber Lumbar, 6 Way Front Adj, 3 Way Rear Cushion Adj, 2-15 Degree Back Angle Adjustment, Adj Side Bolster, Vinyl Suspension Cover, Heat

SEAT, PASSENGER {National 2000 Model 197} Air Suspension, Hi Back, Vinyl with Cloth Insert, 1 Arm Rest, 6" Adjuster, 3 Chamber Lumbar, 6 Position Cushion Adjust, 2-15 Degree Back Angle Adjust, Vinyl Suspension Cover, Heat

SUNSHADE, EXTERIOR Bright Finish; Includes Integral Clearance/Marker Lights

WINDOW, POWER (2) in Left and Right Doors

WINDOW, REAR 52.25" Wide

WINDSHIELD Single Piece

WINDSHIELD WIPER BLADES Snow Type

FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.250" x 3.610" x 0.375" (260.4mm x 91.7mm x 9.5mm); 456.0" (11582mm) Maximum OAL

BUMPER, FRONT "TEXAS Style", Aluminum, Stainless Steel Clad

CROSSMEMBER, FRAME TIE for Standard Duty

DECK PLATE Aluminum, (2) Sections, 15" Wide

FRAME RAILS WITH TAPERED REAR

TOW HOOK, FRONT (2) Frame Mounted; 80,000-lb. Total Capacity

WHEELBASE RANGE 211" (535cm) Through and Including 256" (650cm)

BRAKE SYSTEM, AIR Dual System for Tractor Applications

Description

AIR BRAKE ABS {Bendix AntiLock Brake System} with Electronic Stability Program (6-Channel; 6 Sensor/6 Modulator) with Automatic Traction Control

BRAKE PACKAGE, FRONT {Bendix Spicer ADB22X} Air, Disc Type, Extended Service; Size 22.5"

BRAKES, FRONT, AIR DISC 22.5 Dia, Includes 20" Sq. In. Brake Chambers

BRAKE PACKAGE, REAR {Bendix Spicer ADB22X} Air, Disc Type, Extended Service; Size 22.5"

BRAKES, REAR, AIR DISC 22.5 Dia, Includes 20/24" Sq. In. Brake Chambers

BRAKE CHAMBERS, ADDITIONAL (2) Spring Brake Type; T20/24 SqIn, for Air Disc

SPECIAL RATING, GAWR Provides Rear Tractor Brake Rating Equal to Axle Rating up to 23,000-lbs for Single Axles, 46,000-lbs for Tandem Axles, or 69,000-lb for Tridem

AIR COMPRESSOR {Cummins} 18.7 CFM

AIR DRYER {Bendix AD-9} with Heater

AIR TANK Painted Aluminum, with Straight Thread O-Ring Ports

DRAIN VALVE {Berg} with Pull Chain, for Air Tank

HOSE TENDER Flexible Pogo Stick Type

SPRING BRAKE MODULATOR VALVE with Relay function

STEERING GEAR {Sheppard M100} Power

STEERING COLUMN Tilting and Telescoping

STEERING WHEEL 4-Spoke; 18" Dia., Black

DRIVELINE SYSTEM {Dana Spicer} SPL350 Main Driveline with SPL250 Interaxle Shaft, for 6x4

EXHAUST SYSTEM Single, Horizontal Aftertreatment Device, Frame Mounted Right Side Under Cab, for Single Vertical Tail Pipe, Cab Mounted Right Side

AFTERTREATMENT COVER Polished Aluminum

ENGINE COMPRESSION BRAKE {Cummins} Interbrake For Cummins Signature/ISX/X15 Engines; Furnished with Engine

EXHAUST HEIGHT 10'

MUFFLER/TAIL PIPE GUARD (1) Bright Stainless Steel

TAIL PIPE (1) Turnback Type, Bright

ELECTRICAL SYSTEM 12-Volt, Standard Equipment

Includes

- : HAZARD SWITCH Integral with Turn Signal Switch
- : HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever
- : PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light
- : STARTER SWITCH Electric, Key Operated
- : STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector
- : TURN SIGNAL SWITCH Manual Cancelling with Lane Change Feature
- : TURN SIGNALS, FRONT Includes Integral Reflectors and Side Marker Lights; Fender Mounted
- : WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature, Steering Column Mounted
- : WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted
- : WIRING, CHASSIS Color Coded and Continuously Numbered

ALTERNATOR {Leece-Neville AVI160P2013} Brush Type; 12 Volt 160 Amp. Capacity, Pad Mount

ANTENNA BASE (2) Single Function, (1) for CB and (1) for Entertainment Radio, without Splitter, Separate Lead-Ins, with CB Antenna Mounted on Left Mirror and AM/FM Antenna Mounted on Right Mirror

Description

BACK-UP ALARM Electric, 102 dBA

BATTERY BOX Aluminum, with Plastic Cover, 30" Wide, 2-4 Battery Capacity, Mounted Left Side Under Cab

BATTERY BOX COVER Aluminum, Universal Cover that Covers Both Battery Box & DEF Tank

BATTERY SYSTEM {Fleetrite AGM-GP31} Maintenance-Free, (3) AGM 12-Volt 2475CCA Total, Top Threaded Stud

CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses

FOG LIGHTS (2) Clear Lens, Halogen, Rectangular, with White Light Source

HEADLIGHTS Halogen, Composite Combination

HORN, AIR (2) Single Bell, Long Chrome

HORN, ELECTRIC Disc Style

POWER SOURCE Cigar Type Receptacle without Plug and Cord

POWER SOURCE, TERMINAL TYPE 2-Post

RADIO AM/FM/WB/Clock/Bluetooth/USB Input/3MM Auxiliary Input, MP3, Apple Device Play & Control, Bluetooth for Phone & Music, with Multiple Speakers

RUNNING LIGHT (2) Daytime

SNOW SHIELD (2) Chrome; for Dual Air Horns

STARTING MOTOR {Mitsubishi Electric Automotive America 105P} 12-Volt, with Soft-Start

STOP, TURN, TAIL & B/U LIGHTS {Truck Lite} Super 44, with LED Lights for Stop, Turn & Tail Lights and Truck Lite Super 40 for Backup Lights, with Power Module, "International" Termination and Less Junction Box

TOGGLE SWITCH, AUXILIARY (6) with Six 20-Amp Fuses/Circuit Breakers

TURN SIGNAL SWITCH Self-Canceling

ULTRACAPACITOR {Maxwell 31/1800} Engine Starting Module, 12V, Does not Include Wiring

FRONT END Tilting, Composite

BUG DEFLECTOR Smoked Colored Plastic, Mounted on Hood

BUG SCREEN Mounted Behind Grille

GRILLE Chrome Vertical Accent Bars, with Black Mesh

LOGOS EXTERIOR Model Badges

LOGOS EXTERIOR, ENGINE Badges

FIFTH WHEEL, AIR SLIDE {Fontaine SL7LWB825024} 24" Slide, Cast Top Plate, 8.25" Above Top of Frame, Left Hand Release

FIFTH WHEEL LOCATION On Rear Axle Centerline

MUD FLAP HOLDER Spring Loaded, Painted Black, with Red and White Reflective Tape, Less Flaps

MUD FLAPS, REAR Black Poly, with International Logo, Less Holders

PAINT SCHEMATIC, PT-1 Single Color, Design 100

Includes

: PAINT SCHEMATIC ID LETTERS "LV"

PAINT TYPE Base Coat/Clear Coat, 1-2 Tone

SAFETY TRIANGLES

Description

PAINT CLASS Premium Color

FUEL TANK (2) Polished Aluminum, 24" Dia, 120 US Gal (454L); Total Capacity 240 US Gal (908L), with Dual Supply and Return Lines, Less Equalizer Line, Mounted Left and Right Side, Back of Cab

DEF TANK 15.9 US Gal (60L) Capacity, Frame Mounted Outside Left Rail, Under Cab

FUEL HEATER {Cummins} Omit Plumbing for TRV on Cummins Engines

FUEL/WATER SEPARATOR {Davco Fuel Pro 382} 12 VDC Electric Heater, Includes Pre-Heater, Includes Water-in-Fuel Sensor

WHEELS, FRONT {Accuride 42644} DISC; 22.5x8.25 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs

(2) TIRE, FRONT 12R22.5 Load Range H HSR2 (CONTINENTAL), 483 rev/mile, 75 MPH, All-Position

WHEELS, REAR {Accuride 42644} DUAL DISC; 22.5x8.25 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs

(8) TIRE, REAR 11R22.5 Load Range G DH37 (HANKOOK), 498 rev/mile, 75 MPH, Drive

COATING IDENTITY, FRONT WHEELS {Accuride Accu-Shield} Disc Front Wheels; Aluminum, with Vendor Applied Clear Coat Not for Wide Base

COATING IDENTITY, REAR WHEELS {Accuride Accu-Shield} Aluminum Disc Rear Wheels, with Vendor Applied Clear Coat; Not for Super Single Wide Base

Services Section:

WARRANTY Standard for HX Series, Effective with Vehicles Built December 7, 2015 or Later, CTS-2015A

SRV CONTRACT, EXT COOLING SYS {Navistar} To 24-Month/150,000 Miles (240,000 km)

SRV CONTRACT, EXT CMS ENG/AFTR {Cummins} To 60-Month/200,000 Miles (320,000 km), Extended Cummins X15 Performance Series Engine Coverage, Protection Plan 1 and Aftertreatment