

Purchasing Divison 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

State of West Virginia Request for Quotation 12 — Equip. Rental

Proc Folder: 605438

Doc Description: EQUIP LEASE/RENTAL WITHOUT OPERATOR 6620C009

Proc Type: Central Master Agreement

Date Issued Solicitation Closes Solicitation No Version

2019-08-14 2019-08-22 CRFQ 0803 DOT2000000022 1

13:30:00

BID CLERK

DEPARTMENT OF ADMINISTRATION

PURCHASING DIVISION

2019 WASHINGTON ST E

CHARLESTON WV 25305

US

VENDOR

Vendor Name, Address and Telephone Number:

STATE EQUIPMENT, INC. 560 NEW GOFF MOUNTAIN ROAD CROSS LANES, WV 25313 (304)776-4405

RECEIVED

2019 AUG 28 PM 12: 13

WY PURCHASING

FOR INFORMATION CONTACT THE BUYER
Crystal G Hustead
(304) 558-2402
crystal.g.hustead@wv.gov

Signature X

FEIN# 550658298

DATE 8/27/19

offers subject to all turns and conditions contained in this solicitation

Page:

FORM ID: WV-PRC-CRFQ-001

ADDITIONAL INFORMATION:

THE STATE OF WEST VIRGINIA PURCHASING DIVISION FOR THE AGENCY, WEST VIRGINIA DIVISION OF HIGHWAYS, IS SOLICITING BIDS TO ESTABLISH AN OPEN-END CONTRACT FOR EQUIPMENT LEASE AND RENTAL WITHOUT OPERATOR PER THE ATTACHED DOCUMENTS.

QUESTIONS REGARDING THE SOLICITATION MUST BE SUBMITTED IN WRITING TO CRYSTAL G.HUSTEAD@WV.GOV PRIOR TO THE QUESTION PERIOD DEADLINE CONTAINED IN THE INSTRUCTIONS TO VENDORS SUBMITTING BIDS.

INVOICETOR	The state of the s	ISHPTO:	
VARIOUS AGENCY LI AS INDICATED BY OF		STATE OF WEST VIRGINI VARIOUS LOCATIONS AS	
No City	WV99999	No City	WV 99999
us		us	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
1	EQUIPMENT LEASE/RENTAL WITHOUT OPERATOR	0.00000	EA	(SEE ATTACH	ED EXHIBIT A)

Comm Code	Manufacturer	Specification	Model #	
72141702				

Extended Description:

EQUIPMENT LEASE/RENTAL WITHOUT OPERATOR PER EXHIBIT A PRICING PAGE AND INFORMATION ATTACHMENT FORM

Lles	Essent	Frank Date
SCHEDULE	OF EVENTS	上文 (1) 12 12 12 12 14 15 15 12 12 12 12 12 12 12 12 12 12 12 12 12

Line Event Event Date
1 VENDOR QUESTION DEADLINE 2019-08-19

Contract Administrator and the initial point of contact for matters relating to this Contract.

GENERAL MANAGER

(Name, Title)

EDDIE ROWAN JR GENERAL MANAGER

(Printed Name and Title)

560 NEW GOFF MOUNTAIN ROAD CROSS LANES. WV 25313

(Address)

(304)776-4405 (304)776-4409

(Phone Number) / (Fax Number)

EDDIE@STATEEQUIPMENT.COM

(email address)

DESIGNATED CONTACT: Vendor appoints the individual identified in this Section as the

CERTIFICATION AND SIGNATURE: By signing below, or submitting documentation through wvOASIS, I certify that I have reviewed this Solicitation in its entirety; that I understand the requirements, terms and conditions, and other information contained herein; that this bid, offer or proposal constitutes an offer to the State that cannot be unilaterally withdrawn; that the product or service proposed meets the mandatory requirements contained in the Solicitation for that product or service, unless otherwise stated herein; that the Vendor accepts the terms and conditions contained in the Solicitation, unless otherwise stated herein; that I am submitting this bid, offer or proposal for review and consideration; that I am authorized by the vendor to execute and submit this bid, offer, or proposal, or any documents related thereto on vendor's behalf; that I am authorized to bind the vendor in a contractual relationship; and that to the best of my knowledge, the vendor has properly registered with any State agency that may require registration.

STATE EQUIPMENT,	INC.
(Company)	
	GENERAL MANAGER
(Authorized Signature) (R	epresentative Name, Title)
EDDIE ROWAN, JR	GENERAL MANAGER
(Printed Name and Title of	f Authorized Representative)
8/27/19	
(Date)	
(304)776-4405	(304)776-4409
(Phone Number) (Fax Num	nber)

ADDENDUM ACKNOWLEDGEMENT FORM SOLICITATION NO.: CRFQ DOT2000000022

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

Addendum Numbers Received:	
(Check the box next to each addendum red	ceived)
Addendum No. 1 Addendum No. 2 Addendum No. 3 Addendum No. 4 Addendum No. 5	☐ Addendum No. 6 ☐ Addendum No. 7 ☐ Addendum No. 8 ☐ Addendum No. 9 ☐ Addendum No. 10
I further understand that any verbal represe discussion held between Vendor's represen	eipt of addenda may be cause for rejection of this bid intation made or assumed to be made during any oral statives and any state personnel is not binding. Only I to the specifications by an official addendum is
STATE EQUIPMENT, INC.	
Company	
Authorized Signature	
8/27/19	
Date	
NOTE: This addendum acknowledgement si	hould be submitted with the bid to expedite

document processing.

REQUEST FOR QUOTATION CRFQ DOT2000000022 Equipment Lease/Rental WITHOUT Operator (DOT6620C009)

- 8.2 Vendor Supply: Vendor must carry sufficient inventory of the Contract Items being offered to fulfill its obligations under this Contract. By signing its bid, Vendor certifies that it can supply the Contract Items contained in its bid response.
- 8.3 Inspection of Equipment: The Vendor shall have the right, during normal working hours, to the extent of the WVDOH's authority, to enter upon the premises where the said equipment is located for inspecting the lease/rented equipment.
- 8.4 Damage beyond the control of the WVDOH: The WVDOH shall not be liable for damage to or loss of any leased/rented equipment resulting from lightning, Acts of God, riots, strikes or other causes beyond the WVDOH's control.
- 8.5 Insurance: The WVDOH is insured by the Board of Risk and Insurance Management. Insurance coverage will be provided by that agency only for long term, over thirty consecutive days of equipment lease/rental. Insurance coverage for short term lease/rental of equipment will be the responsibility of the owner/Vendor. The WVDOH will, at its option, either replace or pay to the Vendor the fair market value of any of the said equipment or any part thereof, lost destroyed or stolen because of the negligence of or lack of ordinary care on the part of its employees.
- 8.6 Liens: The WVDOH shall not directly or indirectly create, incur, assume or suffer to exist any mortgage, pledge, lien, charge and encumbrance or claim on or with respect to the lease/rented equipment, except with respect to the respective rights of the Vendor and the WVDOH.
- 8.7 Reports: Vendor shall provide quarterly reports and annual summaries to the Agency showing the Agency's items leased/rented, quantities of items leased/rented and total dollar value of the items leased/rented. Vendor shall also provide reports, upon request, showing the items leased/rented during the term of this Contract, the quantity leased/rented for each of those items and the total value of lease/rental for each of those items. Failure to supply such reports may be grounds for cancellation of this Contract.
- 8.8 Contract Manager: During its performance of this Contract, the Vendor must designate and maintain a primary Contract Manager responsible for overseeing Vendor's responsibilities under this Contract. The Contract Manager must be available during normal business hours to address any customer service or other issues related to this Contract. Vendor should list its Contract Manager and his or her contact information below:

Contract Manager:	EDDIE ROWAN, JR.
Telephone Number:	(304)776-4405

REQUEST FOR QUOTATION CRFQ DOT2000000022 Equipment Lease/Rental WITHOUT Operator (DOT6620C009)

Fax Number: (304)776-4409
Email Address: EDDIE@STATEEQUIPMENT_COM

Equipment Rental WITHOUT Operator

Information Attachment Form

١	/en	de)r	N	an	10
- 3	161	w	~ 1	13	211	16.

STATE EQUIPMENT, INC.

Base Location:

The Vendor shall identify the base location and any other potential base locations where the equipment bid may be delivered by the Vendor or picked up by the WVDOH. The <u>Vendor shall provide the 911 address or the most recent physical street address, city and state for the base location(s).</u> If the Vendor fails to provide the base location(s) on the <u>Information Attachment Form, the Vendor's bid may be disqualified</u>. If additional space is needed for additional base locations, you may duplicate this page. This list does not determine sole base locations for a Vendor, but provides a base for determining potential mileage.

Vendor Base Location:	
560 NEW GOFF MOUNTAIN	N ROAD
CROSS LANES, WV 25313	3
Vendor Base Location:	
5541 BENEDUM DRIVE	
SHINNSTON:, WV 26431	
Vendor Base Location:	
137 CLIFFTOP DRIVE	
BEAVER, WV 25813	

Counties Bid:

Vendor shall indicate the area which he wishes to lease/rent equipment to the WVDOH by placing an "X" or "√" beside the County, Counties or Statewide. If the Vendor fails to indicate which County or Counties, it will be assumed that the Vendor's bid is for Statewide.

STATEWIDE		Х		
Barbour	高	Kanawha	186	Pocahontas
Berkeley	1	Lewis	墨	Preston
Boone	181	Lincoln	15	Putnam
Braxton		Logan	1	Raleigh
Brooke		McDowell	書	Randolph
Cabell	1	Marion	18	Ritchie
Calhoun	韻	Marshall	謝	Roane
Clay		Mason		Summers
Doddridge		Mercer	穩	Taylor
Fayette	10.	Mineral	30	Tucker
Gilmer	重	Mingo		Tyler
Grant	4	Monongalia		Upshur
Greenbrier	觀	Monroe		Wayne
Hampshire	100	Morgan		Webster
Hancock	1	Nicholas		Wetzel
Hardy	麗	Ohio		Wirt
Harrison	選	Pendleton	12	Wood
Jackson		Pleasants		Wyoming
Jefferson			18/	

West Virginia Ethics Commission Disclosure of Interested Parties to Contracts

(Required by W. Va. Code § 6D-1-2)

Name of Contracting Business Entity: STATE FOULPME	ENT. TAddress: 560 NEW GOFF MOUNTAIN ROAD
	CROSS LANES, WV 25313
Name of Authorized Agent: EDDIE ROWAN, JR.	CROSS LANES, WV 25313
Contract Number: DOT200000022	Contract Description: EQUIPMENT LEASE/RENTAL
Governmental agency awarding contract: STATE OF W	/EST VIRGINIA DOH
☐ Check here if this is a Supplemental Disclosure	
List the Names of Interested Parties to the contract which are entity for each category below (attach additional pages if ne	e known or reasonably anticipated by the contracting business ecessary):
Subcontractors or other entitles performing work or	
2. Any person or entity who owns 25% or more of conf ☐ Check here if none, otherwise list entity/individual nar TERRY LAMM 100%	tracting entity (not applicable to publicly traded entities) mes below.
3. Any person or entity that facilitated, or negotiated services related to the negotiation or drafting of the ☑ Check here if none, otherwise list entity/individual nare	• • • • • • • • • • • • • • • • • • • •
Significant	Date Signed: _8/27/19
	Date Signed.
Notary Verification	
State of WEST VIRGINIA Con	unty of KANAWHA
I, <u>EDDIE ROWAN</u> , <u>JR</u> . entity listed above, being duly swom, acknowledge that the penalty of perjury.	the authorized agent of the contracting business. Disclosure herein is being made under oath and under the
Taken, sworn to and subscribed before me this	day of Qugust, 2019 Official Seal Notary Public's Stornature Notary Public, State of Weet Virginia
To be completed by State Agency: Date Received by State Agency: Date submitted to Ethics Commission: Governmental agency submitting Disclosure:	Notary Public's Notary Public, State of West Virginia Marie Eiler P.O. Box 9536 South Charleston WV 25309 My Commission Expires March 27, 2021

STATE OF WEST VIRGINIA Purchasing Division

PURCHASING AFFIDAVIT

CONSTRUCTION CONTRACTS: Under W. Va. Code § 5-22-1(i), the contracting public entity shall not award a construction contract to any bidder that is known to be in default on any monetary obligation owed to the state or a political subdivision of the state, including, but not limited to, obligations related to payroll taxes, property taxes, sales and use taxes, fire service fees, or other fines or fees.

ALL CONTRACTS: Under W. Va. Code §5A-3-10a, no contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and: (1) the debt owed is an amount greater than one thousand dollars in the aggregate; or (2) the debtor is in employer default.

EXCEPTION: The prohibition listed above does not apply where a vendor has contested any tax administered pursuant to chapter eleven of the W. Va. Code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Employer default" means having an outstanding balance or liability to the old fund or to the uninsured employers' fund or being in policy default, as defined in W. Va. Code § 23-2c-2, failure to maintain mandatory workers' compensation coverage, or failure to fully meet its obligations as a workers' compensation self-insured employer. An employer is not in employer default if it has entered into a repayment agreement with the Insurance Commissioner and remains in compliance with the obligations under the repayment agreement.

"Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

AFFIRMATION: By signing this form, the vendor's authorized signer affirms and acknowledges under penalty of law for false swearing (W. Va. Code §81-5-3) that: (1) for construction contracts, the vendor is not in default on any monetary obligation owed to the state or a political subdivision of the state, and (2) for all other contracts, that neither vendor nor any related party owe a debt as defined above and that neither vendor nor any related party are in employer default as defined above, unless the debt or employer default is permitted under the exception above.

WITNESS THE FOLLOWING SIGNATURE:

Notary Public, State of West Virginia
Marie Eiler
P.O. Box 9536
South Charleston WV 25309
My Commission Expires March 27, 2021

Vendor's Name: STATE EQUIPMENT. INC.	
Authorized Signature:	Date: 8/27/19
State of WEST VIRGINIA	
County of KANAWHA , to-wit:	
Taken, subscribed, and swom to before me this 27 day o	1 august 2019.
My Commission expires <u>March</u> 27	20 <u>21</u> .
AFFIX SEAL HERE Official Seal	OTARY PUBLIC Purchasing Affidavit (Revised 01/19/2018)

Exhibit A				Vendor Name:			
	Equipment Offered f	Lease/R	Equi _l Delive	pment ery Fee			
Equipment Description (WITHOUT Operator)	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
AERIAL BUCKET TRUCK							
Highway Rated TRK. MTD 50' Reach Min. 43.5' Radious 360 degrees Boom Rotation @ level position							
AERIAL PLATFORM LIFT 80 foot lift minimum							
AERIAL PLATFORM TRUCK							
Highway Rated TRK. MTD 40' reach Min. 360 degree boom rotation @ level position							
AERIAL PLATFORM TRUCK					N		
Highway Rated TRK. MTD 55' Reach Min. 360 degrees Boom rotation @ level position							
AERIAL PLATFORM TRUCK					2 4 5 5		
Elliott Model G50 or similar							
AERIAL PLATFORM TRUCK							
Elliott Model L55 or similar							
AERIAL BUCKET TRUCK					9 9 9		
Highway Rated TRK. MTD 45 ft working ht min. 1 1/2 man bucket min. Insulated articulating boom.	1	-			9 4 9 8	1	
Boom rotation at level position Versalift SST-40-EIH or similar. NO CDL Required					4		
AERIAL BUCKET TRUCK							
Highway Rated TRK. MTD Versalift SST-40 EIH or similar 50' Reach Min. 43.5' Radius 10 ft max outrigger spread.	1					1	
360 degree boom rotation at level position. 1,000 lb min material handling capability NO CDL Required							
AERIAL BUCKET TRUCK							
Highway Rated TRK. MTD 55 ft working ht min. Rear mounted Turret. Versalift VST-47-1 or similar							
AERIAL PLATFORM LIFT							
80 foot lift minimum					•		
AERIAL PLATFORM TRUCK							
Highway Rated TRK. MTD 40' Reach Min. 360 degrees Boom Rotation @ level position						1	
AERIAL PLATFORM TRUCK							
Highway Rated TRK. MTD 55' Reach Min. 360 degrees Boom rotation @ level position						1	
AERIAL PLATFORM TRUCK							
Elliott Model G50 or similar							
AERIAL PLATFORM TRUCK							
Elliott Model L55 or similar							1
AERIAL PLATFORM TRUCK							
Elliott Model L55-R or similar 55 ft boom length min. Rear mounted turret							
ARROW BOARDS					İ		
4' x 8' panel 15 lamp							1
ASPHALT DISTRIBUTOR							†
Trk. Mtd. w/spray bar							
ASPHALT RECYCLER							
KM T-2 or similar							
ASPHALT RECYCLER						1	
Self Loading - Stepp SRM 10x120 or similar					•		
ASPHALT RECYLING ATTACHMENT					1		+

Exhibit A				Vendor Name:			
	Equipment Offered f Without Op			ental Rate of E Without Deliver Without Operato	y <i>l</i>		pment ery Fee
Equipment Description (WITHOUT Operator)	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
Endloader bucket - mounted, asphalt grinder/recycle attachmt, min 185 hp 8,500 lb. wt. capable of grinding and remixing up to 12" deep and 48" wide pavement and base				6 0 7 8 8 8	1 1 2 4 4		
ASPHALT REMOVAL/RECYCLER							
Benedetti or similar							
ATTENUATOR - Trailer Mounted							
must meet NCHRP 350 TL-3							
AUGER 18"-24"					9		
AUGER						_	
18"-24" Core Barrell							
AUGER							
Trak Mounted 35,000 Ft lb min.							
AUGER							
Terex Telelect Commander 6000 Digger, 33,520 lb Capacity, 3 Sections/ 61 Ft Reach or similar							
AUGER							
Truck-Mounted Digger Derrick 35,000 lb GVW, Rear Mounted Altec D947-TR or similar							
BACKHOE CRAWLER TRACKHOE or similar with drill rig attachement for the boom							
BACKHOE LOADER							
Rubber Tired 55-85 DHP	Case 580	580N/580SN	\$ 250.00	\$ 500.00	\$ 1,700.00	\$ 100.00	\$ 3.00
BACKHOE LOADER WITH HYDRAULIC BREAKER			-	 	-	-	
Mtd. Hyd. Breaker 55-85 DHP D					0 0 0 7		
BACKHOE LOADER WITH HYDRAULIC BREAKER							
Mtd. Air Breaker 1,000 ft./lbs. min.						į.	
BACKHOE LOADER TRACTOR - Compact	Kubata	DV0001 DD				1	
Rubber Tired 20-30 HP max. height - 83"	Kubota	BX23SLBR	\$ 250.00	\$ 500.00	\$ 1,200.00	\$ 100.00	\$ 3.00
BACKHOE LOADER TRACTOR - Mini				1	į.		
25-30 HP Standard Stick 12' Backhoe Bucket - T7 or similar							
BASE WIDENER SP Shoulder Stone							
BOX DELIVERY TRUCK						-	<u> </u>
.24 ft length box min. NO CDL Required			1			1	
BRUSH CHIPPER - up to 49 hp							
			1		*	1	
Cutting size - 12" in diameter. BRUSH CHIPPER - from 50 hp to 85 hp					•		-
			1				
Cutting size - 12" in diameter. BULLDOZER			-				
Grawler GD 65 -75 DHP D	Case	650L/M	\$ 400.00	\$ 1,100.00	\$ 2,650.00	\$ 200.00	\$ 3.00
BULLDOZER			 		!	-	_
	Case	850M LT	\$ 425.00	\$ 1,200.00	\$ 3,500.00	\$ 200.00	\$ 3.00
Crawler GD 80 -90 DHP D				1			

Exhibit A				Vendor Name:	:			
	Equipment Offered f	for Lease/Rental perator		ental Rate of E Without Deliver Without Operato	y <i>l</i>	Equipment Delivery Fee		
Equipment Description (WITHOUT Operator)	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.	
BULLDOZER Consider CD 400 PUR D	Case	850M WT	\$ 550.00	\$ 1,600.00	\$ - 4.000.00	\$ 200.00	\$ 3.00	
Crawler GD 100 -120 DHP D BULLDOZER				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1,000,00	\$ 200.00	V 0.00	
Crawler GD 130 -140 DHP D	Case	1150M	\$ 750.00	\$ 2,000.00	\$ 5,900.00	\$ 400.00	\$ 3.00	
BULLDOZER					-	_		
Crawler TC 150 - 250 EHP D	Case	1850/2050	\$ 900.00	\$ 2,500.00	\$ 7,900.00	\$ 400.00	\$ 3.00	
BULLDOZER	0.							
Crawler/Ripper TCP 181 - 250 EHP D	Case	\$ 2,050.00	\$ 1,500.00	\$ 3,200.00	\$ 9,500.00	\$ 400.00	\$ 3.00	
BULLDOZER	Case	\$ 2,050.00	\$ 1,500.00	\$ 3,200.00	e 0.500.00	\$ 400.00	\$ 3.00	
Crawler/Winch TCP 181 - 250 EHP D	Odde	Ψ 2,000.00	\$ 1,300.00	3,200.00	\$ 9,500.00	\$ 400.00	\$ 3.00	
CHIP SPREADER SP								
COLD MILLING - Stabilizer/Recycler								
no less than 12" cutting depth range BOMAG MPH 364 R-2 or similar				<u> </u>				
COLD MILL PLANER								
Self Loading - 2' COLD MILL PLANER				ļ				
Self Loading - 4'			ă.		•			
COMPRESSOR								
125 - 160 CFM Portwhl.			l					
COMPRESSOR								
170 - 210 CFM Portwhl.	Sullivan	D185	\$ 100.00	\$ 200.00	\$ 500.00	\$ 95.00	\$ 2.00	
COMPRESSOR								
250 - 300 CFM Portwhl.								
COMPRESSOR								
350 - 375 CFM Portwhi.								
COMPRESSOR 600 CFM Portwhl.								
COMPRESSOR				-				
700 - 800 CFM Portwhl.					0 0 0			
CONCRETE MIXER					1	_		
Trk. Mtd. 6.0 Cyd.						1	1	
CONCRETE SAW								
Full Depth CAP - 24" Blade								
CONCRETE SAW		Ĭ						
12 1/2" Maximum Depth of Cut - 30" Blade								
CONCRETE SAW								
15" Maximum Depth of Cut - 36" Blade								
CONVEYOR LOADER / FORCE FEED LOADER								
LeeBoy 3000C or similar Fully enclosed operator area. Heavy Duty 28' to 30' conveyor or similar				* * * * * * * * * * * * * * * * * * *				
CRACK SEALING MACHINE				•				

Exhibit A				Vendor Name:			
	Equipment Offered f Without Op			ental Rate of Ed Without Delivery Without Operato	d	Equi _l Delive	pment ery Fee
Equipment Description (WITHOUT Operator)	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
Trir. Mtd. Dbl. Drum, 100 - 125 GLN. D							
CRACK SEALING MACHINE							
Trl. Mtd. DblBoiler Type, 250 GLN Diesel with Pump on Demand Features							
CRACK SEALING MACHINE							
Trl. Mtd. DblBoiler Type, 250 GLN Diesel with Pump on Demand Features and 53.8 CFM Compressor							
CRACK SEALING MACHINE							
Trl. Mtd. DblBoiler Type, 250 GLN Diesel with Pump on Demand Features and 70 CFM Compressor							
CRANE 10 T Hyd. Trk. Mtd. min. 18' Bed					8		
CRANE 12 - 1/2 T Hyd. Trk. Mtd. min. 18' Bed							
CRANE 14 T Hyd.							
Trk. Mtd. min. 18' Bed							
CRANE 15 - 25 T						-	
Hyd. Rough Terrain							
CRANE 20 - 25 T						-	
Cable D Crawler							1
CRANE 25 - 30 T				-			
Cable, Trk. Mtd. G							
CRANE 30 T Hyd.							
CRANE 35 T Hyd.							
CRANE 40 T Hyd.							
CRANE 50 T Hyd.							
CRANE 15 - 20 T				:	! !		
Truck Mounted Boom							
CRANE 21 - 25 T							
Truck Mounted Boom							
CULVERT CLEANER				i	<u> </u>		
Trk. Mtd. min. 1,500 gal. tank , 1,400 PSI min.							
CULVERT CLEANER							
Trk. Mtd. 65 - 80 GPM 2,000 PSI min.							
CULVERT CLEANER - radio remote controlled							
Microtraxx or Similar 42"Wx42"Hx120"L, 1550# Lift cap, 1/3 CU Yd Cap., 7.5 PSI, 360° Swing Rotation, to clean 48" to 60"							
round culverts							
CULVERT CLEANER - radio remote controlled							
Microtraxx or Similar 32"Wx34"Hx134"L, 1500# Lift cap, 1/4 CU Yd Cap., 5.5 PSI, to clean 36" to 48" round culverts							
DITCH WITCH or similar							
trencher - walk behind 5-25 hp			1				
Dump Truck, Class 8, Steel Bed				<u> </u>		_	-
Single Axle							
Dûmp Truck, Class 8, Aluminum Bed				:	1	-	

Exhibit A				Vendor Name:			
	Equipment Offered f Without Op	or Lease/Rental erator	Lease/R	Equi Deliv	pment ery Fee		
Equipment Description (WITHOUT Operator)	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
Single Axle							
Dump Truck							
INTERNATIONAL 4300 SBA or similar Dump Truck							
FORD F650 or similar							
Dump Truck							
FREIGHTLINER M12106 or similar							
Dump Truck				1	<u> </u>	-	
STEEL BED 4 AXLE	1						
Dump Truck, Tandem Steel Bed							
Double axle (3 axle)							
Dump Truck, Tandem				ŀ			
MACK GU 713 or similar							
Dump Truck, Tandem						1	
MACK GU 713 or similar						1	
Dump Truck, Tandem						-	
Freightliner 114 SD or similar							
EQUIPMENT TRAILER							
	1						
10,000 lbs or less, tilt style deck 16ft - 18 ft length to attach to a pintle hitch							
EQUIPMENT TRAILER				***		1	
12,000 lbs - 14,000 lbs, tilt style deck 16ft - 18 ft length to attach to a pintle hitch							
EQUIPMENT TRAILER assisted							
						-	
EXCAVATOR - TELEBOOM Track Mtd. SP 0.5 Cyd. D							
EXCAVATOR - TELEBOOM						_	
Truck Mtd. SP 0.5 Cyd. D	1		1		0 0 0		
EXCAVATOR			 	1		-	-
w/McMillen extreme duty earth auger or similar	Case/Kubota	CX33/CX37/KX040	\$ 275.00	\$ 600.00	\$ 2,500.00	\$ 200.00	\$ 2.00
EXCAVATOR							
Mini-Hyd. Track Mtd. 2,600 lbs. max.							
EXCAVATOR WITH INTEGRATED VIBRATORY PILE DRIVE/EXTRACTOR							
Minimum 80,000 driving force, MKT V8 or similar							
EXCAVATOR							
Crawler Mech./Hyd. 0.75 Cyd. 24,000 lbs 28,000 lbs. Working Weight				•	6 0 0		
EXCAVATOR							
Crawler Mech./Hyd. 0.75 Cyd. 29,000 lbs 35,800 lbs. Working Weight							
EXCAVATOR Consider Mach (Hard 1 00 Cod 26 000 lbs 42 000 lbs Madrins Weight							
Crawler Mech./Hyd. 1.00 Cyd. 36,000 lbs 42,900 lbs. Working Weight				1	<u>i</u>		

Exhibit A					Vendor Nam	e:				
		Equipment Offered for Lease/Rental Without Operator			Lease/Rental Rate of Equipment Without Delivery/ Without Operator					ment ry Fee
Equipment Description (WITHOUT Operator)	Manufacturer's Name	Model/Serial #	\$	/Day	\$ /Week		\$ /Month			Add. M
Attachment: Grapple						Ť				
EXCAVATOR			-			÷		_	\dashv	
Crawler Mech./Hyd. 1.25 Cyd., 128 - 141 HP 42,700 lbs 45,900 lbs. Working Weight						ı			- 1	
EXCAVATOR WITH HYDRAULIC BREAKER						\top			\neg	
Crawler 2,000 ft./lbs. min. 24,400 lbs 35,800 lbs. Excavator Size	Case/Doosan	CX145/DX140	\$	750.00	\$ 2,500.0	0 \$	6,500.00	\$ 30	00.00	\$ 3.0
EXCAVATOR WITH HYDRAULIC BREAKER			-			÷			-	
Crawler 2,000 ft./lbs. min. 36,000 lbs 42,900 lbs. Excavator Size	Case/Doosan	CX160/DX180	\$	800.00	\$ 2,700.0	0 \$	6,900.00	\$ 30	00.00	\$ 3.0
Attachment for offered Excavator: Grapple			 			-		_	-	
EXCAVATOR WITH HYDRAULIC BREAKER			├			_		_	-	
Crawler 2,000 ft./lbs. min. 43,000 lbs 60,000 lbs. Excavator Size	Case/Doosan	CX210/DX225	\$	1,200.00	\$ 3,500.0	0 \$	10,000.00	\$ 40	00.00	\$ 3.0
EXCAVATOR WITH HYDRAULIC BREAKER			-			÷			-	
Crawler 2,000 ft./lbs. min.61,000 lbs 80,000 lbs. Excavator Size	Case	CX300/CX350	\$	2,000.00	\$ 6,400.0	0 \$	14,000.00	\$ 40	00.00	\$ 3.0
HYDRAULIC BREAKER ATTACHMENT ONLY			 			-		_	-	
2,000 ft./lbs. min	1								- 1	
EXCAVATOR			-			÷		_	\dashv	
Crawler with a thumb	Case	CX37	\$	240.00	\$ 700.0	0 \$	2,000.00	\$ 9	95.00	\$ 200.0
EXCAVATOR			1.			÷			\neg	
Mini-Hyd. Track Mtd. 6,500 lbs. max.	Case/Kubota	CX26/KX71	\$	175.00	\$ 550.0	0 \$	1,375.00	\$ 20	00.00	\$ 2.0
Excavator-Wheeled			-			T		_	\neg	
Highway Speed, XL 3100 Gradall or Similar										
Excavator-Wheeled			\vdash			+		_	\neg	
Highway Speed, XL 4100 Gradall or Similar										
Excavator-Wheeled						Ť			\neg	
Gradall D152 or similar			1							
Excavator-Wheeled						_			\neg	
Crossover										
EXCAVATOR - 1/2 to 3/4 CY bucket, 150 HP	Conn	0,040		000.00	A 4000					
Track Width 10' out-to-out	Case	CX210	\$	600.00	\$ 1,800.0	10 \$	5,200.00	\$ 20	00.00	\$ 3.0
EXCAVATOR - 1/8 Cyd. 30 HP	Case/Kubota	CX33/KX033	\$	175.00	e ====		4.050.00		20.00	
D Track Width 5' out-to-out	Case/Nubola	CA33/KA033	1	175.00	\$ 550.0	ש וייו	1,350.00	\$ 20	00.00	\$ 2.0
EXCAVATOR - 1/5 Cyd. 44 HP	Case/Kubota	CX57/U55	s	200.00	\$ 600.	0 6	1,700.00	e 2/	20.00	e 0/
11,000 lbs. Track Width 6' out-to-out	Cuscillabila	GA317033	\\ _	200.00	φ 000.0	n a	1,700.00	D 21	JU.UU	\$ 2.0
EXCAVATOR - 1/4 Cyd. 55 HP	Case/Kubota/Doosan	CX57/U55/DX63	s	300.00	\$ 800.	n e	2,500.00	e 21	20.00	\$ 2.0
D 14,000 lbs. Bucket, Track Width 6' out-to-out	555,16556,555611	ONOT/BOOLD/GO	<u> </u>	000.00	ψ 000.	ν. Ψ	2,300.00	اک لا	30.00	Ψ 2.0
EXCAVATOR ATTACHMENT Plate compactor for 15,000-20,000 lb excavator										
						_				
EXCAVATOR ATTACHMENT Hydraulic hammer for 15,000-20,000 lb excavator										
EXCAVATOR ATTACHMENT Swivel head with ditching bucket										
EXCAVATOR ATTACHMENT										

Exhibit A				Vendor Name:					
	Equipment Offered to Without Op	Equipment Offered for Lease/Rental Without Operator			Lease/Rental Rate of Equipment Without Delivery/ Without Operator				
Equipment Description (WITHOUT Operator)	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	ery Fee Add. Mi		
Tree Mulcher -severe duty rated- Bull Hog Model BH40EXC or similar 51" for Excavator size 15 to 45 Ton									
FLATBED TRUCK									
1 Ton minimum with 22 ft, bed length minimum	1								
FLATLINER - attachment for a skid steer						_	_		
Profilograph and bump grinder in one	1								
FORKLIFT TRUCK									
Rough Terrain, 5 - 10 K lb. lift cap.	Case	586/588	\$ 250.00	\$ 700.00	\$ 1,700.00	\$ 200.00	\$ 2.00		
FORKLIFT TRUCK									
6,000 # Load Cap., Min. 63 HP	Case	\$ 586.00	\$ 250.00	\$ 700.00	\$ 1,700.00	\$ 200.00	\$ 2.00		
GENERATOR - TRAILER MOUNTED:									
30 kw					<u> </u>				
45 kw									
60 kw						-			
80 kw					<u> </u>	-			
100 kw									
125 kw									
175 kw					1				
200 kw									
230 kw									
300 kw							_		
400 kw					 				
500 kw			-		 				
600 kw									
800 kw									
1,000 kw					<u> </u>	-			
2,000 kw			 		-	-			
GRAPPLE ATTACHMENTS						-	-		
for Skid Steer Loaders 72" - 78" attachments	Case	72" Grapple	\$ 75.00	\$ 200.00	\$ 480.00	\$ 150.00	\$ 1.5		
HEATER - Trailer Mounted, Diesel			 	1		-	-		
22 HP, 1,800 rpm, 16 kw, 190 gal fuel cap., HT1010C or similar	I		1	9 4 4		1			
HAMMER PILE DRIVER DELMAG D8-22 or similar			 			_	-		
PILE HAMMER, DEISEL									
HYDRO-SEEDER			ļ						
Trailer Mounted				*					
HYDRO-SEEDER									
Trk. Mtd. 1,500 - 2,500 Gal.			1						
JOINT SEALER									
3 Cylinder, Tandum Dual 2 Axle, Vat. Cap 200 Gal. Double Boiler Type Tank - opening 16"x24"									
Maximum Heat Input - Diesel 290,000 BTU Incl. Full Sweep Mixer with 2 horizontal paddles									
LIGHT TOWERS PORT.				:					

Exhibit A	(55100200003)			Vendor Name:			
	Equipment Offered f Without Op	or Lease/Rental erator	Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipmer Delivery Fo	
Equipment Description (WITHOUT Operator)	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
4 - 1,000 watt bulbs							
LOWBOY							
with two drops in deck height - min 35 T MANLIFT SP							
40 ft.					•		
MANLIFT SP							
60 ft.							
MANLIFT SP							
80 ft.							
MANLIFT SP							
125 ft. minimum to 135 ft. maximum							
MANLIFT - SCISSOR, TWO PERSON							
26' Minimum with Extendable Platform					. 18		
MESSAGE SIGN Programmable	1			*			
Programmable MORTAR MIXER							
6 CF 5 HP G							
MOTOR GRADER							
35,000-45,000 lbs. class				* * * * * * * * * * * * * * * * * * *			
PATCH TRAILER				<u> </u>		_	-
DuraPatcher or similar	li .						
PATCH TRUCK							
with rear mounted arrow board			1				
PATCH TRUCK							
DuraMAXX or similar				i .	İ		
PAVER - HOT MIX ASPHALT							
Rubber-tired Paver < 125 HP				<u> </u>			
PAVER - HOT MIX ASPHALT Rubber-tired Paver > 125 HP							
PAVER - HOT MIX ASPHALT							
Track Paver < 125 HP	1						
PAVER - HOT MIX ASPHALT				-	 		-
Track Paver > 125 HP							
POLY PATCHER II or similar				1			†
Double-boiler type mixer, Trl Mtd.							ŀ
PRESSURE WASHER/Hot Water							
120° Min, 700-3000 psi Min.					(*)		
ROCKDRILL - SP							
Hyd. Excav./Boom Mtd. 3" Holes/20" deep min.							
ROCK HAMMER FOR EXCAVATOR							†
5000-7000 lbs. class							

(DOT6620C009)

Exhibit A				V	endor Name:				
		Equipment Offered for Lease/Rental Without Operator			Lease/Rental Rate of Equipment Without Delivery/ Without Operator				
Equipment Description (WITHOUT Operator)	Manufacturer's Name	Model/Serial #	\$ /Day		\$ /Week	\$ /Month	1st M		y Fee Add. Mi.
ROCK TRUCK - ARTICULATED							t	\top	
20 -30 T									
ROLLER	Case	DV201	\$ 25	0.00 \$	600.00	¢ 1.450.00	\$ 200	00 6	\$ 2.00
5 Ton with 2 steel drums	Case	DVZUI	\$ 23	J.00 p	000.00	\$ 1,450.00	\$ 200	.00 3	, 2.00
ROLLER 10-15 Tons with 2 steel drums									
ROLLER 5 - 6 T PNEUTR TOW/Trk, Mid.									
				_					
ROLLER 10 T PNEUTR									
ROLLER								_	
7-15 T PNEUTR, Articulated						1 2 0			
ROLLER SP								_	
PNEUTR - 10K GVW G									
ROLLER SP								_	
PNEUTR - 20K GVW G						9 6 8	1		
ROLLER - TRENCH VIB									
Dual Drum Approx. 10 HP, Appox. 2.5ft W x 8.3 ft L							1		
ROLLER - VIB						<u> </u>		_	
SP 1 Drum 2XL 10 - 15 K GVW D	Dynapac	CA134/141	\$ 22	5.00 \$	725.00	\$ 2,000.00	\$ 200	00 8	\$ 2.00
ROLLER - VIB							V 200		
SP 1 Drum 2XL 10 - 20 K GVW D	Case/Dynapac	SV208/SV212/CA151	\$ 25	0.00 \$	1,000.00	\$ 3,400.00	\$ 100	.00	\$ 2.00
SAND BLASTER					.,	, , , , , , , , , , , , , , , , , , , ,	1		
200 lb. hopper min.							l	- 1	
SCISSOR LIFT, TWO PERSON				_				_	
26' Minimum with Extendable Platform	l l						1	- 1	
SCREENERS, Material				-				-	
Mobile - Diesel									
SHADOW TRUCK w/Attenuator				_			-	-	
min. 30,000 GVW									
SHOULDER MAINTAINER SP				÷		1	_	-	
w/G (min. 67 HP) or w/D (min. 46 HP) asphalt or stone width, 1' to 6' and 6" to 12" depth							1	- 1	
								_	
SKID STEER - HIGH FLOW	Case	SV270/SV300	\$ 25	0.00 \$	500.00	\$ 1,800.00	\$ 200	.00	\$ 2.00
Attachment: Auger of any diameter									
Attachment: Auger of any diameter									
Attachment: Broom	Case	72M		0.00 \$	300.00		\$ 200		
Attachment: Bucket	Case	78" Bucket		0.00 \$	125.00		\$ 200		
Attachment: Broom Bucket	Case	60B	\$ 20	0.00 \$	350.00	\$ 750.00	\$ 200	.00	\$ 2.00
Attachment: Concrete Mixer									
Attachment: Flatwork Paver - Bidwell or similar									
Attachment: 1' - 5' Milling Planer	Univeral	AP300	\$ 30	0.00 \$	600.00	\$ 2,300.00	\$ 200	.00	\$ 2.00
Attachment: Trencher of any width									

Pricing Page 9 of 12

(DOT6620C009)

Exhibit A			_		Vendor Name:			
	Equipment Offered for Lease/Rental Without Operator			Lease/Re	Equipment Delivery Fed			
Equipment Description (WITHOUT Operator)	Manufacturer's Name	Model/Serial #	1	/Day	\$ /Week	\$ /Month	1st Mile	Add. M
Attachment: Jackhammer - Caterpillar CAT H55D S or similar								
Attachment: Concrete Slab Dowel								
SKID STEER - MILLING PLANER	Case	SV270/SV300	\$	250.00		\$ 1,800.00	\$ 200.00	\$ 2.0
Attachment: Broom	Case	72M	\$	150.00			\$ 200.00	
Attachment: Bucket	Case	78" Bucket	\$	60.00			\$ 200.00	
Attachment: Broom Bucket	Case	60B	\$	200.00	\$ 350.00	\$ 750.00	\$ 200.00	\$ 2.0
Attachment: Auger of any diameter								
Attachment: 1' - 5' Milling Planer Attachment: Trencher of any width	Univeral	AP300	\$	300.00	\$ 600.00	\$ 2,300.00	\$ 200.00	\$ 2.0
Slope Mower - Compact Tractor								
Ventrac or similar			1					
SCISSOR LIFT			1					
26' two man lift with Extendable Platform			l					
STRAW / MULCH BLOWER			-					
Trk. Mtd.								
STREET SWEEPER SP			1					
3.0 Cyd. (min.)								
STREET SWEEPER SP			\top					
8.0 Cyd. (min.)								
STREET SWEEPER			T					
Trlr. Type								
STREET SWEEPER - HYDROSTATIC			t					
Elgin Pelican III or similar								
STREET SWEEPER - Towable			T					
Self-Propelled		14						
STREET SWEEPER - Truck-Mounted								
4.0 C.Y. Min. hopper cap., water-spray system for dust control Side/curb brooms & rear/center broom, 11,000 lbs - 33,000 lbs								
TAMPER/COMPACTOR - Vibratory			1			i		
650 min. blows per minute								
TRACTOR			T			†		
John Deere 6100M or similar								
BOOM MOWER Attachment -ALAMO MAVERICK or equivalent for use with offered Tractor			1					
MULCHERHEAD Attachement for use with offered tractor								
SRD50 or equivilent								
TRACTOR			1			1 7		†
John Deere 6200 or similar								
Boom Mower Attachment for use with Offered Tractor				**				
Flail Mower Attachment for use with Offered Tractor			T					
Sicklebar Mower Attachment for use with Offered Tractor								

Pricing Page 10 of 12

Exhibit A	(DO10020C009)			Vendor Name:			
	Equipment Offered f Without Op		Lease/Re	ental Rate of Ed Without Delivery Without Operato	_l l		pment ery Fee
Equipment Description (WITHOUT Operator)	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
TRAILER							
6 tons with ramps, minimum 18' length, 8.5' width							
TRAILER - FLATBED TRI-AXLE					• • • •		
22,500 GVWR, 23 ft. with dove tail, Air Breaks							
TRAILER - FLATBED - Two Axies	1		1		6 6 8 8		
20,000# Payload Cap. Min.Width 8.5', Min.Length 24' TRAILER - LowBoy							
35 - 50 ton - pony motor, self contained hydraulics	ŀ				4		
TRAFFIC SIGNALS - PORT							
2 Phase Operation D/E					9 9 9 9		
TREE TRIMMER - Power Mechanical Trimmer - Track					*	-	
Up to 53' Reach - Kwik-Trim Takeuchi TB260 or similar					9 9 8 9		
TREE TRIMMER - Telescoping Trimmer Power Train - Track				<u> </u>			
Up to 75' Reach - 24" diameter saw - SkyTrim 75 or similar			1		1		
TRENCH BOX					1	-	
Various Sizes - Vendor provide sizes available							1
TRENCH PAVER						-	_
Base Widening Machine							
TRUCK - Water						-	-
Tanker - min 1500 gallons				6 6 6 8			1
UNDERBRIDGE PLATFORM				1		_	
Trailer Mtd., Hyd. SP 'Min. 20 ft. horizontal reach				9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9			1
UNDERBRIDGE PLATFORM				-	1		
Trailer Mtd., Hyd. SP Min. 30 ft. horizontal reach				d 0 0 0 0			
UNDERBRIDGE PLATFORM							
Trailer Mtd., Hyd. SP Min. 40 ft. horizontal reach				6 8 8			
UNDERBRIDGE PLATFORM							1
Trailer Mtd., Hyd. SP Min. 50 ft. horizontal reach				6 0 0	* * * * * * * * * * * * * * * * * * *		1
UNDERBRIDGE PLATFORM							
Trailer Mtd., Hyd. SP Min. 60 ft. horizontal reach				0 6 7			1
UNDERBRIDGE PLATFORM				2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1		
Truck Mtd., Hyd. Min. 23 ft. horizontal reach				1			
VACUUM/JETTER SEWER CLEANER							
Trk. Mtd. 1,000+gal. debris tank, 30+gpm 2000+CFM Vacuum Pump, 2200+PSI water pump				•			
VACUUM/SPRAY UNIT				•	1		
Trk. Mtd. min. 1,000 gal. tank min. 60 gpm 4 ft. teleboom w/swivel/rotating hose reel							
VACUUM/STREET SWEEPER							
Self-Propelled, 4 Cyd., Gas, 5 ft wide path				9 9 0			
VAN - BOX				6			
21,000 or greater				1			
VIBRATORY ROLLER with Water				8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8			
4 _c - 5 ton Steel Double Drum							

Exhibit A				Vendor Name	:		
	Equipment Offered for Lease/Rental Without Operator		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
Equipment Description (WITHOUT Operator)	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
VIBRATORY ROLLER with Water			1	1			1
8 - 10 ton Steel Double Drum							
WATER PUMPS - 3"			†	†			1
w/SUCTION & DISCHARGE HOSES			1				1
WATER PUMPS - 4"							_
w/SUCTION & DISCHARGE HOSES							
WATER PUMPS - 6"				i			
w/suction & discharge hoses							
WATER PUMPS - 12"			—				1
w/SUCTION & DISCHARGE HOSES	1		1		•		
Wheel Loader			 	1	:		
90 to 124 HP	Case	521F/G	\$ 350.0	0 \$ 1,150.00	\$ 3,500,00	\$ 200.00	\$ 2.00
Wheel Loader	Case	621F/G	1 00010	1,100,00	1 0,000.00	Ψ 200.00	1 2.00
125 to 149 HP			\$ 400.0	0 \$ 1,250.00	\$ 3,750,00	\$ 200.00	\$ 2.00
Wheel Loader	Case	721F/G	\$ 500.0			\$ 200.00	-
150 minimum HP			"	1,100.00	4,000.00	1 200.00	2.00
WELDER - PORTABLE							
225 AMP min. — GASOLINE powered						1	1
WELDER - PORTABLE					i		_
225 AMP min. – DIESEL powered							1
WORK PLATFORM SP						_	
SL 25' High Platform 1,500# CAP							1
WORK PLATFORM SP			1		i		+
SL 35' High Platform 1,500# CAP			1	•			1