



2019 Washington Street, East Charleston, WV 25305 Telephone: 304-558-2306 General Fax: 304-558-6026

Bid Fax: 304-558-3970

The following documentation is an electronically-submitted vendor response to an advertised solicitation from the *West Virginia Purchasing Bulletin* within the Vendor Self-Service portal at *wvOASIS.gov*. As part of the State of West Virginia's procurement process, and to maintain the transparency of the bid-opening process, this documentation submitted online is publicly posted by the West Virginia Purchasing Division at *WVPurchasing.gov* with any other vendor responses to this solicitation submitted to the Purchasing Division in hard copy format.





# State of West Virginia Solicitation Response

Proc Folder: 605438

Solicitation Description: EQUIP LEASE/RENTAL WITHOUT OPERATOR 6620C009

Proc Type: Central Master Agreement

Date issued	Solicitation Closes	Solicitation Response	Version
	2019-08-29 13:30:00	SR 0803 ESR0828190000001256	1

VENDOR

VS0000018842

ATLANTIC MACHINERY RENTALS LLC

Solicitation Number: CRFQ 0803 DOT2000000022

**Total Bid :** \$0.00 **Response Date:** 2019-08-28 **Response Time:** 11:53:00

**Comments:** 

FOR INFORMATION CONTACT THE BUYER

Crystal G Hustead (304) 558-2402 crystal.g.hustead@wv.gov

Signature on File FEIN # DATE

All offers subject to all terms and conditions contained in this solicitation

Page: 1 FORM ID: WV-PRC-SR-001

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
1	EQUIPMENT LEASE/RENTAL WITHOUT OPERATOR	0.00000	EA	\$2,900.000000	\$0.00

Comm Code	Manufacturer	Specification	Model #	
72141702				

EQUIPMENT LEASE/RENTAL WITHOUT OPERATOR PER EXHIBIT A PRICING PAGE AND INFORMATION ATTACHMENT FORM **Extended Description:** 

SWEEPER RENTAL:2900/WEEK 8700/ MONTH \$3.50 1ST MILE \$3.50 ADDITIONAL MILE PLEASE SEE ATTAHED OR VACUUM JETTER SEWER CLEANER RENTAL PRICING **Comments:** 

Exhibit A	T	<u> </u>			Atlantic Mac	ninery Rer	itais, LLC
	Equipment Offered f Without Op		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
Equipment Description (WITHOUT Operator)	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
AERIAL BUCKET TRUCK			-				
Highway Rated TRK. MTD 50' Reach Min. 43.5' Radious 360 degrees Boom Rotation @ level position							
AERIAL PLATFORM LIFT							
80 foot lift minimum							
AERIAL PLATFORM TRUCK							
Highway Rated TRK. MTD 40' reach Min. 360 degree boom rotation @ level position							
AERIAL PLATFORM TRUCK		·					
Highway Rated TRK. MTD 55' Reach Min. 360 degrees Boom rotation @ level position				L			
AERIAL PLATFORM TRUCK							
Elliott Model G50 or similar							
AERIAL PLATFORM TRUCK							
Elliott Model L55 or similar							
AERIAL BUCKET TRUCK							1
Highway Rated TRK. MTD 45 ft working ht min. 1 1/2 man bucket min. Insulated articulating boom.							
Boom rotation at level position Versatift SST-40-EIH or similar. NO CDL Required							<u> </u>
AERIAL BUCKET TRUCK	1						Ì
Highway Rated TRK. MTD Versalift SST-40 EIH or similar 50' Reach Min. 43.5' Radius 10 ft max outrigger spread.							
360 degree boom rotation at level position. 1,000 lb min material handling capability.NO CDL Required					_		
AERIAL BUCKET TRUCK						1	
Highway Rated TRK. MTD 55 ft working ht min. Rear mounted Turret. Versalift VST-47-I or similar							
AERIAL PLATFORM LIFT						1	
80 foot lift minimum					<u> </u>		
AERIAL PLATFORM TRUCK							
Highway Rated TRK. MTD 40' Reach Min. 360 degrees Boom Rotation @ level position							
AERIAL PLATFORM TRUCK							
Highway Rated TRK. MTD 55' Reach Min. 360 degrees Boom rotation @ level position							<u> </u>
AERIAL PLATFORM TRUCK							
Elliott Model G50 or similar							<u> </u>
AERIAL PLATFORM TRUCK			Ì				
Elliott Model L55 or similar				<u> </u>			<u> </u>
AERIAL PLATFORM TRUCK							
Eiliott Model L55-R or similar 55 ft boom length min. Rear mounted turret							<u> </u>
ARROW BOARDS							
4' x 8' panel 15 lamp			ļ			<u> </u>	—
ASPHALT DISTRIBUTOR							
Trk. Mtd. w/spray bar		ļ	<b> </b>			<u> </u>	-
ASPHALT RECYCLER			I				
KM T-2 or similar			ļ		<b>_</b>	ļ	<b>├</b>
ASPHALT RECYCLER							
Self Loading - Stepp SRM 10x120 or similar		-					
ASPHALT RECYLING ATTACHMENT			1		•	1	

Exhibit A								
	Equipment Offered f			ental Rate of E Without Delivery Without Operato	ıi .	Delive	oment ery Fee	
Equipment Description (WITHOUT Operator)	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.	
Endloader bucket - mounted, asphalt grinder/recycle attachmt, min 185 hp 8,500 lb. wt. capable of grinding and remixing up								
to 12" deep and 48" wide pavement and base						ļ		
ASPHALT REMOVAL/RECYCLER			İ					
Benedetti or similar								
ATTENUATOR - Trailer Mounted						ŀ		
must meet NCHRP 350 TL-3				<u> </u>		<del>                                     </del>		
AUGER								
18"-24"				ļ		<u> </u>		
AUGER								
18"-24" Core Barrell				<u> </u>		<u> </u>		
AUGER			1					
Trak Mounted 35,000 Ft lb min.								
AUGER								
Terex Telelect Commander 6000 Digger, 33,520 lb Capacity, 3 Sections/ 61 Ft Reach or similar					<u> </u>	<del> </del>		
AUGER Truck-Mounted Digger Derrick 35,000 lb GVW, Rear Mounted Altec D947-TR or similar								
						<u> </u>		
BACKHOE CRAWLER TRACKHOE or similar with drill rig attachement for the boom								
BACKHOE LOADER	l						<del></del>	
Rubber Tired 55-85 DHP								
BACKHOE LOADER WITH HYDRAULIC BREAKER	<u> </u>		<del> </del>			<del> </del>	<del>                                     </del>	
Mtd. Hyd. Breaker 55-85 DHP D							ŀ	
BACKHOE LOADER WITH HYDRAULIC BREAKER						<del> </del>	<del></del>	
Mtd. Air Breaker 1,000 ft./ibs. min.								
BACKHOE LOADER TRACTOR - Compact						†	<del>                                     </del>	
Rubber Tired 20-30 HP max. height - 83"								
BACKHOE LOADER TRACTOR - Mini				<u> </u>				
25-30 HP Standard Stick 12' Backhoe Bucket - T7 or similar							]	
BASE WIDENER SP		-		<u> </u>				
Shoulder Stone								
BOX DELIVERY TRUCK								
24 ft length box min. NO CDL Required								
BRUSH CHIPPER - up to 49 hp						<del>                                     </del>		
Cutting size - 12" in diameter.								
BRUSH CHIPPER - from 50 hp to 85 hp						<del>                                     </del>	<b> </b>	
	ĺ							
Cutting size - 12* in diameter.						-	ļ	
BULLDOZER Crawler GD 65-75 DHP D								
	 			-	<del> </del>	<del>                                     </del>	<b> </b>	
BULLDOZER Crawler GD 80 -90 DHP D								
COMMISSION OF THE PROPERTY OF		1	1	1	l	J	1	

Exhibit A				Vendor Name:	Atlantic Mac	hinery Ren	itals, LLC
	Equipment Offered f			ental Rate of E Without Delivery Without Operato	ı	Equipment Delivery Fee	
Equipment Description ( WITHOUT Operator)	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
BULLDOZER				**			
Crawler GD 100 -120 DHP D							
BULLDOZER							
Crawler GD 130 -140 DHP D							
BULLDOZER							
Crawler TC 150 - 250 EHP D						<u> </u>	
BULLDOZER							
Crawler/Ripper TCP 181 - 250 EHP D				-		<u> </u>	
BULLDOZER							
Crawler/Winch TCP 181 - 250 EHP D	<del></del>				<u> </u>		<del>                                     </del>
CHIP SPREADER SP				<u> </u>	<u> </u>		ļ
COLD MILLING - Stabilizer/Recycler			ŀ				
no less than 12" cutting depth range BOMAG MPH 364 R-2 or similar						<u> </u>	
COLD MILL PLANER							
Self Loading - 2'						<del> </del>	
COLD MILL PLANER Self Loading - 4'							
COMPRESSOR							
125 - 160 CFM Portwhl.						1	
COMPRESSOR		<u> </u>				<del> </del>	<del> </del>
170 - 210 CFM Portwhl.							
COMPRESSOR							
250 - 300 CFM Portwhl.			ļ				
COMPRESSOR							
350 - 375 CFM Portwhl.		1					
COMPRESSOR							
600 CFM Portwhl.						ļ	
COMPRESSOR							
700 - 800 CFM Portwhl.			_				
CONCRETE MIXER						ŀ	
Trk. Mtd. 6.0 Cyd.							
CONCRETE SAW							
Full Depth CAP - 24" Blade			<u> </u>	1		ļ	<u> </u>
CONCRETE SAW			]				1
12 1/2" Maximum Depth of Cut - 30" Blade			<u> </u>			<u> </u>	<u> </u>
CONCRETE SAW			Ì				
15" Maximum Depth of Cut - 36" Blade			<u> </u>				
CONVEYOR LOADER / FORCE FEED LOADER							
LooPay 2000C or similar Fully analoged appropriate area. Hogge Duty 201 to 201 conveyer or similar				1			
LeeBoy 3000C or similar Fully enclosed operator area. Heavy Duty 28' to 30' conveyor or similar	1	l	1	l	1	I	I

Exhibit A Vendor Name: Atlantic Machinery Rentals, LLC							
	Equipment Offered f Without Op			ental Rate of E Without Delivery Without Operato	1	Equip Delive	ment ry Fee
Equipment Description (WITHOUT Operator)	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
CRACK SEALING MACHINE							
Trtr. Mtd. Dbl. Drum, 100 - 125 GLN. D							
CRACK SEALING MACHINE							
Trl. Mtd. DblBoiler Type, 250 GLN Diesel with Pump on Demand Features							
CRACK SEALING MACHINE							
Trl. Mtd. DblBoiler Type, 250 GLN Diesel with Pump on Demand Features and 53.8 CFM Compressor		<u> </u>					
CRACK SEALING MACHINE							
Trl. Mtd. DblBoiler Type, 250 GLN Diesel with Pump on Demand Features and 70 CFM Compressor							
CRANE 10 T Hyd.						1	
Trk. Mtd. min. 18' Bed							
CRANE 12 - 1/2 T Hyd.							
Trk. Mtd. min. 18' Bed							_
CRANE 14 T Hyd.			:			ļ	
Trk. Mtd. min. 18' Bed						<u> </u>	
CRANE 15 - 25 T							
Hyd. Rough Terrain			<u> </u>				
CRANE 20 - 25 T							
Cable D Crawler							
CRANE 25 - 30 T							
Cable, Trk. Mtd. G							
CRANE 30 T Hyd.						<u> </u>	
CRANE 35 T Hyd.							
CRANE 40 T Hyd.						<u> </u>	
CRANE 50 T Hyd.				•			
CRANE 15 - 20 T							
Truck Mounted Boom	·						
CRANE 21 - 25 T							
Truck Mounted Boom				<u> </u>	l		
CULVERT CLEANER			İ			ļ	
Trk. Mtd. min. 1,500 gal. tank , 1,400 PSI min.							
CULVERT CLEANER							ŀ
Trk. Mtd. 65 - 80 GPM 2,000 PSI min.							
CULVERT CLEANER - radio remote controlled			-				
Microtraxx or Similar 42"Wx42"Hx120"L, 1550# Lift cap, 1/3 CU Yd Cap., 7.5 PSI, 360° Swing Rotation, to clean 48" to 60"		1				1	
round culverts				-	ļ	<del> </del>	
CULVERT CLEANER - radio remote controlled						1	
Microtraxx or Similar 32"Wx34"Hx134"L, 1500# Lift cap, 1/4 CU Yd Cap., 5.5 PSI, to clean 36" to 48" round culverts				<u> </u>	ļ	ļ	
DITCH WITCH on circular				I			
DITCH WITCH or similar trencher - walk behind 5-25 hp			1	į			Ì
•		<del></del>		1		<u> </u>	<del> </del>
Dump Truck, Class 8, Steel Bed	1	1	I	1	I	1	1

Exhibit A				Vendor Name:	Atlantic Mac	hinery Rer	itals, LLC
	Equipment Offered f		Lease/R	ental Rate of E Without Delivery Without Operato	1		oment ery Fee
Equipment Description (WITHOUT Operator)	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
Single Axle							
Dump Truck, Class 8, Aluminum Bed							
Single Axle		-					
Dump Truck					*		
INTERNATIONAL 4300 SBA or similar							
Dump Truck							
FORD F650 or similar	<u></u>		ļ			<u> </u>	
Dump Truck							
FREIGHTLINER M12106 or similar					1		
Dump Truck STEEL BED 4 AXLE							
Dump Truck, Tandem Steel Bed		<u> </u>	-		<u> </u>		
Double axle (3 axle)							
Dump Truck, Tandem							
MACK GU 713 or similar							
Dump Truck, Tandem							
MACK GU 713 or similar		<u> </u>	<del> </del>		<u> </u>		<del>                                     </del>
Dump Truck, Tandem							
Freightliner 114 SD or similar			1				
EQUIPMENT TRAILER							
10,000 lbs or less, tilt style deck 16ft - 18 ft length to attach to a pintle hitch						ĺ	
EQUIPMENT TRAILER			Í				
12,000 lbs - 14,000 lbs, tilt style deck 16ft - 18 ft length to attach to a pintle hitch							
EQUIPMENT TRAILER			i				
assisted		<b>,</b>		•			
EXCAVATOR - TELEBOOM							
Track Mtd. SP 0.5 Cyd. D						ŀ	
EXCAVATOR - TELEBOOM							
Truck Mtd. SP 0.5 Cyd. D							
EXCAVATOR							
w/McMillen extreme duty earth auger or similar			ļ			<u> </u>	
EXCAVATOR			1	1			
Mini-Hyd. Track Mtd. 2,600 lbs. max.			<u> </u>	1		<u> </u>	
EXCAVATOR WITH INTEGRATED VIBRATORY PILE DRIVE/EXTRACTOR							
Minimum 80,000 driving force, MKT V8 or similar							
EXCAVATOR							
Crawler Mech./Hyd. 0.75 Cyd. 24,000 ibs 28,000 ibs. Working Weight							
EXCAVATOR			I	1		I	

Exhibit A Vendor Name: Atlantic Machinery Rentals, LLC							
	Equipment Offered f Without Op	or Lease/Rental erator	Lease/R	ental Rate of E Without Delivery Without Operato	i		oment ry Fee
Equipment Description (WITHOUT Operator)	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
Crawler Mech./Hyd. 0.75 Cyd. 29,000 lbs 35,800 lbs. Working Weight							
EXCAVATOR							
Crawler Mech./Hyd. 1.00 Cyd. 36,000 lbs 42,900 lbs. Working Weight							
Attachment: Grapple			ŀ				
EXCAVATOR							
Crawler Mech./Hyd. 1.25 Cyd., 128 - 141 HP 42,700 lbs 45,900 lbs. Working Welght						<u> </u>	
EXCAVATOR WITH HYDRAULIC BREAKER							
Crawler 2,000 ft./lbs. min. 24,400 lbs 35,800 lbs. Excavator Size			1				
EXCAVATOR WITH HYDRAULIC BREAKER							
Crawler 2,000 ft./ibs. min. 36,000 ibs 42,900 ibs. Excavator Size						]	
Attachment for offered Excavator: Grapple				T			
EXCAVATOR WITH HYDRAULIC BREAKER					I	<del>                                     </del>	
Crawler 2,000 ft./lbs. min. 43,000 lbs 60,000 lbs. Excavator Size							
EXCAVATOR WITH HYDRAULIC BREAKER	_						
Crawler 2,000 ft./lbs. min.61,000 lbs 80,000 lbs. Excavator Size							
HYDRAULIC BREAKER ATTACHMENT ONLY							
2,000 ft./ibs. min							ŀ
EXCAVATOR							
Crawler with a thumb							
EXCAVATOR							
Mini-Hyd. Track Mtd. 6,500 lbs. max.							
Excavator-Wheeled							
Highway Speed, XL 3100 Gradall or Similar							
Excavator-Wheeled							
Highway Speed, XL 4100 Gradatl or Similar			!				
Excavator-Wheeled				İ		j	
Gradall D152 or similar				<u> </u>			
Excavator-Wheeled				i e			
Crossover						<u> </u>	
EXCAVATOR - 1/2 to 3/4 CY bucket, 150 HP		1					
Track Width 10' out-to-out					<u> </u>		ļ
EXCAVATOR - 1/8 Cyd. 30 HP							
D Track Width 5' out-to-out			<b></b>			<b>_</b>	
EXCAVATOR - 1/5 Cyd. 44 HP							
11,000 lbs. Track Width 6' out-to-out						<del>                                     </del>	<del>                                     </del>
EXCAVATOR - 1/4 Cyd. 55 HP							
D 14,000 lbs. Bucket, Track Width 6' out-to-out						<del>                                     </del>	
EXCAVATOR ATTACHMENT  Plate compositor for 15 000 20 000 lb executors		1					
Plate compactor for 15,000-20,000 lb excavator			<del>                                     </del>			<u> </u>	
EXCAVATOR ATTACHMENT		I	1	1	1	I	l

Exhibit A Vendor Name: Atlantic Machinery Rentals, LL						ıtals, LLC	
	Equipment Offered f	or Lease/Rental	Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
Equipment Description (WITHOUT Operator)	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
Hydraulic hammer for 15,000-20,000 ib excavator							
EXCAVATOR ATTACHMENT							
Swivel head with ditching bucket						ļ	
EXCAVATOR ATTACHMENT							
Tree Mulcher -severe duty rated- Bull Hog Model BH40EXC or similar 51" for Excavator size 15 to 45 Ton			<u> </u>	-	<u></u>	<u> </u>	<del></del>
FLATBED TRUCK							
1 Ton minimum with 22 ft. bed length minimum							
FLATLINER - attachment for a skid steer							
Profilograph and bump grinder in one							
FORKLIFT TRUCK							
Rough Terrain, 5 - 10 K lb. lift cap.							
FORKLIFT TRUCK							
6,000 # Load Cap., Min. 63 HP							
GENERATOR - TRAILER MOUNTED:							
30 kw			ļ				<u> </u>
45 kw							
60 kw							<b>ļ</b>
80 kw					<b> </b>	<del> </del>	<del>                                     </del>
100 kw 125 kw						<del> </del>	<del> </del>
175 kw						-	<del>                                     </del>
200 kw		-					<b>——</b>
230 kw						†	<b>†</b>
300 kw							
400 kw							1
500 kw							
600 kw							
800 kw							<u> </u>
1,000 kw					<u> </u>	<b>.</b>	<u> </u>
2,000 kw					<u> </u>		
GRAPPLE ATTACHMENTS		]		1			
for Skid Steer Loaders 72" - 78" attachments			I	<del> </del>	<u> </u>	<del> </del>	<del> </del>
HEATER - Trailer Mounted, Diesel 22 HP, 1,800 rpm, 16 kw, 190 gal fuel cap., HT1010C or similar							
HAMMER PILE DRIVER DELMAG D8-22 or similar				+		<del> </del>	<del> </del>
PILE HAMMER, DEISEL			-	<u> </u>	1	1	<del></del>
HYDRO-SEEDER					1	1	
Trailer Mounted					1	<del> </del>	─
HYDRO-SEEDER	i	1	1	1	į.	l	I

Exhibit A	(5010020000)			Vendor Name:	Atlantic Mac	hinery Rer	ntals, LLC
	Equipment Offered f Without Op			ental Rate of E Without Delivery Without Operato	quipment // r	Equipmer Delivery F	
Equipment Description (WITHOUT Operator)	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
Trk. Mtd. 1,500 - 2,500 Gal.							
JOINT SEALER				į			
3 Cylinder, Tandum Dual 2 Axle, Vat. Cap 200 Gal. Double Boiler Type Tank - opening 16"x24" Maximum Heat Input - Diesel 290,000 BTU Incl. Full Sweep Mixer with 2 horizontal paddles							
LIGHT TOWERS PORT. 4 - 1,000 watt bulbs							
LOWBOY with two drops in deck height - min 35 T			1				
MANLIFT SP 40 ft.							
MANLIFT SP 60 ft.							
MANLIFT SP				* * * * * * * * * * * * * * * * * * *			
80 ft.							
MANLIFT SP							
125 ft. minimum to 135 ft. maximum							
MANLIFT - SCISSOR, TWO PERSON						Į.	
26' Minimum with Extendable Platform				<u> </u>		<u> </u>	
MESSAGE SIGN		ļ	l				
Programmable				<del> </del>			
MORTAR MIXER 6 CF 5 HP G							
MOTOR GRADER						<del>                                     </del>	<u> </u>
35,000-45,000 lbs. class							
PATCH TRAILER						1	
DuraPatcher or similar							ļ
PATCH TRUCK							
with rear mounted arrow board							
PATCH TRUCK							
DuraMAXX or similar							
PAVER - HOT MIX ASPHALT							
Rubber-tired Paver < 125 HP				ļ			ļ
PAVER - HOT MIX ASPHALT							
Rubber-tired Paver > 125 HP					1	1	<u> </u>
PAVER - HOT MIX ASPHALT							
Track Paver < 125 HP			ļ	<del> </del>	<u> </u>	1	
PAVER - HOT MIX ASPHALT Track Paver > 125 HP							
POLY PATCHER II or similar			<del>                                     </del>	<del> </del>		<del>                                     </del>	╁───
Double-boiler type mixer, Trl Mtd.							1
At		<u> </u>	I	<u>.i.</u>	1		

Exhibit A Vendor Name: Atlantic Machinery Rentals, LLC							itals, LLC
	Equipment Offered to Without Op		Lease/R	ental Rate of E Without Delivery Without Operato	i	Equip Delive	oment ry Fee
Equipment Description (WITHOUT Operator)	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$/Month		Add. Mi.
PRESSURE WASHER/Hot Water							
120° Min, 700-3000 psi Min.							
ROCKDRILL - SP Hyd. Excav/Boom Mtd. 3" Holes/20" deep min.							
ROCK HAMMER FOR EXCAVATOR 5000-7000 lbs. class							
ROCK TRUCK - ARTICULATED 20 -30 T							:
ROLLER 5 Ton with 2 steel drums					***************************************		
ROLLER 10-15 Tons with 2 steel drums					***************************************		
ROLLER 5 - 6 T PNEUTR TOW/Trk. Mtd.							
ROLLER 10 T PNEUTR							
ROLLER 7-15 T PNEUTR, Articulated							
ROLLER SP PNEUTR - 10K GVW G				***			
ROLLER SP PNEUTR - 20K GVW G				***************************************	***************************************		
ROLLER - TRENCH VIB Dual Drum Approx. 10 HP, Appox. 2.5ft W x 8.3 ft L					***************************************		
ROLLER - VIB SP 1 Drum 2XL 10 - 15 K GVW D							
ROLLER - VIB SP 1 Drum 2XL 10 - 20 K GVW D				***			
SAND BLASTER 200 lb. hopper min.				***			
SCISSOR LIFT, TWO PERSON 26' Minimum with Extendable Platform							
SCREENERS, Material  Mobile - Diesel							
SHADOW TRUCK w/Attenuator min. 30,000 GVW							
SHOULDER MAINTAINER SP w/G (min. 67 HP) or w/D (min. 46 HP) asphalt or stone width, 1' to 6' and 6" to 12" depth							
SKID STEER - HIGH FLOW							
Attachment: Auger of any diameter			<u> </u>				

Equipment Offered for Lease/Rental (Authority Operator)    Manufacturer's Name   Model/Sertal # S/Day   S/Neek   S/North   Stat Mills	Exhibit A				Vendor Name:	Atlantic Mac	hinery Ren	tals, LLC
Abschmant: Auger of any diameter Abschmant: Brown Abschmant: Brown Abschmant: Brown Abschmant: Brown Abschmant: Brown Abschmant: Brown Abschmant: Brown Abschmant: Brown Abschmant: Brown Abschmant: Brown Abschmant: Brown Abschmant: Brown Abschmant: Tencher Brown Abschmant: Tencher of any width Abschmant: Chargen Absc		Equipment Offered f	or Lease/Rental erator	Without Delivery/			Equipment Delivery Fee	
Maschment: Broom Sucket	Equipment Description (WITHOUT Operator)	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
Allachment: Burden Blacket Allachment: Concrete Milar Allachment: Trender of any width Allachment: Trender of any width Allachment: Trender of any width Allachment: Trender of any width Allachment: Trender of any width Allachment: Trender of any width Allachment: Trender of any width Allachment: Trender of any width Allachment: Concrete Sibility Drawlet  SKID STEER: MILLING PLANER Allachment: Concrete Sibility Drawlet Allachment: Concrete Sibility Drawlet  SKID STEER: MILLING PLANER Allachment: Burden Allachment: Burden Allachment: Burden Allachment: Burden Allachment: Burden Allachment: Burden Allachment: Burden Allachment: Angur of any distribution Allachment: Angur of any distribution Allachment: Trender of any width Slope Mower - Compact Tractor Verstor or similar SCISSOR LIFT SCISSOR LIFT SCISSOR LIFT SCISSOR LIFT SCISSOR LIFT SCISSOR LIFT SCISSOR LIFT SCISSOR LIFT SCISSOR LIFT SCISSOR LIFT SCHOMEPER SP B. Cycl. (min.) STREET SWEEPER SP B. Cycl. (min.) STREET SWEEPER Translet STREET SWEEPER Tra	Attachment: Auger of any diameter							
Abschment Concrete Maker Abschment Concrete Ma	Attachment: Broom							
Allachment: Concrete Miser Allachment: 1-9 Milling Plane Allachment: 1-9 Milling Plane Allachment: 1-9 Milling Plane Allachment: 1-9 Milling Plane Allachment: Concrete Side Dowel Allachment: Concrete Side Dowel Allachment: Concrete Side Dowel Allachment: Bounder Allachment: Bounder Allachment: Bounder Allachment: Bounder Allachment: Bounder Allachment: Bounder Allachment: Bounder Allachment: Bounder Allachment: Bounder Allachment: Bounder Allachment: Allachm	Attachment: Bucket							
Astachment: 1-5 Milling Planer Attachment: 2-6 Milling Planer Attachment: 3-6 Milling Planer Attachment: 3-8 Milling Planer Attachment: 3-8 Milling Planer Attachment: 3-8 Milling Planer Attachment: 4-7 Milling Planer Attachment: 4-7 Milling Planer Attachment: 1-5 Milling Planer Attachment: 1-5 Milling Planer Attachment: 1-5 Milling Planer Attachment: 1-5 Milling Planer Attachment: 1-5 Milling Planer Attachment: 1-5 Milling Planer Attachment: 1-5 Milling Planer Attachment: 1-5 Milling Planer Attachment: 1-5 Milling Planer Attachment: 1-5 Milling Planer Attachment: 1-5 Milling Planer Attachment: 1-5 Milling Planer Attachment: 1-5 Milling Planer Attachment: 1-5 Milling Planer Attachment: 1-5 Milling Planer Attachment: 3-8 Milling Planer Attachment: 3-9 Milling Planer	Attachment: Broom Bucket							
Altachment: 1-5 Milling Planer Altachment: Authoriment: Concrete Site Dowel Altachment: Concrete Site Dowel Altachment: Concrete Site Dowel SKID STEER: MILLING PLANER Altachment: Boom Altachment: Buowalt Altachment: Buowalt Altachment: Buowalt Altachment: Broom Bucket Altachment: Broom Bucket Altachment: Prowalt Broom Altachment: Prowalt Broom Altachm	Attachment: Concrete Mixer							
Altachment: Trencher of any width Altachment: Scharbamer - Categoritier CAT H550 S or similar Altachment: Concrete Sieb Dowel Altachment: Down Altachment: Boone Altachment: Boone Altachment: Boone Altachment: Boone Altachment: Boone Altachment: Super dary dismater Altachment: Super dary dismater Altachment: Trencher of any width Slope Mower - Compact Tractor Voorbace or similar SCISSOR LIFT 28 two man filt with Extendable Platform STREM / MULCH BLOWER Th. Md. STREET SWEEPER SP A.7 TORNADO 2,900 8,700 3.50 STREET SWEEPER SP STREET SWEEPER - HOROSTATIC Eigh Polician III or similar STREET SWEEPER - Touch-Mounted 4.0 C.Y. Min. hopper cap., water-spray system for dust control Side/curb brooms & reser/center broom, 11,000 bis - 33,000 bis	Attachment: Flatwork Paver - Bidwell or similar							
Altachment: Trencher of any width Altachment: Scharbamer - Categoritier CAT H550 S or similar Altachment: Concrete Sieb Dowel Altachment: Down Altachment: Boone Altachment: Boone Altachment: Boone Altachment: Boone Altachment: Boone Altachment: Super dary dismater Altachment: Super dary dismater Altachment: Trencher of any width Slope Mower - Compact Tractor Voorbace or similar SCISSOR LIFT 28 two man filt with Extendable Platform STREM / MULCH BLOWER Th. Md. STREET SWEEPER SP A.7 TORNADO 2,900 8,700 3.50 STREET SWEEPER SP STREET SWEEPER - HOROSTATIC Eigh Polician III or similar STREET SWEEPER - Touch-Mounted 4.0 C.Y. Min. hopper cap., water-spray system for dust control Side/curb brooms & reser/center broom, 11,000 bis - 33,000 bis	Attachment: 1' - 5' Milling Planer							
Attachment: Concrete Side Dowel Attachment: Concrete Side Dowel Attachment: Concrete Side Dowel Attachment: Bucket Attachment: Bucket Attachment: Bucket Attachment: Bucket Attachment: Auger of any diameter Atta						I		
Attachment: Corontel Sibit Dowel  Attachment: Broom  Attachment: Broom  Attachment: Broom Bucket  Attachment: Broom Bucket  Attachment: 4'- 5 Milling Planer  Attachment: 1'- 5								
Attachment: Broom Attachment: Broom Bucket Attachment: Broom Bucket Attachment: Broom Bucket Attachment: Auger of any diameter Attachment: 1'-5' Milling Planer Attachment: Trencher of any width  Slope Mower - Compact Tractor Vorrbac or similar SCISSOR LIFT 25' two man fit with Extendable Platform  STRAW / MULCH BLOWER Tirk. Mul. STREET SWEEPER SP 30. Cycl. (min.)  STREET SWEEPER SP 80. Cycl. (min.)  STREET SWEEPER Tirt. Type  Tirt. Type  STREET SWEEPER - Truck-Mounted  STREET SWEEPER - Truck-Mounted  4.0 C.Y. Min. hopper cap, water-spray system for dust control Side/curb brooms & rear/center broom, 11,000 tis - 3,000 tis  STREET SWEEPER - Truck-Mounted  4.0 C.Y. Min. hopper cap, water-spray system for dust control Side/curb brooms & rear/center broom, 11,000 tis - 3,000 tis								
Altachment: Broom Altachment: Broom Bucket Altachment: Broom Bucket Altachment: Auger of any diameter Altachment: Auger of any diameter Altachment: Trencher of any width  Slope Mower - Compact Tractor Vontax or similar 26 two nan lift with Extendable Platform  STRAW / MULCH BLOWER Tirk. Mul. STREET SWEEPER SP 3.0 Cyd. (min.)  STREET SWEEPER SP 8.0 Cyd. (min.)  STREET SWEEPER Tift. Type  STREET SWEEPER - Truck-Mounted 4.0 C.Y. Min. hopper dep., water-spray system for dust control Side/curb brooms & rear/center broom, 11,000 lbs - 33,000 lbs	SKID STEER - MILLING PLANER							
Attachment: Bucket Attachment: Broom Bucket Attachment: Broom Bucket Attachment: Trencher of any width Attachment: 11-5 Milling Planer Attachment: Trencher of any width Attachment: Trencher of any width SCISSOR LIFT SCISSOR LIFT SCISSOR LIFT SCISSOR LIFT SCISSOR LIFT STRAW I MULCH BLOWER Tirk. Mid.  STREET SWEEPER SP 3.0 Cyd. (min.) STREET SWEEPER SP 3.0 Cyd. (min.) STREET SWEEPER SP SCHWARZE INDUSTRIES A-7 TORNADO 2,900 8,700 3.50 STREET SWEEPER Trir. Type STREET SWEEPER - HYDROSTATIC Eigh Pelican III or similar STREET SWEEPER - Towable Self-Propelied STREET SWEEPER - Towable Self-Propelied STREET SWEEPER - Towable Self-Propelied STREET SWEEPER - Towable Self-Propelied STREET SWEEPER - Towable Self-Propelied STREET SWEEPER - Towable Self-Propelied STREET SWEEPER - Towable Self-Propelied STREET SWEEPER - Towable Self-Propelied								
Attachment: Broom Bucket  Attachment: Auger of any dismeter  Attachment: 1° Milling Planer  Attachment: 1° Milling Planer  Attachment: Trencher of any width  Slope Mower - Compact Tractor  Venthar or similar  SCISSOR LIFT 20 two man filt with Extendable Platform  STREAW / MULCH BLOWER  Trk. Mulc. HLOWER  Trk. Mulc. HLOWER  Trk. Milling  STREET SWEEPER SP 3.0 Cyd. (min.)  STREET SWEEPER SP 8.0 Cyd. (min.)  STREET SWEEPER SP 8.1 Cyd. (min.)  STREET SWEEPER - Truck-Mounted  AT TORNADO 2,900 8,700 3.50  STREET SWEEPER - Truck-Mounted  4.0 C.Y. Min. hopper cap, water-spray system for dust control Side/curb brooms & rearisenter broom, 11,000 ties - 33,000 tis				<del></del>		<u> </u>		
Attachment: 4-9 Milling Planer Attachment: 1'-5 Milling Planer Attachment: 1'-5 Milling Planer Attachment: 1'-5 Milling Planer Attachment: 1'-5 Milling Planer Attachment: 1'-5 Milling Planer Attachment: 1'-5 Milling Planer Attachment: 1'-5 Milling Planer Attachment: 4-10 Milling Planer Ventrao or similar  SCISSOR LIFT 25 two man iffi with Extendable Platform  STREAT MILLICH BLOWER Tirk. Mid.  STREET SWEEPER SP 3.0 Cyd. (min.)  STREET SWEEPER SP 3.0 Cyd. (min.)  STREET SWEEPER SP 3.0 Cyd. (min.)  STREET SWEEPER SP 3.0 Cyd. (min.)  STREET SWEEPER - 1 Type  STREET SWE								
Attachment: 1'- 5' Milling Planer Attachment: Trencher of any width  Slope Mower - Compact Tractor  Ventrae or similar  SCISSOR LIFT 26 two man filt with Extendable Platform  STREAW / MULCH BLOWER Trk. Mtd.  STREET SWEEPER SP 3.0 Cyd. (min.)  STREET SWEEPER SP 8.0 Cyd. (min.)  STREET SWEEPER SP 8.0 Cyd. (min.)  STREET SWEEPER SP 8.0 Cyd. (min.)  STREET SWEEPER TyproSTATIC  Eigin Pelican III or similar  STREET SWEEPER - Truck-Mounted 4.0 C.Y. Min. hopper cap., water-spray system for dust control Side/curb brooms & rear/center broom, 11,000 lbs - 33,000 lbs		<u> </u>			<del>                                     </del>	<del>                                     </del>	†	
Attachment: Trencher of any width  Slope Mower - Compact Tractor  Ventrac or similar  SCISSOR LIFT 26 No man lift with Extendable Platform  STRAW / MULCH BLOWER Trix. Mid.  STREET SWEEPER SP 3.0 Cyd. (min.)  STREET SWEEPER SP 8.0 Cyd. (min.)  STREET SWEEPER - Truck-Mounted 4.0 C.Y. Min. hopper cap., water-spray system for dust control Side/curb brooms & rear/center broom, 11,000 lbs - 33,000 lbs					<u> </u>		1	
Slope Mower - Compact Tractor Ventrac or similar SCISSOR LIFT SCI Wo man lift with Extendable Platform STRAW / MULCH BLOWER Trk. Mid. STREET SWEEPER SP 3.0 Cyd. (min.) STREET SWEEPER SP 8.0 Cyd. (min.) STREET SWEEPER SP 8.0 Cyd. (min.) STREET SWEEPER SP 8.10 Cyd. (min.) STREET SWEEPER SP 8.20 Cyd. (min.) STREET SWEEPER STREET SWEEPER STREET SWEEPER STREET SWEEPER STREET SWEEPER STREET SWEEPER - Truck-Mounted 4.0 C.Y. Min. hopper cap., water-spray system for dust control Side/curb brooms & rear/center broom, 11,000 lbs - 33,000 lbs								
SCISSOR LIFT 26 two man lift with Extendable Platform  STRAW / MULCH BLOWER Tirk. Mtd.  STREET SWEEPER SP 3.0 Cyd. (min.)  STREET SWEEPER SP 8.0 Cyd. (min.)  STREET SWEEPER SP 8.1 Cyd. (min.)  STREET SWEEPER Tirl: Type  STREET SWEEPER - HYDROSTATIC Elgin Pelican III or similar  STREET SWEEPER - Towable Self-Propelled STREET SWEEPER - Truck-Mounted 4.0 C.Y. Min. hopper cap., water-spray system for dust control Side/curb brooms & rear/center broom, 11,000 lbs - 33,000 lbs								
26' two man lift with Extendable Platform  STRAW / MULCH BLOWER Tirk. Mtd.  STREET SWEEPER SP 3.0 Cyd. (min.)  STREET SWEEPER SP 8.0 Cyd. (min.)  STREET SWEEPER SP 8.0 Cyd. (min.)  STREET SWEEPER Tirk. Type  STREET SWEEPER Tirk. Type  STREET SWEEPER - HYDROSTATIC Elgin Pelican III or similar  STREET SWEEPER - Towable Self-Propelted  STREET SWEEPER - Truck-Mounted 4.0 C.Y. Min. hopper cap., water-spray system for dust control Side/curb brooms & rear/center broom, 11,000 ibs - 33,000 ibs - 34,000 ibs - 34,000 ibs - 34,000 ibs - 35,000 ibs - 35,000 ibs - 36,000	Ventrac or similar							
STRAW / MULCH BLOWER Trk. Mtd.  STREET SWEEPER SP 3.0 Cyd. (min.)  STREET SWEEPER SP 8.0 Cyd. (min.)  SCHWARZE INDUSTRIES A-7 TORNADO 2,900 8,700 3.50  STREET SWEEPER Trlr. Type  STREET SWEEPER - HYDROSTATIC Elgin Pelican III or similar STREET SWEEPER - Towable Self-Propelled  STREET SWEEPER - Towable Self-Propelled  STREET SWEEPER - Truck-Mounted 4.0 C.Y. Min. hopper cap., water-spray system for dust control Side/curb brooms & rear/center broom, 11,000 ibs - 33,000 ibs	SCISSOR LIFT							
Trix. Mtd.  STREET SWEEPER SP 3.0 Cyd. (min.)  STREET SWEEPER SP 8.0 Cyd. (min.)  STREET SWEEPER Trir. Type  STREET SWEEPER - HYDROSTATIC Elgin Pelican III or similar  STREET SWEEPER - Truck-Mounted 4.0 C.Y. Min. hopper cap., water-spray system for dust control Side/curb brooms & rear/center broom, 11,000 lbs - 33,000 lbs	26' two man lift with Extendable Platform						1	
STREET SWEEPER SP 3.0 Cyd. (min.)  STREET SWEEPER SP 8.0 Cyd. (min.)  STREET SWEEPER Trir. Type  STREET SWEEPER - HYDROSTATIC Elgin Pelican III or similar  STREET SWEEPER - Truck-Mounted 4.0 C.Y. Min. hopper cap., water-spray system for dust control Side/curb brooms & rear/center broom, 11,000 lbs - 33,000 lbs	STRAW / MULCH BLOWER							
3.0 Cyd. (min.)  STREET SWEEPER SP 8.0 Cyd. (min.)  STREET SWEEPER Trir. Type  STREET SWEEPER - HYDROSTATIC Elgin Pelican III or similar  STREET SWEEPER - Truck-Mounted 4.0 C.Y. Min. hopper cap., water-spray system for dust control Side/curb brooms & rear/center broom, 11,000 lbs - 33,000 lbs	Trk. Mtd.						ļ .	
STREET SWEEPER SP 8.0 Cyd. (min.)  STREET SWEEPER Trir. Type  STREET SWEEPER - HYDROSTATIC Elgin Pelican III or similar  STREET SWEEPER - Towable Self-Propelled  STREET SWEEPER - Truck-Mounted 4.0 C.Y. Min. hopper cap., water-spray system for dust control Side/curb brooms & rear/center broom, 11,000 lbs - 33,000 lbs	STREET SWEEPER SP							
STREET SWEEPER SP 8.0 Cyd. (min.)  STREET SWEEPER Trir. Type  STREET SWEEPER - HYDROSTATIC Elgin Pelican III or similar  STREET SWEEPER - Towable Self-Propelled  STREET SWEEPER - Truck-Mounted 4.0 C.Y. Min. hopper cap., water-spray system for dust control Side/curb brooms & rear/center broom, 11,000 lbs - 33,000 lbs	3.0 Cyd. (min.)							
8.0 Cyd. (min.)  STREET SWEEPER  Trir. Type  STREET SWEEPER - HYDROSTATIC  Elgin Pelican III or similar  STREET SWEEPER - Towable  Self-Propelled  STREET SWEEPER - Truck-Mounted  4.0 C.Y. Min. hopper cap., water-spray system for dust control Side/curb brooms & rear/center broom,  11,000 lbs - 33,000 lbs		COUMADZE INDUCTRIES	A 7 TORNADO		2 000	9.700	2.50	3.50
STREET SWEEPER - HYDROSTATIC  Elgin Pelican III or similar  STREET SWEEPER - Towable  Self-Propelled  STREET SWEEPER - Truck-Mounted  4.0 C.Y. Min. hopper cap., water-spray system for dust control Side/curb brooms & rear/center broom,  11,000 lbs - 33,000 lbs		SCHWARZE INDUSTRIES	A-7 TORIVADO		2,500	0,700	3.30	3.30
STREET SWEEPER - HYDROSTATIC  Elgin Pelican III or similar  STREET SWEEPER - Towable  Self-Propelled  STREET SWEEPER - Truck-Mounted  4.0 C.Y. Min. hopper cap., water-spray system for dust control Side/curb brooms & rear/center broom,  11,000 lbs - 33,000 lbs								
STREET SWEEPER - HYDROSTATIC  Elgin Pelican III or similar  STREET SWEEPER - Towable  Self-Propelled  STREET SWEEPER - Truck-Mounted  4.0 C.Y. Min. hopper cap., water-spray system for dust control Side/curb brooms & rear/center broom,  11,000 lbs - 33,000 lbs	Trir. Type		ł				ļ	
Elgin Pelican III or similar  STREET SWEEPER - Towable Self-Propelled  STREET SWEEPER - Truck-Mounted 4.0 C.Y. Min. hopper cap., water-spray system for dust control Side/curb brooms & rear/center broom, 11,000 lbs - 33,000 lbs				1	İ		1	
STREET SWEEPER - Towable Self-Propelled STREET SWEEPER - Truck-Mounted 4.0 C.Y. Min. hopper cap., water-spray system for dust control Side/curb brooms & rear/center broom, 11,000 lbs - 33,000 lbs								
Self-Propelled  STREET SWEEPER - Truck-Mounted  4.0 C.Y. Min. hopper cap., water-spray system for dust control Side/curb brooms & rear/center broom,  11,000 lbs - 33,000 lbs	V							
4.0 C.Y. Min. hopper cap., water-spray system for dust control Side/curb brooms & rear/center broom, 11,000 lbs - 33,000 lbs								
4.0 C.Y. Min. hopper cap., water-spray system for dust control Side/curb brooms & rear/center broom, 11,000 lbs - 33,000 lbs								
	4.0 C.Y. Min. hopper cap., water-spray system for dust control Side/curb brooms & rear/center broom,							
					1			
650 min. blows per minute	•		1					
TRACTOR							1	

Exhibit A				Vendor Name:	Atlantic Mac	hinery Ren	itals, LLC
		Equipment Offered for Lease/Rental			se/Rental Rate of Equipment Without Delivery/ Without Operator		
Equipment Description (WITHOUT Operator)	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
John Deere 6100M or similar							
BOOM MOWER Attachment -ALAMO MAVERICK or equivalent for use with offered Tractor							
MULCHERHEAD Attachement for use with offered tractor							
SRD50 or equivilent							
TRACTOR							
John Deere 6200 or similar							
Boom Mower Attachment for use with Offered Tractor							
Flail Mower Attachment for use with Offered Tractor							
Sicklebar Mower Attachment for use with Offered Tractor							
TRAILER							
6 tons with ramps, minimum 18' length, 8.5' width					<u> </u>		
TRAILER - FLATBED TRI-AXLE							
22,500 GVWR, 23 ft. with dove tail, Air Breaks					<u> </u>		
TRAILER - FLATBED - Two Axies			I	•			
20,000# Payload Cap. Min.Width 8.5', Min.Length 24'							
TRAILER - LowBoy							
35 - 50 ton - pony motor, self contained hydraulics						<u> </u>	
TRAFFIC SIGNALS - PORT	i					ľ	
2 Phase Operation D/E				<u> </u>		ļ	
TREE TRIMMER - Power Mechanical Trimmer - Track							
Up to 53' Reach - Kwik-Trim Takeuchi TB260 or simliar				<u> </u>			
TREE TRIMMER - Telescoping Trimmer Power Train - Track				•			
Up to 75' Reach - 24" diameter saw - SkyTrim 75 or similar		<u></u>		<b>_</b>		<u> </u>	
TRENCH BOX							
Various Sizes - Vendor provide sizes available			ļ			<del>                                     </del>	
TRENCH PAVER		1					
Base Widening Machine					<u> </u>	<u> </u>	
TRUCK - Water							
Tanker - min 1500 gallons						<u> </u>	
UNDERBRIDGE PLATFORM			1				
Trailer Mtd., Hyd. SP Min. 20 ft. horizontal reach			<u> </u>				
UNDERBRIDGE PLATFORM Trailer Mits. St. Min. 20 ft. harizontal south							
Trailer Mtd., Hyd. SP Min. 30 ft. horizontal reach			<u> </u>			<del> </del>	-
UNDERBRIDGE PLATFORM Trailer Mtd., Hyd. SP Min. 40 ft. horizontal reach							
UNDERBRIDGE PLATFORM		<del> </del>	<del> </del>	+	1	<del> </del>	<del> </del>
Trailer Mtd., Hyd. SP Min. 50 ft. horizontal reach			i				
UNDERBRIDGE PLATFORM			<del> </del>	<del> </del>	1	<del> </del>	<del>                                     </del>
Trailer Mtd., Hyd. SP Min. 60 ft. horizontal reach	-		1				
UNDERBRIDGE PLATFORM			<del> </del>	<del> </del>		+	<u> </u>
Truck Mtd., Hyd. Min. 23 ft. horizontal reach			1				
Truck Mile., 1 ye. 4801. 20 il. Holizolitai Ieacii		I	I	I	1	I	I

Exhibit A				Vendor Name:	Atlantic Mac	hinery Rer	ıtals, LLC
	Equipment Offered for Without Op			Lease/Rental Rate of Equipment Without Delivery/ Without Operator			pment ery Fee
Equipment Description (WITHOUT Operator)	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
VACUUM/JETTER SEWER CLEANER Trk. Mtd. 1,000+gal. debris tank, 30+gpm 2000+ CFM Vacuum Pump, 2200+ PSI water pump	VAC-CON	VPD4212/1300		3,966	11,900	3.50	3.50
VACUUM/SPRAY UNIT Trk. Mtd. min. 1,000 gal. tank min. 60 gpm 4 ft. teleboom w/swivel/rotating hose reel							
VACUUM/STREET SWEEPER Self-Propelled, 4 Cyd., Gas, 5 ft wide path	SCHWARZE INDUSTRIES	A-7 TORNADO		2,900	8,700	3.50	3.50
VAN - BOX 21,000 or greater							
VIBRATORY ROLLER with Water 4 - 5 ton Steel Double Drum							
VIBRATORY ROLLER with Water 8 - 10 ton Steel Double Drum							
WATER PUMPS - 3" w/SUCTION & DISCHARGE HOSES							
WATER PUMPS - 4" w/SUCTION & DISCHARGE HOSES					***************************************	i i	
WATER PUMPS - 6" w/SUCTION & DISCHARGE HOSES							
WATER PUMPS - 12" w/SUCTION & DISCHARGE HOSES							
Wheel Loader 90 to 124 HP							
Wheel Loader 125 to 149 HP							
Wheel Loader 150 minimum HP		_					_
WELDER - PORTABLE 225 AMP min GASOLINE powered							
WELDER - PORTABLE 225 AMP min DIESEL powered							
WORK PLATFORM SP SL 25' High Platform 1,500# CAP							
WORK PLATFORM SP SL 35' High Platform 1,500# CAP							

Contract Administrator and the initial point of contact for matters relating to this Contract.
I have managing member
(Name, Title)
Treyor Gardner, Jr., Managing Member (Printed Name and Title)
2628 Garfield Avenue, Silver Spring, MD 20910
(Address)
(301)585-0800/ (301)585-7681
(Phone Number) / (Fax Number) tgardner@atlanticmachineryinc.com
(email address)
CEDTIEIC ATION AND SIGNATURE. Designing below as all within decimal and the second significant significant and the second significant significant significant significant significant s
CERTIFICATION AND SIGNATURE: By signing below, or submitting documentation through wvOASIS, I certify that I have reviewed this Solicitation in its entirety; that I understand
the requirements, terms and conditions, and other information contained herein; that this bid, offer
or proposal constitutes an offer to the State that cannot be unilaterally withdrawn; that the product
or service proposed meets the mandatory requirements contained in the Solicitation for that
product or service, unless otherwise stated herein; that the Vendor accepts the terms and
conditions contained in the Solicitation, unless otherwise stated herein; that I am submitting this
bid, offer or proposal for review and consideration; that I am authorized by the vendor to execute
and submit this bid, offer, or proposal, or any documents related thereto on vendor's behalf; that
I am authorized to bind the vendor in a contractual relationship; and that to the best of my knowledge, the vendor has properly registered with any State agency that may require
registration.
TOBISH MICH.
Atlantic Machinery Rentals, LLC
(Company)
-111
Man handelde memiste
(Authorized Signature) (Representative Name, Title)
Trevor Gardner, Jr. Managing Member
(Printed Name and Title of Authorized Representative)
August 28, 2019
(Date)
(301)585-0800 (301)585-7681

(Phone Number) (Fax Number)

### **Equipment Rental WITHOUT Operator**

# **Information Attachment Form**

Vendor Name: Atlantic Machinery Rentals, LLC

#### **Base Location:**

The Vendor shall identify the base location and any other potential base locations where the equipment bid may be delivered by the Vendor or picked up by the WVDOH. The <u>Vendor shall provide the 911 address or the most recent physical street address, city and state for the base location(s). If the Vendor fails to provide the base location(s) on the Information Attachment Form, the Vendor's bid may be disqualified. If additional space is needed for additional base locations, you may duplicate this page. This list does not determine sole base locations for a Vendor, but provides a base for determining potential mileage.</u>

Vendor Base Location:	]		
2628 Garfield Avenue, Silver Sp	ring, MD 20910		
Vendor Base Location:			
Vendor Base Location:			
· · · · · · · · · · · · · · · · · · ·			
	<del>-</del>	· · · · · ·	

#### **Counties Bid:**

Vendor shall indicate the area which he wishes to lease/rent equipment to the WVDOH by placing an "X" or "√" beside the County, Counties or Statewide. If the Vendor fails to indicate which County or Counties, it will be assumed that the Vendor's bid is for Statewide.

ST	ATEWIDE					
√ Ba	rbour	1	Kanawha			Pocahontas
√ Be	rkeley	1	Lewis	il General	1	Preston
√ Bo	one	1	Lincoln			Putnam
√ Bra	exton	7	Logan	Thirties.	1	Raleigh
√ Bro	ooke	1	McDowell		1	Randolph
√ Ca	bell	1	Marion		1	Ritchie
√ Ca	lhoun	1	Marshall		1	Roane
√ Cla	ау	7	Mason		1	Summers
√ Do	ddridge	1	Mercer		1	Taylor
√ Fa	yette	1	Mineral		1	Tucker
√ Gil	mer	1	Mingo		1	Tyler
√ Gr	ant	1	Monongalia	Hind	1	Upshur
√ Gr	eenbrier	1	Monroe		$\sqrt{}$	Wayne
√ Ha	mpshire	7	Morgan	W.E.	1	Webster
√ Ha	ncock		Nicholas		1	Wetzel
√ Ha	rdy	<b>√</b>	Ohio		1	Wirt
√ Ha	rrison	1	Pendleton	1111	_√	Wood
√ Jac	ckson	1	Pleasants		1	Wyoming
√ Jet	ferson					



Purchasing Divison 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

### State of West Virginia Request for Quotation 12 - Equip. Rental

Proc Folder: 605438

Doc Description: EQUIP LEASE/RENTAL WITHOUT OPERATOR 6620C009

Proc Type: Central Master Agreement

Date Issued Solicitation Closes Solicitation No Version 2019-08-14 2019-08-29 CRFQ 0803 DOT2000000022 13:30:00

**BID RECEIVING LOCATION** 

**BID CLERK** 

DEPARTMENT OF ADMINISTRATION

PURCHASING DIVISION

2019 WASHINGTON ST E

CHARLESTON

w

25305

VENDOR

US

Vendor Name, Address and Telephone Number:

Atlantic Machinery Rentals, LLC 2628 Garfield Avenue Silver Spring, MD 20910 (301) 585-0800

FOR INFORMATION CONTACT THE BUYER

Crystal G Hustead (304) 558-2402

crystal.g.hustead@wv.gov

Signature X

47-2741059 FEIN#

All offers subject to all terms and conditions contained in this solicitation

#### ADDITIONAL INFORMATION:

THE STATE OF WEST VIRGINIA PURCHASING DIVISION FOR THE AGENCY, WEST VIRGINIA DIVISION OF HIGHWAYS, IS SOLICITING BIDS TO ESTABLISH AN OPEN-END CONTRACT FOR EQUIPMENT LEASE AND RENTAL WITHOUT OPERATOR PER THE ATTACHED DOCUMENTS.

QUESTIONS REGARDING THE SOLICITATION MUST BE SUBMITTED IN WRITING TO CRYSTAL.G.HUSTEAD@WW.GOV PRIOR TO THE QUESTION PERIOD DEADLINE CONTAINED IN THE INSTRUCTIONS TO VENDORS SUBMITTING BIDS.

INVOICE TO		SHIP TO	
VARIOUS AGENCY L AS INDICATED BY OF		STATE OF WEST VIRGINIA VARIOUS LOCATIONS AS INDIC	CATED BY ORDER
No City	WV99999	No City	WV 99999
US		us	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
1	EQUIPMENT LEASE/RENTAL WITHOUT OPERATOR	0.00000	EA		NE ZOSECTO

Comm Code	Manufacturer	Specification	Model #	100
72141702				

#### **Extended Description:**

EQUIPMENT LEASE/RENTAL WITHOUT OPERATOR PER EXHIBIT A PRICING PAGE AND INFORMATION ATTACHMENT FORM

SCHEDULE	OF EVENTS		
Line 1	Event VENDOR QUESTION DEADLINE	Event Date 2019-08-19	



ATLAN-2

# CERTIFICATE OF LIABILITY INSURANCE

OP ID: KR

DATE (MM/DD/YYYY)

08/28/2019

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed.

If SUBROGATION IS WAIVED, subject to the terms and conditions of this certificate does not confer rights to the certificate holder in lieu o		ement on							
PRODUCER 410-875-5617	CONTACT Lori Sullivan ext. 3026								
Russell Ins. Group, Inc. (FCR) A Subsidiary of ACNB Corp.	PHONE (A/C, No, Ext): 410-875-5617 FAX (A/C, No): 410-875-	5340							
2526 West Liberty Road	E-MAIL ADDRESS: Isullivan@riginsurance.com								
Westminster, MD 21157 Russell Insurance Group Inc.	INSURER(S) AFFORDING COVERAGE	NAIC#							
Trassell Historiano Group ino.	INSURER A : ACCIDENT I UNIO INSOCION AMERICA	166							
INSURED	INSURER B : Employers Mutual Casualty Co. 21	415							
Atlantic Machinery, Inc. &  Atlantic Machinery Rentals LLC	INSURER C :								
Atlantic Machinery, Inc. & Atlantic Machinery Rentals LLC 2628 Garfield Avenue Silver Spring, MD 20910	INSURER D :								
	INSURER E :								
	INSURER F:								
COVERAGES CERTIFICATE NUMBER:	REVISION NUMBER:								
THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.									
INSR TYPE OF INSURANCE ADDL SUBR INSD WVD POLICY NUMBER	POLICY FEE POLICY FYP								
B COMMERCIAL GENERAL LIABILITY	EACH OCCURRENCE \$	1,000,000							
CLAIMS-MADE X OCCUR 5E0493519	01/01/2019 01/01/2020 DAMAGE TO RENTED DAMAGE TO RENTED DAMAGE TO RENTED DAMAGE TO RENTED SERVICE OF TOTAL PROPERTY OF THE PRO	300,000							

INSR	SR TYPE OF INSURANCE		ADDL	SUBR	POLICY NUMBER	(MM/DD/YYYY)	(MM/DD/YYYY)	LIMIT	S
В		COMMERCIAL GENERAL LIABILITY	11100	1110				EACH OCCURRENCE	\$ 1,000,000
		CLAIMS-MADE X OCCUR			5E0493519	01/01/2019	01/01/2020	DAMAGE TO RENTED PREMISES (Ea occurrence)	\$ 300,000
	Х	Garage Liability						MED EXP (Any one person)	\$ 10,000
	Х	Dealer Liability					,	PERSONAL & ADV INJURY	\$ 1,000,000
	GEN	L AGGREGATE LIMIT APPLIES PER:						GENERAL AGGREGATE	\$ 3,000,000
		POLICY PRO- LOC						PRODUCTS - COMP/OP AGG	\$
		OTHER:							\$
В	AUT	OMOBILE LIABILITY						COMBINED SINGLE LIMIT (Ea accident)	\$ 1,000,000
	X	ANY AUTO			5E0493519 / 5M0493519	01/01/2019	01/01/2020	BODILY INJURY (Per person)	\$
		OWNED SCHEDULED AUTOS ONLY AUTOS						BODILY INJURY (Per accident)	\$
	Х	HIRED AUTOS ONLY X NON-OWNED AUTOS ONLY						PROPERTY DAMAGE (Per accident)	\$
ļ		ACTOS CALLY							\$
В	Х	UMBRELLA LIAB OCCUR						EACH OCCURRENCE	\$ 6,000,000
		EXCESS LIAB CLAIMS-MADE			5J0493519	01/01/2019	01/01/2020	AGGREGATE	\$ 6,000,000
		DED X RETENTION\$ 0							\$
Α	WOR	KERS COMPENSATION EMPLOYERS' LIABILITY						X PER OTH- STATUTE ER	
	ANY F	PROPRIETOR/PARTNER/EXECUTIVE Y / N	N/A		WCV6137582	01/01/2019	01/01/2020	E.L. EACH ACCIDENT	\$ 1,000,000
	(Man	DER/MEMBER EXCLUDED?	N/A					E.L. DISEASE - EA EMPLOYEE	\$1,000,000
	If yes	describe under RIPTION OF OPERATIONS below						E.L. DISEASE - POLICY LIMIT	\$ 1,000,000
В		ake Keepers			5E0493519	01/01/2019	01/01/2020	GKL	1,200,000
В	Dea	ler Phys Dmg			5E0493519	01/01/2019	01/01/2020	Dealer	1,200,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

State of West Virginia is listed as additional insured in regards to work performed for them by the named insured.

CERTIFICATE HOLDER	CANCELLATION
State of WV	SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.
1900 Kanawha Blvd E Bldg 5 Charleston, WV 25305	AUTHORIZED REPRESENTATIVE KLYOULU. SWYG

Exhibit A	,			Vendor Name	: Atlantic Mad	hinery Rer	ntals, LLC
	Equipment Offered f	Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equi <sub>l</sub> Delive	pment ery Fee	
Equipment Description ( WITHOUT Operator)	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
AERIAL BUCKET TRUCK							
Highway Rated TRK. MTD 50' Reach Min. 43.5' Radious 360 degrees Boom Rotation @ level position							
AERIAL PLATFORM LIFT							
80 foot lift minimum							
AERIAL PLATFORM TRUCK							
Highway Rated TRK. MTD 40' reach Min. 360 degree boom rotation @ level position							
AERIAL PLATFORM TRUCK							
Highway Rated TRK. MTD 55' Reach Min. 360 degrees Boom rotation @ level position							
AERIAL PLATFORM TRUCK							
Elliott Model G50 or similar							
AERIAL PLATFORM TRUCK							
Elliott Model L55 or similar							
AERIAL BUCKET TRUCK							
Highway Rated TRK. MTD 45 ft working ht min. 1 1/2 man bucket min. Insulated articulating boom.							
Boom rotation at level position Versalift SST-40-EIH or similar. NO CDL Required							
AERIAL BUCKET TRUCK							
Highway Rated TRK. MTD Versalift SST-40 EIH or similar 50' Reach Min. 43.5' Radius 10 ft max outrigger spread.							
360 degree boom rotation at level position. 1,000 lb min material handling capability.NO CDL Required							
AERIAL BUCKET TRUCK							
Highway Rated TRK. MTD 55 ft working ht min. Rear mounted Turret. Versalift VST-47-I or similar							
AERIAL PLATFORM LIFT							
80 foot lift minimum							
AERIAL PLATFORM TRUCK							
Highway Rated TRK. MTD 40' Reach Min. 360 degrees Boom Rotation @ level position							
AERIAL PLATFORM TRUCK							
Highway Rated TRK. MTD 55' Reach Min. 360 degrees Boom rotation @ level position							
AERIAL PLATFORM TRUCK							
Elliott Model G50 or similar							
AERIAL PLATFORM TRUCK							
Elliott Model L55 or similar							
AERIAL PLATFORM TRUCK							
Elliott Model L55-R or similar 55 ft boom length min. Rear mounted turret							
ARROW BOARDS							
4' x 8' panel 15 lamp							
ASPHALT DISTRIBUTOR							
Trk. Mtd. w/spray bar							
ASPHALT RECYCLER						1	
KM T-2 or similar							
ASPHALT RECYCLER						+	1
Self Loading - Stepp SRM 10x120 or similar							
ASPHALT RECYLING ATTACHMENT							

Exhibit A				Vendor Name:	Atlantic Mac	hinery Ren	ntals, LLC
	Equipment Offered f Without Op	Lease/R	ental Rate of Ed Without Delivery Without Operator	1	Equipment Delivery Fee		
Equipment Description ( WITHOUT Operator)	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
Endloader bucket - mounted, asphalt grinder/recycle attachmt, min 185 hp 8,500 lb. wt. capable of grinding and remixing up to 12" deep and 48" wide pavement and base							
ASPHALT REMOVAL/RECYCLER							
Benedetti or similar							
ATTENUATOR - Trailer Mounted							
must meet NCHRP 350 TL-3							
AUGER							
18"-24"							
AUGER 18"-24" Core Barrell							
AUGER							
Trak Mounted 35,000 Ft lb min.							
AUGER							
Terex Telelect Commander 6000 Digger, 33,520 lb Capacity, 3 Sections/ 61 Ft Reach or similar							
AUGER							
Truck-Mounted Digger Derrick 35,000 lb GVW, Rear Mounted Altec D947-TR or similar							
BACKHOE CRAWLER							
TRACKHOE or similar with drill rig attachement for the boom							
BACKHOE LOADER							
Rubber Tired 55-85 DHP							
BACKHOE LOADER WITH HYDRAULIC BREAKER							
Mtd. Hyd. Breaker 55-85 DHP D							
BACKHOE LOADER WITH HYDRAULIC BREAKER							
Mtd. Air Breaker 1,000 ft./lbs. min.							
BACKHOE LOADER TRACTOR - Compact Rubber Tired 20-30 HP max. height - 83"							
BACKHOE LOADER TRACTOR - Mini							
25-30 HP Standard Stick 12' Backhoe Bucket - T7 or similar							
BASE WIDENER SP							
Shoulder Stone							
BOX DELIVERY TRUCK							
24 ft length box min. NO CDL Required							
BRUSH CHIPPER - up to 49 hp						1	<del>                                     </del>
Cutting size - 12" in diameter.							
BRUSH CHIPPER - from 50 hp to 85 hp							
Cutting size - 12" in diameter.							
BULLDOZER							
Crawler GD 65 -75 DHP D							
BULLDOZER							
Crawler GD 80 -90 DHP D							
BULLDOZER							

COLD MILLING - Sabilizer/Recycler ob less that 12" cutting depth range BOMAG MPH 364 R-2 or similar COLD MILL PLANER Self Loading - 2" COLD MILL PLANER Self Loading - 4" COLD MILL PLANER Self Loading - 4" COMPRESSOR 125 - 180 CPIR Portwhl. COMPRESSOR 125 - 180 CPIR Portwhl. COMPRESSOR 126 - 180 CPIR Portwhl. COMPRESSOR 127 - 210 CPIR Portwhl. COMPRESSOR 127 - 210 CPIR Portwhl. COMPRESSOR 128 - 300 CPIR Portwhl. COMPRESSOR 129 - 300 CPIR Portwhl. COMPRESSOR 120 - 300 CPIR Portwhl. COMPRESSOR 120 - 300 CPIR Portwhl. COMPRESSOR 120 - 200 CPIR Portwhl. COMPRESSOR 121 - 180 CPIR Portwhl. COMPRESSOR 120 - 300 CPIR Portwhl. COMPRESSOR 120 - 300 CPIR Portwhl. COMPRESSOR 120 - 300 CPIR Portwhl. COMPRESSOR 120 - 300 CPIR Portwhl. COMCRETE MIXER 121 CPIR MAXIMUM PORTWH SELF COMPRESSOR 122 - 180 CPIR Portwhl. CONCRETE SAW 124 CPIR CPIR SAW 125 CONCRETE SAW 126 CONCRETE SAW 127 CONCRETE SAW 127 CONCRETE SAW 128 CONCRETE SAW 129 CONCRETE SAW 129 CONCRETE SAW 129 CONCRETE SAW 129 CONCRETE SAW 129 CONCRETE SAW 120 CONCRETE SAW 121 CPIR CRACK SEALING MACHINE	Exhibit A	(			Vendor Name:	Atlantic Mac	hinery Ren	ntals, LLC
Control Col 101-170 DPP D		Equipment Offered f	or Lease/Rental erator	Without Delivery/ Without Operator			Equip Delive	oment ery Fee
BULDOZER Consider CD 1931-100 PMP D BULDOZER Consider CD 1931-200 PMP D BULDOZER Consider CD 1931-200 PMP D BULDOZER BULDOZER COND BULLOW CD 1931-200 PMP D BULLOW CD 1931-		Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
Camber 10 150 - 140 DRP D								
BULDOZER Conder To 190 - 290 EIP D  BULDOZER Conder To 190 - 290 EIP D  BULDOZER Conder To 190 - 290 EIP D  BULDOZER Conder To 190 - 290 EIP D  BULDOZER Conder To 190 - 290 EIP D  BULDOZER Conder To 190 - 290 EIP D  BULDOZER Conder To 190 - 290 EIP D  BULDOZER Conder To 190 - 290 EIP D  BULDOZER CONDERESSOR COLD MILL PLANER SHOULD Stabilizer/Recycler COLD MILL PLANER SHOULD SHOULD STABILIZER/SHOULD SHOULD								
Darwin To 150 - 250 EMP D								
BILLIDOZE Contel/Right TCP 181 - 292 EHP D  BILLIDOZER Contel/Right TCP 181 - 292 EHP D  Contel System Contel Cont								
Canader   Cana								$\vdash$
BILLIDOZER CMP SPREADER SP COLD MILLING - Stabilizar/Recycler OLD MILLING - Stabilizar/Recycler OLD MILLING - Stabilizar/Recycler OLD MILL PLANER SIGN - STABILIZAR/RECYCLER - S								
Counterwork TCP 181 - 200 EHP D								
COLD MILLING - Sabilizer/Recycler ob less that 12" cutting depth range BOMAG MPH 364 R-2 or similar COLD MILL PLANER Self Loading - 2" COLD MILL PLANER Self Loading - 4" COLD MILL PLANER Self Loading - 4" COMPRESSOR 125 - 180 CPIR Portwhl. COMPRESSOR 125 - 180 CPIR Portwhl. COMPRESSOR 126 - 180 CPIR Portwhl. COMPRESSOR 127 - 210 CPIR Portwhl. COMPRESSOR 127 - 210 CPIR Portwhl. COMPRESSOR 128 - 300 CPIR Portwhl. COMPRESSOR 129 - 300 CPIR Portwhl. COMPRESSOR 120 - 300 CPIR Portwhl. COMPRESSOR 120 - 300 CPIR Portwhl. COMPRESSOR 120 - 200 CPIR Portwhl. COMPRESSOR 121 - 180 CPIR Portwhl. COMPRESSOR 120 - 300 CPIR Portwhl. COMPRESSOR 120 - 300 CPIR Portwhl. COMPRESSOR 120 - 300 CPIR Portwhl. COMPRESSOR 120 - 300 CPIR Portwhl. COMCRETE MIXER 121 CPIR MAXIMUM PORTWH SELF COMPRESSOR 122 - 180 CPIR Portwhl. CONCRETE SAW 124 CPIR CPIR SAW 125 CONCRETE SAW 126 CONCRETE SAW 127 CONCRETE SAW 127 CONCRETE SAW 128 CONCRETE SAW 129 CONCRETE SAW 129 CONCRETE SAW 129 CONCRETE SAW 129 CONCRETE SAW 129 CONCRETE SAW 120 CONCRETE SAW 121 CPIR CRACK SEALING MACHINE								
oo less than 12 outling depth range BOMAC MPH 364 R-2 or similar  COLD MILL PLANER  Saif Loading - 2"  COLD MILL PLANER  Saif Loading - 4"  COMPRESSOR  125 - 160 CPM Portwhl.  COMPRESSOR  290 - 300 CPM Portwhl.  COMPRESSOR  390 - 370 CPM Portwhl.  COMPRESSOR  500 - 370 CPM Portwhl.  COMPRESSOR  600 CPM Po	CHIP SPREADER SP							
COLD MILL PLANER   Self Loading - 2"   Self Loading - 2"   Self Loading - 4"   Self	COLD MILLING - Stabilizer/Recycler							
Self Loading - 2° COLD MILL PLANER SORT Loading - 4° COMPRESSOR COMPRESSOR COMPRESSOR 20 - 300 CPM Portwhl. COMPRESSOR 250 - 300 CPM Portwhl. COMPRESSOR 250 - 300 CPM Portwhl. COMPRESSOR 700 - 300 CPM Portwhl. COMPRESSOR	no less than 12" cutting depth range BOMAG MPH 364 R-2 or similar							
COLO MILL PLANER Self Loading - 4"  COMPRESSOR 125 - 140 CFM Portwhl.  COMPRESSOR 170 - 210 CFM Portwhl.  COMPRESSOR 20 - 300 CFM Portwhl.  COMPRESSOR 30 - 375 CFM Portwhl.  COMPRESSOR 30 - 375 CFM Portwhl.  COMPRESSOR 600 CFM POrtwhl. 600 CFM PORTWH. 600 CFM P	COLD MILL PLANER							
Self Loading - 4' COMPRESSOR COMP								
COMPRESSOR 1/20 - 1/10 CFM Portwhil. COMPRESSOR 1/10 - 2/10 CFM Portwhil. COMPRESSOR 20 - 3/10 CFM Portwhil. COMPRESSOR 30 - 3/10 CFM Portwhil. COMPRESSOR 80 CFM Portwhil. COMPRESSOR 800 CFM Portwhil. COMPRESSOR 800 CFM Portwhil. COMPRESSOR 100 CFM Portwhil. COMPRESSOR 100 CFM Portwhil. COMPRESSOR 100 CFM Portwhil. COMPRESSOR 100 CFM Portwhil. COMPRESSOR 100 CFM Portwhil. COMPRESSOR 100 CFM Portwhil. COMPRESSOR 100 CFM Portwhil. COMPRESSOR 101 CFM Portwhil. COMPRESSOR 101 CFM Portwhil. COMPRESSOR 102 CFM Portwhil. COMPRESSOR 103 CFM Portwhil. COMPRESSOR 104 CFM Portwhil. COMPRESSOR 105 CFM Portwhil. COMPRESSOR 105 CFM Portwhil. COMPRESSOR 107 CFM Portwhil. COMPRESSOR 108 CFM Portwhil. COMPRESSOR 109 CFM Portwhil. COMPRESSOR 100 CFM Portwhil. COMPRESSOR 100 CFM Portwhil. COMPRESSOR 100 CFM Portwhil. COMPRESSOR 100 CFM Portwhil. COMPRESSOR 100 CFM PORTWHILD CF								
125 - 160 CFM Portwhl.								
COMPRESSOR   COM								
170 - 210 CFM Portwhl.  COMPRESSOR 350 - 375 CFM Portwhl.  COMPRESSOR 350 - 375 CFM Portwhl.  COMPRESSOR 600 CFM Portwhl.  COMPRESSOR 700 - 800 CFM Portwhl.  COMPRESSOR 700 - 800 CFM Portwhl.  COMPRESSOR 710 - 800 CFM Portwhl.  CONCRETE MIXER 71k. Mtd. 6:0 Cyd.  CONCRETE SAW 71 CONCRETE SAW 71 CONCRETE SAW 71 CONCRETE SAW 71 CONCRETE SAW 72 CONCRETE SAW 73 CONCRETE SAW 74 CONCRETE SAW 75 CONCRETE SAW 75 CONCRETE SAW 76 CONCRETE SAW 77 CONCRETE SAW 78 CONCRETE SAW 79 CONCRETE SAW 70 CONCRET								
250 - 300 CFM Portwhil.  COMPRESSOR  500 CFM Portwhil.  COMPRESSOR  600 CFM Portwhil.  COMPRESSOR  700 - 800 CFM Portwhil.  CONCRETE MIXER  Trk. Mid. 6.0 Cyd.  CONCRETE SAW Full Depth CAP - 24' Blade  CONCRETE SAW  Full Depth CAP - 24' Blade  CONCRETE SAW  CONCRETE SAW  Full Depth CAP - 30' Blade  CONCRETE SAW  CONCRETE SAW  CONCRETE SAW  Label Concrete SAW  CONCRETE SAW  Label Concrete SAW  CONCRETE SAW  Label Concrete SAW  CONCRETE SAW  Label Concrete SAW  CONCRETE SAW  Label Concrete SAW  CONCRETE SAW  CONCRETE SAW  Label Concrete SAW  CONCRETE SAW  Label Concrete SAW  CONCRETE SAW  CONCRETE SAW  Label Concrete SAW  CONCRETE SAW  CONCR								
COMPRESSOR 350 - 375 CFM PortwhI.  COMPRESSOR 600 CFM PortwhI.  COMPRESSOR 700 - 800 CFM PortwhI.  CONCRETE MIXER TIK. MId. 60 Cyd.  CONCRETE SAW Full Depth CAP - 24" Blade  CONCRETE SAW 12 1/2" Maximum Depth of Cut - 30" Blade  CONCRETE SAW 15" Maximum Depth of Cut - 36" Blade  CONCRETE SAW 15" Maximum Depth of Cott - 36" Blade  CONCRETE SAW 15" Maximum Depth of Cott - 36" Blade  CONCRETE SAW 15" Maximum Depth of Cott - 36" Blade  CONCRETE SAW 15" Maximum Depth of Cott - 36" Blade  CONCRETE SAW 15" Maximum Depth of Cott - 36" Blade  CONCRETE SAW 15" Maximum Depth of Cott - 36" Blade  CONCRETE SAW 15" Maximum Depth of Cott - 36" Blade	COMPRESSOR							
350 - 375 CFM Portwhl.  COMPRESSOR 600 CFM Portwhl.  COMPRESSOR 700 - 800 CFM Portwhl.  CONCRETE MIXER Trk. Mtd. 6.0 Cyd.  CONCRETE SAW Full Depth CAP - 24" Blade  CONCRETE SAW 12 1/2" Maximum Depth of Cut - 30" Blade  CONCRETE SAW 15" Maximum Depth of Cut - 36" Blade  CONCRETE SAW 15" Maximum Depth of Cut - 36" Blade  CONCRETE SAW 15" Maximum Depth of Cut - 36" Blade  CONCRETE SAW 15" Maximum Depth of Cut - 36" Blade  CONCRETE SAW 15" Maximum Depth of Cut - 36" Blade  CONCRETE SAW 15" Maximum Depth of Cut - 36" Blade  CONCRETE SAW 15" Maximum Depth of Cut - 36" Blade  CONCRETE SAW 15" Maximum Depth of Cut - 36" Blade  CONCRETE SAW 15" Maximum Depth of Cut - 36" Blade  CONCRETE SAW 15" Maximum Depth of Cut - 36" Blade  CONCRETE SAW 15" Maximum Depth of Cut - 36" Blade  CONCRETE SAW 15" Maximum Depth of Cut - 36" Blade  CONCRETE SAW 15" Maximum Depth of Cut - 36" Blade  CONCRETE SAW 15" Maximum Depth of Cut - 36" Blade  CONCRETE SAW 15" Maximum Depth of Cut - 36" Blade  CONCRETE SAW 15" Maximum Depth of Cut - 36" Blade	250 - 300 CFM Portwhl.							
COMPRESSOR 600 CFM PortwhI.  COMPRESSOR 700 - 800 CFM PortwhI.  CONCRETE MIXER Trk. Mtd. 6.0 Cyd.  CONCRETE SAW Full Depth CAP - 24" Blade  CONCRETE SAW 12 1/12" Maximum Depth of Cut - 30" Blade  CONCRETE SAW 15" Maximum Depth of Cut - 36" Blade  CONCRETE SAW 15" Maximum Depth of Cut - 36" Blade  CONCRETE SAW 15" Maximum Depth of Cut - 36" Blade  CONCRETE SAW 15" Maximum Depth of Cut - 36" Blade  CONCRETE SAW 15" Maximum Depth of Cut - 36" Blade  CONCRETE SAW 15" Maximum Depth of Cut - 36" Blade	COMPRESSOR							
600 CFM Portwhl.  COMPRESSOR 700 - 800 CFM Portwhl.  CONCRETE MIXER Trik. Mtd. 6.0 Cyd.  CONCRETE SAW Full Depth CAP - 24" Blade  CONCRETE SAW 12 1/2" Maximum Depth of Cut - 30" Blade  CONCRETE SAW 15" Maximum Depth of Cut - 36" Blade  CONCRETE SAW 15" Maximum Depth of Cut - 36" Blade  CONCRETE SAW 15" Maximum Depth of Cut - 36" Blade  CONVEYOR LOADER / FORCE FEED LOADER  LeeBoy 3000C or similar Fully enclosed operator area. Heavy Duty 28' to 30' conveyor or similar  CRACK SEALING MACHINE								
COMPRESSOR 700 - 800 CFM Portwhl:  CONCRETE MIXER Trk. Mtd. 6.0 Cyd.  CONCRETE SAW Full Depth CAP - 24" Blade  CONCRETE SAW 12 1/2" Maximum Depth of Cut - 30" Blade  CONCRETE SAW 15" Maximum Depth of Cut - 36" Blade  CONCRETE SAW 15" Maximum Depth of Cut - 36" Blade  CONCRETE SAW 15" Maximum Depth of Cut - 36" Blade  CONCRETE SAW 15" Maximum Depth of Cut - 36" Blade  CONCRETE SAW 15" CONCRETE SAW 15" CONCRETE SAW 15" CONCRETE SAW 15" Maximum Depth of Cut - 36" Blade  CONCRETE SAW 15" CONCRETE S								
700 - 800 CFM Portwhl.  CONCRETE MIXER  Trk. Mtd. 6.0 Cyd.  CONCRETE SAW Full Depth CAP - 24" Blade  CONCRETE SAW 12 1/2" Maximum Depth of Cut - 30" Blade  CONCRETE SAW 15" Maximum Depth of Cut - 36" Blade  CONCRETE SAW 15" Maximum Depth of Cut - 36" Blade  CONCRETE SAW 15" Maximum Depth of Cut - 36" Blade  CONCRETE SAW 15" Maximum Depth of Cut - 36" Blade  CONCRETE SAW 15" Maximum Depth of Cut - 36" Blade  CONCRETE SAW 15" Maximum Depth of Cut - 36" Blade  CONCRETE SAW 15" Maximum Depth of Cut - 36" Blade  CONCRETE SAW 15" Maximum Depth of Cut - 36" Blade  CONCRETE SAW 15" Maximum Depth of Cut - 36" Blade  CONCRETE SAW 15" Maximum Depth of Cut - 36" Blade  CONCRETE SAW 15" Maximum Depth of Cut - 36" Blade  CONCRETE SAW 15" Maximum Depth of Cut - 36" Blade								
CONCRETE MIXER Trk. Mtd. 6.0 Cyd.  CONCRETE SAW Full Depth CAP - 24" Blade  CONCRETE SAW 12 1/2" Maximum Depth of Cut - 30" Blade  CONCRETE SAW 15" Maximum Depth of Cut - 36" Blade  CONVEYOR LOADER / FORCE FEED LOADER  LeeBoy 3000C or similar Fully enclosed operator area. Heavy Duty 28' to 30' conveyor or similar  CRACK SEALING MACHINE								
Trk. Mtd. 6.0 Cyd.  CONCRETE SAW Full Depth CAP - 24" Blade  CONCRETE SAW 12 1/2" Maximum Depth of Cut - 30" Blade  CONCRETE SAW 15" Maximum Depth of Cut - 36" Blade  CONVEYOR LOADER / FORCE FEED LOADER  LeeBoy 3000C or similar Fully enclosed operator area. Heavy Duty 28' to 30' conveyor or similar  CRACK SEALING MACHINE								$\vdash$
CONCRETE SAW Full Depth CAP - 24" Blade  CONCRETE SAW  12 1/2" Maximum Depth of Cut - 30" Blade  CONCRETE SAW  15" Maximum Depth of Cut - 36" Blade  CONVEYOR LOADER / FORCE FEED LOADER  LeeBoy 3000C or similar Fully enclosed operator area. Heavy Duty 28' to 30' conveyor or similar  CRACK SEALING MACHINE								
Full Depth CAP - 24" Blade  CONCRETE SAW  12 1/2" Maximum Depth of Cut - 30" Blade  CONCRETE SAW  15" Maximum Depth of Cut - 36" Blade  CONVEYOR LOADER / FORCE FEED LOADER  LeeBoy 3000C or similar Fully enclosed operator area. Heavy Duty 28' to 30' conveyor or similar  CRACK SEALING MACHINE								
12 1/2" Maximum Depth of Cut - 30" Blade  CONCRETE SAW  15" Maximum Depth of Cut - 36" Blade  CONVEYOR LOADER / FORCE FEED LOADER  LeeBoy 3000C or similar Fully enclosed operator area. Heavy Duty 28' to 30' conveyor or similar  CRACK SEALING MACHINE	Full Depth CAP - 24" Blade							
CONCRETE SAW  15" Maximum Depth of Cut - 36" Blade  CONVEYOR LOADER / FORCE FEED LOADER  LeeBoy 3000C or similar Fully enclosed operator area. Heavy Duty 28' to 30' conveyor or similar  CRACK SEALING MACHINE	CONCRETE SAW							
15" Maximum Depth of Cut - 36" Blade  CONVEYOR LOADER / FORCE FEED LOADER  LeeBoy 3000C or similar Fully enclosed operator area. Heavy Duty 28' to 30' conveyor or similar  CRACK SEALING MACHINE	12 1/2" Maximum Depth of Cut - 30" Blade							
CONVEYOR LOADER / FORCE FEED LOADER  LeeBoy 3000C or similar Fully enclosed operator area. Heavy Duty 28' to 30' conveyor or similar  CRACK SEALING MACHINE	CONCRETE SAW							
LeeBoy 3000C or similar Fully enclosed operator area. Heavy Duty 28' to 30' conveyor or similar  CRACK SEALING MACHINE	15" Maximum Depth of Cut - 36" Blade							
CRACK SEALING MACHINE	CONVEYOR LOADER / FORCE FEED LOADER							
CRACK SEALING MACHINE	LeeBoy 3000C or similar Fully enclosed operator area. Heavy Duty 28' to 30' conveyor or similar							
	CRACK SEALING MACHINE						1	
	Trlr. Mtd. Dbl. Drum, 100 - 125 GLN. D							

Exhibit A	,			Vendor Name:	Atlantic Mac	hinery Ren	itals, LLC
	Equipment Offered f		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equip	oment ery Fee
Equipment Description ( WITHOUT Operator)	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
CRACK SEALING MACHINE							
Trl. Mtd. DblBoiler Type, 250 GLN Diesel with Pump on Demand Features							
CRACK SEALING MACHINE							
Trl. Mtd. DblBoiler Type, 250 GLN Diesel with Pump on Demand Features and 53.8 CFM Compressor							
CRACK SEALING MACHINE							
Trl. Mtd. DblBoiler Type, 250 GLN Diesel with Pump on Demand Features and 70 CFM Compressor							
CRANE 10 T Hyd.							
Trk. Mtd. min. 18' Bed							
CRANE 12 - 1/2 T Hyd.							
Trk. Mtd. min. 18' Bed						ļ	ļ
CRANE 14 T Hyd.							
Trk. Mtd. min. 18' Bed						ļ	ļ
CRANE 15 - 25 T							
Hyd. Rough Terrain							
CRANE 20 - 25 T							
Cable D Crawler							
CRANE 25 - 30 T							
Cable, Trk. Mtd. G							
CRANE 30 T Hyd.							
CRANE 35 T Hyd.							
CRANE 40 T Hyd.							
CRANE 50 T Hyd.							
CRANE 15 - 20 T							
Truck Mounted Boom							
CRANE 21 - 25 T							
Truck Mounted Boom							
CULVERT CLEANER							
Trk. Mtd. min. 1,500 gal. tank , 1,400 PSI min.							
CULVERT CLEANER							
Trk. Mtd. 65 - 80 GPM 2,000 PSI min.							
CULVERT CLEANER - radio remote controlled							
Microtraxx or Similar 42"Wx42"Hx120"L, 1550# Lift cap, 1/3 CU Yd Cap., 7.5 PSI, 360° Swing Rotation, to clean 48" to 60"							
round culverts							
CULVERT CLEANER - radio remote controlled							
Microtraxx or Similar 32"Wx34"Hx134"L, 1500# Lift cap, 1/4 CU Yd Cap., 5.5 PSI, to clean 36" to 48" round culverts							
DITOU MITOU on a localization							
DITCH WITCH or similar trencher - walk behind 5-25 hp							
·						-	
Dump Truck, Class 8, Steel Bed							
Single Axle						1	
Dump Truck, Class 8, Aluminum Bed							
Single Axle		1	l .				

Exhibit A	Vendor Name: Atlantic Machinery Rentals, LLC								
	Equipment Offered f		Lease/R	ental Rate of Eq Without Delivery/ Without Operator	uipment	Equip Delive	oment ery Fee		
Equipment Description ( WITHOUT Operator)	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.		
Dump Truck									
INTERNATIONAL 4300 SBA or similar									
Dump Truck									
FORD F650 or similar									
Dump Truck									
FREIGHTLINER M12106 or similar									
Dump Truck									
STEEL BED 4 AXLE									
Dump Truck, Tandem Steel Bed									
Double axle (3 axle)									
Dump Truck, Tandem									
MACK GU 713 or similar									
Dump Truck, Tandem									
MACK GU 713 or similar									
Dump Truck, Tandem									
Freightliner 114 SD or similar									
EQUIPMENT TRAILER									
10,000 lbs or less, tilt style deck 16ft - 18 ft length to attach to a pintle hitch									
EQUIPMENT TRAILER									
12,000 lbs - 14,000 lbs, tilt style deck 16ft - 18 ft length to attach to a pintle hitch									
EQUIPMENT TRAILER									
assisted									
EXCAVATOR - TELEBOOM									
Track Mtd. SP 0.5 Cyd. D									
EXCAVATOR - TELEBOOM									
Truck Mtd. SP 0.5 Cyd. D									
EXCAVATOR									
w/McMillen extreme duty earth auger or similar									
EXCAVATOR Mini-Hyd. Track Mtd. 2,600 lbs. max.									
			<del> </del>						
EXCAVATOR WITH INTEGRATED VIBRATORY PILE DRIVE/EXTRACTOR Minimum 80,000 driving force, MKT V8 or similar									
EXCAVATOR									
Crawler Mech./Hyd. 0.75 Cyd. 24,000 lbs 28,000 lbs. Working Weight									
EXCAVATOR									
Crawler Mech./Hyd. 0.75 Cyd. 29,000 lbs 35,800 lbs. Working Weight									
EXCAVATOR									
Crawler Mech./Hyd. 1.00 Cyd. 36,000 lbs 42,900 lbs. Working Weight			<b></b>						
Attachment: Grapple									

Exhibit A	, = ==			Vendor Name:	Atlantic Mac	hinery Ren	ntals, LLC
	Equipment Offered t			ental Rate of E Without Delivery Without Operato	quipment	Equip	oment ery Fee
Equipment Description ( WITHOUT Operator)	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
EXCAVATOR Crawler Mech./Hyd. 1.25 Cyd., 128 - 141 HP 42,700 lbs 45,900 lbs. Working Weight							
EXCAVATOR WITH HYDRAULIC BREAKER Crawler 2,000 ft./lbs. min. 24,400 lbs 35,800 lbs. Excavator Size							
EXCAVATOR WITH HYDRAULIC BREAKER							
Crawler 2,000 ft./lbs. min. 36,000 lbs 42,900 lbs. Excavator Size							
Attachment for offered Excavator: Grapple							
EXCAVATOR WITH HYDRAULIC BREAKER							
Crawler 2,000 ft./lbs. min. 43,000 lbs 60,000 lbs. Excavator Size							
EXCAVATOR WITH HYDRAULIC BREAKER							
Crawler 2,000 ft./lbs. min.61,000 lbs 80,000 lbs. Excavator Size							ļ
HYDRAULIC BREAKER ATTACHMENT ONLY 2,000 ft./lbs. min							
EXCAVATOR							1
Crawler with a thumb							
EXCAVATOR							
Mini-Hyd. Track Mtd. 6,500 lbs. max.							
Excavator-Wheeled							1
Highway Speed, XL 3100 Gradall or Similar							
Excavator-Wheeled							
Highway Speed, XL 4100 Gradall or Similar							
Excavator-Wheeled							
Gradall D152 or similar							
Excavator-Wheeled							
Crossover							ļ
EXCAVATOR - 1/2 to 3/4 CY bucket, 150 HP Track Width 10' out-to-out							
EXCAVATOR - 1/8 Cyd. 30 HP							<u> </u>
D Track Width 5' out-to-out							
EXCAVATOR - 1/5 Cyd. 44 HP							
11,000 lbs. Track Width 6' out-to-out							
EXCAVATOR - 1/4 Cyd. 55 HP							1
D 14,000 lbs. Bucket, Track Width 6' out-to-out							
EXCAVATOR ATTACHMENT							
Plate compactor for 15,000-20,000 lb excavator							
EXCAVATOR ATTACHMENT							
Hydraulic hammer for 15,000-20,000 lb excavator							
EXCAVATOR ATTACHMENT							
Swivel head with ditching bucket							
EXCAVATOR ATTACHMENT Tree Mulcher -severe duty rated- Bull Hog Model BH40EXC or similar 51" for Excavator size 15 to 45 Ton							
Thee wullcher -severe duty rated- Built mog woder BH40EAC of Similar 51" for Excavator size 15 to 45 Ton		]	I			I	

Exhibit A	(20:0020000)			Vendor Name	Atlantic Mac	hinery Ren	ıtals, LLC
	Equipment Offered f Without Op	for Lease/Rental erator	Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equip Delive	oment ery Fee
Equipment Description ( WITHOUT Operator)	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
FLATBED TRUCK 1 Ton minimum with 22 ft. bed length minimum							
FLATLINER - attachment for a skid steer							
Profilograph and bump grinder in one							
FORKLIFT TRUCK							
Rough Terrain, 5 - 10 K lb. lift cap.							
FORKLIFT TRUCK							
6,000 # Load Cap., Min. 63 HP							
GENERATOR - TRAILER MOUNTED:							
30 kw							
45 kw							
60 kw							
80 kw							
100 kw							
125 kw							
175 kw							
200 kw							
230 kw							
300 kw							
400 kw				:			
500 kw							<u> </u>
600 kw							<u> </u>
800 kw							<b></b>
1,000 kw 2,000 kw							
GRAPPLE ATTACHMENTS							<del> </del>
for Skid Steer Loaders 72" - 78" attachments							
HEATER - Trailer Mounted, Diesel							
22 HP, 1,800 rpm, 16 kw, 190 gal fuel cap., HT1010C or similar							
HAMMER PILE DRIVER DELMAG D8-22 or similar							
PILE HAMMER, DEISEL							
HYDRO-SEEDER							
Trailer Mounted							
HYDRO-SEEDER							
Trk. Mtd. 1,500 - 2,500 Gal.							
JOINT SEALER	+						
3 Cylinder, Tandum Dual 2 Axle, Vat. Cap 200 Gal. Double Boiler Type Tank - opening 16"x24"  Maximum Heat Input - Diesel 290,000 BTU Incl. Full Sweep Mixer with 2 horizontal paddles							
LIGHT TOWERS PORT. 4 - 1,000 watt bulbs							

	(50.0020000)						
Exhibit A				Vendor Name	Atlantic Mac	hinery Rer	ntals, LLC
	Equipment Offered f Without Op	Equipment Offered for Lease/Rental Without Operator			Lease/Rental Rate of Equipment Without Delivery/ Without Operator		
Equipment Description ( WITHOUT Operator)	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
LOWBOY							
with two drops in deck height - min 35 T							
MANLIFT SP							
40 ft.							
MANLIFT SP							
60 ft.							
MANLIFT SP							
80 ft.							
MANLIFT SP							
125 ft. minimum to 135 ft. maximum							
MANLIFT – SCISSOR, TWO PERSON							
26' Minimum with Extendable Platform							
MESSAGE SIGN							
Programmable							
MORTAR MIXER							
6 CF 5 HP G							
MOTOR GRADER							
35,000-45,000 lbs. class							
PATCH TRAILER							
DuraPatcher or similar							
PATCH TRUCK							
with rear mounted arrow board							
PATCH TRUCK							
DuraMAXX or similar							
PAVER - HOT MIX ASPHALT							
Rubber-tired Paver < 125 HP							
PAVER - HOT MIX ASPHALT							
Rubber-tired Paver > 125 HP							
PAVER - HOT MIX ASPHALT							
Track Paver < 125 HP							
PAVER - HOT MIX ASPHALT							
Track Paver > 125 HP							
POLY PATCHER II or simliar							
Double-boiler type mixer, Trl Mtd.							
PRESSURE WASHER/Hot Water							
120° Min, 700-3000 psi Min.							
ROCKDRILL - SP							
Hyd. Excav./Boom Mtd. 3" Holes/20" deep min.							
ROCK HAMMER FOR EXCAVATOR							
5000-7000 lbs. class							
ROCK TRUCK - ARTICULATED			†				
	<u> </u>	I	I		1	1	I

Exhibit A				Vendor Name: Atlantic Ma	chinery Rer	ntals, LLC
	Equipment Offered f Without Op		Lease/R	Equi <sub>l</sub> Delive	pment ery Fee	
Equipment Description ( WITHOUT Operator)	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week \$ /Month	1st Mile	Add. Mi.
20 -30 T						
ROLLER						
5 Ton with 2 steel drums						
ROLLER						
10-15 Tons with 2 steel drums						
ROLLER 5 - 6 T PNEUTR TOW/Trk. Mtd.						
ROLLER						
10 T PNEUTR						
ROLLER						
7-15 T PNEUTR, Articulated						
ROLLER SP						
PNEUTR - 10K GVW G						
ROLLER SP						
PNEUTR - 20K GVW G						
ROLLER - TRENCH VIB						
Dual Drum Approx. 10 HP, Appox. 2.5ft W x 8.3 ft L						
ROLLER - VIB						
SP 1 Drum 2XL 10 - 15 K GVW D						
ROLLER - VIB						
SP 1 Drum 2XL 10 - 20 K GVW D						
SAND BLASTER						
200 lb. hopper min.						
SCISSOR LIFT, TWO PERSON						
26' Minimum with Extendable Platform SCREENERS, Material						
Mobile - Diesel						
SHADOW TRUCK w/Attenuator						
min. 30,000 GVW						
SHOULDER MAINTAINER SP						
w/G (min. 67 HP) or w/D (min. 46 HP) asphalt or stone width, 1' to 6' and 6" to 12" depth						
SKID STEER - HIGH FLOW						
Attachment: Auger of any diameter						
Attachment: Auger of any diameter						
Attachment: Broom			<u> </u>			
Attachment: Bucket						
Attachment: Broom Bucket						
Attachment: Concrete Mixer						
Attachment: Flatwork Paver - Bidwell or similar						
Attachment: 1' - 5' Milling Planer						
Attachment: Trencher of any width						
Attachment: Jackhammer - Caterpillar CAT H55D S or similar						

Exhibit A				Vendor Name	Atlantic Mac	hinery Rer	ntals, LLC
		Equipment Offered for Lease/Rental Without Operator			quipment // r	Equipment Delivery Fee	
Equipment Description ( WITHOUT Operator)	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
Attachment: Concrete Slab Dowel							
SKID STEER - MILLING PLANER							
Attachment: Broom							
Attachment: Bucket							
Attachment: Broom Bucket							
Attachment: Auger of any diameter							
Attachment: 1' - 5' Milling Planer							
Attachment: Trencher of any width							
Slope Mower - Compact Tractor							
Ventrac or similar							
SCISSOR LIFT							
26' two man lift with Extendable Platform							
STRAW / MULCH BLOWER							
Trk. Mtd.							
STREET SWEEPER SP							
3.0 Cyd. (min.)							
STREET SWEEPER SP	SCHWARZE INDUSTRIES	A-7 TORNADO		2,900	8,700	3.50	3.50
8.0 Cyd. (min.)	SCHWARZE INDUSTRIES	A-7 TORNADO		2,900	6,700	3.30	3.30
STREET SWEEPER							
Trlr. Type							
STREET SWEEPER - HYDROSTATIC							
Elgin Pelican III or similar							
STREET SWEEPER - Towable							
Self-Propelled							
STREET SWEEPER - Truck-Mounted							
4.0 C.Y. Min. hopper cap., water-spray system for dust control Side/curb brooms & rear/center broom, 11,000 lbs - 33,000 lbs							
TAMPER/COMPACTOR - Vibratory							
650 min. blows per minute							
TRACTOR							
John Deere 6100M or similar							
BOOM MOWER Attrachment -ALAMO MAVERICK or equivalent for use with offered Tractor							
MULCHERHEAD Attachement for use with offered tractor							
SRD50 or equivilent			1				
TRACTOR			1				
John Deere 6200 or similar							
Boom Mower Attachment for use with Offered Tractor						1	
Flail Mower Attachment for use with Offered Tractor							
Sicklebar Mower Attachment for use with Offered Tractor							
TRAILER	<del>-  </del>		<del> </del>			<del>†                                      </del>	1
TRAILER	1		1				

Exhibit A	,			Vendor Name	Atlantic Mac	hinery Ren	tals, LLC
		Equipment Offered for Lease/Rental Without Operator		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			oment ery Fee
Equipment Description ( WITHOUT Operator)	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
6 tons with ramps, minimum 18' length, 8.5' width							
TRAILER - FLATBED TRI-AXLE							
22,500 GVWR, 23 ft. with dove tail, Air Breaks							
TRAILER - FLATBED - Two Axles							
20,000# Payload Cap. Min.Width 8.5', Min.Length 24'							
TRAILER - LowBoy							
35 - 50 ton - pony motor, self contained hydraulics							
TRAFFIC SIGNALS - PORT 2 Phase Operation D/E							
TREE TRIMMER - Power Mechanical Trimmer - Track							
Up to 53' Reach - Kwik-Trim Takeuchi TB260 or simliar							
TREE TRIMMER - Telescoping Trimmer Power Train - Track							
Up to 75' Reach - 24" diameter saw - SkyTrim 75 or similar							
TRENCH BOX							
Various Sizes - Vendor provide sizes available							
TRENCH PAVER							
Base Widening Machine							
TRUCK - Water							
Tanker - min 1500 gallons							
UNDERBRIDGE PLATFORM							
Trailer Mtd., Hyd. SP Min. 20 ft. horizontal reach							
UNDERBRIDGE PLATFORM							
Trailer Mtd., Hyd. SP Min. 30 ft. horizontal reach							
UNDERBRIDGE PLATFORM							
Trailer Mtd., Hyd. SP Min. 40 ft. horizontal reach							
UNDERBRIDGE PLATFORM  Tesilor Mid. Livid. CD. Min. 50 ft. hadizantal reach							
Trailer Mtd., Hyd. SP Min. 50 ft. horizontal reach							
UNDERBRIDGE PLATFORM  Trailer Mtd., Hyd. SP Min. 60 ft. horizontal reach							
UNDERBRIDGE PLATFORM							
Truck Mtd., Hyd. Min. 23 ft. horizontal reach							
VACUUM/JETTER SEWER CLEANER							
Trk. Mtd. 1,000+ gal. debris tank, 30+ gpm 2000+ CFM Vacuum Pump, 2200+ PSI water pump	VAC-CON	VPD4212/1300		3,966	11,900	3.50	3.50
VACUUM/SPRAY UNIT							
Trk. Mtd. min. 1,000 gal. tank min. 60 gpm 4 ft. teleboom w/swivel/rotating hose reel							
VACUUM/STREET SWEEPER	COHWARTE INDUSTRIES	A-7 TORNADO		2 000	8,700	2.50	3.50
Self-Propelled, 4 Cyd., Gas, 5 ft wide path	SCHWARZE INDUSTRIES	A-1 TORNADO		2,900	0,700	3.50	3.50
VAN - BOX							
21,000 or greater							
VIBRATORY ROLLER with Water							
4 - 5 ton Steel Double Drum							
VIBRATORY ROLLER with Water							

Exhibit A Vendor Name: Atlantic Machinery Rentals, LLC							
	Equipment Offered for Lease/Rental Without Operator		Lease/Rental Rate of Equipment Without Delivery/ Without Operator			Equipment Delivery Fee	
Equipment Description ( WITHOUT Operator)	Manufacturer's Name	Model/Serial #	\$ /Day	\$ /Week	\$ /Month	1st Mile	Add. Mi.
8 - 10 ton Steel Double Drum							
WATER PUMPS - 3" w/SUCTION & DISCHARGE HOSES							
WATER PUMPS - 4" w/SUCTION & DISCHARGE HOSES							
WATER PUMPS - 6" w/SUCTION & DISCHARGE HOSES							
WATER PUMPS - 12" w/SUCTION & DISCHARGE HOSES							
Wheel Loader							
90 to 124 HP							
Wheel Loader 125 to 149 HP							
Wheel Loader 150 minimum HP							
WELDER - PORTABLE 225 AMP min GASOLINE powered							
WELDER - PORTABLE 225 AMP min DIESEL powered							
WORK PLATFORM SP SL 25' High Platform 1,500# CAP							
WORK PLATFORM SP SL 35' High Platform 1,500# CAP							