



The following documentation is an electronically-submitted vendor response to an advertised solicitation from the *West Virginia Purchasing Bulletin* within the Vendor Self-Service portal at wvOASIS.gov. As part of the State of West Virginia's procurement process, and to maintain the transparency of the bid-opening process, this documentation submitted online is publicly posted by the West Virginia Purchasing Division at WVPurchasing.gov with any other vendor responses to this solicitation submitted to the Purchasing Division in hard copy format.

Header 5

[List View](#)

General Information

[Contact](#)[Default Values](#)[Discount](#)[Document Information](#)[Clarification Request](#)

Procurement Folder: 833121

Procurement Type: Central Master Agreement

Vendor ID: VS0000024741

Legal Name: SPARKLE JANITORIAL PRODUCTS LLC

Alias/DBA:

Total Bid: \$0.00

Response Date: 02/03/2021

Response Time: 10:20

Responded By User ID: Juliezuercher

First Name: Julie

Last Name: Zuercher

Email: julie@sparklejanitorials.c

SO Doc Code: CRFQ

SO Dept: 0603

SO Doc ID: ADJ2100000033

Published Date: 1/21/21

Close Date: 2/3/21

Close Time: 13:30

Status: Closed

Solicitation Description: Ice Melt and Urea- WV National Guard Locations

Total of Header Attachments: 5

Total of All Attachments: 5



Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

**State of West Virginia
 Solicitation Response**

Proc Folder: 833121
Solicitation Description: Ice Melt and Urea- WV National Guard Locations
Proc Type: Central Master Agreement

Solicitation Closes	Solicitation Response	Version
2021-02-03 13:30	SR 0603 ESR02022100000005184	1

VENDOR
 VS0000024741
 SPARKLE JANITORIAL PRODUCTS LLC

Solicitation Number: CRFQ 0603 ADJ2100000033
Total Bid: 0
Response Date: 2021-02-03
Response Time: 10:20:01
Comments:

FOR INFORMATION CONTACT THE BUYER
 David H Pauline
 304-558-0067
 david.h.pauline@wv.gov

Vendor Signature X **FEIN#** **DATE**

All offers subject to all terms and conditions contained in this solicitation

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
1	Ice Melt Compound (50LB Bag)	0.00000	EA	10.830000	0.00

Comm Code	Manufacturer	Specification	Model #
46161506			

Commodity Line Comments: 50# Bag of ICEAWAY Turbo Blue
Product Description
" Ice Away Turbo Blue provides fast action

Extended Description:

Safe Step Pro Series 370 Econo Blend Blue Ice Melter (or Equal)
50LB Bag- STANDARD DELIVERY (3 to 5 Business Days)

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
2	Urea (50LB Bag)	0.00000	EA	18.350000	0.00

Comm Code	Manufacturer	Specification	Model #
10171507			

Commodity Line Comments: Details
Keep your parking lot, steps, porch, or storefront walkway clear of ice and snow during winter months with The
Core Company's Safe Step Pro Series 370 Econo Blend Blue Ice Melter. The product is a fast-acting blend of sodium chloride, urea and potassium chloride.

Extended Description:

UREA 46-0-0 CAS Number 57-13-6 (or Equal)
50LB Bag- EMERGENCY DELIVERY (2 Business days)

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
3	Urea (50LB Bag)	0.00000	EA	18.350000	0.00

Comm Code	Manufacturer	Specification	Model #
10171507			

Commodity Line Comments: Details
Keep your parking lot, steps, porch, or storefront walkway clear of ice and snow during winter months with The
Core Company's Safe Step Pro Series 370 Econo Blend Blue Ice Melter. The product is a fast-acting blend of sodium chloride, urea and potassium chloride.

Extended Description:

UREA 46-0-0 CAS Number 57-13-6 (or Equal)
50LB Bag- EMERGENCY DELIVERY (2 Business days)

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
4	Ice Melt Compound (50LB Bag)	0.00000	EA	12.830000	0.00

Comm Code	Manufacturer	Specification	Model #
46161506			

Commodity Line Comments: 50# Bag of ICEAWAY Turbo Blue
Product Description
" Ice Away Turbo Blue provides fast action

Extended Description:

Safe Step Pro Series 370 Econo Blend Blue Ice Melter (or Equal)
50LB Bag- EMERGENCY DELIVERY (2 Business Days)

SPECS	
Chemical Form	Solid
Package Size	50 lb.
Type	Ice Melt

Details

Keep your parking lot, steps, porch, or storefront walkway clear of ice and snow during winter months with The Cope Company Salt's EnvironMelt ice melter! Thanks to its unique blend of sodium chloride, magnesium chloride, and calcium magnesium acetate (CMA), this green product quickly and effectively melts ice and snow at temperatures as low as 10 degrees Fahrenheit without polluting the environment with harsh chemicals. This makes it an excellent choice for melting in areas near vegetation, children, and animals.

With a non-hygroscopic formulation that won't hurt grass, trees, or plants, EnvironMelt ice melter is an excellent eco-conscious substitute over other comparable products. It even features a bright green coating that clearly shows an area has been treated to avoid over-application or under-application. Plus, its time-release formula stays on surfaces longer to help control thaw cycles. It also reduces damage to vehicles, equipment, and other metal surfaces with its innovative, anti-corrosion agents. Safe for concrete, brick, and decking, this environmentally-friendly ice melter will keep your property safe and free of dangerous, slick ice.



WOMEN'S BUSINESS ENTERPRISE NATIONAL COUNCIL

JOIN FORCES. SUCCEED TOGETHER.

HEREBY GRANTS
WOMAN OWNED SMALL BUSINESS (WOSB) CERTIFICATION TO
Sparkle Janitorial Products

The identified small business is an eligible WOSB for the WOSB Program, as set forth in 13 C.F.R. part 127 and has been certified as such by an SBA approved Third Party Certifier pursuant to the Third Party Agreement, dated June 30, 2011, and available at www.sba.gov/wosb.

The WOSB Certification expires on the date herein unless there is a change in the SBA's regulation that makes the WOSB ineligible or there is a change in the WOSB that makes the WOSB ineligible. If either occurs, this WOSB Certification is immediately invalid. The WOSB must not misrepresent its certification status to any other party, including any local or State government or contracting official or the Federal government or any of its contracting officials.

Table with 3 rows: NAICS: 424690, UNSPSC: 47131800; Certification Number: WOSB210117; Expiration Date: December 31, 2021



Handwritten signature of Sheila A. Mixon

Sheila Mixon, Ohio River Valley Women's Business Council Executive Director

Handwritten signature of Pamela Prince-Eason

Pamela Prince-Eason, WBENC President & CEO

Handwritten signature of Laura Taylor

Laura Taylor, WBENC Vice President



WOMEN'S BUSINESS ENTERPRISE
NATIONAL COUNCIL

JOIN FORCES. SUCCEED TOGETHER.

hereby grants

National Women's Business Enterprise Certification

to

Sparkle Janitorial Products

who has successfully met WBENC's standards as a Women's Business Enterprise (WBE).
This certification affirms the business is woman-owned, operated and controlled and is valid through the date herein.

WBENC National WBE Certification was processed and validated by Women's Business Enterprise Council Ohio River Valley, a WBENC Regional Partner Organization.

Certification Granted: December 22, 2020

Expiration Date: December 31, 2021

WBENC National Certification Number: WBE2003284



JOIN FORCES. SUCCEED TOGETHER.

Authorized by Sheila Mixon, Executive Director Women's Business Enterprise Council Ohio River Valley

NAICS: 424690
UNSPSC: 47131800





SAFETY DATA SHEET

1. Product and Company Identification

Product identifier	Sodium Chloride
Other means of identification	
Synonyms	Sifto Water Care Products, Sifto Safe Step Extreme, Safe Step 3500 Max-Blend, American Backwoods Animal Nutrition Products, American Stockman Animal Nutrition Products, Aspen, Aspen Blue, Sifto Canadian Stockman Animal Nutrition products, Commercial bulk rock salt, IceAway Turbo Plus, Safe Step Pro Series Econo Blend Blue 370, IceAway Rock Salt, IceAway Turbo, IceAway Turbo Blue, Natural Salt water care, Sun Soft Water Care Products, Culligan Water care Products, ProSoft water care products, QwikSalt, Safe Step 3300 Rock Salt, Safe Step 4300 Dual Blend, Safe Step 4300 Dual Blend Blue, Safe Step Nature's Power, Safe Step 6300 Enviro- Blend, Safe Step Pro Series 550, Safe Step Pro Series 570, Industrial Purity Industrial Products, Safe Step Pro Series 960 Choice Formula, Salt brine, Sifto Salt, Sifto Safe Step Enviro-Guard, Sifto Safe Step Ice Salt, SureSoft water care products, Thawrox Treated salt, Winter Storm, Winter Storm Blue, DriRox De-icer.
Recommended use	General industrial and water softening/conditioning purposes. Animal Nutrition.
Recommended restrictions	None known.
Manufacturer information	Compass Minerals America Inc. 9900 West 109th Street Suite 100 Overland Park, KS 66210 US 913-344-9200
Supplier	Compass Minerals Canada Corp 6700 Century Avenue Mississauga L5N 6A4 CA Phone 1-905-567-0231
CHEMTREC	1-800-424-9300
CANUTEC	1-613-996-6666

2. Hazards Identification

Physical hazards	Not classified.
Health hazards	Not classified.
Environmental hazards	Not classified.
WHMIS 2015 defined hazards	Not classified
Label elements	
Hazard symbol	None.
Signal word	None.
Hazard statement	The product and/or mixture does not meet the criteria for classification.
Precautionary statement	
Prevention	Observe good industrial hygiene practices.
Response	Wash hands after handling.
Storage	Store away from incompatible materials, i.e, strong oxidizing agents (see Section 10)
Disposal	Dispose of waste and residues in accordance with local authority requirements.
WHMIS 2015: Health Hazard(s) not otherwise classified (HHNOC)	None known
WHMIS 2015: Physical Hazard(s) not otherwise classified (PHNOC)	None known

Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	Not applicable.

3. Composition/Information on Ingredients

Mixture

Non hazardous by WHMIS Criteria.

Composition comments The criteria for listing components in this section are: Carcinogens, Respiratory Sensitizers, Mutagens, Teratogens and Reproductive toxins are listed when present at 0.1% or greater; components which are otherwise hazardous according to WHMIS/OSHA are listed when present at 1.0% or greater. Non- hazardous components are not listed. The products pertaining to this SDS have various proportions of components which do not meet the listing criteria.

4. First Aid Measures

Inhalation	Avoid breathing dust. If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Call a physician if symptoms develop or persist.
Skin contact	Rinse skin with water/shower. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. If ingestion of a large amount does occur, seek medical attention.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.

5. Fire Fighting Measures

Suitable extinguishing media	Salt and salt mixtures are non-combustible.
Unsuitable extinguishing media	Not applicable.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Use appropriate firefighting PPE as a general precaution.
Fire-fighting equipment/instructions	Salt is not combustible and thus is not the material of concern for firefighting equipment or methods.
Specific methods	In the event of a fire, equipment and methods that are consistent with the combusting material should be utilized.
General fire hazards	No unusual fire or explosion hazards noted.
Hazardous combustion products	May include and are not limited to: Chlorine. Hydrogen chloride. Oxides of sodium.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures	Restrict area to facilitate clean up.
Methods and materials for containment and cleaning up	Before attempting clean up, refer to hazard data given above. Use broom or dry vacuum to collect material for proper disposal without raising dust. Rinse area with water. Prevent large spills from entering sewers or waterways. Contact emergency services and supplier for advice. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid direct release into waterways and sewers.

7. Handling and Storage

Precautions for safe handling	Use care in handling/storage. Avoid breathing dust.
Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Store away from incompatible materials, i.e, strong oxidizing agents (see Section 10)

8. Exposure Controls/Personal Protection

Occupational exposure limits	No exposure limits noted for ingredient(s).
Biological limit values	No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls	<p>TWA PEL: No specific limits have been established for sodium chloride (a soluble substance). As a guideline, OSHA (United States) has established the following limits which are generally recognized for inert or nuisance dust. Particulates Not Otherwise Regulated (PNOR): 5mg/cu.m. Respirable Dust 8-Hour TWA PEL, 15mg/cu.m. Total Dust 8-Hour TWA PEL.</p> <p>TWA TLV: No specific limits have been established for sodium chloride (a soluble substance). As a guideline, ACGIH (United States) has established the following limits which are generally recognized for inert or nuisance dust. Particulates (insolubles) Not Otherwise Classified (PNOC): 10mg/cu.m. Inhalable Particulate 8-Hours TWA TLV, 3mg/cu.m. Respirable Particulate TWA TLV.</p> <p>Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits.</p>
Individual protection measures, such as personal protective equipment	
Eye/face protection	Safety glasses if eye contact is possible.
Skin protection	
Hand protection	If there is constant skin contact, suitable gloves are recommended.
Other	Wear suitable protective clothing.
Respiratory protection	No personal respiratory protective equipment normally required.
Thermal hazards	Not applicable.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment.

9. Physical and Chemical Properties

Appearance	Crystalline.
Physical state	Solid.
Form	Solid.
Color	Varies
Odor	Odorless
Odor threshold	Not applicable
pH	6 - 8 (Neutral)
Melting point/freezing point	Not applicable
Initial boiling point and boiling range	Not applicable
Pour point	Not applicable
Specific gravity	Not applicable
Partition coefficient (n-octanol/water)	Not applicable
Flash point	Not applicable
Evaporation rate	Not applicable
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not applicable
Flammability limit - upper (%)	Not applicable
Explosive limit - lower (%)	Not applicable
Explosive limit - upper (%)	Not applicable
Vapor pressure	Not applicable
Vapor density	Not applicable
Relative density	Not applicable
Solubility(ies)	Not available.
Auto-ignition temperature	Not applicable
Decomposition temperature	Not applicable
Viscosity	Not applicable

10. Stability and Reactivity

Reactivity	None known.
-------------------	-------------

Possibility of hazardous reactions	Hazardous polymerization does not occur.
Chemical stability	Material is stable under normal conditions.
Conditions to avoid	Contact with incompatible materials, i.e strong oxidizing agents.
Incompatible materials	Acids. Strong oxidizing agents.
Hazardous decomposition products	May include and are not limited to: Chlorine gas. Hydrogen chloride. Oxides of sodium.

11. Toxicological Information

Information on likely routes of exposure

Ingestion	Expected to be a low ingestion hazard.
Inhalation	No adverse effects due to inhalation are expected.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity	Not classified.
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.
Exposure minutes	Not available.
Erythema value	Not available.
Oedema value	Not available.
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.
Corneal opacity value	Not available.
Iris lesion value	Not available.
Conjunctival reddening value	Not available.
Conjunctival oedema value	Not available.
Recover days	Not available.

Respiratory or skin sensitization

Respiratory sensitization	Not available.
Skin sensitization	This product is not expected to cause skin sensitization.

Mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Teratogenicity	Not classified.
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not classified.
Chronic effects	Not classified.

12. Ecological Information

Ecotoxicity	Not available.
Persistence and degradability	No data is available on the degradability of this product.
Bioaccumulative potential	No data available.
Mobility in soil	No data available.
Mobility in general	Not available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, global warming potential) are expected from this component.

13. Disposal Considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers in accordance with applicable regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport Information

Transport of Dangerous Goods (TDG) Proof of Classification In accordance with Part 2.2.1 (SOR/2014-152) of the Transportation of Dangerous Goods Regulations, we certify that the classification of this product is correct as of the SDS date of issue.

U.S. Department of Transportation (DOT)

Not regulated as dangerous goods.

Transportation of Dangerous Goods (TDG - Canada)

Not regulated as dangerous goods.

15. Regulatory Information

Canadian federal regulations This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

WHMIS 2015 Exemptions Not controlled

US federal regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance No

SARA 311/312 Hazardous chemical No

SARA 313 (TRI reporting)
Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

US state regulations See below

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not regulated.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

Inventory status


Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

HEALTH	/ 0
FLAMMABILITY	0
PHYSICAL HAZARD	0
PERSONAL PROTECTION	X



Disclaimer

Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Issue date

13-October-2017

Version #

01

Effective date

13-October-2017

Other information

For an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.