



The following documentation is an electronically-submitted vendor response to an advertised solicitation from the *West Virginia Purchasing Bulletin* within the Vendor Self-Service portal at wvOASIS.gov. As part of the State of West Virginia's procurement process, and to maintain the transparency of the bid-opening process, this documentation submitted online is publicly posted by the West Virginia Purchasing Division at WVPurchasing.gov with any other vendor responses to this solicitation submitted to the Purchasing Division in hard copy format.

Header 5

General Information | [Contact](#) | [Default Values](#) | [Discount](#) | [Document Information](#) | [Clarification Request](#)

Procurement Folder: 782470

Procurement Type: Central Master Agreement

Vendor ID:

Legal Name: KOMAX LLC

Alias/DBA:

Total Bid: \$98,240.00

Response Date:

Response Time:

Responded By User ID:

First Name:

Last Name:

Email:

Phone:

SO Doc Code: CRFQ

SO Dept: 1300

SO Doc ID: STO2100000001

Published Date: 10/13/20

Close Date: 10/21/20

Close Time: 13:30

Status: Closed

Solicitation Description:

Total of Header Attachments: 5

Total of All Attachments: 5



Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

**State of West Virginia
 Solicitation Response**

Proc Folder: 782470
Solicitation Description: Copier/Printer for Print Shop Operations
Proc Type: Central Master Agreement

Solicitation Closes	Solicitation Response	Version
2020-10-21 13:30	SR 1300 ESR10212000000003102	1

VENDOR
 000000210166
 KOMAX LLC

Solicitation Number: CRFQ 1300 STO2100000001
Total Bid: 98240
Response Date: 2020-10-21
Response Time: 13:12:30
Comments:

FOR INFORMATION CONTACT THE BUYER

Melissa Pettrey
 (304) 558-0094
 melissa.k.pettrey@wv.gov

Vendor Signature X **FEIN#** **DATE**

All offers subject to all terms and conditions contained in this solicitation

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
1	Photocopier rental or leasing service	36.00000	EA	2330.000000	83880.00

Comm Code	Manufacturer	Specification	Model #
80161801			

Commodity Line Comments: Bizhub AccurioPress C-3080 - Spec sheet and configuration sheets are attached.

Extended Description:

Monthly Rental of multifunction copier/printer unit for 3 years.

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
2	Monochrome Per Click/Print				320.00

Comm Code	Manufacturer	Specification	Model #
80161801			

Commodity Line Comments: \$0.008 X 40,000 = \$320.00

Extended Description:

Estimate of Monochrome Per Click/Print for Copier/Printer Rental
Qty 40,000

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
3	Color Per Click/Print				14040.00

Comm Code	Manufacturer	Specification	Model #
80161801			

Commodity Line Comments: \$0.039 x 360,000 = \$14,040.00

Extended Description:

Estimate of Color Per Click/Print for Copier/Printer Rental
Qty: 360,000



KONICA MINOLTA

TECHNOLOGY



AccurioPress C3080

COLOR DIGITAL PRODUCTION PRESS / COPIER / SCANNER

- 80 ppm output for high-volume color print production
- Inline, closed loop quality management system
- Printing on media weights up to 350 gsm
- Envelope printing
- Optimized printing on all types of stocks with hundreds of built-in media catalogs
- Single engine can print duplex banners and output finished books

- High-speed, double-sided scanning
- Duty cycle 864,000
- U.S. Energy Star compliant
- Banner printing up to 51" with optional bypass tray
- Duplex banner printing up to 30"

AccurioPress C3080

COLOR DIGITAL PRODUCTION PRESS / COPIER / SCANNER

AccurioPress series has it all to grow your business: 80 ppm print/copy output, advanced processing for resolution equivalent to 3,600 dpi, our exclusive Simitri® HD⁺ toner for offset-quality color at an affordable cost, superior stability over long print runs on a variety of substrates. Automated color and registration, duplex banner printing and more powerful finishing options help meet all client demands.

SYSTEM SPECIFICATIONS

ACCURIOPRESS C3080

Resolution	1,200 x 1,200 dpi (3,600 equivalent) 8-bit, 256 gradations
Paper weight	Standard: 62–256 gsm Opt.: MB-506, LU-202XL/m – 62–300 gsm PF-707m – 62–350 gsm
Duplex unit	62–350 gsm
Paper sizes (max.)	Standard: 330 x 487 mm (13" x 19.2") Opt.: MB-506 – 330 x 1200 mm LU-202XL – 330 x 750 mm
Image loss (max.)	4 mm or less for top edge 4.5 mm or less for bottom edge 3.0 mm or less for right/left edges
Paper input capacity	Standard: 1,500 sheets Max.: 15,390 sheets
Paper output capacity	Max.: LS-506 Stacker – 5,000 FS-532 Finisher – 4,500
Main unit dimensions (W x D x H)	31.5" x 35.6" x 42.4"
Main unit weight	703 lb
Power requirements	AC208 – 240 V, 60 Hz, 24A dedicated line

PRODUCTIVITY

8.5" x 11" (max. per minute)	80 ppm
Monthly duty cycle	864,000 pages

CONTROLLER

IC-605A/B Internal	IC-605A
Konica Minolta controller	
IC-313 External EFI Fiery controller	Available
IC-417 Internal EFI controller	Available
IC-314 External Creo controller	Available

SCANNER SPECIFICATIONS

Scan speed (dual) (8.5" x 11")	120 ipm simplex / 240 duplex
Scan resolution	600 x 600 dpi
Scan modes	TWAIN scan, Scan-to-HDD, Scan-to-FTP, Scan-to-SMB, Scan-to-Email, Scan-to-USB
Scan formats	PDF, TIFF, JPEG (all controllers), Secured PDF, Compact PDF, XPS, PDF/A-1a, 1b (with IC-605)

COPIER SPECIFICATIONS

Gradations	256 gradations
First copy out	6.5 sec. or less
Magnification	25–400%, in 0.1% steps

KONICA MINOLTA IMAGE CONTROLLER IC-605

Type	Embedded
CPU	Intel Core i5 4570S 2.9 GHz
Memory	Max.: C3080 – 18 GB, C3080P – 16 GB Including UK-104
HDD	Max.: 3.5 TB including UK-104
Page-description language	PS3 (CPSI3020), PDF version 1.7, TIFF version 6 compliant, PPML version 2.2, PCL5c compatible, PCL XL (PCL6 version 3) compatible, APPE version 4.2 ^{*1} , PDF/VT version 2 ^{*1}
Printing method	TCP/IP, NetBEUI, IPP, WSD, SMB, Bonjour
Applicable OS	Windows Server 2008 ^{*1} /R2, 7, 8.1 Server 2012/R2, 10, Server 2016 Mac OS X v10.8 – v10.12
Interface	Ethernet (10Base-T / 100Base-TX / 1000Base-T)

^{*1}UK-104 + UK-218 required, not compatible with C3070L.

FIERY IMAGE CONTROLLER IC-313 VERSION 2.0

Type	Server
CPU	Intel® Core™ i5-4570S Processor (up to 3.6 GHz, quad core)
Memory	4 GB
HDD	2 TB
Page-description language	Adobe PostScript 3 (3020), PDF 1.7, PPML v3.0GA, APPE 3.0, PCL 5/6 emulation
Printing method	TCP/IP, SNMP, SMB, FTP, LPR, IPP, Bonjour
Applicable OS	Windows 7 / 8.1 / 10, Windows Server 2012 / 2016 ^{*1} Mac OS X v10.8 – v10.12
Interface	10Base-T / 100Base-TX / 1000Base-T

^{*1}Including 64-bit versions.

FIERY IMAGE CONTROLLER IC-417

Type	Embedded
CPU	Intel® Celeron® Processor G1820 (2M Cache, 2.70 GHz)
Memory	2 GB
HDD	500 GB SATA
Page-description language	Adobe PostScript3 (3020), PDF 1.7, PCL 5/6 emulation
Printing method	TCP/IP, SNMP, SMB, FTP, LPR, IPP, Bonjour
Applicable OS	Windows 7 / 8.1 / 10 ^{*1} Windows Server 2008 / 2012 ^{*1} Mac OS X v10.8 / v10.9 / v10.10

^{*1}Including 64-bit versions.

CREO IMAGE CONTROLLER IC-314 VERSION 2.0

Type	Server
CPU	Intel Core i7-4790S 3.2 GHz
Memory	12 GB (7 GB: system memory, 5 GB: image memory)
HDD	3 x 1 TB (1 TB system disk, 2 x 1 TB image disks)
Page-description language	Adobe PostScript CPSI 3020, APPE 3.4
Printing method	TCP/IP, SMB, LPR, Bonjour
Applicable OS	Windows 7 / 8.1 / 10, Windows Server 2012 / 2016 ^{*1} Mac OS X v10.8 – v10.12
Interface	1 Gbit Ethernet LAN port x 2

^{*1}Including 64-bit versions.

OPTIONS

CR-101	Creaser unit	MK-746	Envelope print guide for LU-202m and LU-202XL
DF-706	Automatic document feeder	OC-511	Original cover
EF-103	Envelope fusing	OT-510	Open stacker (3,000-sheet stacking)
FA-502	Feed adjuster	OT-511	Output tray
FD-503	Multi-folding unit	PB-503	Perfect binder
FD-504	Square-folding unit	PF-602	Paper feed unit
FS-531	50-sheet staple finisher	PF-707m	Paper feed unit
FS-532	100-sheet staple finisher	PI-502	Multi-post inserter
FS-532	100-sheet staple finisher	PK-512	2/3-hole punch kit for FS-612/FS-531
PK/SD	with PK and SD-510	PK-522	Punch kit
FS-612	Booklet finisher	RU-510	Relay unit
GBC Punch	GBC punch unit	RU-518	Relay unit
G2	(punch dies sold separately)	SD-506	Saddle stitch unit
GP-501	GBC punch unit	SD-510	Saddle stitch kit
	(punch dies sold separately)	SD-513	Saddle stitcher
GP-502	Ring binder	SD-513/F	Saddle stitcher front
HM-103	Humidification unit	TU-503	Trimmer unit
IQ-501	Intelligent Quality Optimizer	UK-104	Upgrade kit (additional 500 GB memory)
LS-506	Large stacker unit	WT-511	Working table
LU-202m	Paper feed tray	Plockmatic	Plockmatic SD-350/500 booklet maker
LU-202XL	Extra long paper feed unit (29.5" max.)		
LU-202XLm	Extra long paper feed unit (29.5" max.)		
MB-506	Multi-bypass tray		
MB-508	Multi-bypass tray		
MK-732	Mount kit for PI-502		
MK-737	Mount kit for 3rd party options		
MK-740	Media feeding kit for banner printing (300 sheets)		
MK-740m	Media feeding kit for banner printing (1,000 sheets)		

See brochure for full product options available.



KONICA MINOLTA

KONICA MINOLTA BUSINESS SOLUTIONS U.S.A., INC.
100 Williams Drive, Ramsey, New Jersey 07446

CountOnKonicaMinolta.com



Item #: APC3080SS
3/2018-C



Enhance your workflow and print capabilities.

The new Fiery® IC-417 delivers the essential functionality to achieve precise color, higher productivity, and lower production costs.



Create professional printed materials faster

Print large, complex Microsoft® Office® documents and color-critical PDFs quickly with SmartRIP technology that improves throughput and productivity.

Use the optional Fiery Impose, Fiery Compose, and Fiery JobMaster™ to automate and streamline imposition and makeready for jobs that require advanced page assembly, gangup, and booklet layouts.

Achieve color accuracy every time

Print colors with high precision from all applications and formats with the Fiery ColorWise® color management technology.

Accurately reproduce corporate and other spot colors with Fiery Spot-On™ to ensure consistency.

Take your print process to the next level with the optional Fiery Productivity Package and its advanced production tools for workflow optimization and image enhancement.

Simplify and streamline your workflow

Automate common print settings by creating server presets and virtual printers to minimize touch points and save time.

Fiery IC-417 v2.1 specifications

Fiery Driven™ engines

- Konica Minolta AccurioPress C3080/C3080P/C3070/C3070P/C2060/C2070/C2070P/C83hc/C73hc and AccurioPrint C3070L/C2060L
- Supports all engine finishing devices
- IQ-501 Intelligent Quality Optimizer (ICCU) support

Hardware and platform

- Intel® Pentium® Processor G4400, 3.3 GHz, dual core
- 4 GB RAM
- 500 GB HDD
- USB media server
- Fiery FS300 system software
- Linux operating system

File format support

- Adobe® PostScript® Levels 1, 2, 3
- Adobe PDF
- Encapsulated PostScript (EPS)
- Microsoft Office document formats: doc, docx, xls, xlsx, ppt, pptx, pub (via Hot Folders)

Fiery color and imaging technology

- Fiery ColorWise® color management technology
- Fiery Calibrator
- Fiery Spot-On™
- PANTONE® approved libraries
- Image smoothing
- Fiery Image Enhance Visual Editor (optional)

- Auto trapping (optional)
- Konica Minolta FD-5BT spectrodensitometer support
- Konica Minolta FD-9 spectrophotometer support (via Color Profiler Suite calibration)

Productivity and workflow

- Fiery Command WorkStation® 6
- Fiery drivers for Windows® and Mac® users
- Fiery WebTools™
- Booklet Maker
- Fiery Hot Folders/Virtual Printers (optional)
- Fiery VUE
- Fiery Go (Android™ and iOS)
- Direct mobile printing
- PrintMe® Cloud printing
- Pad Printing

Performance

- SmartRIP
- Spool-RIP-print simultaneously

Variable data printing (VDP)

- Supported file formats:
 - Fiery FreeForm™ v1 enhanced and v2.1
- Record and set level finishing support
- VDP record range printing
- Optimized PostScript and PDF
- Define record length
- VDP Raster Preview

Optional Fiery software and hardware

- Fiery Productivity Package
- Fiery Color Profiler Suite*
- EFI ES-2000 spectrophotometer
- Fiery Impose**
- Fiery Compose
- Fiery JobMaster**
- Fiery JobFlow™ ** (requires Fiery Productivity Package)
- Fiery Navigator™ (first 3 subscription seats are free)

Security

- Secure erase
- Network protection includes:
 - 802.1x support, IP filtering, port blocking (filtering), SSL support (IPP/LDAP/ HTTP/POP/SMTP), certificate management, self-signed certification
- LDAP support
- Secure printing

Networking/Connectivity

- TCP/IP, AppleTalk, Bonjour support, SNMP, Port 9100, IPP, FTP, SMB, WSD, point and print, print via email (PS/PDF), IPv6 support

EMC

- FCC (Canada and US)
- C-TICK (Australia and New Zealand)
- CE Mark (EU)
- VCCI (Japan)
- NEMKO (Scandinavian countries and EU)
- KCC (Korea)
- BSMI (Taiwan)
- CCC (China)

Safety

- TÜV/CU Mark (Canada and US)
- TÜV/GS Mark (EU)
- CE Mark (EU)
- CB Scheme
- NEMKO (Scandinavian countries and EU)
- CCC (China)
- BSMI (Taiwan)

Power supply and consumption

- Auto-switching: 100–240 VAC
- 50/60 Hz, 3 Amps @100 VAC, 1.5 Amps @240 VAC
- Maximum/typical power usage: 150 W/100 W

* Free trial in demo mode

** Free 30-day trial available

EFI fuels success.

We develop breakthrough technologies for the manufacturing of signage, packaging, textiles, ceramic tiles, and personalized documents, with a wide range of printers, inks, digital front ends, and a comprehensive business and production workflow suite that transforms and streamlines the entire production process, increasing your competitiveness and boosting productivity. Visit www.efi.com or call 650-357-3500 for more information.



Nothing herein should be construed as a warranty in addition to the express warranty statement provided with EFI products and services.

The APPS logo, AutoCal, Auto-Count, Balance, BESTColor, BioVu, BioWare, ColorPASS, Colorproof, ColorWise, Command WorkStation, CopyNet, Cretachrom, Cretaprint, the Cretaprint logo, Cretaprinter, Cretaroller, Digital StoreFront, DirectSmile, DocBuilder, DocBuilder Pro, DockNet, DocStream, DSFdesign Studio, Dynamic Wedge, EDOX, EFI, the EFI logo, Electronics For Imaging, Entrac, EPCount, EPPPhoto, EPRRegister, EPStatus, Estimate, ExpressPay, FabriVU, Fast-4, Fiery, the Fiery logo, Fiery Driven, the Fiery Driven logo, Fiery JobFlow, Fiery JobMaster, Fiery Link, Fiery Navigator, Fiery Prints, the Fiery Prints logo, Fiery Spark, FreeForm, Hagen, Inkintensity, Inkware, Jetrion, the Jetrion logo, LapNet, Logic, Metrix, MicroPress, MiniNet, Monarch, OneFlow, Pace, Pecas, Pecas Vision, PhotoXposure, PressVu, Printcafe, PrinterSite, PrintFlow, PrintMe, the PrintMe logo, PrintSmith, PrintSmith Site, PrintStream, Print to Win, Prograph, PSI, PSI Flexo, Radius, Remoteproof, RIPChips, RIP-While-Print, Screenproof, SendMe, Sincolor, Splash, Spot-On, TrackNet, UltraPress, UltraTex, UltraVu, UV Series 50, VisualCal, VUTEk, the VUTEk logo, and WebTools are trademarks of Electronics For Imaging, Inc. and/or its wholly owned subsidiaries in the U.S. and/or certain other countries.

All other terms and product names may be trademarks or registered trademarks of their respective owners, and are hereby acknowledged.



WIDTH
188.35 inches


DEPTH
35.55 inches

HEIGHT
58.19 inches



Output to RU-518 is limited to one sheet.

1 x NEMA L6 - 30R  5 x NEMA 5 - 15R 

 **COLOR**
80 ppm

 **B/W**
80 ppm

 **PAPER SIZE**

 **MAX PAPER CAPACITY (80g/m²)**
6130

OPTION LIST

Name	Item No.	Quantity	Name	Item No.	Quantity
Main Body	A9VE011	1	Folding Unit - FD-503	A0H0W12	1
Dual Scan Document Feeder - DF-706	A782WY2	1	Saddle Stitcher - SD-506	A0H2WY2	1
Envelope Fusing Unit - EF-103	A57VW11	1	Fiery Image Controller - IC-417	A9F7WY2	1
Paper Feed Unit - PF-707m	A55CWY2	1	Video Interface Kit - VI-509	A9G1WY2	1
Relay Unit - RU-518	A9CEWY1	1	ES-2000 Spectrophotometer	45109642	1
Staple Finisher - FS-532	A4F3WY5	1			

STATE OF WEST VIRGINIA
Purchasing Division

PURCHASING AFFIDAVIT

CONSTRUCTION CONTRACTS: Under W. Va. Code § 5-22-1(i), the contracting public entity shall not award a construction contract to any bidder that is known to be in default on any monetary obligation owed to the state or a political subdivision of the state, including, but not limited to, obligations related to payroll taxes, property taxes, sales and use taxes, fire service fees, or other fines or fees.

ALL CONTRACTS: Under W. Va. Code §5A-3-10a, no contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and: (1) the debt owed is an amount greater than one thousand dollars in the aggregate; or (2) the debtor is in employer default.

EXCEPTION: The prohibition listed above does not apply where a vendor has contested any tax administered pursuant to chapter eleven of the W. Va. Code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Employer default" means having an outstanding balance or liability to the old fund or to the uninsured employers' fund or being in policy default, as defined in W. Va. Code § 23-2c-2, failure to maintain mandatory workers' compensation coverage, or failure to fully meet its obligations as a workers' compensation self-insured employer. An employer is not in employer default if it has entered into a repayment agreement with the Insurance Commissioner and remains in compliance with the obligations under the repayment agreement.

"Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceeds five percent of the total contract amount.

AFFIRMATION: By signing this form, the vendor's authorized signer affirms and acknowledges under penalty of law for false swearing (W. Va. Code §61-5-3) that: (1) for construction contracts, the vendor is not in default on any monetary obligation owed to the state or a political subdivision of the state, and (2) for all other contracts, that neither vendor nor any related party owe a debt as defined above and that neither vendor nor any related party are in employer default as defined above, unless the debt or employer default is permitted under the exception above.

WITNESS THE FOLLOWING SIGNATURE:

Vendor's Name: Komax LLC

Authorized Signature: *Daniel Humphrey* Date: 10/21/2020


State of West Virginia

County of Kanawha, to-wit:

Taken, subscribed, and sworn to before me this 21 day of October, 2020.

My Commission expires September 05, 2024.

AFFIX SEAL HERE



NOTARY PUBLIC *Robert A. Maxwell*



Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

State of West Virginia
 Centralized Request for Quote
 Equip. Rental

Proc Folder: 782470			Reason for Modification: Addendum No. 1 is issued to publish and distribute the attached information to the vendor community.
Doc Description: Copier/Printer for Print Shop Operations			
Proc Type: Central Master Agreement			
Date Issued	Solicitation Closes	Solicitation No	Version
2020-10-13	2020-10-21 13:30	CRFQ 1300 STO2100000001	2

BID RECEIVING LOCATION

BID CLERK
 DEPARTMENT OF ADMINISTRATION
 PURCHASING DIVISION
 2019 WASHINGTON ST E
 CHARLESTON WV 25305
 US

VENDOR

Vendor Customer Code:

Vendor Name : KOMAX, LLC


Address : 500 D ST.
Street :

City : SOUTH CHARLESTON
State : WV **Country :** KANAWHA **Zip :** 25303

Principal Contact : DAVID HUMPHREY

Vendor Contact Phone: 304-744-7440 **Extension:**

FOR INFORMATION CONTACT THE BUYER
 Melissa Pettrey
 (304) 558-0094
 melissa.k.pettrey@wv.gov

Vendor Signature X  **FEIN#** 55-0768709 **DATE** 10/21/20

All offers subject to all terms and conditions contained in this solicitation

ADDITIONAL INFORMATION

Addendum No. 1

Addendum No. 1 is issued to publish and distribute the attached information to the vendor community.

Request for Quotation

The West Virginia Purchasing Division is soliciting bids on behalf of the State Treasurer's Office to establish a contract for the rental of a multifunction color printer/copier unit for its Print Shop Services unit per the bid requirements, specifications and terms and conditions as attached hereto.

The Purchasing Division will not accept bids, modification of bids, or addendum acknowledgment forms via e-mail. Acceptable delivery methods include electronic submission via wvOASIS, hand delivery, delivery by courier, or facsimile.

INVOICE TO	SHIP TO
WEST VIRGINIA STATE TREASURERS OFFICE 322 70TH ST SE CHARLESTON WV 25304 US	WEST VIRGINIA STATE TREASURERS OFFICE 322 70TH ST SE CHARLESTON WV 25304 US

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
1	Photocopier rental or leasing service	36.00000	EA		

Comm Code	Manufacturer	Specification	Model #
80161801			

Extended Description:

Monthly Rental of multifunction copier/printer unit for 3 years.

INVOICE TO	SHIP TO
WEST VIRGINIA STATE TREASURERS OFFICE 322 70TH ST SE CHARLESTON WV 25304 US	WEST VIRGINIA STATE TREASURERS OFFICE 322 70TH ST SE CHARLESTON WV 25304 US

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
2	Monochrome Per Click/Print				

Comm Code	Manufacturer	Specification	Model #
80161801			

Extended Description:

Estimate of Monochrome Per Click/Print for Copier/Printer Rental

Qty 40,000

INVOICE TO	SHIP TO
WEST VIRGINIA STATE TREASURERS OFFICE 322 70TH ST SE CHARLESTON WV 25304 US	WEST VIRGINIA STATE TREASURERS OFFICE 322 70TH ST SE CHARLESTON WV 25304 US

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
3	Color Per Click/Print				

Comm Code	Manufacturer	Specification	Model #
80161801			

Extended Description:

Estimate of Color Per Click/Print for Copier/Printer Rental

Qty: 360,000

SCHEDULE OF EVENTS

<u>Line</u>	<u>Event</u>	<u>Event Date</u>
-------------	--------------	-------------------

SOLICITATION NUMBER: CRFQ STO2100000001

Addendum Number: 01

The purpose of this addendum is to modify the solicitation identified as CRFQ STO2100000001 (“Solicitation”) to reflect the change(s) identified and described below.

Applicable Addendum Category:

- Modify bid opening date and time (***See Below***)
- Modify specifications of product or service being sought
- Attachment of vendor questions and responses
- Attachment of pre-bid sign-in sheet
- Correction of error
- Other (Attach Purchasing Affidavit)

***REVISED BID OPENING DATE/TIME*-- October 21, 2020 at 1:30pm EST**

Terms and Conditions:

1. All provisions of the Solicitation and other addenda not modified herein shall remain in full force and effect.
2. Vendor should acknowledge receipt of all addenda issued for this Solicitation by completing an Addendum Acknowledgment, a copy of which is included herewith. Failure to acknowledge addenda may result in bid disqualification. The addendum acknowledgement should be submitted with the bid to expedite document processing.

Vendor Questions
Solicitation # CRFQ STO210000001
ADDENDUM #01

Q1. To our understanding you are looking for one printer for 3 years lease or rental including maintenance, consumables and support?

A1. Yes, one printer for a 3-year rental period; we do not have the desire to own it at the end of the contract rental term, including any renewals or extension. All consumables except items such as staples, paper, binding items are to be provided in the rental cost.

Q2. Does the agency owning the software on premise and your intent is to move to cloud or we need to provide new licenses for QRT CARE COORDINATION SOFTWARE and provide cloud services?

A2. The only current software related to printing is a Fiery Rip Server. We are not interested in moving to a cloud-based solution. The only requirements are a Rip server or comparable service locally installed with the printer.

Q3. If it is new then how many user licenses needed?

A3. Three

Q4. If it is existing software that requires cloud services then DHS is ok to move to closest data center near Charleston ex Ash Burn, VA or some other DC locations?

A4. There should be no cloud services needed.

Q5. What is the current infrastructure supporting this software?

A5. Fiery Rip Server

Q6. The specifications do not list if CPO (Certified Pre-Owned) is of interest, or only New Equipment?

A.6. Only New Equipment

Q7. Does this RFQ need an External Fiery?

A7. An external Fiery rip server is not specifically required as long as the specified functionality will be provided by your solution. We purposely left it open ended to be determined by your solution meeting all the requirements,

Q8. Is Variable Data printing needed?

A8. No

Q9. Is Micr Toner needed?

A9. No

Q10. My team asks if the you need and/or require fax capability for the above RFQ?

A10. No

Q11. In regards to section 4.1.1.5 which reads: “Unit must support a variety of paper weights up to 270 gsm cover stock (aka 32lb, which is the type of product currently used by the agency) as well as some specialty items for printing.

Our conversion chart shows 25-36 lb. paper to be the equivalent of 92-135 gsm and 245-300 gsm to be the equivalent of 66-80 lb. paper (please see attached photo of conversion chart). To ensure that we understand the substrate requirement correctly, would you please submit a photograph or other image, that displays the weight of the product currently used by the agency expressed in lb. and gsm similar to the photograph for a ream of Sterling Premium Digital 100lb Gloss Cover (271 gsm) being submitted with this question?

Specification & Installation Guide
AcrobatPrint C360/C360PVC 3070
AcrobatPrint C3670

Paper Weight	Weight	Weight	Weight	Weight	Weight
40 - 45 gsm	15 - 17 lb	27 - 33 lb	10 - 12 lb	10 - 12 lb	22 - 27 lb
50 - 55 gsm	18 - 20 lb	33 - 41 lb	12 - 15 lb	12 - 15 lb	27 - 34 lb
60 - 70 gsm	22 - 26 lb	42 - 50 lb	15 - 18 lb	15 - 18 lb	34 - 41 lb
70-80 gsm	27 - 32 lb	51 - 61 lb	18 - 22 lb	18 - 22 lb	41 - 50 lb
80 - 100 gsm	33 - 39 lb	62 - 74 lb	22 - 27 lb	22 - 27 lb	50 - 61 lb
100 - 110 gsm	37 - 45 lb	80 - 96 lb	27 - 33 lb	27 - 33 lb	61 - 74 lb
110-120 gsm	44 - 53 lb	95 - 114 lb	33 - 40 lb	33 - 40 lb	74 - 90 lb
120 - 140 gsm	53 - 63 lb	117 - 140 lb	40 - 49 lb	40 - 49 lb	90 - 110 lb
150-160 gsm	66 - 79 lb	146 - 174 lb	51 - 62 lb	51 - 62 lb	110 - 135 lb
170-180 gsm	81 - 98 lb	178 - 212 lb	63 - 77 lb	63 - 77 lb	135 - 165 lb
200-210 gsm	91 - 110 lb	214 - 257 lb	76 - 92 lb	76 - 92 lb	165 - 200 lb
Paper Weight	Weight	Weight	Weight	Weight	Weight
40-45 gsm	15 - 17 lb	27 - 33 lb	10 - 12 lb	10 - 12 lb	22 - 27 lb
50-55 gsm	18 - 20 lb	33 - 41 lb	12 - 15 lb	12 - 15 lb	27 - 34 lb
60 - 70 gsm	22 - 26 lb	42 - 50 lb	15 - 18 lb	15 - 18 lb	34 - 41 lb
70-80 gsm	27 - 32 lb	51 - 61 lb	18 - 22 lb	18 - 22 lb	41 - 50 lb
80 - 100 gsm	33 - 39 lb	62 - 74 lb	22 - 27 lb	22 - 27 lb	50 - 61 lb
100 - 110 gsm	37 - 45 lb	80 - 96 lb	27 - 33 lb	27 - 33 lb	61 - 74 lb
110-120 gsm	44 - 53 lb	95 - 114 lb	33 - 40 lb	33 - 40 lb	74 - 90 lb
120 - 140 gsm	53 - 63 lb	117 - 140 lb	40 - 49 lb	40 - 49 lb	90 - 110 lb
150-160 gsm	66 - 79 lb	146 - 174 lb	51 - 62 lb	51 - 62 lb	110 - 135 lb
170-180 gsm	81 - 98 lb	178 - 212 lb	63 - 77 lb	63 - 77 lb	135 - 165 lb
200-210 gsm	91 - 110 lb	214 - 257 lb	76 - 92 lb	76 - 92 lb	165 - 200 lb

A11. Here is the information on the current paper stock we use with the item numbers/description:



ADDENDUM ACKNOWLEDGEMENT FORM
SOLICITATION NO.: CRFO STO210000001

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

Addendum Numbers Received:


(Check the box next to each addendum received)

- | | | | |
|-------------------------------------|----------------|--------------------------|-----------------|
| <input checked="" type="checkbox"/> | Addendum No. 1 | <input type="checkbox"/> | Addendum No. 6 |
| <input type="checkbox"/> | Addendum No. 2 | <input type="checkbox"/> | Addendum No. 7 |
| <input type="checkbox"/> | Addendum No. 3 | <input type="checkbox"/> | Addendum No. 8 |
| <input type="checkbox"/> | Addendum No. 4 | <input type="checkbox"/> | Addendum No. 9 |
| <input type="checkbox"/> | Addendum No. 5 | <input type="checkbox"/> | Addendum No. 10 |

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

KOMAX, LLC

Company



Authorized Signature

10/21/20

Date

NOTE: This addendum acknowledgment should be submitted with the bid to expedite document processing.