


2019 Washington Street, East Charleston, WV 25305 Telephone: 304-558-2306 General Fax: 304-558-6026 Bid Fax: 304-558-3970

The following documentation is an electronically-submitted vendor response to an advertised solicitation from the *West Virginia Purchasing Bulletin* within the Vendor Self-Service portal at *wvOASIS.gov*. As part of the State of West Virginia's procurement process, and to maintain the transparency of the bid-opening process, this documentation submitted online is publicly posted by the West Virginia Purchasing Division at *WVPurchasing.gov* with any other vendor responses to this solicitation submitted to the Purchasing Division in hard copy format.





State of West Virginia Solicitation Response

Proc Folder:

902761

Solicitation Description:

CHANNELIZER CONES FOR 55 MPH AND BELOW ROADWAYS

Proc Type: Central Master Agreement

 Solicitation Closes
 Solicitation Response
 Version

 2021-07-13 13:30
 SR 0803 ESR07132100000000167
 1

VENDOR

VS0000038407

National Captial Indsutries Inc

Solicitation Number: CRFQ 0803 DOT2100000168

Total Bid: 2689.630000000000109139364212 Response Date: 2021-07-13 Response Time: 10:40:08

Comments:

FOR INFORMATION CONTACT THE BUYER

John W Estep 304-558-2566 john.w.estep@wv.gov

Vendor Signature X

FEIN#

DATE

All offers subject to all terms and conditions contained in this solicitation

 Date Printed:
 Jul 13, 2021
 Page: 1
 FORM ID: WV-PRC-SR-001 2020/05

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
1	COMPLETE FLEXIBLE PLASTIC CHANNELIZER CONE	100.0000) EA	26.630000	2663.00

Comm Code	Manufacturer	Specification	Model #	
46161508				

Commodity Line Comments:

Extended Description:

COMPLETE FLEXIBLE PLASTIC CHANNELIZER CONE, TO INCLUDE SHEETING (PRE-APPLIED), AND RUBBER BASE

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
2	REPLACEMENT FLEXIBLE PLASTIC CHANNELIZER CONE	1.00000	EA	16.690000	16.69

Comm Code Manufacturer		Specification	Model #	
46161508				

Commodity Line Comments:

Extended Description:

REPLACEMENT FLEXIBLE PLASTIC CHANNELIZER CONE, TO INCLUDE SHEETING PRE-APPLIED. MODEL SUPPLIED SHALL BE SAME AS MODEL SUPPLIED UNDER ITEM #1. (CHANNELIZER CONE ONLY)

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
3	REPLACEMENT FLEXIBLE PLASTIC CHANNELIZER CONE RUBBER BASE	1.00000	EA	9.940000	9.94

Comm Code	Manufacturer	Specification	Model #	
46161508				

Commodity Line Comments:

Extended Description:

REPLACEMENT FLEXIBLE PLASTIC CHANNELIZER CONE RUBBER BASE. MODEL SUPPLIED SHALL BE SAME AS MODEL SUPPLIED UNER ITEM #1. (BASE ONLY)

3420 Kenilworth Ave. Bladensburg, MD 20710 (301) 864 - 4150 2801 West Patapsco Ave. Baltimore, MD 21230 (410) 644 - 0300 8433A Backlick Rd. Lorton, VA 22079 (703) 339 - 0909

QUOTE



REMIT TO: NATIONAL CAPITAL INDUSTRIES, INC. P. O. BOX 287 BLADENSBURG, MD 20710



Ship-to:	TEMP
BID SR-0803	3-ESR071321000000001
WV DOT	
CHANNELI	ZER CONES

Bill-to: 0007
QUOTE
JOB:______

Reference #		Expires	SIsp	Terms		Wh	Frei	ight			Ship Via
CHANNEL. CO	NE	08/13/21	100	Net 30 Da	ys	MD	PREF	PAID	DIRECT SHIP		
Quoted By	JPS	Quoted To	STATE	OF WV							
Ite	m Desc	cription				Ordered	UM		Price	ИМ	Extensio
GC13; GC13;	CHASS CHAS	NNLIZER NAVI.				1 1	EA		16.69 9.94	EA EA	16.6 9.9
				U(3			

Merchandise	Misc	Тах	Freight	Total
26.63	.00	.00		26.63

QUOTE ONLY VALID FOR 15 DAYS ONLY.

Do not write below this line Customer Copy ... Last Page







C-42

Channelizer

Re-routing traffic has never been safer than with Work Area Protection's Channelizer Cones. Our trim-line design provides compact delineation, which is ideal for detours, construction projects, concerts, sporting events, airports and many more applications.

These durable and highly visible channelizers come with or without reflective sheeting. A tapered, fracture-resistant handle provides for added strength, easy pickup and the mounting of lights, signs and other accessories. The vertical sheeting surface has a five-tier, telescopic design, which promotes ease of stacking. Anti-rotation ribs at the bottom make for a stable, secure attachment to the base. A rugged, recycled rubber base provides stability and support with designed-in features to enhance skid resistance, stacking and handling.

FEATURES

- Maximum visibility
- Five-tier design
- Multi-purpose handle
- Efficient stacking
- Easy transport
- Secure base
- Fracture-resistant handle
- Locking base
- Mount for lights, signs, vertical panels

C-42 CHANNELIZER SPECIFICATIONS

Material: Impact-Resistant Polyethylene **Color:** UV-Stabilized Highway Orange

Body Height: 42.3" (1.07 m)

Overall Height: 48.9" (1.24 m)

Weight: 3.0 LB (1.36 kg) approximately

Thickness: .080'' (2 mm)

Diameter: Bottom section is 6" (15.2 cm),

tapers to 4" (10.2 cm) top section



16LB Rubber Base, CB-16

20LB Rubber Base, CB-20

30LB Rubber Base, CB-30



Rebounder XD

Channelizer

This is truly a breakthrough in technology meeting application. The Rebounder XD uses a memory material that can be reformed to its original shape after vehicle impact. And climate conditions have no effect whatsoever on its performance. Additionally, the flange has been specifically designed to greatly increase locking stability to bases, assuring a robust channelizer/base lock-up. There are many channelizers available—only a Rebounder XD comes back to you.

FEATURES

- Reshaping Technology
- Fracture-Resistant Handle
- Locking Base
- Super reinforced flange for 16LB, 20LB, or 30LB base lock stability
- Custom In-Molded, permanent logo option available

CHANNELIZER SPECIFICATIONS

Material: Linear Low-Density Polyethylene **Color:** UV-Stabilized Highway Orange

Body Height: 42.3" (1.07 m) Overall Height: 48.9" (1.24 m)

Weight: 3.0 LB (1.36 kg) approximately

Thickness: .080'' (2 mm)

Diameter: Bottom section is 6" (15.2 cm),

tapers to 4" (10.2 cm) top section







HILL & SMITH INC.

987 Buckeye Park Road, Columbus, OH 43207 614-340-6294 | info@hillandsmith.com hillandsmith.com