



The following documentation is an electronically-submitted vendor response to an advertised solicitation from the *West Virginia Purchasing Bulletin* within the Vendor Self-Service portal at wvOASIS.gov. As part of the State of West Virginia's procurement process, and to maintain the transparency of the bid-opening process, this documentation submitted online is publicly posted by the West Virginia Purchasing Division at WVPurchasing.gov with any other vendor responses to this solicitation submitted to the Purchasing Division in hard copy format.

Header @ 2

List View

General Information | Contact | Default Values | Discount | Document Information | Clarification Request

Procurement Folder: 1021409

Procurement Type: Central Purchase Order

Vendor ID: VS0000040820

Legal Name: JHB Group, Inc.

Alias/DBA:

Total Bid: \$120,323.48

Response Date: 07/11/2022

Response Time: 14:10

Responded By User ID: JHBGroup

First Name: Deborah

Last Name: Harrison

Email: deb@jhbgroup.org

Phone: 2524843473

SO Doc Code: CRFQ

SO Dept: 0506

SO Doc ID: BPH2200000003

Published Date: 7/7/22

Close Date: 7/12/22

Close Time: 13:30

Status: Closed

Solicitation Description: COMMAND TRAILER FOR CENTER FOR THREAT

Total of Header Attachments: 2

Total of All Attachments: 2



Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

**State of West Virginia
 Solicitation Response**

Proc Folder: 1021409
Solicitation Description: COMMAND TRAILER FOR CENTER FOR THREAT PREPAREDNESS
Proc Type: Central Purchase Order

Solicitation Closes	Solicitation Response	Version
2022-07-12 13:30	SR 0506 ESR07082200000000131	1

VENDOR
 VS0000040820
 JHB Group, Inc.

Solicitation Number: CRFQ 0506 BPH2200000003
Total Bid: 120323.4799999999959254637360 **Response Date:** 2022-07-11 **Response Time:** 14:10:55
Comments: 2% discount is offered for 50% pre-payment upon execution of the contract.

FOR INFORMATION CONTACT THE BUYER

Crystal G Husted
 (304) 558-2402
 crystal.g.husted@wv.gov

Vendor Signature X **FEIN#** **DATE**

All offers subject to all terms and conditions contained in this solicitation

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
1	Tandem (spread) axle enclosed trailer	1.00000	EA	110027.360000	110027.36

Comm Code	Manufacturer	Specification	Model #
25101939			

Commodity Line Comments: PSP-TL 27'x8.5'x10'5" V-Nose. All Aluminum. 5200# Torsion Axles. Screw-less Exterior. Easy Clean Walls. Solar Charging System. 2000# Electric Tongue Jack. XO Ratchet Jack. Aluminum Rear Ramp with 36in Aluminum Extension. 36in Side Door with Deadbolt, Door step and Grab Handle. Power Rear Stabilizer. LED DOT Lighting. 12 Volt LED Interior Lights with Master Switch. LED Scene Lights(2). LED Ground Lights (4). LED Flood Lights(2). Premium Radial Tires with Aluminum Wheels. Swivel Rear Skid Casters. Electric Brakes. D.O.T Rated Safety Chains with HD Clasps. Safety breakaway System. 3M High Grade Silicone and 3M Adhesion Tape. 1 Year Limited Warranty. 5 Year Aluminum Frame warranty. Incident Command Package: UV Disinfectant Light System. 4 Camera CCTV System. Smart LED TVs (2). Rehab/ Beverage Station with Microwave, Keurig Coffee Maker and Mini Fridge. Under Cabinet Storage. Easy Clean Walls. Stainless Steel Work Stations. 2 Clocks, Touchpad Control. Power Awning (2). 50amp Electrical Panel. Network Jacks. Shore Power Outlets. Solar Powered Work Station Outlets. Generator Garage. Communications prep package: (2) NMO Style Antenna Mounts with RG59 / AU Cable. unterminated. Antenna Plus AP-MP70-B Cellular GPS Antenna Power & Ground Prewiring: (2) 20amp 12v Circuits. 1 Forward, 1 Rear.

Extended Description:

4.1.1 One (1) 8.5 foot by 24-foot tandem (spread) axle enclosed trailer

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
2	Tubular frame	1.00000	EA	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #
25101939			

Commodity Line Comments: included in base model line 4.1.1
All aluminum framing for lighter weight and easier towing.

Extended Description:

4.1.2 Tubular frame

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
3	7.5-foot interior clearance	0.00000	EA	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #
25101939			

Commodity Line Comments: included in base model line 4.1.1

Extended Description:

4.1.3 7.5-foot interior clearance

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
4	7000-pound torsion axles (move back 4-inches, 22 degree	1.00000	EA	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #
26111512			

Commodity Line Comments: included in base model line 4.1.1
5200lb Torsion Tandem Axles

Extended Description:

4.1.4 7000-pound torsion axles (move back 4-inches, 22 degrees)

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
5	Exterior poly-core .080 aluminum siding, screwless, white	1.00000	EA	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #
30151800			

Commodity Line Comments: included in base model line 4.1.1
Screwless Exterior: 0.030 ga. aluminum exterior with enamel finish.

Extended Description:
4.1.5 Exterior poly-core .080 aluminum siding, screwless, white

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
6	Black-out package that includes ATP and all exterior trim	1.00000	EA	1355.000000	1355.00

Comm Code	Manufacturer	Specification	Model #
25101939			

Commodity Line Comments:
Extended Description:
4.1.6 Black-out package that includes ATP and all exterior trim

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
7	8 lug spider mag wheels each with E-rated 10 ply 235/80/16	1.00000	EA	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #
25172500			

Commodity Line Comments: included in base model line 4.1.1
Extended Description:
4.1.7 8 lug spider mag wheels each with E-rated 10 ply 235/80/16 radial tires

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
8	Two (2), two-way sidewall vents (aluminum)	1.00000	EA	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #
25101939			

Commodity Line Comments: included in base model line 4.1.1
powered roof vent
Extended Description:
4.1.8 Two (2), two-way sidewall vents (aluminum)

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
9	Insulated walls and ceiling	1.00000	EA	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #
25101939			

Commodity Line Comments: included in base model line 4.1.1

Extended Description:

4.1.9 Insulated walls and ceiling

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
10	Embossed white ceiling and walls (interior)	1.00000	EA	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #
25101939			

Commodity Line Comments: included in base model line 4.1.1**Extended Description:**

4.1.10 Embossed white ceiling and walls (interior)

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
11	No-show, heavy-duty beavertail ramp	1.00000	EA	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #
25101939			

Commodity Line Comments: included in base model line 4.1.1**Extended Description:**

4.1.11 No-show, heavy-duty beavertail ramp

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
12	Heavy duty transition flap	1.00000	EA	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #
25101939			

Commodity Line Comments: included in base model line 4.1.1**Extended Description:**

4.1.12 Heavy duty transition flap

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
13	Passenger side entry door with 15 by 30-inch window	1.00000	EA	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #
25101939			

Commodity Line Comments: included in base model line 4.1.1**Extended Description:**

4.1.13 Passenger side entry door with 15 by 30-inch window

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
14	Four (4) floor "D" rings at the rear	1.00000	EA	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #
25101939			

Commodity Line Comments: included in base model line 4.1.1

Extended Description:

4.1.14 Four (4) floor "D" rings at the rear

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
15	One (1) exterior GFI outlet with cover box	1.00000	EA	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #
25101939			

Commodity Line Comments: included in base model line 4.1.1**Extended Description:**

4.1.15 One (1) exterior GFI outlet with cover box

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
16	Rubber coin plate on floor, ramp and flap	1.00000	EA	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #
25101939			

Commodity Line Comments: included in base model line 4.1.1**Extended Description:**

4.1.16 Rubber coin plate on floor, ramp and flap

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
17	Separating wall the width of the unit with a latching pocket	1.00000	EA	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #
25101939			

Commodity Line Comments: included in base model line 4.1.1
separating wall with hinged door**Extended Description:**

4.1.17 One (1) separating wall the width of the unit with a latching pocket door (10 feet from the front of the unit)

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
18	Wall mounted folding (murphy style) locking beds	2.00000	EA	1244.000000	2488.00

Comm Code	Manufacturer	Specification	Model #
25101939			

Commodity Line Comments:**Extended Description:**

4.1.18 Two (2) wall mounted folding (murphy style) locking beds on each side of the rear compartment

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
19	50 Amp motor base plug	1.00000	EA	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #
25101939			

Commodity Line Comments: included in base model line 4.1.1

Extended Description:

4.1.19 50 Amp motor base plug

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
20	50 Amp panel box	1.00000	EA	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #
25101939			

Commodity Line Comments: included in base model line 4.1.1

Extended Description:

4.1.20 50 Amp panel box

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
21	25-foot lifeline	1.00000	EA	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #
25101939			

Commodity Line Comments: included in base model line 4.1.1

Extended Description:

4.1.21 25-foot lifeline

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
22	Four (4), 12-volt ceiling lights	1.00000	EA	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #
25101939			

Commodity Line Comments: included in base model line 4.1.1

Extended Description:

4.1.22 Four (4), 12-volt ceiling lights

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
23	MC cable	1.00000	EA	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #
25101939			

Commodity Line Comments: included in base model line 4.1.1

Extended Description:

4.1.23 MC cable

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
24	24 group battery with solar panel	1.00000	EA	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #
25101939			

Commodity Line Comments: included in base model line 4.1.1
Heavy Duty Gel Batteries (2) with Advanced Solar Charging System

Extended Description:

4.1.24 24 group battery with solar panel

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
25	Four (4), 12-volt exterior flood lights	1.00000	EA	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #
25101939			

Commodity Line Comments: included in base model line 4.1.1

Extended Description:

4.1.25 Four (4), 12-volt exterior flood lights

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
26	Eight (8) interior 110-volt outlets	1.00000	EA	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #
25101939			

Commodity Line Comments: included in base model line 4.1.1

Extended Description:

4.1.26 Eight (8) interior 110-volt outlets

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
27	15,000 BTU Air Conditioner with heat	1.00000	EA	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #
25101939			

Commodity Line Comments: included in base model line 4.1.1
HVAC includes: Two 15,000 BTU A/C units - one front and one rear, and two infrared heating units - one front and one rear

Extended Description:

4.1.27 15,000 BTU Air Conditioner with heat (centered to serve both compartments)

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
28	One (1) 39-inch TV front compartment (center mount)	1.00000	EA	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #
25101939			

Commodity Line Comments: included in base model line 4.1.1

Extended Description:

4.1.28 One (1) 39-inch TV front compartment (center mount)

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
29	One (1) 42-inch TV rear compartment (drivers side mount)	1.00000	EA	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #
25101939			

Commodity Line Comments: included in base model line 4.1.1

Extended Description:

4.1.29 One (1) 42-inch TV rear compartment (drivers side mount)

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
30	Base cabinets	1.00000	EA	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #
30161801			

Commodity Line Comments: included in base model line 4.1.1

Workstations and cabinets are custom built to meet the needs of the department. Workstations shown in drawings as desk height with seating but can be built as standing workstations (no additional cost). Cabinet material is FRP and workstation top is stainless steel.

Extended Description:

4.1.30 Base cabinets (drawer over door), L shaped along the front and drivers' side in the front compartment width plus 5 feet to the rear (countertop in middle for desk)

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
31	Upper cabinets to match (4.1.28) with center cutaway for TV	1.00000	EA	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #
25101939			

Commodity Line Comments: included in base model line 4.1.1

Workstations and cabinets are custom built to meet the needs of the department. Workstations shown in drawings as desk height with seating but can be built as standing workstations (no additional cost). Cabinet material is FRP and workstation top is stainless steel.

Extended Description:

4.1.31 Upper cabinets to match (4.1.28) with center cutaway for TV

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
32	6-foot closet in the rear compartment (passenger side)	1.00000	EA	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #
25101939			

Commodity Line Comments: included in base model line 4.1.1

Workstations and cabinets are custom built to meet the needs of the department. Workstations shown in drawings as desk height with seating but can be built as standing workstations (no additional cost). Cabinet material is FRP and workstation top is stainless steel.

Extended Description:

4.1.32 One (1) 6-foot closet in the rear compartment (passenger side)

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
33	Installed microwave oven	1.00000	EA	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #
52141502			

Commodity Line Comments: included in base model line 4.1.1
rehab/beverage station - includes refrigerator, microwave and coffee maker.

Extended Description:

4.1.33 One (1) installed microwave oven

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
34	Electric tongue jack with battery	1.00000	EA	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #
25101939			

Commodity Line Comments: included in base model line 4.1.1

Extended Description:

4.1.34 One (1) electric tongue jack with battery

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
35	Radio with 4 speakers covering 2 zones	1.00000	EA	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #
25101939			

Commodity Line Comments: included in base model line 4.1.1

Extended Description:

4.1.35 One (1) radio with 4 speakers covering 2 zones (stream music, USB and CD)

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
36	Generator	1.00000	EA	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #
26111600			

Commodity Line Comments: 10KW dual fuel generator with remote start. Housed in exclusive generator garage at rear of unit for easy roll off access and use.

Extended Description:

4.1.36 One (1) generator, mounted, at least 9,500 watts, super quiet inverter with Carbon Monoxide secure technology

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
37	Shipping and Delivery Fee	1.00000	EA	6453.120000	6453.12

Comm Code	Manufacturer	Specification	Model #
78121603			

Commodity Line Comments: transport prep, training and delivery

Extended Description:

4.1.37 Delivery of completed item to: WVDHHR Materials Management, 160 Jacobson Drive, Dock 11, Poca, WV 25159



JHB Group, Inc.
8545 Pyott Rd.
Lake in the Hills, IL 60156
(657) 667-3473
www.JHBGroup.org

July 8, 2022

RE: CRFQ BPH2200000003 – Command Trailer

Dear Crystal Hustead:

On behalf of JHB Group, Inc., I would like to thank you for the opportunity to provide a bid for the Center for Threat Preparedness Command Trailer. Our firefighter owned and operated, small business was started in 2017 and is based near Chicago, Illinois. We currently hold a GSA schedule contract and a Sourcewell cooperative contract for a variety of products. JHB Group, Inc. is a public safety solutions company, specializing in mobile platforms and specialty apparatus for emergency management, fire, police, health, and military agencies throughout the United States.

What separates JHB Group, Inc. from other companies is its mission to build mobile units from a perspective of first-hand experience and in-the-field knowledge. Our custom-built trailers are loaded with unique and versatile equipment including advanced solar charging, UV light disinfection, chemical resistant walls and ceilings, ADA accessibility and additional specialized features. We are changing the game when it comes to supporting our responders and the communities they assist. Our team welcomes the opportunity to work with the State of West Virginia and provide the best solution for your response needs.

Sincerely,

A handwritten signature in blue ink, appearing to read 'Chris Gantz', is written over a light blue circular stamp.

Christopher Gantz, CEO
JHB Group, Inc.

Recent Trailer Deliveries - Southeast Region

- Osceola, FL (2 units)
- McNairy Co, TN
- Catoosa Co, GA
- Union Co, NC
- Surry Co, NC
- Caldwell Parish, LA
- Lawrence Co, AL
- Orange Co, FL
- Hillsborough Co, FL

WHO WE ARE

Dedicated to public safety and thinking outside the box.

At JHB Group, we break boundaries, challenge tradition, and embrace innovation. We are driven to create simpler, smarter and safer products that are exciting, effective, efficient and inclusive for all.

DEDICATED TO PUBLIC SAFETY SOLUTIONS

JHB Group, Inc. is a team of safety professionals with decades of experience in Fire, EMS, USAR, HazMat and Dive Rescue. We create innovative solutions for fire, police, military and health agencies including specialty vehicles and mixed reality training products.

INNOVATIVE PUBLIC SAFETY SOLUTIONS

JHB Group is best known for our US Patented, Fire Safety Simulator, innovative Health Incident Trailers and the first Incident Command incorporating Health Safety Protocols. Coupled with game-changing mixed reality solutions and proprietary tablet-controlled systems, JHB Group continues to raise the bar and standard for public safety solutions.

ADAPT & OVERCOME

As a firefighter owned and operated company, we embrace challenges and aim to innovate. We strive to support local agencies and their communities with versatile solutions meeting the needs of today and what tomorrow may bring.

HOW TO REACH US

JHB Group, Inc.
8545 Pyott Rd.
Lake in the Hills, IL 60156
Ph: (657) 667-3473

team@jhbgroup.org
www.JHBGroup.org



West Virginia Comparison Spec List

Requested	JHB Meets	JHB Details/Alternative
One (1) 8.5 foot by 24-foot tandem (spread) axle enclosed trailer	X	
Tubular frame	Exceeds	All aluminum framing for lighter weight and easier towing.
7.5-foot interior clearance	X	
7000-pound torsion axles (move back 4-inches, 22 degrees)	See JHB Alternative	5200lb Torsion Tandem Axles
Exterior poly-core .080 aluminum siding, screwless, white	See JHB Alternative	Screwless Exterior - .030 ga. aluminum exterior with enamel finish
Black-out package that includes ATP and all exterior trim	X	
8 lug spider mag wheels each with E-rated 10 ply 235/80/16 radial tires	X	
Two (2), two-way sidewall vents (aluminum)	See JHB Alternative	powered roof vent
Insulated walls and ceiling	X	
Embossed white ceiling and walls (interior)	X	
No-show, heavy-duty beavertail ramp	X	
Heavy duty transition flap	X	
Passenger side entry door with 15 by 30-inch window	X	
Four (4) floor "D" rings at the rear	X	
One (1) exterior GFI outlet with cover box	X	
Rubber coin plate on floor, ramp and flap	X	
One (1) separating wall the width of the unit with a latching pocket door (10 feet from the front of the unit)	See JHB Alternative	One separating wall the width of the unit with hinged door.
Two (2) wall mounted folding (murphy style) locking beds on each side of the rear compartment	X	
50 Amp motor base plug	X	
50 Amp panel box	X	
25-foot lifeline	X	
Four (4), 12-volt ceiling lights	X	
MC cable	X	
24 group battery with solar panel	Exceeds	Heavy Duty Gel Batteries (2) with Advanced Solr Charging System
Four (4), 12-volt exterior flood lights	Exceeds	Ground, Scene and Flood Lighting
Eight (8) interior 110-volt outlets	X	

Requested	JHB Meets	JHB Details/Alternative	
15,000 BTU Air Conditioner with heat (centered to serve both compartments)	Exceeds	HVAC includes: Two 15,000 BTU A/C units - one front and one rear, and two infrared heating units - one front and one rear	
One (1) 39-inch TV front compartment (center mount)	X		
One (1) 42-inch TV rear compartment (drivers side mount)	X		
Base cabinets (drawer over door), L shaped along the front and drivers' side in the front compartment width plus 5 feet to the rear (countertop in middle for desk)	X	Workstations and cabinets are custom built to meet the needs of the department. Workstations shown in drawings as desk height with seating but can be built as standing workstations (no additional cost). Cabinet material is FRP and workstation top is stainless steel.	
Upper cabinets to match (4.1.28) with center cutaway for TV			
One (1) 6-foot closet in the rear compartment (passenger side)			
One (1) installed microwave oven	X		
Electric tongue jack with battery	X		
One (1) radio with 4 speakers covering 2 zones (stream music, USB and CD)	X		
One (1) generator, mounted, at least 9,500 watts, super quiet inverter with Carbon Monoxide secure technology	Exceeds	10KW dual fuel generator with remote start. Housed in exclusive generator garage at rear of unit for easy roll off access and use.	
Delivery of completed item to: WVDHHR Materials Management, 160 Jacobson Drive, Dock 11, Poca, WV 25159	X		
Additional JHB Standard Features - Included in Bid Quote			
Advanced Solar Charging with High Capacity Inverter/Charger/Transfer Switch			
UV Light Disinfecting System			
CCTV Cameras (4)			
Communications Prerp Package			
Power Awning (2)			
XO Ratchet Jack			
Removable Work Tables			
Spare Tire			
Heavy Duty Bogie Wheels			
Beverage/Rehab Station with Fridge, Microwave and Coffee Maker			
4-way Lug Wrench			
Mechanics Tool Set			
Smoke Alarm (2)			
5lb ABC Fire Extinguisher			

JHB Optional Features - Not Included in Bid Quote	
Item	Price
Tablet Control	\$ 10,211.25
Telescoping Mast with PTZ Camera	\$ 23,367.00
Thermal IP Camera Upgrade	\$ 7,424.00
Radio Package	\$ 4,185.40
Custom Graphics Package (full wrap)	\$ 7,879.00
Custom Graphics Package (partial wrap)	\$ 4,632.00
Exterior TV	\$ 1,898.00
Exterior Decon Shower	\$ 4,600.00
Networking Package	\$ 4,401.89
Bathroom	\$ 6,367.00
Handwashing Stations	\$ 3,333.00



*Shown with optional telescoping mast and additional awning

PUBLIC SAFETY PLATFORM: INCIDENT COMMAND WITH HEALTH SAFETY PROTOCOLS MODEL: HAT-PSP-TL + HAT-PS-CMD

SPECIFICATIONS

Dimensions:

- 27' Overall Body Length
- 8.5' Overall Width
- 7' Interior Height
- 10' 3" Overall Height
- 10,400lbs GVWR

Trailer Features:

- 2000lb Electric Tongue Jack
- XO Ratchet Trailer Jack
- 5200lb Torsion Tandem Axles w/ Electric Brakes
- A-Frame Hitch w/ 2 5/16" Coupler Chains
- 7-Way Plug with Breakaway Kit
- ST205 15" Tires
- Powered Roof Vent
- Rooftop Air Conditioner (2)
- Infrared Heater (2)
- 16' Power Awning (Optional 2nd Awning)
- Power Rear Stabilizer Jack
- Pull-Out Step at Side Entry with Gripped Surface
- 8ft Full Width Ramp with 36" Extension
- LED Ground, Scene and Flood Lights
- Advanced Solar Charging System
- High Capacity Inverter/Charger
- CCTV Camera System
- LED Smart TV (2)

Construction Details:

- All Aluminum Framing
- 3/4" Plywood Sub-floors
- 3/8" Plywood Interior Walls with FRP
- 32" Exterior Side Door
- 32" Interior Dividing Door
- .030ga Aluminum Exterior with Enamel Finish
- Screwless Exterior
- 24" ATP Stoneguard

INCIDENT COMMAND PACKAGE

- Fully Customizable
- ADA Accessibility
- Beverage/Rehab Station with Fridge, Microwave and Coffee Maker
- Rooftop Air Conditioners & Infrared Heating
- Generator Garage with Dual Fuel Generator
- CCTV Camera System
- Advanced Solar Charging System
- FM Transmitter
- Hand Sanitizer Dispensers (2)

HEALTH SAFETY FEATURES

- Clean | Dirty Zones
- Hand Washing Stations (2) and Easy Clean Workstations (3)
- Easy Clean, Walls, Floor and Ceiling
- PPE Storage
- Pass Thru Windows (2)
- UV Light Disinfecting System

AVAILABLE OPTIONS

- Advanced Tablet Control System
- Networking and Communications Package
- Telescoping Mast with PTZ Camera



PUBLIC SAFETY PLATFORM: INCIDENT COMMAND

WITH HEALTH SAFETY PROTOCOLS

MODEL: HAT-PSP-TL + HAT-PS-CMND



Notes & Warranty

- **ADA:** The trailer is to be accessible to people for clearance, walk through and T-turn-around space. The trailer provides low incline access and a full-width 8ft ramp to allow easy access for multiple wheelchairs during an event.
- **Safety:** The health and safety of the operator and visitors will be a primary feature designed into this unit. Mandatory brake lights, taillights, backup lights and clearance shall be installed. These lights are LED 12-volt trailer lighting. All necessary DOT lighting will be provided and will be 12-volt and LED in nature. A set of 12-volt safety lights shall be located at any entrance to provide safety lighting when entering and exiting the structure. A 12-volt disconnect switch shall be installed. When switched to the "off" position, this will stop all 12-volt power to the unit and will eliminate the accidental draining of the battery.
- **Training:** The manufacturer will provide four (4) hours of virtual training necessary to prepare members to operate any and all systems associated with the trailer.
- **Manuals:** Manufacturer will supply digital copies of a manual and program guide.
- **Delivery:** Estimated delivery is within 180 days.
- **Warranty:** JHB Group, Inc. warrants its products against manufacturing defects for one (1) year to the original purchaser (registered owner), whose name appears on the invoice, provided that the purchase was made through JHB Group, Inc. This factory warranty is non-transferable and may not be extended whatsoever by any of our representatives. All warranties shall be effective from the date of final acceptance by the Purchaser.
- **Assembly and use** must be done in accordance with the instructions included with the product and all local and national fire codes.
- This Limited Warranty does not cover any damage caused by misuse, lack of maintenance, hostile environments, accidents, alterations, abuse or neglect. Parts installed by other manufacturers will nullify the warranty. This Limited Warranty does not cover scratches, dents, corrosion, or discoloring by chemicals, sun or heat. In the first year only, this warranty extends to the repair or replacement of warranted parts which are defective in material or workmanship provided that the product has been operated in accordance with the operation instructions and under normal conditions.
- After the first year, unless an extended warranty has been offered, JHB Group, Inc. will not be responsible for replacement part expense, installation, labor or any other costs or expenses related to the re-installation of a replacement part, and such expenses are not covered by this warranty.
- Notwithstanding any provisions contained in this Limited Warranty, JHB Group, Inc.'s responsibility under this warranty is defined as above and it shall not in any event extend to any incidental, consequential or indirect damages. This limited warranty does not cover damages resulting from the use of components not supplied with the unit, or the use of material other than that specified. Any damages due to weather, long periods of dampness, condensation, damaging chemicals or cleaners will not be the responsibility of JHB Group, Inc. The bill of sale or copy will be required together with a serial number, model number and VIN when making any warranty claims from JHB Group, Inc.
- JHB Group, Inc. reserves the right to have its representative inspect any product or part thereof prior to honoring any warranty claim. JHB Group, Inc. or its representatives shall not be liable for ANY transportation charges, labor charges or duties.

ELECTRICAL & PARTS

Electrical:

- 12kw Dual Fuel Generator
- 110v Shoreline Connector
- Heavy Duty Gel Batteries (2)
- Advanced Solar Charging System
- High Capacity Inverter/Charger
- Compartment Vent System
- LED Dome Lights (3)
- 12v Master Power Switch
- 50amp Electrical Panel
- 110v Electrical Outlets (6)
- Weatherproof Exterior Outlets (2)
- Network Jacks
- 25' Power Cable

Parts & Safety Equipment


- 5lb ABC Fire Extinguisher
- 4-Way Lug Wrench
- Mechanics Tool Set
- Spare Tire
- Smoke Alarm (2)



PUBLIC SAFETY PLATFORM: INCIDENT COMMAND

DRAWINGS

WITH HEALTH SAFETY PROTOCOLS
MODEL: HAT-PSP-TL + HAT-PS-CMD




PUBLIC SAFETY PLATFORM: INCIDENT COMMAND WITH HEALTH SAFETY PROTOCOLS MODEL: HAT-PSP-TL + HAT-PS-CMND

DRAWINGS



PUBLIC SAFETY PLATFORM: INCIDENT COMMAND WITH HEALTH SAFETY PROTOCOLS MODEL: HAT-PSP-TL + HAT-PS-CMND

DRAWINGS



INCIDENT COMMAND TRAILERS

UNMATCHED VERSATILITY AND INNOVATION

We break boundaries, challenge tradition, and embrace innovation to improve public safety.


THE JHB GROUP
DIFFERENCE

-  ALL ALUMINUM
-  ADA ACCESSIBILITY
-  EASY TOWING
-  TABLET CONTROL
-  SOLAR CHARGING
-  1 PERSON SETUP
-  HEALTH SAFETY PROTOCOLS



A Mobile Platform That Does it All

JHB Group, Inc. has created a mobile platform to provide support to your community for the current and future needs of public safety. In response to the Covid19 health crises, the needs for incident command are changing. Our crew of firefighters and hazmat specialists have created the most versatile incident command platform with health safety protocols.



Modern Safety Protocols

UV light disinfecting, chemical resistant surfaces, security cameras, hand washing and more.



Fully Customizable

Every unit is fully customized to meet the needs of your community including size, color, layout, special features and equipment.



Unmatched Versatility

A platform for evolving public safety needs including law enforcement, fire rescue, public health, disaster response, communications and more!



FIREFIGHTER OWNED
AND OPERATED
WWW.JHBGROUP.ORG



CALL US
(657)667-3473



Contract Holder
47QSWAZ00001

INCIDENT COMMAND TRAILERS

FEATURES & HIGHLIGHTS

Real World Innovation for Public Safety Agencies

Our crew of firefighters have designed specialized units that merge innovation, inclusion and incident command capabilities for a variety of potential uses.



1 Person Set-up and Operation

Designed with the operator in mind, the trailer includes an XO ratchet jack set up, optional tablet control system, and security cameras for exterior monitoring.



Easy Towing

The shorter length, lighter weight, all-aluminum construction makes for easy towing.



Advanced Solar Charging System

On-board solar charging system, so you're never without power.



ADA Accessible

Easy wheelchair access with low profile rear ramp, two foot extension, torsion axles and zero thresholds.



Fully Customizable Interior

Electronics, windows, shelves, cabinetry, sinks, counters, and heating/AC, designed to meet your needs.



Tablet Control

Control lighting, operate awnings and monitor cameras remotely with the use of an iPad.




Easy Clean Surfaces

Durable and chemical resistant surfaces that are easy to clean and resist scratches.



Agency Branding

Our team will create graphics unique to your agency and brand.



UV Light System

Experience a higher level of health protection with the UV light disinfecting system.



FIREFIGHTER OWNED
AND OPERATED
WWW.JHBGROUP.ORG



CALL US
(657)667-3473



Contract Holder
47QSWA20D000N

JHB Group, Inc.

8545 Pyott Rd
 Lake In The Hills, IL 60156
 US
 team@jhbgroup.org
 www.JHBGroup.org

**Estimate**

ADDRESS	SHIP TO	ESTIMATE	1412
WEST VIRGINIA DEPARTMENT OF HEALTH AND HUMAN RESOURCES (WVDHHR)	WEST VIRGINIA DEPARTMENT OF HEALTH AND HUMAN RESOURCES (WVDHHR)	DATE	07/08/2022
505 CAPITOL ST	505 CAPITOL ST	EXPIRATION DATE	09/09/2022
CHARLESTON, WV 25301	CHARLESTON, WV 25301		

DATE	DESCRIPTION	QTY	RATE	AMOUNT
	Public Safety Platform 27FT	1	65,996.60	65,996.60
	PSP-TL 27'x8.5'x10'5" V-Nose. All Aluminum. 5200# Torsion Axles. Screw-less Exterior. Easy Clean Walls. Solar Charging System. 2000# Electric Tongue Jack. XO Ratchet Jack. Aluminum Rear Ramp with 36in Aluminum Extension. 36in Side Door with Deadbolt, Door step and Grab Handle. Power Rear Stabilizer. LED DOT Lighting. 12 Volt LED Interior Lights with Master Switch. LED Scene Lights(2). LED Ground Lights(4). LED Flood Lights(2). Premium Radial Tires with Aluminum Wheels. Swivel Rear Skid Casters. Electric Brakes. D.O.T Rated Safety Chains with HD Clasps. Safety Breakaway System. 3M High Grade Silicone and 3M Adhesion Tape. 1 Year Limited Warranty. 5 Year Aluminum Frame Warranty. Requires HAT-PS-XXX Configuration.			
	Incident Command Package	1	39,529.76	39,529.76
	UV Disinfectant Light System. 4 Camera CCTV System. (2) Smart LED TVs. Rehab/Beverage Station with Microwave, Keurig Coffee Maker and Mini Fridge. Under Cabinet Storage. Easy Clean Walls. Stainless Steel Work Stations. 2 Clocks, Touchpad Control. Power Awning. 50amp Electrical Panel. Network Jacks. Shore Power Outlets. Solar Powered Work Station Outlets. Generator Garage.			
	Removable Rehab/Command Workstation	4	0.00	0.00
	Custom Fabrication	2	1,244.00	2,488.00
	Command bench with fold up bed and storage			
	Interior Beverage Cabinet	1	0.00	0.00
	Fridge, Microwave, Keurig Coffee			

	Maker and Storage.			
UV Disinfectant Light Package	(3) 12v UV Disinfectant Lights. Timed System. (2) Motion Safety Sensors. (2) Door Safety Sensors. Included with HAT-PSP-TL	1	0.00	0.00
ADA Accessibility	Included with HAT-PSP-TL	1	0.00	0.00
Rooftop Air Conditioner Unit	HAT-HVAC: Rooftop Air Conditioner Unit.	2	0.00	0.00
10,000Kw Dual-Fuel Generator	Included with HAT-PSP-TL	1	0.00	0.00
Safety Equipment	-5lb ABC Fire Extinguisher -4-Way Lug Wrench -Mechanics Tool Set -Spare Tire -Smoke Alarm -CO Detector	1	0.00	0.00
Pass thru Window	15x30 Pass Thru Window	3	0.00	0.00
2nd Awning		1	2,661.00	2,661.00
Communication Prep Package	(2) NMO Style Antenna Mounts with RG59 / AU Cable. Unterminated. • AntennaPlus AP-MP70-B Cellular GPS Antenna • Power & Ground Prewiring: (2) 20amp 12v Circuits. 1 Forward, 1 Rear.	1	1,840.00	1,840.00
Custom Fabrication	Black out package.	1	1,355.00	1,355.00
Transport Prep & On-Site Training		1	1,250.00	1,250.00

180 Days ARO. Tax Not Included.

SUBTOTAL	115,120.36
SHIPPING	5,203.12
TOTAL	\$120,323.48

Accepted By

Accepted Date

ADDENDUM ACKNOWLEDGEMENT FORM
SOLICITATION NO.: BPH2200000003

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

Addendum Numbers Received:


(Check the box next to each addendum received)

- | | |
|--|--|
| <input checked="" type="checkbox"/> Addendum No. 1 | <input type="checkbox"/> Addendum No. 6 |
| <input type="checkbox"/> Addendum No. 2 | <input type="checkbox"/> Addendum No. 7 |
| <input type="checkbox"/> Addendum No. 3 | <input type="checkbox"/> Addendum No. 8 |
| <input type="checkbox"/> Addendum No. 4 | <input type="checkbox"/> Addendum No. 9 |
| <input type="checkbox"/> Addendum No. 5 | <input type="checkbox"/> Addendum No. 10 |

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

JHB Group, Inc.

Company



Authorized Signature

7/11/22

Date

NOTE: This addendum acknowledgment should be submitted with the bid to expedite document processing.
Revised 6/8/2012