



2019 Washington Street, East Charleston, WV 25305 Telephone: 304-558-2306 General Fax: 304-558-6026

Bid Fax: 304-558-3970

The following documentation is an electronically-submitted vendor response to an advertised solicitation from the *West Virginia Purchasing Bulletin* within the Vendor Self-Service portal at *wvOASIS.gov*. As part of the State of West Virginia's procurement process, and to maintain the transparency of the bid-opening process, this documentation submitted online is publicly posted by the West Virginia Purchasing Division at *WVPurchasing.gov* with any other vendor responses to this solicitation submitted to the Purchasing Division in hard copy format.





State of West Virginia Solicitation Response

Proc Folder: 1396341

Solicitation Description: EIGHT (8) 75 GALLON L-TYPE UTV FIRE SUPPRESSION SKID UNITS

Proc Type: Central Purchase Order

 Solicitation Closes
 Solicitation Response
 Version

 2024-04-05 13:30
 SR 0305 ESR04032400000005753
 1

VENDOR

000000113981 Ty Parker & Son Inc

Solicitation Number: CRFQ 0305 FOR2400000010

Total Bid: 78480 **Response Date:** 2024-04-03 **Response Time:** 10:42:47

Comments:

FOR INFORMATION CONTACT THE BUYER

Brandon L Barr 304-558-2652 brandon.l.barr@wv.gov

Vendor Signature X

DATE

All offers subject to all terms and conditions contained in this solicitation

 Date Printed:
 Apr 9, 2024
 Page: 1
 FORM ID: WV-PRC-SR-001 2020/05

FEIN#

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
1	EIGHT (8) 75 GALLON L-TYPE UTV FIRE SUPPRESSION SKID UNITS	8.00000	EA	9810.000000	78480.00

Comm Code	Manufacturer	Specification	Model #	
46191600				

Commodity Line Comments: We meet and/or exceed the published specifications

Extended Description:

EIGHT (8) 75 GALLON L-TYPE UTV FIRE SUPPRESSION SKID UNITS

 Date Printed:
 Apr 9, 2024
 Page: 2
 FORM ID: WV-PRC-SR-001 2020/05



Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

State of West Virginia Centralized Request for Quote Equipment

Proc Folder:	1396341		Reason for Modification:
Doc Descriptio	on: EIGHT (8) 75 GALLON I	-TYPE UTV FIRE SUPPRESSION SKID UNITS	Addendum No. 1
Proc Type:	Central Purchase Order		
Date Issued	Solicitation Closes	Solicitation No	Version
2024-04-03	2024-04-05 13:30	CRFQ 0305 FOR2400000010	2

BID RECEIVING LOCATION

BID CLERK

DEPARTMENT OF ADMINISTRATION

PURCHASING DIVISION 2019 WASHINGTON ST E

CHARLESTON WV 25305

US

VENDOR

Vendor Customer Code: 0000001/3981

Vendor Name: Ty Pauker + Son, Inc. dba Wildland Warehouse.

Address: PO Box 425

Street: 50 Mott Rd.

City: Plairstown

State: USA Zip: 07825

Principal Contact:

Vendor Contact Phone: Extension:

FOR INFORMATION CONTACT THE BUYER

Brandon L Barr 304-558-2652

brandon.l.barr@wv.gov

Vendor

All offers subject to all terms and conditions contained in this solicitation

Date Printed: Apr 3, 2024

Page: 1

FORM ID: WV-PRC-CRFQ-002 2020/05

ADDITIONAL INFORMATION

Addendum No. 1 - issued to move the bid opening from 04/03/2024 to 04/05/2024. The bid opening time remains at 1:30 pm.

No other changes.

INVOICE TO		SHIP TO	
FORESTRY DIVISION OF		FORESTRY DIVISION OF	
7 PLAYERS CLUB DRIVE		1ST FLOOR	
DIVISION OF FORESTRY		7 PLAYERS CLUB DR	
CHARLESTON	WV	CHARLESTON WV	
US		US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
1	EIGHT (8) 75 GALLON L-TYPE UTV FIRE SUPPRESSION SKID UNITS	8.00000	EA ¶9	.810.00	#78,480 co

Comm Code	Manufacturer	Specification	Model #
46191600	0 10- W MP W	Pu Published	75 gallon
	Wildland Wavehouse	Specifications	L-Type Skid

Extended Description:

EIGHT (8) 75 GALLON L-TYPE UTV FIRE SUPPRESSION SKID UNITS

SCHEDULE OF EVENTS

Line	<u>Event</u>	Event Date
1	Questions due by 3/27/2024 at 10:00am ET	2024-03-27

ADDENDUM ACKNOWLEDGEMENT FORM SOLICITATION NO.: CRFQ FOR2400000010

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

Addendum Numbers Received:

(Check the box next to each addendum received)

		Addendum No. 1	[]	Addendum No. 6
[]	Addendum No. 2	[]	Addendum No. 7
[]	Addendum No. 3	[]	Addendum No. 8
[]	Addendum No. 4]]	Addendum No. 9
[}	Addendum No. 5	[]	Addendum No. 10

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

Authorized Signature

43 24


Date

NOTE: This addendum acknowledgement should be submitted with the bid to expedite document processing.



Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

State of West Virginia **Centralized Request for Quote Equipment**



Doc Description: EIGHT (8) 75 GALLON L-TYPE UTV FIRE SUPPRESSION SKID UNITS	
Proc Type: Central Purchase Order	
Date Issued Solicitation Closes Solicitation No	ersion
2024-03-18 2024-04-03 13:30 CRFQ 0305 FOR2400000010 1	

BID RECEIVING LOCATION

BID CLERK

DEPARTMENT OF ADMINISTRATION

PURCHASING DIVISION

2019 WASHINGTON ST E

CHARLESTON

WV 25305

US

V	F	N	ח	O	R
v	_	N	_	v	

Vendor Customer Code: 600000 [1398]

Vendor Name: Ty Parker + Son, Inc. dba Wildland Warehouse

Address: Po Box 425 Street: 50 mott Rd.

city: Blairstown

Country: USA Zip: 07825 State: N.J.

Principal Contact: Tu Parker

Vendor Contact Phone: 908-362-5366 Extension:

FOR INFORMATION CONTACT THE BUYER

Brandon L Barr 304-558-2652

brandon.l.barr@wv.gov

Vendor

FEIN# 02-0649063 DATE 4/1/24 Signature X

All offers subject to all terms and conditions contained in this solicitation

Date Printed: / Mar 18, 2024

Page: 1

FORM ID: WV-PRC-CRFQ-002 2020/05

ADDITIONAL INFORMATION

The West Virginia Purchasing Division for the Agency, The WV Division of Forestry is soliciting bids from qualified vendors to establish a contract for the one-time purchase of EIGHT (8) 75 GALLON L-TYPE UTV FIRE SUPPRESSION SKID UNITS as described per the Specifications, Terms & Conditions, and bid requirements as attached.

INVOICE TO		SHIP TO	
FORESTRY DIVISION O	F	FORESTRY DIVISION OF	
7 PLAYERS CLUB DRIV	E	1ST FLOOR	
DIVISION OF FORESTR	Υ	7 PLAYERS CLUB DR	
CHARLESTON	WV	CHARLESTON WV	
US		US	

Line	Comm Ln Desc	Qty	Unit Iss	ue	Unit Price	Total Price
1	EIGHT (8) 75 GALLON L-TYPE UTV FIRE SUPPRESSION SKID UNITS	8.00000	EA	#9	810.00	#78,480.00

Comm Code	Manufacturer	Specification	Model #	
46191600	Wildland Warehouse	Per published	75 gallon	

Extended Description:

EIGHT (8) 75 GALLON L-TYPE UTV FIRE SUPPRESSION SKID UNITS

SCHEDULE OF EVENTS

Line	Event	Event Date	
1	Questions due by 3/27/2024 at 10:00am ET	2024-03-27	

DESIGNATED CONTACT: Vendor appoints the individual identified in this Section as the

CERTIFICATION AND SIGNATURE: By signing below, or submitting documentation through wvOASIS, I certify that: I have reviewed this Solicitation/Contract in its entirety; that I understand the requirements, terms and conditions, and other information contained herein; that this bid, offer or proposal constitutes an offer to the State that cannot be unilaterally withdrawn; that the product or service proposed meets the mandatory requirements contained in the Solicitation/Contract for that product or service, unless otherwise stated herein; that the Vendor accepts the terms and conditions contained in the Solicitation, unless otherwise stated herein; that I am submitting this bid, offer or proposal for review and consideration; that this bid or offer was made without prior understanding, agreement, or connection with any entity submitting a bid or offer for the same material, supplies, equipment or services; that this bid or offer is in all respects fair and without collusion or fraud; that this Contract is accepted or entered into without any prior understanding, agreement, or connection to any other entity that could be considered a violation of law; that I am authorized by the Vendor to execute and submit this bid, offer, or proposal, or any documents related thereto on Vendor's behalf; that I am authorized to bind the vendor in a contractual relationship; and that to the best of my knowledge, the vendor has properly registered with any State agency that may require registration.

By signing below, I further certify that I understand this Contract is subject to the provisions of West Virginia Code § 5A-3-62, which automatically voids certain contract clauses that violate State law; and that pursuant to W. Va. Code 5A-3-63, the entity entering into this contract is prohibited from engaging in a boycott against Israel.

Ty Parkey Son, Inc. aba Wildland Wave house

(Signature of Authorized Representative)

Ty Parker, President, 4/1/24

(Printed Name and Title of Authorized Representative) (Date)

908-362-5366 Fax 908-362-6236

(Phone Number) (Fax Number)

skidsalis@wildlandwarehouse.com

(Email Address)

www.WildlandWarehouse.com P.O. Box 425 • Blairstown, NJ 07825 1-866-Wildland • Fax 908-362-6236

Quote # 24-033

April 2, 2024

Brandon Barr WV Dept of Administration Purchasing Division 304-558-2652

SOLICITATION #CRFQ 0305 FOR2400000010

Quotation

Specifications for our L-Type Standard 75 gallon UTV Fire Suppression Skid Unit "L" Shaped Low Profile Tank

A - Tank

75 Gallon capacity polypropylene water tank skid unit. The Tank shall be constructed of $\frac{1}{2}$ " black, textured, UV resistant polypropylene material with a $\frac{1}{2}$ " thick tank floor and pump platform. It shall be baffled with minimum 3/8" transverse and longitudinal baffles to meet NFPA standards Made in the USA. The tank shall be approximately 34" Long x 47" Wide x 21" High The entire skid unit, including the hose reel, shall be approximately 34" Long x 47" Wide x 41" High The tank, at a minimum shall include the following:

- 1) White plastic <u>sight gauge</u> located on the driver side rear.
- 2) Lo-profile 5" minimum diameter tank fill/vent.
- 3) The driver's side tank top shall have an additional 3/4" thick polypropylene mounting plate.
- 4) 1" diameter FNPT fill port
- 5) 1 ½" diameter FNPT <u>Tank Suction</u> shall be internally plumbed to the dead center of the tank and then elbowed down to provide for maximum water usage at any slope off road.
- 6) 2" Diameter FNPT drain
- 7) Front and rear mounting tabs

This 'L' shaped tank design provides for the best of both worlds. It keeps the center of gravity down low, such an important issue on an UTV that operates off-road yet allows the <u>pump cavity to be naturally flooded with water so priming is not required.</u>

B - Pump Mounting

The Wick water pump shall be mounted on the passenger-side rear tank platform in such a way that it <u>deflects the engine noise away from the operator of the UTV</u> and is <u>quickly removable</u> using only a spanner wrench, for optimal use as a portable pump in remote draft sites.

C - Pump

Wick 100-4HM: Single stage pressure pump powered by a 2 Hp Honda.

Max Weight: 17 lbs.

1) Engine: 2 HP, 4 Stroke, Air-cooled.

Recoil start. <u>Honda</u> Integral Fuel tank

2) Pump: Single Stage, High-Pressure driven via a <u>centrifugal clutch</u> (so powerhead may be left at idle without pumping water, or losing draft)

1 1/2" NPSH Suction, 1 1/2" NPSH Discharge

Max PSI: 92, Max GPM: 70

3) Primer – A hand primer shall be supplied and mounted

D - Hose Reel

A manual rewind, <u>lightweight</u>, <u>rust-free</u>, <u>stainless steel/nylon</u> with a 4-sided roller assembly hose reel shall be supplied and mounted on top of the tank, <u>directly behind the driver so as not to impede visibility</u>. It shall have the capacity to hold a minimum of <u>100ft of ¾ in. reel hose</u> with a ¾ in. GHT male riser.

E -Hose/Nozzle

100 Ft. of $\frac{34}{4}$ in. diameter <u>lightweight</u> (only 18lbs per 100 ft.) Reel Hose in yellow with a <u>400psi minimum</u> working pressure, shall be supplied and installed. The couplings shall be <u>field repairable couplings</u> for quick repair in $\frac{34}{4}$ in. GHT, 1 in. NH or 1 in. NPSH thread complete with a nozzle.

(Please circle preference – ¾ in. GHT recommended.)

F-Plumbing

All valves to be full port ¼ turn brass ball valves, made in the USA, rated at 600 PSI. All plumbing to be **stainless steel** and rated at 150 PSI minimum (overbuilt by a minimum of a 50% safety factor).

The pump shall be pre-plumbed as follows on the **suction** side:

- 1) 1 ½" ¼ turn brass ball valved leg into the tank draft port
- 2) 1 ½" Diameter T
- 3) A clear (to allow visibility of water) pvc suction hose with swivel coupling shall connect the pump to eliminate vibration and allow <u>operator to view water flow</u>.
- 4) 1 ½" leg extended to the rear of the body to draft with, which shall have and adaptor and a cap w/ chain in 1½" NPSH.
- 5) 1- 1 ½" female NPSH x 1 ½" female NH swivel adapter shall be provided on mounting plate for direct fills or pumping from a hydrant, engine, etc.

On the <u>discharge</u> side, the pump shall be plumbed, via high pressure hose to eliminate vibration, to only 100% stainless steel piping.. Includes the following valved discharges:

- 1) ___1" Tank fill/circulate (standard)
- 2) 3/4" Hose Reel (standard)
- 3) $\underline{1}$ x 1" Discharge in \underline{NH} or \underline{NPSH} w/ cap and chain (please circle preference)
- 4) 1 x 1 ½" Discharge in NH w/ cap and chain (standard)
- 5) Preset pressure relief valve
- 6) A 160 psi stainless steel **pressure gauge**.

All valves shall be labeled.

G - Accessories

Two (2) Spanner Wrenches, supplied and mounted.

- 1 $\underline{1 \frac{1}{2}}$ NPSH x $\underline{8}$ lightweight Suction Hose
- 1 1½" NPSH plastic Foot Valve/Strainer

H - Hardware

All hardware not limited to bolts, screws, u-bolts, L-brackets, springs, hinges, etc. shall only be <u>stainless</u> <u>steel</u>.

I - Weight

The maximum weight of the entire unit, loaded with water, ready to fight fire shall not exceed the maximum cargo box payload capacity of: 75 gallon units = 1,000 lbs

TYPARKE-01

DROBINSON

ACORD

CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY) 3/5/2024

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED

REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER. IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies

this certificate does not confer rights t	o the o	certifi	icate holder in lieu of su	ich end	orsement(s)	· .			
Phoenix Insurance Group, Inc.			CONTACT Deborah Robinson PHONE (A/C, No, Ext): (908) 879-3581 FAX (A/C, No):						
205 Main Street Chester, NJ 07930						on@phxins.	net (A/C, No):		
.,				ADDRES	TPVIA		YANDAN MARKATA		
				INSURER(S) AFFORDING COVERAGE INSURER A : Arch Insurance Company					NAIC#
INSURED						Surance Co	mpany	_	11150
	61 - I	! \$87		INSURE				_	-
Ty Parker & Sons, Inc T/A W 50 Mott Road	mulan	id wa	renouse	INSURE					1
Blairstown, NJ 07825				INSURE					-
				INSURE					
COVERAGES CER	TIFIC	ΔTE	NUMBER:	INSURE	XF;		REVISION NUMBER:		1
THIS IS TO CERTIFY THAT THE POLICII INDICATED. NOTWITHSTANDING ANY R CERTIFICATE MAY BE ISSUED OR MAY EXCLUSIONS AND CONDITIONS OF SUCH	ES OF EQUIR PERT POLIC	INSUREMENTAIN, CIES. L	JRANCE LISTED BELOW NT. TERM OR CONDITION THE INSURANCE AFFOR	N OF AI	NY CONTRAI THE POLICI EDUCED BY	TO THE INSUF CT OR OTHER IES DESCRIB PAID CLAIMS.	RED NAMED ABOVE FOR T	CT TO	WHICH THIS
NSR LTR TYPE OF INSURANCE	ADDL S	SUBR	POLICY NUMBER		POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMIT	s	
A X COMMERCIAL GENERAL LIABILITY							EACH OCCURRENCE	\$	1,000,000
CLAIMS-MADE X OCCUR		IV	MFPK08582101		8/15/2023	8/15/2024	DAMAGE TO RENTED PREMISES (Ea occurrence)	\$	100,000
							MED EXP (Any one person)	\$	5,000
							PERSONAL & ADV INJURY	\$	1,000,000
GEN'L AGGREGATE LIMIT APPLIES PER:							GENERAL AGGREGATE	\$	2,000,000
POLICY PRO LOC						j	PRODUCTS - COMP/OP AGG	\$	2,000,000
OTHER:								\$	
AUTOMOBILE LIABILITY							COMBINED SINGLE LIMIT (Ea accident)	\$	
ANY AUTO							BODILY INJURY (Per person)	\$	
OWNED SCHEDULED AUTOS							BODILY INJURY (Per accident)	\$	
HIRED AUTOS ONLY AUTOS ONLY							PROPERTY DAMAGE (Per accident)	\$	
								\$	
UMBRELLA LIAB OCCUR							EACH OCCURRENCE	\$	
EXCESS LIAB CLAIMS-MADE							AGGREGATE	\$	
DED RETENTION \$								\$	
WORKERS COMPENSATION AND EMPLOYERS' LIABILITY							PER OTH- STATUTE ER		
ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH)	N/A						E.L. EACH ACCIDENT	\$	
(Mandatory in NH) If yes, describe under							E.L. DISEASE - EA EMPLOYEE	\$	
DESCRIPTION OF OPERATIONS below	\vdash						E.L. DISEASE - POLICY LIMIT	\$	
						10			
DESCRIPTION OF OPERATIONS / LOCATIONS / VEHIC	ces (Ac	CORD	ior, Additional Remarks Schedu	ie, may be	attached if mor	e space is requir	ea)		
CERTIFICATE HOLDER				CANC	ELLATION				
West Virginia Dept of Admin PO Box 50130 Charleston, WV 25305	istrati	ion		ACC	EXPIRATION	N DATE TH TH THE POLIC	ESCRIBED POLICIES BE CA EREOF, NOTICE WILL E Y PROVISIONS.		
ACOPD 25 (2016/03)				5	A VI	· ·			

		_		100111110 - 1		In a transact	
CERTIFICATE OF LI	CE	ISSUING DATE (MM/DD/YYYY)					
		03/05/2024					
HIS CERTIFICATE ISSUED IS FOR INFORMATION							
OOES NOT AMEND, ALTER OR EXTEND COVERA				S CERTIFICATE DO	DES NOT	CONSTITUTE A	
CONTRACT BETWEEN THE CARRIER AFFORDING							
STATEMENT ON THIS CERTIFICATE DOES NOT				THE FOLLOWING	G UNLESS	THE	
APPLICABLE ENDORSEMENTS ARE ATTACHED TO	THE POLICY(IES) LISTED	BEL	OW				
ADDITIONAL INSURED/ALTERNATE EMPLO	ER/WAIVER OF SUI	BROG	SATION/PRIMARY &	NON-CONTRIB	UTORY/N	OTICE OF	
ANCELLATION: THE POLICY(IES) MUST HAVE THE							
NSURED:							
Y PARKER & SONS INC	INSURANCE CAR	INSURANCE CARRIER AFFORDING COVERAG			iE:		
ee Additional Remarks Schedule	GENERAL LIABILIT	ΓV·					
0 MOTT RD	AUTO LIABILITY:		New Jersey Manufact	urore Incuranco (Company	12122	
O BOX 425 LAIRSTOWN, NJ 07825	UMBRELLA LIABII	ITV.	INCW SCISCY WIGHTING	urers msurance c	company	12122	
EARTOWN, NJ 07825	WORKERS COMP		New Jersey Manufact	urore Incurance (core Ingurence Commence		
HIS IS TO CERTIFY THAT THE POLICIES OF INSUR						12122	
OLICY PERIOD INDICATED. NOTWITHSTANDIN							
VITH RESPECT TO WHICH THIS CERTIFICATE M							
HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUS							
AID CLAIMS.	IONS AND CONDITIONS	OF 3	SOCH POLICIES. LIIVITS	SHOWN WAY H	AVE BEE	N KEDOCED BA	
AID CLAIIVIS.		_					
TYPE OF INCLIPANCE	DOLLOV NUMBER		POLICY PERIOD	- I			
TYPE OF INSURANCE	POLICY NUMBER		(MM/DD/YYYY) -	LIMITS	OF INSUF	RANCE	
COMMERCIAL CENERAL HARMEN		-	(MM/DD/YYYY)				
COMMERCIAL GENERAL LIABILITY				EACH OCCURRENCE		\$	
OCCURRENCE				DAMAGE TO RENTE		\$	
GENERAL AGGREGATE LIMIT APPLIES:		1		PREMISES (Each Occ		<u> </u>	
POLICY				MED EXP (Any One PERSONAL & ADV II		\$	
PROJECT LOCATION		1		GENERAL AGGREGA		Ś	
				PRODS - COMP/OPS		\$	
AUTOMOBILE LIABILITY	C2616878	22/20	2/2024 02/20/2025	COMBINED SINGLE	LIMIT	\$ 1,000,000	
¬	C2616878 CAGM	02/20	0/2024 - 02/20/2025	(Each accident)			
ANY AUTO OWNED AUTOS ONLY X HIRED AUTOS ONLY				BODILY INJURY (Per Person)		\$	
X SCHEDULED AUTOS X NON-OWNED AUTOS				BODILY INJURY (Per Accident) PROPERTY DAMAGE		\$	
				(Per accident)		\$	
UMBRELLA LIABILITY				EACH OCCURRENCE		\$	
OCCURRENCE				AGGREGATE		\$	
RETENTION \$ WORKERS COMPENSATION				E L EAGU AGGIRGAN		44.000.000	
AND EMPLOYERS' LIABILITY	W430538	02/13	1/2024 - 02/11/2025	E.L. EACH ACCIDENT E.L. DISEASE-EACH EMPLOYEE		\$1,000,000	
/N ANY PROPRIETOR/PARTNER/EXECUTIVE				E.L. DISEASE-POLICY		\$ 1,000,000	
N OFFICER/MEMBER EXCLUDED?				PER STATUTE		NJ	
= ¥Þ							
EE ATTACHED ADDITIONAL REMARKS SCHE	DULE FOR DESCRIPTION	ON C	F OPERATIONS / LO	CATIONS / VEHI	ICLES		
ERTIFICATE HOLDER				INSURED (IF APPLICABLE)			
Vest Virginia Dept of Administration			ADDL INSURED OR	WAIVER OF		ARY & NON-	
O Box 50130			ALTERNATE EMPLOYER			TRIBUTORY	
harleston, WV 25305			CGL	CGL	CGL		
			AUTO	AUTO	AUTO	D	
	WC (ALT. EMPLYR)	WC WC	N/A WC	NON CONTRIB			
CANCELLATION			UMB	LUMB	I JUMB	NON-CONTRIB	
	1	DIN					
HOULD ANY OF THE ABOVE CAPTIONED POLICI	·	-K	yer	n tedali	1		
Y REQUEST OF THE INSURED OR CARRIER, PRIC		111	. (
PATE, NOTICE WILL BE DELIVERED IN ACCORDAI FERMS, CONDITIONS & PROVISIONS	NCE WITH THE POLICY			,			
ERIVIS, CUMULIUMS & PROVISIONS			AIITU/	ADIZED DEDDECEN	コース・エハノに		

IL PI 001 11 18 Page 1 of 2

		JIAL KLIVIAK	KS SCHEDULE			
INSURED: TY PARKER & SONS INC		INSURANCE CARRIER	AFFORDING COVERAGE:	NAIC#		
60 MOTT RD		CENEDAL HADILITY.				
PO BOX 425		GENERAL LIABILITY:	Name to the state of the state	42422		
SLAIRSTOWN, NJ 07825		AUTO LIABILITY: UMBRELLA LIABILITY:	New Jersey Manufacturers Insurance Company	12122		
		WORKERS COMP:	New Jersey Manufacturers Insurance Company	12122		
SCHEDULE OF NAME	D INSURED(S):	WORKERS COMP.	New sersey intuitable are simplify	12122		
POLICY NUMBER LINE OF BUSINESS		NAMED INSURED				
	Commercial General Liability					
C2616878	Automobile Liability	DOUBLE N PHEASANT	FARM LLC, TY PARKER & SONS INC			
	Umbrella Liability		n .			
W430538	Workers Compensation And Employers' Liability	DOUBLE N PHEASANT	FARM LLC, TY PARKER & SONS INC			
ADDITIONAL REMARKS						
		>				