



The following documentation is an electronically-submitted vendor response to an advertised solicitation from the *West Virginia Purchasing Bulletin* within the Vendor Self-Service portal at ***wvOASIS.gov***. As part of the State of West Virginia's procurement process, and to maintain the transparency of the bid-opening process, this documentation submitted online is publicly posted by the West Virginia Purchasing Division at ***WVPurchasing.gov*** with any other vendor responses to this solicitation submitted to the Purchasing Division in hard copy format.

## Header 3

List View

### General Information

Procurement Folder: 1410745

Procurement Type: Central Purchase Order

Vendor ID: 000000106565

Legal Name: CHEMUNG SUPPLY CORPORATION

Alias/DBA:

Total Bid: \$25,236.75

Response Date: 04/22/2024

Response Time: 8:58

Responded By User ID: chemungsupply

First Name: Mike

Last Name: Menner

Email: mmenner@chemungsupply

Phone: 607-733-5506

SO Doc Code: CRFQ

SO Dept: 0803

SO Doc ID: DOT2400000091

Published Date: 4/30/24

Close Date: 5/1/24

Close Time: 13:30

Status: Closed

Solicitation Description: Epoxy Coated Rebar & Class 1 Guardrail

Total of Header Attachments: 3

Total of All Attachments: 3



Department of Administration  
Purchasing Division  
2019 Washington Street East  
Post Office Box 50130  
Charleston, WV 25305-0130

State of West Virginia  
Solicitation Response

**Proc Folder:** 1410745  
**Solicitation Description:** Epoxy Coated Rebar & Class 1 Guardrail  
**Proc Type:** Central Purchase Order

Solicitation Closes	Solicitation Response	Version
2024-05-01 13:30	SR 0803 ESR04222400000006216	1

**VENDOR**  
000000106565  
CHEMUNG SUPPLY CORPORATION

**Solicitation Number:** CRFQ 0803 DOT2400000091  
**Total Bid:** 25236.75  
**Response Date:** 2024-04-22  
**Response Time:** 08:58:06  
**Comments:**

**FOR INFORMATION CONTACT THE BUYER**

John W Estep  
304-558-2566  
john.w.estep@wv.gov

<b>Vendor</b>		
<b>Signature X</b>	<b>FEIN#</b>	<b>DATE</b>

All offers subject to all terms and conditions contained in this solicitation

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
1	#5 Epoxy Coated Bent Rebar	3482.0000 LB		1.750000	6093.50

Comm Code	Manufacturer	Specification	Model #
30103623			

**Commodity Line Comments:**

**Extended Description:**

Dimensions of all #5 epoxy coated bent rebar shall be manufactured to match the specifications listed in the accompanying set of pertinent plans for this project. All reinforcing steel shall be intermediate grade billet steel, grade 40 or grade 60 in accordance with subsection 709.1 of the Standard Specifications. The requirements of Section 602 of the Standard Specifications shall be followed.

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
2	#8 epoxy coated Bent rebar	2099.0000 LB		1.750000	3673.25

Comm Code	Manufacturer	Specification	Model #
30103623			

**Commodity Line Comments:**

**Extended Description:**

Dimensions of all #8 epoxy coated bent rebar shall be manufactured to match the specifications listed in the accompanying set of pertinent plans for this project. All reinforcing steel shall be intermediate grade billet steel, grade 40 or grade 60 in accordance with subsection 709.1 of the Standard Specifications. The requirements of Section 602 of the Standard Specifications shall be followed.

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
3	#5 epoxy coated straight rebar	4952.0000 LB		1.750000	8666.00

Comm Code	Manufacturer	Specification	Model #
30103623			

**Commodity Line Comments:**

**Extended Description:**

#5 epoxy coated straight rebar must be 36 pieces - 4 feet 4 inches. #5 epoxy coated straight rebar must be 224 pieces - 5 feet 6 inches. #5 epoxy coated straight rebar must be 168 pieces - 20 feet 0 inches. All reinforcing steel shall be intermediate grade billet steel, grade 40 or grade 60 in accordance with subsection 709.1 of the Standard Specifications. The requirements of Section 602 of the Standard Specifications shall be followed.

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
4	Class 1 W-beam Guardrail	100.00000 LF		68.040000	6804.00

Comm Code	Manufacturer	Specification	Model #
30121717			

**Commodity Line Comments:**

**Extended Description:**

100 Linear feet - Class 1 W-Beam Approach Rail. 16 each - W6X9 x 6 feet 0 inches approach posts. 20 each - 6 inch X 8 inch X 14 inch Wood Block Outs 4 each - Buffer End Terminal Section. 4 each - Structure Mounted Post Assemblies w/ anchors. 20 each - Guardrail Bolt & Nut, Hex Head (5/8 inch dia. X 10 inch) 120 each - Guardrail Splice Bolt (5/8 inch dia. X 1 inch)



Department of Administration  
Purchasing Division  
2019 Washington Street East  
Post Office Box 50130  
Charleston, WV 25305-0130

State of West Virginia  
Centralized Request for Quote  
Miscellaneous

Proc Folder: 1410745

Doc Description: Epoxy Coated Rebar & Class 1 Guardrail

Reason for Modification:

Addendum No\_1  
Vendor Question and response

Proc Type: Central Purchase Order

Date Issued	Solicitation Closes	Solicitation No	Version
2024-04-19	2024-05-01 13:30	CRFQ 0803 DOT2400000091	2

**BID RECEIVING LOCATION**

BID CLERK  
DEPARTMENT OF ADMINISTRATION  
PURCHASING DIVISION  
2019 WASHINGTON ST E  
CHARLESTON WV 25305  
US

**VENDOR**

Vendor Customer Code:

Vendor Name : Chemung Supply Corp

Address :

Street : 2420 Corning Rd

City : Elmira

State : NY

Country : USA

Zip : 14903

Principal Contact : Marc P Stemerman

Vendor Contact Phone: 607-733-5506

Extension:

**FOR INFORMATION CONTACT THE BUYER**

John W Estep  
304-558-2566  
john.w.estep@wv.gov

Vendor  
Signature X

FEIN# 16-0380890

DATE 04/19/24

All offers subject to all terms and conditions contained in this solicitation

**ADDITIONAL INFORMATION****ADDENDUM NO\_1**

Addendum No\_1 Issued to publish and distribute the attached information to the Vendor Community.

**REQUEST FOR QUOTATION:**

The West Virginia Purchasing Division is soliciting bids on behalf of the West Virginia Division of Highways to establish a contract for the onetime purchase of Epoxy Coated Rebar & Class 1 Guardrail for Trout Rearing Pond W-Beam Replacement. Per the Bid Requirements, Specifications, Terms and Conditions attached to this solicitation.

INVOICE TO		SHIP TO	
DIVISION OF HIGHWAYS DISTRICT SEVEN		STATE OF WEST VIRGINIA JOBSITE - SEE SPECIFICATIONS	
DRAWER 1228			
WESTON	WV	No City	WV
US		US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
1	#5 Epoxy Coated Bent Rebar	3482.00000	LB	\$1.75	\$6,093.50

Comm Code	Manufacturer	Specification	Model #
30103623			

**Extended Description:**

Dimensions of all #5 epoxy coated bent rebar shall be manufactured to match the specifications listed in the accompanying set of pertinent plans for this project. All reinforcing steel shall be intermediate grade billet steel, grade 40 or grade 60 in accordance with subsection 709.1 of the Standard Specifications. The requirements of Section 602 of the Standard Specifications shall be followed.

INVOICE TO		SHIP TO	
DIVISION OF HIGHWAYS DISTRICT SEVEN		STATE OF WEST VIRGINIA JOBSITE - SEE SPECIFICATIONS	
DRAWER 1228			
WESTON	WV	No City	WV
US		US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
2	#8 epoxy coated Bent rebar	2099.00000	LB	\$1.75	\$3,673.25

Comm Code	Manufacturer	Specification	Model #
30103623			

**Extended Description:**

Dimensions of all #8 epoxy coated bent rebar shall be manufactured to match the specifications listed in the accompanying set of pertinent plans for this project. All reinforcing steel shall be intermediate grade billet steel, grade 40 or grade 60 in accordance with subsection 709.1 of the Standard Specifications. The requirements of Section 602 of the Standard Specifications shall be followed.

INVOICE TO			SHIP TO		
DIVISION OF HIGHWAYS DISTRICT SEVEN  DRAWER 1228 WESTON WV US			STATE OF WEST VIRGINIA JOBSITE - SEE SPECIFICATIONS  No City WV US		

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
3	#5 epoxy coated straight rebar	4952.00000	LB	\$1.75	\$8,666.00

Comm Code	Manufacturer	Specification	Model #
30103623			

**Extended Description:**

#5 epoxy coated straight rebar must be 36 pieces - 4 feet 4 inches. #5 epoxy coated straight rebar must be 224 pieces - 5 feet 6 inches. #5 epoxy coated straight rebar must be 168 pieces - 20 feet 0 inches. All reinforcing steel shall be intermediate grade billet steel, grade 40 or grade 60 in accordance with subsection 709.1 of the Standard Specifications. The requirements of Section 602 of the Standard Specifications shall be followed.

INVOICE TO			SHIP TO		
DIVISION OF HIGHWAYS DISTRICT SEVEN  DRAWER 1228 WESTON WV US			STATE OF WEST VIRGINIA JOBSITE - SEE SPECIFICATIONS  No City WV US		

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
4	Class 1 W-beam Guardrail	100.00000	LF	\$68.04	\$6,804.00

Comm Code	Manufacturer	Specification	Model #
30121717			

**Extended Description:**

100 Linear feet - Class 1 W-Beam Approach Rail. 16 each - W6X9 x 6 feet 0 inches approach posts. 20 each - 6 inch X 8 inch X 14 inch Wood Block Outs 4 each - Buffer End Terminal Section. 4 each - Structure Mounted Post Assemblies w/ anchors. 20 each - Guardrail Bolt & Nut, Hex Head (5/8 inch dia. X 10 inch) 120 each - Guardrail Splice Bolt (5/8 inch dia. X 1 inch)

**SCHEDULE OF EVENTS**

Line	Event	Event Date
1	Tech Questions due by 10:00am	2024-04-24



**ADDENDUM ACKNOWLEDGEMENT FORM**  
**SOLICITATION NO.: CRFO DOT2400000091**

**Instructions:** Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

**Acknowledgment:** I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

**Addendum Numbers Received:**

(Check the box next to each addendum received)

<input checked="" type="checkbox"/> Addendum No. 1	<input type="checkbox"/> Addendum No. 6
<input type="checkbox"/> Addendum No. 2	<input type="checkbox"/> Addendum No. 7
<input type="checkbox"/> Addendum No. 3	<input type="checkbox"/> Addendum No. 8
<input type="checkbox"/> Addendum No. 4	<input type="checkbox"/> Addendum No. 9
<input type="checkbox"/> Addendum No. 5	<input type="checkbox"/> Addendum No. 10

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

Chemung Supply Corp

Company

Marc P Stemerman Authorized Signature

04/19/24

Date

NOTE: This addendum acknowledgement should be submitted with the bid to expedite document processing.



Pricing Page					
Item Number	Quantity	Unit of Measure	Description	Unit Cost	Total
1	3482	LB	3482 pounds, #5 Epoxy Coated Bent Rebar - Dimensions of all #5 epoxy coated bent rebar shall be manufactured to match the specifications listed in the accompanying set of pertinent plans for this project. All reinforcing steel shall be intermediate grade billet steel, grade 40 or grade 60 in accordance with subsection 709.1 of the Standard Specifications. The requirements of Section 602 of the Standard Specifications shall be followed.	1.75	\$ 6,093.50
2	2099	LB	2099 pounds, #8 epoxy coated Bent rebar - Dimensions of all #8 epoxy coated bent rebar shall be manufactured to match the specifications listed in the accompanying set of pertinent plans for this project. All reinforcing steel shall be intermediate grade billet steel, grade 40 or grade 60 in accordance with subsection 709.1 of the Standard Specifications. The requirements of Section 602 of the Standard Specifications shall be followed.	1.75	\$ 3,673.25
3	4952	LB	4952 pounds, #5 epoxy coated straight rebar - #5 epoxy coated straight rebar must be 36 pieces – 4 feet 4 inches. #5 epoxy coated straight rebar must be 224 pieces – 5 feet 6 inches. #5 epoxy coated straight rebar must be 168 pieces – 20 feet 0 inches. All reinforcing steel shall be intermediate grade billet steel, grade 40 or grade 60 in accordance with subsection 709.1 of the Standard Specifications. The requirements of Section 602 of the Standard Specifications shall be followed.	1.75	\$ 8,666.00
4	100	LF	100 Linear Feet, Class 1 W-beam Guardrail - 100 Linear feet – Class 1 W-Beam Approach Rail. 16 each – W6X9 x 6 feet 0 inches approach posts. 20 each – 6 inch X 8 inch X 14 inch Wood Block Outs 4 each – Buffer End Terminal Section. 4 each – Structure Mounted Post Assemblies w/ anchors. 20 each – Guardrail Bolt & Nut, Hex Head (5/8 inch dia. X 10 inch) 120 each – Guardrail Splice Bolt (5/8 inch dia. X 1 ¼ inch)	68.04	\$ 6,804.00
<b>Grand Total</b>					\$ 25,236.75