



2019 Washington Street, East Charleston, WV 25305 Telephone: 304-558-2306 General Fax: 304-558-6026

Bid Fax: 304-558-3970

The following documentation is an electronically-submitted vendor response to an advertised solicitation from the *West Virginia Purchasing Bulletin* within the Vendor Self-Service portal at *wvOASIS.gov*. As part of the State of West Virginia's procurement process, and to maintain the transparency of the bid-opening process, this documentation submitted online is publicly posted by the West Virginia Purchasing Division at *WVPurchasing.gov* with any other vendor responses to this solicitation submitted to the Purchasing Division in hard copy format.





State of West Virginia Solicitation Response

Proc Folder: 1436223

Solicitation Description: Stone & Aggregate Pick Up by Agency

Proc Type: Central Master Agreement

 Solicitation Closes
 Solicitation Response
 Version

 2024-06-26 13:30
 SR 0803 ESR06112400000007709
 1

VENDOR

000000197400

STUART M PERRY INC

Solicitation Number: CRFQ 0803 DOT2400000101

Total Bid: 0 Response Date: 2024-06-11 Response Time: 15:06:32

Comments:

FOR INFORMATION CONTACT THE BUYER

John W Estep 304-558-2566 john.w.estep@wv.gov

Vendor

Signature X FEIN# DATE

All offers subject to all terms and conditions contained in this solicitation

 Date Printed:
 Jun 27, 2024
 Page: 1
 FORM ID: WV-PRC-SR-001 2020/05

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
1	Class 1 Aggregate -Limestone Only	0.00000	TON	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #	
11111600				

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
2	Class 1 Aggregate -LSGS	0.00000	TON	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #	
11111600				

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
3	Class 1 Aggregate -Slag	0.00000	TON	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #	
11111600				

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
4	Class 2 Aggregate -Limestone Only	0.00000	TON	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #	
11111600				

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
5	Class 2 Aggregate -LSGS	0.00000	TON	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #	
11111600				

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
6	Class 2 Aggregate -Slag	0.00000	TON	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #	
11111600				

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
7	Class 10 Aggregate -LSGS	0.00000	TON	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #	
11111600				
11111000				

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
8	AASHTO #1 Aggregate -Limestone Only	0.00000	TON	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #	
11111600				

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
9	AASHTO #1 Aggregate -LSGS	0.00000	TON	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #	
11111600				

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
10	AASHTO #3 Aggregate -Limestone Only	0.00000	TON	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #	
11111600				

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
11	AASHTO #3 Aggregate -LSGS	0.00000	TON	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #	
11111600				

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
12	AASHTO #4 Aggregate -LSGS	0.00000	TON	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #	
11111600				

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
13	AASHTO #467 Aggregate -LSGS	0.00000	TON	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #	
11111600				

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
14	AASHTO #57 Aggregate -Limestone Only	0.00000	TON	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #	
11111600				

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
15	AASHTO #57 Aggregate -LSGS	0.00000	TON	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #	
11111600				

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
16	AASHTO #67 Aggregate -Limestone Only	0.00000	TON	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #	
11111600				

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
17	AASHTO #67 Aggregate -LSGS	0.00000	TON	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #	
11111600				

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
18	AASHTO #7 Aggregate -Limestone Only	0.00000	TON	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #	
11111600				

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
19	AASHTO #7 Aggregate -LSGS	0.00000	TON	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #	
11111600				

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
20	AASHTO #8 Aggregate -Limestone Only	0.00000	TON	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #	
11111600				

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
21	AASHTO #8 Aggregate -LSGS	0.00000	TON	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #	
11111600				

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
22	AASHTO #8 MODIFIED -Limestone Only	0.00000	TON	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #	
11111600				

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
23	AASHTO #8 MODIFIED -LSGS	0.00000	TON	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #	
11111600				

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
24	AASHTO #9 Aggregate -Limestone Only	0.00000	TON	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #	
11111600				

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
25	AASHTO #9 Aggregate -LSGS	0.00000	TON	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #	
11111600				

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
26	AASHTO #9 MODIFIED -Limestone Only	0.00000	TON	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #	
11111600				

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
27	AASHTO #9 MODIFIED -LSGS	0.00000	TON	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #	
11111600				

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
28	Stone for Gabions -Limestone Only	0.00000	TON	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #	
11111600				

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
29	Stone for Gabions -LSGS	0.00000	TON	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #	
11111600				

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
30	Fine Aggregate -LSGS	0.00000	TON	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #	
11111600				

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
31	Limestone Standard Abrasives -Limestone Only	0.00000	TON	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #	
11111600				

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
32	Limestone Standard Abrasives -LSGS	0.00000	TON	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #	
11111600				

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

Line C	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
33 S	Sandstone Standard Abrasives -LSGS	0.00000	TON	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #	
11111600				

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
34	Steel Slag for SRIC	0.00000	TON	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #	
11111600				

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
35	Limestone MODIFIED Abrasives -Limestone	0.00000	TON	0.000000	0.00
	Only				

Comm Code	Manufacturer	Specification	Model #	
11111600				

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
36	Limestone MODIFIED Abrasives -LSGS	0.00000	TON	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #	
11111600				

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

	Qty Unit Issue Unit Price Ln Total Or Contract A	or Contract Amount	Ln Total Or Contract Amount	Unit Price	Unit Issue	Qty	e Comm Ln Desc	Line
37 Sandstone MODIFIED Abrasives -LSGS 0.00000 TON 0.000000 0.00	IED Abrasives -LSGS 0.00000 TON 0.000000 0.00		0.00	0.000000	TON	0.00000	Sandstone MODIFIED Abrasives -LSGS	37

Comm Code	Manufacturer	Specification	Model #	
11111600				

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
38	Cinders	0.00000	TON	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #	
11111600				

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
39	Pea Gravel -LSGS	0.00000	TON	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #	
11111600				

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
40	#11 Limestone Abrasives -LSGS	0.00000	TON	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #	
11111600				

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
41	Quarry Waste -LSGS	0.00000	TON	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #	
11111600				

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
42	Rip Rap -LSGS	0.00000	TON	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #	
11111600				

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
43	Shot Rock -Limestone Only	0.00000	TON	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #	
11111600				

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
44	Shot Rock -LSGS	0.00000	TON	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #	
11111600				

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
45	Imbricated Stone -LSGS	0.00000	TON	0.000000	0.00

Comm Code	Manufacturer	Specification	Model #	
11111600				

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST



Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

State of West Virginia Centralized Request for Quote Highways

Proc Folder:	1436223		Reason for Modification:
Doc Description:	Stone & Aggregate Pick Up	by Agency	
Proc Type:	Central Master Agreement		
Date Issued	Solicitation Closes	Solicitation No	Version
2024-06-03	2024-06-18 13:30	CRFQ 0803 DOT2400000101	1

RECEI		

BID CLERK

DEPARTMENT OF ADMINISTRATION

PURCHASING DIVISION 2019 WASHINGTON ST E

CHARLESTON WV 25305

US

VENDOR	
Vendor Customer Code: Vendor Name: STUATET MENTY WENDERATER	
Address: 117 LIMESTONE LANE	

Street:

City: WINCHESTER

State: VA Country: Zip: 22602

Principal Contact: Sveven C. Mucon

Vendor Contact Phone: (SY) 662-3431 Extension: 105

FOR INFORMATION CONTACT THE BUYER

John W Estep 304-558-2566

john.w.estep@wv.gov

Vendor Signature X # 1. Mills FEIN# 54-054/865 DATE 6-11-2024

All offers subject to all terms and conditions contained in this solicitation

Date Printed: Jun 3, 2024 Page: 1 FORM ID: WV-PRC-CRFQ-002 2020/05

ADDITIONAL INFORMATION

REQUEST FOR QUOTATION:

The West Virginia Purchasing Division is soliciting bids on behalf of the West Virginia Division of Highways to establish an open-end contract for various sizes and types of Stone, Aggregate, Cinders and Slag for Pick Up by Agency from Vendor's designated storage sites, for use on WVDOH projects throughout the state of West Virginia. Per the Bid Requirements, Specifications, terms and conditions attached to this soliciation.

INVOICE TO		SHIP TO		
VARIOUS AGENCY LOCATIONS AS INDICATED BY		VARIOUS AGENCY LOCATIONS AS INDICATED BY		
No City US	WV	No City US	WV	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
1	Class 1 Aggregate -Limestone Only	0.00000	TON		

Comm Code	Manufacturer	Specification	Model #	
11111600				

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

INVOICE TO		SHIP TO		
VARIOUS AGENCY LOCATIONS		VARIOUS AGENCY LOCATIONS		
AS INDICATED BY ORDER		AS INDICATED BY ORDER		
No City	WV	No City	WV	
us		US		

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
2	Class 1 Aggregate -LSGS	0.00000	TON		

Comm Code	Manufacturer	Specification	Model #	
11111600				

Extended Description:

INVOICE TO		SHIP TO	SHIP TO		
VARIOUS AGENCY LOCATIONS		VARIOUS AGENCY LOCATIONS			
AS INDICATED BY ORDER		AS INDICATED BY ORDER			
No City	WV	No City	WV		
us		US			

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
3	Class 1 Aggregate -Slag	0.00000	TON		

Comm Code	Manufacturer	Specification	Model #	
11111600				

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER		VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER		
No City US	WV	No City US	WV	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
4	Class 2 Aggregate -Limestone Only	0.00000	TON		
	,				

Comm Code	Manufacturer	Specification	Model #	
11111600				

Extended Description:

VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER		VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
5	Class 2 Aggregate -LSGS	0.00000	TON		

Comm Code	Manufacturer	Specification	Model #
11111600		-	

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

INVOICE TO		SHIP TO		
VARIOUS AGENCY LOCATIONS		VARIOUS AGENCY LOCATIONS		
AS INDICATED BY ORDER		AS INDICATED BY ORDER		
No City US	WV	No City US	WV	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
6	Class 2 Aggregate -Slag	0.00000	TON		

Comm Code	Manufacturer	Specification	Model #	
11111600	· · · · · · · · · · · · · · · · · · ·	· <u>-</u>		
		•		

Extended Description:

VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER		SHIP TO	SHIP TO		
		VARIOUS AGENCY LOCATIONS AS INDICATED BY (DRDER		
No City US	WV	No City US	WV		

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
7	Class 10 Aggregate -LSGS	0.00000	TON		
		0.0000			

Comm Code	Manufacturer	Specification	Model #
11111600			-

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

INVOICE TO :		SHIP TO	SHIP TO	
VARIOUS AGENCY LOCATIONS		VARIOUS AGENCY LOCATIONS		
AS INDICATED BY ORDER		AS INDICATED BY ORDER		
No City US	WV	No City US	WV	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
8	AASHTO #1 Aggregate -Limestone Only	0.00000	TON		•

Comm Code	Manufacturer	Specification	Model #	
11111600				

Extended Description:

VARIOUS AGENCY LOCATIONS		SHIP TO	VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER		
		LOCATIONS			
No City US	WV	No City US	WV		

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
9	AASHTO #1 Aggregate -LSGS	0.00000	TON		

Comm Code	Manufacturer	Specification	Model #	
11111600				

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

INVOICE TO		SHIP TO		
VARIOUS AGENCY LOCATIONS	DCATIONS		VARIOUS AGENCY LOCATIONS	
AS INDICATED BY ORDER		AS INDICATED BY	ORDER	
No City	WV	No City	WV	
US		US		

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
10	AASHTO #3 Aggregate -Limestone Only	0.00000	TON		

Comm Code	Manufacturer	Specification	Model #	
11111600				

Extended Description:

INVOICE TO		VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER			
VARIOUS AGENCY LOCATIONS AS INDICATED BY					
No City US	WV	No City US	WV	į	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
11	AASHTO #3 Aggregate -LSGS	0.00000	TON		

Comm Code	Manufacturer	Specification	Model #	
11111600				

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

INVOICE TO		SHIP TO		
VARIOUS AGENCY LOCATIONS AS INDICATED BY		VARIOUS AGENCY LOCATIONS AS INDICATED BY		_
No City US	WV	No City US	WV	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
12	AASHTO #4 Aggregate -LSGS	0.00000	TON		- ·-

Comm Code	Manufacturer	Specification	Model #	
11111600				

Extended Description:

INVOICE TO		SHIP TO		
VARIOUS AGENCY LOCATIONS		VARIOUS AGENCY LOCATIONS		
AS INDICATED BY	ORDER	AS INDICATED BY ORDER		
No City	WV	No City	WV	
us		US		j

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
13	AASHTO #467 Aggregate -LSGS	0.00000	TON		

Comm Code	Manufacturer	Specification	Model #	<u>.</u>
11111600		· · · · · · · · · · · · · · · · · · ·		

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

INVOICE TO		SHIP TO		
VARIOUS AGENCY LOCATIONS		VARIOUS AGENCY LOCATIONS		
AS INDICATED BY ORDER		AS INDICATED BY	ORDER	
No City US	WV	No City US	WV	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
14	AASHTO #57 Aggregate -Limestone Only	0.00000	TON		

Comm Code	Manufacturer	Specification	Model #	
11111600				

Extended Description:

INVOICE TO		SHIP TO		
VARIOUS AGENCY LOCATIONS		VARIOUS AGENCY LOCATIONS		
AS INDICATED BY ORDER		AS INDICATED BY ORDER		
No City	WV	No City	WV	
us		US		

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
15	AASHTO #57 Aggregate -LSGS	0.00000	TON		

Comm Code	Manufacturer	Specification	Model #	
11111600				

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

INVOICE TO		SHIP TO		
VARIOUS AGENCY LOCATIONS		VARIOUS AGENCY LOCATIONS		
AS INDICATED BY ORDER		AS INDICATED BY ORDER		
No City US	WV	No City US	WV	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
16	AASHTO #67 Aggregate -Limestone Only	0.00000	TON		

Comm Code	Manufacturer	Specification	Model #	
11111600				•

Extended Description:

VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER		SHIP TO		
		VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER		
No City US	WV	No City US	WV	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
17	AASHTO #67 Aggregate -LSGS	0.00000	TON	•	

Comm Code	Manufacturer	Specification	Model #	··
11111600				

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

INVOICE TO		SHIP TO	SHIP TO		
VARIOUS AGENCY LOCATIONS		VARIOUS AGENCY LOCATIONS			
AS INDICATED BY ORDER		AS INDICATED BY	ORDER		
No City	WV	No City	WV		
us		US			

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
18	AASHTO #7 Aggregate -Limestone Only	0.00000	TON		

Comm Code	Manufacturer	Specification	Model #	
11111600			-	

Extended Description:

INVOICE TO		SHIP TO	SHIP TO		
VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER		VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER			
No City US	WV	No City US	WV		

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
19	AASHTO #7 Aggregate -LSGS	0.00000	TON	_	
1					

Comm Code	Manufacturer	Specification	Model #	
11111600			·	

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

INVOICE TO		SHIP TO	SHIP TO		
VARIOUS AGENCY LOCATIONS		VARIOUS AGENCY LOCATIONS			
AS INDICATED BY ORDER		AS INDICATED BY ORDER			
No City	WV	No City	WV		
US		US			

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
20	AASHTO #8 Aggregate -Limestone Only	0.00000	TON		

Comm Code	Manufacturer	Specification	Model #	
11111600				

Extended Description:

INVOICE TO		SHIP TO		
VARIOUS AGENCY LOCATIONS		VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER		
AS INDICATED BY ORDER		AS INDICATED BY ORDER		
No City	WV	No City	WV	
US		US		

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
21	AASHTO #8 Aggregate -LSGS	0.00000	TON		

Comm Code	Manufacturer	Specification	Model #	
11111600			·	

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER		SHIP TO		
		VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER		
No City US	WV	No City US	WV	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
22	AASHTO #8 MODIFIED -Limestone Only	0.00000	TON		

Comm Code	Manufacturer	Specification	Model #	
11111600				

Extended Description:

INVOICE TO		SHIP TO		
VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER		VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER		
No City US	WV	No City US	WV	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
23	AASHTO #8 MODIFIED -LSGS	0.00000	TON		
i					

Comm Code	Manufacturer	Specification	Model #	
11111600				

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

INVOICE TO		SHIP TO	SHIP TO	
VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER		VARIOUS AGENCY LOCATIONS AS INDICATED BY		
No City US	WV	No City US	WV	į

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
24	AASHTO #9 Aggregate -Limestone Only	0.00000	TON		
1					

Comm Code	Manufacturer	Specification	Model#	
11111600				

Extended Description:

VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER		SHIP TO		
		VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER		
No City US	WV	No City US	WV	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
25	AASHTO #9 Aggregate -LSGS	0.00000	TON		
ŀ					

Comm Code	Manufacturer	Specification	Model #	
11111600				

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

INVOICE TO		SHIP TO		
VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER		VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER		
No City	WV	No City	WV	
us		US		

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
26	AASHTO #9 MODIFIED -Limestone Only	0.00000	TON		

Comm Code	Manufacturer	Specification	Model #	
11111600			•	

Extended Description:

INVOICE TO		SHIP TO		
VARIOUS AGENCY LOCATIONS		VARIOUS AGENCY LOCATIONS		
AS INDICATED BY ORDER		AS INDICATED BY ORDER		
No City	WV	No City US	WV	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
27	AASHTO #9 MODIFIED -LSGS	0.00000	TON		·
1					

Comm Code	Manufacturer	Specification	Model #	
11111600	· · · ·			
1				

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

INVOICE TO		SHIP TO		
VARIOUS AGENCY LOCATIONS AS INDICATED BY		VARIOUS AGENCY LOCATIONS AS INDICATED BY (ORDER	
No City US	WV	No City US	WV	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
28	Stone for Gabions -Limestone Only	0.00000	TON		

Comm Code	Manufacturer	Specification	Model #	
11111600	-			

Extended Description:

INVOICE TO		SHIP TO		
VARIOUS AGENCY LOCATIONS	-	VARIOUS AGENCY LOCATIONS	· · · · · · · · · · · · · · · · · · ·	
AS INDICATED BY ORDER		AS INDICATED BY	ORDER	
No City	WV	No City	WV	
us		US		

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
29	Stone for Gabions -LSGS	0.00000	TON		

•	Model #
	<u></u>

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

INVOICE TO		SHIP TO		
VARIOUS AGENCY LOCATIONS		VARIOUS AGENCY LOCATIONS		
AS INDICATED BY ORDER		AS INDICATED BY ORDER		·
No City US	WV	No City US	WV	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
30	Fine Aggregate -LSGS	0.00000	TON		

Comm Code	Manufacturer	Specification	Model #	
11111600				

Extended Description:

VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER		SHIP TO		
		VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER		
No City US	WV	No City US	WV	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
31	Limestone Standard Abrasives -Limestone Only	0.00000	TON		

Comm Code	Manufacturer	Specification	Model #	
11111600			1 118	-

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

INVOICE TO		SHIP TO	SHIP TO	
VARIOUS AGENCY LOCATIONS		VARIOUS AGENCY LOCATIONS		
AS INDICATED BY ORDER		AS INDICATED BY	ORDER	
No City US	WV	No City US	WV	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
32	Limestone Standard Abrasives -LSGS	0.00000	TON		

Comm Code	Manufacturer	Specification	Model #	
11111600				

Extended Description:

INVOICE TOSHIP TOVARIOUS AGENCY LOCATIONS AS INDICATED BY ORDERVARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER				
		LOCATIONS	ER .	
No City US	WV	No City US	WV	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
33	Sandstone Standard Abrasives -LSGS	0.00000	TON		

Comm Code	Manufacturer	Specification	Model #	
11111600				

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

INVOICE TO		SHIP TO		
VARIOUS AGENCY LOCATIONS AS INDICATED BY		VARIOUS AGENCY LOCATIONS AS INDICATED BY C	DRDER	
No City US	WV	No City US	WV	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
34	Steel Slag for SRIC	0.00000	TON		

Comm Code	Manufacturer	Specification	Model #	
11111600				

Extended Description:

INVOICE TO		SHIP TO		· <u></u>
VARIOUS AGENCY LOCATIONS AS INDICATED BY		VARIOUS AGENCY LOCATIONS AS INDICATED BY		
No City US	WV	No City US	WV	_

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
35	Limestone MODIFIED Abrasives -Limestone Only	0.00000	TON		

Manufacturer	Specification	Model #
	wanutacturer	Manufacturer Specification

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

INVOICE TO		SHIP TO		
VARIOUS AGENCY LOCATIONS		VARIOUS AGENCY LOCATIONS		
AS INDICATED BY	ORDER	AS INDICATED BY C	PRDER	
No City US	WV	No City US	WV	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
36	Limestone MODIFIED Abrasives -LSGS	0.00000	TON	-	

Comm Code	Manufacturer	Specification	Model #	
11111600				

Extended Description:

INVOICE TO		SHIP TO	
VARIOUS AGENCY LOCATIONS AS INDICATED BY		VARIOUS AGENCY LOCATIONS AS INDICATED BY C	PRDER
No City US	WV	No City US	WV

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
37	Sandstone MODIFIED Abrasives -LSGS	0.00000	TON		

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

INVOICE TO		SHIP TO	SHIP TO	
VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER		VARIOUS AGENCY LOCATIONS AS INDICATED BY (
No City US	WV	No City US	WV	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
38	Cinders	0.00000	TON		
1					

Comm Code	Manufacturer	Specification	Model #	
11111600				

Extended Description:

INVOICE TO		SHIP TO	SHIP TO	
VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER		VARIOUS AGENCY LOCATIONS AS INDICATED BY (ORDER	
No City US	WV	No City US	WV	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
39	Pea Gravel -LSGS	0.00000	TON		
1					

Comm Code	Manufacturer	Specification	Model #	
11111600				

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

INVOICE TO		SHIP TO	SHIP TO		
VARIOUS AGENCY LOCATIONS		VARIOUS AGENCY LOCATIONS			
AS INDICATED BY ORDER		AS INDICATED BY ORDER			
No City	WV	No City	WV		
US		US	·		

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
40	#11 Limestone Abrasives -LSGS	0.00000	TON		

Comm Code	Manufacturer	Specification	Model #	
11111600				

Extended Description:

INVOICE TO		SHIP TO		
VARIOUS AGENCY LOCATIONS		VARIOUS AGENCY LOCATIONS		_
AS INDICATED BY ORDER		AS INDICATED BY ORDER		
No City US	WV	No City US	WV	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
41	Quarry Waste -LSGS	0.00000	TON		

Comm Code	Manufacturer	Specification	Model #	·
11111600				
i				

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

INVOICE TO		SHIP TO	SHIP TO		
VARIOUS AGENCY LOCATIONS		VARIOUS AGENCY LOCATIONS		·	
AS INDICATED BY ORDER		AS INDICATED BY ORDER			
No City US	WV	No City US	WV		

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
42	Rip Rap -LSGS	0.00000	TON		

Comm Code N	Manufacturer	Specification	Model #
11111600			

Extended Description:

VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER		SHIP TO		
		VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER		
No City US	WV	No City US	WV	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
43	Shot Rock -Limestone Only	0.00000	TON		
ľ					

Comm Code	Manufacturer	Specification	Model #	
11111600				

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

INVOICE TO		SHIP TO	SHIP TO		
VARIOUS AGENCY LOCATIONS		VARIOUS AGENCY LOCATIONS			
AS INDICATED BY ORDER		AS INDICATED BY ORDER			
No City US	WV	No City US	WV		

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
44	Shot Rock -LSGS	0.00000	TON		 -
i					

Comm Code	Manufacturer	Specification	Model #	
11111600				

Extended Description:

VARIOUS AGENCY LOCATIONS		SHIP TO	SHIP TO		
		VARIOUS AGENCY LOCATIONS AS INDICATED BY C			
No City US	WV	No City US	WV		

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
45	Imbricated Stone -LSGS	0.00000	TON		

Comm Code	Manufacturer	Specification	Model #	
11111600				

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

SCHEDULE OF EVENTS

<u>Line</u>	<u>Event</u>	Event Date
1	Tech Questions due by 2:00pm	2024-06-10

	Document Phase	Document Description	Page 25
DOT2400000101		Stone & Aggregate Pick Up by Agency	

ADDITIONAL TERMS AND CONDITIONS

See attached document(s) for additional Terms and Conditions

VENDOR INSTRUCTIONS: Vendor shall provide their Source Plant address, Pick Up Storage Location Address, and bid pricing for the Contract Item listed below. Vendor may bid any or all Contract Items. **Failure to provide Source Plant and Pick Up Storage Location information will result in the disqualification of the entire bid.** This is a multiple vendor award contract. All qualifying vendors meeting the contract specifications will be awarded with a contract. The low bid vendor per project will be determined at the time of need, as per Section 4 of the Contract Specifications. Estimated quantities are not available.

VENDOR NAME:	Stuart M. Perry, Incorporated	
*Source Plant Address(es):	Winchester Plant	
Required	117 Limestone Lane, Winchester, VA 22602	
*Pick Up Storage Location Address:	Winchester Plant	
*Required (if different from	Winchester Plant	
Source Plant address)	Winchester Plant	

Contract Item	Description	Composition*	Unit of Measure	Bid Price
1	Class 1 Aggregate	Limestone Only	Tons	15.78
2	Class 1 Aggregate	LSGS	Tons	no bid
3	Class 1 Aggregate	Slag	Tons	no bid
4	Class 2 Aggregate	Limestone Only	Tons	15.78
5	Class 2 Aggregate	LSGS	Tons	no bid
6	Class 2 Aggregate	Slag	Tons	no bid
7	Class 10 Aggregate	LSGS	Tons	no bid
8	AASHTO #1 Aggregate	Limestone Only	Tons	no bid
9	AASHTO #1 Aggregate	LSGS	Tons	no bid
10	AASHTO #3 Aggregate	Limestone Only	Tons	16.17
11	AASHTO #3 Aggregate	LSGS	Tons	no bid
12	AASHTO #4 Aggregate	LSGS	Tons	no bid
13	AASHTO #467 Aggregate	LSGS	Tons	no bid
14	AASHTO #57 Aggregate	Limestone Only	Tons	17.77
15	AASHTO #57 Aggregate	LSGS	Tons	no bid
16	AASHTO #67 Aggregate	Limestone Only	Tons	no bid
17	AASHTO #67 Aggregate	LSGS	Tons	no bid
18	AASHTO #7 Aggregate	Limestone Only	Tons	no bid
19	AASHTO #7 Aggregate	LSGS	Tons	no bid
20	AASHTO #8 Aggregate	Limestone Only	Tons	18.6
21	AASHTO #8 Aggregate	LSGS	Tons	no bid
22	AASHTO #8 MODIFIED	Limestone Only	Tons	18.6
23	AASHTO #8 MODIFIED	LSGS	Tons	no bid
24	AASHTO #9 Aggregate	Limestone Only	Tons	21.47
25	AASHTO #9 Aggregate	LSGS	Tons	no bid

VENDOR NAME:	Stuart M. Perry, Incorporated
*Source Plant Address(es):	Winchester Plant
Required	117 Limestone Lane, Winchester, VA 22602
*Pick Up Storage Location Address:	Winchester Plant
*Required (if different from	Winchester Plant
Source Plant address)	Winchester Plant

Contract Item	Description	Composition*	Unit of Measure	Bid Price
26	AASHTO #9 MODIFIED	Limestone Only	Tons	21.47
27	AASHTO #9 MODIFIED	LSGS	Tons	no bid
28	Stone for Gabions	Limestone Only	Tons	18.77
29	Stone for Gabions	LSGS	Tons	no bid
30	Fine Aggregate	LSGS	Tons	no bid
31	Limestone Standard Abrasives	Limestone Only	Tons	16.33
32	Limestone Standard Abrasives	LSGS	Tons	no bid
33	Sandstone Standard Abrasives	LSGS	Tons	no bid
34	Steel Slag for SRIC	Slag	Tons	no bid
35	Limestone MODIFIED Abrasives	Limestone Only	Tons	16.33
36	Limestone MODIFIED Abrasives	LSGS	Tons	no bid
37	Sandstone MODIFIED Abrasives	LSGS	Tons	no bid
38	Cinders	Cinders	Tons	no bid
39	Pea Gravel	LSGS	Tons	no bid
40	#11 Limestone Abrasives	LSGS	Tons	no bid
41	Quarry Waste	LSGS	Tons	no bid
42	Rip Rap	LSGS	Tons	no bid
43	Shot Rock	Limestone Only	Tons	no bid
44	Shot Rock	LSGS	Tons	no bid
45	Imbricated Stone	LSGS	Tons	no bid

VENDOR INSTRUCTIONS: Vendor shall provide their Source Plant address, Pick Up Storage Location Address, and bid pricing for the Contract Item listed below. Vendor may bid any or all Contract Items. **Failure to provide Source Plant and Pick Up Storage Location information will result in the disqualification of the entire bid.** This is a multiple vendor award contract. All qualifying vendors meeting the contract specifications will be awarded with a contract. The low bid vendor per project will be determined at the time of need, as per Section 4 of the Contract Specifications. Estimated quantities are not available.

VENDOR NAME:	Stuart M. Perry, Incorporated
*Source Plant Address(es):	Berryville Plant
Required	426 Quarry Road, Berryville VA 22611
*Pick Up Storage Location Address:	Berryville Plant
*Required (if different from	Berryville Plant
Source Plant address)	Berryville Plant

Contract Item	Description	Composition*	Unit of Measure	Bid Price
1	Class 1 Aggregate	Limestone Only	Tons	15.78
2	Class 1 Aggregate	LSGS	Tons	no bid
3	Class 1 Aggregate	Slag	Tons	no bid
4	Class 2 Aggregate	Limestone Only	Tons	15.78
5	Class 2 Aggregate	LSGS	Tons	no bid
6	Class 2 Aggregate	Slag	Tons	no bid
7	Class 10 Aggregate	LSGS	Tons	no bid
8	AASHTO #1 Aggregate	Limestone Only	Tons	no bid
9	AASHTO #1 Aggregate	LSGS	Tons	no bid
10	AASHTO #3 Aggregate	Limestone Only	Tons	16.17
11	AASHTO #3 Aggregate	LSGS	Tons	no bid
12	AASHTO #4 Aggregate	LSGS	Tons	no bid
13	AASHTO #467 Aggregate	LSGS	Tons	no bid
14	AASHTO #57 Aggregate	Limestone Only	Tons	17.77
15	AASHTO #57 Aggregate	LSGS	Tons	no bid
16	AASHTO #67 Aggregate	Limestone Only	Tons	no bid
17	AASHTO #67 Aggregate	LSGS	Tons	no bid
18	AASHTO #7 Aggregate	Limestone Only	Tons	no bid
19	AASHTO #7 Aggregate	LSGS	Tons	no bid
20	AASHTO #8 Aggregate	Limestone Only	Tons	18.6
21	AASHTO #8 Aggregate	LSGS	Tons	no bid
22	AASHTO #8 MODIFIED	Limestone Only	Tons	18.6
23	AASHTO #8 MODIFIED	LSGS	Tons	no bid
24	AASHTO #9 Aggregate	Limestone Only	Tons	no bid
25	AASHTO #9 Aggregate	LSGS	Tons	no bid

VENDOR NAME:	Stuart M. Perry, Incorporated
*Source Plant Address(es):	Berryville Plant
Required	426 Quarry Road, Berryville VA 22611
*Pick Up Storage Location Address:	Berryville Plant
*Required (if different from	Berryville Plant
Source Plant address)	Berryville Plant

Contract Item	Description	Composition*	Unit of Measure	Bid Price
26	AASHTO #9 MODIFIED	Limestone Only	Tons	no bid
27	AASHTO #9 MODIFIED	LSGS	Tons	no bid
28	Stone for Gabions	Limestone Only	Tons	18.77
29	Stone for Gabions	LSGS	Tons	no bid
30	Fine Aggregate	LSGS	Tons	no bid
31	Limestone Standard Abrasives	Limestone Only	Tons	16.33
32	Limestone Standard Abrasives	LSGS	Tons	no bid
33	Sandstone Standard Abrasives	LSGS	Tons	no bid
34	Steel Slag for SRIC	Slag	Tons	no bid
35	Limestone MODIFIED Abrasives	Limestone Only	Tons	16.33
36	Limestone MODIFIED Abrasives	LSGS	Tons	no bid
37	Sandstone MODIFIED Abrasives	LSGS	Tons	no bid
38	Cinders	Cinders	Tons	no bid
39	Pea Gravel	LSGS	Tons	no bid
40	#11 Limestone Abrasives	LSGS	Tons	no bid
41	Quarry Waste	LSGS	Tons	no bid
42	Rip Rap	LSGS	Tons	no bid
43	Shot Rock	Limestone Only	Tons	no bid
44	Shot Rock	LSGS	Tons	no bid
45	Imbricated Stone	LSGS	Tons	no bid

SPECIFICATIONS

- 1. PURPOSE AND SCOPE: The West Virginia Purchasing Division is soliciting bids on behalf of the West Virginia Division of Highways to establish an open-end contract for various sizes and types of Stone, Aggregate, Cinders and Slag for Pick Up by Agency from Vendor's designated storage sites, for use on WVDOH projects throughout the state of West Virginia.
- 2. **DEFINITIONS:** The terms listed below shall have the following meanings assigned to them throughout and for the purpose of this Solicitation. Additional definitions can be found in Section 2 of the General Terms and Conditions.
 - 2.1 "ADO" and "Agency Delivery Order" A written order entered by WVDOH personnel in the wvOASIS financial system against a master agreement, authorizing quantities of commodities and/or services to be delivered in accordance with all terms, conditions, and prices stipulated in the original contract.
 - 2.2 "AASHTO" The American Association of State Highway and Transportation Officials is a standard setting body which publishes specifications, test protocols, and guidelines that are used in highway design and construction throughout the United States; www.transportation.org.
 - 2.3 "Contract Item(s)" Means the list of items available for Vendor to provide pricing as identified in Section 3.2 of this Solicitation and referenced throughout.
 - 2.4 "Contractor" or "Vendor" Interchangeably used throughout this Solicitation and in any cited Sections of the West Virginia Department of Transportation, Division of Highways Standard Specifications, Roads and Bridges, adopted latest Standard Specs edition, as amended, including any Supplementals and refers to any entity submitting a bid in response to the Solicitation, the entity that has been selected as the lowest responsible bidder, or the entity that has been awarded the Contract, as context requires.
 - 2.5 "Emergency Request" Orders requiring to be done without delay owing to circumstances for which the WVDOH could not have reasonably expected and has been designated as such by a representative of the WVDOH.
 - 2.6 "FOB" or "Free on Board" Indicates that the price for goods includes delivery at the Vendor's expense to a specified point, and that the Vendor retains liability for loss or damage until the goods are delivered.
 - 2.7 "Liquidated Damages" Monetary compensation due from the Vendor in the event the Vendor's performance falls short of contractual stipulation or breaches the contract. Delays in the delivery of goods and/or services or quality failures or corrections by the Vendor may result in the Agency assessing charges for such

deficiencies per these contract Specifications, the Standard Specs Section 108.7, as amended, and calculated from the table posted in Section 6.3.1 of these Specifications.

- 2.8 "MP" and/or "MCS&T" Means the Materials Procedures as administered by the WVDOH Materials Control, Soil and Testing Division who perform all procedures necessary with sampling, testing, reporting and inspection of products and materials to maintain a reliable quality assurance system. https://transportation.wv.gov/highways/mcst/Pages/WVDOH-Materials-Procedures.aspx
- 2.9 "Pricing Pages," "Attachment A," and "ATT A" The schedule of prices attached hereto as Attachment A (ATT A) and used to evaluate Solicitation responses.
- **2.10** "Solicitation" The official notice of an opportunity to supply the State with goods or services.
- 2.11 "Standard Specs" Used throughout this solicitation means the West Virginia Department of Transportation, Division of Highways Standard Specifications, Roads and Bridges, most recent edition, as modified or amended by all subsequent Supplemental Specifications.
- 2.12 "WVDOH" or "Agency" Interchangeable terms for the West Virginia Division of Highways.

3. GENERAL REQUIREMENTS:

3.1 Standard Specifications Roads and Bridges: The following Standard Specs Sections shall apply, as applicable, to the administration of this contract: 101, 102, 103, 104, 105, 106, 107, 108, 109, and 110, as amended.

Materials, equipment, and performance of this contract shall conform to, but are not limited to, the requirements of Sections 218, 401,702, 703, 704, and 716.1.1 as amended.

Free electronic copies of the Standard Specs and Supplementals are available at: https://transportation.wv.gov/highways/TechnicalSupport/specifications/Pages/default.aspx. Hard copies of these publications may be purchased from Technical Support Division, by completing the Specification Order Form provided within the website.

3.2 Contract Items and Mandatory Requirements: Vendor shall provide Agency with the Contract Items listed below on an open-end and continuing

basis. Contract Items must meet or exceed the mandatory requirements as shown below.

- 3.2.1 Materials: All materials bid and provided under this contract must meet or exceed mandatory requirements as shown below and adhere to the Standard Specs, as amended:
 - 3.2.1.1 Fine Aggregate must adhere to Standard Spec 702. Fine Aggregate on the Pricing Pages, ATT A, shall be for Portland Cement Concrete or mortar sand. The type shall be specified by the Agency on the ADO.
 - 3.2.1.2 Coarse Aggregate must adhere to Standard Spec 703. Coarse Aggregate on the Pricing Pages, ATT A, is identified by an AASHTO standard size. Except for the following Contract Items, grading on all specified sieve sized for material and grading shall adhere to AASHTO T-27 (Dry Test Only) or by AASHTO T-27 with AASHTO T-11:
 - AASHTO #7
 - AASHTO #8
 - AASHTO #9
 - AASHTO #8 Modified
 - AASHTO #9 Modified
 - **3.2.1.3 Crushed Stone** must adhere to Standard Spec 703.1.
 - 3.2.1.4 Rip Rap must adhere to Standard Spec 704.2.
 - **3.2.1.5 Stone For Gabions** must adhere to Standard Spec 704.3.
 - 3.2.1.6 Shot Rock must adhere to Standard Spec 704.8.
 - 3.2.1.7 Abrasives: In addition to meeting the gradation requirements of AASHTO #8 and #9 aggregate in table 703.4, Modified AASHTO #8 and Modified AASHTO #9 aggregate shall have a maximum of 2% passing the #200 sieve, when sampled at the source (the Vendor's last point of possession), prior to shipment, as determined by AASHTO T-11 and T-27. The aggregates shall be crushed with a minimum of 80% two face fracture. Modified AASHTO #8 and Modified AASHTO #9 aggregate shall meet all other requirements for AASHTO #8 and AASHTO #9 aggregate.

A. Quality

- Liquid limit shall not exceed 25 and plasticity index shall not exceed six (6).
- Total deleterious substances including, but not limited to metal, glass, clay, shale, and thin or elongated pieces shall not exceed 3% of the dry weight of the total sample.
 Deleterious content shall be determined on that fraction of material retained on the U.S. Standard # 4 (4.75 mm) sieve.
- When gravel is used as an abrasive, the material retained on the AASHTO #8, the sieve shall have a majority of crushed particles.
- B. Gradation: Material shall adhere to AASHTO T-27:

Sieve Size	% Passing By Weight	
	Standard	Modified
1/2 inch	100	100
3/8 inch	85-100	85-100
# 100	0–10	0-4

3.2.1.8 Cinders consist of Wet Bottom Boiler Slag (shiny, black, glassy material) formed when molten ash from the burning of coal drops into water and shatters at the bottom of the boiler, and/or Bottom Ash formed when ash particles from the burning of pulverized coal is allowed to air cool at the bottom of the furnace.

A. Quality

- Total deleterious substances, including but not limited to metal, glass, clay, shale, and thin or elongated pieces, shall not exceed 3% of the dry weight of the total sample. Deleterious content shall be determined on that fraction of material retained on the US Standard # 4 (4.75 mm) sieve.
- B. Gradation: Material shall adhere to AASHTO T-27.

Sieve Size	% Passing By Weight
1/2 inch	100
3/8 inch	85–100
# 100	0–10

3.2.1.9 Aggregate For Base and Sub-Base must adhere to Standard Spec 704.6. Aggregate for base and sub-base on ATT A are identified by Class. Aggregate for Base/Subbase course, material shall consist of gravel, crushed gravel, crushed stone, crushed slag, or any combination of these materials uniformly blended to conform to 704.6.2, with exception: Los Angeles abrasion is not required for blast furnace slag. Natural or manufactured sand may be used as a component of the blend. Crushed slag shall adhere to 703.3 with exception. When gravel is to be used in stabilized (treated) base or subbase construction, it need not be crushed. When used in an unstabilized base or subbase construction, the gravel shall be crushed as specified. When Vendor elects to blend materials, each component of the blend shall meet 704.6.2. Blade or road mixing will not be allowed. When shoulders are specified, natural sand may not be used as a shoulder component.

Vendor shall adhere to Standard Specs 704 and sampled per MP 700.00.06, as amended. Frequency of sampling and testing and plotting of gradation test data shall adhere to established Division procedures. Material failing to comply with the Specification requirements when sampled, tested, and evaluated per Division procedures and/or disapproval of the Engineer, shall be removed and replaced at the Contractor's expense, or, at the option of the Engineer, may be left in place with reduced payment.

3.2.1.10#8 Modified and #9 Modified must adhere to Standard Spec 703.3. In addition to meeting the gradation requirements of AASHTO #8 and #9 aggregate in table 703.4, Modified AASHTO #8 and Modified AASHTO #9 aggregate shall have a maximum of 2% passing the #200 sieve, when sampled at the source (the Vendor's last point of possession), prior to shipment, as determined by AASHTO T-11 and T-27. The aggregates shall be crushed with a minimum of 80% two face fracture. Modified AASHTO #8 and Modified AASHTO #9 aggregate shall meet all other requirements for AASHTO #8 and AASHTO #9 aggregate.

Except for the following Contract Items, grading on all specified sieve sized for material and grading shall adhere to AASHTO T-27 (Dry Test Only) or by AASHTO T-27 with AASHTO T-11

- AASHTO #7
- AASHTO #8
- AASHTO #9
- AASHTO #8 Modified

AASHTO #9 Modified

3.2.1.11 #11 Limestone for SRIC must adhere to Standard Spec 703.1.

A. Quality

- The liquid limit shall not exceed 25 and plasticity index shall not exceed six (6).
- Total deleterious substances including, but not limited to metal, glass, clay, shale, and thin or elongated pieces shall not exceed 1% of the dry weight of the total sample. Deleterious content shall be determined on that fraction of material retained on the U.S. Standard #8 (2.36 mm) sieve.

B. Gradation - Material shall adhere to AASHTO T-27:

Sieve Size	% Passing By Weight
3/8 inch	100
#4	40-90
#8	10-40
#100	0-5

3.2.1.12 Quarry Waste shall adhere to Standard Spec 716.1.1 Random Material, as amended.

3.2.1.13 Steel Slag for SRIC must adhere to Standard Spec 703.3.

A. Quality

- The liquid limit shall not exceed 25 and the plasticity index shall not exceed six (6).
- Total deleterious substances including, but not limited to metal, glass, clay, shale, and thin or elongated pieces shall not exceed 3% of the dry weight of the total sample.
 Deleterious content shall be determined on that fraction of material retained on the U.S. Standard # 4 (4.75 mm) sieve.

B. Gradation – materials shall adhere to AASHTO T-27:

Sieve Size	% Passing By Weight
1/2 inch	100
3/8 inch	85–100
#100	0–20

- 3.2.1.14 Imbricated Stone/Rock shall meet Standard Spec 704.5 Special Rock Fill, as amended. Size shall be a minimum of 36 inches with a maximum of 72 inches. Imbricated Stone/Rock shall have two flat surfaces that may be used in a stackable manner. Imbricated Stone/Rock may be used in conjunction with Standard Specs 218.3 and 218.4, as amended.
- 3.2.2 Sampling And Testing for quality of all items furnished in this contract will be the responsibility of WVDOH. Minimum frequency of sampling and testing for quality on all materials (other than those sources already covered by the WVDOH's "commercial source" approval) will be at least one sample every six (6) days of shipment (or if tested during production, at least one sample every six (6) days of production). All samples taken by Vendor shall be by a Certified Aggregate Sampler or Certified Aggregate Inspector. Tests shall be performed by a Certified Aggregate Inspector. Other minimum frequencies shall be:

Property	Frequency	
Gradation Delivered Material	One sample per each day of shipment or if tested during production, one sample per each day of production. See 3.2.2.1.	
Gradation	(A-1 Source) One sample per each week of shipment per MP 700.00.52, Guide for Source Rating System Relative to Maintenance Contracts, as amended; or if tested during production, one sample per each day of production. See 3.2.2.1.	
	(A-2 Source) One sample per 250 tons shipped and a minimum of one per week shipment.	
Moisture Content	See 3.2.2.2.	

3.2.2.1 The vendor shall provide gradation test results attesting to the gradation of materials delivered. Gradation results from the production source will be acceptable. Gradation test results shall

be sent to the Materials Department of each District the aggregate was delivered to within 72 hours of delivery. The WVDOH will enter the gradations into the AASHTO Wear Project (AWP) system within one week of receiving the gradations.

- 3.2.2.2 In the event visual inspection of the aggregate indicates excess or unusual moisture beyond what is normally expected in the aggregate, the WVDOH reserves the right to determine moisture content by standard methods per established Division procedures. If this becomes necessary, the net weight of portion represented will be adjusted utilizing test results obtained by WVDOH per MP 700.00.22. Abrasives and Steel Slag Items will be considered fine aggregate as outlined in MP 700.00.22.
- 3.2.3 Acceptance Plan: Per Standard Spec 703, crushed stone shall consist of particles of clean, hard, tough, durable rock, free from adherent and foreign material. Acceptance for gradation shall be based on test results, provided, and certified by Vendor to be true test results and representative of the material supplied to WVDOH, on consecutive random samples from a lot. A lot shall consist of a quantity of material represented by an average value (not to exceed 5 sub-lots). A sub-lot shall consist of the quantity of material represented by a single gradation test. When only one sample is taken to represent the total quantity, the sub-lot and lot will be considered the same. Frequency of sampling and testing shall be per Vendor's quality control plan outlined in MP 700.00.51 Guide for Quality Control and Acceptance Plans for Purchase Order Contracts for Stone and Aggregate, as amended. Vendor shall provide gradation test results to the Agency within 72 hours.
 - 3.2.3.1 Sampling Testing & Evaluation: As per Standard Spec 704, the Agency reserves the right to have materials sampled, tested, and evaluated material deliveries. If material fails to comply with WVDOH quality requirements, the Agency, at its own discretion, shall notify Vendor that the nonconforming material will not be accepted and shall be removed and replaced at Vendor's expense, or at the option of the ordering Agency, may be left in place with reduced payment.

At the discretion of the Agency, material failing to comply with the quality requirements will not be accepted. Acceptance for gradation shall be based on test results, provided, and certified by Vendor to be true test results and representative of the material supplied to WVDOH, on consecutive random samples from a lot. A lot shall consist of a quantity of material represented by an average value (not to exceed 5 sub-lots). A sub-lot shall consist of the quantity of material represented by a single gradation test. In the case where

only one sample is taken to represent the total quantity, the sub-lot and lot will be considered the same. Frequency of sampling and testing shall be per the Vendor's quality control plan outlined in MP 700.00.51, Guide for Quality Control and Acceptance Plans for Purchase Order Contracts for Stone and Aggregate, as amended. Vendor shall provide the gradation test results to the WVDOH within 72 hours.

Gradation test results shall be averaged per MP 300.00.51, Procedural Guidelines for Maintaining Control Charts for Aggregate Gradations, as amended. When the average falls outside the applicable limits, the entire lot of material represented thereby will be considered non-conforming to the extent that the last of its sub-lots is non-conforming. When a lot of material is nonconforming, then the last sub-lot contained therein shall have its degree of non-conformance determined as set forth below.

3.2.3.2 Non-Conformance Price Adjustment: When a sub-lot of material is to have its price adjusted, the percentage point difference between the non-conforming test value and the specification limit shall be determined for each sieve size determined to be non-conforming, and this value shall be multiplied by its appropriate multiplication factor as set forth in Table 1. The total measure of non-conformance of an individual sub-lot is the sum of all non-conformances on the various sieve sizes of that sub-lot. In no case, however, shall a sub-lot of material have its price adjusted more than once, and the first adjustment determined shall apply. When the total degree of non-conformance has been established and it is 12 or less, the material will be paid for at an adjusted contract price as specified in Table 2.

Table 1

Non-Conforming	
Sieve Size	Multiplication Factor
Plus #40	1
#40	1.5
#50	1.5
#100	2.0
	(1.3 for Abrasives &
	Cinders)
#20	2.5
1/2"	1
3/8"	1

Table 2

Degree of Non- Conformance	Percent Of Contract Price to Be Reduced
1.0 TO 3.0	2
3.1 TO 5.0	4
5.1 TO 8.0	7
8.1 TO 12.0	11
Greater than 12	*

^{*}WVDOH will make a special evaluation of the material and determine action.

3.2.3.3 Non-Conforming Sub-Lots: If the WVDOH picks up a specific quantity of material from a stockpile, and said quantity is less than the total quantity contained in the stockpile, and it has been determined from this certified test data that a non-conforming sub-lot(s) is contained in said stockpile, the price reduction shall be calculated for the specific quantity as follows:

The percent price reduction shall be determined as set forth above for the non-conforming sub-lot. The quantity represented by the non-conforming sub-lot shall then be calculated as a percent of the total (total material contained in the stockpile). To determine the price reduction on the specific quantity picked up, multiply the percent of non-conforming material contained in the stockpile by the quantity picked up, and reduce this quantity by the percent price reduction as determined.

Example: If it has been determined that a stockpile of 100 tons contains 10 percent failing material, and said material is to have its price reduced by 4 percent, then the actual quantity picked up, say 15 tons, will be multiplied by 0.10 (10 percent failing material) which equals 1.5 tons. These 1.5 tons will thus have its price reduced by 4 percent. The remaining 13.5 tons will be paid for at full contract price.

If two sub-lots are non-conforming within the stockpile, calculate each separately for the adjusted payment on the quantity picked up (as above). Add these two adjusted payments together and subtract from the total the price to be paid before adjustment for tonnage picked up (TD). If three sub-lots are non-conforming, calculate each separately and subtract twice the price to be paid before adjustment for tonnage picked up, and so on.

EXAMPLE:

(AP1 + AP2) - TD = Final price to be paid after adjustments $<math display="block">\frac{OR}{(AP1 + AP2 + AP3) - 2 TD} = Final price to be paid after adjustments$

WHERE: AP = price to be paid after initial adjustment for one non-conforming sub-lot determined by the above equation.

- 3.2.4 Continuous Stockpile: In the event material is picked up from a continuous stockpile, that is, a stockpile which is continuously being replenished while also having material removed for these applications, certification shall be based on the shipment samples.
- 3.2.5 Emergency Requests: Emergency requests as ordered by WVDOH District Engineer, or their designee are orders which shall be initiated within 24 hours from when the order is received by the vendor. The determination of emergency work will be in accordance with Section 2.5 of this Solicitation and prominently noted on ADO. Designated emergency requests will be paid at 1.50 times the vendors bid price.

4. CONTRACT AWARD:

- 4.1 Contract Award: The Contract is intended to provide Agencies with a purchase price on all Contract Items. This is a multiple vendor award contract. All qualified responsible Vendors shall be awarded a contract for those Contract Items bid which meet all mandatory requirements of this Contract.
 - 4.1.1 Determining Low Bid Per Project: To determine the low bid vendor for individual projects, the WVDOH District Engineer or their designee will calculate the lowest overall total cost of the Contract Items required for individual projects. A written ADO will be issued to the Vendor with the lowest overall total cost. The Agency will factor mileage into this calculation using a haul cost of \$1.50 for the first ton-mile and \$0.25 for each additional ton-mile. This haul rate is for Agency expense purposes only and is not billed to the Vendor.

WVDOH reserves the right to request any one or combination of Contract Items for which bids are awarded at the lowest overall total as set forth in this section.

4.2 Pricing Pages, Attachment A ("ATT A"): Vendor shall complete the Pricing Pages by providing a bid price for each Contract Item which they offer. Vendor may bid any or all Contract Items. Vendor shall factor into their bid prices any

related overhead expenses, equipment, materials, and labor related to loading WVDOH trucks, when calculating their bid price for each Contract Item. Vendor shall complete the Pricing Pages for each Contract Item bid in their entirety as failure to do so may result in Vendor's bids being disqualified. All bids or pricing submitted shall be held and honored by the Vendor for 90 days after the bid opening date.

The Pricing Pages contain a list of the Contract Items with no guarantee that any Contract Item will be purchased throughout the life of this contract. Estimated quantities are not available.

- 4.2.1 Vendor should type or electronically enter the information into the Pricing Pages spreadsheet to prevent errors in the evaluation. In most cases, the Pricing Pages are available in wvOASIS within the solicitation attachments, however, Vendors may request an electronic copy of the Pricing Pages spreadsheet for bid purposes by sending an email request to the following address: John.W.Estep@wv.gov
- 4.2.2 Submitting Pricing Pages other than those provided with this solicitation, as described in Section 4.2, such as pricing pages from a previous solicitation, shall result in the disqualification of Vendor's bid in its entirety.
- **4.2.3** Vendor shall supply its pricing with corresponding plant source and storage site information for all Items bid.
- 4.2.4 Changing a column or row description, Contract Item description, unit of measure on the **Pricing Pages**, Attachment A (ATT A) shall result in the disqualification of Contract Item bid on the altered line.
- 4.2.5 Vendor entries of bid prices or other notations made in wvOASIS commodity line descriptions will not be considered for bid evaluation or award. Failure to submit ATT A with bid submission will result in the disqualification of the Vendors entire bid.
- 4.3 Contract Award Transition: Upon award of this contract, the WVDOH will announce the effective date of use of this contract to the Districts and the Vendors, whether it is by the effective date, the completed and encumbered date, or an established date by the WVDOH. Upon the announced effective date of use, any order issued prior to the award of the contract shall remain in effect and should not be cancelled until that order is filled; however, after 10 working days of the Districts and Vendors notice, any order that has not been completely filled by the Vendors shall NOT be completed and a cancellation notice will be sent to that Vendor from the issuing District for cancellation of the balance of that order only. No orders

from prior contracts should be held open by the Districts or Vendors longer than 10 working days after the effective date of use is announced for the new contract.

- 4.4 Cooperative Contracting: The purchase prices on all Contract Items herein, available for the WVDOH, shall be adoptable for other public agencies upon their request. Agencies under the authority of the West Virginia Purchasing Division must receive prior approval by the Purchasing Director.
- 4.5 Price Adjustment of Fuel Oil #2 (Diesel Fuel): Due to the uncertainty in estimating the cost of diesel fuel that will be used during the life of this contract, adjustment in compensation for applicable items shall be per Standard Spec 109.9, as amended, with the exception that Factor "C" in the Price Adjustment for Fuel formula is to be broken down by component, as shown in Figure 4.5A below.

The Price Adjustment for Fuel formula to be utilized for this contract is:

$$Pa = [(Mbp \div Cbp) - 1.00] \times Cbp \times C \times Q$$

Where: Pa = Price Adjustment

Mbp =Monthly base price at time of placement Cbp = Contract Base Price at time of bidding*

C = Cost Adjustment Factors per Unit, as per Figure 4.5A

Q = 'As Constructed' Quantity

FIGURE 4.5A

Description	Factor	Unit	Applicable Item
Aggregate Production	0.49	Tons	All Contract Items

The bidding index will be listed on the Contract Administration website for Fuel, Asphalt and Cement Prices Adjustments listed for June 2024. Contract Base Price at time of bid will be based on June 2024.

https://transportation.wv.gov/highways/contractadmin/Lettings/Pages/FuelandAsp haltPrices.aspx

5. ORDERING AND PAYMENT:

5.1 Ordering: Vendor shall accept orders through regular mail, facsimile, email, or any other written forms of communication. Vendor shall maintain and keep current its phone numbers, fax number, email address, locations, and ordering/billing/payment addresses with WVDOH and in wvOASIS. Vendor may, but is not required to, accept online orders through a secure internet ordering portal/website. If Vendor can accept online orders, it shall include in its response a brief description of how Agencies may utilize the online ordering system. Vendor shall ensure that its online ordering system is properly secured prior to processing Agency orders online.

Delivery Order ("ADO"): District personnel should issue an Agency Delivery Order (ADO) from OASIS for specific quantities of materials based on each project's requirements and detailing the need and location information of work to be completed per Contract Items, as well as the start and end dates, which will become the agreed upon official start and end dates. The ADO must be created in OASIS and approved to "Final", prior to placing the order with the vendor. The District is responsible for creating the ADO in OASIS and is required to submit the approved order, in writing, directly to the vendor via mail, email or fax. Verbal communication with the vendor is not considered an official order. In the event the vendor denies an order or if there are changes to an ADO, the District must process a change order to the approved ADO issued from OASIS.

Emergencies shall be prominently noted on the ADO. Once complete, the ADO shall be sent to Vendor via fax, email, or mail.

5.3 Payment: Upon completion of the work indicated on the ADO, Vendor shall accept payment in accordance with the payment procedures of the State of West Virginia. The State of West Virginia currently utilizes a Purchasing Card program, administered under contract by a banking institution, as well as Electronic Funds Transfer as methods to process payment for goods and services. The Vendor shall accept the State of West Virginia's Purchasing Card and Electronic Funds Transfer for payment of orders under this Contract. Electronic Funds Transfer for payment is available through the WV State Auditor's Office. The Vendor may visit the WV State Auditor's website (wvsao.gov) for all necessary forms and instructions. Payment method may be dictated at WVDOH's discretion.

6. PROJECT ACCEPTANCE, DELIVERY AND RETURN:

- 6.1 Project Acceptance and Written Verification of Receipt: Upon receipt of a WVDOH ADO, the Vendor shall advise the WVDOH in writing within three (3) calendar days of their acceptance or refusal of the ADO. As verification of receipt, Vendor must provide written acknowledgement of any ADOs, and any Revisions/Modifications thereto sent by WVDOH. Failure to provide the WVDOH with written acknowledgement of any ADOs/Revisions within three (3) days of the Order being sent shall be considered refusal of the ADO. In the event of refusal, the WVDOH at its own discretion shall cancel the ADO and may seek to obtain the goods or services from another Vendor or proceed with an emergency purchase from the open market.
- 6.2 Delivery Time: Vendor shall promptly commence and complete standard orders within five (5) working days after orders are received. If for any reason the Vendor anticipates delay or failure for any reason to commence its delivery/provision of 100% of the ordered Contract Items, Vendor shall provide, in writing, to the

ordering Agency the reason for its failure no later than three (3) business days prior to the Agency Delivery Order/Release Order date, and no later than 4:00pm.

Vendor shall deliver emergency orders within 24 hours of the order date, or per the agreed upon timeframe established by the Agency and the Vendor.

Vendor shall ship all orders in accordance with the above schedule and shall not hold orders until a minimum delivery quantity is met. No Vendor is authorized to ship project related goods or begin work/services, nor is the WVDOH authorized to receive materials, prior to the issuance of an ADO.

6.3 Late Delivery: The Agency placing the order under this Contract must be notified in writing if orders will be delayed for any reason. Any delay in delivery that could cause harm to an Agency will be grounds for cancellation of the delayed order, and/or obtaining the items ordered from another awarded vendor or proceed with an Emergency Purchase from the open market.

The Agency placing the ADO under this Contract must be notified in writing by the Vendor no later than five (5) business days prior to the scheduled start date from the Agency's order. Any failure to notify, acknowledge receipt of WVDOH's written ADOs/ Revisions resulting in delivery delay, or failure to start or complete the project per the WVDOH scheduled due dates, or failure to provide Contract Items in compliance with the quality requirements of this contract, may be determined by the WVDOH at its sole discretion as harmful to the Agency and as such, shall result in WVDOH's cancellation of the ADO and application of Liquidated Damages.

Any Agency seeking to obtain items from the open market under this provision must first obtain approval of the West Virginia Purchasing Division.

6.3.1 Liquidated Damages: If the Vendor's work completion or corrections of deficient work exceeds the ADO completion due date or timeframe, the Vendor shall agree that no extension of contract time will be granted unless Liquidated Damages are applied by the WVDOH in the form of an off-set reduction to the total amount of the Vendor's final invoice. The WVDOH shall calculate Liquidated Damages per project beginning on day one (1) after the WVDOH's specified ADO due date and in accordance with this Section, the Contract's Terms and Conditions, Standard Specs Section 108.7, and the following Standard Specs Section Table 108.7.1 - Schedule of Liquidated Damages, as amended:

Table 108.7.1 Schedule of Liquidated Damages

Original Contract Amount		Daily Charges Per
For More Than	To and Including	Calendar Day
\$0	\$500,000	\$350
\$500,000	\$2,000,000	\$650
\$2,000,000	\$10,000,000	\$1,600
\$10,000,000	\$25,000,000	\$3,100
\$25,000,000		\$4,200

- 6.3.2 Force Majeure: It shall be further noted that the Vendor is not responsible for and shall not be penalized for delays in its delivery of goods and/or services when caused by factors or events outside Vendor's control, including but not limited to acts or omissions of the Agency or third parties, acts of civil or military authority, civil disturbance, war, terrorism, pandemics, explosions, fire, floods, tornadoes, or other natural disasters or acts of God.
- 6.4 Return of Unacceptable Items: The decision of the WVDOH District Engineer or their designee regarding materials, workmanship, quality etc., shall be final per the Standard Specs Section 105.1, as amended. If the Agency deems the Contract Items to be unacceptable, the Contract Items shall be returned to Vendor at Vendor's expense and with no restocking charge. Vendor shall either arrange for the return within five (5) days of being notified that items are unacceptable or permit the Agency to arrange for the return and reimburse Agency for delivery expenses. If the original packaging cannot be utilized for the return, Vendor will supply the Agency with appropriate return packaging upon request. All returns of unacceptable items shall be F.O.B. the Agency's location. The returned product shall either be replaced, or the Agency shall receive a full credit or refund for the purchase price, at the Agency's discretion.
- 6.5 Return Due to Agency Error: Items ordered in error by the Agency will be returned for credit within 30 days of receipt, F.O.B. Vendor's location. Vendor shall not charge a restocking fee if returned products are in a resalable condition. Items shall be deemed to be in a resalable condition if they are unused and in the original packaging. Any restocking fee for items not in a resalable condition shall be the lower of the Vendor's customary restocking fee or 5% of the total invoiced value of the returned items.

7. VENDOR DEFAULT:

- 7.1 The following shall be considered a vendor default under this Contract.
 - **7.1.1** Failure to provide Contract Items in accordance with the requirements contained herein.
 - **7.1.2** Failure to comply with other specifications and requirements contained herein.
 - 7.1.3 Failure to comply with any laws, rules, and ordinances applicable to the Contract Services provided under this Contract.
 - 7.1.4 Failure to remedy deficient performance upon request.
- 7.2 The following remedies shall be available to Agency upon default.
 - 7.2.1 Immediate cancellation of the Contract.
 - **7.2.2** Immediate cancellation of one or more release orders issued under this Contract.
 - 7.2.3 Any other remedies available in law or equity.

8. MISCELLANEOUS:

- 8.1 No Substitutions: Vendor shall supply only Contract Items submitted in response to the Solicitation unless a contract modification is approved in accordance with the provisions contained in this Contract.
- 8.2 Vendor Supply: Vendor must carry sufficient inventory of the Contract Items being offered to fulfill its obligations under this Contract. By signing its bid, Vendor certifies that it can supply the Contract Items contained in its bid response.
- 8.3 Reports: Vendor shall provide the Agency with quarterly reports, annual summaries, and/or monthly reports as requested by the Agency and/or the West Virginia Purchasing Division showing quantities, total dollar value of the Contract Items purchased, ordered, shipped & invoiced with dates in spreadsheet format as defined by the Agency. Failure to supply such reports may be grounds for cancellation of this Contract.

8.4 Contract Manager: During its performance of this Contract, Vendor must designate and maintain a primary contract manager responsible for overseeing Vendor's responsibilities under this Contract. The Contract Manager must be available during normal business hours to address any customer service or other issues related to this Contract. Vendor should list its Contract Manager and his or her contact information below.

Contract Manager: Down B Kenns
Telephone Number: (545)662-3431
Fax Number: (545)722-9884
Email Address: dKernsestwartmperry com

Vendor shall inform the Agency in writing of any changes to the information provided above within 10 calendar days of such changes. Failure to comply may be grounds for cancellation of this contract.

SPECIFICATIONS

- 1. PURPOSE AND SCOPE: The West Virginia Purchasing Division is soliciting bids on behalf of the West Virginia Division of Highways to establish an open-end contract for various sizes and types of Stone, Aggregate, Cinders and Slag for Pick Up by Agency from Vendor's designated storage sites, for use on WVDOH projects throughout the state of West Virginia.
- 2. **DEFINITIONS:** The terms listed below shall have the following meanings assigned to them throughout and for the purpose of this Solicitation. Additional definitions can be found in Section 2 of the General Terms and Conditions.
 - 2.1 "ADO" and "Agency Delivery Order" A written order entered by WVDOH personnel in the wvOASIS financial system against a master agreement, authorizing quantities of commodities and/or services to be delivered in accordance with all terms, conditions, and prices stipulated in the original contract.
 - 2.2 "AASHTO" The American Association of State Highway and Transportation Officials is a standard setting body which publishes specifications, test protocols, and guidelines that are used in highway design and construction throughout the United States; www.transportation.org.
 - 2.3 "Contract Item(s)" Means the list of items available for Vendor to provide pricing as identified in Section 3.2 of this Solicitation and referenced throughout.
 - 2.4 "Contractor" or "Vendor" Interchangeably used throughout this Solicitation and in any cited Sections of the West Virginia Department of Transportation, Division of Highways Standard Specifications, Roads and Bridges, adopted latest Standard Specs edition, as amended, including any Supplementals and refers to any entity submitting a bid in response to the Solicitation, the entity that has been selected as the lowest responsible bidder, or the entity that has been awarded the Contract, as context requires.
 - 2.5 "Emergency Request" Orders requiring to be done without delay owing to circumstances for which the WVDOH could not have reasonably expected and has been designated as such by a representative of the WVDOH.
 - 2.6 "FOB" or "Free on Board" Indicates that the price for goods includes delivery at the Vendor's expense to a specified point, and that the Vendor retains liability for loss or damage until the goods are delivered.
 - 2.7 "Liquidated Damages" Monetary compensation due from the Vendor in the event the Vendor's performance falls short of contractual stipulation or breaches the contract. Delays in the delivery of goods and/or services or quality failures or corrections by the Vendor may result in the Agency assessing charges for such

deficiencies per these contract Specifications, the Standard Specs Section 108.7, as amended, and calculated from the table posted in Section 6.3.1 of these Specifications.

- 2.8 "MP" and/or "MCS&T" Means the Materials Procedures as administered by the WVDOH Materials Control, Soil and Testing Division who perform all procedures necessary with sampling, testing, reporting and inspection of products and materials to maintain a reliable quality assurance system. https://transportation.wv.gov/highways/mcst/Pages/WVDOH-Materials-Procedures.aspx
- 2.9 "Pricing Pages," "Attachment A," and "ATT A" The schedule of prices attached hereto as Attachment A (ATT A) and used to evaluate Solicitation responses.
- **2.10** "Solicitation" The official notice of an opportunity to supply the State with goods or services.
- 2.11 "Standard Specs" Used throughout this solicitation means the West Virginia Department of Transportation, Division of Highways Standard Specifications, Roads and Bridges, most recent edition, as modified or amended by all subsequent Supplemental Specifications.
- 2.12 "WVDOH" or "Agency" Interchangeable terms for the West Virginia Division of Highways.

3. GENERAL REQUIREMENTS:

3.1 Standard Specifications Roads and Bridges: The following Standard Specs Sections shall apply, as applicable, to the administration of this contract: 101, 102, 103, 104, 105, 106, 107, 108, 109, and 110, as amended.

Materials, equipment, and performance of this contract shall conform to, but are not limited to, the requirements of Sections 218, 401,702, 703, 704, and 716.1.1 as amended.

Free electronic copies of the Standard Specs and Supplementals are available at: https://transportation.wv.gov/highways/TechnicalSupport/specifications/Pages/default.aspx. Hard copies of these publications may be purchased from Technical Support Division, by completing the Specification Order Form provided within the website.

3.2 Contract Items and Mandatory Requirements: Vendor shall provide Agency with the Contract Items listed below on an open-end and continuing

basis. Contract Items must meet or exceed the mandatory requirements as shown below.

- 3.2.1 Materials: All materials bid and provided under this contract must meet or exceed mandatory requirements as shown below and adhere to the Standard Specs, as amended:
 - 3.2.1.1 Fine Aggregate must adhere to Standard Spec 702. Fine Aggregate on the Pricing Pages, ATT A, shall be for Portland Cement Concrete or mortar sand. The type shall be specified by the Agency on the ADO.
 - 3.2.1.2 Coarse Aggregate must adhere to Standard Spec 703. Coarse Aggregate on the Pricing Pages, ATT A, is identified by an AASHTO standard size. Except for the following Contract Items, grading on all specified sieve sized for material and grading shall adhere to AASHTO T-27 (Dry Test Only) or by AASHTO T-27 with AASHTO T-11:
 - AASHTO #7
 - AASHTO #8
 - AASHTO #9
 - AASHTO #8 Modified
 - AASHTO #9 Modified
 - **3.2.1.3 Crushed Stone** must adhere to Standard Spec 703.1.
 - 3.2.1.4 Rip Rap must adhere to Standard Spec 704.2.
 - **3.2.1.5 Stone For Gabions** must adhere to Standard Spec 704.3.
 - 3.2.1.6 Shot Rock must adhere to Standard Spec 704.8.
 - 3.2.1.7 Abrasives: In addition to meeting the gradation requirements of AASHTO #8 and #9 aggregate in table 703.4, Modified AASHTO #8 and Modified AASHTO #9 aggregate shall have a maximum of 2% passing the #200 sieve, when sampled at the source (the Vendor's last point of possession), prior to shipment, as determined by AASHTO T-11 and T-27. The aggregates shall be crushed with a minimum of 80% two face fracture. Modified AASHTO #8 and Modified AASHTO #9 aggregate shall meet all other requirements for AASHTO #8 and AASHTO #9 aggregate.

A. Quality

- Liquid limit shall not exceed 25 and plasticity index shall not exceed six (6).
- Total deleterious substances including, but not limited to metal, glass, clay, shale, and thin or elongated pieces shall not exceed 3% of the dry weight of the total sample.
 Deleterious content shall be determined on that fraction of material retained on the U.S. Standard # 4 (4.75 mm) sieve.
- When gravel is used as an abrasive, the material retained on the AASHTO #8, the sieve shall have a majority of crushed particles.
- B. Gradation: Material shall adhere to AASHTO T-27:

Sieve Size	% Passing By Weight	
	Standard	Modified
1/2 inch	100	100
3/8 inch	85-100	85-100
# 100	0–10	0-4

3.2.1.8 Cinders consist of Wet Bottom Boiler Slag (shiny, black, glassy material) formed when molten ash from the burning of coal drops into water and shatters at the bottom of the boiler, and/or Bottom Ash formed when ash particles from the burning of pulverized coal is allowed to air cool at the bottom of the furnace.

A. Quality

- Total deleterious substances, including but not limited to metal, glass, clay, shale, and thin or elongated pieces, shall not exceed 3% of the dry weight of the total sample. Deleterious content shall be determined on that fraction of material retained on the US Standard # 4 (4.75 mm) sieve.
- B. Gradation: Material shall adhere to AASHTO T-27.

Sieve Size	% Passing By Weight
1/2 inch	100
3/8 inch	85–100
# 100	0–10

3.2.1.9 Aggregate For Base and Sub-Base must adhere to Standard Spec 704.6. Aggregate for base and sub-base on ATT A are identified by Class. Aggregate for Base/Subbase course, material shall consist of gravel, crushed gravel, crushed stone, crushed slag, or any combination of these materials uniformly blended to conform to 704.6.2, with exception: Los Angeles abrasion is not required for blast furnace slag. Natural or manufactured sand may be used as a component of the blend. Crushed slag shall adhere to 703.3 with exception. When gravel is to be used in stabilized (treated) base or subbase construction, it need not be crushed. When used in an unstabilized base or subbase construction, the gravel shall be crushed as specified. When Vendor elects to blend materials, each component of the blend shall meet 704.6.2. Blade or road mixing will not be allowed. When shoulders are specified, natural sand may not be used as a shoulder component.

Vendor shall adhere to Standard Specs 704 and sampled per MP 700.00.06, as amended. Frequency of sampling and testing and plotting of gradation test data shall adhere to established Division procedures. Material failing to comply with the Specification requirements when sampled, tested, and evaluated per Division procedures and/or disapproval of the Engineer, shall be removed and replaced at the Contractor's expense, or, at the option of the Engineer, may be left in place with reduced payment.

3.2.1.10#8 Modified and #9 Modified must adhere to Standard Spec 703.3. In addition to meeting the gradation requirements of AASHTO #8 and #9 aggregate in table 703.4, Modified AASHTO #8 and Modified AASHTO #9 aggregate shall have a maximum of 2% passing the #200 sieve, when sampled at the source (the Vendor's last point of possession), prior to shipment, as determined by AASHTO T-11 and T-27. The aggregates shall be crushed with a minimum of 80% two face fracture. Modified AASHTO #8 and Modified AASHTO #9 aggregate shall meet all other requirements for AASHTO #8 and AASHTO #9 aggregate.

Except for the following Contract Items, grading on all specified sieve sized for material and grading shall adhere to AASHTO T-27 (Dry Test Only) or by AASHTO T-27 with AASHTO T-11

- AASHTO #7
- AASHTO #8
- AASHTO #9
- AASHTO #8 Modified

AASHTO #9 Modified

3.2.1.11 #11 Limestone for SRIC must adhere to Standard Spec 703.1.

A. Quality

- The liquid limit shall not exceed 25 and plasticity index shall not exceed six (6).
- Total deleterious substances including, but not limited to metal, glass, clay, shale, and thin or elongated pieces shall not exceed 1% of the dry weight of the total sample. Deleterious content shall be determined on that fraction of material retained on the U.S. Standard #8 (2.36 mm) sieve.

B. Gradation - Material shall adhere to AASHTO T-27:

Sieve Size	% Passing By Weight
3/8 inch	100
#4	40-90
#8	10-40
#100	0-5

3.2.1.12 Quarry Waste shall adhere to Standard Spec 716.1.1 Random Material, as amended.

3.2.1.13 Steel Slag for SRIC must adhere to Standard Spec 703.3.

A. Quality

- The liquid limit shall not exceed 25 and the plasticity index shall not exceed six (6).
- Total deleterious substances including, but not limited to metal, glass, clay, shale, and thin or elongated pieces shall not exceed 3% of the dry weight of the total sample.
 Deleterious content shall be determined on that fraction of material retained on the U.S. Standard # 4 (4.75 mm) sieve.

B. Gradation – materials shall adhere to AASHTO T-27:

Sieve Size	% Passing By Weight
1/2 inch	100
3/8 inch	85–100
#100	0–20

- 3.2.1.14 Imbricated Stone/Rock shall meet Standard Spec 704.5 Special Rock Fill, as amended. Size shall be a minimum of 36 inches with a maximum of 72 inches. Imbricated Stone/Rock shall have two flat surfaces that may be used in a stackable manner. Imbricated Stone/Rock may be used in conjunction with Standard Specs 218.3 and 218.4, as amended.
- 3.2.2 Sampling And Testing for quality of all items furnished in this contract will be the responsibility of WVDOH. Minimum frequency of sampling and testing for quality on all materials (other than those sources already covered by the WVDOH's "commercial source" approval) will be at least one sample every six (6) days of shipment (or if tested during production, at least one sample every six (6) days of production). All samples taken by Vendor shall be by a Certified Aggregate Sampler or Certified Aggregate Inspector. Tests shall be performed by a Certified Aggregate Inspector. Other minimum frequencies shall be:

Property	Frequency	
Gradation Delivered Material	One sample per each day of shipment or if tested during production, one sample per each day of production. See 3.2.2.1.	
Gradation	(A-1 Source) One sample per each week of shipment per MP 700.00.52, Guide for Source Rating System Relative to Maintenance Contracts, as amended; or if tested during production, one sample per each day of production. See 3.2.2.1.	
	(A-2 Source) One sample per 250 tons shipped and a minimum of one per week shipment.	
Moisture Content	See 3.2.2.2.	

3.2.2.1 The vendor shall provide gradation test results attesting to the gradation of materials delivered. Gradation results from the production source will be acceptable. Gradation test results shall

be sent to the Materials Department of each District the aggregate was delivered to within 72 hours of delivery. The WVDOH will enter the gradations into the AASHTO Wear Project (AWP) system within one week of receiving the gradations.

- 3.2.2.2 In the event visual inspection of the aggregate indicates excess or unusual moisture beyond what is normally expected in the aggregate, the WVDOH reserves the right to determine moisture content by standard methods per established Division procedures. If this becomes necessary, the net weight of portion represented will be adjusted utilizing test results obtained by WVDOH per MP 700.00.22. Abrasives and Steel Slag Items will be considered fine aggregate as outlined in MP 700.00.22.
- 3.2.3 Acceptance Plan: Per Standard Spec 703, crushed stone shall consist of particles of clean, hard, tough, durable rock, free from adherent and foreign material. Acceptance for gradation shall be based on test results, provided, and certified by Vendor to be true test results and representative of the material supplied to WVDOH, on consecutive random samples from a lot. A lot shall consist of a quantity of material represented by an average value (not to exceed 5 sub-lots). A sub-lot shall consist of the quantity of material represented by a single gradation test. When only one sample is taken to represent the total quantity, the sub-lot and lot will be considered the same. Frequency of sampling and testing shall be per Vendor's quality control plan outlined in MP 700.00.51 Guide for Quality Control and Acceptance Plans for Purchase Order Contracts for Stone and Aggregate, as amended. Vendor shall provide gradation test results to the Agency within 72 hours.
 - 3.2.3.1 Sampling Testing & Evaluation: As per Standard Spec 704, the Agency reserves the right to have materials sampled, tested, and evaluated material deliveries. If material fails to comply with WVDOH quality requirements, the Agency, at its own discretion, shall notify Vendor that the nonconforming material will not be accepted and shall be removed and replaced at Vendor's expense, or at the option of the ordering Agency, may be left in place with reduced payment.

At the discretion of the Agency, material failing to comply with the quality requirements will not be accepted. Acceptance for gradation shall be based on test results, provided, and certified by Vendor to be true test results and representative of the material supplied to WVDOH, on consecutive random samples from a lot. A lot shall consist of a quantity of material represented by an average value (not to exceed 5 sub-lots). A sub-lot shall consist of the quantity of material represented by a single gradation test. In the case where

only one sample is taken to represent the total quantity, the sub-lot and lot will be considered the same. Frequency of sampling and testing shall be per the Vendor's quality control plan outlined in MP 700.00.51, Guide for Quality Control and Acceptance Plans for Purchase Order Contracts for Stone and Aggregate, as amended. Vendor shall provide the gradation test results to the WVDOH within 72 hours.

Gradation test results shall be averaged per MP 300.00.51, Procedural Guidelines for Maintaining Control Charts for Aggregate Gradations, as amended. When the average falls outside the applicable limits, the entire lot of material represented thereby will be considered non-conforming to the extent that the last of its sub-lots is non-conforming. When a lot of material is nonconforming, then the last sub-lot contained therein shall have its degree of non-conformance determined as set forth below.

3.2.3.2 Non-Conformance Price Adjustment: When a sub-lot of material is to have its price adjusted, the percentage point difference between the non-conforming test value and the specification limit shall be determined for each sieve size determined to be non-conforming, and this value shall be multiplied by its appropriate multiplication factor as set forth in Table 1. The total measure of non-conformance of an individual sub-lot is the sum of all non-conformances on the various sieve sizes of that sub-lot. In no case, however, shall a sub-lot of material have its price adjusted more than once, and the first adjustment determined shall apply. When the total degree of non-conformance has been established and it is 12 or less, the material will be paid for at an adjusted contract price as specified in Table 2.

Table 1

Non-Conforming	
Sieve Size	Multiplication Factor
Plus #40	1
#40	1.5
#50	1.5
#100	2.0
	(1.3 for Abrasives &
	Cinders)
#20	2.5
1/2"	1
3/8"	1

Table 2

Degree of Non- Conformance	Percent Of Contract Price to Be Reduced		
1.0 TO 3.0	2		
3.1 TO 5.0	4		
5.1 TO 8.0	7		
8.1 TO 12.0	11		
Greater than 12	*		

^{*}WVDOH will make a special evaluation of the material and determine action.

3.2.3.3 Non-Conforming Sub-Lots: If the WVDOH picks up a specific quantity of material from a stockpile, and said quantity is less than the total quantity contained in the stockpile, and it has been determined from this certified test data that a non-conforming sub-lot(s) is contained in said stockpile, the price reduction shall be calculated for the specific quantity as follows:

The percent price reduction shall be determined as set forth above for the non-conforming sub-lot. The quantity represented by the non-conforming sub-lot shall then be calculated as a percent of the total (total material contained in the stockpile). To determine the price reduction on the specific quantity picked up, multiply the percent of non-conforming material contained in the stockpile by the quantity picked up, and reduce this quantity by the percent price reduction as determined.

Example: If it has been determined that a stockpile of 100 tons contains 10 percent failing material, and said material is to have its price reduced by 4 percent, then the actual quantity picked up, say 15 tons, will be multiplied by 0.10 (10 percent failing material) which equals 1.5 tons. These 1.5 tons will thus have its price reduced by 4 percent. The remaining 13.5 tons will be paid for at full contract price.

If two sub-lots are non-conforming within the stockpile, calculate each separately for the adjusted payment on the quantity picked up (as above). Add these two adjusted payments together and subtract from the total the price to be paid before adjustment for tonnage picked up (TD). If three sub-lots are non-conforming, calculate each separately and subtract twice the price to be paid before adjustment for tonnage picked up, and so on.

EXAMPLE:

(AP1 + AP2) - TD = Final price to be paid after adjustments $<math display="block">\frac{OR}{(AP1 + AP2 + AP3) - 2 TD} = Final price to be paid after adjustments$

WHERE: AP = price to be paid after initial adjustment for one non-conforming sub-lot determined by the above equation.

- 3.2.4 Continuous Stockpile: In the event material is picked up from a continuous stockpile, that is, a stockpile which is continuously being replenished while also having material removed for these applications, certification shall be based on the shipment samples.
- 3.2.5 Emergency Requests: Emergency requests as ordered by WVDOH District Engineer, or their designee are orders which shall be initiated within 24 hours from when the order is received by the vendor. The determination of emergency work will be in accordance with Section 2.5 of this Solicitation and prominently noted on ADO. Designated emergency requests will be paid at 1.50 times the vendors bid price.

4. CONTRACT AWARD:

- 4.1 Contract Award: The Contract is intended to provide Agencies with a purchase price on all Contract Items. This is a multiple vendor award contract. All qualified responsible Vendors shall be awarded a contract for those Contract Items bid which meet all mandatory requirements of this Contract.
 - 4.1.1 Determining Low Bid Per Project: To determine the low bid vendor for individual projects, the WVDOH District Engineer or their designee will calculate the lowest overall total cost of the Contract Items required for individual projects. A written ADO will be issued to the Vendor with the lowest overall total cost. The Agency will factor mileage into this calculation using a haul cost of \$1.50 for the first ton-mile and \$0.25 for each additional ton-mile. This haul rate is for Agency expense purposes only and is not billed to the Vendor.

WVDOH reserves the right to request any one or combination of Contract Items for which bids are awarded at the lowest overall total as set forth in this section.

4.2 Pricing Pages, Attachment A ("ATT A"): Vendor shall complete the Pricing Pages by providing a bid price for each Contract Item which they offer. Vendor may bid any or all Contract Items. Vendor shall factor into their bid prices any

related overhead expenses, equipment, materials, and labor related to loading WVDOH trucks, when calculating their bid price for each Contract Item. Vendor shall complete the Pricing Pages for each Contract Item bid in their entirety as failure to do so may result in Vendor's bids being disqualified. All bids or pricing submitted shall be held and honored by the Vendor for 90 days after the bid opening date.

The Pricing Pages contain a list of the Contract Items with no guarantee that any Contract Item will be purchased throughout the life of this contract. Estimated quantities are not available.

- 4.2.1 Vendor should type or electronically enter the information into the Pricing Pages spreadsheet to prevent errors in the evaluation. In most cases, the Pricing Pages are available in wvOASIS within the solicitation attachments, however, Vendors may request an electronic copy of the Pricing Pages spreadsheet for bid purposes by sending an email request to the following address: John.W.Estep@wv.gov
- 4.2.2 Submitting Pricing Pages other than those provided with this solicitation, as described in Section 4.2, such as pricing pages from a previous solicitation, shall result in the disqualification of Vendor's bid in its entirety.
- **4.2.3** Vendor shall supply its pricing with corresponding plant source and storage site information for all Items bid.
- 4.2.4 Changing a column or row description, Contract Item description, unit of measure on the **Pricing Pages**, Attachment A (ATT A) shall result in the disqualification of Contract Item bid on the altered line.
- 4.2.5 Vendor entries of bid prices or other notations made in wvOASIS commodity line descriptions will not be considered for bid evaluation or award. Failure to submit ATT A with bid submission will result in the disqualification of the Vendors entire bid.
- 4.3 Contract Award Transition: Upon award of this contract, the WVDOH will announce the effective date of use of this contract to the Districts and the Vendors, whether it is by the effective date, the completed and encumbered date, or an established date by the WVDOH. Upon the announced effective date of use, any order issued prior to the award of the contract shall remain in effect and should not be cancelled until that order is filled; however, after 10 working days of the Districts and Vendors notice, any order that has not been completely filled by the Vendors shall NOT be completed and a cancellation notice will be sent to that Vendor from the issuing District for cancellation of the balance of that order only. No orders

from prior contracts should be held open by the Districts or Vendors longer than 10 working days after the effective date of use is announced for the new contract.

- 4.4 Cooperative Contracting: The purchase prices on all Contract Items herein, available for the WVDOH, shall be adoptable for other public agencies upon their request. Agencies under the authority of the West Virginia Purchasing Division must receive prior approval by the Purchasing Director.
- 4.5 Price Adjustment of Fuel Oil #2 (Diesel Fuel): Due to the uncertainty in estimating the cost of diesel fuel that will be used during the life of this contract, adjustment in compensation for applicable items shall be per Standard Spec 109.9, as amended, with the exception that Factor "C" in the Price Adjustment for Fuel formula is to be broken down by component, as shown in Figure 4.5A below.

The Price Adjustment for Fuel formula to be utilized for this contract is:

$$Pa = [(Mbp \div Cbp) - 1.00] \times Cbp \times C \times Q$$

Where: Pa = Price Adjustment

Mbp =Monthly base price at time of placement Cbp = Contract Base Price at time of bidding*

C = Cost Adjustment Factors per Unit, as per Figure 4.5A

Q = 'As Constructed' Quantity

FIGURE 4.5A

Description	Factor	Unit	Applicable Item
Aggregate Production	0.49	Tons	All Contract Items

The bidding index will be listed on the Contract Administration website for Fuel, Asphalt and Cement Prices Adjustments listed for June 2024. Contract Base Price at time of bid will be based on June 2024.

https://transportation.wv.gov/highways/contractadmin/Lettings/Pages/FuelandAsp haltPrices.aspx

5. ORDERING AND PAYMENT:

5.1 Ordering: Vendor shall accept orders through regular mail, facsimile, email, or any other written forms of communication. Vendor shall maintain and keep current its phone numbers, fax number, email address, locations, and ordering/billing/payment addresses with WVDOH and in wvOASIS. Vendor may, but is not required to, accept online orders through a secure internet ordering portal/website. If Vendor can accept online orders, it shall include in its response a brief description of how Agencies may utilize the online ordering system. Vendor shall ensure that its online ordering system is properly secured prior to processing Agency orders online.

Delivery Order ("ADO"): District personnel should issue an Agency Delivery Order (ADO) from OASIS for specific quantities of materials based on each project's requirements and detailing the need and location information of work to be completed per Contract Items, as well as the start and end dates, which will become the agreed upon official start and end dates. The ADO must be created in OASIS and approved to "Final", prior to placing the order with the vendor. The District is responsible for creating the ADO in OASIS and is required to submit the approved order, in writing, directly to the vendor via mail, email or fax. Verbal communication with the vendor is not considered an official order. In the event the vendor denies an order or if there are changes to an ADO, the District must process a change order to the approved ADO issued from OASIS.

Emergencies shall be prominently noted on the ADO. Once complete, the ADO shall be sent to Vendor via fax, email, or mail.

5.3 Payment: Upon completion of the work indicated on the ADO, Vendor shall accept payment in accordance with the payment procedures of the State of West Virginia. The State of West Virginia currently utilizes a Purchasing Card program, administered under contract by a banking institution, as well as Electronic Funds Transfer as methods to process payment for goods and services. The Vendor shall accept the State of West Virginia's Purchasing Card and Electronic Funds Transfer for payment of orders under this Contract. Electronic Funds Transfer for payment is available through the WV State Auditor's Office. The Vendor may visit the WV State Auditor's website (wvsao.gov) for all necessary forms and instructions. Payment method may be dictated at WVDOH's discretion.

6. PROJECT ACCEPTANCE, DELIVERY AND RETURN:

- 6.1 Project Acceptance and Written Verification of Receipt: Upon receipt of a WVDOH ADO, the Vendor shall advise the WVDOH in writing within three (3) calendar days of their acceptance or refusal of the ADO. As verification of receipt, Vendor must provide written acknowledgement of any ADOs, and any Revisions/Modifications thereto sent by WVDOH. Failure to provide the WVDOH with written acknowledgement of any ADOs/Revisions within three (3) days of the Order being sent shall be considered refusal of the ADO. In the event of refusal, the WVDOH at its own discretion shall cancel the ADO and may seek to obtain the goods or services from another Vendor or proceed with an emergency purchase from the open market.
- 6.2 Delivery Time: Vendor shall promptly commence and complete standard orders within five (5) working days after orders are received. If for any reason the Vendor anticipates delay or failure for any reason to commence its delivery/provision of 100% of the ordered Contract Items, Vendor shall provide, in writing, to the

ordering Agency the reason for its failure no later than three (3) business days prior to the Agency Delivery Order/Release Order date, and no later than 4:00pm.

Vendor shall deliver emergency orders within 24 hours of the order date, or per the agreed upon timeframe established by the Agency and the Vendor.

Vendor shall ship all orders in accordance with the above schedule and shall not hold orders until a minimum delivery quantity is met. No Vendor is authorized to ship project related goods or begin work/services, nor is the WVDOH authorized to receive materials, prior to the issuance of an ADO.

6.3 Late Delivery: The Agency placing the order under this Contract must be notified in writing if orders will be delayed for any reason. Any delay in delivery that could cause harm to an Agency will be grounds for cancellation of the delayed order, and/or obtaining the items ordered from another awarded vendor or proceed with an Emergency Purchase from the open market.

The Agency placing the ADO under this Contract must be notified in writing by the Vendor no later than five (5) business days prior to the scheduled start date from the Agency's order. Any failure to notify, acknowledge receipt of WVDOH's written ADOs/ Revisions resulting in delivery delay, or failure to start or complete the project per the WVDOH scheduled due dates, or failure to provide Contract Items in compliance with the quality requirements of this contract, may be determined by the WVDOH at its sole discretion as harmful to the Agency and as such, shall result in WVDOH's cancellation of the ADO and application of Liquidated Damages.

Any Agency seeking to obtain items from the open market under this provision must first obtain approval of the West Virginia Purchasing Division.

6.3.1 Liquidated Damages: If the Vendor's work completion or corrections of deficient work exceeds the ADO completion due date or timeframe, the Vendor shall agree that no extension of contract time will be granted unless Liquidated Damages are applied by the WVDOH in the form of an off-set reduction to the total amount of the Vendor's final invoice. The WVDOH shall calculate Liquidated Damages per project beginning on day one (1) after the WVDOH's specified ADO due date and in accordance with this Section, the Contract's Terms and Conditions, Standard Specs Section 108.7, and the following Standard Specs Section Table 108.7.1 - Schedule of Liquidated Damages, as amended:

Table 108.7.1 Schedule of Liquidated Damages

Original Con	Daily Charges Per					
For More Than	To and Including	Calendar Day				
\$0	\$500,000	\$350				
\$500,000	\$2,000,000	\$650				
\$2,000,000	\$10,000,000	\$1,600				
\$10,000,000	\$25,000,000	\$3,100				
\$25,000,000		\$4,200				

- 6.3.2 Force Majeure: It shall be further noted that the Vendor is not responsible for and shall not be penalized for delays in its delivery of goods and/or services when caused by factors or events outside Vendor's control, including but not limited to acts or omissions of the Agency or third parties, acts of civil or military authority, civil disturbance, war, terrorism, pandemics, explosions, fire, floods, tornadoes, or other natural disasters or acts of God.
- 6.4 Return of Unacceptable Items: The decision of the WVDOH District Engineer or their designee regarding materials, workmanship, quality etc., shall be final per the Standard Specs Section 105.1, as amended. If the Agency deems the Contract Items to be unacceptable, the Contract Items shall be returned to Vendor at Vendor's expense and with no restocking charge. Vendor shall either arrange for the return within five (5) days of being notified that items are unacceptable or permit the Agency to arrange for the return and reimburse Agency for delivery expenses. If the original packaging cannot be utilized for the return, Vendor will supply the Agency with appropriate return packaging upon request. All returns of unacceptable items shall be F.O.B. the Agency's location. The returned product shall either be replaced, or the Agency shall receive a full credit or refund for the purchase price, at the Agency's discretion.
- 6.5 Return Due to Agency Error: Items ordered in error by the Agency will be returned for credit within 30 days of receipt, F.O.B. Vendor's location. Vendor shall not charge a restocking fee if returned products are in a resalable condition. Items shall be deemed to be in a resalable condition if they are unused and in the original packaging. Any restocking fee for items not in a resalable condition shall be the lower of the Vendor's customary restocking fee or 5% of the total invoiced value of the returned items.

7. VENDOR DEFAULT:

- 7.1 The following shall be considered a vendor default under this Contract.
 - **7.1.1** Failure to provide Contract Items in accordance with the requirements contained herein.
 - **7.1.2** Failure to comply with other specifications and requirements contained herein.
 - 7.1.3 Failure to comply with any laws, rules, and ordinances applicable to the Contract Services provided under this Contract.
 - 7.1.4 Failure to remedy deficient performance upon request.
- 7.2 The following remedies shall be available to Agency upon default.
 - 7.2.1 Immediate cancellation of the Contract.
 - **7.2.2** Immediate cancellation of one or more release orders issued under this Contract.
 - 7.2.3 Any other remedies available in law or equity.

8. MISCELLANEOUS:

- 8.1 No Substitutions: Vendor shall supply only Contract Items submitted in response to the Solicitation unless a contract modification is approved in accordance with the provisions contained in this Contract.
- 8.2 Vendor Supply: Vendor must carry sufficient inventory of the Contract Items being offered to fulfill its obligations under this Contract. By signing its bid, Vendor certifies that it can supply the Contract Items contained in its bid response.
- 8.3 Reports: Vendor shall provide the Agency with quarterly reports, annual summaries, and/or monthly reports as requested by the Agency and/or the West Virginia Purchasing Division showing quantities, total dollar value of the Contract Items purchased, ordered, shipped & invoiced with dates in spreadsheet format as defined by the Agency. Failure to supply such reports may be grounds for cancellation of this Contract.

8.4 Contract Manager: During its performance of this Contract, Vendor must designate and maintain a primary contract manager responsible for overseeing Vendor's responsibilities under this Contract. The Contract Manager must be available during normal business hours to address any customer service or other issues related to this Contract. Vendor should list its Contract Manager and his or her contact information below.

Contract Manager: Down B Kenns
Telephone Number: (545)662-3431
Fax Number: (545)722-9884
Email Address: dKernsestwartmperry com

Vendor shall inform the Agency in writing of any changes to the information provided above within 10 calendar days of such changes. Failure to comply may be grounds for cancellation of this contract.



Department of Administration **Purchasing Division** 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

State of West Virginia Centralized Request for Quote **Highways**

Proc Fold	ler:
-----------	------

1436223

Reason for Modification:

Doc Description: Stone & Aggregate Pick Up by Agency

A. C. D. D. C. A. HET A. M. SEC.

ADDENDUM NO_1 Bid Opening move to 06/26/2024

@ 1:30 pm

Proc Type:

Central Master Agreement

Date Issued 2024-06-11

Solicitation Closes

2024-06-26 13:30 Solicitation No

CRFQ

0803 DOT2400000101

- 11 pr - 114:

Version

BID RECEIVING LOCATION

BID CLERK

DEPARTMENT OF ADMINISTRATION

PURCHASING DIVISION

2019 WASHINGTON ST E

CHARLESTON

WV 25305

US

VI		

Vendor Customer Code:

Vendor Name :

Address:

City:

State:

Principal Contact: Stele Nucco

Vendor Contact Phone:

Country:

FOR INFORMATION CONTACT THE BUYER

MCHESTE

John W Estep

304-558-2566

john.w.estep@wv.gov

Vendor

Signature X

FEIN#

54-0541865 DATE 6-11-24

Extension:

All offers subject to all terms and conditions contained in this solicitation

Page: 1

FORM ID: WV-PRC-CRFQ-002 2020/05

ADDITIONAL INFORMATION

ADDENDUM NO_1

Addendum No_1 issued to publish and distribute the attached information to the Vendor Community

, A

REQUEST FOR QUOTATION:

The West Virginia Purchasing Division is soliciting bids on behalf of the West Virginia Division of Highways to establish an open-end contract for various sizes and types of Stone, Aggregate, Cinders and Slag for Pick Up by Agency from Vendor's designated storage sites, for use on WVDOH projects throughout the state of West Virginia. Per the Bid Requirements, Specifications, terms and conditions attached to this soliciation.

INVOICE TO		SHIPTO	
VARIOUS AGENCY LOCATIONS AS INDICATED BY		VARIOUS AGENCY LOCATIONS AS INDICATED BY	
No City US	wv	No City US	wv

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
1	Class 1 Aggregate -Limestone Only	0.00000	TON		

Comm Code	Manufacturer	Specification	Model #	
11111600				

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

INVOICE TO		SHIP TO		
VARIOUS AGENCY LOCATIONS AS INDICATED BY		VARIOUS AGENCY LOCATIONS AS INDICATED BY		
No City US	wv	No City US	WV	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
2	Class 1 Aggregate -LSGS	0.00000	TON		

Comm Code	Manufacturer	Specification	Model #
11111600	· · · · · · · · · · · · · · · · · · ·		

Extended Description:

INVOICE TO	SHIP	
VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER	LOCA	DUS AGENCY TIONS DICATED BY ORDER
No City US	WV No City	y WV

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
3	Class 1 Aggregate -Slag	0.00000	TON		

Comm Code	Manufacturer	Specification	Model #	
11111600			·	

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

INVOICE TO		SHIP TO		## # <u>#</u>
VARIOUS AGENCY LOCATIONS AS INDICATED BY		VARIOUS AGENCY LOCATIONS AS INDICATED BY OR	DER	
No City	wv	No City US	WV	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
4	Class 2 Aggregate -Limestone Only	0.00000	TON		

Comm Code	Manufacturer	Specification	Model #	
11111600				
				}

Extended Description:

INVOICE TO		SHIP TO	· · · · · · · · · · · · · · · · · · ·	
VARIOUS AGENCY LOCATIONS AS INDICATED BY		VARIOUS AGENCY LOCATIONS AS INDICATED BY O	RDER	
No City US	wv	No City US	wv	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
5	Class 2 Aggregate -LSGS	0.00000	TON		
1					

Comm Code	Manufacturer	Specification	Model #	
11111600				

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

INVOICE TO		SHIPTO	
VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER		VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER	
No City US	WV	No City US	wv

Line	Comm Ln Desc	Qty_	Unit Issue	Unit Price	Total Price
6	Class 2 Aggregate -Slag	0.00000	TON		-
1					

Comm Code	Manufacturer	Specification	Model #	
11111600				

Extended Description:

INVOICE TO		SHIP TO	1995. 2 1995.	
VARIOUS AGENCY LOCATIONS AS INDICATED BY		VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER		
No City US	WV	No City US	WV	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
7	Class 10 Aggregate -LSGS	0.00000	TON		
i					

Comm Code	Manufacturer	Specification	Model #	
11111600				

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

INVOICE TO		SHIP TO		
VARIOUS AGENCY LOCATIONS AS INDICATED BY OR	DER	VARIOUS AGENCY LOCATIONS AS INDICATED BY		
No City US	wv	No City US	wv	

Line	Comm Ln Desc	Qty_	Unit Issue	Unit Price	Total Price
8	AASHTO #1 Aggregate -Limestone Only	0.00000	TON		

Comm Code	Manufacturer	Specification	Model #	
11111600				

Extended Description:

INVOICE TO		SHIP TO		
VARIOUS AGENCY LOCATIONS AS INDICATED BY		VARIOUS AGENCY LOCATIONS AS INDICATED BY		
No City US	wv	No City US	wv	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
9	AASHTO #1 Aggregate -LSGS	0.00000	TON		

Comm Code	Manufacturer	Specification	Model #	
11111600				

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

INVOICE TO		SHIP TO	<u> </u>	
VARIOUS AGENCY LOCATIONS AS INDICATED BY (DRDER	VARIOUS AGENCY LOCATIONS AS INDICATED BY 0		
No City US	w	No City US	wv	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
10	AASHTO #3 Aggregate -Limestone Only	0.00000	TON		

Comm Code	Manufacturer	Specification	Model #	
11111600				

Extended Description:

INVOICE TO		SHIP TO	
VARIOUS AGENCY LOCATIONS	·	VARIOUS AGENCY LOCATIONS	
AS INDICATED BY	ORDER	AS INDICATED BY ORDER	
No City	wv	No City WV	
us		US	
			

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
11	AASHTO #3 Aggregate -LSGS	0.00000	TON		

Comm Code	Manufacturer	Specification	Model #	
11111600				

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

INVOICE TO		SHIP TO	
VARIOUS AC	BENCY	VARIOUS AGENCY LOCATIONS	
AS INDICATE	ED BY ORDER	AS INDICATED BY ORDER	
No City	wv	No City	WV
US		US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
12	AASHTO #4 Aggregate -LSGS	0.00000	TON		

Comm Code	Manufacturer	Specification	Model#	
11111600	·			

Extended Description:

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

Page: 7

INVOICE TO		SHIP TO	
VARIOUS AGENCY	,	VARIOUS AGENCY LOCATIONS	
AS INDICATED BY	ORDER	AS INDICATED BY ORDER	
No City	wv	No City WV	
บร		US	

Line	Comm Ln Desc	Qty_	Unit Issue	Unit Price	Total Price
13	AASHTO #467 Aggregate -LSGS	0.00000	TON		

Comm Code	Manufacturer	Specification	Model#	
11111600	_			

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

INVOICE TO		SHIP TO	
VARIOUS AGENCY LOCATIONS AS INDICATED BY		VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER	
No City US	wv	No City US	wv

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
14	AASHTO #57 Aggregate -Limestone Only	0.00000	TON		

Comm Code	Manufacturer	Specification	Model#	
11111600				

Extended Description:

INVOICE TO		SHIPTO	
VARIOUS AGENCY LOCATIONS AS INDICATED BY OR	RDER	VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER	
No City US	WV	No City WV	_

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
15	AASHTO #57 Aggregate -LSGS	0.00000	TON		
15	AASHTO #37 Aggregate -L3G3	0.0000	1011		

Comm Code	Manufacturer	Specification	Model #	
11111600				

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

INVOICE TO		SHIP TO	in die State Court of the Court	
VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER		VARIOUS AGENC LOCATIONS AS INDICATED BY		
No City US	wv	No City US	W	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
16	AASHTO #67 Aggregate -Limestone Only	0.00000	TON		

Comm Code	Manufacturer	Specification	Model #	.
11111600				

Extended Description:

INVOICE TO	i antido. Na series de la companya de la comp	SHIP TO	
VARIOUS AGENCY LOCATIONS AS INDICATED BY		VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER	
No City US	WV	No City US	wv

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
17	AASHTO #67 Aggregate -LSGS	0.00000	TON		

Comm Code	Manufacturer	Specification	Model #	
11111600			-	

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

INVOICE TO		SHIP TO	4.0 (A)
VARIOUS AGENCY LOCATIONS	,	VARIOUS AGENCY LOCATIONS	
AS INDICATED BY	ORDER	AS INDICATED BY OF	RDER
No City	w	No City	wv
US		US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
18	AASHTO #7 Aggregate -Limestone Only	0.00000	TON		
}					_

Comm Code	Manufacturer	Specification	Model #	
11111600				

Extended Description:

INVOICE TO		SHIP TO		
VARIOUS AGENCY		VARIOUS AGENCY LOCATIONS		
AS INDICATED BY	ORDER	AS INDICATED BY OR	DER	
No City	wv	No City	wv	
<u>us</u>		US		

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
19	AASHTO #7 Aggregate -LSGS	0.00000	TON		

Comm Code	Manufacturer	Specification	Model #	
11111600				

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

INVOICE TO		SHIP TO		
VARIOUS AGENCY LOCATIONS AS INDICATED BY		VARIOUS AGENCY LOCATIONS AS INDICATED BY (
No City US	wv	No City US	wv	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
20	AASHTO #8 Aggregate -Limestone Only	0.00000	TON		

Comm Code	Manufacturer	Specification	Model #	
11111600				1

Extended Description:

INVOICE TO		SHIPTO		
VARIOUS AGENCY LOCATIONS AS INDICATED BY		VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDE	:R	
No City US	WV	No City US	wv	

Qty_	Unit Issue	Unit Price	Total Price
0.00000	TON		

Comm Code	Manufacturer	Specification	Model#	
11111600				

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

INVOICE TO		SHIPTO		
VARIOUS AGE LOCATIONS AS INDICATED		VARIOUS AGENCY LOCATIONS AS INDICATED BY C	DRDER	
No City US	wv	No City US	WV	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
22	AASHTO #8 MODIFIED -Limestone Only	0.00000	TON		
1					

Comm Code	Manufacturer	Specification	Model #	
11111600				

Extended Description:

INVOICE TO		SHIP TO		
VARIOUS AGENCY LOCATIONS AS INDICATED BY C	DRDER	VARIOUS AGENCY LOCATIONS AS INDICATED BY O	RDER	
No City US	WV	No City US	WV	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
23	AASHTO #8 MODIFIED -LSGS	0.00000	TON		

•	

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

INVOICE TO		SHIP TO	
VARIOUS AGENCY LOCATIONS		VARIOUS AGENCY LOCATIONS	
AS INDICATED BY	ORDER	AS INDICATED BY ORDER	
No City	wv	No City WV	
us		US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
24	AASHTO #9 Aggregate -Limestone Only	0.00000	TON		_

Comm Code	Manufacturer	Specification	Model #	
11111600			.	-

Extended Description:

INVOICE TO		SHIP TO		
VARIOUS AGENCY LOCATIONS AS INDICATED BY		VARIOUS AGENCY LOCATIONS AS INDICATED BY		
No City US	w	No City US	wv	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
25	AASHTO #9 Aggregate -LSGS	0.00000	TON		

Comm Code	Manufacturer	Specification	Model #	
11111600	· _ ·			

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

INVOICE TO	r Language Language (1900) Language (1900)	SHIP TO		
VARIOUS AGENCY LOCATIONS AS INDICATED BY		VARIOUS AGENCY LOCATIONS AS INDICATED BY ORD	ER	
No City US	w	No City US	WV	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
26	AASHTO #9 MODIFIED -Limestone Only	0.00000	TON	-	

Comm Code	Manufacturer	Specification	Model#	
11111600				

Extended Description:

INVOICE TO		SHIPTO	
VARIOUS AGENCY LOCATIONS AS INDICATED BY		VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER	
No City US	wv	No City US	WV

Line	Comm Ln Desc	Qty_	Unit Issue	Unit Price	Total Price
27	AASHTO #9 MODIFIED -LSGS	0.00000	TON		

Comm Code	Manufacturer	Specification	Model #	
11111600				

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

INVOICE TO		SHIP TO	
VARIOUS AGENCY LOCATIONS	,	VARIOUS AGENCY LOCATIONS	
AS INDICATED BY ORDER		AS INDICATED BY ORDER	
No City	W	No City	wv
US		US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
28	Stone for Gabions -Limestone Only	0.00000	TON		

Comm Code	Manufacturer	Specification	Model #	
11111600				

Extended Description:

INVOICE TO		SHIP TO		
VARIOUS AGENCY LOCATIONS AS INDICATED BY (VARIOUS AGENCY LOCATIONS AS INDICATED BY		
No City US	WV	No City US	wv	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
29	Stone for Gabions -LSGS	0.00000	TON		

Comm Code	Manufacturer	Specification	Model #	
11111600				

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

INVOICE TO		SHIP TO		
VARIOUS AGENCY LOCATIONS AS INDICATED BY		VARIOUS AGENCY LOCATIONS AS INDICATED BY O	RDER	
No City US	wv	No City US	wv	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
30	Fine Aggregate -LSGS	0.00000	TON		

Comm Code	Manufacturer	Specification	Model #	
11111600	11-10-1			

Extended Description:

INVOICE TO		SHIP TO	
VARIOUS AGENCY LOCATIONS AS INDICATED BY		VARIOUS AGENCY LOCATIONS AS INDICATED BY OR	DER
No City US	wv	No City US	wv

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
31	Limestone Standard Abrasives -Limestone Only	0.00000	TON		
1					

Comm Code	Manufacturer	Specification	Model #	
11111600				

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

INVOICÉ TO		SHIP TO	<u> </u>	
VARIOUS AGENCY LOCATIONS AS INDICATED BY		VARIOUS AGENCY LOCATIONS AS INDICATED BY		
No City US	WV	No City US	wv	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
32	Limestone Standard Abrasives -LSGS	0.00000	TON		

Comm Code	Manufacturer	Specification	Model#	
11111600				

Extended Description:

INVOICE TO		SHIP TO	
VARIOUS AG LOCATIONS AS INDICATE	GENCY ED BY ORDER	VARIOUS AGEN LOCATIONS AS INDICATED	
No City US	wv	No City US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
33	Sandstone Standard Abrasives -LSGS	0.00000	TON		

Comm Code	Manufacturer	Specification	Model #	
11111600			· · · · · · · · · · · · · · · · · · ·	

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

INVOICE TO		SHIP TO		
VARIOUS AGENCY LOCATIONS AS INDICATED BY		VARIOUS AGENCY LOCATIONS AS INDICATED BY (ORDER	
No City US	w	No City US	w	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
34	Steel Slag for SRIC	0.00000	TON		
1					

Comm Code	Manufacturer	Specification	Model#	
11111600				

Extended Description:

INVOICE TO		SHIP TO	
VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER		VARIOUS AGENCY LOCATIONS AS INDICATED BY	
No City US	wv	No City US	wv

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
35	Limestone MODIFIED Abrasives -Limestone Only	0.00000	TON		

Comm Code	Manufacturer	Specification	Model #	
11111600				

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

INVOICE TO		SHIP TO		
VARIOUS AGENCY LOCATIONS	——————————————————————————————————————	VARIOUS AGENCY LOCATIONS		
AS INDICATED BY ORDER		AS INDICATED BY ORDER		
THE INDICATED BY	SKOLK	70 110 10 112 5 1		
No City	WV	No City	wv	
us		US		

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
36	Limestone MODIFIED Abrasives -LSGS	0.00000	TON		

Comm Code	Manufacturer	Specification	Model#	
11111600				

Extended Description:

INVOICE TO			SHIP TO		.a. a.e. - 3e
VARIOUS AGENCY LOCATIONS AS INDICATED BY C	ORDER		VARIOUS AG LOCATIONS AS INDICAT		
No City US	wv	_	No City US	WV	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
37	Sandstone MODIFIED Abrasives -LSGS	0.00000	TON		

Manufacturer	Specification	Model#
•	Manufacturer	Manufacturer Specification

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

INVOICE TO		SHIP TO	
VARIOUS AGENCY LOCATIONS AS INDICATED BY		VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER	
No City US	wv	No City WV US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
38	Cinders	0.00000	TON		

Comm Code	Manufacturer	Specification	Model#	
11111600				

Extended Description:

INVOICE TO		SHIP TO	er più s	n je sali se sa Parije	
VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER		VARIOUS AGEN LOCATIONS AS INDICATED E			
No City US	wv	No City US		wv	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
39	Pea Gravel -LSGS	0.00000	TON		

Comm Code	Manufacturer	Specification	Model#	
11111600				

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

INVOICE TO		SHIP TO	
VARIOUS AGENCY LOCATIONS		VARIOUS AGENCY LOCATIONS	
AS INDICATED BY	ORDER	AS INDICATED BY ORDER	
No City	WV	No City	wv
us		US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
40	#11 Limestone Abrasives -LSGS	0.00000	TON		

Comm Code	Manufacturer	Specification	Model#	
11111600				

Extended Description:

INVOICE TO		SHIP TO		
VARIOUS AGENCY LOCATIONS AS INDICATED BY		VARIOUS AGENCY LOCATIONS AS INDICATED BY OR	DER	
No City US	wv	No City US	WV	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
41	Quarry Waste -LSGS	0.00000	TON		

Comm Code	Manufacturer	Specification	Model #	
11111600				

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

INVOICE TO		SHIP TO		, and f
VARIOUS AGENCY LOCATIONS AS INDICATED BY O	RDER	VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDEI	R	
No City US	wv	No City US	wv	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
42	Rip Rap -LSGS	0.0000	TON		

Comm Code	Manufacturer	Specification	Model#	
11111600				

Page: 22

Extended Description:

INVOICE TO		SHIP TO	
VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER		VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER	
No City US	w	No City US	wv

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
43	Shot Rock -Limestone Only	0.00000	TON		
		<u></u>			

Comm Code	Manufacturer	Specification	Model #	
11111600				

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

INVOICE TO		SHIP TO	
VARIOUS AGENCY LOCATIONS AS INDICATED BY		VARIOUS AGENCY LOCATIONS AS INDICATED BY C	
No City US	wv	No City US	WV

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
44	Shot Rock -LSGS	0.00000	TON		
t					

Comm Code	Manufacturer	Specification	Model #	
11111600			_	

Extended Description:

INVOICE TO		SHIP TO		
VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER		VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER		
No City WV US		No City US	WV	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
45	Imbricated Stone -LSGS	0.00000	TON		

Comm Code	Manufacturer	Specification	Model #	
11111600				

SEE ATTACHED PRICING PAGE - ATTACHMENT A, FOR ACTUAL COST

SCHEDULE OF EVENTS

<u>Line</u>	<u>Event</u>	<u>Event Date</u>
1	Tech Questions due by 2:00pm	2024-06-10

SOLICITATION NUMBER: CRFQ DOT2400000101 Addendum Number: 1

The purpose of this addendum is to modify the solicitation identified as CRFQ DOT24000000101 ("Solicitation") to reflect the change(s) identified and described below.

Applicable Addendum Category:

[X]	Modify bid opening date and time
[]	Modify specifications of product or service being sought
[]	Attachment of vendor questions and responses
[]	Attachment of pre-bid sign-in sheet
[]	Correction of error
ſΊ	Other

Additional Documentation:

Bid Opening moves to 06/26/2024 at 1:30pm

Terms and Conditions:

- 1. All provisions of the Solicitation and other addenda not modified herein shall remain in full force and effect.
- 2. Vendor should acknowledge receipt of all addenda issued for this Solicitation by completing an Addendum Acknowledgment, a copy of which is included herewith. Failure to acknowledge addenda may result in bid disqualification. The addendum acknowledgement should be submitted with the bid to expedite document processing.

ADDENDUM ACKNOWLEDGEMENT FORM SOLICITATION NO.: CRFQ DOT2400000101

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

Addendum Numbers Received:

(Check the box next to each addendum received)

[X]	Addendum No. 1	[]	Addendum No. 6
[]	Addendum No. 2	[]	Addendum No. 7
[]	Addendum No. 3	[]	Addendum No. 8
[]	Addendum No. 4	[]	Addendum No. 9
[]	Addendum No. 5	[]	Addendum No. 10

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

20

Authorized Signature

Date

6-11-24

NOTE: This addendum acknowledgement should be submitted with the bid to expedite document processing.