



2019 Washington Street, East Charleston, WV 25305 Telephone: 304-558-2306 General Fax: 304-558-6026

Bid Fax: 304-558-3970

The following documentation is an electronically-submitted vendor response to an advertised solicitation from the *West Virginia Purchasing Bulletin* within the Vendor Self-Service portal at *wvOASIS.gov*. As part of the State of West Virginia's procurement process, and to maintain the transparency of the bid-opening process, this documentation submitted online is publicly posted by the West Virginia Purchasing Division at *WVPurchasing.gov* with any other vendor responses to this solicitation submitted to the Purchasing Division in hard copy format.





State of West Virginia Solicitation Response

Proc Folder: 1657722

Solicitation Description: Steel Piling and Epoxy Coated Rebar

Proc Type: Central Purchase Order

 Solicitation Closes
 Solicitation Response
 Version

 2025-04-15 13:30
 SR 0803 ESR04102500000006137
 1

VENDOR

000000106565

CHEMUNG SUPPLY CORPORATION

Solicitation Number: CRFQ 0803 DOT2500000059

Total Bid: 29141.3199999999970896169543 **Response Date:** 2025-04-14 **Response Time:** 09:27:49

Comments:

FOR INFORMATION CONTACT THE BUYER

John W Estep 304-558-2566 john.w.estep@wv.gov

Vendor Signature X FEIN# DATE

All offers subject to all terms and conditions contained in this solicitation

 Date Printed:
 Apr 16, 2025
 Page: 1
 FORM ID: WV-PRC-SR-001 2020/05

| Line | Comm Ln Desc | Qty | Unit Issue | Unit Price | Ln Total Or Contract Amount |
|------|---------------------|-----------|------------|------------|-----------------------------|
| 1 | W12X65 Steel Piling | 16900.000 | LB | 1.120000 | 18928.00 |

| Comm Code | Manufacturer | Specification | Model # | |
|-----------|--------------|---------------|---------|--|
| 30103623 | | | | |

Commodity Line Comments:

Extended Description:

Steel piling must be 13 pieces - 20 feet 0 inches

Steel piling shall conform to the requirements of ASTM A572 (f, = 50,000 p.s.i)

| Line | Comm Ln Desc | Qty | Unit Issue | Unit Price | Ln Total Or Contract Amount |
|------|----------------------------|----------|------------|------------|-----------------------------|
| 2 | #5 epoxy coated Bent rebar | 2090.000 | 0 LB | 0.880000 | 1839.20 |

| Comm Code | Manufacturer | Specification | Model # | |
|-----------|--------------|---------------|---------|--|
| 30103623 | | | | |
| | | | | |

Commodity Line Comments:

Extended Description:

Dimensions of all #5 epoxy coated bent rebar shall be manufactured to match the specifications listed in the accompanying set of pertinent plans for this project. All reinforcing steel shall be intermediate grade billet steel, grade 40 or grade 60 in accordance with subsection 709.1 of the Standard Specifications. The requirements of Section 602 of the Standard Specifications shall be followed.

| Line | Comm Ln Desc | Qty | Unit Issue | Unit Price | Ln Total Or Contract Amount |
|------|--------------------------------|---------|------------|------------|------------------------------------|
| 3 | #5 epoxy coated straight rebar | 1398.00 | 000 LB | 0.880000 | 1230.24 |

| Comm Code | Manufacturer | Specification | Model # | |
|-----------|--------------|---------------|---------|--|
| 30103623 | | | | |
| | | | | |

Commodity Line Comments:

Extended Description:

#5 epoxy coated straight rebar must be 67 pieces - 20 feet 0 inches. All reinforcing steel shall be intermediate grade billet steel, grade 40 or grade 60 in accordance with subsection 709.1 of the Standard Specifications. The requirements of Section 602 of the Standard Specifications shall be followed.

| Line | Comm Ln Desc | Qty | Unit Issue | Unit Price | Ln Total Or Contract Amount |
|------|--------------------------------|---------|------------|------------|-----------------------------|
| 4 | #8 epoxy coated straight rebar | 2350.00 | 000 LF | 0.88000 | 2068.00 |

| Comm Code | Manufacturer | Specification | Model # | |
|-----------|--------------|---------------|---------|--|
| 30121717 | | | | |
| | | | | |

Commodity Line Comments:

Extended Description:

#8 epoxy coated straight rebar must be 44 pieces - 20 feet 0 inches. All reinforcing steel shall be intermediate grade billet steel, grade 40 or grade 60 in accordance with subsection 709.1 of the Standard Specifications. The requirements of Section 602 of the Standard Specifications shall be followed.

| Line | Comm Ln Desc | Qty | Unit Issue | Unit Price | Ln Total Or Contract Amount |
|------|----------------------------|----------|------------|------------|-----------------------------|
| 5 | Class 1 W - beam Guardrail | 87.50000 | LF | 58.010000 | 5075.88 |
| | | | | | |

Date Printed: Apr 16, 2025 Page: 2 FORM ID: WV-PRC-SR-001 2020/05

| Comm Code | Manufacturer | Specification | Model # | |
|-----------|--------------|---------------|---------|--|
| 30121717 | | | | |
| | | | | |

Commodity Line Comments:

Extended Description:

87-1/2 Linear feet - Class 1 W- beam Approach Rail. Dimensions of all approach rail shall be delivered to match the radii listed in the accompanying set of pertinent plans for this project. 16 each - W6X9 X 6 feet 0 inches approach posts 2 each W6X9 X 2 feet 8-1/2 inches structure mounted posts 2 each - 1 feet 0 inches x 1 feet 0 inches x 1/2 inch plates 18 each - 6 inch x 8 inch x 14 inch wood block outs 4 each-buffer end terminal sections

18 each- guardrail bolt & nut, hex head (5/8 inch dia. X 10 inch) 88 each- guardrail splice bolt (5/8 inch dia. X 1- 1/4 inch)

 Date Printed:
 Apr 16, 2025
 Page: 3
 FORM ID: WV-PRC-SR-001 2020/05



Department of Administration **Purchasing Division** 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

State of West Virginia **Centralized Request for Quote** Miscellaneous

| Proc Folder: | 1657722 | | Reason for Modification: |
|------------------|-----------------------------|-------------------------|--------------------------|
| Doc Description: | Steel Piling and Epoxy Coat | | |
| | | | |
| | | | |
| Deep Town | 0 4 10 4 0 4 | | |
| Proc Type: | Central Purchase Order | | |
| Date Issued | Solicitation Closes | Solicitation No | Version |
| 2025-04-08 | 2025-04-15 13:30 | CRFQ 0803 DOT2500000059 | 1 |

BID RECEIVING LOCATION

BID CLERK

DEPARTMENT OF ADMINISTRATION

PURCHASING DIVISION 2019 WASHINGTON ST E

CHARLESTON WV 25305

US

VENDOR

Vendor Customer Code:

Vendor Name: Chemung Supply Corp

Address:

Street: 2420 Corning Rd

City: Elmira

Country: USA NY Zip: 14903 State:

Principal Contact: Marc P Stemerman

Vendor Contact Phone: 607-733-5506 Extension:

FOR INFORMATION CONTACT THE BUYER

John W Estep 304-558-2566

john.w.estep@wv.gov

Vendor

FEIN# 16-0380890 04/14/25 Signature X DATE

Marc P Stemerman
All offers subject to all terms and conditions contained in this solicitation

Date Printed: Apr 8, 2025

Page: 1

FORM ID: WV-PRC-CRFQ-002 2020/05

ADDITIONAL INFORMATION

REQUEST FOR QUOTATION:

The West Virginia Purchasing Division is soliciting bids on behalf of the West Virginia Division of Highways to establish a contract for the onetime purchase of Steel Piling & Epoxy Coated Rebar for Laurel Run W-Beam Replacement. Per the Bid Requirements, Specifications, Terms and Conditions attached to this solicitation.

| INVOICE TO | | SHIP TO | | |
|----------------------|----|---------------------------------|----|--|
| DIVISION OF HIGHWAYS | | STATE OF WEST VIRGINIA | | |
| DISTRICT SEVEN | | JOBSITE - SEE SPECIFICATIONS | | |
| DRAWER 1228 | | | | |
| WESTON | wv | No City | wv | |
| US | | US | | |

| Line | Comm Ln Desc | Qty | Unit issue | Unit Price | Total Price |
|------|---------------------|-------------|------------|------------|-------------|
| 1 | W12X65 Steel Piling | 16900.00000 | LB | \$1.12 | \$18,928.00 |

| Comm Code | Manufacturer | Specification | Model # | |
|-----------|--------------|---------------|---------|--|
| 30103623 | | | | |

Extended Description:

Steel piling must be 13 pieces - 20 feet 0 inches

Steel piling shall conform to the requirements of ASTM A572 (f, = 50,000 p.s.i)

| INVOICE TO | | SHIP TO | | |
|------------------|------|---------------------------------|---------|---|
| DIVISION OF HIGH | WAYS | STATE OF WEST V | IRGINIA | |
| DISTRICT SEVEN | | JOBSITE - SEE SPECIFICATIONS | | |
| DRAWER 1228 | | | | |
| WESTON | WV | No City | WV | |
| US | | us | | i |

| Line | Comm Ln Desc | Qty | Unit Issue | Unit Price | Total Price |
|------|----------------------------|------------|------------|------------|-------------|
| 2 | #5 epoxy coated Bent rebar | 2090.00000 | LB | \$.88 | \$1,839.20 |

| Comm Code | Manufacturer | Specification | Model # | |
|-----------|--------------|---------------|---------|--|
| 30103623 | | | | |
| | | | | |

Extended Description:

Dimensions of all #5 epoxy coated bent rebar shall be manufactured to match the specifications listed in the accompanying set of pertinent plans for this project. All reinforcing steel shall be intermediate grade billet steel, grade 40 or grade 60 in accordance with subsection 709.1 of the Standard Specifications. The requirements of Section 602 of the Standard Specifications shall be followed.

| INVOICE TO SHIP TO | | | | |
|--------------------|------|---------------------------------|--------|--|
| DIVISION OF HIGH | WAYS | STATE OF WEST VI | RGINIA | |
| DISTRICT SEVEN | | JOBSITE - SEE SPECIFICATIONS | | |
| DRAWER 1228 | | | | |
| WESTON | WV | No City | WV | |
| US | | US | | |

| Line | Comm Ln Desc | Qty | Unit Issue | Unit Price | Total Price |
|------|--------------------------------|------------|------------|------------|-------------|
| 3 | #5 epoxy coated straight rebar | 1398.00000 | LB | \$.88 | \$1,230.24 |

| Comm Code | Manufacturer | Specification | Model # | |
|-----------|--------------|---------------|---------|--|
| 30103623 | | | | |
| | | | | |

Extended Description:

#5 epoxy coated straight rebar must be 67 pieces - 20 feet 0 inches. All reinforcing steel shall be intermediate grade billet steel, grade 40 or grade 60 in accordance with subsection 709.1 of the Standard Specifications. The requirements of Section 602 of the Standard Specifications shall be followed.

| INVOICE TO | | SHIP TO | | |
|-------------------|------|---------------------------------|--------|---|
| DIVISION OF HIGHW | VAYS | STATE OF WEST VI | RGINIA | · |
| DISTRICT SEVEN | | JOBSITE - SEE SPECIFICATIONS | | |
| DRAWER 1228 | | | | |
| WESTON | WV | No City | WV | |
| us | | US | | |

| Line | Comm Ln Desc | Qty | Unit Issue | Unit Price | Total Price |
|------|--------------------------------|------------|------------|------------|-------------|
| 4 | #8 epoxy coated straight rebar | 2350.00000 | LF | \$.88 | \$2,068.00 |

| • | ification Model # |
|---|-------------------|
| | |
| | |

Extended Description:

#8 epoxy coated straight rebar must be 44 pieces - 20 feet 0 inches. All reinforcing steel shall be intermediate grade billet steel, grade 40 or grade 60 in accordance with subsection 709.1 of the Standard Specifications. The requirements of Section 602 of the Standard Specifications shall be followed.

| INVOICE TO | | SHIP TO | | |
|-------------------|------|---------------------------------|---------|--|
| DIVISION OF HIGHV | VAYS | STATE OF WEST V | IRGINIA | |
| DISTRICT SEVEN | | JOBSITE - SEE SPECIFICATIONS | | |
| DRAWER 1228 | | | | |
| WESTON | WV | No City | WV | |
| us | | us | | |

| Line | Comm Ln Desc | Qty | Unit Issue | Unit Price | Total Price |
|------|----------------------------|----------|------------|------------|-------------|
| 5 | Class 1 W - beam Guardrail | 87.50000 | LF | \$58.01 | \$5,075.88 |

| Comm Code | Manufacturer | Specification | Model # | |
|-----------|--------------|---------------|---------|--|
| 30121717 | | | | |
| | | · m · sis | | |

Extended Description:

87-1/2 Linear feet - Class 1 W- beam Approach Rail. Dimensions of all approach rail shall be delivered to match the radii listed in the accompanying set of pertinent plans for this project. 16 each - W6X9 X 6 feet 0 inches approach posts 2 each W6X9 X 2 feet 8-1/2 inches structure mounted posts 2 each - 1 feet 0 inches x 1 feet 0 inches x 1/2 inch plates 18 each - 6 inch x 8 inch x 14 inch wood block outs 4 each - buffer end terminal sections

18 each- guardrail bolt & nut, hex head (5/8 inch dia. X 10 inch) 88 each- guardrail splice bolt (5/8 inch dia. X 1- 1/4 inch)

SCHEDULE OF EVENTS

| Line | <u>Event</u> | Event Date |
|------|-------------------------------|------------|
| 1 | Tech Questions due by 10:00am | 2025-04-11 |

| | Document Phase | Document Description | Page 5 |
|---------------|----------------|--|-----------|
| DOT2500000059 | | Steel Piling and Epoxy Coated Rebar | |

ADDITIONAL TERMS AND CONDITIONS

See attached document(s) for additional Terms and Conditions

DESIGNATED CONTACT: Vendor appoints the individual identified in this Section as the Contract Administrator and the initial point of contact for matters relating to this Contract.

| (Printed Name and Title) Marc P Stemerman, President |
|--|
| (Address) 2420 Corning Rd, Elmira NY 14903 |
| (Phone Number) / (Fax Number) 607-733-5506 / 607-732-5379 |
| (email address)mstemerman@chemungsupply.com |
| CERTIFICATION AND SIGNATURE: By signing below, or submitting documentation through wvOASIS, I certify that: I have reviewed this Solicitation/Contract in its entirety; that I understand the requirements, terms and conditions, and other information contained herein; that this bid, offer or proposal constitutes an offer to the State that cannot be unilaterally withdrawn; that the product or service proposed meets the mandatory requirements contained in the Solicitation/Contract for that product or service, unless otherwise stated herein; that the Vendor accepts the terms and conditions contained in the Solicitation, unless otherwise stated herein; that I am submitting this bid, offer or proposal for review and consideration; that this bid or offer was made without prior understanding, agreement, or connection with any entity submitting a bid or offer for the same material, supplies, equipment or services; that this bid or offer is in all respects fair and without collusion or fraud; that this Contract is accepted or entered into without any prior understanding, agreement, or connection to any other entity that could be considered a violation of law; that I am authorized by the Vendor to execute and submit this bid, offer, or proposal, or any documents related thereto on Vendor's behalf; that I am authorized to bind the vendor in a contractual relationship; and that to the best of my knowledge, the vendor has properly registered with any State agency that may require registration. By signing below, I further certify that I understand this Contract is subject to the provisions of West Virginia Code § 5A-3-62, which automatically voids certain contract clauses that violate State law; and that pursuant to W. Va. Code 5A-3-63, the entity entering into this contract is prohibited from engaging in a boycott against Israel. |
| (Signature of Authorized Representative) Marc P Stemerman, President 04/14/25 |
| (Printed Name and Title of Authorized Representative) (Date) |
| 607-733-5506 / 607-732-5379 |
| (Phone Number) (Fax Number) |
| mstemerman@chemungsupply.com |

(Email Address)

EXHIBIT A-Pricing Page

| Item Number | Quantity | Unit of Measure | Description | Unit Cost | Total |
|----------------|----------|--------------------|---|-----------|-------------|
| 1 | 16,900 | LBS | 16,900 pounds W12X65 Steel Piling - Steel piling must be 13 pieces - 20 feet 0 inches. Steel piling shall conform to the requirements of ASTM A572 (fs = 50,000 p.s.i.). | \$1.12 | \$18,928.00 |
| 2 | 2,090 | LBS | 2,090 pounds of #5 Epoxy Coated Bent Rebar - Dimensions of all #5 epoxy coated bent rebar shall be manufactured to match the specifications listed in the accompanying set of pertinent plans for this project. All reinforcing steel shall be intermediate grade billet steel, grade 40 or grade 60 in accordance with subsection 709.1 of the Standard Specifications. The requirements of Section 602 of the Standard Specifications shall be followed. | \$0.88 | \$1,839.20 |
| 3 | 1,398 | LBS | 1,398 pounds #5 Epoxy Coated Straight Rebar - #5 epoxy coated straight rebar must be 67 pieces - 20 feet 0 inches. All reinforcing steel shall be intermediate grade billet steel, grade 40 or grade 60 in accordance with subsection 709.1 of the Standard Specifications. The requirements of Section 602 of the Standard Specifications shall be followed. | \$0.88 | \$1,230.24 |
| 4 | 2,350 | LBS | 2,350 pounds #8 Epoxy Coated Straight Rebar- #8 epoxy coated straight rebar must be 44 pieces - 20 feet 0 inches. All reinforcing steel shall be intermediate grade billet steel, grade 40 or grade 60 in accordance with subsection 709.1 of the Standard Specifications. The requirements of Section 602 of the Standard Specifications shall be followed. | \$0.88 | \$2,068.00 |
| 5 | 87-1/2 | LF | 87-1/2 Linear Feet, Class 1 W-beam Guardrail. 87-1/2 linear feet - Class 1 W-Beam Approach Rail. Dimensions of all approach rail shall be delivered to match the radii listed in the accompanying set of pertinent plans for this project. 16 each - W6X9 x 6 feet 0 inches approach posts, 2 each W6X9 x 2 feet 8-1/2 inches structure mounted posts, 2 each 1 feet 0 inches x 1 feet 0 inches x 1/2 inch plates, 18 each 6 inch x 8 inch x 14 inch Wood Block Outs, 4 each Buffer End Terminal Section, 18 each Guardrail Bolt & Nut, Hex Head (5/8 inch dia. X 10 inch) and 88 each Guardrail Splice Bolt (5/8 inch dia. X 1-1/4 inch) | \$58.01 | \$5,075.88 |
| Grand Total | | ! | · : · · · · · · · · · · · · · · · · · · | • | \$29,141.32 |