


2019 Washington Street, East Charleston, WV 25305 Telephone: 304-558-2306 General Fax: 304-558-6026

Bid Fax: 304-558-3970

The following documentation is an electronically-submitted vendor response to an advertised solicitation from the *West Virginia Purchasing Bulletin* within the Vendor Self-Service portal at *wvOASIS.gov*. As part of the State of West Virginia's procurement process, and to maintain the transparency of the bid-opening process, this documentation submitted online is publicly posted by the West Virginia Purchasing Division at *WVPurchasing.gov* with any other vendor responses to this solicitation submitted to the Purchasing Division in hard copy format.





# State of West Virginia Solicitation Response

Proc Folder:

1657722

**Solicitation Description:** 

Steel Piling and Epoxy Coated Rebar

Proc Type:

Central Purchase Order

Solicitation Closes	Solicitation Response	Version
2025-04-15 13:30	SR 0803 ESR04152500000006226	1

**VENDOR** 

000000161230

MINERD & SONS INC

Solicitation Number: CRFQ 0803 DOT2500000059

Total Bid: 21796.9500000000072759576141 Response Date: 2025-04-15 Response Time: 12:05:01

Comments:

FOR INFORMATION CONTACT THE BUYER

John W Estep 304-558-2566 john.w.estep@wv.gov

Vendor Signature X

FEIN#

DATE

All offers subject to all terms and conditions contained in this solicitation

 Date Printed:
 Apr 16, 2025
 Page: 1
 FORM ID: WV-PRC-SR-001 2020/05

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
1	W12X65 Steel Piling	16900.000	LB	0.892500	15083.25

Comm Code	Manufacturer	Specification	Model #	
30103623				

#### **Commodity Line Comments:**

#### **Extended Description:**

Steel piling must be 13 pieces - 20 feet 0 inches

Steel piling shall conform to the requirements of ASTM A572 (f, = 50,000 p.s.i)

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
2	#5 epoxy coated Bent rebar	2090.000	0 LB	1.150000	2403.50

Comm Code Manufacturer Specification		Specification	Model #	
30103623				

#### **Commodity Line Comments:**

### **Extended Description:**

Dimensions of all #5 epoxy coated bent rebar shall be manufactured to match the specifications listed in the accompanying set of pertinent plans for this project. All reinforcing steel shall be intermediate grade billet steel, grade 40 or grade 60 in accordance with subsection 709.1 of the Standard Specifications. The requirements of Section 602 of the Standard Specifications shall be followed.

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	<b>Ln Total Or Contract Amount</b>
3	#5 epoxy coated straight rebar	1398.00	000 LB	1.150000	1607.70

Comm Code	Manufacturer	Specification	Model #	
30103623				

## **Commodity Line Comments:**

## **Extended Description:**

#5 epoxy coated straight rebar must be 67 pieces - 20 feet 0 inches. All reinforcing steel shall be intermediate grade billet steel, grade 40 or grade 60 in accordance with subsection 709.1 of the Standard Specifications. The requirements of Section 602 of the Standard Specifications shall be followed.

	Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
4 #8 epoxy coated straight rebar 2350.0000 LF 1.150000 2702.50	4	#8 epoxy coated straight rebar	2350.0000	LF	1.150000	2702.50

Comm Code	Manufacturer	Specification	Model #	
30121717				

## **Commodity Line Comments:**

# **Extended Description:**

#8 epoxy coated straight rebar must be 44 pieces - 20 feet 0 inches. All reinforcing steel shall be intermediate grade billet steel, grade 40 or grade 60 in accordance with subsection 709.1 of the Standard Specifications. The requirements of Section 602 of the Standard Specifications shall be followed.

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
5	Class 1 W - beam Guardrail	87.50000	LF		

Date Printed: Apr 16, 2025 Page: 2 FORM ID: WV-PRC-SR-001 2020/05

 Comm Code
 Manufacturer
 Specification
 Model #

 30121717

Commodity Line Comments: No Bid

# **Extended Description:**

87-1/2 Linear feet - Class 1 W- beam Approach Rail. Dimensions of all approach rail shall be delivered to match the radii listed in the accompanying set of pertinent plans for this project. 16 each - W6X9 X 6 feet 0 inches approach posts 2 each W6X9 X 2 feet 8-1/2 inches structure mounted posts 2 each - 1 feet 0 inches x 1 feet 0 inches x 1/2 inch plates 18 each - 6 inch x 8 inch x 14 inch wood block outs 4 each-buffer end terminal sections

18 each- guardrail bolt & nut, hex head (5/8 inch dia. X 10 inch) 88 each- guardrail splice bolt (5/8 inch dia. X 1- 1/4 inch)

 Date Printed:
 Apr 16, 2025
 Page: 3
 FORM ID: WV-PRC-SR-001 2020/05