


2019 Washington Street, East Charleston, WV 25305 Telephone: 304-558-2306 General Fax: 304-558-6026

Bid Fax: 304-558-3970

The following documentation is an electronically-submitted vendor response to an advertised solicitation from the *West Virginia Purchasing Bulletin* within the Vendor Self-Service portal at *wvOASIS.gov*. As part of the State of West Virginia's procurement process, and to maintain the transparency of the bid-opening process, this documentation submitted online is publicly posted by the West Virginia Purchasing Division at *WVPurchasing.gov* with any other vendor responses to this solicitation submitted to the Purchasing Division in hard copy format.





State of West Virginia Solicitation Response

Proc Folder: 1511486

Solicitation Description: ADA Compliant Lowered Floor Minivans

Proc Type: Central Master Agreement

 Solicitation Closes
 Solicitation Response
 Version

 2025-04-16 13:30
 SR 0810 ESR04162500000006259
 1

VENDOR

VS0000004719

ROHRER ENTERPRISES LLC

Solicitation Number: CRFQ 0810 DMT2500000006

Total Bid: 2557940 **Response Date:** 2025-04-16 **Response Time:** 09:48:25

Comments:

FOR INFORMATION CONTACT THE BUYER

John W Estep 304-558-2566 john.w.estep@wv.gov

Vendor Signature X FEIN# DATE

All offers subject to all terms and conditions contained in this solicitation

 Date Printed:
 Apr 17, 2025
 Page: 1
 FORM ID: WV-PRC-SR-001 2020/05

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
1	ADA Lowered Floor Minivans	35.00000	EA	73084.000000	2557940.00

Comm Code	Manufacturer	Specification	Model #	
25101502				

Commodity Line Comments: Thank you for the opportunity to Bid.

Please see page 1 of attachment 4 for Statement of Record. Please contact David Clawson at 540-729-3751 with any questions.

Extended Description:

To establish an open-ended contract for ADA Lowered Floor Minivans. Classes A and B will not possess graphics. Classes C and D will possess 5310 graphics.

Date Printed: Apr 17, 2025 Page: 2 FORM ID: WV-PRC-SR-001 2020/05



April 16, 2025

Department of Administration Purchasing Division 2019 Washington St. E Charleston, WV 25305

RE: PTR250000006 ADA Compliant Lowered Floor Minivans

Dear Mr. Estep,

Rohrer Bus Sales appreciates the opportunity to submit a proposal for RFQ PTR25*6 ADA Lowered Floor Minivans. Our offerings are 2024/2025 Chrysler Voyager LX with a Braun Side Entry Manual Ramp conversion and a Stowaway Ramp conversion.

Conversion location will be BraunAbility in Winimac, IN.

Our contact there is Scott Alexander with field representation by Kevin Shidler. Our offering meets the intent and letter of your specifications along with approved addendums.



Table of Contents

Enclosure 1 Exhibit A Pricing Page, Flooring choices

and Memo of Understanding concerning training

Enclosure 2 Signed Bid Forms and Bid Documents

Enclosure 3 Addendum Acknowledgement and No Debt

Affidavit

Enclosure 4 Additional Technical Documentation and

Proposed Warranty

As requested, a list of five (5) users names, addresses, emails and telephone numbers who have been provided similar equipment

REFERENCE #1: Pennsylvania Department of General Services

Rohrer Bus Sales has held the state contract for Pennsylvania since 2007 and currently holds a contract. This contract contains shuttle bus products from 21' – 31' in length and includes Ford, Chevrolet and Freightliner chassis. This contract also includes wheelchair minivan conversions. We used a senior manager in PennDOT as our reference

Contact: John Levitsky, Program Manager
Department of General Services
Bureau of Procurement
555 Walnut Street, 6th Floor Forum Place
Harrisburg, PA 17101
717-787-1206
ilevitsky@pa.gov

REFERENCE #2 - UPMC

Operates a fleet of 60+ shuttle buses including passenger and paratransit conversions. They typically complete CNG conversions on their buses.

Contact:

Tom Abel, Fleet Manager.

UPMC International Limousine Service

1920 Forbes Ave Pittsburgh, PA 412-906-1294 abelt@upmc.edu

REFERENCE #3 - Harrisburg International Airport

For over twenty years, Rohrer Bus Sales has provided Ford and Chevrolet cutaways, Freightliner M2, rear engine and low floor buses to HIA.

Contact:

Robert Gardner, Vehicle Maintenance Supervisor

513 Airport Drive

Middletown, PA 17057

717-948-3900 bobg@saraa.org

REFERENCE #4 - MOVTA

Contract history extends for multiple years - Rohrer Bus Sales has provided Ford F-550, E-350 and E-450 buses to MOVTA.

Contact: Michael Kesterson

Mid-Ohio Valley Transit Authority

520 Juliana Street

Parkersburg, WV 26101

304.422.4100

REFERENCE #5 – Mountain Line Transit

Contract history extends for multiple years - Rohrer Bus Sales has provided Ford Freightliner and Ford E-350/450 buses to Mountain Line.

Contact:

Maria Smith, General Manager

520 Juliana Street 420 Dupont Road Morgantown WV 26501

304.296.3680

Please contact us immediately at (800) 735-3900 if any additional documentation is required.

Thank you for your consideration,

David M Clawson Senior Vice President Sales

ROHRER1.800.735.3900
540.729.3751 Cell
717.957.4884 Fax

dclawson@rohrerbus.com



3.35 We Understand and Acknowledge the training requirements in this section and v	will work
with the Division.	VIII WOLK

REQUEST FOR QUOTATION ADA LOWERED FLOOR MINIVANS EXHIBIT A PRICING PAGE

Class	Vehicle Description	Unit Price Per Vehicle	Estimated Quantity	Extended Price
A	Low-Floor Minivan, Fold Out Wheelchair Ramp, No Graphics	67966	5	339830
В	Low-Floor Minivan, Under Floor Wheelchair Ramp, No Graphics	74240	17	1262080
С	Low-Floor Minivan, Fold Out Wheelchair Ramp, 5310 Graphics	68720	3	206160
D	Low-Floor Minivan, Under Floor Wheelchair Ramp, 5310 Graphics	\$74,990.00	10	\$749,900.00

TOTAL BID EVALUATION	\$2,557,970.00
----------------------	----------------

Complete form provided
Please note these are only estimated quantities and do not reflect any guarantee of purchase
The DMT may purchase more or less as needed.
Please do not alter Pricing Page

BID FORM #1

REQUIRED BID FORM TO BE SUBMITTED WITH BID

Location(s) of the Technical Service Representative(s) and parts distribution center(s) closest of the State of West Virginia.
Location(s) of the technical service representative(s). Name: Ryan Renninger
Address: 1515 State Road PO Box 100
Duncannon, PA 17020
Telephone: 1-800-735-6700
Name: David M Clawson
Address:2075 B West Main Street
Waynesboro, VA 22980
Telephone: 800-735-3900/540-729-3751
Location(s) of parts distribution center(s). Name: Rohrer Bus Sales
Address: 1515 State Road PO Box 100
Duncannon, PA 17020
Telephone: 1800-735-3900
Name: N/A
Address:
Telephone:
Revised 03/13/2024

BID FORM #2

CERTIFICATION FOR AIR & WATER POLLUTION REQUIRED BID FOR TO BE SUBMITTED WITH BID

	The Vendor certifies that the vehicles proposed:
	ARE in compliance with the regulations in 40 CFR Part 85, 40 CFR Part 86, 40 CFR Part 600, Clean Water Act and the air/water pollution criteria established by the Environmental Protection Agency of the United States Government.
	ARE NOT in compliance with the regulations in 40 CFR Part 85, 40 CFR Part 86, 40 CFR Part 86, 40 CFR Part 600, Clean Water Act and the air/water pollution criteria established by the Environmental Protection Agency of the United States Government.
	4/15/25
1	Date () M ()

Senior Vice President Sales
Title

Authorized Signature

Rohrer Enterprises, LLC. DBA Rohrer Bus Sales Company Name

BID FORM #2

CERTIFICATION FOR AIR & WATER POLLUTION REQUIRED BID FOR TO BE SUBMITTED WITH BID

ARE _____ in compliance with the regulations in 40 CFR Part 85, 40 CFR Part 86, 40 CFR Part 600, Clean Water Act and the air/water pollution criteria established by the

40 CFR Part 600, Clean Water Act and the Environmental Protection Agency of the Us	egulations in 40 CFR Part 85, 40 CFR Part 86, air/water pollution criteria established by the nited States Government.
April 4, 2025	
Date	And the same and t
Questin Ruff	
Anthorized Signature	
Commercial WAV Contract A	dministrator
Title	
The Braun Corporation	

Environmental Protection Agency of the United States Government.

The Vendor certifies that the vehicles proposed:

Company Name

BID FORM #3

DISADVANTAGED BUSINESS ENTERPRISE VENDORS/ MANUFACTURERS CERTIFICATION

REQUIRED BID FOR TO BE SUBMITTED WITH BID

(Check appropriate statement)

The Vendor, if a transit vehicle manufacturer, hereby certifies that it has complied with the requirements of 49 CFR Section 26.49 by submitting an annual DBE goal to the Federal Transit Administration (FTA). The goal has either been approved or not disapproved by FTA.

X

The Vendor, if a non-manufacturing supplier, hereby certifies that the manufacturer of the transit vehicle to be supplied has complied with the above-referenced requirement of 49 CFR Section 26.49.

4/15/25

Date

Authorized Signature

Senior Vice President Sales

Title

Rohrer Enterprises, LLC. DBA Rohrer Bus Sales Company Name

BID FORM #4

BUY AMERICA CERTIFICATION ROLLING STOCK REQUIRED BID FOR TO BE SUBMITTED WITH BID

Certificate of Compliance

Certificate of Compliance
The bidder or offeror hereby certifies that it will comply with the requirements of section 165(b) (3), of the Surface Transportation Assistance Act of 1982, as amended, and the applicable regulations of 49 CFR 661.11:
Authorized Signature
Rohrer Enterprises, LLC. DBA Rohrer Bus Sales
David M Clawson
Senior Vice President Sales Title
Certificate for Non-Compliance The bidder or offeror hereby certifies that it cannot comply with the requirements of section 165(b) (3) of the Surface Transportation Assistance Act of 1982, as amended, but may qualify for an exception to the requirement consistent with section 165(b) (2) or (b) (4) of the Surface Transportation Assistance Act, as amended, and the applicable regulations in 49 CFR 661.7.
Date
Authorized Signature
Company Name
Name
Title

BID FORM #5

Revised 03/13/2024

BID FORM #4

BUY AMERICA CERTIFICATION ROLLING STOCK REQUIRED BID FOR TO BE SUBMITTED WITH BID

Certificate of Compliance

The bidder or offeror hereby certifies that it will comply with the requirements of section 165(b) (3), of the Surface Transportation Assistance Act of 1982, as amended, and the applicable regulations of 49 CFR 661.11:

April 4, 2025	11
Date	The transfer of the control of the c
Justin Ruff	
Authorized Signature	out of a spend he get mens, I'm fore-
The Braun Corporation	
Company Name	
Justin Ruff	
Name	
Commercial WAV Contractitle	ct Administrator
Transportation Assistance Act of 1982, as ame with section 165(b) (2) or (b) (4) of the Surf regulations in 49 CFR 661.7.	most comply with the requirements of section 165(b) (3) of the Surface mote omply with the requirements of section 165(b) (3) of the Surface nded, but may qualify for an exception to the requirement consistent ace Transportation Assistance Act, as amended, and the applicable
Date	
Authorized Signature	
Company Name	
Name	
Title	_

BID FORM #5

Revised 03/13/2024

FEDERAL MOTOR VEHICLE SAFETY STANDARDS CERTIFICATION

REQUIRED BID FORM TO BE SUBMITTED WITH BID

The vendor hereby certifies that it shall submit, as required by Title 49 of the CFR, Part 663 - Subpart D, it's self-certification information stating that the vehicle(s) will comply with the relevant Federal Motor Vehicle Safety Standards issued by the National Highway Traffic Safety Administration in Title 49 of the Code of Federal Regulations, Part 571.

4/15/25

Date

Authorized Signature

Senior Vice President Sales

Title

Rohrer Enterprises, LLC. DBA Rohrer Bus Sales

Company Name

BID FORM #6 U.S. Comptroller's Debarment List Certification REQUIRED BID FOR TO BE SUBMITTED WITH BID

Rohrer Enterprises, LLC. DBA Rohrer Bus Sales hereby certifies that it

information available at https://www.sam.gov.

IS or IS NOT (specify one) included on the. U.S. GSA's debarment and suspension

4/15/25

Authorized Signature

Senior Vice President Sales

Rohrer Enterprises, LLC. DBA Rohrer Bus Sales

Company Name

BID FORM #6 U.S. Comptroller's Debarment List Certification

REQUIRED BID FOR TO BE SUBMITTED WITH BID

pension

The Braun Corporation	
Formation	hereby certifies that it
IS or	
IS NOT (specify one) included on the information available at https://www.sar	e. U.S. GSA's debarment and sus n.gov.
April 4, 2025	
Date	alle on to expense or a manual to
Justin Ruff Suthorized Signature	
Authorized Signature	A TO MARKE SHIP OF STREET
Commercial WAV Contract Adn	ninistrator
Title	
The Braun Corporation	
Company Name	

BID FORM #7

REQUIRED BID FOR TO BE SUBMITTED WITH BID

CERTIFICATION OF PRIMARY PARTICIPANT REGARDING DEBARMENT, SUSPENSION, AND OTHER RESPONSIBILITY MATTERS

The Primary Participant (applicant for an FTA grant or cooperative agreement, or potential contractor for a major third party contract).

Rohrer Enterprises, LLC. DBA Rohrer Bus Sales (COMPANY NAME) certifies to the best of its knowledge and belief, that it and its principals:

- Are not presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from covered transactions by any Federal department or agency;
- 2. Have not within a three-year period preceding this proposal been convicted of or had a civil judgment rendered against them for commission of fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a public (Federal, State or local) transaction or contract under a public transaction; violation of Federal or State antitrust statutes or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements, or receiving stolen property.
- Are not presently indicted for or otherwise criminally or civilly charged by a governmental entity (Federal, State or local) with commission of any of the offenses enumerated in paragraph (2) of this certification; and
- Have not within a three-year period preceding this application/proposal had one or more public transactions (Federal, State or local) terminated for cause or default.

If the primary participant (applicant for an FTA grant, or cooperative agreement, or potential third party contractor) is unable to certify to any of the statements in this certification, the participant shall attach an explanation to this certification.)

THE PRIMARY PARTICIPANT (APPLICANT FOR AN FTA GRANT OR COOPERATIVE AGREEMENT, OR POTENTIAL CONTRACTOR FOR A MAJOR THIRD PARTY CONTRACT), Rohrer Enterprises, LLC. DBA Rohrer Bus Sales, Certifies or Affirms the TRUTHFULNESS AND ACCURACY OF THE CONTENTS OF THE STATEMENTS SUBMITTED ON OR WITH THIS CERTIFICATION AND UNDERSTANDS THAT THE PROVISIONS OF 31 U.S.C. SECTIONS 3801 ET SEO. ARE APPLICABLE THERETO.

, Senior Vice President Sales

Signature and Title of Authorized Official

Revised 03/13/2024

BID FORM #8 REQUIRED BID FOR TO BE SUBMITTED WITH BID

VENDOR'S CERTIFICATION OF UNDERSTANDING AND ACCEPTANCE

The Vendor hereby certifies that all Technical Specifications and Contract Terms and Conditions have been carefully reviewed, are fully understood and shall be adhered to in performance and completion of any contract resulting from this bid.

Date Authorized Signature Senior Vice President Sales Title Rohrer Enterprises, LLC. DBA Rohrer Bus Sales

Company Name

SPECIFICATION COMPLIANCE

4/15/25

NOTE: Please check if what is offered is in exact compliance with specifications. Any discrepancies must be listed as an attachment to the bid proposal. Exact dimensions and/or descriptions must be provided as a part of the Vendor's bid proposal when

Bid proposal submitted meets and/or exceeds all specification requirements.

Bid proposal submitted contains deviations from specification requirements. Detailed descriptions of these deviations have been provided with this bid proposal.

BID FORM #8 REQUIRED BID FOR TO BE SUBMITTED WITH BID

VENDOR'S CERTIFICATION OF UNDERSTANDING AND ACCEPTANCE

The Vendor hereby certifies that all Technical Specifications and Contract Terms and Conditions have been carefully reviewed, are fully understood and shall be adhered to in performance and completion of any contract resulting from this bid.

Date	pril 4, 2025
Que	stin Rull
Autho	estin Ruff prized Signature
Co	mmercial WAV Contract Administrato
Title	
The	e Braun Corporation
Comp	any Name

SPECIFICATION COMPLIANCE

NOTE: <u>Please check</u> if what is offered is in exact compliance with specifications. Any discrepancies must be listed as an attachment to the bid proposal. Exact dimensions and/or descriptions must be provided as a part of the Vendor's bid proposal when submitted.

 Bid proposal submitted meets and/or exceeds all specification requirements.
 Bid proposal submitted contains deviations from specification requirements. Detailed descriptions of these deviations have been provided with this bid proposal.

BID FORM #9 REQUIRED BID FOR TO BE SUBMITTED WITH BID

CERTIFICATION OF RESTRICTIONS ON LOBBYING

The undersigned (Vendor, Contractor) certifies, to the best of his or her knowledge and belief, that:

- 1. No Federal appropriated funds have been paid or will be paid by or on behalf of the undersigned, to any person for influence or attempt to influence an officer or employee of any Federal agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress regarding the award of a Federal grant, loan (including a line of credit), cooperative agreement, loan guarantee, or loan insurance, or the extension, continuation, renewal, amendment, or modification of any Federal grant, loan (including a line of credit), cooperative agreement, loan guarantee, or loan insurance.
- 2. If any funds other than Federal appropriated funds have been or will be paid to any person to influence or attempt to influence an officer or employee of any Federal agency, a Member of Congress, an officer or employee of Congress, or any employee of a Member of Congress in connection with any application for a Federal grant, loan (including a line of credit), cooperative agreement, loan guarantee, or loan insurance, the undersigned assures that it will complete and submit Standard Form-LLL, "Disclosure of Lobbying Activities," Rev. 7-97; and
- 3. The undersigned understands that the language of this certification shall be included in the award documents for all sub awards at all tiers (including subcontracts, sub grants, sub agreements. and contracts under grants, loans (including a line of credit), cooperative agreements, loan guarantees, and loan insurance.

Undersigned understands that this certification is a material representation of fact upon which reliance is placed by the Federal government and that submission of this certification is a prerequisite for providing a Federal grant, loan (including a line of credit), cooperative agreement, loan guarantee, or loan insurance for a transaction covered by 31 U.S.C. 1352. The undersigned also understands that any person who fails to file a required certification shall be subject to a civil penalty of not less than \$10,000 and not more than \$100,000 for each such failure.

		A Rohrer Bus Sales , certifies or affirms the truthfulness disclosure, if any. In addition, the (Vendor, Contractor C. \$3,801, et seq., apply to this certification and
Date	Authorized Signature	
Senior Vice Pres	sident Sales	1
Title		

Revised 3/13/2024

BID FORM #10

REQUIRED BID DOCUMENTATION CHECKLIST

Model Year: 2025 Chrysler Voyager LX
Mandatory Bid Forms – must be submitted with bid:
Bid Form #1: Locations of Technical Service Representatives and Parts Distribution Centers
Bid Form #2: Certification for Air & Water Pollution
Bid Form #3: Disadvantaged Business Enterprise Vendors/Manufacturers Certification
Bid Form #4: Buy America Certification Rolling Stock
Bid Form #5: Federal Motor Vehicle Safety Standards Certification
Bid Form #6: U.S. Comptroller's Debarment List Certification
Bid Form #7: Certification of Primary Participant Regarding Debarment, Suspension, and Other Responsibility Matters
Bid Form #8: Vendor's Certification of Understanding and Acceptance
Bid Form #9: Certification of Restrictions on Lobbying
Exhibit A Pricing Page

Documentation – to be submitted with bid: Referenced 3.3.1.1 Engine: provide product description, warranty information and product Transmission: provide product description, warranty information and product literature. 3.6.4 Back Up Camera System: provide product description, warranty information and Tires: provide product description, warranty information and product literature. 3.14.4 Undercoating and Rustproofing: provide product description, warranty information and literature. 3.14.7 Ambulatory Passenger Entrance/Exit: provide location, size, door operating 3.19.2 Floor Covering: provide samples of floor covering and colors to be provided. Seating: provide product description, warranty information, product literature and color charts for all of the seating products to be utilized. Proposed floor plan. X 3.2201 Driver's Seat: provide description of product. Wheelchair Securement System: provide product description, warranty information and product literature. Wheelchair Occupant Restraint System: provide product description, warranty information and product literature.

Wheelchair Ramp: provide Make, Model #, product description, warranty

Training: submit letter of understanding to the terms in this Section.

information and product literature.

<u>X</u> 3.31.5	Security Camera: provide product description, warranty information and product literature.
	Warranty on complete vehicle.
5.9.2	Warranty on Basic Vehicle Structure.
5.9.4	Warranty: warranties to be provided on subsystems and components.
7 10.2 A.	including manufacturer's model name and /or number. Include description of front and rear air conditioning and heat systems,
	Proposed interior floor plans, showing detailed dimensions including the location of the wheelchair securement system and stanchions.
<u>X</u> 10.2 C.	Curb weight (empty weight) and gross vehicle weight rating (GVWR) of vehicle.
10.2 H.	Identification of the conversion location of the van.
	A list of five (5) users names, addresses, emails and telephone numbers who have been provided similar equipment by the Vendor.
No Deb	at Affidavit
Addeno	dum Acknowledgement



Department of Administration **Purchasing Division** 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

State of West Virginia **Centralized Request for Quote** Vehicles

Proc Folder:

1511486

Doc Description: ADA Compliant Lowered Floor Minivans

Reason for Modification:

ADDENDUM NO 1

Vendor Questions and Responses

Proc Type:

Central Master Agreement

Date Issued

Solicitation Closes

Solicitation No

Version

2025-04-10

2025-04-16 13:30

CRFQ 0810 DMT2500000006

2

BID RECEIVING LOCATION

BID CLERK

DEPARTMENT OF ADMINISTRATION

PURCHASING DIVISION

2019 WASHINGTON ST E

CHARLESTON

WV 25305

US

VENDOR

Vendor Customer Code:

VS0000004719

Vendor Name: Rohrer Enterprises, LLC. DBA Rohrer Bus Sales

Address: 1515 State Road PO Box 100

Street:

City: Duncannon

State: PA

Country:

USA

Zip: 17020

Principal Contact: David M Clawson, Senior Vice President Sales

Vendor Contact Phone: 800-735-3900/540-729-3751

Extension:

FOR INFORMATION CONTACT THE BUYER

John W Estep 304-558-2566

john.w.estep@wv.gov

Vendor Signature X

FEIN# 23-205997

DATE

4/10/25

All offers subject to all terms and conditions contained in this solicitation

Date Printed: Apr 10, 2025

Page: 1

FORM ID: WV-PRC-CRFQ-002 2020/05

ADDITIONAL INFORMATION

ADDENDUM NO_1

Addendum No_1 issued to publish and distribute the attached information to the Vendor Community

REQUEST FOR QUOTATION

The West Virginia Purchasing Division is soliciting bids on behalf of the Division of Multimodal Transportation Facilities -Public Transit (DMTF-PT); and any other agency that desires to utilize this contract, to establish an open-ended contract for Americans with Disabilities Act (ADA) Compliant Lowered Floor Min-Van(s). Per the Bid Requirements, Specifications, Terms and Conditions

INVOICE TO		SHIP TO		
PUBLIC TRANSIT DIVISION OF		PUBLIC TRANSIT DIVISION OF		
BLDG 5 RM 663		KANAWHA VALLEY REGIONAL TRANSPORTATION AUTHORITY		
1900 KANAWHA BLVD E CHARLESTON US	wv	1550 FOURTH AVE CHARLESTON US	wv	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
1	ADA Lowered Floor Minivans	35.00000	EA		1000111106

Comm Code	Manufacturer	Specification	Model #	
25101502	Braun	PER WV Spec	LX	

Extended Description:

To establish an open-ended contract for ADA Lowered Floor Minivans. Classes A and B will not possess graphics. Classes C and D will possess 5310 graphics.

SCHEDULE OF EVENTS

Line	Event	Event Date	
1	Took Ougations due by 40.00		
A CONTRACTOR	Tech Questions due by 10:00am	2025-03-31	

SOLICITATION NUMBER: CRFQ DMT2500000006 Addendum Number: 1

The purpose of this addendum is to modify the solicitation identified as CRFQ DOT25000000006 ("Solicitation") to reflect the change(s) identified and described below.

Applicable Adder	dum Category:
------------------	---------------

	Modify bid opening date and time
[]	Modify specifications of product or service being sought
[X]	Attachment of vendor questions and responses
[]	Attachment of pre-bid sign-in sheet
[]	Correction of error
[]	Other

Additional Documentation:

Vendor Question and Response

Bid Opening remains 04/16/2025 at 1:30pm

Terms and Conditions:

- 1. All provisions of the Solicitation and other addenda not modified herein shall remain in full force and effect.
- Vendor should acknowledge receipt of all addenda issued for this Solicitation by completing an Addendum Acknowledgment, a copy of which is included herewith. Failure to acknowledge addenda may result in bid disqualification. The addendum acknowledgement should be submitted with the bid to expedite document processing.

Listed below are the responses to the questions.

The following are approved equal/question/clarification requests for the West Virginia bid opening

4/16/2025, with AE's due on 3/31/2025.

o 3.1.1.9 Water Test – The Braun Corporation requests approval of our current testing system in

lieu of the method currently called by specification: Water test combines two procedures in

detecting leaks; Ultrasonic Sound Testing and high-pressure wash bay rinse. The high pressure

rise cycle shall be utilized to completely drench each vehicle with water from top, front, back,

both sides, and the under-frame area. Each vehicle shall be exposed to this high-pressure water

spray for a continuous period of fifteen (15) minutes. Spray nozzles shall be arranged to ensure

water spray on the roof, all doors, all windows, rear wall, windshield and in the wheel well areas

under the frame. All leaks found as a result of this test shall be repaired and the vehicles shall

be retested until no water leaks exist.

It is approved.

o 3.14.7 OEM side slide doors – It should be noted that the Voyager LX will be equipped with OEMpower side slide doors, in lieu of manual side slide doors as currently called by specification.

It is approved.

o 3.18.8 Hooded exterior light – Please note that the Braun conversion utilizes an interior mounted light to illuminate the area immediately around the passenger side slide door; it does

not include a "hooded exterior door light"

It is approved.

o 3.29.1 Wheelchair Ramp – Please request a specification change to either eliminate the vertical

stow ramp or update it to vertical stow ramp with swing-out feature. Due to Buy America compliance we might have to bid the In-floor ramp as standard.

It is updated to the vertical stow ramp with the swing-out feature.

o 3.31.5 Angel Trax – The Braun Corporation requests approved equal status for the following

described Angel Trax camera system. Mounted to the inside of the vehicle's windshield, the Vulcan Series VX4AI All-In-One MDVR features two built-in HD cameras: one capturing an exterior view through the windshield, the other an interior view of the cab, driver and passengers. This powerful device's built-in AI processor helps capture a definitive account of

what really happens on the road by detecting certain driving events and can automatically upload to a secure server for review. The VX4AI's privacy feature can be activated to turn off the

interior camera and microphone when the vehicle is at 0MPH. Please see attached brochure for

more information.

This is an approved equal.

ADDENDUM ACKNOWLEDGEMENT FORM SOLICITATION NO.: CRFQ DOT2500000006

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

Addendum N	Numbers Received:			
	x next to each addendur	n receive	d)	
{X}	Addendum No. 1	[]	Addendum No. 6
[]	Addendum No. 2	1]	Addendum No. 7
[]	Addendum No. 3]]	Addendum No. 8
[]	Addendum No. 4	1]	Addendum No. 9
[]	Addendum No. 5	[]	Addendum No. 10

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

Rohrer Enterprise	es, LLC. DBA Rohrer Bus Sales
	Company
	Authorized Signature
4/10/25	
	Date

NOTE: This addendum acknowledgement should be submitted with the bid to expedite document processing.

STATE OF WEST VIRGINIA Purchasing Division

PURCHASING AFFIDAVIT

CONSTRUCTION CONTRACTS: Under W. Va. Code § 5-22-1(i), the contracting public entity shall not award a construction contract to any bidder that is known to be in default on any monetary obligation owed to the state or a political subdivision of the state, including, but not limited to, obligations related to payroll taxes, property taxes, sales and use taxes, fire service fees, or other fines or fees.

ALL CONTRACTS: Under W. Va. Code §5A-3-10a, no contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and: (1) the debt owed is an amount greater than one thousand dollars in the aggregate; or (2) the debtor is in employer default.

EXCEPTION: The prohibition listed above does not apply where a vendor has contested any tax administered pursuant to chapter eleven of the W. Va. Code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Employer default" means having an outstanding balance or liability to the old fund or to the uninsured employers' fund or being in policy default, as defined in W. Va. Code § 23-2c-2, failure to maintain mandatory workers' compensation coverage, or failure to into a repayment agreement with the Insurance Commissioner and remains in compliance with the obligations under the repayment agreement.

"Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

AFFIRMATION: By signing this form, the vendor's authorized signer affirms and acknowledges under penalty of law for false swearing (W. Va. Code §61-5-3) that: (1) for construction contracts, the vendor is not in default on any monetary obligation owed to the state or a political subdivision of the state, and (2) for all other contracts, that neither vendor nor any related party owe a debt as defined above and that neither vendor nor any related party are in employer default as defined above, unless the debt or employer default is permitted under the exception above.

WITNESS THE FOLLOWING SIGNATURE:

Vendor's Name: Rohrer Enterprises, LLC. DBA Rohrer Bus Sales	
Authorized Signature:	Date: 4/15/25
State of VA	
County of AUGUSTA to-wit:	
Taken, subscribed, and sworn to before me this day of	, 20
My Commission expires, 20	
AFFIX SEAL HERE NOTARY PUBLIC	



April 15, 2025

Statement for record - Foldout ramp vans (Category A and C) as proposed meet or exceed WV specifications. All A and C vans include a double foldaway seat as shown below and were built in the prior model year. Ramp vans can deliver in approx. 45 days at lesser cost than the Under-floor.



The Under-floor ramp vans require the 2025 Model Year to meet Buy America. The under-floor ramp vans will take 150-180 days total to order chassis, to complete conversion and to complete WV Inspect/ PDI for final delivery.

Thanks for your consideration, David

D.M. Clawson, Jr. Senior Vice President Commercial Van and Bus Sales (540) 729-3751



The Transportation

Company You Can

Depend On!

Commercial Side-Entry Foldout Features

BraunAbility Commercial Side-Entry Foldout built on:

2022-2025 Chrysler Voyager LX

2022-2025 Chrysler Pacifica 27W

2022-2025 Chrysler Grand Caravan (Canada)


See back of this guide for vehicle requirements.

- · ADA, FMVSS, CMVSS Compliant
- FTA Buy America Compliant Option Available
- Meets or Exceeds Altoona Test Requirements
- CARB Compliant
- ADA Compliant Interlock
- ADA Compliant Ramp & Door Entrance Lighting



Lowered Floor

The floor is lowered from the toe pan to the rear axle and provides multiple wheelchair securement positions. Premium vinyl flooring with 3/8" underlayment comes standard.



ADA-compliant passenger sliding OEM power door with 56" vertical opening and 31" wide clear opening (excluding grab handle).

3,29 Manual Folding Ramp with Swing-Out Feature The low-angle 30" wide aluminum foldout ramp (1,000 lb capacity) makes it easy to load and unload wheelchair users. The swing-out feature allows ambulatory passengers to exit directly to curbs and sidewalks, away from the flow of traffic.

Driver and Passenger Seating

The driver seat is stationary and has a storage area underneath for optional DOT items. The passenger seat can be easily removed to provide a wheelchair securement position in the front of the vehicle. An optional 2nd row 2 passenger folding bench seat is also available.



Fold-Down Rear Seat Footrest Adds comfort for backseat passengers.

Emergency Rear Hatch Release

ADA-Compliant Ramp and Door Entrance Lighting

Q'STRAINT. Wheelchair/Occupant Securement System One standard belt system included for use with the floor-mounted tracks.











Commercial Side-Entry Foldout

The Chrysler Commercial Side-Entry Foldout wheelchair accessible vehicle has been a cost-effective, workhorse product for paratransit providers and transportation services. Leveraging over 50 years of experience in mobility transportation solutions, BraunAbility introduces with the newest addition to the Commercial fleet, the Chrysler Voyager. The side-entry foldout has all the ADA-compliant features of the Dodge Grand Caravan but with 15% more cabin space for easier maneuverability, more seating positions, plus enhanced space at the toe pan for wheelchair footrests. The new conversion also features the much more durable thermoplastic (TPO) front, side and rear flares to absorb minor impacts while protecting the exterior look of the vehicle. An LED spotlight package for the ramp and cabin as well as an easy access footrest for rear seating adds to the overall ease of use for both operators and passengers.

The Chrysler Commercial Side-Entry Foldout comes standard with an easily removable front passenger seat with wheelchair securement positions in the front and midrow. The optional aftermarket midrow folding seat increases the seating capacity when needed.

Safety has always been a top priority at BraunAbility. The Chrysler Commercial Side-Entry Foldout has been crash tested and certified to meet or exceed all applicable requirements of the Federal Motor Vehicle Safety Standards (FMVSS) and is backed by our three-year limited warranty.

- · Seating for up to 7 ambulatory*; up to 2 wheelchair positions
- · Added space at front for wheelchair passenger footrests
- · Hard-wearing TPO front, side and rear flares to absorb minor impacts
- · Reinforced, heavy-duty swing-out ramp and latch
- · Enhanced ADA lighting package
- · Option for BuyAmerica compliant conversion is available

* With optional aftermarket 2nd row 2-passenger folding bench seat

Standard Features

- · ADA, FMVSS and CMVSS Compliant
- · CARB approved
- · 7-passenger vehicle (with optional aftermarket 2nd row 2-passenger folding bench seat)
- · Lowered floor from toepan to rear axle
- · 60" floor-to-ceiling at center of van
- · 30" wide manual ramp with 1,000 lb capacity and swing out feature for ambulatory access
- · Multiple wheelchair securement locations
- · One wheelchair securement system Q'STRAINT
- · OEM driver and passenger side power sliding door providing 56" vertical opening (ADA compliant), passenger door provides clear opening width of 31" (excluding OEM grab handle)
- · Step-and-Roll removable front passenger seat
- · 3-passenger bench seat at rear with folding footrest
- · Front passenger floor tracks for wheelchair securement, with 60" floor-to-ceiling height
- · TPO plastic lower body panels with integrated steps
- · Vinyl flooring with 3/8" underlayment, a thermoplastic honeycomb panel subfloor
- · ADA-compliant park interlock
- · ADA-compliant ramp and door entrance lighting
- · Priority seating and wheelchair securement location decals
- · Auxiliary wiring harnesses include fused circuits
- · Emergency rear hatch release
- · Easy maintenance interior trim package
- · 19 gallon OEM fuel tank

Optional Features

- · Aftermarket 2nd row 2-passenger folding bench seat
- · DOT kit
- · Additional set of tie-downs
- · High Conspicuity Ramp Tape Kit



Commercial Side-Entry Foldout

The Chrysler Commercial Side-Entry Foldout wheelchair accessible vehicle has been a cost-effective, workhorse product for paratransit providers and transportation services. Leveraging over 50 years of experience in mobility transportation solutions, BraunAbility introduces with the newest addition to the Commercial fleet, the Chrysler Voyager. The side-entry foldout has all the ADA-compliant features of the Dodge Grand Caravan but with 15% more cabin space for easier maneuverability, more seating positions, plus enhanced space at the toe pan for wheelchair footrests. The new conversion also features the much more durable thermoplastic (TPO) front, side and rear flares to absorb minor impacts while protecting the exterior look of the vehicle. An LED spotlight package for the ramp and cabin as well as an easy access footrest for rear seating adds to the overall ease of use for both operators and

The Chrysler Commercial Side-Entry Foldout comes standard with an easily removable front passenger seat with wheelchair securement positions in the front and midrow. The optional aftermarket midrow folding seat increases the seating capacity when needed.

Safety has always been a top priority at BraunAbility. The Chrysler Commercial Side-Entry Foldout has been crash tested and certified to meet or exceed all applicable requirements of the Federal Motor Vehicle Safety Standards (FMVSS) and is backed by our three-year limited warranty.

- Seating for up to 7 ambulatory*; up to 2 wheelchair positions
- · Added space at front for wheelchair passenger footrests
- · Hard-wearing TPO front, side and rear flares to absorb minor impacts
- · Reinforced, heavy-duty swing-out ramp and latch
- · Enhanced ADA lighting package
- · Option for BuyAmerica compliant conversion is available

Standard Features

- · ADA, FMVSS and CMVSS Compliant
- · CARB approved
- · 7-passenger vehicle (with optional aftermarket 2nd row 2-passenger folding bench seat) · Lowered floor from toepan to rear axle
- · 60" floor-to-ceiling at center of van
- · 30" wide manual ramp with 1,000 lb capacity and swing out feature for ambulatory access · Multiple wheelchair securement locations
- · One wheelchair securement system Q'STRAINT
- · OEM driver and passenger side power sliding door providing 56" vertical opening (ADA compliant), passenger door provides clear opening width of 31" (excluding OEM grab handle) · Step-and-Roll removable front passenger seat
- · 3-passenger bench seat at rear with folding footrest
- · Front passenger floor tracks for wheelchair securement, with 60" floor-to-ceiling height
- · TPO plastic lower body panels with integrated steps
- · Vinyl flooring with 3/8" underlayment, a thermoplastic honeycomb panel subfloor · ADA-compliant park interlock
- · ADA-compliant ramp and door entrance lighting
- · Priority seating and wheelchair securement location decals
- · Auxiliary wiring harnesses include fused circuits
- · Emergency rear hatch release
- · Easy maintenance interior trim package
- · 19 gallon OEM fuel tank

Optional Features

- · Aftermarket 2nd row 2-passenger folding bench seat
- · DOT kit
- · Additional set of tie-downs
- · High Conspicuity Ramp Tape Kit



* With optional aftermarket 2nd row 2-passenger folding bench seat

Commercial Side-Entry Foldout Features

BraunAbility Commercial Side-Entry Foldout built on: ▶

2022-2025 Chrysler Voyager LX

2022-2025 Chrysler Pacifica 27W

2022-2025 Chrysler Grand Caravan (Canada)

See back of this guide for vehicle requirements.

- · ADA, FMVSS, CMVSS Compliant
- FTA Buy America Compliant Option Available
- Meets or Exceeds Altoona Test Requirements
- · CARB Compliant
- ADA Compliant Interlock
- ADA Compliant Ramp & Door Entrance Lighting



Lowered Floor

The floor is lowered from the toe pan to the rear axle and provides multiple wheelchair securement positions. Premium vinyl flooring with 3/8" underlayment comes standard.



ADA-compliant passenger sliding OEM power door with 56" vertical opening and 31" wide clear opening (excluding grab handle).



Manual Folding Ramp with Swing-Out Feature

The low-angle 30" wide aluminum foldout ramp (1,000 lb capacity) makes it easy to load and unload wheelchair users. The swing-out feature allows ambulatory passengers to exit directly to curbs and sidewalks, away from the flow of traffic.



Driver and Passenger Seating

The driver seat is stationary and has a storage area underneath for optional DOT items. The passenger seat can be easily removed to provide a wheelchair securement position in the front of the vehicle. An optional 2nd row 2 passenger folding bench seat is also available.



Fold-Down Rear Seat Footrest

Adds comfort for backseat passengers.

Emergency Rear Hatch Release



ADA-Compliant Ramp and Door Entrance Lighting

Q'STRAINT. Wheelchair/Occupant Securement System One standard belt system included for use with the floor-mounted tracks.

Commercial Side-Entry Foldout Options

E4



■ 29012K Extra Standard Wheelchair and Occupant

Securement System

Includes four wheelchair tie-downs, one lap belt/ shoulder harness connector and bag. One system is included standard.

511641K Swap Standard for QRT Max Retractable

Securement System

511642K Swap Standard for QRT Deluxe Retractable

Securement System

511643K Swap Standard for QRT 360 WC 18 Retractable

Securement System

Q'STRAINT

31490K Extra QRT Max Retractable Securement System

26558K Extra QRT Deluxe Retractable Securement System

509070K Extra QRT 360 WC 18 Retractable Securement System



■ 509747BK-CLK 2nd Row 2-Passenger Folding Bench Seat - Black Cloth

509747BKK 2nd Row 2-Passenger Folding Bench Seat - Black Vinyl

510037K Vinyl Seat Covers

Driver, passenger, and 3rd row bench.

■ 512862K DOT Package (5# Fire Extinguisher, 10 First Aid Kit, Triangle Flare Kit, Body Fluid Kit)

513267K CSA-D409 Package (for Canadian use only)

510205K OEM Inflatable Spare Tire

507747K High Conspicuity Ramp Tape Kit



Pre-Award Buy America Certification

Manufacturer:

The Braun Corporation

Bid No.

Description:

Wheelchair Accesible Vehicle

End User:

•

VIN / Job:

WV - E4 - 2 BA3692544

Final assembly activities completed at:

The Braun Corporation 631 W 11th St. Winamac, IN 46996

Component	Manufacturer	Country of Origin	C % of Total Cost
OEM Chassis	FCA Canada	Windsor, Ontario, Canada	35.869%
Weldment	The Braun Corporation	Winamac, IN, United States	11.173%
Sub Assembly	The Braun Corporation	Winamac, IN, United States	5.226%
Seats - Seating & Fabric	The Braun Corporation	Winamac, IN, United States	4.566%
ADA & Special Equip.	The Braun Corporation	Winamac, IN, United States	3.658%
Ramp Parts & Assemblies	The Braun Corporation	Winamac, IN, United States	2.337%
Wire / Harness / Loom	Altex	Westfield, IN, United States	1.227%
Floor - Substrate & Covering	Standard Integrated Solution, Inc	Winamac, IN, United States	0.931%
Plastic - Vacform & Inj.	The Braun Corporation	Winamac, IN, United States	0.882%
Plastic - Vacform & Inj.	Lippert Components Inc	Chicago, IL, United States	0.476%
Weldment	Standard Integrated Solution, Inc	Winamac, IN, United States	0.436%
Plastic - Vacform & Inj.	Patrick Industries Inc	Elkart, IN, United States	0.319%
Heat, Ventilation, Air Cond.	Formfab LLC	Rochester Hills, MI, United States	0.305%
Electronics / Switches & Senso	FEV North America Inc.	Auburn Hills, MI, United States	0.285%
Fuel system & Undercarriage	Formfab LLC	Rochester Hills, MI, United States	0.192%
Metal Fabrication	LSI Metal Fabrication	Logansport, IN, United States	0.189%
Metal Fabrication	Cutting Edge Machine & Tool	Nappanee, IN, United States	0.189%
Option-Vehicle	The Braun Corporation	Winamac, IN, United States	0.189%
Metal Fabrication	MORryde International, Inc.	Elkhart, IN, United States	0.188%
Weldment	MORryde International, Inc.	Elkhart, IN, United States	0.186%
Metal Fabrication	The Braun Corporation	Winamac, IN, United States	0.168%
Restraint Systems & Belts	The Braun Corporation	Winamac, IN, United States	0.157%
Metal Fabrication	Standard Integrated Solution, Inc	Winamac, IN, United States	0.096%
Brake System	Formfab LLC	Rochester Hills, MI, United States	0.069%
Metal Machined Parts	Cutting Edge Machine & Tool	Nappanee, IN, United States	0.064%
ADA & Special Equip.	Cooper-Standard Automotive Fhs, In		0.063%
Sub Assembly	Cutting Edge Machine & Tool	Nappanee, IN, United States	0.058%
Wire / Harness / Loom	Atronix, Inc.	Tucson, AZ, United States	0.053%
Fuel system & Undercarriage	Cooper-Standard Automotive Fhs, In		0.052%
ADA & Special Equip.	ACME United Corporation	Pittsburgh, PA, United States	
Metal Fabrication	Quality Tool And Stamping, Inc.	Muskegon Heights, MI, United States	0.052%
Heat, Ventilation, Air Cond.	HWASEUNG Automotive USA, LLC.	Enterprise, AL, United States	0.044%
Exhaust System & Components	Exhaust Productions Inc.	Merrillville, IN, United States	0.040%
Media / Decals / Literature	Sharpline Converting Inc.	Wichita, KS, United States	0.040%
Metal Machined Parts	The Braun Corporation	Winamac, IN, United States	0.039%
	Formion	vinamae, iiv, omiteu States	0.037%



Sub Assembly	Vista Manufacturing Inc	Elkhart, IN, United States	0.035%
Plastic - Vacform & Inj.	SPI Blow Molding LLC	Coloma, MI, United States	0.033%
Plastic - Vacform & Inj.	Proto Shapes, Inc.	Coldwater, MI, United States	0.029%
Media / Decals / Literature	Mandala Screen Printing	Winamac, IN, United States	0.028%
Electronics / Switches & Senso	Vista Manufacturing Inc	Elkhart, IN, United States	0.019%
ADA & Special Equip.	Certified Safety Manufacturing, Inc.	Dallas, TX, United States	0.017%
Hydraulics / Hoses / Fittings	Cooper-Standard Automotive Fhs, In	c.Chicago, IL, United States	0.017%
Metal Machined Parts	Kilgore Manufacturing Co. Inc.	Columbia City, IN, United States	0.017%
Plastic - Vacform & Inj.	Thunderbird Molding Shelbyville	Columbus, OH, United States	0.016%
Media / Decals / Literature	Webb Printing	Winamac, IN, United States	0.013%
OEM - Parts	Standard Integrated Solution, Inc	Winamac, IN, United States	0.011%
Media / Decals / Literature			0.010%
Heat, Ventilation, Air Cond.	Cooper-Standard Automotive Fhs, In	c.Chicago, IL, United States	0.009%
Wire / Harness / Loom	Vista Manufacturing Inc	Elkhart, IN, United States	0.009%
Bushings / Bearings / Guides	Cutting Edge Machine & Tool	Nappanee, IN, United States	0.008%
NVH	GDC, Inc	Goshen, IN, United States	0.007%
Vehicle Section - Qty Bearing	The Braun Corporation	Winamac, IN, United States	0.007%
Exhaust System & Components	Standard Integrated Solution, Inc	Winamac, IN, United States	0.007%
Metal Machined Parts	MJ Celco, Inc.	Schiller Park, IL, United States	0.006%
Heat, Ventilation, Air Cond.	Standard Integrated Solution, Inc	Winamac, IN, United States	0.003%
Hardware - Nuts Bolts & Screws	Umpco, Inc.	Garden Grove, CA, United States	0.003%
Media / Decals / Literature	Dec-O-Art, Inc.	Elkhart, IN, United States	0.002%
Hardware - Nuts Bolts & Screws	The Braun Corporation	Winamac, IN, United States	0.002%
Electronics / Switches & Senso	Umpco, Inc.	Garden Grove, CA, United States	0.002%
Hardware - Nuts Bolts & Screws	EFC International	Chicago, IL, United States	0.001%
NVH	Standard Integrated Solution, Inc	Winamac, IN, United States	0.001%
Hardware - Nuts Bolts & Screws	Caplugs	Carol Stream, IL, United States	0.001%
Media / Decals / Literature	The Braun Corporation	Winamac, IN, United States	0.001%
Fuel system & Undercarriage	dlhBowles Inc.	Canton, OH, United States	0.001%
Metal Machined Parts	Caplugs	Carol Stream, IL, United States	0.000%
Grand Total			70.167%

Cost of final assembly as related to cost of vehicle (percentage): 7.24%

Date: 04/04/2025

Signature Justin Rug

Title: Commercial WAV Contract Administrator

detailed on next page.

Description of final assembly activities



Description of final assembly activities:

- 1. Braun's Final Assembly manufacturing processes consist of the following:
 - (a) "Seat Installation": Installation of seats in the first, second, and third seating rows in the vehicle.
 - (b) "Subsystem Installation": Installation of new lines for rear brake, fuel, heat, and air conditioning components.
 - (c) "Fuel Tank System Installation": Installed the fuel tank. Installation and interconnection of the new fuel fill pipe assembly to meet the relocated and rotated OEM fuel tank.
 - (d) "Exhaust Installation & Interconnection": Installing a new exhaust pipe, hanger brackets, and the OEM muffler.
 - (e) "Engine/Transmission/Front Suspension Assembly Modifications": Disconnecting the engine, transmission, and front suspension assembly in order to raise the body to accommodate the lowered floor. Modifications are made to the engine, transmission, and front suspension assembly, involve adding various types of spacing brackets, custom steering shaft extension, and two engine cradle safety bracket tube extensions, and reconnecting the engine, transmission, and front suspension assembly.
 - (f) "Slide Door Installation": Doors are installed and tested to verify proper travel and function.
 - (g) "Rear Axle & Suspension Installation & Interconnection": Installation of the rear axle, addition of brake line extensions, and rear brake lines fastened.
 - (h) "Flooring & Walls Installation": Installation of flooring substrate and covering and carpet or plastic panels with carpeted inserts. Walls are covered with new interior panels and trims.
 - (i) "Rear Bumper Installation": Installation of the reinforced rear bumper.
 - (j) "Wiring Installation": Installation of new and reroute existing wiring to accommodate the new seating systems, airbag systems, wheelchair ramp system, slide door operation, and other accessibility modifications such as kneeling function.
 - (k) "Ramp Installation & Interconnection": Installation and interconnection of the wheelchair ramp.
 - (I) "Undercoating": Newly installed components are coated, and the entire floor is undercoated.
 - (m) "Inspection & Certification": The vehicle is inspected, weighed, road tested, identified repairs completed if required, and recertified to all applicable FMVSS by Braun in preparation of the vehicles for delivery.



PRE-AWARD FMVSS COMPLIANCE CERTIFICATION

As required by 49 CFR part 663 - Subpart D, WV - E4 - 2 (the recipient) certifies that it received, at the pre-award stage, a copy of The Braun Corporation's (the manufacturer) self-certification information stating that the vehicles, 2025 Chrysler Voyager LX- 27E Side-Entry, will comply with the relevant Federal Motor Vehicle Safety Standard issued by the National Highway Traffic Safety Administration in 49 CFR part 571.

Date: 04/04/2025

Signature Justin Ruy

Print Name Justin Ruff

Title: Commercial WAV Contract Administrator

$(\cdot \cdot \cdot)$	TIRE AND L	UAUINU	INFUH	MAIIUN
\bigcirc	SEATING CAPACITY	TOTAL	FRONT	REAR
e combine	d weight of occupants and ca	rgo should ne	ver exceed	Kg or Lt
TIRE	SIZE	COLD TIR	E PRESSURE	SEE OWNER'S
RONT		LED'E	Time	MANUAL FOR
REAR				ADDITIONAL
SPARE		1	Marin.	INFORMATION

THE BRAUN CORPORATION 631 w. 11th Street, Winamac, Indiana 46996 This Vehicle was altered by THE BRAUN CORPORATION in / and as altered it conforms to all applicable Federal Motor Vehicle Safety Bumper and Theft Prevention Standards affected by the alteration and in effect in / Vehicle Type: MVP Vin #: Available Payload Capacity: LBS(Without Passengers & Wheelchairs)

DATE OF MANUFACTURE	ON ENTERVAN.COM® MO. YR.
INCOMPLETE VEHICLE M	ANUFACTURED BY:
CHRYSLER CO DATE INC. VEH. MFD.	
GVWR(KG)	LBS
GAWR FRONT(K	G)LBS. TIRES
RIMS, @	PSI COLD
	(kPa cold)
GAWR REAR(K	3) LBS
WITH	TIRES
RIMS, @	(kPa cold)
THIS VEHICLE HAS BEEN C	OMBLETED
THIS VEHICLE HAS BEEN C N ACCORDANCE WITH THE MANUFACTURERS' IVD, WHI THIS VEHICLE CONFORMS 1 FEDERAL MOTOR VEHICLE 1 AND BUMPER AND THEFT P STANDARDS, IF APPLICABLE N EFFECT IN (/) (MONTH /)	PRIOR ERE APPLICABLE. O ALL APPLICABLE SAFETY STANDARDS, REVENTION
IN ACCORDANCE WITH THE MANUFACTURERS' IVD, WHI THIS VEHICLE CONFORMS 1 FEDERAL MOTOR VEHICLE 1 AND BUMPER AND THEFT P STANDARDS, IF APPLICABLE IN EFFECT IN (/)."	PRIOR ERE APPLICABLE. O ALL APPLICABLE SAFETY STANDARDS, REVENTION [] (EAR)



Pre-Award Buy America

PURCHASER'S REQUIREMENTS CERTIFICATION

Purchaser - FTA Grantee	WV - E4 - 2	
Quantity	1	
Description of Vehicles	2025 Chrysler Voyager LX- 27E Side-Entry	
Bid / RFP Contract Number		

As required by Title 49 of the CFR, Part 663 - Subpart B, **BraunAbility | The Braun Corporation of Winamac, Indiana** (the manufacturer) certifies that the documentation submitted in response to **WV - E4 - 2** (the recipient) rolling stock procurement solicitation meets the required Bid Specification Compliance with the Purchaser's Solicitation Specifications.

The manufacturer certifies that the rolling stock vehicles to be manufactured for the recipient are the same product described in the recipient's solicitation specification and the manufacturer is a responsible manufacturer with the capability to produce a rolling stock vehicle that meets the recipient's specifications set forth in the recipient's solicitation.

Date: 04/04/2025

Signature: Justin
Print Name: Justin Ruff

Title: Commercial WAV Contract Administrator

2025 Chrysler Voyager LX



Chrysler of Forest City





Prepared For:

Prepared By: Administrator Chrysler of Forest City 1445 Hwy 69 S Forest City, Iowa, 50436

INDEX	2025 Chrysler Voyager
Description	Passenger Van LX (RUCL53) Page
Cover	
Index	
Vehicle Overview	
Standard Equipment	6
Selected Equipment	9
Dimensions & Capacities	
Warranty	
Job Rating	
Window Sticker	
Price Sheet	

CHRYSLER

Prepared For:

Prepared By: Administrator Chrysler of Forest City 1445 Hwy 69 S Forest City, Iowa, 50436

VEHICLE OVERVIEW

2025 Chrysler Voyager

Passenger Van LX (RUCL53)

Powertrain

Pentastar 3.6L V-6 DOHC SMPI 24 valve engine with VVT variable valve control, cylinder deactivation * 180 amp alternator * 650 amp battery with run down protection, auxiliary battery * Engine oil cooler, transmission oil cooler * 9-speed electronic automatic transmission with overdrive, lock-up * Front-wheel drive * ABS & driveline traction control * 3.25 axle ratio * Stainless steel exhaust

Steering and Suspension

Electric power-assist rack and pinion steering * 4-wheel disc brakes with front vented discs * Touring ride suspension, with electronic stability * Independent front suspension * Front strut suspension * Front anti-roll * Front coil springs * Gas-pressurized front shocks * Rear independent suspension * Rear trailing arm suspension * Rear coil springs * Gas-pressurized rear shocks * Front and rear 17.0" x 7.00" silver aluminum wheels * P235/65HR17.0 BSW AS front and rear tires * Inside mounted collapsible aluminum spare wheel

Safety

4-wheel anti-lock braking system * Daytime running lights, center high mounted stop light * Dual airbags, seat mounted driver and passenger side-impact airbags, curtain 1st, 2nd and 3rd row overhead airbag, airbag occupancy sensor, driver and passenger knee airbag * Front and rear height adjustable seatbelts with front pre-tensioners * Sentry Key immobilizer, panic alarm, tracker system, security system

Comfort and Convenience

Automatic dual zone front air conditioning, rear HVAC, air filter, underseat ducts, headliner/pillar ducts * SiriusXM AM/FM/Satellite, clock, seek-scan, Uconnect 5 external memory control, 6 speakers, speed sensitive volume, Bluetooth streaming audio, active noise cancellation, integrated roof antenna, radio steering wheel controls * 2 1st row LCD monitors * Cruise control with steering wheel controls, adaptive * Power door locks with 2 stage unlock, keyfob (all doors) keyless entry, power remote cargo access release, child safety rear door locks, tailgate/rear door lock included with power door locks * 2 12V DC power outlets, trunk/hatch auto-latch, driver foot rest, retained accessory power, Chrysler Connect emergency SOS, Bluetooth wireless phone connectivity, 4G LTE Wi-Fi Hot Spot internet access * Analog instrumentation appearance includes tachometer, oil pressure gauge, engine/motor temperature gauge, voltmeter gauge, oil temperature gauge, transmission fluid temp gauge, compass, exterior temp, driver information center, redundant digital speedometer, camera(s) - rear camera, trip computer, trip odometer, ParkSense with Stop rear parking sensors, lane departure, blind spot, forward collision * Warning indicators include oil pressure, engine temperature, battery, lights on, key, low fuel, low washer fluid, door ajar, rear cargo ajar, service interval, brake fluid, turn signal on, tire specific low tire pressure, transmission fluid temp * TechnoLeather leatherette steering wheel with tilt and telescopic adjustment * Power front and rear windows with deep tint, driver

The information contained in this package is provided to assist in assessing our vehicles and is for your information only. Prices and content information shown are subject to change and should be treated as estimates only. Information on the comparison vehicle is derived from available public sources and may not be completely current or accurate. No representations, warranties or guarantees are given in the information. Neither Chrysler nor the dealer will be liable for any reliance on the contents hereof. Please see salesperson for the most current information and other details. Actual pricing may vary. Reference DX05103297 12/16/2024

Effective Date: 12/16/2024 Date Printed: February 11, 2025

Page 3
QuoteID: <None>

VEHICLE OVERVIEW Continued

Comfort and Convenience (Continued)

and passenger 1-touch down, fixed rearmost windows, 2nd row sun blinds * Variable intermittent front windshield wipers, rain detecting wipers, fixed interval rear wiper, rear window defroster * Dual illuminated vanity mirrors * Day-night rearview mirror * Interior lights include dome light with fade, front reading lights, illuminated entry * Partial floor console with covered storage, mini overhead console with storage, conversation mirror, locking glove box, front and rear cupholders, instrument panel bin, interior concealed storage, 2 seat back storage pockets, driver and passenger door bins, rear door bins * Carpeted cargo floor, plastic trunk lid/rear cargo door, cargo tie downs, cargo light, tire mobility kit

Seating and Interior

Seating capacity of 7 * Bucket front seats with driver and passenger heated-cushion, driver and passenger heated-seatback, adjustable head restraints with tilt, driver and passenger armrests * 8-way adjustable (8-way power) driver seat includes power 4-way lumbar support * 4-way adjustable passenger seat * Bucket 2nd row seat with fold forward seatback, reclining folding activation, 2 fixed rear head restraints, armrest mounted outboard only * 3rd row seat 60-40 folding split-bench fold into floor with reclining fold into floor, 3 fixed 3rd row head restraints * Leatherette faced front seats with leatherette back material * Leatherette faced rear seats with plastic back material * Leatherette faced 3rd row seats with carpet back material * Full cloth headliner, full carpet floor covering with carpet front and rear floor mats, colored instrument panel insert, metal-look gear shifter material, colored door panel insert, piano black console insert, piano black/metal-look interior accents

Exterior Features

Rear lip spoiler, side impact beams, front license plate bracket, galvanized steel/aluminum body material * Chrome side window moldings * Body-colored door handles * Black w/chrome surround grille * 4 doors with power sliding rear driver's side door, power sliding rear passenger's side door power liftgate rear cargo door with door auto-latch * Driver and passenger power remote black heated folding outside mirrors with turn signal indicators * Front and rear body-colored bumpers * Reflector halogen auto on/off headlamps with multiple headlamps, delay-off feature *

3.3.1.1

Warranty

Basic	36 month/36,000 miles	Powertrain	60 month/100,000 miles
Corrosion Perforation	60 month/unlimited mileage	Roadside Assistance	60 month/60,000 miles

Dimensions and Capacities

Output	287 hp @ 6,400 rpm	Torque	262 lh -ft @ 4 000 rpm
Drag coefficient	0.30	1st gear ratio	4 710
2nd gear ratio	2.840	3rd gear ratio	1 910
4th gear ratio	1.380	5th gear ratio	1.000
oth gear ratio	0.810	7th gear ratio	0.700
8th gear ratio	0.580	9th gear ratio	0.480
Reverse gear ratio	3.810	City/hwy	19 mpg/28 mpg
Curb weight		GVWR	6.055 lbs
Towing capacity		Front legroom	41.1 "

The information contained in this package is provided to assist in assessing our vehicles and is for your information only. Prices and content information shown are subject to change and should be treated as estimates only. Information on the comparison vehicle is derived from available public sources and may not be completely current or accurate. No representations, warranties or guarantees are given in the information. Neither Chrysler nor the dealer will be liable for any reliance on the contents hereof. Please see salesperson for the most current information and other details. Actual pricing may vary. Reference DX05103297 12/16/2024

Effective Date: 12/16/2024 Date Printed: February 11, 2025

Page 4
QuoteID: <None>

VEHICLE OVERVIEW Continued

Dimensions and Capacities (Continued)

Rear legroom	39.0 "	Third legroom	36.5 "
Front headroom	40.1 "	Rear headroom	39.6 "
Third headroom	38.7 "	Front hiproom	59.0 "
Rear hiproom	64.8 "	Third hiproom	49.5 "
Front shoulder room	63.8 "	Rear shoulder room	63.0 "
Third shoulder room	61.2 "	Passenger area volume	16F 0 cu ft
Length	203.8 "	Body width	79.6 "
Body height	69.9 "	Wheelbase	79.6
Front track	68.3 "	Rear track	68.3 "
Turning radius	19.8	Fuel tank	
Interior rear cargo volume 32 Interior maximum rear cargo volume 140	2.3 cu.ft.	Interior rear cargo volume seats folded	19.0 gal. 87.5 cu.ft.

The information contained in this package is provided to assist in assessing our vehicles and is for your information only. Prices and content information shown are subject to change and should be treated as estimates only. Information on the comparison vehicle is derived from available public sources and may not be completely current or accurate. No representations, warranties or guarantees are given in the information. Neither Chrysler nor the dealer will be liable for any reliance on the contents hereof. Please see salesperson for the most current information and other details. Actual pricing may vary. Reference DX05103297 12/16/2024

Effective Date: 12/16/2024 Date Printed: February 11, 2025



CHRYSLER

Prepared For:

Prepared By: Administrator Chrysler of Forest City 1445 Hwy 69 S Forest City, Iowa, 50436

STANDARD EQUIPMENT

2025 Chrysler Voyager

Passenger Van LX (RUCL53)

Powertrain

Pentastar 3.6L V-6 DOHC SMPI 24 valve engine with VVT variable valve control, cylinder deactivation * 180 amp alternator * 650 amp battery with run down protection, auxiliary battery * Engine oil cooler, transmission oil cooler * 9-speed electronic automatic transmission with overdrive, lock-up * Front-wheel drive * ABS & driveline traction control * 3.25 axle ratio * Stainless steel exhaust

Steering and Suspension

Electric power-assist rack and pinion steering * 4-wheel disc brakes with front vented discs * Touring ride suspension, with electronic stability * Independent front suspension * Front strut suspension * Front anti-roll * Front coil springs * Gas-pressurized front shocks * Rear independent suspension * Rear trailing arm suspension * Rear coil springs * Gas-pressurized rear shocks * Front and rear 17.0" x 7.00" silver aluminum wheels * P235/65HR17.0 BSW AS front and rear tires

Safety

4-wheel anti-lock braking system * Daytime running lights, center high mounted stop light * Dual airbags, seat mounted driver and passenger side-impact airbags, curtain 1st, 2nd and 3rd row overhead airbag, airbag occupancy sensor, driver and passenger knee airbag * Front and rear height adjustable seatbelts with front pre-tensioners * Sentry Key immobilizer, panic alarm, tracker system, security system

Comfort and Convenience

Automatic dual zone front air conditioning, rear HVAC, air filter, underseat ducts, headliner/pillar ducts * SiriusXM AM/FM/Satellite, clock, seek-scan, Uconnect 5 external memory control, 6 speakers, speed sensitive volume, Bluetooth streaming audio, active noise cancellation, integrated roof antenna, radio steering wheel controls * 2 1st row LCD monitors * Cruise control with steering wheel controls, adaptive * Power door locks with 2 stage unlock, keyfob (all doors) keyless entry, power remote cargo access release, child safety rear door locks, tailgate/rear door lock included with power door locks * 2 12V DC power outlets, trunk/hatch auto-latch, driver foot rest, retained accessory power, Chrysler Connect emergency SOS, Bluetooth wireless phone connectivity, 4G LTE Wi-Fi Hot Spot internet access * Analog instrumentation appearance includes tachometer, oil pressure gauge, engine/motor temperature gauge, voltmeter gauge, oil temperature gauge, transmission fluid temp gauge, compass, exterior temp, driver information center, redundant digital speedometer, camera(s) - rear camera, trip computer, trip odometer, ParkSense with Stop rear parking sensors, lane departure, blind spot, forward collision * Warning indicators include oil pressure, engine temperature, battery, lights on, key, low fuel, low washer fluid, door ajar, rear cargo ajar, service interval, brake fluid, turn signal on, tire specific low tire pressure, transmission fluid temp * TechnoLeather leatherette steering wheel with tilt and telescopic adjustment

3.6.4

The information contained in this package is provided to assist in assessing our vehicles and is for your information only. Prices and content information shown are subject to change and should be treated as estimates only. Information on the comparison vehicle is derived from available public sources and may not be completely current or accurate. No representations, warranties or guarantees are given in the information. Neither Chrysler nor the dealer will be liable for any reliance on the contents hereof. Please see salesperson for the most current information and other details. Actual pricing may vary. Reference DX05103297 12/16/2024

Effective Date: 12/16/2024 Date Printed: February 11, 2025

Page 6 QuoteID: <None>

STANDARD EQUIPMENT Continued

Comfort and Convenience (Continued)

* Power front and rear windows with deep tint, driver and passenger 1-touch down, fixed rearmost windows, 2nd row sun blinds * Variable intermittent front windshield wipers, rain detecting wipers, fixed interval rear wiper, rear window defroster * Dual illuminated vanity mirrors * Day-night rearview mirror * Interior lights include dome light with fade, front reading lights, illuminated entry * Partial floor console with covered storage, mini overhead console with storage, conversation mirror, locking glove box, front and rear cupholders, instrument panel bin, interior concealed storage, 2 seat back storage pockets, driver and passenger door bins, rear door bins * Carneted cargo floor, plactic trunk lid/rear cargo door, cargo tip downs, cargo light, tire mobility kit. Carpeted cargo floor, plastic trunk lid/rear cargo door, cargo tie downs, cargo light, tire mobility kit

Seating and Interior

Seating capacity of 7 * Bucket front seats with driver and passenger heated-cushion, driver and passenger heated-seatback, adjustable head restraints with tilt, driver and passenger armrests * 8-way adjustable (8-way power) driver seat includes power 4-way lumbar support * 4-way adjustable passenger seat * Bucket 2nd row seat with fold forward seatback, reclining folding activation, 2 fixed rear head restraints, armrest mounted outboard only * 3rd row seat 60-40 folding split-bench fold into floor with reclining fold into floor, 3 fixed 3rd row head restraints * Leatherette faced front seats with leatherette back material * Leatherette faced rear seats with plastic back material * Leatherette faced 3rd row seats with carpet back material * Full cloth headliner, full carpet floor covering with carpet front and rear floor material incert metal-look gears. carpet floor covering with carpet front and rear floor mats, colored instrument panel insert, metal-look gear shifter material, colored door panel insert, piano black console insert, piano black/metal-look interior accents

Exterior Features

Rear lip spoiler, side impact beams, front license plate bracket, galvanized steel/aluminum body material * Chrome side window moldings * Body-colored door handles * Black w/chrome surround grille * 4 doors with power sliding rear driver's side door, power sliding rear passenger's side door power liftgate rear cargo door with door auto-latch * Driver and passenger power remote black heated folding outside mirrors with turn signal indicators * Front and rear body-colored bumpers * Reflector halogen auto on/off headlamps with multiple headlamps, delay-off feature * Clearcoat monotone paint

Warranty

Basic Corrosion Perforation	36 month/36,000 miles 60 month/unlimited mileage	Powertrain Roadside Assistance	60 month/60,000 miles 60 month/60,000 miles
	Dimensions a	nd Capacities	
Output Drag coefficient 2nd gear ratio 4th gear ratio 6th gear ratio 8th gear ratio Reverse gear ratio Curb weight Towing capacity Rear legroom Front headroom Third headroom	287 hp @ 6,400 rpm 0.30 2.840 1.380 0.810 0.580 3.810 4,330 lbs. 3,600 lbs. 39.0 " 40.1 "	Torque 1st gear ratio 3rd gear ratio 5th gear ratio 7th gear ratio 9th gear ratio City/hwy GVWR Front legroom Third legroom Rear headroom	262 lbft. @ 4,000 rpm 4.710 1.910 1.000 0.700 0.480 19 mpg/28 mpg 6,055 lbs. 41.1 " 36.5 "

The information contained in this package is provided to assist in assessing our vehicles and is for your information only. Prices and content information shown are subject to change and should be treated as estimates only. Information on the comparison vehicle is derived from available public sources and may not be completely current or accurate. No representations, warranties or guarantees are given in the information. Neither Chrysler nor the dealer will be liable for any reliance on the contents hereof. Please see salesperson for the most current information and other details. Actual pricing may vary. Reference DX05103297 12/16/2024

Effective Date: 12/16/2024 Date Printed: February 11, 2025

Page 7 QuoteID: <None>

STANDARD EQUIPMENT Continued

Dimensions and Capacities (Continued)

Rear hiproom Front shoulder room Third shoulder room Length Body height Front track Turning radius Interior rear cargo volume	64.8 " 63.8 " 61.2 " 203.8 " 69.9 " 68.3 " 19.8 ' 32.3 cu.ft.	Third hiproom Rear shoulder room Passenger area volume Body width Wheelbase Rear track Fuel tank Interior rear cargo volume	49.5 " 63.0 " 165.0 cu.ft. 79.6 " 121.6 " 68.3 " 19.0 gal. 87.5 cu.ft.
Interior maximum rear cargo volume	140.5 cu.ft.	seats folded	

The information contained in this package is provided to assist in assessing our vehicles and is for your information only. Prices and content information shown are subject to change and should be treated as estimates only. Information on the comparison vehicle is derived from available public sources and may not be completely current or accurate. No representations, warranties or guarantees are given in the information. Neither Chrysler nor the dealer will be liable for any reliance on the contents hereof. Please see salesperson for the most current information and other details. Actual pricing may vary. Reference DX05103297 12/16/2024

Effective Date: 12/16/2024 Date Printed: February 11, 2025



Prepared For:

Prepared By: Administrator Chrysler of Forest City 1445 Hwy 69 S Forest City, Iowa, 50436

SELECTE	D EQUIPMENT	2025 Chrysler Voyago	er
		Passenger Van LX (RUCLS MSRF	53)
RUCL53	Base Vehicle Price (RUCL53) Emissions	STD 39,995.00	0
NAS	50 State Emissions Packages	OPT N/O	С
27E	Quick Order Package 27E Powertrain	OPT N/C	С
ERC	Engine: 3.6L V6 24V VVT UPG I w/ESS	STD N/O	С
DFH	Transmission: 9-Speed 948TE Automatic	STD N/C	С
STDAX	3.25 Axle Ratio	STD N/O	С
Z1A	GVWR: 6,055 lbs	STD N/O	С
	Wheels & Tires		
TMK	Tires: 235/65R17 BSW All Season	STD N/C	С
WFN	Wheels: 17" x 7" Aluminum	STD N/C	
	Seats & Seat Trim		
SJ	Caprice Leatherette Bucket Seats	STD N/C	С
CEQ	Black Seats	OPT N/C	
	Other Options		_
APA	Monotone Paint Application	STD N/C	C
SDC	Touring Suspension	STD N/C	
		(5) (5) (6) (6) (6) (6) (6) (6) (6) (6) (6) (6	2000

The information contained in this package is provided to assist in assessing our vehicles and is for your information only. Prices and content information shown are subject to change and should be treated as estimates only. Information on the comparison vehicle is derived from available public sources and may not be completely current or accurate. No representations, warranties or guarantees are given in the information. Neither Chrysler nor the dealer will be liable for any reliance on the contents hereof. Please see salesperson for the most current information and other details. Actual pricing may vary. Reference DX05103297 12/16/2024

Effective Date: 12/16/2024 Date Printed: February 11, 2025

Page 9 QuoteID: <None>

SELECTED EQUIPMENT Continued

Vehicle Subtot	al (including Destination)	\$4	2,085.00
Vehicle Subtotal Destination			40,390.00 \$1,695.00
PW7	Bright White Clearcoat	OPT	N/C
	Primary Colors For : Primary		
X3	Black	OPT	N/C
	Interior Colors For: Primary		
XGQ	Inflatable Spare Tire Kit	OPT	395.00
	All properly reported FCA Group LLC commercial fleet vehicles (NVDR type sale 3 and type sale 5) receive the 3 year 36,000 mile Basic Limited Warranty and the 5 year 100,000 mile Fleet Powertrain coverage. The 5 year/100,000 mile Fleet Powertrain coverage will go with the vehicle, so there will be no need to do warranty transfers and there will be no charge to second/subsequent owners to continue the warranty beyond the original owner. THIS LIMITED WARRANTY IS PROVIDED TO OWNERS of a Chrysler, Dodge, Jeep and Ram vehicle (excluding vehicles equipped with diesel engines) who purchased it through FCA US LLC specifically for Fleet Government Bid/Leases and Fleet Commercial/Lease orders only.		
	FCA 5 yr/100,000 Mile Powertrain Limited Warranty All properly reported FCA Group LLC commercial fleet vehicles (NVDR type	OPT	N/C
	Fleet Options		•
UBG	Radio: Uconnect 5 w/10.1" Display	STD	N/C
			MSRP

The information contained in this package is provided to assist in assessing our vehicles and is for your information only. Prices and content information shown are subject to change and should be treated as estimates only. Information on the comparison vehicle is derived from available public sources and may not be completely current or accurate. No representations, warranties or guarantees are given in the information. Neither Chrysler nor the dealer will be liable for any reliance on the contents hereof. Please see salesperson for the most current information and other details. Actual pricing may vary. Reference DX05103297 12/16/2024

Effective Date: 12/16/2024 Date Printed: February 11, 2025



Prepared For:

Prepared By: Administrator Chrysler of Forest City 1445 Hwy 69 S Forest City, Iowa, 50436

DIMENSIONS & CAPACITIES

2025 Chrysler Voyager

Passenger Van LX (RUCL53)

Output	2021
Output	287 hp @ 6,400 rpm
Torque	262 lbft. @ 4,000 rpm
Drag coefficient	0.30
1st gear ratio	4.710
2nd gear ratio	2.840
3rd gear ratio	1.910
4th gear ratio	1.380
5th gear ratio	1.000
6th gear ratio	0.810
7th gear ratio	0.700
8th gear ratio	0.580
9th gear ratio	0.480
Reverse gear ratio	3.810
City/hwy	19 mpg/28 mpg
Curb weight	4,330 lbs.
GVWR	6.055 lbs.
Towing capacity	
Front legroom	41.1 "
Rear legroom	39.0 "
I hird legroom	36.5."
Front headroom	40.1."
Rear headroom	39.6."
Third headroom	38.7 "
Front hiproom	59.0 "
Rear hiproom	64.8 "
Third hiproom	49.5 "
Front shoulder room	63.9 "
Rear shoulder room	62.0"
Third shoulder room	61.2 "
Passenger area volume	165.0 6
Length	165.0 Cu.π.
Body width	203.8 "
Body height	79.6 "
Wheelbase	69.9 "
	121.6 "

The information contained in this package is provided to assist in assessing our vehicles and is for your information only. Prices and content information shown are subject to change and should be treated as estimates only. Information on the comparison vehicle is derived from available public sources and may not be completely current or accurate. No representations, warranties or guarantees are given in the information. Neither Chrysler nor the dealer will be liable for any reliance on the contents hereof. Please see salesperson for the most current information and other details. Actual pricing may vary. Reference DX05103297 12/16/2024

Effective Date: 12/16/2024 Date Printed: February 11, 2025

Page 11 QuoteID: <None>

DIMENSIONS & CAPACITIES Continued

Front track	60.2
Rear track	69.2
rarriing radius	10.0
ruertank	10 0 gal
Interior rear cargo volume	22.2 cu ft
Therior rear cargo volume seats folded	87.5 cu ft
Interior maximum rear cargo volume	

The information contained in this package is provided to assist in assessing our vehicles and is for your information only. Prices and content information shown are subject to change and should be treated as estimates only. Information on the comparison vehicle is derived from available public sources and may not be completely current or accurate. No representations, warranties or guarantees are given in the information. Neither Chrysler nor the dealer will be liable for any reliance on the contents hereof. Please see salesperson for the most current information and other details. Actual pricing may vary. Reference DX05103297 12/16/2024

Effective Date: 12/16/2024 Date Printed: February 11, 2025



Prepared For:

Prepared By: Administrator Chrysler of Forest City 1445 Hwy 69 S Forest City, Iowa, 50436

WARRANTY

2025 Chrysler Voyager

Passenger Van LX (RUCL53)

Months/Distance

Basic	36 month/36,000 miles
Powertrain	60 month/100,000 miles
	month/unlimited mileage
Roadside Assistance	60 month/60,000 miles

The information contained in this package is provided to assist in assessing our vehicles and is for your information only. Prices and content information shown are subject to change and should be treated as estimates only. Information on the comparison vehicle is derived from available public sources and may not be completely current or accurate. No representations, warranties or guarantees are given in the information. Neither Chrysler nor the dealer will be liable for any reliance on the contents hereof. Please see salesperson for the most current information and other details. Actual pricing may vary. Reference DX05103297 12/16/2024

Effective Date: 12/16/2024 Date Printed: February 11, 2025



Prepared For:

Prepared By: Administrator Chrysler of Forest City 1445 Hwy 69 S Forest City, Iowa, 50436

JOB RATING

2025 Chrysler Voyager

Passenger Van LX (RUCL53)

Performance predictions in this report represent an estimate of vehicle performance based on standard operating conditions. Variations in customer equipment, load configuration, ambient conditions, and/or operator driving techniques can cause significant variations in vehicle performance. These values are not representative of results that may be shown in actual dynamometer tests. This report should therefore be used as a guide for comparative vehicle performance.

Gross Vehicle Weight

Number of Passengers:	_
Weight of passengers:	7
Cargo length:	1,050.00 lbs
	0 Inches
Cargo width:	0 Inches
Cargo height:	0 Inches
Cargo weight:	0 lbs
Weight of hitch:	
Tongue weight:	0 lbs
Payload weight:	0 lbs
	1,050.00 lbs
Curb Weight:	4,330.00 lbs
Gross Vehicle Weight:	5,380.00 lbs
Gross vehicle weight rating:	6,055.00 lbs
GVW vs. GVWR:	5,380.00 lbs<6,055.00 lbs
0 0 11 111111	

Gross Combined Weight

Cross Combined Weight	
Weight of trailer:	0 lbs
Weight of trailer cargo:	0 lbs
Total weight of trailer:	0 lbs
Type of hitch:	None
Hitch weight	
Tongue weight:	0 lbs
Gross Vehicle Weight:	0 lbs
Adjusted gross vehicle weight:	5,380.00 lbs
West Country of the C	5,380.00 lbs
Gross Combined Weight:	5,380.00 lbs
Gross combined weight rating:	0 lbs
GCW vs. GCWR:	5,380.00 lbs>0 lbs

The information contained in this package is provided to assist in assessing our vehicles and is for your information only. Prices and content information shown are subject to change and should be treated as estimates only. Information on the comparison vehicle is derived from available public sources and may not be completely current or accurate. No representations, warranties or guarantees are given in the information. Neither Chrysler nor the dealer will be liable for any reliance on the contents hereof. Please see salesperson for the most current information and other details. Actual pricing may vary. Reference DX05103297 12/16/2024

Effective Date: 12/16/2024 Date Printed: February 11, 2025

Page 14

QuoteID: <None>

2025 Chrysler Voyager Passenger Van LX (RUCL53)

Engine: 3.6L V6 24V VVT UPG I w/ESS Transmission: 9-Speed 948TE Automatic Exterior

(0 P) Bright White Clearcoat

Interior

(0 I) Black

CHICYPLEIC

Standard	Equipment

Items Featured Below are included at NO EXTRA CHARGE in the Standard Vehicle Price Shown at Right

- Pentastar 3.6L V-6 DOHC w/SMPI 287hp
- 9 speed automatic trans w/OD
- 4-wheel ABS
- Brake assistance
- Traction control
- P235/65R17 BSW H-rated tires
- Battery with run down protection
- Touring suspension
- Electronic stability
- Automatic air conditioning
- AM/FM SiriusXM satellite radio
- Daytime running lights
- Rear child safety locks
- 60-40 folding 3rd row split-bench seats

- Dual power remote heated mirrors
- Variable intermittent wipers
- Silver aluminum wheels
- Dual front airbags
- Driver & front passenger seat mounted side airbags
- Airbag occupancy sensor
- Sentry Key immobilizer
- Rear window defogger
- Tachometer
- Trip computer
- Underseat ducts
- Heated reclining front bucket seats
- 2nd row bucket seat

STANDARD VEHICLE PRICE OPTIONAL EQUIPMENT	\$39,995.00
50 State Emissions	1110
	N/C
Quick Order Package 27E	N/C
Engine: 3.6L V6 24V VVT UPG I w/ESS	STD
Transmission: 9-Speed 948TE	STD
Automatic	
3.25 Axle Ratio	STD
GVWR: 6,055 lbs	STD
Tires: 235/65R17 BSW All Season	STD
Wheels: 17" x 7" Aluminum	STD
Caprice Leatherette Bucket Seats	STD
Black Seats	N/C
Touring Suspension	STD
Radio: Uconnect 5 w/10.1" Display	STD
FCA 5 yr/100,000 Mile Powertrain	N/C
Limited Warranty	1470
Inflatable Spare Tire Kit	\$395.00
Interior : Black	N/C
Primary : Bright White Clearcoat	N/C

CITY MPG 19



HIGHWAY MPG 28

SUBTOTAL \$40,390.00 Destination \$1,695.00

TOTAL

\$42,085.00



Prepared For:

Prepared By: Administrator Chrysler of Forest City 1445 Hwy 69 S Forest City, Iowa, 50436

PRICE SHEET	2025 Chrysler Voyage	
Vehicle Price (excluding option discounts)	Passenger Van LX (RUCL53) MSRP \$40,390.00	
Vehicle Subtotal Option Credits Other (Discount)Margin Incentives	\$40,390.00 0.00 0.00 0.00	
Total Other Items Net Selling Price Destination	0.00 \$40,390.00 1,695.00	
Total Quote	\$42,085.00	
TOTAL	\$42,085.00	
Customer Signature		
Date		

Effective Date: 12/16/2024 Date Printed: February 11, 2025

The information contained in this package is provided to assist in assessing our vehicles and is for your information only. Prices and content information shown are subject to change and should be treated as estimates only. Information on the comparison vehicle is derived from available public sources and may not be completely current or accurate. No representations, warranties or guarantees are given in the information. Neither Chrysler nor the dealer will be liable for any reliance on the contents hereof. Please see salesperson for the most current information and other details. Actual pricing may vary. Reference DX05103297 12/16/2024



PERRY JOHNSON REGISTRARS, INC.

Certificate of Registration

Perry Johnson Registrars, Inc., has audited the Quality Management System of:

The Braun Corporation d.b.a. BraunAbility 631 West 11th Street, Winamac, IN 46996 United States

(Hereinafter called the Organization) and hereby declares that Organization is in conformance with:

ISO 9001:2015

This Registration is in respect to the following scope:

Design, Manufacture, and Assembly of Wheelchair Accessible Vehicles, Wheelchair Lifts for Vehicle Applications, Wheelchair Toppers, and Other Mobility Products' Management Systems

This Registration is granted subject to the system rules governing the Registration referred to above, and the Organization hereby covenants with the Assessment body duty to observe and comply with the said rules.





Terry Boboige, President

Perry Johnson Registrars, Inc. (PJR) 755 West Big Beaver Road, Suite 1340 Troy, Michigan 48084 (248) 358-3388

The validity of this certificate is dependent upon ongoing surveillance.

Effective Date:

July 31, 2023

Expiration Date:

July 30, 2026

Certificate No.:

C2023-00382

Page 1 of 3

MATERIAL SAFETY DATA SHEET

MANUFACTURED BY: Pure Asphalt Co.

3300 W. 31st St. Chicago, IL. 60623 **Technical Product Information:**

1-773-247-7030

Emergency Spill and Health Information 1-800-424-9300 (CHEMTREC)

Date Prepared:

08-07-07

Supersedes MSDS: 05-28-07

Section I - Product Identification

Product Name/Number: #770 Undercoating / Sound Deadener

Description: Black, Solvent Based Undercoating and Sound Deadener

Section 2 - Composition/Information on Ingredients

Chemical Family:

Petroleum Mixture

CAS Number: Mixture

Unassigned

Petroleum Distillates (Stoddard Solvent) CAS # 8052-41-3 Percentage by weight: 45-50%

Petroleum Hydrocarbon - CAS #8052-42-4; Percentage by wt. -35-45%

Exposure Limits: PEL: 100 PPM; ACGIH TLV: 100 ppm; ACGIH STEL: 200 ppm

Listed in NTP, IARC or OSHA 1910 (z): NO

HMIS: 2-2-O-H

Exposure limits:

Section 3 - Hazard Identification

Primary routes of entry:

Effects of overexposure (acute and chronic)

Inhalation, skin contact

Mild depression, convulsions and loss of consciousness. Skin contact causes burning,

Irritation, defatting and dermatitis.

Petroleum distillates (Stoddard Solvent):

TLV 100 PPM PEL 100 PPM

Oxidized Asphalt Fumes: 5 MG/M3 Eye irritation, Draize test: Moderate

Sensitization of product: Not available

Carcinogen:

Irritancy of product

No No

Teratogen: Reproductive toxicity:

No No

Mutagen: Synergistic products:

Not applicable

Section 4 - First Aid Measures

Skin contact:

Remove and launder contaminated clothing before reuse. Discard shoes if severely contaminated. Wash skin with soap and water.

Eyes:

Flush with water for 15 minutes lifting upper and lower lids. Contact physician.


Inhalation:

Remove to fresh air, give oxygen if breathing is difficult. Contact physician.

Ingestion:

Do not induce vomiting, give white mineral oil Contact physician. Do not attempt to give anything by mouth to an unconscious person.

SEATING OPTION F: (3) AMBULATORY PASSENGERS, (2) MOBILITY AID PASSENGERS, AND THE DRIVER



LOADED WEIGHTS

REQUIRED CAPACITIES
LUADED GVW = 5730#
LUADED GAW FRUNT = 2850#
LUADED GAW REAR = 2880#

NOTES / DEFINED VARIABLES

ALLOWABLE WEIGHTS
DEM GVWR = 6055#
DEM FRONT GAWR = 2950#
DEM REAR GAWR = 3200#

MODIFIED EMPTY WEIGHTS (INCLUDES 2ND ROW FLIP SEAT)
TOTAL VEHICLE = 4630#
FRONT AXLE = 2570#
REAR AXLE = 2060#

WHEEL BASE = 121.6'
AMBULATORY PASSENGER = 150#
MDBILITY AID PASSENGER = 300#
REMOVABLE FRONT PASSENGER SEAT = 100#

NOTE: THESE ARE APPROXIMATE WEIGHTS ONLY. (ACTUAL WEIGHTS MAY VARY WITH VEHICLE.)

						DESIGN/APPR. MDH DRAWN MDH DETAIL CHK.	TOLETRANCES: CUNLESS DITHERVISE SPECIFIED) DECIMAL DIMENSIONS: JOXX = ±030 JX = ±030 JX = ±060 FRACTIONAL DIMENSIONS = ±1/32 ANGULAR DIMENSIONS = ±1° NOTE: DEBURR ALL SHARP CORNERS	CONFIDENTIAL PROPRIETARY INFORMATION DO NOT COPY WITHOUT PERMISSION OF The Braun Corporation Winamac, Indiana 46996
						SCALE 1"=32"		BRAUN CHRYSLER RU ADA E3
REQ. BY	LET.	REVISION	ECN NO.	REV. BY	DATE	DATE 12/18/20	P/N 515681	- SEATING OPTION F - 300LB

FEDERAL TRANSIT BUS TEST

Performed for the Federal Transit Administration, U.S. DOT 1200 New Jersey Avenue, SE Washington, DC 20590

In accordance with 49 CFR Part, 665

Manufacturer: The Braun Corporation / BraunAbility Manufacturer's address: 631 West 11th Street Winamac, IN 46996

Model: 2022 Chrysler Pacifica / Voyager ADA w/Side Entry Manual Infloor Ramp

Tested in Service-Life Category 4 Year / 100,000 Miles

Report Number: LTI-BT-R2023-08



David Klinikowski

Director, Bus Research and Testing Center

Title

November 13th, 2023

Date

FEDERAL TRANSIT BUS TEST

Performed for the Federal Transit Administration, U.S. DOT 1200 New Jersey Avenue, SE Washington, DC 20590

In accordance with 49 CFR Part, 665

Manufacturer: The Braun Corporation / BraunAbility Manufacturer's address: 631 West 11th Street Winamac, IN 46996

Model: 2022 Chrysler Pacifica / Voyager ADA w/Side Entry Manual Infloor Ramp

> Tested in Service-Life Category 4 Year / 100,000 Miles

Report Number: LTI-BT-R2023-08



David Klinikowski

Quality Authorization

Director, Bus Research and Testing Center

Title

November 13th, 2023

Date

TABLE OF CONTENTS

			Page
E	XECUTIVE	SUMMARY	1
		ONS AND ACRONYMS	
		-IN	8
1	. MAINTAIN	ABILITY	
	1.1 1.2	ACCESSIBILITY OF COMPONENTS AND SUBSYSTEMS	
	1.3	REPLACEMENT AND/OR REPAIR OF SELECTED SUBSYSTEMS	27 30
2	RELIABILI		
3.	SAFETY	eating to the Value of the Valu	33
	3.1 3.2	DOUBLE-LANE CHANGE (OBSTACLE AVOIDANCE TEST)BUS BRAKING PERFORMANCE TEST	39
4.	PERFORM	ANCE	44
		RAL INTEGRITY	
	5.1 5.2	STRUCTURAL SHAKEDOWN – DISCONTINUED TEST STRUCTURAL STRENGTH AND DISTORTION TESTS - STRUCTURAL	
	5.3	STRUCTURAL STRENGTH AND DISTORTION TESTS - STATIC TOWING	00
	5.4 5.5	STRUCTURAL STRENGTH AND DISTORTION TESTS - DVNAMIC TOWING	04
	5.6	STRUCTURAL STRENGTH AND DISTORTION TESTS INCLINC	0.4
	5.7	STRUCTURAL STRENGTH AND DISTORTION TESTS- HOISTINGSTRUCTURAL DURABILITY	67
6.	FUEL ECO	NOMY	70
	NOISE	a for standing paracegors. Locration, the guess load representation only long rotal of 6 passengers. Gross load is calculated as f	19
	7.1 7.2	INTERIOR NOISE AND VIBRATION TESTSEXTERIOR NOISE TESTS	87
8	FMISSIONS		
٥.	-MICOLONS		98

EXECUTIVE SUMMARY

TEST HIGHLIGHTS

The information in this report pertains only to this specific bus, as received from the manufacturer for testing.

The Check-In section of the report provides a description of the bus and specifies its major components. The following table gives the salient specifications.

Manufacturer	The Dun C		
Model	The Braun Corporation / BraunAbility		
	2022 Univsier Pacifica / Vovezan ADA		
Chassis Make/Model	Wolde Entry Manual Infloor Ramp		
Chassis Modified	FCA US, LLC / Voyager LX		
Overall Length	Yes Yes		
Fuel	16 feet, 11.5 inches		
Service Life	Gasoline		
Name I	4 Year / 100,000 miles		
driver)	5 and 1 wheelchair position		
Manufacturer-Designated Standing Passenger Capacity	0		
Gross Vehicle Weight used for	•		
lesting	6,050 lb.		
Gross Vehicle Weight Rating	6,055 lb.		
villeage at Delivery			
Test Start Date	419 miles		
Test Completion Date	September 7, 2023		
Report Issuance Date	October 23, 2023		
2410	November 13, 2023		

The measured curb weight was 2,550 lb. for the front axle and 2,170 lb. for the rear axle. These combined weights provided a total measured curb weight of 4,720 lb. There are 5 seats including the driver and one wheelchair position, bringing the potential total passenger capacity to 6. This type of vehicle does not have any free floor space for standing passengers. Therefore, the gross load represents seated passengers only, for a total of 6 passengers. Gross load is calculated as $(150 \text{ lb. } \times 5) + (600 \text{ lb. } \times 1) = 1,350 \text{ lb.}$ At full declared capacity, the measured gross vehicle weight was 6,055 lb.

This test vehicle has a modified chassis. The chassis was modified by dropping the original floor structure from the bottom of the firewall (at front of driver and passenger footwell area) to the front of the rearmost seats to accommodate the wheelchair space and the infloor ADA ramp.

BUS TESTING BACKGROUND

On August 1, 2016, FTA announced a final rule for bus testing for improving the process of ensuring the safety and reliability of new transit buses. The rule satisfies requirements in MAP-21 to establish minimum performance standards, a standardized scoring system, and a pass-fail threshold based on the score.

FTA's Bus Testing Program (often referred to as "Altoona Testing" due to the location of the main testing center) tests new transit bus models for:

- Maintainability
- Reliability
- Safety
- Performance (including Braking Performance)
- Structural Integrity (including Structural Durability)
- Fuel Economy (Energy Efficiency and Range, for electric buses)
- Noise
- Emissions

Bus models that fail to meet one or more minimum performance standards will "fail" their test and thus be ineligible for purchase with FTA funds until the failures are resolved and validated through further testing. FTA will use this authority to make sure defects are corrected before a bus model can be acquired with FTA funding.

In each application to FTA for the purchase or lease of any new bus model, or any bus model with a major change in configuration or components to be acquired or leased with funds obligated by the FTA, the recipient shall certify that it has received the appropriate full Bus Testing Report and any applicable partial testing report(s) before final acceptance of the first vehicle. In dealing with a bus manufacturer or dealer, the recipient shall be responsible for determining whether a vehicle to be acquired requires full testing or partial testing or has already satisfied the requirements of this part. A bus manufacturer or recipient may request guidance from FTA in making these determinations.

The purpose of the testing is intended to set a "Pass/Fail" standard and grade the performance of the buses in order to provide performance information to the transit authorities that can be used in their purchase or lease decisions. The intent of this report is to provide the grantee a relative measure of the performance of a particular model of transit bus against a standard of performance. The passing of this test should ensure a vehicle has a high probability of meeting its service life in the category it was tested.

The data included in this test report and other applicable reports should be reviewed to choose the most suitable bus for a grantee's operation. A higher scoring bus is not necessarily the best bus for a given application. For example, a bus with a powerful engine may score well because of its performance and gradeability, but another bus with a smaller and more fuel-efficient engine could be a better choice for applications in mostly flat areas. It is the responsibility of the grantee to ensure the proper test report or applicable partial report is in their possession and has been thoroughly reviewed.

The score sheet for the subject vehicle of this test report is provided below. This bus passed the Altoona test, with an aggregate score of 92.6.



VX4AI

Vulcan™ Series All-In-One Mobile DVR













DRIVER DATA AND 5MP VIDEO IN ONE SYSTEM V

Reduce operating costs and mitigate liability for your entire fleet with high-definition video and driver behavior data recorded in one system. Gain valuable insight from video verification of G-Force events and what causes them: road conditions, driver error or other motorists.

VX4AI FEATURES V

- · 2 Built-in HD Cameras
- + 2 Additional Channels
- with Optional Cable (1 IP + 1 HD)
- Dual microSD Card Slots, Up to 1TB Total Storage
- · Built-in GPS and G-Force Sensor
- · Built-in Wi-Fi and Cellular Modules
- 8 LEDs to Indicate Status
- · Audible Alarm
- · Built-in Microphone with Privacy Option
- · Panic Button
- · H.264/H.265 Compression

CAMERA FEATURES >

Interior:

- 2MP 1/2.8" CMOS sensor
- 2.1mm focal length
- Infrared
- Privacy option

Exterior:

- · 5MP 1/2.7" CMOS sensor
- 2.8mm focal length for greater depth of field

AI FEATURES >

- Phone Detection
- · Following Too Closely
- Seatbelt Detection
- Collision Warning

LED INDICATORS V

- · Recording
- Server Status
- GPS
- G-Force Sensor
- Fatigue
- Distraction
- · Front Collision
- Lane Departure

MULTI-FUNCTION BUTTON >

Panic Event

Equips driver to mark video and trigger panic button alarm


Privacy Mode

- Deactivates microphone and interior camera for driver privacy
- · Effective only when vehicle speed is OMPH

Wi-Fi Switch

 Enables recording unit's Wi-Fi to switch to AP mode for system configuration and maintenance

CAMERA PLACEMENT



ALL-IN-ONE MOBILE DVR FEATURES

Mounted to the inside of the vehicle's windshield, the Vulcan Series VX4Al All-In-One MDVR features two built-in HD cameras: one capturing an exterior view through the windshield, the other an interior view of the cab, driver and passengers. This powerful device's built-in Al processor helps capture a definitive account of what really happens on the road by detecting certain driving events and can automatically upload to a secure server for review. The VX4Al's privacy feature can be activated to turn off the interior camera and microphone when the vehicle is at OMPH.



SUPERVISOR ALERTS

Triggered events, indicating driver distress, G-Force or dangerous driving, are marked in the recording for supervisor review, and authorized personnel can receive alerts instantly via MotoTrax™, an online surveillance management tool by AngelTrax.

ANGELTRAX SUPPORT ()







Reliable and efficient, our specialized team of engineers and technicians resolve most product issues during the initial phone call or email conversation. All customer service is conducted by AngelTrax and not outsourced to a third party. From first contact to warranty fulfillment, AngelTrax provides unparalleled customer service and support.



PRO8CMS V

FlexPlay Pro 8™ playback software is included with the purchase of every Vulcan


Series MDVR or HCNVR. Upgrade to Pro 8 Central Management System™ for live view, live tracking and real-time system health and

panic button alerts. Find out more at

www.angeltrax.com/pro8cms.

MOTOTRAX DRIVER BEHAVIOR

The VX4AI is an objective eyewitness to defend your driver and your fleet from frivolous legal claims and show the context of the situation such as changing weather conditions or the dangerous actions of others. Using MotoTrax Driver Behavior, your organization can realize greater savings and safer drivers with solutions based on real data, trends, reports and video clips. For more information on MotoTrax Driver Behavior, contact your sales executive today at www.angeltrax.com/contact.





Public Use - Lowered Floor Wheelchair Accessible Vehicle

Limited Warranty

IMPORTANT

This booklet contains BraunAbility® limited warranties. It should be kept in your vehicle and presented to your dealer if any warranty service is needed.


WARRANTY AND REGISTRATION INSTRUCTIONS

Examine your vehicle for any damage. Should any damage have occurred during delivery, notify the carrier at once with any claims.

Review the service agreement, delivery checklist and warranty registration form with your sales representative. The form must be signed by the consumer and retailer. A hard copy is available upon request.

The warranty registration form must be processed electronically by the sales representative to activate the warranty. This Warranty Booklet contains detailed terms and provisions applicable to this vehicle.

Record the last eight digits of the vehicle identification number (VIN) in the space provided for future reference. This information must be provided when filing a warranty claim or ordering parts.



Vehicle Identification Number (VIN)

WARRANTY COVERAGE AND WARRANTY COVERAGE TIME PERIODS

The BraunAbility® ("Braun") warranty covers Braun's modifications and alterations for associated parts for three (3) years or the first thirty six thousand (36,000) miles, whichever occurs first. In addition, the corrosion protection portion of this warranty applies to covered parts (see below) for 5 years or 100,000 miles, whichever occurs first. The 3 year/36,000 mile limited warranty covers substantial defects in materials and workmanship attributable to Braun of the conversion van frame, floor structural components, ramp, door and associated structural components, electrical components, including but not limited to switches, wires, connectors and the controller and interior appearance items such as floor covering and the lower door extension assemblies. The corrosion warranty covers substantial defects in materials and workmanship attributable to Braun of the metal fabrication on or of the frame, floor and lower door extensions. These warranty periods begin on the date that the product is delivered to the first retail purchaser by an independent, authorized dealer of Braun, or, if the dealer places the product into any type of service prior to retail sale, on the date the dealer first places the product in such service.

This limited warranty applies to the first consumer purchaser, and the next subsequent owner, only. This limited warranty may be transferred once during the warranty period. However, the subsequent owner must submit a warranty transfer form to Braun to make the warranty transfer effective. All rights and limitations within this warranty are applicable to the original and subsequent owner of the product. The subsequent owner's warranty coverage period is the remaining balance of the warranty coverage period that the prior owner was entitled to under this limited warranty. Warranty transfer forms can be obtained from any independent, authorized dealer, which must be submitted to Braun within thirty (30) days from the subsequent owner's purchase, and proof of the purchase date must be supplied with the form.

WHAT BRAUN WILL DO TO CORRECT PROBLEMS

In the event that a substantial defect in material or workmanship, attributable to Braun, is found to exist during the warranty coverage periods, it will be repaired or replaced, at Braun's option, without charge to the owner, in accordance with the terms, conditions and limitations of this limited warranty.

Braun's obligation to repair or replace defective materials or workmanship is the sole obligation of Braun under this limited warranty. Braun reserves the right to use new or remanufactured parts of similar quality to complete any work, and to make parts and design changes from time to time without notice to anyone. Braun reserves the right to make changes in the design or material of its products without incurring any obligation to incorporate such changes in any previously manufactured product. Braun makes no warranty as to the future performance of this product, and this limited warranty is not intended to extend to the future performance of the product. In addition, the owner's obligation to notify Braun, or one of its authorized, independent dealers, of a claimed defect does not modify any obligation placed on the owner to contact Braun directly when attempting to pursue remedies under state or federal law.

LIM	ITED	WA	RR	AN	YTV
-----	------	----	----	----	-----

LIMITATIONS, EXCLUSIONS AND DISCLAIMER OF IMPLIED WARRANTIES

ANY IMPLIED WARRANTY THAT IS FOUND TO ARISE BY WAY OF STATE OR FEDERAL LAW, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR ANY IMPLIED WARRANTY OF FITNESS, IS LIMITED IN DURATION TO THE TERMS OF THIS LIMITED WARRANTY AND IS LIMITED IN SCOPE OF COVERAGE TO THE SCOPE OF COVERAGE OF THIS LIMITED WARRANTY. Braun disclaims any express or implied warranty, including any implied warranty of fitness or merchantability, on items excluded from coverage as set forth in this limited warranty. Braun makes no warranty of any nature beyond that contained in this limited warranty. No one has authority to enlarge, amend or modify this limited warranty, and Braun does not authorize anyone to create any other obligation for it regarding this product. Braun is not responsible for any representation, promise or warranty made by any independent dealer or other person beyond what is expressly stated in this limited warranty. Any selling or servicing dealer is not Braun's agent, but an independent entity.

BRAUN SHALL NOT BE LIABLE FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES THAT MAY RESULT FROM BREACH OF THIS LIMITED WARRANTY OR ANY IMPLIED WARRANTY. THIS EXCLUSION OF CONSEQUENTIAL AND INCIDENTAL DAMAGES SHALL BE INDEPENDENT OF ANY FAILURE OF THE ESSENTIAL PURPOSE OF ANY WARRANTY, AND THIS EXCLUSION SHALL SURVIVE ANY DETERMINATION THAT THIS LIMITED WARRANTY OR ANY IMPLIED WARRANTY HAS FAILED OF ITS ESSENTIAL PURPOSE. This warranty does not cover, and in no event shall Braun be liable for towing charges, travel, lodging, or any other expense incurred due to the loss of use of the product or other reason.

Some states do not allow limitations on how long an implied warranty lasts, or the exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply to you.

HOW TO GET SERVICE

To obtain warranty service the owner must do all of the following:

- 1. Notify an authorized service center, of the claimed defect attributable to Braun, within the warranty coverage period designated above;
- 2. Provide the notification mentioned in (1), above, within ten (10) days of when the owner discovered, or should have discovered, the claimed defect;
- 3. Promptly schedule an appointment with and take the product to an authorized service center for service; and
- 4. Pay any transportation costs and all expenses associated with obtaining warranty service.

Since Braun does not control the scheduling of service work at the independent dealerships you may encounter some delay in scheduling or completion of work. If you need assistance you may contact Braun, at 631 West 11th Street, Winamac, Indiana 46996; Customer Experience Group 1-800-488-0359.

If two (2) or more service attempts have been made to correct any covered defect that you believe impairs the value, use or safety of the product, or if it has taken longer than thirty (30) days for repairs to be completed, you must, to the extent permitted by law, notify Braun directly, in writing, at the above address, of the unsuccessful repair(s) of the alleged defect(s) so that Braun can become directly involved in providing service pursuant to the terms of this limited warranty.

LIMITED WARRANTY

WHAT IS NOT COVERED

This Limited Warranty does not cover any of the following: defects in materials, components or parts of the product not attributable to Braun, any material, component or part of the product that is warranted by another entity (Note: the written warranty provided by the manufacturer of the material, component or part is the direct responsibility of that manufacturer); items that are added or changed after the product leaves Braun's possession; additional items installed at any dealership, or other place of business, or by any other party, other than Braun; normal wear, tear, usage, maintenance, service, periodic adjustments, the effects of condensation or moisture from condensation; mold or any damage caused by mold; imperfections that do not affect the product for its intended purpose; items that are working as designed but that you are unhappy with; problems related to mis-operation, misuse, mishandling, neglect or abuse, including failure to maintain the product in accordance with the owner's manual, or other routine maintenance such as inspections, lubricating, adjustments, tightening of screws, sealing, wheel alignments or rotating tires; damage due to accident or collision, including any acts of weather or damage or corrosion due to the environment; theft, vandalism, fire, or other intervening acts not attributable to Braun; damage resulting from tire wear or tire failure; defacing, scratches, dents or chips on any interior or exterior surface of the product, including those caused by rocks or other road hazards, damage caused by off road use, overloading or alteration of the product, or any of its components or parts;

Defects and/or damage to interior and exterior surfaces and other appearance items may occur at the factory or when the product is in transit to a dealer. These items are usually detected and corrected at the factory or by the selling dealer prior to delivery to the retail customer. You must inspect the product for this type of damage when you take delivery. If you find any such defect or damage you must notify the selling dealer, or Braun, at the time of delivery to have these items covered by this limited warranty and to have work performed on the items at no cost to you as provided by this limited warranty.

EVENTS DISCHARGING BRAUN FROM OBLIGATION UNDER WARRANTY

The following shall completely discharge Braun from any express or implied warranty obligation to repair or replace anything and void this warranty: (as defined in this warranty), misuse, neglect, collision, accidents, failure to provide routine maintenance (See Owner's Manual), unauthorized alteration, off road use, damage from weather or the environment, theft, vandalism, tampering, fire, explosions, overloading the product and odometer tampering.

LEGAL REMEDIES

Any action to enforce any portion of this limited warranty, or any implied warranty, must be commenced within six (6) months after expiration of the warranty coverage period designated above or the action will be barred because of the passage of time. Any performance of repairs shall not suspend this limitation period from expiring. Any performance of repairs after the warranty coverage period has expired, or performance of repairs regarding any thing excluded from coverage under this limited warranty shall be considered "good will" repairs, and they will not alter the terms of this limited warranty, or extend any warranty coverage period or the filing limitation period in this paragraph. In addition, since it is reasonable to expect that the product will need some service during the warranty period, this warranty does not extend to future performance. It only sets forth what Braun will do and does not guarantee anything about the product for any time period. Nothing in this warranty, or any action of Braun, or any agent of Braun, shall be interpreted as an extension of any warranty period or the filing limitation period in this paragraph. Some states do not allow a reduction in the statute of limitations, so this reduction may not apply to you.

LIMITED WARRANTY

WARRANTY REGISTRATION and MISCELLANEOUS

Your warranty registration records should be completed and delivered to the appropriate companies, including the Braun Delivery Checklist & Warranty form. That form must be returned to Braun within twenty (20) days of purchase. The Braun warranty will not be registered unless this warranty registration is completed and received by Braun. Failure to file this warranty registration with Braun will not affect your rights under this limited warranty as long as you can present proof of purchase, but it can cause delays in obtaining the benefits of this limited warranty, and it changes the start date of the warranty to the date of final assembly of the product by Braun.

Braun agrees to repair or replace any of its factory installed parts found to have substantial defects within the appropriate warranty period designated above, provided that the repair is authorized by Braun and carried out by an authorized service center (a Braun labor schedule determines the cost allowance for repairs). Braun will not honor any warranty claim for repairs or replacement of parts unless the claim is submitted with the appropriate paperwork, and the work is completed by an independent, factory authorized service center. The appropriate paperwork can be obtained by written or phone contact with Braun at the contact information in this warranty.

Braun reserves the right to designate where any warranty work can be performed. Braun also reserves the right to examine any defective workmanship or part prior to giving any authorization for warranty work. Braun's return authorization procedure must be adhered to in order to process any warranty claims.

THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS. YOU MAY ALSO HAVE OTHER RIGHTS THAT VARY FROM STATE TO STATE.

MATERIAL SAFETY DATA SHEET

MANUFACTURED BY:

Pure Asphalt Co. 3300 W. 31st St.

Chicago, IL. 60623

Date Prepared: Supersedes MSDS: 05-28-07 **Technical Product Information:**

1-773-247-7030

Emergency Spill and Health Information

1-800-424-9300 (CHEMTREC)

Section I - Product Identification

08-07-07

Product Name/Number: #770 Undercoating / Sound Deadener

Petroleum Mixture

Description: Black, Solvent Based Undercoating and Sound Deadener

Section 2 – Composition/Information on Ingredients

Chemical Family:

CAS Number: Mixture

Unassigned

Petroleum Distillates (Stoddard Solvent) CAS # 8052-41-3 Percentage by weight: 45-50%

Petroleum Hydrocarbon - CAS #8052-42-4; Percentage by wt. -35-45%

Exposure Limits: PEL: 100 PPM; ACGIH TLV: 100 ppm; ACGIH STEL: 200 ppm

Listed in NTP, IARC or OSHA 1910 (z): NO

HMIS: 2-2-O-H

Section 3 - Hazard Identification

Primary routes of entry:

Effects of overexposure (acute and chronic)

Exposure limits:

Inhalation, skin contact

Mild depression, convulsions and loss of consciousness. Skin contact causes burning,

Irritation, defatting and dermatitis.

Petroleum distillates (Stoddard Solvent):

TLV 100 PPM PEL 100 PPM

Oxidized Asphalt Fumes: 5 MG/M3 Eye irritation, Draize test: Moderate

Not available

Sensitization of product: Carcinogen:

Irritancy of product

Teratogen:

Reproductive toxicity: Mutagen:

Synergistic products:

No No

No No

Not applicable

Section 4 - First Aid Measures

Skin contact:

Remove and launder contaminated clothing before reuse. Discard shoes if severely contaminated. Wash skin with soap and water.

Eyes:

Flush with water for 15 minutes lifting upper and lower lids. Contact physician.

Inhalation:

Remove to fresh air, give oxygen if breathing is difficult. Contact physician.

Ingestion:

Do not induce vomiting, give white mineral oil Contact physician. Do not attempt to give anything by mouth to an unconscious person.

Section 5 - Firefighting

Auto ignition: Flash point: Lower Explosive Upper Explosive Limit: Extinguishing Media:

Sensitive to impact:

Sensitive to static discharge Hazardous combustion products:

Fire fighting procedures:

Fire and explosion hazard:

>410 F (>210 C) 105F (41C), PMCC

0.8% 6.0%

Foam, dry chemical, water fog. CO2

No

Not available Oxides of carbon

Use self contained breathing apparatus. Remove all sources of ignition. Cool exposed drums with water spray.

Vapors are heavier than air and may flow to

distant ignition sources.

Section 6 – Spill or Accidental Release Procedures

Leak and spill procedures:

Remove all sources of ignition, provide adequate ventilation,

absorb with vermiculite or other absorbent.

Waste disposal method:

Refer to local, state and federal EPA regulations.

Cercia reportable quantity:

Not listed

RCRA hazardous waste num.:

None (40 CFR 261.33)

Section 7 - Handling & Storage

Storage requirements:

Store in cool, well ventilated area away from All sources

of ignition.

Handling procedures:

Prevent prolonged/repeated skin contact and

avoid breathing vapors.

Section 8 – Exposure Controls/Personal Protection Information

Respiratory protection:

Use air purifying respirator with organic vapor

cartridge>TLV if limits are exceeded.

Protective gloves:

Buna-N-Rubber

Eye protection:

Safety glasses goggles

Ventilation:

Explosion proof local exhaust is recommended.

Maintain adequate air transfer velocity to remove vapors.

Clothing requirements:

Standard industrial hygiene should be practiced.

Section 9 – Physical & Chemical Properties

Physical Form:

Appearance and Odor:

pH: Boiling point: F(C):

Freezing point;F (C):

Vapor pressure (mm Hg) Vapor Density (AIR=1): Solubility in water:

Specific gravity (water=1): Evaporation rate (ether = 1): Percent volatiles - volume:

Percent solids - weight: Volatile organic compounds:

Black with petroleum odor

Not available >350 (>177) Not Determined

<10 4.8 Slight 1.01 36 50-60% 53 - 56

3.87 lb./gal. (minus water), 442 G/L

Section 10 - Stability & Reactivity Data

Chemical stability:

Yes

Materials to avoid:

Strong oxidizing agents

Hazardous decomposition products:

Oxides of carbon, nitrogen and sulfur

Hazardous polymerization:

Will not occur

Section 11 - Toxicology Information

Petroleum Distillates:

LD50, Oral-Rat,>5GM/KG

LC50, 4 Hour-Rat,>5500 MG/M3

Oxidized Asphalt:

LD50, Not available LC50, Not available

Section 12 – Ecological Information

Ecotoxicity – This mixture contains components that are potentially toxic to freshwater and saltwater ecosystems.

Environmental Fate: This material may be harmful to aquatic organisms and may cause long term adverse effects in the aquatic environment.

Section 13 - Disposal Considerations

Hazard characteristic and regulatory waste classification can change with product use. Accordingly, it is the responsibility of the user to determine the proper handling and disposition for disposal according to local, state and federal regulations. (40 CFR 260 through 271)

Section 14 – Transport Information (49 CFR 172.101)

For Industrial / Professional Use Only - Keep out of reach of Children

U. S. and Canada ground freight...combustible liquid, N.O.S. (Stoddard solvent), NA 1993, PGIII, No label required. NFMC#50315

Airfreight and International ocean...petroleum distillates, N.O.S. (Stoddard solvent) 3, UN 1268, PGIII, Flammable 3 label required. IMDG 3375

Section 15 – Regulatory Information

TSCA: All components are on the TSCA inventory.

Sara Title III, Section 313. This product contains (or is) a toxic chemical for routine annual toxic chemical release reporting under Section 313: No, None

Sara Title III, Sections 311 and 312. This product contains a chemical substance (s) that is considered, under applicable definitions, to meet the following categories: a fire hazard.

Section 16 – Other Information

Creation date:

8-07-07 5-28-07

Supercedes: Reason for revision

Data Update

Additional Information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind expressed or implied is made with respect to the information contained herein.