



The following documentation is an electronically-submitted vendor response to an advertised solicitation from the *West Virginia Purchasing Bulletin* within the Vendor Self-Service portal at wvOASIS.gov. As part of the State of West Virginia's procurement process, and to maintain the transparency of the bid-opening process, this documentation submitted online is publicly posted by the West Virginia Purchasing Division at WVPurchasing.gov with any other vendor responses to this solicitation submitted to the Purchasing Division in hard copy format.

Header 1

List View

General Information | Contact | Default Values | Discount | Document Information | Clarification Request

Procurement Folder: 1962421

Procurement Type: Central Master Agreement

Vendor ID:

Legal Name: BRENTAG MID-SOUTH LLC

Alias/DBA:

Total Bid: \$99,285.00

Response Date:

Response Time:

Responded By User ID:

First Name:

Last Name:

Email:

Phone:

SO Doc Code: CRFQ

SO Dept: 0313

SO Doc ID: DEP2600000040

Published Date: 6/22/26

Close Date: 6/30/26

Close Time: 13:30

Status: Closed

Solicitation Description:

Total of Header Attachments: 1

Total of All Attachments: 1

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
1	20% Caustic Soda - Region 1	60000.000	GL	1.534000	92040.00

Comm Code	Manufacturer	Specification	Model #
12352316			

Commodity Line Comments:

Extended Description:

3.1.1 20% Liquid Caustic Soda bulk delivery to Region One (1) Counties of Nicholas, Fayette, Raleigh, Greenbrier, McDowell, Mercer, Summers, Webster, Wyoming, and Pocahontas

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
2	20% Caustic Soda - Region 2	5000.0000	GL	1.449000	7245.00

Comm Code	Manufacturer	Specification	Model #
12352316			

Commodity Line Comments:

Extended Description:

3.1.1 20% Liquid Caustic Soda bulk delivery to Region Two (2) Counties of Clay, Cabell, Calhoun, Jackson, Kanawha, Boone, Lincoln Logan, Mason, Putnam, Roane, Wayne, Wirt, and Mingo

**WV Div of Environmental
Joseph Hager III
2019 Washington St E
Charleston WV 25305**

Dear **Joseph Hager III**,

Thank you for the opportunity to submit a bid for the OSR-Caustic Soda – South Bid. We appreciate the time and effort your team has dedicated to developing this solicitation and outlining the requirements.

Brenntag Mid-South LLC is pleased to present our proposal, which reflects our commitment to delivering high quality service, dependable project execution, and strong value to the WV Div of Environmental. As you know, we have extensive experience in providing to WV Div of Environmental, and we are confident in our ability to successfully support this project.

We understand the importance of safety first, cost efficiency, sustainability, compliance, and our proposal has been prepared with these priorities in mind. Should you require any additional information, clarifications, or supporting documentation, please feel free to contact our team - bms-bids@brenntag.com

Once again, thank you for considering our submission. We look forward to the possibility of partnering with you on this project.

Sincerely,



Sara Terry

Municipal Bid Manager

Brenntag Mid-South, LLC

Phone: [828-729-7557](tel:828-729-7557)



Department of Administration
Purchasing Division

2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

State of West Virginia
Centralized Request for Quote
Chemicals

Proc Folder: 1962421		Reason for Modification:	
Doc Description: OSR - Caustic Soda - South		Addendum #2 is issued to publish agency responses to all vendor submitted questions and extend the b..... See Page 2 for complete info	
Proc Type: Central Master Agreement			
Date Issued	Solicitation Closes	Solicitation No	Version
2026-06-22	2026-06-30 13:30	CRFQ 0313 DEP2600000040	3

BID RECEIVING LOCATION

BID CLERK
DEPARTMENT OF ADMINISTRATION
PURCHASING DIVISION
2019 WASHINGTON ST E
CHARLESTON WV 25305
US

VENDOR

Vendor Customer Code:

Vendor Name : Brenntag Mid-South, LLC.

Address : 319 First Street North

Street :

City : St Albans

State : WV **Country :** USA **Zip :** 25177

Principal Contact : Sara Terry

Vendor Contact Phone: 828-729-7557 **Extension:**

FOR INFORMATION CONTACT THE BUYER

Joseph (Josh) E Hager III
(304) 558-2306
joseph.e.hageriii@wv.gov

Vendor
Signature X 

FEIN# 99-4587098

DATE 6/23/26

All offers subject to all terms and conditions contained in this solicitation

Reason for Modification:

Addendum #2 is issued to publish agency responses to all vendor submitted questions and extend the bid close date until 6/30/2025 @ 1:30 PM ET.

ADDITIONAL INFORMATION

The West Virginia Purchasing Division is soliciting bids on behalf of the West Virginia Department of Environmental Protection, Office of Special Reclamation (WVDEP-OSR) to establish an open-end contract to supply, transport and deliver Caustic Soda (Sodium Hydroxide) to various Special Reclamation job sites in the Southern and Southwest regions of the State of West Virginia per the attached specifications and terms and conditions.

INVOICE TO		SHIP TO	
ENVIRONMENTAL PROTECTION OFFICE OF SPECIAL RECLAMATION 1159 NICK RAHALL GREENWAY FAYETTEVILLE WV US		STATE OF WEST VIRGINIA VARIOUS LOCATIONS AS INDICATED BY ORDER No City WV US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
1	20% Caustic Soda - Region 1	60000.00000	GL	\$1.5340gal	\$92,040.00

Comm Code	Manufacturer	Specification	Model #
12352316	Brenntag		344074

Extended Description:

3.1.1 20% Liquid Caustic Soda bulk delivery to Region One (1) Counties of Nicholas, Fayette, Raleigh, Greenbrier, McDowell, Mercer, Summers, Webster, Wyoming, and Pocahontas

INVOICE TO		SHIP TO	
ENVIRONMENTAL PROTECTION OFFICE OF SPECIAL RECLAMATION 1159 NICK RAHALL GREENWAY FAYETTEVILLE WV US		STATE OF WEST VIRGINIA VARIOUS LOCATIONS AS INDICATED BY ORDER No City WV US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
2	20% Caustic Soda - Region 2	5000.00000	GL	\$1.4490gal	\$7,245.00

Comm Code	Manufacturer	Specification	Model #
12352316	Brenntag		344074

Extended Description:

3.1.1 20% Liquid Caustic Soda bulk delivery to Region Two (2) Counties of Clay, Cabell, Calhoun, Jackson, Kanawha, Boone, Lincoln Logan, Mason, Putnam, Roane, Wayne, Wirt, and Mingo

SCHEDULE OF EVENTS

SOLICITATION NUMBER: CRFQ 0313 DEP2600000040

Addendum Number: No.01

The purpose of this addendum is to modify the solicitation identified as (“Solicitation”) to reflect the change(s) identified and described below.

Applicable Addendum Category:

- Modify bid opening date and time
- Modify specifications of product or service being sought
- Attachment of vendor questions and responses
- Attachment of pre-bid sign-in sheet
- Correction of error
- Other

Description of Modification to Solicitation:

Addendum issued to publish and distribute the attached documentation to the vendor community.

1. To correct the bid close date. Bid close date is 6/25/2026 @ 1:30 PM ET.

Additional Documentation: Documentation related to this Addendum (if any) has been included herewith as Attachment A and is specifically incorporated herein by reference.

Terms and Conditions:

1. All provisions of the Solicitation and other addenda not modified herein shall remain in full force and effect.
2. Vendor should acknowledge receipt of all addenda issued for this Solicitation by completing an Addendum Acknowledgment, a copy of which is included herewith. Failure to acknowledge addenda may result in bid disqualification. The addendum acknowledgement should be submitted with the bid to expedite document processing.

ATTACHMENT A

RFI: Questions from vendors for CRFQ DEP26*40 Caustic Soda South

Q.1. Can we get a breakdown of all the delivery sites order amounts and the tank sizes?

A. Please see the attachment for tanks sizes.

In 2025 there were 17 deliveries of 3,000–3,300 gallons each to Royal Scot 31-72. Additionally, six deliveries of 3,000-3,300 gallons each were split between Royal Scot 31-72 and Falcon Land P-656. In 2025 Summersville 5-Block received 1 delivery of 2,227 gallons.

RFI: Questions from vendors for CRFQ DEP26*40 Caustic Soda South

Q.1. It appears we went from 5 regions to 2. We respectfully ask for clarification of the correlating regions to correct counties. Will there be multiple stops per site? If so, can you provide the locations of multiple stops?

A. This is a contract for the Southern and Southwestern Regions of West Virginia as identified in the Purpose and Scope of the written specifications. There could be multiple stops per load and even the possibility of multiple tanks per site. In regard to knowing a route, we cannot provide a definitive stop location, only the counties that are listed in the specifications.

EXHIBIT A
Caustic Soda Current Site Locations

Current Bulk 20% Caustic Usage Sites -Region 1							
Royal Scot Minerals Inc.	31-72	Greenbrier	Bucklilly 1	Plastic	5000 gallons	38 00 49	80 36 21
Royal Scot Minerals Inc.	31-72	Greenbrier	Bucklilly 3	Plastic	3000 gallons	38 00 42	80 36 17
Royal Scot Minerals Inc.	31-72	Greenbrier	Bucklilly 2	Plastic	1000 gallons	38 00 49	80 36 21
Falcon Land Co.	P-656	Nicholas	Falcon 1	Plastic	1000 gallons	38 10 15	80 35 59
Falcon Land Co.	P-656	Nicholas	Falcon 2	Plastic	1000 gallons	38 10 15	80 35 59
Summersville 5-Block	S-3051-88	Nicholas		Plastic	1000 gallons	38 23 11	80 55 13
Summersville 5-Block	S-3051-88	Nicholas		Plastic	550 gallons	38 23 18	80 54 51
Summersville 5-Block	S-3051-88	Nicholas		Plastic	1295 gallons	38 23 11	80 55 13

Current Bulk 20% Caustic Usage Sites -Region 2							
None							

*Site locations are from current usage based on water quality, flow data and site-specific conditions available at this time. Locations are subject to change based on these and other factors.

***For Bidding Purposes only. These are existing locations. Additional locations may be added to the contract at any time during the contract, within the counties specified.**

ADDENDUM ACKNOWLEDGEMENT FORM
SOLICITATION NO.: CRFQ DEP26*40

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

Addendum Numbers Received:

(Check the box next to each addendum received)

- | | |
|--|--|
| <input checked="" type="checkbox"/> Addendum No. 1 | <input type="checkbox"/> Addendum No. 6 |
| <input checked="" type="checkbox"/> Addendum No. 2 | <input type="checkbox"/> Addendum No. 7 |
| <input type="checkbox"/> Addendum No. 3 | <input type="checkbox"/> Addendum No. 8 |
| <input type="checkbox"/> Addendum No. 4 | <input type="checkbox"/> Addendum No. 9 |
| <input type="checkbox"/> Addendum No. 5 | <input type="checkbox"/> Addendum No. 10 |

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

Brenntag Mid-South, LLC.

Company



Authorized Signature

6/23/26

Date

NOTE: This addendum acknowledgment should be submitted with the bid to expedite document processing.

Revised 6/8/2012

MEMORANDUM

TO: To Whom It May Concern
FROM: Chad Massie
DATE: January 19, 2026
SUBJECT: Authority to Sign

This is to advise that Sara Terry, in her capacity as Municipal Bid Manager, has authority to sign Bid Documents on behalf of Brenntag Mid-South, LLC.



Chad Massie, Regional President
Brenntag Mid-South, LLC

State of Kentucky
County of Henderson

Subsribe and sworn to before me by Chad Massie, personally know to me, on this the 19th day of January, 2026.



Sandra L Littrell, Notary Public
My Commission Expires: 1/22/30



General Contact Information:

Bid/Contracts/Renewals -

Sara Terry

bms-bids@brenntag.com

828-729-7557

Place an order -

Amanda Horn, CSR

Amanda.horn@brenntag.com

270-827-4509

Account Manager -

Megan Wilder

Megan.wilder@brenntag.com

270-869-7274

Local Facility -

St Albans WV Branch

319 First Street, North

St Albans WV 25177

Remittance -

PO Box 7410714

Chicago, IL 60674

mid-south.accountremittance@brenntag.com

Preferred method of payment is ACH

- account information available upon request.

Certificate of Analysis

CERTIFICATE OF ANALYSIS

PRODUCT: 20% CAUSTIC SODA

GRADE: STANDARD

SHIP DATE: 06-20-26

LOT # 344074506170001

<u>Parameter</u>	<u>Analysis</u>	<u>Specification Range</u>
Specific Gravity @ 60 deg F	<u>1.227</u>	1.218 - 1.229
% NaOH	<u>20.0%</u>	19.5% - 20.5%
%Na ₂ CO ₃	<u>0.07%</u>	0.04% - 0.09%
%Na ₂ O (Total)	<u>15.5%</u>	15.1% - 15.9%
% NaOH (76% Na ₂ O basis)	<u>20.4%</u>	19.9% - 20.9%

Analyst: Andrew Adkins

Approval: Brian DeBord

"MEETS ALL REQUIREMENTS OF FCC"

Issue Date: 10/31/97

Revision Date: 08/15/11

"All information provided is believed to be accurate and complete. The data provided is representative of the product quality on the date of analysis for the lot number indicated. This certificate of analysis may not include all of the constituents of the product. Persons using this information should make their own determination regarding its suitability for their particular application. This certificate of analysis shall not in any way limit or preclude the operation and effect of the applicable terms and conditions of sale."

1. Identification

Other means of identification None known.
Product identifier **SODIUM HYDROXIDE 20%**
Recommended use ALL PROPER AND LEGAL PURPOSES
Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Brenntag Mid-South
Address 1405 Highway 136, West
 Henderson, KY 42420
Telephone 270-830-1222
E-mail Not available.
Emergency phone number 800-424-9300 CHEMTREC

2. Hazard(s) identification

Hazards of the product as supplied

Physical hazards Not classified.
Health hazards Acute toxicity, oral Category 4
 Skin corrosion/irritation Category 1
 Serious eye damage/eye irritation Category 1
 Specific target organ toxicity, single exposure Category 3 respiratory tract irritation

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Other hazards

Hazard(s) not otherwise classified (HNOC) None known.

Supplemental information None.

Label elements



Signal word Danger

Hazard statement Harmful if swallowed. Causes severe skin burns and eye damage. Causes serious eye damage. May cause respiratory irritation.

Precautionary statement

Prevention Do not breathe dust or mists. Avoid breathing mist/vapors. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.

Response Rinse mouth. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. Wash contaminated clothing before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor.

Storage Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS No./Unique ID	%
SODIUM HYDROXIDE (NA(OH))		1310-73-2	20
Other components below reportable levels			80

4. First-aid measures

Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center or doctor/physician if you feel unwell.
Skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or poison control center immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Most important symptoms/effects, acute and delayed	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.
General information	If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO ₂).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling	Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Avoid breathing mist/vapors. Avoid prolonged exposure. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Permissible Exposure Limits (PEL) for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
SODIUM HYDROXIDE (NA(OH)) (CAS 1310-73-2)	PEL	2 mg/m3

US. ACGIH Threshold Limit Values (TLV)

Components	Type	Value
SODIUM HYDROXIDE (NA(OH)) (CAS 1310-73-2)	Ceiling	2 mg/m3

NIOSH. Immediately Dangerous to Life or Health (IDLH) Values, as amended

Components	Type	Value
SODIUM HYDROXIDE (NA(OH)) (CAS 1310-73-2)	IDLH	10 mg/m3

US. NIOSH: Pocket Guide to Chemical Hazards Recommended Exposure Limits (REL)

Components	Type	Value
SODIUM HYDROXIDE (NA(OH)) (CAS 1310-73-2)	Ceiling	2 mg/m3

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

The following are recommendations for Personnel Protective Equipment (PPE). The employer/user of this product must perform a Hazard Assessment of the workplace according to OSHA regulations 29 CFR 1910.132 to determine the appropriate PPE for use while performing any task involving potential exposure to this product.

Eye/face protection Wear safety glasses with side shields (or goggles) and a face shield.

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection Chemical respirator with organic vapor cartridge.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Physical state	Liquid.
Form	Liquid.
Color	COLORLESS TO WHITE
Odor	ODORLESS
Melting point/freezing point	-25 °F (-31.67 °C)
Boiling point or initial boiling point and boiling range	675.68 °F (357.6 °C) estimated
Flammability	Not applicable.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Flash point Not available.

Auto-ignition temperature Not available.

Decomposition temperature Not available.

pH 14

Kinematic viscosity Not available.

Solubility

Solubility (water) Not available.

**Partition coefficient
(n-octanol/water)** Not available.

Vapor pressure Not available.

Density and/or relative density

Density 10.20 lbs/gal
1.22 g/ml

Vapor density Not available.

Particle characteristics Not available.

Other information

Explosive properties Not explosive.

Oxidizing properties Not oxidizing.

Percent volatile 80 % estimated

Specific gravity 1.22

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous reactions No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong acids.

Hazardous decomposition products No hazardous decomposition products are known.

11. Toxicological information**Information on likely routes of exposure**

Inhalation May cause irritation to the respiratory system. Prolonged inhalation may be harmful.

Skin contact Causes severe skin burns.

Eye contact Causes serious eye damage.

Ingestion Causes digestive tract burns. Harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation.

Information on toxicological effects

Acute toxicity In high concentrations, vapors are anesthetic and may cause headache, fatigue, dizziness and central nervous system effects. Harmful if swallowed.

Product	Species	Test Results
SODIUM HYDROXIDE 20%		
Acute		
Dermal		
ATEmix		6750 mg/kg bw
Oral		
ATEmix		700 mg/kg bw

Components	Species	Test Results
SODIUM HYDROXIDE (NA(OH)) (CAS 1310-73-2)		
Acute		
Dermal		
LD50	Rabbit	1350 mg/kg
Oral		
LD50	Rat	140 - 340 mg/kg

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/eye irritation Causes serious eye damage.

Respiratory or skin sensitization

Respiratory sensitization Due to partial or complete lack of data the classification is not possible.

Skin sensitization Due to partial or complete lack of data the classification is not possible.

Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible.

Carcinogenicity Due to partial or complete lack of data the classification is not possible.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity - single exposure May cause respiratory irritation.

Specific target organ toxicity - repeated exposure Due to partial or complete lack of data the classification is not possible.

Aspiration hazard Due to partial or complete lack of data the classification is not possible.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components	Species	Test Results
SODIUM HYDROXIDE (NA(OH)) (CAS 1310-73-2)		
Aquatic		
<i>Acute</i>		
Crustacea	EC50	Water flea (Ceriodaphnia dubia) 34.59 - 47.13 mg/l, 48 hours
Fish	LC50	Western mosquitofish (Gambusia affinis) 125 mg/l, 96 hours

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Dispose of this material and its container to hazardous or special waste collection point. Incinerate the material under controlled conditions in an approved incinerator. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code D002: Waste Corrosive material [pH ≤2 or =>12.5, or corrosive to steel]
The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Waste from residues / unused products Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

UN number UN1824
UN proper shipping name SODIUM HYDROXIDE SOLUTION
Transport hazard class(es)
Class 8
Subsidiary hazard -
Packing group II
Environmental hazards
Marine pollutant No.
Special precautions for user Read safety instructions, SDS and emergency procedures before handling.
ERG number 154

Transportation information on packaging may be different from that listed. Information is for reference purposes only. The shipper is legally required to provide, certify, and receive training on, the transportation data for any shipment. Transportation information on packaging may be different from that listed. Information is for reference purposes only. The shipper is legally required to provide, certify, and receive training on, the transportation data for any shipment. Transportation information on packaging may be different from that listed. Information is for reference purposes only. The shipper is legally required to provide, certify, and receive training on, the transportation data for any shipment. Transportation information on packaging may be different from that listed.

IMDG

UN number UN1760
UN proper shipping name CORROSIVE LIQUID, N.O.S. (SODIUM HYDROXIDE (NA(OH)))
Transport hazard class(es)
Class 8
Subsidiary hazard -
Packing group II
Environmental hazards
Marine pollutant No.
EmS F-A, S-B
Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

DOT





15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

SODIUM HYDROXIDE (NA(OH)) (CAS 1310-73-2)

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical Yes

Classified hazard categories Acute toxicity (any route of exposure)
Skin corrosion or irritation
Serious eye damage or eye irritation
Specific target organ toxicity (single or repeated exposure)

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

SODIUM HYDROXIDE (NA(OH)) (CAS 1310-73-2)

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No

Country(s) or region	Inventory name	On inventory (yes/no)*
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)
A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	06-01-2016
Revision date	04-03-2026
Version #	09
HMIS® ratings	Health: 3 Flammability: 0 Physical hazard: 0
NFPA ratings	Health: 3 Flammability: 0 Instability: 1
Disclaimer	While Brenntag believes the information contained herein to be accurate, Brenntag makes no representation or warranty, express or implied, regarding, and assumes no liability for, the accuracy or completeness of the information. The Buyer assumes all responsibility for handling, using and/or reselling the Product in accordance with applicable federal, state, and local law. This SDS shall not in any way limit or preclude the operation and effect of any of the provisions of Brenntag's terms and conditions of sale.
Revision information	Hazard(s) identification: Response Stability and reactivity: Possibility of hazardous reactions