



The following documentation is an electronically-submitted vendor response to an advertised solicitation from the *West Virginia Purchasing Bulletin* within the Vendor Self-Service portal at wvOASIS.gov. As part of the State of West Virginia's procurement process, and to maintain the transparency of the bid-opening process, this documentation submitted online is publicly posted by the West Virginia Purchasing Division at WVPurchasing.gov with any other vendor responses to this solicitation submitted to the Purchasing Division in hard copy format.

Header 2

List View

- General Information**
- Contact
- Default Values
- Discount
- Document Information
- Clarification Request

Procurement Folder: 1967492

Procurement Type: Central Purchase Order

Vendor ID: 000000106565

Legal Name: CHEMUNG SUPPLY CORPORATION

Alias/DBA:

Total Bid: \$59,147.56

Response Date: 06/18/2026

Response Time: 9:43

Responded By User ID: lgray

First Name: Lisa

Last Name: Gray

Email: lgray@chemungsupply.com

Phone: 6077335506

SO Doc Code: CRFQ

SO Dept: 0803

SO Doc ID: DOT2600000102

Published Date: 6/9/26

Close Date: 6/25/26

Close Time: 13:30

Status: Closed

Solicitation Description: Steel piling, epoxy coated rebar and guardrail

Total of Header Attachments: 2

Total of All Attachments: 2



Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

**State of West Virginia
 Solicitation Response**

Proc Folder: 1967492
Solicitation Description: Steel piling, epoxy coated rebar and guardrail
Proc Type: Central Purchase Order

Solicitation Closes	Solicitation Response	Version
2026-06-25 13:30	SR 0803 ESR06182600000008778	1

VENDOR
 000000106565
 CHEMUNG SUPPLY CORPORATION

Solicitation Number: CRFQ 0803 DOT2600000102
Total Bid: 59147.55999999999767169356346 **Response Date:** 2026-06-18 **Response Time:** 09:43:10
Comments:

FOR INFORMATION CONTACT THE BUYER
 John W Estep
 304-558-2566
 john.w.estep@wv.gov

Vendor Signature X **FEIN#** **DATE**

All offers subject to all terms and conditions contained in this solicitation

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
1	W12X65 Steel Piling	35100.000	LB	1.380000	48438.00

Comm Code	Manufacturer	Specification	Model #
30103623			

Commodity Line Comments:

Extended Description:

Steel piling must be 18 pieces - 30 feet 0 inches. Steel piling shall conform to the requirements of ASTM A572 (fs = 50,000 p.s.i.).

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
2	#5 Epoxy Coated Bent Rebar	2236.0000	LB	1.060000	2370.16

Comm Code	Manufacturer	Specification	Model #
30103623			

Commodity Line Comments:

Extended Description:

Dimensions of all #5 epoxy coated bent rebar shall be manufactured to match the specifications listed in the accompanying set of pertinent plans for this project. All reinforcing steel shall be intermediate grade billet steel, grade 40 or grade 60 in accordance with subsection 709.1 of the Standard Specifications. The requirements of Section 602 of the Standard Specifications shall be followed.

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
3	#5 Epoxy Coated Straight Rebar	1377.0000	LB	1.060000	1459.62

Comm Code	Manufacturer	Specification	Model #
30103623			

Commodity Line Comments:

Extended Description:

#5 epoxy coated straight rebar must be 66 pieces - 20 feet 0 inches. All reinforcing steel shall be intermediate grade billet steel, grade 40 or grade 60 in accordance with subsection 709.1 of the Standard Specifications. The requirements of Section 602 of the Standard Specifications shall be followed.

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
4	#8 Epoxy Coated Straight Rebar	2563.0000	LB	1.060000	2716.78

Comm Code	Manufacturer	Specification	Model #
30103623			

Commodity Line Comments:

Extended Description:

#8 epoxy coated straight rebar must be 48 pieces - 20 feet 0 inches. All reinforcing steel shall be intermediate grade billet steel, grade 40 or grade 60 in accordance with subsection 709.1 of the Standard Specifications. The requirements of Section 602 of the Standard Specifications shall be followed.

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
5	Class 1 W-beam Guardrail	100.00000	LF	41.630000	4163.00

Comm Code	Manufacturer	Specification	Model #
30121717			

Commodity Line Comments:

Extended Description:

100 Linear feet - Class 1 W-Beam Approach Rail. **Dimensions of all approach rail shall be delivered to match the radii listed in the accompanying set of pertinent plans for this project.** 16 each - W6X9 x 6 feet 0 inches approach posts. 4 each - W6X9 x 2 feet 8-1/2 inches structure mounted posts. 4 each - 1 feet 0 inches x 1 feet 0 inches x 1/2 inch plates. 20 each - 6 inch X 8 inch X 14 inch Wood Block Outs. 4 each - Buffer End Terminal Section. 20 each - Guardrail Bolt & Nut, Hex Head (5/8 inch dia. X 10 inch). 112 each - Guardrail Splice Bolt (5/8 inch dia X 1-1/4 inch)

EXHIBIT A-Pricing Page

Item Number	Quantity	Unit of Measure	Description	Unit Cost	Total
1	35,100	LBS	35,100 pounds W12X65 Steel Piling - Steel piling must be 18 pieces - 30 feet 0 inches. Steel piling shall conform to the requirements of ASTM A572 (fs = 50,000 p.s.i.).	\$1.38	\$48,438.00
2	2,236	LBS	2,236 pounds of #5 Epoxy Coated Bent Rebar - Dimensions of all #5 epoxy coated bent rebar shall be manufactured to match the specifications listed in the accompanying set of pertinent plans for this project. All reinforcing steel shall be intermediate grade billet steel, grade 40 or grade 60 in accordance with subsection 709.1 of the Standard Specifications. The requirements of Section 602 of the Standard Specifications shall be followed.	\$1.06	\$2,370.16
3	1,377	LBS	1,377 pounds #5 Epoxy Coated Straight Rebar - #5 epoxy coated straight rebar must be 66 pieces - 20 feet 0 inches. All reinforcing steel shall be intermediate grade billet steel, grade 40 or grade 60 in accordance with subsection 709.1 of the Standard Specifications. The requirements of Section 602 of the Standard Specifications shall be followed.	\$1.06	\$1,459.62
4	2,563	LBS	2,563 pounds #8 Epoxy Coated Straight Rebar- #8 epoxy coated straight rebar must be 48 pieces - 20 feet 0 inches. All reinforcing steel shall be intermediate grade billet steel, grade 40 or grade 60 in accordance with subsection 709.1 of the Standard Specifications. The requirements of Section 602 of the Standard Specifications shall be followed. W 12"x65#x40' structural steel beams	\$1.06	\$2,716.78
5	100	LF	100 Linear Feet, Class 1 W-beam Guardrail. 100 linear feet - Class 1 W-Beam Approach Rail. Dimensions of all approach rail shall be delivered to match the radii listed in the accompanying set of pertinent plans for this project. 16 each - W6X9 x 6 feet 0 inches approach posts, 4 each W6X9 x 2 feet 8-1/2 inches structure mounted posts, 4 each 1 feet 0 inches x 1 feet 0 inches x 1/2 inch plates, 20 each 6 inch x 8 inch x 14 inch Wood Block Outs, 4 each Buffer End Terminal Section, 20 each Guardrail Bolt & Nut, Hex Head (5/8 inch dia. X 10 inch) and 112 each Guardrail Splice Bolt (5/8 inch dia. X 1-1/4 inch)	41.63	\$4,163.00
Grand Total					\$59,147.56



Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

State of West Virginia
 Centralized Request for Quote
 Highways

Proc Folder: 1967492			Reason for Modification:
Doc Description: Steel piling, epoxy coated rebar and guardrail			
Proc Type: Central Purchase Order			
Date Issued	Solicitation Closes	Solicitation No	Version
2026-06-09	2026-06-25 13:30	CRFQ 0803 DOT2600000102	1

BID RECEIVING LOCATION

BID CLERK
 DEPARTMENT OF ADMINISTRATION
 PURCHASING DIVISION
 2019 WASHINGTON ST E
 CHARLESTON WV 25305
 US


VENDOR

Vendor Customer Code:

Vendor Name : Chemung Supply Corp
Address : 2420 Corning Rd
Street :
City : Elmira
State : NY **Country :** USA **Zip :** 14903

Principal Contact : Marc P Stemerman
Vendor Contact Phone: 607-733-5506 **Extension:**

FOR INFORMATION CONTACT THE BUYER
 John W Estep
 304-558-2566
 john.w.estep@wv.gov

Vendor Signature X  **FEIN#** 16-0380890 **DATE** 06/09/26

All offers subject to all terms and conditions contained in this solicitation

ADDITIONAL INFORMATION**REQUEST FOR QUOTATION:**

The West Virginia Purchasing Division is soliciting bids on behalf of the West Virginia Division of Highways to establish a contract for the one-time purchase of Steel piling, epoxy coated rebar, and guardrail for Sand Fork of Fink Girder Replacement. Per the Bid Requirements, Specifications, Terms and Conditions attached to this solicitation.

INVOICE TO	SHIP TO
------------	---------

DIVISION OF HIGHWAYS DISTRICT SEVEN DRAWER 1228 WESTON WV US	STATE OF WEST VIRGINIA JOBSITE - SEE SPECIFICATIONS No City WV US
--	---

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
1	W12X65 Steel Piling	35100.00000	LB	\$1.38	\$48,481.88

Comm Code	Manufacturer	Specification	Model #
30103623			

Extended Description:

Steel piling must be 18 pieces - 30 feet 0 inches. Steel piling shall conform to the requirements of ASTM A572 (fs = 50,000 p.s.i.).

INVOICE TO	SHIP TO
------------	---------

DIVISION OF HIGHWAYS DISTRICT SEVEN DRAWER 1228 WESTON WV US	STATE OF WEST VIRGINIA JOBSITE - SEE SPECIFICATIONS No City WV US
--	---

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
2	#5 Epoxy Coated Bent Rebar	2236.00000	LB	\$1.06	\$2,375.75

Comm Code	Manufacturer	Specification	Model #
30103623			

Extended Description:

Dimensions of all #5 epoxy coated bent rebar shall be manufactured to match the specifications listed in the accompanying set of pertinent plans for this project. All reinforcing steel shall be intermediate grade billet steel, grade 40 or grade 60 in accordance with subsection 709.1 of the Standard Specifications. The requirements of Section 602 of the Standard Specifications shall be followed.

INVOICE TO			SHIP TO		
DIVISION OF HIGHWAYS DISTRICT SEVEN			STATE OF WEST VIRGINIA JOBSITE - SEE SPECIFICATIONS		
DRAWER 1228					
WESTON	WV		No City	WV	
US			US		

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
3	#5 Epoxy Coated Straight Rebar	1377.00000	LB	\$1.06	\$1,463.06

Comm Code	Manufacturer	Specification	Model #
30103623			

Extended Description:

#5 epoxy coated straight rebar must be 66 pieces - 20 feet 0 inches. All reinforcing steel shall be intermediate grade billet steel, grade 40 or grade 60 in accordance with subsection 709.1 of the Standard Specifications. The requirements of Section 602 of the Standard Specifications shall be followed.

INVOICE TO			SHIP TO		
DIVISION OF HIGHWAYS DISTRICT SEVEN			STATE OF WEST VIRGINIA JOBSITE - SEE SPECIFICATIONS		
DRAWER 1228					
WESTON	WV		No City	WV	
US			US		

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
4	#8 Epoxy Coated Straight Rebar	2563.00000	LB	\$1.06	\$2,723.19

Comm Code	Manufacturer	Specification	Model #
30103623			

Extended Description:

#8 epoxy coated straight rebar must be 48 pieces - 20 feet 0 inches. All reinforcing steel shall be intermediate grade billet steel, grade 40 or grade 60 in accordance with subsection 709.1 of the Standard Specifications. The requirements of Section 602 of the Standard Specifications shall be followed.

INVOICE TO		SHIP TO	
DIVISION OF HIGHWAYS DISTRICT SEVEN		STATE OF WEST VIRGINIA JOBSITE - SEE SPECIFICATIONS	
DRAWER 1228			
WESTON	WV	No City	WV
US		US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
5	Class 1 W-beam Guardrail	100.00000	LF	\$41.63	\$4,162.50

Comm Code	Manufacturer	Specification	Model #
30121717			

Extended Description:

100 Linear feet - Class 1 W-Beam Approach Rail. **Dimensions of all approach rail shall be delivered to match the radii listed in the accompanying set of pertinent plans for this project.** 16 each - W6X9 x 6 feet 0 inches approach posts. 4 each - W6X9 x 2 feet 8-1/2 inches structure mounted posts. 4 each - 1 feet 0 inches x 1 feet 0 inches x 1/2 inch plates. 20 each - 6 inch X 8 inch X 14 inch Wood Block Outs. 4 each - Buffer End Terminal Section. 20 each - Guardrail Bolt & Nut, Hex Head (5/8 inch dia. X 10 inch). 112 each - Guardrail Splice Bolt (5/8 inch dia X 1-1/4 inch)

SCHEDULE OF EVENTS

<u>Line</u>	<u>Event</u>	<u>Event Date</u>
1	Tech Questions dur by 10:00am	2026-06-18

	Document Phase	Document Description	Page
DOT2600000102	Final	Steel piling, epoxy coated rebar and guardrail	5

ADDITIONAL TERMS AND CONDITIONS

See attached document(s) for additional Terms and Conditions

DESIGNATED CONTACT: Vendor appoints the individual identified in this Section as the Contract Administrator and the initial point of contact for matters relating to this Contract.

(Printed Name and Title) Marc P Stemeran, President

(Address) 2420 Corning Rd, Elmira NY 14903

(Phone Number) / (Fax Number) 607-733-5506 - 607-732-5379 fax

(email address) mstemerman@chemungsupply.com

CERTIFICATION AND SIGNATURE: By signing below, or submitting documentation through wvOASIS, I certify that: I have reviewed this Solicitation/Contract in its entirety; that I understand the requirements, terms and conditions, and other information contained herein; that this bid, offer or proposal constitutes an offer to the State that cannot be unilaterally withdrawn; that the product or service proposed meets the mandatory requirements contained in the Solicitation/Contract for that product or service, unless otherwise stated herein; that the Vendor accepts the terms and conditions contained in the Solicitation, unless otherwise stated herein; that I am submitting this bid, offer or proposal for review and consideration; that this bid or offer was made without prior understanding, agreement, or connection with any entity submitting a bid or offer for the same material, supplies, equipment or services; that this bid or offer is in all respects fair and without collusion or fraud; that this Contract is accepted or entered into without any prior understanding, agreement, or connection to any other entity that could be considered a violation of law; that I am authorized by the Vendor to execute and submit this bid, offer, or proposal, or any documents related thereto on Vendor's behalf; that I am authorized to bind the vendor in a contractual relationship; and that to the best of my knowledge, the vendor has properly registered with any State agency that may require registration.

By signing below, I further certify that I understand this Contract is subject to the provisions of West Virginia Code § 5A-3-62, which automatically voids certain contract clauses that violate State law; and that pursuant to W. Va. Code 5A-3-63, the entity entering into this contract is prohibited from engaging in a boycott against Israel.

Chemung Supply Corp
(Company) _____

(Signature of Authorized Representative)
Marc P Stemeran, President

(Printed Name and Title of Authorized Representative) (Date)
607-733-5506 - 607-732-5379 fax

(Phone Number) (Fax Number)
mstemerman@chemungsupply.com

(Email Address) _____