



2019 Washington Street, East Charleston, WV 25305 Telephone: 304-558-2306 General Fax: 304-558-6026

Bid Fax: 304-558-3970

The following documentation is an electronically-submitted vendor response to an advertised solicitation from the *West Virginia Purchasing Bulletin* within the Vendor Self-Service portal at *wvOASIS.gov*. As part of the State of West Virginia's procurement process, and to maintain the transparency of the bid-opening process, this documentation submitted online is publicly posted by the West Virginia Purchasing Division at *WVPurchasing.gov* with any other vendor responses to this solicitation submitted to the Purchasing Division in hard copy format.





State of West Virginia Solicitation Response

Proc Folder: 1787701

Solicitation Description: Dell Powerstore 500t or Equal

Proc Type: Central Purchase Order

 Solicitation Closes
 Solicitation Response
 Version

 2025-09-30 13:30
 SR 1400 ESR09302500000002368
 1

VENDOR

VC0000098899

POMEROY TECHNOLOGIES LLC

Solicitation Number: CRFQ 1400 AGR2600000012

Total Bid: 92232.8999999999417923390865 Response Date: 2025-09-30 Response Time: 11:25:31

Comments:

FOR INFORMATION CONTACT THE BUYER

Larry D McDonnell 304-558-2063 larry.d.mcdonnell@wv.gov

Vendor Signature X

FEIN#

DATE

All offers subject to all terms and conditions contained in this solicitation

Date Printed: Sep 30, 2025 Page: 1 FORM ID: WV-PRC-SR-001 2020/05

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
1	Dell Powerstore 500t or Equal	1.00000	EA	82868.700000	82868.70

Comm Code	Manufacturer	Specification	Model #	
43210000				

Commodity Line Comments: See attachment for full specifications. All specifications meet or exceed the requested Dell specs with the exception of 3.1.1.6; while Lenovo's overall box is Energy Star Certified, the individual PSU units were not

submitted for certification.

Extended Description:

Please see 3.1.1 in Specifications

See attached documentation for further details.

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
2	Dell Pro Support 24/7 ProSupport or Equal	1.00000	EA	2925.240000	2925.24

Comm Code	Manufacturer	Specification	Model #	
43210000				

Commodity Line Comments: See attachment for full specifications.

Extended Description:

Please see section 3.1.1.13 in Specifications See attached documentation for further details.

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
3	Dell Pro Support Next Business Day on-site service or Equal	1.00000	EA	6438.960000	6438.96

Comm Code	Manufacturer	Specification	Model #	
43210000				


Commodity Line Comments: See attachment for full specifications.

Extended Description:

Please see 3.1.1.14 in Specifications

See attached documentation for further details.

Date Printed: Sep 30, 2025 Page: 2 FORM ID: WV-PRC-SR-001 2020/05



State of West Virginia **Centralized Request for Quote** Info Technology

Proc Folder: 1787701

Doc Description: Dell Powerstore 500t or Equal

Reason for Modification:

To post Addendum No. 01

Proc Type: Central Purchase Order

Solicitation Closes Version Date Issued Solicitation No

2025-09-30 13:30 CRFQ 1400 AGR2600000012 2 2025-09-24

BID RECEIVING LOCATION

BID CLERK

DEPARTMENT OF ADMINISTRATION

PURCHASING DIVISION 2019 WASHINGTON ST E

CHARLESTON WV 25305

US

VENDOR

Vendor Customer Code: VC0000098899

Vendor Name: Pomeroy Technologies, LLC

Address: 1050

Street: Elijah Creek Rd

City: Hebron

Country: USA **Zip**: 41048 State : KY

Principal Contact: Valerie Barger

Vendor Contact Phone: 859-657-2107 **Extension:**

FOR INFORMATION CONTACT THE BUYER

Larry D McDonnell 304-558-2063

larry.d.mcdonnell@wv.gov

Alexin Burger Vendor Signature X

FEIN# 85-0862996

DATE 09/30/2025

All offers subject to all terms and conditions contained in this solicitation

Date Printed: Sep 24, 2025 FORM ID: WV-PRC-CRFQ-002 2020/05 Page: 1

ADDITIONAL INFORMATION

Addendum No. 01

To post answers to vendor questions.

The bid opening date and time still remains 9/30/2025 at 1:30PM EST/EDT

No other changes

INVOICE TO		SHIP TO
AGRICULTURE DEPARTMENT OF		AGRICULTURE DEPARTMENT OF
ADMINISTRATIVE SERV	ICES	INFORMATION TECHNOLOGY DIVISION
1900 KANAWHA BLVD E	:	163 GUS R DOUGLAS LN, BLDG 1
CHARLESTON	WV	CHARLESTON WV
US		US

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
1	Dell Powerstore 500t or Equal	1.00000	EA	82,868.70	82,868.70

Comm Code	Manufacturer	Specification	Model #	
43210000	Lenovo	ThinkSystem DM5200F All Flash Array - see attachment for full specs	7DJ2S0AU00	

Extended Description:

Please see 3.1.1 in Specifications

See attached documentation for further details.

 Date Printed:
 Sep 24, 2025
 Page: 2
 FORM ID: WV-PRC-CRFQ-002 2020/05

INVOICE TO		SHIP TO
AGRICULTURE DEPARTMENT OF		AGRICULTURE DEPARTMENT OF
ADMINISTRATIVE SER	VICES	INFORMATION TECHNOLOGY DIVISION
1900 KANAWHA BLVD	E	163 GUS R DOUGLAS LN, BLDG 1
CHARLESTON	WV	CHARLESTON WV
US		US

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
2	Dell Pro Support 24/7 ProSupport or Equal	1.00000	EA	2,925.24	2,925.24

Comm Code	Manufacturer	Specification	Model #	
43210000	Lenovo	5Yr Premier NBD+KYD	5WS7C06528	

Extended Description:

Please see section 3.1.1.13 in Specifications

See attached documentation for further details.

INVOICE TO		SHIP TO
AGRICULTURE DEPARTMENT OF		AGRICULTURE DEPARTMENT OF
ADMINISTRATIVE SER	VICES	INFORMATION TECHNOLOGY DIVISION
1900 KANAWHA BLVD	E	163 GUS R DOUGLAS LN, BLDG 1
CHARLESTON	WV	CHARLESTON WV
US		US

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
3	Dell Pro Support Next Business Day on-site service or Equal	1.00000	EA	6,438.96	6,438.96

Comm Code	Manufacture	Specification N	Model #
43210000	Lenovo	5yr(61.44TB NVme TLC)Pack Unified Complete	5WS7C07255/5WS7C20892

Extended Description:

Please see 3.1.1.14 in Specifications

See attached documentation for further details.

SCHEDULE OF EVENTS

<u>Line</u>	<u>Event</u>	Event Date
1	Vendor questions due by 2:00PM FST/FDT	2025-09-23

SOLICITATION NUMBER: CRFQ AGR26*12 Addendum Number: 1

The purpose of this addendum is to modify the solicitation identified as ("Solicitation") to reflect the change(s) identified and described below.

Applicable Add	endum C	ategory:
----------------	---------	----------

IJ	Modify bid opening date and time
[]	Modify specifications of product or service being sought
[X]	Attachment of vendor questions and responses
[]	Attachment of pre-bid sign-in sheet
[]	Correction of error
[]	Other

Description of Modification to Solicitation:

To post answers to vendor questions.

The bid opening date and time still remains 9/30/2025 at 1:30PM EST/EDT

No other changes

Additional Documentation: Documentation related to this Addendum (if any) has been included herewith as Attachment A and is specifically incorporated herein by reference.

Terms and Conditions:

- 1. All provisions of the Solicitation and other addenda not modified herein shall remain in full force and effect.
- 2. Vendor should acknowledge receipt of all addenda issued for this Solicitation by completing an Addendum Acknowledgment, a copy of which is included herewith. Failure to acknowledge addenda may result in bid disqualification. The addendum acknowledgement should be submitted with the bid to expedite document processing.

Q1: What are the specific technical requirements outlined in section 3.1.1 of the specifications?

A1: You are encouraged to read file named CRFQ AGR26-12 - Solicitation Documentation in its entirety.

Q2: Is there a preference or requirement for brand-name Dell equipment, or will third-party equivalents be considered equally?

A2: See section 10 of the Instructions to Vendors Submitting Bids.

Q3: Are there any delivery, installation, or configuration services expected beyond shipping the hardware to the listed address?

A3: No, WVDA will handle installation and configuration of the hardware once it's delivered.

Q4: What is the expected timeline for deployment once the purchase order is issued?

A4: See section 6.1 of the Specifications.

Q5: Are there any specific invoicing or payment terms we should be aware of, especially related to milestone billing or acceptance criteria?

A5: See section 14 and 15 of the General Terms and Conditions. See section 5.1 of the Specifications.

Q6: AC or DC power?

A6: See section 3.1.1.6 of the specifications, AC Power supplies are required.

Q7: What drive type and capacity?

A7: See section 3.1.1.7 of the specifications,

Q8: Any I/O modules, what kind?

A8: See spec 3.1.1.8 We encourage vendors to review all specifications.

Q9: Any Expansions shelves?

A9: No

Q10: Section 3.1.1.6 requires an Energy Star certified power supply per node. Would you be willing to accept submissions that do not have the certification?

A10: The vendor must meet or exceed 3.1.1.6. Item must contain a minimum of one (1) Energy Star certified power supply per node.

ADDENDUM ACKNOWLEDGEMENT FORM SOLICITATION NO.: CRFQ AGR26*12

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

(Chec	k th	e bo	ox next to each addendum	received	d)	
	[]	x]	Addendum No. 1	[]	Addendum No. 6
	[]	Addendum No. 2	[]	Addendum No. 7
	[]	Addendum No. 3	[]	Addendum No. 8
	[]	Addendum No. 4	[]	Addendum No. 9
	ſ	1	Addendum No. 5	ſ	1	Addendum No. 10

Addendum Numbers Received:

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

Company

Authorized Signature

09/30/2025

Date

NOTE: This addendum acknowledgement should be submitted with the bid to expedite document processing.





Lenovo ThinkSystem DM3200F, DM5200F and DM7200F Unified Storage Arrays

Product Guide

The Lenovo ThinkSystem DM3200F, DM5200F and DM7200F are all-NVMe flash unified storage systems designed to provide performance, simplicity, capacity, security, and high availability for medium-sized enterprises. Powered by ONTAP storage management software, the DM3200F, DM5200F and DM7200F deliver enterprise-class storage management capabilities with a wide choice of host connectivity options and enhanced data storage solutions. The DM3200F, DM5200F and DM7200F are a perfect fit for a wide range of enterprise workloads, including big data and analytics, artificial intelligence, engineering and design, enterprise applications, and other storage I/O-intensive applications.

The ThinkSystem DM3200F, DM5200F and DM7200F models are 2U rack-mount enclosure that includes two controllers, with memory of up to: 256 GB RAM per HA Pair for DM7200F, 128 GB RAM per HA Pair for DM5200F, 128 GB RAM per HA Pair for DM3200F and 24x NVMe U.2 SFF drives. Each controller provides adapter support for 10/25 GbE, 40/100 GbE or 16/32/64 Gb Fibre Channel (FC) ports for host connectivity, depending on the configuration.

A single ThinkSystem DM3200F Storage Array scales up to 48 NVMe SSDs per HA Pair with the attachment of one Lenovo ThinkSystem DM242N 2U24 SFF Expansion Enclosure. A single ThinkSystem DM5200F Storage Array scales up to 72 NVMe SSDs per HA pair with the attachment of two Lenovo ThinkSystem DM242N 2U24 SFF Expansion Enclosure. A single ThinkSystem DM7200F Storage Array scales up to 120 NVMe SSDs per HA Pair with the attachment of four Lenovo ThinkSystem DM242N 2U24 SFF Expansion Enclosure. Four expansions will require a supported 100Gb capable switch.



Figure 1. Lenovo ThinkSystem DM7200F Unified Storage Arrays

Did you know?

The Lenovo ThinkSystem DM3200F, DM5200F and DM7200F Unified Storage Arrays offer end-to-end NVMe storage connectivity.

- The DM7200F offers optimized price/performance and is up to 139% faster than the DM7100F.
- The DM5200F is designed for emerging workloads and is up to 91% faster than the DM5100F.
- The DM3200F offers affordable storage for ROBO and SMB businesses and up is to 23% faster than the DM5000F.

Key features

The ThinkSystem DM3200F, DM5200F and DM7200F offer the following key features and benefits:

- A true unified storage platform allowing NAS, SAN, and Object workloads
- Available with either the Essentials or Complete software feature offerings which provide feature flexibility
- Compact NVMe Flash storage system delivering high-performance and low-latency at an affordable price point, enabling customers of all sizes to enhance their analytics and Al deployments and accelerate applications' access to data
- All-flash array capabilities meet the demand for higher speed storage and provide higher IOPs and bandwidth with lower than hybrid or HDD-based solutions.
- All-flash storage with dual active/active controller configurations for high availability and performance
- A rich set of storage management functions available, including snapshots, volume cloning, quality of service, thin provisioning, compression, deduplication, encryption, disk-based backup, application- and virtual machine-aware backup, quick data recovery, clustering, synchronous replication, and asynchronous replication
- Improved performance and data protection with RAID-DP and RAID-TEC, as well as support for traditional RAID 4
- Flexible host connectivity to match diverse client needs with support for unified NAS, SAN, and object storage protocols, including 10/25 Gbe and 40/100 GbE NAS, iSCSI, and NVMe/TCP 16/32/64 Fibre Channel connectivity, and 64 Gb NVMe over Fibre Channel (NVMe/FC)
- NVMe drive-side connectivity with multipathing with up to 24x 2.5-inch small form factor (SFF) drives in the controller enclosure and expansion enclosure
- Intuitive, web-based GUI for easy system setup and management
- Lenovo XClarity support for centralized systems management of Lenovo x86 servers, switches, and storage, which provides automated agent-less discovery, inventory, monitoring, and additional platform-specific functions across multiple systems
- Designed for 99.9999% availability with redundant hot-swap components, including controllers and I/O modules, power supplies, and non-disruptive firmware upgrades

The DM3200F, DM5200F and DM7200F support 2.5-inch NVMe SSDs. All drives are dual-port and hot-swappable. Base units support attachment of DM242N 2U24 SFF expansion enclosures and drives are designed to be added dynamically, which helps to quickly and seamlessly respond to ever-growing capacity demands.

The base units offer high levels of system and data availability with the following features:

- Dual-active controllers (high availability pair) with automatic load balancing and failover
- Mirrored, battery-backed controller NVMEM. 8GB per controller on the DM3200F or on the DM5200F and 16GB per controller on the DM7200F
- Dual-port, SED, NVMe SSDs with automatic drive failure detection and rebuild
- Redundant, hot-swappable and customer replaceable hardware components, including transceivers, controllers, I/O modules, power supplies, and drives
- Automated failover for the data path between the host and the drives with multipathing
- Non-disruptive controller and drive firmware upgrades
- Scale-out clustering, cluster any DM and DG systems together

Components and connectors

Front and rear view of DM3200F, DM5200F and DM7200F units are identical.

The following figure shows the front of the DM5200F.




Figure 2. ThinkSystem DM5200F front view

The following figure shows the components of both controllers for the DM3200F, DM5200F and DM7200F




Figure 3. ThinkSystem DM3200F, DM5200F and DM7200F enclosure rear view

A single DM3200F, DM5200F and DM7200F controller includes the following components:

- 1 x redundant hot-swap power supply
- 4x Host Interface Card (HIC) slots:
 - Slot 1 for host connections and storage expansion
 - Slot 2 for host connections
 - Slot 3 host connections and storage expansion
 - Slot 4 for Cluster interconnect 25 GbE on the DM3200F and 100gbe On the DM5200F and DM7200F
- USB port
- 1GbE management port (RJ45)
- System LEDs
- Console port

Per controller, the four Host Interface Cards provide one of the following combinations of ports:

- 4-port 10Gb BaseT RJ45 (10Gbs, 1Gbs, and 100Mbs)
- 2-port 10/25 GbE
- 4-port 10/25 GbE
- 2-port 40/100 GbE (and for expansion storage 2pt 100 GbE ports)
- 4-port, 64Gb Fiber Channel, SFP+ (16/32/64 Gbs)
 - All HICs require SFPs and optical cables or DAC cables
 - All ethernet SFPs run at posted speed only and do not support dual line rates

The following figure shows the front of the ThinkSystem DM242N 2U SFF NVMe expansion enclosure.




Figure 4. ThinkSystem DM242N 2U SFF NVMe expansion enclosure front view

The following figure shows the rear of the DM242N expansion enclosure.




Figure 5. ThinkSystem DM242N 2U SFF NVMe expansion enclosure rear view

The rear of the ThinkSystem DM242N 2U SFF NVMe expansion enclosure includes the following components:

- Two redundant hot-swap NVMe I/O Modules; each with the following ports:
 - Two 100 GbE QSFP28 expansion ports for connections to the controller enclosure.
- Two redundant hot-swap power supplies

System specifications

The following table lists the ThinkSystem DM3200F, DM5200F and DM7200F storage system specifications.

Note: The supported hardware options, software features, and interoperability listed in this product guide are based on the ONTAP software version 9.16.1. For details about specific software releases that introduced support for certain hardware options and software features, refer to the Release notes of the particular software release for the ThinkSystem DM3200F, DM5200F and DM7200F that can be found at: http://datacentersupport.lenovo.com

Table 1. ThinkSystem DM3200F, DM5200F and DM7200F system specifications

Attribute	Specification				
Model	DM7200F	DM5200F	DM3200F	DM242N expansion	
Machine type	7DJ3	7DJ2	7DJ0	7DJ8	
Form factor		2U rack mount			
System memory (per HA pair)	256 GB	128 GB	128 GB	-	
System NVMEM (per HA pair)	32 GB	16 GB	16 GB	-	
Cluster Scaling Limit NAS (HA pair)	12 HA pairs	4 HA pairs	3 HA pairs	-	
Cluster Scaling Limit SAN (HA pair)	6 HA pairs	4 HA pairs	3 HA pairs	-	
Drive bays (per HA pair)	24	24	24	24	
Max NVMe SSDs (per HA pair)	120	72	48	24	
Drive Minimum (per HA pair)	8	8	8	-	
Capacity Minimum (per HA pair)	68 TB	No minimum	No minimum	-	
Direct Connected Expansions (DM242N) (per HA pair)	2	2	1	-	
Switch Connected Expansions (DM242N) (per HA pair)	4	2	0	-	
Cluster Connected Expansions (DM242N) (per HA pair)	4x 100Gbe	4x 100Gbe	4x 25Gbe	-	
Host/Storage HIC	Select up to (6) Host/Storage HICs. Ordered in pairs				
options (per HA Pairs)†					

Attribute	Specification				
		00Gb Ethernet, QSF			
		CE is not supported for	-		
	 4-port, 64Gb Fiber Channel, SFP+ (16/32/64 Gb) 				
	2-port, 10/25Gb Ethernet, SFP28				
	4-port, 10/25Gb Ethernet, SFP28 (IPSec support)				
		BASE-T, RJ45 (100 I			
			nd optical cables or DA posted speed only an	AC cables d do not support dual line rates	
			, , , .		
RAID levels	RAID-4, RAID-DP,	RAID-TEC			
Supported NVMe SSD capacities	1.92 TB, 3.84 TB,	7.68 TB, and 15.36 T	B NVMe SED SSDs		
Storage Protocols	FC, iSCSI, NVMe/I	FC, NVMe/TCP, NFS	, NFSv4/RDMA, SMB	, S3	
Category 1 Host operating systems*	Microsoft Windows VMware ESXi	Server, Red Hat Ent	erprise Linux, SUSE I	Linux Enterprise Server,	
Category 2 Host operating systems**	the latest Category	Oracle Linux, Oracle VM, Citrix Hypervisor, CentOS, Ubuntu, Solaris. For version details, see the latest Category 2 Interoperability Matrix, available as a download from Lenovo Storage Interoperation Center (LSIC)			
Standard software features	RAID data protection, snapshots, volume copy (FlexClone), storage quality of service (QoS), thin provisioning, compression, deduplication, encryption, disk-based backup (SnapVault), application-aware backup (SnapCenter), quick data recovery (SnapRestore), clustering, clustering with data mirroring (MetroCluster IP), and synchronous and asynchronous replication (SnapMirror)				
Optional software features	Object storage tier licensing	ing (FabricPool). Tieri	ing to other DM/DG sy	stems require no additional	
Cooling	Redundant cooling	with built-in power su	upply fans		
Power Supply	Two redundant ho	t-swap 1600 W Titani	ium AC power supplie	es	
	200 to 240	200 to 240	100 to 120 200 to 240 Autosensing	100 to 120 200 to 240 Autosensing	
Hot-swap parts	Controllers, I/O mo	dules, drives, power	supplies, and transcei	vers and DAC cables	
Management ports	1x 1 GbE port (UT	P, RJ-45) per controll	er for out-of-band mar	nagement	
	2x Serial console p	oorts (RJ-45 and Micro	o-USB) for system cor	nfiguration	
Management interfaces		age Manager web-bas optional Lenovo XCla		rial console CLI; SNMP, email,	
Security features	Secure Socket Layer (SSL), Secure Shell (SSH), user level security, role-based access control (RBAC), LDAP authentication.				
Warranty and support	Three-, four-, or five-year customer-replaceable unit and onsite limited warranty with selectable service levels: 9x5 service coverage next business day (NBD) onsite response (Foundation) or 24x7 service coverage with 4-hour onsite response (Essential). Premier Support is also available. Software support is included in the Foundation or Essential Service for the duration of the warranty period.				
Dimensions	 Width with 	mm (3.4 in.) flange: 483 mm (19 ir out flange: 447 mm (1 mm (21.4 in.)	•		

Attribute	Specification	
Weight (fully configured)	25.3 kg (55.8 lb)	30.2 kg (66.6 lb)

^{*} For Category 1 operating system support information, see Lenovo Storage Interoperation Center (LSIC).

http://datacentersupport.lenovo.com

Controller enclosures

Preconfigured and factory-integrated models of the ThinkSystem DM3200F, DM5200F and DM7200F Unified Flash Storage Array are configured by using the Lenovo Data Center Solution Configurator (DCSC): http://dcsc.lenovo.com

The following table lists the CTO base model for the ThinkSystem DM3200F, DM5200F and DM7200F.

Table 2. ThinkSystem DM3200F, DM5200F and DM7200F CTO base models

Machine Type/Model	Feature code	Description
7DJ0CTO1WW	BF3C	Lenovo ThinkSystem DM3200F
7DJ2CTO1WW	BF3C	Lenovo ThinkSystem DM5200F
7DJ3CTO1WW	BF3C	Lenovo ThinkSystem DM7200F

The models of the ThinkSystem DM3200F, DM5200F and DM7200F ship with the following items:

- One chassis with the following components:
 - Two controllers
 - Two power supplies
- Rack Mount Kit
- 2m USB Cable (USB Type A to Micro-USB)
- Documentation flyer
- Two customer-configured power cables

Controllers

The ThinkSystem DM3200F, DM5200F and DM7200F enclosures ship with two NVMe controllers. A controller provides interfaces for host connectivity, management, and internal drives, and it runs ONTAP storage management software.

The following table lists the RAM and NVMEM per controller

Table 3. RAM and NVMEM per controller

	DM7200F	DM5200F	DM3200F
RAM (per controller)	16 GB	8 GB	8 GB
NVMEM (per controller)	128 GB	64 GB	64 GB

Each DM3200F, DM5200F and DM7200F controller requires two cluster interconnect ports cabled directly for a dual-controller HA pair/two-node switchless cluster or to a supported switch for a switched cluster interconnect with multiple dual-controller HA pairs. See system specifications for cluster limits.

^{**} For Category 2 operating system support information, see the latest Category 2 Interoperability Matrix. Go to the Lenovo Storage Interoperation Center (LSIC) home page and scroll down to the Lenovo Information section and click the **Download Lenovo 3rd party of interop matrix** link.

[†] For a detailed list of configuration limits and restrictions for a specific version of the software, refer to the Lenovo Data Center Support website:

Each DMx200F controller also has the following host interfaces:

- 1x slot for Cluster interconnect (Configured in the Cluster Port Adapter section)
 - o DM3200F 2x 25 GbE ports using 4x 10/25 GbE card
 - DM5200F 2x 100 GbE ports using 2x 40/100 GbE card
 - DM7200F 2 x 100 GbE ports using 2x 40/100 GbE card
- 3x slots for host interfaces using HIC adapters; choices of HIC adapters are:
 - 25GbE HIC, with 4x 10/25 GbE SFP28 (DAC cables or SW fiber optic cables, LC)
 - 100GbE HIC, with 2x 40/100 GbE QSFP28 (DAC cables or SW fiber optic cables, MPO)
 - 10Gb BaseT, with 4x 100Mbs/1 Gbs/10Gbs RJ45
 - Fibre Channel HIC, with 4x 16/32/64 Gb FC SFP+ host ports (SW fiber optic cables, LC)
 - All HICs require SFPs and optical cables or DAC cables
 - All ethernet SFPs run at posted speed only and do not support dual line rates

Two controllers are required for selection and must have the same HIC adapters installed. The use of a DM242N expansion enclosure requires a 100GbE HIC for connectivity installed in slot 1 in each controller.

The following table lists the controllers for the DMx200F Storage Array and supported connectivity options.

Tip: The Fibre Channel HIC does not include transceivers. Transceivers are selected separately.

Table 4. DMx200F controllers and connectivity options

	Facture		Maximum quantity
Part number	Feature code	Description	per controller
Host Interface	Cards - DM	13200F	
4XC7A97035	C4AC	Lenovo ThinkSystem Storage 10/25Gb 4 port Ethernet (Host/Cluster)	4
4XC7A97034	C4AB	Lenovo ThinkSystem Storage 10/25Gb 2 port Ethernet (Host)	3
4XC7A97031	C4A8	Lenovo ThinkSystem Storage 64/32Gb 4 Port Fiber Channel Adapter	3
4XC7A97032	C4A9	Lenovo ThinkSystem Storage 10Gb BaseT 4 Port Adapter (Host)	3
4XC7A97033	C4AA	Lenovo ThinkSystem Storage 100Gb 2 port Ethernet (Host/Cluster)	3
CTO Only	C4W5	Lenovo ThinkSystem Storage 100Gb 2 Port Ethernet, RoCE Adapter (NVMe Shelf)	2
Host Interface	Cards - DM	15200F	
4XC7A97035	C4AC	Lenovo ThinkSystem Storage 10/25Gb 4 port Ethernet (Host/Cluster)	3
4XC7A97034	C4AB	Lenovo ThinkSystem Storage 10/25Gb 2 port Ethernet (Host)	3
4XC7A97031	C4A8	Lenovo ThinkSystem Storage 64/32Gb 4 Port Fiber Channel Adapter	3
4XC7A97032	C4A9	Lenovo ThinkSystem Storage 10Gb BaseT 4 Port Adapter (Host)	3
4XC7A97033	C4AA	Lenovo ThinkSystem Storage 100Gb 2 port Ethernet (Host/Cluster)	4
CTO Only	C4W5	Lenovo ThinkSystem Storage 100Gb 2 Port Ethernet, RoCE Adapter (NVMe Shelf)	2
4XC7A97036	C4AD	Lenovo ThinkSystem Storage 100Gb iWARP 2 Port Ethernet Adapter (MCC-IP)	1
Host Interface	Cards - DN	17200F	
4XC7A97035	C4AC	Lenovo ThinkSystem Storage 10/25Gb 4 port Ethernet (Host/Cluster)	3
4XC7A97034	C4AB	Lenovo ThinkSystem Storage 10/25Gb 2 port Ethernet (Host)	
4XC7A97031	C4A8	Lenovo ThinkSystem Storage 64/32Gb 4 Port Fiber Channel Adapter	
4XC7A97032	C4A9	Lenovo ThinkSystem Storage 10Gb BaseT 4 Port Adapter (Host)	3
4XC7A97033	C4AA	Lenovo ThinkSystem Storage 100Gb 2 port Ethernet (Host/Cluster)	4

Part number	Feature code	Description	Maximum quantity per controller
CTO Only	C4W5	Lenovo ThinkSystem Storage 100Gb 2 Port Ethernet, RoCE Adapter (NVMe Shelf)	2
4XC7A97036	C4AD	Lenovo ThinkSystem Storage 100Gb iWARP 2 Port Ethernet Adapter (MCC-IP)	
SFP+ and tran	sceiver for	25Gb/100Gb optical cables	
4XF7A14919	B4K9	B4K9 10G SW Optical iSCSI SFP+ Module 1 pack	
4TC7A94751	C4K4	Lenovo 25G SR SFP28 Amphenol Ethernet Transceiver	12 or 16
4M27A67042	BFH1	Lenovo 100Gb SR4 QSFP28 Ethernet Transceiver	6 or 8
Fiber SFP+ transceivers			
4TC7A97241	C4AF	Lenovo 64/32G Fiber Channel SFP+ SW Transceiver	12
4M17A13528	B4B3	Lenovo 32Gb FC SFP+ Transceiver	

The following table lists the supported optical and copper cables.

 ${f Tip}$: The 100GbE cables used to connect the DM242N expansion enclosure are configure with the DM242N.

Table 5. Supported cables

Part number	Feature code	Description	Maximum quantity per controller	
DAC breakout	cable optio	ns for 100GbE		
7Z57A03564	AV22	Lenovo 1m 100G QSFP28 to 4x25G SFP28 Breakout DAC Cable	4 or 3	
7Z57A03565	AV23	Lenovo 3m 100G QSFP28 to 4x25G SFP28 Breakout DAC Cable	4 or 3	
7Z57A03566	AV24	Lenovo 5m 100G QSFP28 to 4x25G SFP28 Breakout DAC Cable	4 or 3	
DAC cable op	tions for 25	GbE SFP28 connectivity		
7Z57A03557	AV1W	Lenovo 1m Passive 25G SFP28 DAC Cable	16 or 12	
7Z57A03558	AV1X	Lenovo 3m Passive 25G SFP28 DAC Cable	16 or 12	
7Z57A03559	AV1Y	Lenovo 5m Passive 25G SFP28 DAC Cable	16 or 12	
DAC cable op	tions for 250	GbE SFP28 and 10 GbE SFP+ connectivity		
00D6288	A3RG	0.5m Passive DAC SFP+ Cable	12	
90Y9427	A1PH	1m Passive DAC SFP+ Cable	12	
00AY764	A51N	1.5m Passive DAC SFP+ Cable	12	
00AY765	A51P	2m Passive DAC SFP+ Cable	12	
90Y9430	A1PJ	3m Passive DAC SFP+ Cable	12	
90Y9433	A1PK	5m Passive DAC SFP+ Cable	12	
OM3 cable op	OM3 cable options for 16/32 Gb FC and 25 GbE SW SFP28 optical transceivers			
00MN499	ASR5	Lenovo 0.5m LC-LC OM3 MMF Cable	16 or 12	
00MN502	ASR6	Lenovo 1m LC-LC OM3 MMF Cable	16 or 12	
00MN505	ASR7	Lenovo 3m LC-LC OM3 MMF Cable	16 or 12	
00MN508	ASR8	Lenovo 5m LC-LC OM3 MMF Cable	16 or 12	

Part number	Feature code	Description	Maximum quantity per controller
00MN511	ASR9	Lenovo 10m LC-LC OM3 MMF Cable	16 or 12
00MN514	ASRA	Lenovo 15m LC-LC OM3 MMF Cable	16 or 12
00MN517	ASRB	Lenovo 25m LC-LC OM3 MMF Cable	16 or 12
00MN520	ASRC	Lenovo 30m LC-LC OM3 MMF Cable	16 or 12
OM4 cable op	tions for 16	/32 Gb FC and 25 GbE SFP28 optical transceivers	
4Z57A10845	B2P9	Lenovo 0.5m LC-LC OM4 MMF Cable	16 or 12
4Z57A10846	B2PA	Lenovo 1m LC-LC OM4 MMF Cable	16 or 12
4Z57A10847	B2PB	Lenovo 3m LC-LC OM4 MMF Cable	16 or 12
4Z57A10848	B2PC	Lenovo 5m LC-LC OM4 MMF Cable	16 or 12
4Z57A10849	B2PD	Lenovo 10m LC-LC OM4 MMF Cable	16 or 12
4Z57A10850	B2PE	Lenovo 15m LC-LC OM4 MMF Cable	16 or 12
4Z57A10851	B2PF	Lenovo 25m LC-LC OM4 MMF Cable	16 or 12
4Z57A10852	B2PG	Lenovo 30m LC-LC OM4 MMF Cable	16 or 12
OM4 cables fo	or 100 GbE	QSFP28 transceivers	
7Z57A03567	AV25	Lenovo 5m MPO-MPO OM4 MMF Cable	8 or 6
7Z57A03568	AV26	Lenovo 7m MPO-MPO OM4 MMF Cable	8 or 6
7Z57A03569	AV27	Lenovo 10m MPO-MPO OM4 MMF Cable	8 or 6
7Z57A03570	AV28	Lenovo 15m MPO-MPO OM4 MMF Cable	8 or 6
7Z57A03571	AV29	Lenovo 20m MPO-MPO OM4 MMF Cable	8 or 6
7Z57A03572	AV2A	Lenovo 30m MPO-MPO OM4 MMF Cable	8 or 6
25Gb SR SFP	28 ethernet	transceivers	
4TC7A94751	C4K4	Lenovo 25G SR SFP28 Amphenol Ethernet Transceiver	16 or 12
UTP Category	6 cables fo	or 1/10 GbE RJ-45 adapter cards and 1 GbE RJ-45 management ports	
00WE123	AVFW	0.75m Green Cat6 Cable	13
00WE127	AVFX	1.0m Green Cat6 Cable	13
00WE131	AVFY	1.25m Green Cat6 Cable	13
00WE135	AVFZ	1.5m Green Cat6 Cable	13
00WE139	AVG0	3m Green Cat6 Cable	13

Expansion enclosures

The ThinkSystem DMx200F supports attachment of ThinkSystem DM242N 2U24 expansions. The expansion enclosure can be added to the system non-disruptively.

Note: Only two DM242N expansion units are supported via direct attach. More than 2x expansion units require a storage switch (SN2100, Cisco C9336C-FX2). A switch can be used to connect from one up to the maximum number of supported expansions. If a switch is used all expansions will be connected through the switch.

The following table lists the CTO base models for the ThinkSystem DM Series expansion enclosures.

Table 6. CTO base models for the ThinkSystem DM Series expansion enclosures

Description	Machine Type/Model	Feature code
Lenovo ThinkSystem DM242N 2U24 NVMe Expansion Enclosure (with 2x PSUs)	7DJ8CTO1WW	C496

The ThinkSystem DM242N expansion enclosure ships with two NVMe I/O expansion modules. Each NVMe I/O expansion module provides two external 100 GbE QSFP28 ports (labeled Ports A and B) that are used for direct-attach connections to the DMxx00F enclosure.

ThinkSystem DM3200F, DM5200F and DM7200F enclosures support the following expansions:

- DM3200F direct connected 1x DM242N 48 NVMe SSDs
- DM5200F direct connected 2x DM242N 72 NVMe SSDs
- DM7200F direct connected 2x DM242N 72 NVMe SSDs (Switch connected: 4x DM242N 120 NVMe SSDs)

Configuration notes:

- 100GbE adapter (C4W5) required to support DM242N expansion.
- For example to attach 1x DM242N, requires four 100G QSFP28 DAC cables per expansion for directly connecting the expansion to the base enclosure (two from each controller).

The models of the ThinkSystem DM242N ship with the following items:

- One chassis with the following components:
 - Two NVMe I/O modules
 - Two power supplies
- Rack Mount Kit
- Publications Flyer
- Two customer-configured power cables
- Four customer-configured 100G QSFP28 Passive DAC cables

The following table lists ordering information for the NVMe expansion enclosure connectivity options.

Table 7. NVMe expansion enclosure connectivity options

Part number	Feature code	Description	Required quantity
7Z57A03561	AV1Z	Lenovo 1m Passive 100G QSFP28 DAC Cable	4
7Z57A03562	AV20	Lenovo 3m Passive 100G QSFP28 DAC Cable	4
7Z57A03563	AV21	Lenovo 5m Passive 100G QSFP28 DAC Cable	4

Drives

The ThinkSystem DMx200F base enclosure and DM242N expansion enclosures each support up to 24 SFF hot-swap drives, in packs of 2 drives.

- All non-FIPS drives are Self-Encrypting Drives (SED)
- FIPS and non-FIPS drives CAN NOT be mixed in the same system
- All systems require a minimum of 8-drives (4-drive packs)
- For factory-installed drive packs, all drives in the enclosure must be of the same type and capacity
- Expansion enclosures require a minimum of 4-drives (2-drive packs)

The following table lists supported drive packs for the controller and expansion enclosures.

Table 8. Two drive option feature codes

Drive Pack (2 drives each)	Feature code	Max Qty
SED drives		
Lenovo ThinkSystem 3.84TB (2x 1.9TB NVMe SED) Drive Pack	C3XP	12
Lenovo ThinkSystem 7.68TB (2x 3.84TB NVMe SED) Drive Pack	C3XN	12
Lenovo ThinkSystem 15.4TB (2x 7.68TB NVMe SED) Drive Pack	C3XL	12
Lenovo ThinkSystem 30.7TB (2x 15.36TB NVMe SED) Drive Pack	C3XK	12
SED FIPS drives		
Lenovo ThinkSystem 7.68TB (2x 3.84TB NVMe SED FIPS) Drive Pack	C3XM	12

Software

In this section:

- Feature bundles
- ONTAP software versions
- Ansible playbooks for DG/DM Series

ONTAP software unifies data management across flash, disk, and cloud to simplify the Lenovo DM storage environment. It builds the foundation for a Data Fabric, making it easy to move the data where it is needed across flash, disk, and cloud resources.

Feature bundles

Controller software for the DM5100F is available in the following bundles of features:

- Unified Essentials (Feature BWU9)
- Unified Complete (Feature BWU8)

The following table summarizes the features in each bundle for the DM3200F, DM5200F and DM7200F.

Table 9. Software selection

Feature	Unified Essentials (WW)	Unified Complete (WW)
Controller software feature code	BWU9	BWU8
RAID-4, RAID-DP, and RAID-TEC data protection	Included	Included
SAN (Block access): iSCSI, FC, NVMe/FC	Included	Included
NAS (File access): NFS, CIFS/SMB	Included	Included
All Flash Array (AFA) capability	Included	Included
Thin provisioning	Included	Included
Compression	Included	Included
Compaction	Included	Included
Deduplication	Included	Included
Snapshots	Included	Included
Encryption*	Included*	Included*
Balanced placement	Included	Included
Dynamic capacity expansion	Included	Included
Adaptive Quality of Service	Included	Included
SnapRestore	Included	Included
FlexClone	Included	Included
FlexVol	Included	Included
FlexCache	Included	Included
SyncMirror data protection	Included	Included
Trusted Platform Module (TPM) support	Included†	Included †
MetroCluster IP	Included	Included
NVMe over FC Protocol	Included	Included
NVMe over TCP Protocol	Included	Included
FlexGroup	Included	Included
ONTAP S3	Included	Included
ONTAP S3 SnapMirror	No	Included
SnapLock data protection	No	Included
Multitenant Key Magement	No	Included
Autonomous Ransomware Protection (ARP)(NAS only feature)	No	Included
SnapMirror Cloud	No	Included
SnapMirror Active Synch	No	Included
SnapMirror asynchronous replication	No	Included
SnapMirror synchronous replication	No	Included
SnapVault disk-based storage backup	No	Included
SnapCenter	No	Included
FabricPool object storage tiering	Optional	Optional

^{*} Requires the encryption version of ONTAP. See the ONTAP software section

The features are summarized as follows:

• RAID-4, RAID-DP, and RAID-TEC data protection : Provides the flexibility to choose the level of data

[†] Not available in PRC

protection required and helps improve performance and availability with built-in spare capacity and by distributing data across all physical drives in the aggregate, sustaining to up to one (RAID-4), two (RAID-DP), or three (RAID-TEC) concurrent drive failures.

- All Flash Array (AFA) capability: Meets the demand for higher speed, lower latency storage and provides higher IOPS and bandwidth with lower power usage and total cost of ownership than hybrid or HDD-based solutions.
- Thin provisioning: Optimizes efficiency by allocating storage space based on the minimum space required by each application at any given time, so that applications consume only the space they are actually using, not the total space that has been allocated to them, which allows customers to purchase storage they need today and add more as application requirements grow.
- **Compression:** Provides transparent inline and post-process data compression to reduce the amount of storage that customers need to purchase and manage.
- **Compaction:** Enhances compression to further reduce the amount of storage that customers need to purchase and manage.
- **Deduplication:** Performs general-purpose deduplication for removal of redundant data to reduce the amount of storage that customers need to purchase and manage.
- **Snapshots**: Enables creation of read-only copies of data for backup, parallel processing, testing, and development, and have the copies available almost immediately.
- **Encryption**: Provides software-based encryption for data at rest for enhanced data security with the traditional drives and embedded key management (requires the encryption-capable version of the ONTAP software).
- **Balanced placement:** Provides automated workload distribution across the cluster to help increase utilization and performance.
- **Dynamic capacity expansion:** Allows the capacity of a volume or aggregate to be expanded by adding new physical drives.
- Adaptive Quality of Service: Simplifies operations and maintains consistent workload performance by defining QoS policies and automatically adjusting storage resources to respond to workload changes.
- **SnapRestore:** Enables quick recovery of data by reverting a local volume or file to its previous state from a particular snapshot copy stored on the file system.
- FlexClone: References snapshot metadata to create writable point-in-time copies of a volume.
- **FlexVol**: Provides abstraction layer between the logical volume and its physical location in the storage array.
- FlexCache: Speeds up access to data and offloads traffic from heavily accessed volumes for readintensive workloads by placing frequently used data in cache locally or remotely (closer to the point of
 client access) and serving the data to the clients directly from cache without accessing the data
 source.
- **SnapMirror asynchronous replication:** Provides storage system-based data replication between the storage systems containing source (local) and destination (remote) volumes by using asynchronous (at specified regular intervals) data transfers over IP communication links.
- **SyncMirror data protection:** Adds extra level of data protection and availability by mirroring a pair of RAID aggregates.
- Trusted Platform Module (TPM): For encryption enabled systems. The encryption keys for the onboard key manager (OKM) are no longer stored in the boot device, but instead are stored in the physical TPM for systems so equipped, offering greater security and protection. Moving to the TPM is a nondisruptive process.
- MetroCluster IP: Provides storage system-based clustering with online, real-time data mirroring
 between the local and remote sites by using synchronous data transfers over IP communication links to
 deliver continuous availability with zero RPO and near-zero RTO. All storage systems in a MetroCluster
 IP configuration must be of the same model. New to ONTAP 9.11: MetroCluster with Storage Virtual
 Machine Disaster Recovery (SVM-DR) can now use a third site for the SVM-DR

- NVMe over FC Protocol: Enables NVMe over FC
- NVMe over TCP Protocol: Enables NVMe over TCP
- **Data Protection Optimized (DPO)**: Increases the amount of concurrent SnapMirror sessions per node, as well as improving SnapMirror performance to the cluster.
- **SnapMirror Active Synch:** Non-disruptive failover active-active cross site clusters. Based on existing SnapMirror Synchronous Replication. Offers Zero data loss, zero downtime. You do not have to failover the application. If there is a failure the application will continue to run and there will be no need to restart.
- SnapMirror synchronous replication: Provides storage system-based data replication between the storage systems containing source (local) and destination (remote) volumes by using synchronous (as soon as the data is written to the source volume)
- FlexGroup: Enables a single volume to span across multiple clustered storage arrays to maximize storage capacity and automate load distribution. New to ONTAP 9.11: FlexGroups can now be created as SnapLock volumes.
- SnapVault disk-based storage backup: Enables data stored on multiple systems to be backed up to a central, secondary system quickly and efficiently as read-only snapshot copies.
- **SnapCenter:** Provides application- and virtual machine-aware backup and restoration of data by using the Snapshots technology and leverages the SnapMirror capabilities of storage systems to provide onsite or offsite backup set mirroring for disaster recovery.
- ONTAP S3: Expands the DM Series unified story and allows customers to manage, block, file, and
 object data from one interface. Customers can now natively store data in S3 buckets onboard the DM
 Series.
- ONTAP S3 SnapMirror: Enables you to protect buckets in ONTAP S3 object stores using familiar SnapMirror mirroring and backup functionality. Requires ONTAP 9.11 or later on both source and destination clusters. Requires the Unified Premium Bundle.
- SnapMirror Cloud: A backup and recovery technology designed for ONTAP users who want to
 transition their data protection workflows to the cloud. SnapMirror Cloud is an extension to the family of
 SnapMirror replication technologies. While SnapMirror is frequently used for ONTAP-to-ONTAP
 backups, SnapMirror Cloud uses the same replication engine to transfer Snapshot copies for ONTAP
 to S3-compliant object storage backups.
- Multitenant Key Management (MTKM): Provides the ability for individual tenants or storage virtual
 machines (SVMs) to maintain their own keys through KMIP for NVE. With multitenant external key
 management, you can centralize your organization's key management functions by department or
 tenant while inherently confirming that keys are not stored near the assets. This approach decreases
 the possibility of compromise.
- Autonomous Ransomware Protection (ARP): Uses workload analysis in NAS (NFS and SMB)
 environments to proactively detect and warn about abnormal activity that might indicate a ransomware
 attack. When an attack is suspected, anti-ransomware also creates new Snapshot backups, in addition
 to existing protection from scheduled Snapshot copies. New to ONTAP 9.11: Optional multi-admin
 verification to approve administration functions that could result in data loss.
- **FabricPool**: FabricPool is a hybrid storage solution that uses an all flash (all SSD) aggregate as the performance tier and an object store as the external capacity tier. Data in a FabricPool is stored in a tier based on whether it is frequently accessed or not. Using a FabricPool helps you reduce storage cost without compromising performance, efficiency, or protection.
- No license is required when tiering to StorageGRID or ONTAP S3.
- SnapLock data protection: Creates Write-Once-Read-Many (WORM) non-rewritable, non-erasable
 data on hard disk drives to prevent files from being altered or deleted until a predetermined or default
 retention date.

ONTAP software versions

The following table lists the software selection options for the DM3200F, DM5200F and DM7200F. The table also indicates which markets each version is available in.

Table 10. Software selection

Feature code	e code Description	
C4AG	Lenovo ThinkSystem Storage ONTAP 9.16 Software Encryption - IPAv2	All markets
C4AH	Lenovo ThinkSystem Storage ONTAP 9.16 Software NonEncryption - IPAv2	All markets

Software maintenance is included in the DM3200F, DM5200F and DM7200F warranty and support (see Warranty and support for details).

Ansible playbooks for DM/DG Series

Ansible Playbooks give customers the ability to quickly deploy and use DM/DG Series storage systems using a standard open source deployment tool. Each playbook executes a set of tasks to achieve a configuration/provisioning goal.

Lenovo has created playbooks that can be used with DM/DG Series storage systems to help with:

- Provisioning
- Configuring

To access the Ansible Playbooks for Lenovo ThinkSystem DM/DG Series storage systems, go to the following page:

https://github.com/lenovo/ansible-dm-series-ontap

Management

The ThinkSystem DM3200F, DM5200F and DM7200F support the following management interfaces:

- Lenovo ThinkSystem Storage Manager, a web-based interface via HTTPS for single-system management or centralized management of the cluster of systems, that runs on the storage system itself and requires only a supported browser (Microsoft Internet Explorer, Google Chrome, or Mozilla Firefox), so there is no need for a separate console or plug-in.
- Command line interface (CLI) via SSH or through serial console.
- Syslog, SNMP, and e-mail notifications.
- Optional Lenovo XClarity for discovery, inventory, monitoring, and alerts.

Power supplies and cables

The ThinkSystem DM3200F, DM5200F, DM7200F base enclosures and DM242N 2U24 SFF expansion enclosures ship with two redundant hot-swap 1600 W (200-240 V) Platinum AC power supplies, each with an IEC 320-C14 connector.

Each ThinkSystem DM Series enclosure requires the selection of two power cables.

Note: A 110V power source is only supported on the DM3200F. Included power supply is auto-sensing.

Rack installation

The individually shipped ThinkSystem DM3200F, DM5200F or DM7200F and DM242N enclosures come with the ThinkSystem Storage Rack Mount Kit 2U24/4U60 listed in the following table.

Table 11. 4-post rack mount kit

Feature code	Description	Quantity
B6Y6	Lenovo ThinkSystem NVMe Rail Kit 4 post	1

When the ThinkSystem DM Series enclosures are factory-integrated and shipped installed in a rack cabinet, the rack mount kits that support Ship-in-Rack (SIR) capabilities are derived by the configurator. The SIR-capable rack mount kits are listed in the following table.

Table 12. 4-post SIR rack mount kits

Feature code	Description	Quantity
B6Y7	ThinkSystem NVMe Adjustable Rail Kit	1

The following table summarizes the rack mount kit features and specifications.

Table 13. Rack mount kit features and specifications summary

	Screw-in fixed rail with adjustable depth		
Attribute	2U24 NVMe	2U24 NVMe SIR	
Feature code	B6Y6	B6Y7	
Enclosure support	DMxx00F, DM242N	DMxx00F, DM242N	
Rail type	Fixed (static) with adjustable depth	Fixed (static) with adjustable depth	
Tool-less installation	No	No	
In-rack maintenance	Yes*	Yes*	
Ship-in-rack (SIR) support	No	Yes	
1U PDU support	Yes	Yes	
0U PDU support	Limited**	Limited**	
Rack type	IBM or Lenovo 4-post, IEC standard-compliant	IBM or Lenovo 4-post, IEC standard-compliant	
Mounting holes	Square or round	Square or round	
Mounting flange thickness	2.0 - 3.3 mm (0.08 - 0.13 in.)	2.0 - 3.3 mm (0.08 - 0.13 in.)	
Distance between front and rear mounting flanges^	605 - 813 mm (23.8 - 32 in.)	605 - 813 mm (23.8 - 32 in.)	

^{*} The majority of the enclosure components can be serviced from the front or rear of the enclosure, which does not require the removal of the enclosure from the rack cabinet.

^{**} If a 0U PDU is used, the rack cabinet must be at least 1000 mm (39.37 in.) deep for 2U24 enclosures.

[^] Measured when mounted on the rack, from the front surface of the front mounting flange to the rear most point of the rail.

Physical specifications

The ThinkSystem DMxx00F controller enclosure has the following dimensions and weight:

- Height: 87 mm (3.4 in.)
- Width with flange: 483 mm (19 in.)
- Width without flange: 447 mm (17.6 in.)
- Depth: 560 mm (21.4 in.)
- Weight (fully configured): 27.5 kg (60.7 lb)

The ThinkSystem DM242N 2U24 SFF enclosure has the following dimensions and weight:

- Height: 87 mm (3.4 in.)
- Width with flange: 483 mm (19 in.)
- Width without flange: 447 mm (17.6 in.)
- Depth: 543 mm (21.4 in.)
- Weight (fully configured): 30.2 kg (66.6 lb)

Operating environment

The ThinkSystem DMxx00F and DM242N 2U24 SFF enclosures are supported in the following environment:

- · Air temperature:
 - Operating: 10 to 35 °C (50 to 95 °F)
 - Non-operating: -40 °C to +70 °C (-40 °F to 158 °F)
 - Maximum altitude: 3050 m (10,000 ft)
- · Relative humidity:
 - Operating: 8% to 80% (non-condensing)
 - Non-operating: 10% to 95% (non-condensing)
- · Electrical power:
 - o DM3200F:
 - Also supports 100 to 120 (nominal) V AC; 50 Hz or 60 Hz; 6.43 A
 - DMxx00F:
 - 200 to 240 (nominal) V AC; 50 Hz or 60 Hz; 5.40 A
 - Power load = 1079W (maximum), 826.9W (typical)
 - DM242N:
 - 100 to 127 (nominal) V AC; 50 Hz or 60 Hz; 4.11 A
 - 200 to 240 (nominal) V AC; 50 Hz or 60 Hz; 2.05 A
 - Maximum system power load: 390 W
- · Heat dissipation:
 - DMx200F: 3682.79 BTU/Hr (maximum), 2822.13 BUT/Hr (typical)
 - o DM242N: 1331 BTU/hour
- · Acoustical noise emission:
 - o DMxx00F: 7.2 bels
 - o DM242N: 6.4 bels

Warranty upgrades and post-warranty support

The DM3200F, DM5200F and DM7200F and expansion enclosure have a 3-year warranty based on the machine type of the system:

- DM3200F controller enclosure: 7DJ0 (3-year warranty)
- DM5200F controller enclosure: 7DJ2 (3-year warranty)
- DM7200Fcontroller enclosure: 7DJ3 (3-year warranty)
- DM242N expansion enclosure: 7DJ8 (3-year warranty)

Our global network of regional support centers offers consistent, local-language support enabling you to vary response times and level of service to match the criticality of your support needs:

- Standard Next Business Day Best choice for non-essential systems requiring simple maintenance.
- **Premier Next Business Day** Best choice for essential systems requiring technical expertise from senior-level Lenovo engineers.
- Premier 24x7 4-Hour Response Best choice for systems where maximum uptime is critical.
- Premier Enhanced Storage Support 24x7 4-Hour Response Best choice for storage systems where maximum uptime is critical.

For more information, consult the brochure Lenovo Operational Support Services for Data Centers Services.

Services

Lenovo Data Center Services empower you at every stage of your IT lifecycle. From expert advisory and strategic planning to seamless deployment and ongoing support, we ensure your infrastructure is built for success. Our comprehensive services accelerate time to value, minimize downtime, and free your IT staff to focus on driving innovation and business growth.

Note: Some service options may not be available in all markets or regions. For more information, go to https://lenovolocator.com/. For information about Lenovo service upgrade offerings that are available in your region, contact your local Lenovo sales representative or business partner.

In this section:

- Lenovo Advisory Services
- Lenovo Plan & Design Services
- Lenovo Deployment, Migration, and Configuration Services
- Lenovo Support Services
- Lenovo Managed Services
- Lenovo Sustainability Services

Lenovo Advisory Services

Lenovo Advisory Services simplify the planning process, enabling customers to build future-proofed strategies in as little as six weeks. Consultants provide guidance on projects including VM migration, storage, backup and recovery, and cost management to accelerate time to value, improve cost efficiency, and build a flexibly scalable foundation.

Assessment Services

An Assessment helps solve your IT challenges through an onsite, multi-day session with a Lenovo technology expert. We perform a tools-based assessment which provides a comprehensive and thorough review of a company's environment and technology systems. In addition to the technology based functional requirements, the consultant also discusses and records the non-functional business requirements, challenges, and constraints. Assessments help organizations like yours, no matter how large or small, get a better return on your IT investment and overcome challenges in the ever-changing technology landscape.

• Design Services

Professional Services consultants perform infrastructure design and implementation planning to support your strategy. The high-level architectures provided by the assessment service are turned into low level designs and wiring diagrams, which are reviewed and approved prior to implementation. The implementation plan will demonstrate an outcome-based proposal to provide business capabilities through infrastructure with a risk-mitigated project plan.

Lenovo Plan & Design Services

Unlock faster time to market with our tailored, strategic design workshops to align solution approaches with your business goals and technical requirements. Leverage our deep solution expertise and end-to-end delivery partnership to meet your goals efficiently and effectively.

Lenovo Deployment, Migration, and Configuration Services

Optimize your IT operations by shifting labor-intensive functions to Lenovo's skilled technicians for seamless on-site or remote deployment, configuration, and migration. Enjoy peace of mind, faster time to value, and comprehensive knowledge sharing with your IT staff, backed by our best-practice methodology.

Deployment Services for Storage and ThinkAgile

A comprehensive range of remote and onsite options tailored specifically for your business needs to ensure your storage and ThinkAgile hardware are fully operational from the start.

Hardware Installation Services

A full-range, comprehensive setup for your hardware, including unpacking, inspecting, and positioning components to ensure your equipment is operational and error-free for the most seamless and efficient installation experience, so you can quickly benefit from your investments.

DM/DG File Migration Services

Take the burden of file migration from your IT's shoulders. Our experts will align your requirements and business objectives to the migration plans while coordinating with your team to plan and safely execute the data migration to your storage platforms.

• DM/DG/DE Health Check Services

Our experts perform proactive checks of your Firmware and system health to ensure your machines are operating at peak and optimal efficiency to maximize up-time, avoid system failures, ensure the security of IT solutions and simplify maintenance.

• Factory Integrated Services

A suite of value-added offerings provided during the manufacturing phase of a server or storage system that reduces time to value. These services aim at improving your hardware deployment experience and enhance the quality of a standard configuration before it arrives at your facility.

Lenovo Support Services

In addition to response time options for hardware parts, repairs, and labor, Lenovo offers a wide array of additional support services to ensure your business is positioned for success and longevity. Our goal is to reduce your capital outlays, mitigate your IT risks, and accelerate your time to productivity.

Premier Support for Data Centers

Your direct line to the solution that promises the best, most comprehensive level of support to help you fully unlock the potential of your data center.

Premier Enhanced Storage Support (PESS)

Gain all the benefits of Premier Support for Data Centers, adding dedicated storage specialists and resources to elevate your storage support experience to the next level.

• Committed Service Repair (CSR)

Our commitment to ensuring the fastest, most seamless resolution times for mission-critical systems that require immediate attention to ensure minimal downtime and risk for your business. This service is only available for machines under the Premier 4-Hour Response SLA.

• Multivendor Support Services (MVS)

Your single point of accountability for resolution support across vast range of leading Server, Storage, and Networking OEMs, allowing you to manage all your supported infrastructure devices seamlessly from a single source.

• Keep Your Drive (KYD)

Protect sensitive data and maintain compliance with corporate retention and disposal policies to ensure your data is always under your control, regardless of the number of drives that are installed in your Lenovo server.

Technical Account Manager (TAM)

Your single point of contact to expedite service requests, provide status updates, and furnish reports to track incidents over time, ensuring smooth operations and optimized performance as your business grows.

• Enterprise Software Support (ESS)

Gain comprehensive, single-source, and global support for a wide range of server operating systems and Microsoft server applications.

For more information, consult the brochure Lenovo Operational Support Services for Data Centers.

Lenovo Managed Services

Achieve peak efficiency, high security, and minimal disruption with Lenovo's always-on Managed Services. Our real-time monitoring, 24x7 incident response, and problem resolution ensure your infrastructure operates seamlessly. With quarterly health checks for ongoing optimization and innovation, Lenovo's remote active monitoring boosts end-user experience and productivity by keeping your data center's hardware performing at its best.

Lenovo Managed Services provides continuous 24x7 remote monitoring (plus 24x7 call center availability) and proactive management of your data center using state-of-the-art tools, systems, and practices by a team of highly skilled and experienced Lenovo services professionals.

Quarterly reviews check error logs, verify firmware & OS device driver levels, and software as needed. We'll also maintain records of latest patches, critical updates, and firmware levels, to ensure you systems are providing business value through optimized performance.

Lenovo Sustainability Services

Asset Recovery Services

Lenovo Asset Recovery Services (ARS) provides a secure, seamless solution for managing end-of-life IT assets, ensuring data is safely sanitized while contributing to a more circular IT lifecycle. By maximizing the reuse or responsible recycling of devices, ARS helps businesses meet sustainability goals while recovering potential value from their retired equipment. For more information, see the Asset Recovery Services offering page.

CO2 Offset Services

Lenovo's CO2 Offset Services offer a simple and transparent way for businesses to take tangible action on their IT footprint. By integrating CO2 offsets directly into device purchases, customers can easily support verified climate projects and track their contributions, making meaningful progress toward their sustainability goals without added complexity.

Lenovo Certified Refurbished

Lenovo Certified Refurbished offers a cost-effective way to support IT circularity without compromising on quality and performance. Each device undergoes rigorous testing and certification, ensuring reliable performance and extending its lifecycle. With Lenovo's trusted certification, you gain peace of mind while making a more sustainable IT choice.

Lenovo TruScale

Lenovo TruScale XaaS is your set of flexible IT services that makes everything easier. Streamline IT procurement, simplify infrastructure and device management, and pay only for what you use – so your business is free to grow and go anywhere.

Lenovo TruScale is the unified solution that gives you simplified access to:

- The industry's broadest portfolio from pocket to cloud all delivered as a service
- · A single-contract framework for full visibility and accountability
- The global scale to rapidly and securely build teams from anywhere
- Flexible fixed and metered pay-as-you-go models with minimal upfront cost
- The growth-driving combination of hardware, software, infrastructure, and solutions all from one single provider with one point of accountability.

For information about Lenovo TruScale offerings that are available in your region, contact your local Lenovo sales representative or business partner.

Regulatory compliance

The ThinkSystem DM Series enclosures conform to the following regulations:

- United States: FCC Part 15, Class A; UL 60950-1
- Canada: ICES-003, Class A; CAN/CSA-C22.2 60950-1
- Mexico NOM
- European Union: CE Mark (EN55032 Class A, EN55024, IEC/EN60950-1); ROHS Directive 2011/65/EU
- Russia, Kazakhstan, Belarus: EAC
- China: CCC GB 4943.1, GB 17625.1, GB 9254 Class A; CELP; CECP
- Japan: VCCI, Class A
- Taiwan: BSMI CNS 13438, Class A; CNS 14336-1
- Korea KN32/35, Class A
- Australia/New Zealand: AS/NZS CISPR 22 Class A

Interoperability

Lenovo provides end-to-end storage compatibility testing to deliver interoperability throughout the network. The ThinkSystem DMxx00F Unified Flash Storage Array supports attachment to Lenovo servers by using NVMe over Fibre Channel (NVMe/FC), NAS (NFS and CIFS/SMB), iSCSI, and Fibre Channel storage connectivity.

For end-to-end storage configuration support, refer to the Lenovo Storage Interoperation Center (LSIC): https://datacentersupport.lenovo.com/us/en/lsic

Use the LSIC to select the known components of your configuration and then get a list all other supported combinations, with details about supported hardware, firmware, operating systems, and drivers, plus any additional configuration notes. View results on screen or export them to Excel.

Cluster interconnect

The following Ethernet storage switch can be used with the ThinkSystem DM3200F, DM5200F and DM7200F for cluster interconnect configurations.

- Cisco 9336C-FX2 (preferred switch)
- BES-53248 (withdrawn; still supported for existing installations)
- NVIDIA SN2100 (withdrawn; still supported for existing installations)

For more information, see the following

- Cisco Nexus 9300 Series Network Switches Product Guide: https://lenovopress.lenovo.com/lp2034-cisco-nexus-9300-series-network-switches
- NVIDIA SN2100 16-port 100Gb Ethernet Storage Switch Article: https://lenovopress.lenovo.com/lp1756-nvidia-sn2100-100gb-ethernet-storage-switch
- BES-53248 Ethernet Storage Switch: https://lenovopress.lenovo.com/lp1226-bes-53248-ethernet-storage-switch-lenovo

Fibre Channel SAN switches

Lenovo offers the ThinkSystem DB Series of Fibre Channel SAN switches for high-performance storage expansion. See the DB Series product guides for models and configuration options:

 ThinkSystem DB Series SAN Switches: https://lenovopress.com/storage/switches/rack#rt=product-guide

Rack cabinets

The following table lists the supported rack cabinets.

Table 15. Rack cabinets (D)

Model	Description
7D6DA007WW	ThinkSystem 42U Onyx Primary Heavy Duty Rack Cabinet (1200mm)
7D6DA008WW	ThinkSystem 42U Pearl Primary Heavy Duty Rack Cabinet (1200mm)
7D6EA009WW	ThinkSystem 48U Onyx Primary Heavy Duty Rack Cabinet (1200mm)
7D6EA00AWW	ThinkSystem 48U Pearl Primary Heavy Duty Rack Cabinet (1200mm)
93074RX	42U Standard Rack (1000mm)
93604PX	42U 1200mm Deep Dynamic Rack
93614PX	42U 1200mm Deep Static Rack
93634PX	42U 1100mm Dynamic Rack
93634EX	42U 1100mm Dynamic Expansion Rack

For specifications about these racks, see the Lenovo Rack Cabinet Reference, available from: https://lenovopress.com/lp1287-lenovo-rack-cabinet-reference

For more information, see the list of Product Guides in the Rack cabinets category: https://lenovopress.com/servers/options/racks

Power distribution units

The following table lists the power distribution units (PDUs) that are offered by Lenovo.

Table 16. Power distribution units

Part number	Feature code	Description	ANZ	ASEAN	Brazil	EET	MEA	RUCIS	WE	HTK	INDIA	JAPAN	4	NA	PRC
0U Basic PDUs															
4PU7A93176	C0QH	0U 36 C13 and 6 C19 Basic 32A 1 Phase PDU v2	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Ζ	Υ	Υ	4
4PU7A93177	C0QJ	0U 24 C13/C15 and 24 C13/C15/C19 Basic 32A 3 Phase WYE PDU v2	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Y
0U Switched	and Moni	tored PDUs													
4PU7A93181	C0QN	0U 21 C13/C15 and 21 C13/C15/C19 Switched and Monitored 48A 3 Phase Delta PDU v2 (60A derated)	N	Y	N	Z	N	N	N	Y	N	Y	Z	Y	N
4PU7A93178	C0QK	0U 20 C13 and 4 C19 Switched and Monitored 32A 1 Phase PDU v2	Υ	Υ	Υ	Y	Υ	Υ	Υ	Υ	Υ	Ζ	Υ	~	~
4PU7A93171	C0D8	0U 20 C13 and 4 C19 Switched and Monitored 32A 1 Phase PDU	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	N	Υ	Υ	Υ
4PU7A93182	C0QP	0U 18 C13/C15 and 18 C13/C15/C19 Switched and Monitored 63A 3 Phase WYE PDU v2	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ
4PU7A93175	C0CS	0U 18 C13/C15 and 18 C13/C15/C19 Switched and Monitored 63A 3 Phase WYE PDU	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Ν	Υ	Υ	Υ
4PU7A93180	C0QM	0U 18 C13/C15 and 18 C13/C15/C19 Switched and Monitored 32A 3 Phase WYE PDU v2	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ
4PU7A93179	C0QL	0U 16 C13/C15 and 16 C13/C15/C19 Switched and Monitored 24A 1 Phase PDU v2 (30A derated)	N	Υ	N	N	N	N	N	Υ	N	Y	Ζ	Y	Ζ
1U Switched	and Moni	tored PDUs													
4PU7A90808	C0D4	1U 18 C19/C13 Switched and monitored 48A 3P WYE PDU V2 ETL	N	N	N	N	N	N	N	Υ	N	Υ	Υ	Υ	Ν
4PU7A81117	BNDV	1U 18 C19/C13 switched and monitored 48A 3P WYE PDU - ETL	N	N	N	Ν	N	N	N	N	N	Ν	Ν	Υ	Ν
4PU7A90809	C0DE	1U 18 C19/C13 Switched and monitored 48A 3P WYE PDU V2 CE	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Ζ	Υ
4PU7A90810	CODD	1U 18 C19/C13 Switched and monitored 80A 3P Delta PDU V2	N	N	N	N	N	N	N	Y	N	Υ	Υ	Υ	N
4PU7A90811	C0DC	1U 12 C19/C13 Switched and monitored 32A 3P WYE PDU V2	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ
4PU7A90812	C0DB	1U 12 C19/C13 Switched and monitored 60A 3P Delta PDU V2	N	N	N	N	N	N	N	Y	N	Υ	Υ	Υ	Ν
Line cords for 1U PDUs that ship without a line cord															
40K9611	6504	4.3m, 32A/380-415V, EPDU/IEC 309 3P+N+G 3ph wye (non-US) Line Cord	Y	Υ	Υ	Y	Y	Υ	Υ	Y	Υ	Υ	Υ	Υ	Y
40K9612	6502	4.3m, 32A/230V, EPDU to IEC 309 P+N+G (non-US) Line Cord	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Y	Υ	Υ	Υ	Υ	Υ

Part number	Feature code	Description	ANZ	ASEAN	Brazil	EET	MEA	RUCIS	WE	HTK	INDIA	JAPAN	LA	NA	PRC
40K9613	6503	4.3m, 63A/230V, EPDU to IEC 309 P+N+G (non-US) Line Cord	Υ	Υ	Υ	Υ	Υ	Υ	Y	Υ	Υ	Υ	Υ	Υ	Υ
40K9614	6500	4.3m, 30A/208V, EPDU to NEMA L6-30P (US) Line Cord	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ
40K9615	6501	4.3m, 60A/208V, EPDU to IEC 309 2P+G (US) Line Cord	N	N	Υ	N	Ζ	Ζ	Y	Ν	Z	Υ	Y	Υ	N

For more information, see the Lenovo Press documents in the PDU category: https://lenovopress.com/servers/options/pdu

Uninterruptible power supply units

The following table lists the uninterruptible power supply (UPS) units that are offered by Lenovo.

Table 17. Uninterruptible power supply units

Part number	Description						
Rack-mounted or tower UPS units - 100-125VAC							
7DD5A001WW	7DD5A001WW RT1.5kVA 2U Rack or Tower UPS-G2 (100-125VAC)						
7DD5A003WW	RT3kVA 2U Rack or Tower UPS-G2 (100-125VAC)						
Rack-mounted or tower UPS units - 200-240VAC							
7DD5A002WW	RT1.5kVA 2U Rack or Tower UPS-G2 (200-240VAC)						
7DD5A005WW	RT3kVA 2U Rack or Tower UPS-G2 (200-240VAC)						
7DD5A007WW	RT5kVA 3U Rack or Tower UPS-G2 (200-240VAC)						
7DD5A008WW	RT6kVA 3U Rack or Tower UPS-G2 (200-240VAC)						
7DD5A00AWW	DD5A00AWW RT11kVA 6U Rack or Tower UPS-G2 (200-240VAC)						

[†] Only available in China and the Asia Pacific market.

For more information, see the list of Product Guides in the UPS category: https://lenovopress.com/servers/options/ups

Lenovo Financial Services

Why wait to obtain the technology you need now? No payments for 90 days and predictable, low monthly payments make it easy to budget for your Lenovo solution.

Flexible

Our in-depth knowledge of the products, services and various market segments allows us to offer greater flexibility in structures, documentation and end of lease options.

• 100% Solution Financing

Financing your entire solution including hardware, software, and services, ensures more predictability in your project planning with fixed, manageable payments and low monthly payments.

Device as a Service (DaaS)

Leverage latest technology to advance your business. Customized solutions aligned to your needs. Flexibility to add equipment to support growth. Protect your technology with Lenovo's Premier Support service.

• 24/7 Asset management

Manage your financed solutions with electronic access to your lease documents, payment histories, invoices and asset information.

• Fair Market Value (FMV) and \$1 Purchase Option Leases

Maximize your purchasing power with our lowest cost option. An FMV lease offers lower monthly payments than loans or lease-to-own financing. Think of an FMV lease as a rental. You have the flexibility at the end of the lease term to return the equipment, continue leasing it, or purchase it for the fair market value. In a \$1 Out Purchase Option lease, you own the equipment. It is a good option when you are confident you will use the equipment for an extended period beyond the finance term. Both lease types have merits depending on your needs. We can help you determine which option will best meet your technological and budgetary goals.

Ask your Lenovo Financial Services representative about this promotion and how to submit a credit application. For the majority of credit applicants, we have enough information to deliver an instant decision and send a notification within minutes.

Seller training courses

The following sales training courses are offered for employees and partners (login required). Courses are listed in date order.

1. Lenovo Storage Sales Certification Exam Study Guide

2025-09-12 | 10 minutes | Employees and Partners

This guide includes information to help candidates prepare and register for the Lenovo Storage Sales Certification Exam (LENU-123C).

Tags: Storage

Published: 2025-09-12 Length: 10 minutes

Start the training:

Employee link: Grow@Lenovo

Partner link: Lenovo 360 Learning Center

Course code: LENU-123C-SG

2. How to Order DM and DE Services Through DCSC

2025-08-28 | 35 minutes | Employees and Partners

The goal of this training is to provide Lenovo sellers and business partners with an overview of the available services for ThinkSystem DM and DE.

Learning Objectives:

- Review what is included in each service
- Describe the benefits of each service
- Demonstrate how to order
- Discover where to go for more details

Tags: Services

Published: 2025-08-28 Length: 35 minutes

Start the training:

Employee link: Grow@Lenovo

Partner link: Lenovo 360 Learning Center

Course code: DSVC134r4

3. Lenovo ThinkSystem DM/DG series Portfolio Overview

2025-07-23 | 60 minutes | Employees and Partners

This course builds on the Data Management Overview DSTOO201 course by introducing you to the Lenovo ThinkSystem DG/DM Series Portfolio.

By the end of this course, you will be able to:

Position the Lenovo ThinkSystem DE Series products and features based on the needs of your customers

Correlate the Lenovo ThinkSystem DE Series Portfolio with Lenovo's comprehensive Data Management Portfolio

Use the qualifying questions to identify customer needs during conversations

Tags: Data Management, Storage, ThinkSystem

Published: 2025-07-23 Length: 60 minutes

Start the training:

Employee link: Grow@Lenovo

Partner link: Lenovo 360 Learning Center

Course code: DDMO103

4. Data Storage Solutions Overview

2025-06-18 | 25 minutes | Employees and Partners

After completing this course you will be able to:

- 1. Know more about the data management trends and challenges
- 2. Understand the data storage solutions portfolio
- 3. Find out how data drives business value

Tags: Storage

Published: 2025-06-18 Length: 25 minutes

Start the training:

Employee link: Grow@Lenovo

Partner link: Lenovo 360 Learning Center

Course code: DSTOO102

5. Lenovo Data Center Product Portfolio

2025-06-11 | 20 minutes | Employees and Partners

This course introduces the Lenovo data center portfolio, and covers servers, storage, storage networking, and software-defined infrastructure products. After completing this course about Lenovo data center products, you will be able to identify product types within each data center family, describe Lenovo innovations that this product family or category uses, and recognize when a specific product should be selected.

Course objectives:

- 1. Identify product types within each data center family
- 2.Describe the features of the product family or category
- 3. Recognize when a specific product should be selected

Tags: Advanced DataCenter, DataCenter Products, Server, ThinkAgile, ThinkEdge, ThinkSystem

Published: 2025-06-11 Length: 20 minutes

Start the training:

Employee link: Grow@Lenovo

Partner link: Lenovo 360 Learning Center

Course code: SXXW1110r8

6. Family Portfolio: Storage

2025-04-30 | 50 minutes | Employees and Partners

This course covers the Lenovo storage portfolio, from tape drives used for backups and archiving all the way through high-performance storage systems. After completing this course about the Storage family, the learner will be able to identify products and features within the family, describe the features of this Product Family, and recognize when a specific product should be selected.

Tags: Storage, ThinkSystem

Published: 2025-04-30 Length: 50 minutes

Start the training:

Employee link: Grow@Lenovo

Partner link: Lenovo 360 Learning Center

Course code: SXSW1201r17

7. Partner Technical Webinar - Storage Announcements

2025-04-29 | 60 minutes | Employees and Partners

In this 60-minute replay, the April 23 Storage Announcement was presented. Adam Mandelbloom, Lenovo Technical Marketing Manager, presented the ThinkAgile announcements. Next, Roger Yarosh, Senior Storage Product Manager, presented the DG and DM announcements.

Tags: Data Management, ThinkAgile

Published: 2025-04-29 Length: 60 minutes

Start the training:

Employee link: Grow@Lenovo

Partner link: Lenovo 360 Learning Center

Course code: 042525

8. Partner Technical Webinar - Cost Effective Storage Solutions

2025-01-14 | 60 minutes | Employees and Partners

In this 60-minute replay, Lenovo Storage Architect, Dan Beins presented Lenovo's strategy, capabilities, and portfolio for Data Management. Dan did a super job going beyond the product feature / function and talking about where our products bring value to our customer's Data Management.

Tags: Data Management

Published: 2025-01-14 Length: 60 minutes

Start the training:

Employee link: Grow@Lenovo

Partner link: Lenovo 360 Learning Center

Course code: 011025

9. How to Attach Services for ThinkSystem DM Using DCSC

2024-12-23 | 20 minutes | Employees and Partners

The goal of this training is to review services for ThinkSystem DM products, professional and support services, support levels, and recommended options. By the end of this course, you will be able to summarize the professional services for ThinkSystem DM, identify the levels of maintenance support for the DM series, and recognize the steps required to attach services to DM products.

Tags: Services, ThinkSystem

Published: 2024-12-23 Length: 20 minutes

Start the training:

Employee link: Grow@Lenovo

Partner link: Lenovo 360 Learning Center

Course code: DSVC122r4

10. ThinkSystem DM and DE Series Technical Overview

2024-10-15 | 30 minutes | Employees and Partners

This course provides a technical overview of the ThinkSystem DM and DE series products. Course DDMO101 – Lenovo ThinkSystem DM & DE Series Overview is recommended prior to this course. By the end of this course, you should be able to:

- Describe the Lenovo portfolio for the DM and DE storage systems
- Explain features of the DM series ONTAP software
- Explain features of the ThinkSystem SAN Manager

Tags: Data Management, Storage

Published: 2024-10-15 Length: 30 minutes

Start the training:

Employee link: Grow@Lenovo

Partner link: Lenovo 360 Learning Center

Course code: DDMT100r2

11. VTT Data Management How to sell storage - April 2024

2024-04-10 | 60 minutes | Employees and Partners

In this course, you will know:

- Why do we sell storage?
- What are the basics you need to get an opportunity rolling?
- Why Lenovo for Storage?
- What is happening in the market today?
- How to determine traction?

Tags: Data Management, Storage

Published: 2024-04-10 Length: 60 minutes

Start the training:

Employee link: Grow@Lenovo

Partner link: Lenovo 360 Learning Center

Course code: DVDAT209

12. Lenovo Data Backup and Recovery Solution Overview

2024-03-25 | 40 minutes | Employees and Partners

The goal of this course is to give Lenovo sellers and business partners an overview of the Data Backup and Recovery solution. This course includes general information about backup, archive, disaster, nomenclature and key terms for back and recovery, and Lenovo features and alliance partners software.

Tags: Data Management

Published: 2024-03-25 Length: 40 minutes

Start the training:

Employee link: Grow@Lenovo

Partner link: Lenovo 360 Learning Center

Course code: DSOLO200

13. ONTAP Technical Positioning

2024-03-14 | 45 minutes | Employees and Partners

This course focuses on enabling you to interpret the technical market trends and challenges that ONTAP customers face. You also learn to ask qualifying questions that identify which industries, companies, and customer contacts are appropriate targets for ONTAP software. Module two covers explaining ONTAP features and functionality and enabling you to strengthen ONTAP marketing claims with technical details.

Learning Objectives:

- •Interpret the technical market trends and challenges that ONTAP customers face
- •Ask qualifying questions that identify which industries, companies, and customer contacts are appropriate targets for ONTAP software
- Explain ONTAP features and functionality
- •Strengthen ONTAP marketing claims with technical details

Tags: Data Management, Sales, Storage, Technical Sales, ThinkSystem

Published: 2024-03-14 Length: 45 minutes

Start the training:

Employee link: Grow@Lenovo

Partner link: Lenovo 360 Learning Center

Course code: DDMT200r2

14. VTT ONTAP 9.14.1 and Bundle Change Update - February 2024

2024-03-07 | 25 minutes | Employees and Partners

In this course, you will know more about:

- The new Features of ONTAP 9.14.1 update
- ONTAP Bundle Update

Tags: Data Management, Storage

Published: 2024-03-07 Length: 25 minutes

Start the training:

Employee link: Grow@Lenovo

Partner link: Lenovo 360 Learning Center

Course code: DVDAT207

15. Selling ONTAP

2024-03-06 | 22 minutes | Employees and Partners

In this course, you learn how ONTAP software helps your customers simplify data management, access and protect their data across clouds, and future-proof their environments. Learning objectives:

- •Explain the value of ONTAP data-management software
- •Describe the features and benefits of ONTAP 9 software
- •Effectively position ONTAP software to your customers

Tags: Data Management, Storage, Technical Sales, ThinkSystem

Published: 2024-03-06 Length: 22 minutes

Start the training:

Employee link: Grow@Lenovo

Partner link: Lenovo 360 Learning Center

Course code: DDMO102

16. ONTAP Data Protection Fundamentals

2023-11-02 | 76 minutes | Employees and Partners

In this course, we discuss the integrated data protection features in ONTAP data-management software. We also discuss the tools and software that you use to manage and monitor the data protection features. You learn about cluster peering, storage virtual machine (or SVM) peering, and data protection relationships. You also learn about the architecture and functionality of the Snapshot, SnapMirror, SnapVault, and SyncMirror technologies.

Course DDMT203 – ONTAP SAN Fundamentals is a prerequisite.

Course Objectives:

- •Describe the integrated data protection features in ONTAP data-management software
- •Identify the tools and software that you use to manage and monitor ONTAP data protection features
- •Describe cluster peering, storage virtual machine (SVM) peering, and data protection relationships
- •Explain the architecture and functionality of the Snapshot, SnapMirror, SnapVault, and SyncMirror technologies

Tags: Data Management, Sales, Storage, Technical Sales, ThinkSystem

Published: 2023-11-02 Length: 76 minutes

Start the training:

Employee link: Grow@Lenovo

Partner link: Lenovo 360 Learning Center

Course code: DDMT204r2

17. Lenovo DM Series Data Efficiency Guarantee

2023-10-09 | 10 minutes | Employees Only

The Data Efficiency Guarantee offers Lenovo customers an agreed amount of capacity savings. If the Lenovo solution does not meet the terms agreed to in the Guarantee, Lenovo will remediate.

Course Objectives:

- •Define the Lenovo DM Series Data Efficiency Guarantee
- Understand how the guarantee works
- •Describe the sales process for delivering and tracking the guarantee

Tags: Sales, Storage, ThinkSystem

Published: 2023-10-09 Length: 10 minutes

Start the training:

Employee link: Grow@Lenovo

Course code: DDMC100

18. ThinkSystem DM Series Technical 200 - ONTAP Data Management Fundamentals

2023-10-03 | 90 minutes | Employees and Partners

This course focuses on enabling you to manage and provision ONTAP systems and it is part of the ISG Sales education supporting our ThinkSystem DM and DE Series education. Before taking this course, you should have completed the ThinkSystem DM and DE Series Overview as well as the ThinkSystem DM and DE Series Technical Overview 100. 200 level technical knowledge is provided separately for the DM and DE Series products.

This course focuses on enabling you to do the following:

- Describe the consumers of resources and management requirements
- Describe the user and administrative roles that manage resources
- List the various data management products you can use to manage ONTAP systems
- Define the resources that are commonly provisioned
- Describe various methods and tools that can be used to provision resources

Tags: Storage

Published: 2023-10-03 Length: 90 minutes

Start the training:

Employee link: Grow@Lenovo

Partner link: Lenovo 360 Learning Center

Course code: DDMT205

19. ThinkSystem DM Series Technical 200 - ONTAP Cluster Fundamentals

2023-10-02 | 135 minutes | Employees and Partners

This course identifies and describes the components that make up a cluster. It also describes the supported cluster configurations and details the steps that are required to create and configure a cluster as well as discusses the physical storage components and the Write Anywhere File Layout file system, also known as the WAFL file system. Course DDMT200 – ONTAP Technical Positioning is a prerequisite.

By the end of this course, you will be able to:

- -Identify the components that make up a cluster
- -Describe the cluster configurations that are supported
- -Create and configure a cluster
- -Describe the physical storage components
- -Describe the Write Anywhere File Layout (WAFL) file system

Tags: Storage

Published: 2023-10-02 Length: 135 minutes

Start the training:

Employee link: Grow@Lenovo

Partner link: Lenovo 360 Learning Center

Course code: DDMT201

20. Assessment for Lenovo ThinkSystem DM and DE Series Technical Overview 100

2023-10-02 | 30 minutes | Partners Only

This is the online assessment for the virtual-live course Lenovo ThinkSystem DM and DE Series Technical Overview 100 (DDMT100).

Your objective for this assessment is to complete the 15-question quiz with the minimum passing score of 80%.

Tags: Technical Sales
Published: 2023-10-02
Length: 30 minutes

Start the training:

Partner link: Lenovo 360 Learning Center

Course code: DDMT101

21. ThinkSystem DM Series Technical 200 Assessment

2023-09-28 | 15 minutes | Employees and Partners

This is the assessment for the DM Series Technical 200 training

Tags: Sales, Storage, ThinkSystem

Published: 2023-09-28 Length: 15 minutes

Start the training:

Employee link: Grow@Lenovo

Partner link: Lenovo 360 Learning Center

Course code: DDMT206

22. VEEAM Solutions Sales Training

2023-09-27 | 20 minutes | Employees and Partners

In this course you will learn about Hyper-availability for the Always-On Enterprise.

By the end of this training, you should be able to:

Identify and explain the core products and solutions offered by Veeam.

Explain the key benefits and value propositions of integrating Veeam solutions with Lenovo products.

Tags: Sales

Published: 2023-09-27 Length: 20 minutes

Start the training:

Employee link: Grow@Lenovo

Partner link: Lenovo 360 Learning Center

Course code: DSTOO100

23. ONTAP SAN Fundamentals

2023-09-26 | 60 minutes | Employees and Partners

In this course, you learn how ONTAP provides block access to a host by using SAN protocols. You learn about LUNs and how to map them to a host to enable read and write access. You also learn about multipathing techniques that can improve availability and performance.

The course objectives are:

- 1.Describe how ONTAP provides block access to a host
- 2.Explain how SANs use the iSCSI, FC, and FCoE protocols to transport data between a host and storage system
- 3.List the steps that are required to access a LUN in a storage virtual machine (SVM) from the host
- 4. Describe multipathing between the host and a cluster

Tags: Sales, Storage, ThinkSystem

Published: 2023-09-26 Length: 60 minutes

Start the training:

Employee link: Grow@Lenovo

Partner link: Lenovo 360 Learning Center

Course code: DDMT203

24. ONTAP NAS Fundamentals

2023-09-25 | 45 minutes | Employees and Partners

This course describes how ONTAP provides file access to clients. The course also explains how you use the NFS and SMB protocols to access files, how you access files over a network, and how you use load-balancing techniques to improve performance.

Course objectives:

- 1.Describe how ONTAP provides file access to clients
- 2.Use the NFS protocol to access files
- 3.Use the SMB protocol to access files
- 4. Access files over a network and use the load-balancing features of ONTAP

Tags: Sales, Storage, ThinkSystem

Published: 2023-09-25 Length: 45 minutes

Start the training:

Employee link: Grow@Lenovo

Partner link: Lenovo 360 Learning Center

Course code: DDMT202

25. VEEAM Hyper-Availability Integration with ThinkSystem DM Series

2023-09-20 | 20 minutes | Employees and Partners

In this course you will learn about VEEAM Hyper-Availability for ThinkSystem DM Series

Tags: ThinkSystem

Published: 2023-09-20 Length: 20 minutes

Start the training:

Employee link: Grow@Lenovo

Partner link: Lenovo 360 Learning Center

Course code: DSTOO300

26. VTT The Benefits of Scale Out Clustering with DM/DG - September 2023

2023-09-12 | 60 minutes | Employees Only

In this course, you will know more about:

- What is scale out?
- Hardware benefits
- Administrative benefits
- Scale out Features

Tags: Data Management, ThinkSystem

Published: 2023-09-12 Length: 60 minutes

Start the training:

Employee link: Grow@Lenovo

Course code: DVDAT204

27. Storage Masters - Unified Storage on DM Series

2023-07-28 | 14 minutes | Employees and Partners

Storage Masters is a multi-module education series. It is intended to help sellers and partners be able to discuss various storage topics that you will encounter in the field and how to position the valuable features of the DM Series within these conversations.

By the end of this training, you should be able to:

- •Describe the business challenges resolved by the unified storage for the ThinkSystem DM series.
- •Learn about the technology implemented on the DM series of storage arrays.
- •Find out what are the benefits of the technology and positioning.

Tags: Data Management, Storage

Published: 2023-07-28 Length: 14 minutes

Start the training:

Employee link: Grow@Lenovo

Partner link: Lenovo 360 Learning Center

Course code: DSTOT2006

28. Storage Masters - DM Series - Data Security

2023-06-30 | 14 minutes | Employees and Partners

Storage Masters is a multi-module education series. It is intended to help sellers and partners be able to discuss various storage topics that you will encounter in the field and how to position the valuable features of the DM Series within these conversations.

Tags: Data Management, Storage

Published: 2023-06-30 Length: 14 minutes

Start the training:

Employee link: Grow@Lenovo

Partner link: Lenovo 360 Learning Center

Course code: DSTOT2005

29. Benefits and the positioning of Lenovo ThinkSystem file offerings with WEKA, DSS, and DM+ONTAP

2023-05-08 | 10 minutes | Employees and Partners

Course objectives:

- 1.Learn about file storage
- 2. Understand the different types of storage
- 3. Recognize the Lenovo data management portfolio

Tags: Artificial Intelligence (AI), Storage, Technical Sales

Published: 2023-05-08 Length: 10 minutes

Start the training:

Employee link: Grow@Lenovo

Partner link: Lenovo 360 Learning Center

Course code: DSOLS207

30. Storage Masters - DM Series Performance

2023-02-15 | 15 minutes | Employees and Partners

Storage Masters is a multi-module education series. It is intended to help sellers and partners be able to discuss various storage topics that you will encounter in the field and how to position the valuable features of the DM Series within these conversations.

By the end of this course, you will be able to:

- •Understand the key business challenges that companies face with their data storage solutions
- Describe DM Series features
- •Explain the benefit of DM Series features to customers

Tags: Data Management, Storage, ThinkSystem

Published: 2023-02-15 Length: 15 minutes

Start the training:

Employee link: Grow@Lenovo

Partner link: Lenovo 360 Learning Center

Course code: DSTOT2004r3

31. Storage Masters - Hybrid Cloud for DM Series

2023-02-01 | 30 minutes | Employees and Partners

Storage Masters is a multi-module education series. It is intended to help sellers and partners be able to discuss various storage topics that you will encounter in the field and how to position the valuable features of the DM Series within these conversations.

Tags: Storage

Published: 2023-02-01 Length: 30 minutes

Start the training:

Employee link: Grow@Lenovo

Partner link: Lenovo 360 Learning Center

Course code: DSTOT2003

32. ONTAP Fundamentals Bundle

2023-02-01 | 15 minutes | Employees and Partners

ONTAP Fundamentals is intended to help sellers and partners be able to discuss the ONTAP Fundamentals license. By the end of this training, you should be able to position ONTAP Fundamentals within the marketplace; describe the ONTAP bundle; identify when to use the ONTAP Bundle in an opportunity; and determine when to use ONTAP Premium in an opportunity.

Tags: DataCenter Products, Storage

Published: 2023-02-01 Length: 15 minutes

Start the training:

Employee link: Grow@Lenovo

Partner link: Lenovo 360 Learning Center

Course code: DSTOF200

33. Lenovo DM Storage Series - Hybrid Cloud Solutions

2022-11-04 | 15 minutes | Employees Only

This course focuses on enabling you to:

- Identify DM Series Hybrid Cloud Solutions
- Describe features of the DM Series FabricPool capability
- •Describe features of the DM Series Cloud Volumes ONTAP capability.

Tags: Cloud, Storage, Technology solutions

Published: 2022-11-04 Length: 15 minutes

Start the training:

Employee link: Grow@Lenovo

Course code: DDM201

34. Data Infrastructure Management - DM Series Storage

2022-10-28 | 25 minutes | Employees Only

This course provides a technical overview of the ThinkSystem DM series products. Course DDMO101 – Lenovo ThinkSystem DM & DE Series Overview is recommended prior to this course.

By the end of this course, you should be able to:

- •Recognize the components of the Lenovo Data Management portfolio
- •Discuss the features of the Lenovo Data Management components
- •Describe the features of the SnapCenter software components

Tags: Sales, Storage, Technical Sales, ThinkSystem

Published: 2022-10-28 Length: 25 minutes

Start the training:

Employee link: Grow@Lenovo

Course code: DDM200

Related publications and links

ransomware-protection

For more information, see the following resources:

- Lenovo Data Center Unified Storage product page https://www.lenovo.com/us/en/c/data-center/storage/unified-storage
- Lenovo Data Center Solution Configurator http://dcsc.lenovo.com
- ThinkSystem DM Series documentation https://datacentersupport.lenovo.com/us/en/storagepubs
- ONTAP Ransomware Protection https://datacentersupport.lenovo.com/us/en/storagepubs/ontap/ontap-security-hardening/autonomous-
- Lenovo Data Center Support ThinkSystem DMxx00F https://datacentersupport.lenovo.com/us/en/products/storage/lenovo-storage/

Related product families

Product families related to this document are the following:

- DM Series Storage
- External Storage
- Lenovo SAN Storage

Notices

Lenovo may not offer the products, services, or features discussed in this document in all countries. Consult your local Lenovo representative for information on the products and services currently available in your area. Any reference to a Lenovo product, program, or service is not intended to state or imply that only that Lenovo product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any Lenovo intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any other product, program, or service. Lenovo may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not give you any license to these patents. You can send license inquiries, in writing, to:

Lenovo (United States), Inc. 8001 Development Drive Morrisville, NC 27560 U.S.A.

Attention: Lenovo Director of Licensing

LENOVO PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. Lenovo may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.

The products described in this document are not intended for use in implantation or other life support applications where malfunction may result in injury or death to persons. The information contained in this document does not affect or change Lenovo product specifications or warranties. Nothing in this document shall operate as an express or implied license or indemnity under the intellectual property rights of Lenovo or third parties. All information contained in this document was obtained in specific environments and is presented as an illustration. The result obtained in other operating environments may vary. Lenovo may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

Any references in this publication to non-Lenovo Web sites are provided for convenience only and do not in any manner serve as an endorsement of those Web sites. The materials at those Web sites are not part of the materials for this Lenovo product, and use of those Web sites is at your own risk. Any performance data contained herein was determined in a controlled environment. Therefore, the result obtained in other operating environments may vary significantly. Some measurements may have been made on development-level systems and there is no guarantee that these measurements will be the same on generally available systems. Furthermore, some measurements may have been estimated through extrapolation. Actual results may vary. Users of this document should verify the applicable data for their specific environment.

© Copyright Lenovo 2025. All rights reserved.

This document, LP2075, was created or updated on July 14, 2025.

Send us your comments in one of the following ways:

- Use the online Contact us review form found at: https://lenovopress.lenovo.com/LP2075
- Send your comments in an e-mail to: comments@lenovopress.com

This document is available online at https://lenovopress.lenovo.com/LP2075.

Trademarks

Lenovo and the Lenovo logo are trademarks or registered trademarks of Lenovo in the United States, other countries, or both. A current list of Lenovo trademarks is available on the Web at https://www.lenovo.com/us/en/legal/copytrade/.

The following terms are trademarks of Lenovo in the United States, other countries, or both: Lenovo®
ThinkAgile®
ThinkSystem®

XClarity®

The following terms are trademarks of other companies:

Linux® is the trademark of Linus Torvalds in the U.S. and other countries.

Microsoft®, Excel®, Georgia®, Internet Explorer®, Windows Server®, and Windows® are trademarks of Microsoft Corporation in the United States, other countries, or both.

IBM® is a trademark of IBM in the United States, other countries, or both.

Other company, product, or service names may be trademarks or service marks of others.

Controller Lenovo ThinkSystem DM5200F All Flash Array

Description

Lenovo ThinkSystem Storage 2U NVMe Chassis

Lenovo ThinkSystem DM/DG5200 Series Controller, 64GB

Lenovo ThinkSystem 7.68TB (2x 3.84TB NVMe SED FIPS) Drive Pack

Lenovo ThinkSystem Storage 100Gb 2 port Ethernet (Host/Cluster)

Lenovo ThinkSystem Storage 10/25Gb 2 port Ethernet (Host)

Lenovo 1m Passive 100G QSFP28 DAC Cable

Lenovo 3m 25G SFP28 Active Optical Cable

USB-A to USB-C Cable

2.8m, 13A/100-250V, C13 to C14 Jumper Cord

Lenovo Logo nameplate

Lenovo ThinkSystem NVMe Accessory

Lenovo ThinkSystem DM/DG Jupiter 2U24 NVMe Bezel

I/O Slot Cover

software1 ThnkSys DM5200F 7DJ2 SWLicense

Description

Lenovo ThinkSystem DM5200F NVMe SSD Unified Complete SW License with 3 Years Support, Per 0.1TB software2 XClarity Pro, Per Endpoint w/5 Yr SW S&S

Description

Lenovo XClarity Pro, Per Managed Endpoint w/5 Yr SW S&S

5Yr Premier NBD DM5200F+KYD

5Yr Premier NBD+KYD (0.1TB NVMe TLC)

4th & 5th Yr L3 SW DM5200F(61.44TB NVme TLC)Pack Unified Complete

Qty 2 Qty Qty