



MATHENY MOTOR TRUCK COMPANY
4125 1st Avenue
Nitro, WV 25143
(P) 304.769-5860 (F) 304.769-5866
mathenymotors.com

May 13, 2026

Bid Clerk
Department of Administration
Purchasing Division
2019 Washington St E
Charleston WV 25305

RE: Calss 8 Day Cab Tandem Axle Tactor – 2025 or Newer

To Whom it May Concern,

Due to unforeseen circumstances, Matheny Motors is submitting an alternate bid on CRFQ 1400 AGR2600000041.

This unit is currently in our inventory – but has a 90 and an 80 gallon tank instead of the requested dual 100 gallon ones.

We have also found that we cannot get dual CB antenna on this unit. It does have a single CB antenna, as well as a Uniden Bearcat 880 factory installed CB radio with 10 channel weatherband.

Unit submitted meets all other requirements.

Thank you and best regards.


Jack Cummings

Sales Consultant

Matheny Motor Truck Company

4125 1st Avenue

Nitro, WV 25143

304-769-5860 X 3601

RECEIVED
2025 MAY 13 PM 12:14

WV PURCHASING
DIVISION

DESIGNATED CONTACT: Vendor appoints the individual identified in this Section as the Contract Administrator and the initial point of contact for matters relating to this Contract.

(Printed Name and Title) JACK CUMMINGS - SALES CONSULTANT
(Address) 4125 1ST AVENUE NITRO WV 25143
(Phone Number) / (Fax Number) 304 769-5860 X 3601 FAX 304 769-5866
(email address) JCUMMINGS@MATHENYMOTORS.COM

CERTIFICATION AND SIGNATURE: By signing below, or submitting documentation through wvOASIS, I certify that: I have reviewed this Solicitation/Contract in its entirety; that I understand the requirements, terms and conditions, and other information contained herein; that this bid, offer or proposal constitutes an offer to the State that cannot be unilaterally withdrawn; that the product or service proposed meets the mandatory requirements contained in the Solicitation/Contract for that product or service, unless otherwise stated herein; that the Vendor accepts the terms and conditions contained in the Solicitation, unless otherwise stated herein; that I am submitting this bid, offer or proposal for review and consideration; that this bid or offer was made without prior understanding, agreement, or connection with any entity submitting a bid or offer for the same material, supplies, equipment or services; that this bid or offer is in all respects fair and without collusion or fraud; that this Contract is accepted or entered into without any prior understanding, agreement, or connection to any other entity that could be considered a violation of law; that I am authorized by the Vendor to execute and submit this bid, offer, or proposal, or any documents related thereto on Vendor's behalf; that I am authorized to bind the vendor in a contractual relationship; and that to the best of my knowledge, the vendor has properly registered with any State agency that may require registration.

By signing below, I further certify that I understand this Contract is subject to the provisions of West Virginia Code § 5A-3-62, which automatically voids certain contract clauses that violate State law; and that pursuant to W. Va. Code 5A-3-63, the entity entering into this contract is prohibited from engaging in a boycott against Israel.

Matheny Motor Truck Company

(Company)

(Signature of Authorized Representative)

JACK CUMMINGS - SALES CONSULTANT 5/13/2026

(Printed Name and Title of Authorized Representative) (Date)

304 769-5860 FAX 304 769-5866

(Phone Number) (Fax Number)

jcummings@mathenymotors.com

(Email Address)



Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

State of West Virginia
 Centralized Request for Quote
 Vehicles

Proc Folder: 1949414		Reason for Modification:	
Doc Description: Class 8 Day Cab Tandem Axle Tractor - 2025 or Newer		Addendum No. 01	
Proc Type: Central Purchase Order			
Date Issued	Solicitation Closes	Solicitation No	Version
2026-05-06	2026-05-13 13:30	CRFQ 1400 AGR2600000041	2

BID RECEIVING LOCATION

BID CLERK
 DEPARTMENT OF ADMINISTRATION
 PURCHASING DIVISION
 2019 WASHINGTON ST E
 CHARLESTON WV 25305
 US

VENDOR

Vendor Customer Code: 000000200051

Vendor Name : Matheny Motor Truck Company

Address : Matheny Motor Truck Company

Street : 4125 1ST AVE


City : NITRO

State : WV **Country :** UNITED STATES **Zip :** 25143

Principal Contact : JACK CUMMINGS

Vendor Contact Phone: 304-769-5860 **Extension:** X 3601

FOR INFORMATION CONTACT THE BUYER
 Larry D McDonnell
 304-558-2063
 larry.d.mcdonnell@wv.gov

Vendor Signature X  **FEIN#** 55-032-0770 **DATE** 5/13/2026

All offers subject to all terms and conditions contained in this solicitation

ADDITIONAL INFORMATION

Addendum No. 01

To attach answers to vendor questions.

Bid opening date and time still remains 05/13/2026 at 1:30PM EST/EDT.

No other changes

INVOICE TO**SHIP TO**

AGRICULTURE
DEPARTMENT OF
ADMINISTRATIVE SERVICES
1900 KANAWHA BLVD E

CHARLESTON WV
US

AGRICULTURE
DEPARTMENT OF
ADMINISTRATIVE SERVICES
217 GUS R DOUGLAS LN,
BLDG 2 RM 106

CHARLESTON WV
US

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
1	2025 or newer Class 8 Day Cab Tandem Axle Tractor	1.00000	EA	\$156,983.00	\$156,983.00

Comm Code	Manufacturer	Specification	Model #
25102100	FREIGHTLINER	2026	CASCADIA 126" DAY CAB TRACTOR

Extended Description:

Please see the attached documentation for further details.

SCHEDULE OF EVENTS

<u>Line</u>	<u>Event</u>	<u>Event Date</u>
-------------	--------------	-------------------

SOLICITATION NUMBER: CRFQ AGR26*41
Addendum Number: 01

The purpose of this addendum is to modify the solicitation identified as (“Solicitation”) to reflect the change(s) identified and described below.

Applicable Addendum Category:

- Modify bid opening date and time
- Modify specifications of product or service being sought
- Attachment of vendor questions and responses
- Attachment of pre-bid sign-in sheet
- Correction of error
- Other

Description of Modification to Solicitation:

To attach answers to vendor questions.

Bid opening date and time still remains 05/13/2026 at 1:30PM EST/EDT.

No other changes

Additional Documentation: Documentation related to this Addendum (if any) has been included herewith as Attachment A and is specifically incorporated herein by reference.

Terms and Conditions:

1. All provisions of the Solicitation and other addenda not modified herein shall remain in full force and effect.
2. Vendor should acknowledge receipt of all addenda issued for this Solicitation by completing an Addendum Acknowledgment, a copy of which is included herewith. Failure to acknowledge addenda may result in bid disqualification. The addendum acknowledgement should be submitted with the bid to expedite document processing.

Vendor Questions and Answers
CRFQ AGR 26*41 Tractor Trailer

Q1: Is there a mileage request as well. In example 3 year/300,000 miles.

A1: No, there is no mileage request. Please refer to specification section 3.1.1.31.

ADDENDUM ACKNOWLEDGEMENT FORM
SOLICITATION NO.: CRFQ AGR26*41

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

Addendum Numbers Received:

(Check the box next to each addendum received)

- | | |
|--|--|
| <input checked="" type="checkbox"/> Addendum No. 1 | <input type="checkbox"/> Addendum No. 6 |
| <input type="checkbox"/> Addendum No. 2 | <input type="checkbox"/> Addendum No. 7 |
| <input type="checkbox"/> Addendum No. 3 | <input type="checkbox"/> Addendum No. 8 |
| <input type="checkbox"/> Addendum No. 4 | <input type="checkbox"/> Addendum No. 9 |
| <input type="checkbox"/> Addendum No. 5 | <input type="checkbox"/> Addendum No. 10 |

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

MATHENY MOTOR TRUCK COMPANY

Company



Authorized Signature

5/13/2026

Date

NOTE: This addendum acknowledgement should be submitted with the bid to expedite document processing.

Prepared for:
 Laura Hammack
 WEST VIRGINIA AGRICULTURE DEPT
 1900 Kanawha Boulevard
 Rm E28
 Charleston, WV 25305
 Phone: 304-558-0573

Prepared by:
 Jackie Cummings
 MATHENY MOTOR TRUCK
 COMPANY
 50 Matheny Lane
 Mineral Wells, WV 26150
 Phone: 3044854418

S P E C I F I C A T I O N P R O P O S A L

Data Code	Description	Weight Front	Weight Rear
Price Level			
PRL-29K	CASCADIA PRL-29K (EFF:MY26 ORDERS)		
Data Version			
DRL-036	SPECPRO21 DATA RELEASE VER 036		
Vehicle Configuration			
001-235	CASCADIA 126 INCH DAY CAB	8,955	6,969
004-226	2026 MODEL YEAR SPECIFIED		
002-002	SET BACK AXLE - TRACTOR		
003-001	LH PRIMARY STEERING LOCATION		
General Service			
AA1-001	TRACTOR/TRAILER CONFIGURATION		
AA6-002	DOMICILED, USA (EXCLUDING CALIFORNIA AND CARB OPT-IN STATES)		
99D-027	EPA CLEAN IDLE LABEL - (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD OF DRIVER DOOR)		
A85-005	LINEHAUL/LONG HAUL SERVICE		
A84-1PH	PETROLEUM HAZMAT BUSINESS SEGMENT		
AA4-001	GENERAL FREIGHT COMMODITY		
AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS		
AB1-008	MAXIMUM 8% EXPECTED GRADE		
AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE		
995-1AD	FREIGHTLINER LEVEL I WARRANTY		
A66-99D	EXPECTED FRONT AXLE(S) LOAD : 12000.0 lbs		
A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD : 38000.0 lbs		



Prepared for:
 Laura Hammack
 WEST VIRGINIA AGRICULTURE DEPT
 1900 Kanawha Boulevard
 Rm E28
 Charleston, WV 25305
 Phone: 304-558-0573

Prepared by:
 Jackie Cummings
 MATHENY MOTOR TRUCK
 COMPANY
 50 Matheny Lane
 Mineral Wells, WV 26150
 Phone: 3044854418

Data Code	Description	Weight Front	Weight Rear
A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 50000.0 lbs		
A70-99D	EXPECTED GROSS COMBINATION WEIGHT : 80000.0 lbs		

Truck Service

AF3-2CR TRACTOR ONLY WITH NO BODY UPFIT

Tractor Service

AA2-003 TANK TRAILER
 AH6-001 SINGLE (1) TRAILER

Engine

101-3JB CUM X15 500V HP @ 1900 RPM, 2000 GOV RPM, 1850 LB-FT @ 900 RPM 150 60

Electronic Parameters

79A-075 75 MPH ROAD SPEED LIMIT
 79B-016 CRUISE CONTROL SPEED LIMIT 4 MPH HIGHER THAN ROAD SPEED LIMIT, WITH AUTO RESUME AFTER SHIFT
 79F-004 CUMMINS TRIP INFORMATION REPORTS ENABLED; LEVEL 1: 4 MPH, LEVEL 2: 7 MPH ABOVE ROAD SPEED LIMIT
 79K-019 PTO MODE ENGINE RPM LIMIT - 750 RPM
 79M-001 PTO ENGINE SPEED CONTROL DEACTIVATED BY SERVICE BRAKE LIGHTLY APPLIED (STATIONARY APPLICATIONS)
 79P-002 PTO RPM W/CRUISE SET SW - 700 RPM
 79Q-002 PTO RPM W/CRUISE RESUME SW - 700 RPM
 79V-001 FUEL DOSING OF AFTERTREATMENT ENABLED IN PTO MODE-CLEANS HYDROCARBONS AT HIGH TEMPERATURES ONLY
 79W-024 CRUISE CONTROL BUTTON PTO CONTROL
 79X-001 PTO SPEED 1 SETTING - 700 RPM
 80C-001 ENGINE BRAKE WITH CRUISE CONTROL ENABLED AT 2 MPH ABOVE SET SPEED, 2 MPH INCREMENT BETWEEN BRAKING LEVELS
 80P-998 NO FLEET SPEC FOR PARAMETERIZATION
 80G-002 PTO MINIMUM RPM - 700
 80J-002 REGEN INHIBIT SPEED THRESHOLD - 5 MPH
 80S-001 PTO 1, DASH SWITCH, STATIONARY OPERATION

Engine Equipment

99C-024 EPA 2010/GHG 2024 CONFIGURATION



Prepared for:
 Laura Hammack
 WEST VIRGINIA AGRICULTURE DEPT
 1900 Kanawha Boulevard
 Rm E28
 Charleston, WV 25305
 Phone: 304-558-0573

Prepared by:
 Jackie Cummings
 MATHENY MOTOR TRUCK
 COMPANY
 50 Matheny Lane
 Mineral Wells, WV 26150
 Phone: 3044854418

Data Code	Description	Weight Front	Weight Rear
13E-001	STANDARD OIL PAN		
105-001	ENGINE MOUNTED OIL CHECK AND FILL		
014-1CT	DUAL SIDE OF HOOD AIR INTAKE WITH ENGINE MOUNTED AIR CLEANER		
124-1DJ	DR 12V 160 AMP 36-SI BRUSHLESS QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE	10	
292-214	(4) DTNA GENUINE, FLOODED STARTING AND CYCLING, MIN 2800CCA, 760RC, THREADED STUD BATTERIES		
290-1B9	BATTERY BOX WITH ALUMINUM COVER MOUNTED LONG SIDE TO RAIL	-50	10
282-003	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE BACK OF CAB		
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN		
289-001	NON-POLISHED BATTERY BOX COVER		
293-058	NON-ESSENTIAL POSITIVE LOAD DISCONNECT, IN CAB CONTROL SWITCH MOUNTED OUTBOARD OF DRIVER SEAT	2	
306-015	PROGRESSIVE LOW VOLTAGE DISCONNECT AT 12.3 VOLTS FOR DESIGNATED CIRCUITS		
180-102	EATON ENDURANT HEAVY DUTY AUTOMATED MANUAL TRANSMISSION CLUTCH		
107-045	CUMMINS NATURALLY ASPIRATED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE		
108-002	STANDARD MECHANICAL AIR COMPRESSOR GOVERNOR		
131-013	AIR COMPRESSOR DISCHARGE LINE		
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM		
128-1A9	CUMMINS INTEBRAKE WITH HIGH MED LOW BRAKE WITH BRAKE LAMPS ACTIVATED AT 70%		
016-1C2	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE	30	25
28F-014	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND VIRTUAL REGENERATION REQUEST SWITCH IN CLUSTER		
239-038	11 FOOT 06 INCH (138 INCH+0/-5.9 INCH) EXHAUST SYSTEM HEIGHT		
233-017	STANDARD CURVE BRIGHT UPPER STACK(S)		



Prepared for:
 Laura Hammack
 WEST VIRGINIA AGRICULTURE DEPT
 1900 Kanawha Boulevard
 Rm E28
 Charleston, WV 25305
 Phone: 304-558-0573

Prepared by:
 Jackie Cummings
 MATHENY MOTOR TRUCK
 COMPANY
 50 Matheny Lane
 Mineral Wells, WV 26150
 Phone: 3044854418

Data Code	Description	Weight Front	Weight Rear
237-1CR	RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP		
23U-002	13 GALLON DIESEL EXHAUST FLUID TANK		
30N-003	100 PERCENT DIESEL EXHAUST FLUID FILL		
23Z-001	POLISHED ALUMINUM DIAMOND PLATE DIESEL EXHAUST FLUID TANK COVER	15	5
43X-001	LH HEAVY DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION		
43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP		
242-001	STAINLESS STEEL AFTERTREATMENT DEVICE/MUFFLER/TAILPIPE SHIELD		
273-058	AIR POWERED ON/OFF ENGINE FAN CLUTCH		
276-002	AUTOMATIC FAN CONTROL WITH DASH SWITCH AND INDICATOR LIGHT, NON ENGINE MOUNTED		
110-003	CUMMINS SPIN ON FUEL FILTER		
118-001	FULL FLOW OIL FILTER		
120-998	NO COOLANT FILTER	-10	
266-1C1	1400 SQUARE INCH FUEL ECONOMY RADIATOR		
103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT		
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT		
172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES		
261-001	STANDARD CHARGE AIR COOLER PLUMBING		
269-001	STANDARD RADIATOR MOUNTING		
270-016	RADIATOR DRAIN VALVE		
168-002	LOWER RADIATOR GUARD		
138-005	PHILLIPS-TEMRO 1500 WATT/115 VOLT BLOCK HEATER	4	
140-053	BLACK PLASTIC ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR		
134-001	ALUMINUM FLYWHEEL HOUSING		
155-055	DELCO 12V 39MT HD/OCP STARTER WITH THERMAL PROTECTION AND INTEGRATED MAGNETIC SWITCH	-45	

Transmission

342-623 EATON CUMMINS EEO-18F112C ENDURANT HD AUTOMATED MANUAL TRANSMISSION

Transmission Equipment

84E-102 PERFORMANCE



Prepared for:
 Laura Hammack
 WEST VIRGINIA AGRICULTURE DEPT
 1900 Kanawha Boulevard
 Rm E28
 Charleston, WV 25305
 Phone: 304-558-0573

Prepared by:
 Jackie Cummings
 MATHENY MOTOR TRUCK
 COMPANY
 50 Matheny Lane
 Mineral Wells, WV 26150
 Phone: 3044854418

Data Code	Description	Weight Front	Weight Rear
85J-004	REVERSE GEAR RANGE LIMITED TO 2ND GEAR		
85R-005	EATON AS MAXIMUM START GEAR - 5		
85T-000	AMT HOLD MODE - DISABLED		
85U-005	AMT COAST DOWN GEAR - 5TH GEAR		
85V-003	AMT LOW MODE - URGE TO MOVE AND CREEP		
85W-003	AMT MANUAL MODE - URGE TO MOVE AND CREEP		
85X-003	AMT DRIVE MODE - URGE TO MOVE AND CREEP		
85Y-003	AMT REVERSE MODE - URGE TO MOVE AND CREEP		
34C-001	ELECTRONIC TRANSMISSION CUSTOMER ACCESS CONNECTOR FIREWALL MOUNTED		
347-002	ALUMINUM CLUTCH HOUSING		
362-1T6	CUSTOMER INSTALLED CHELSEA 489 SERIES PTO		
363-003	PTO MOUNTING, BOTTOM OF MAIN TRANSMISSION DETROIT & EATON FULLER TRANSMISSION		
341-017	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION FILL AND DRAIN, AXLE(S) FILL AND DRAIN		
345-078	HEAVY DUTY ELECTRONIC TRANSMISSION SHIFT CONTROL, COLUMN MOUNTED		
370-998	NO TRANSMISSION OIL COOLER	-15	
368-998	NO EXTERNAL TRANSMISSION OIL FILTER	-2	
35T-003	SYNTHETIC TRANSMISSION LUBE		

Front Axle and Equipment

400-112	MERITOR MFS+ 12,000# FF1 71.0 INCH KPI/3.50 INCH DROP SINGLE FRONT AXLE	-15	
402-075	BENDIX ADB22X AIR DISC FRONT BRAKES	20	
403-043	2011/2013-FMVSS 121 RSD FRONT BRAKE LINING		
419-004	FRONT DISC BRAKE ROTORS		
409-006	FRONT OIL SEALS		
408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL		
416-022	STANDARD SPINDLE NUTS FOR ALL AXLES		
405-030	FRONT AIR DISC BRAKE INTERNAL ADJUSTERS		
536-050	TRW THP-60 POWER STEERING		
539-003	POWER STEERING PUMP		
534-015	2 QUART SEE THROUGH POWER STEERING RESERVOIR		



Prepared for:
 Laura Hammack
 WEST VIRGINIA AGRICULTURE DEPT
 1900 Kanawha Boulevard
 Rm E28
 Charleston, WV 25305
 Phone: 304-558-0573

Prepared by:
 Jackie Cummings
 MATHENY MOTOR TRUCK
 COMPANY
 50 Matheny Lane
 Mineral Wells, WV 26150
 Phone: 3044854418

Data Code	Description	Weight Front	Weight Rear
40T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 FRONT AXLE LUBE		
Front Suspension			
620-1F3	12,500# TAPERLEAF FRONT SUSPENSION		
619-005	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION		
410-001	FRONT SHOCK ABSORBERS		
Rear Axle and Equipment			
420-322	MERITOR MT-40-14X HE 40,000# R-SERIES TANDEM REAR AXLE WITH DUAL MERITOR LUBE MANAGEMENT SYSTEM (MLMS)		-45
421-355	3.55 REAR AXLE RATIO		
424-003	IRON REAR AXLE CARRIER WITH OPTIONAL HEAVY DUTY AXLE HOUSING		30
386-044	RPL25 MERITOR MAIN DRIVELINE		
388-039	RPL20 MERITOR INTERAXLE DRIVELINE		
452-004	DRIVER CONTROLLED TRACTION DIFFERENTIAL - FORWARD TANDEM/TRIDEM REAR AXLE		10
878-020	(1) INTERAXLE LOCK VALVE AND (1) DRIVER CONTROLLED DIFFERENTIAL LOCK FORWARD-REAR VALVE		
87A-005	INDICATOR LIGHT FOR EACH INTERAXLE LOCKOUT SWITCH		
87B-009	INDICATOR LIGHT AND BUZZER FOR EACH DIFFERENTIAL LOCKOUT SWITCH		
423-075	BENDIX ADB22X AIR DISC REAR BRAKES		-60
433-043	2011/2013-FMVSS 121 RSD REAR BRAKE LININGS		
434-003	STANDARD BRAKE CHAMBER LOCATION		
451-005	REAR DISC BRAKE ROTORS		
440-006	REAR OIL SEALS		
426-094	AIR DISC LONGSTROKE 2-DRIVE AXLES SPRING PARKING CHAMBERS		20
428-030	REAR AIR DISC BRAKE INTERNAL ADJUSTERS		
41T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 REAR AXLE LUBE		
42T-001	STANDARD REAR AXLE BREATHER(S)		
Rear Suspension			
622-005	AIRLINER 40,000# REAR SUSPENSION		
621-118	7.9 INCH NOMINAL RIDE HEIGHT (415MM GLOBAL REFERENCE HEIGHT)		



Prepared for:
 Laura Hammack
 WEST VIRGINIA AGRICULTURE DEPT
 1900 Kanawha Boulevard
 Rm E28
 Charleston, WV 25305
 Phone: 304-558-0573

Prepared by:
 Jackie Cummings
 MATHENY MOTOR TRUCK
 COMPANY
 50 Matheny Lane
 Mineral Wells, WV 26150
 Phone: 3044854418

Data Code	Description	Weight Front	Weight Rear
431-005	RESTRAINED AXLE SEATS IN AXLE CLAMP GROUP		
624-016	51 INCH AXLE SPACING		
888-048	MANUAL DUMP VALVE FOR AIR SUSPENSION WITH GAUGE		
87D-006	INDICATOR LIGHT FOR EACH REAR SUSPENSION CONTROL SWITCH		
910-001	SINGLE AIR REAR SUSPENSION LEVELING VALVE		
623-002	TRANSVERSE CONTROL RODS		
439-005	REAR SHOCK ABSORBERS - TWO AXLES (TANDEM) (AIR RIDE SUSPENSION)		20
Pusher / Tag Equipment			
429-998	NO PUSHER/TAG BRAKE DUST SHIELDS		
Brake System			
490-1AW	WABCO 6S/6M ABS WITH HILL START AID AND TRACTION CONTROL WITH ATC SHUT OFF SWITCH		
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES		
904-001	FIBER BRAID PARKING BRAKE HOSE		
412-001	STANDARD BRAKE SYSTEM VALVES		
413-002	STD U.S. FRONT BRAKE VALVE		
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE		
480-088	WABCO SYSTEM SAVER HP WITH INTEGRAL AIR GOVERNOR AND HEATER		
483-004	WABCO OIL COALESCING FILTER FOR AIR DRYER		
479-012	AIR DRYER MOUNTED UNDER HOOD		
460-007	ALUMINUM AIR BRAKE RESERVOIRS	-15	-15
46A-998	NO AUXILIARY AIR TANK	-10	-15
2TD-001	(1) 620 CUBIC INCH ALUMINUM TRANSMISSION AIR TANK, INLET CHECK VALVE		
607-001	CLEAR FRAME RAILS FROM BACK OF CAB TO FRONT REAR SUSPENSION BRACKET, BOTH RAILS OUTBOARD		
477-004	PULL CABLES ON ALL AIR RESERVOIR(S)		
Trailer Connections			
481-003	12 FOOT STRAIGHT TRAILER AIR HOSE	10	
476-002	36 INCH STAINLESS STEEL SLIDE BAR WITH SPRING TYPE AIR HOSE HANGER		



Prepared for:
 Laura Hammack
 WEST VIRGINIA AGRICULTURE DEPT
 1900 Kanawha Boulevard
 Rm E28
 Charleston, WV 25305
 Phone: 304-558-0573

Prepared by:
 Jackie Cummings
 MATHENY MOTOR TRUCK
 COMPANY
 50 Matheny Lane
 Mineral Wells, WV 26150
 Phone: 3044854418

Data Code	Description	Weight Front	Weight Rear
484-032	COMBINATION DUMMY GLAD HANDS AND LIGHT PLUG HOLDER MOUNTED LH BACK OF CAB WITH GROUND ACCESS		
297-027	SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED LOWER LH BACK OF CAB		
296-010	PRIMARY CONNECTOR/RECEPTACLE WIRED FOR SEPARATE STOP/TURN, ABS CENTER PIN POWERED THROUGH IGNITION		
310-002	12 FOOT DETACHABLE STRAIGHT PRIMARY TRAILER ELECTRICAL CABLE WITH SAE J560 CONNECTOR		

Wheelbase & Frame

545-497	4975MM (196 INCH) WHEELBASE		
546-1C2	8.0MM X 88.0MM X 281.0MM STEEL FRAME (0.31X3.46X11.06 INCH) 120 KSI	150	50
552-024	1350MM (53 INCH) REAR FRAME OVERHANG		
55W-005	FRAME OVERHANG RANGE: 51 INCH TO 60 INCH		
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA) : 120.87 in		
AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) : 115.28 in		
AE4-99D	CALC'D FRAME LENGTH - OVERALL : 281.5 in		
FSS-0LH	CALCULATED FRAME SPACE LH SIDE : 13.84 in		
FSS-0RH	CALCULATED FRAME SPACE RH SIDE : 6.4 in		
AM6-99D	CALC'D SPACE AVAILABLE FOR DECKPLATE : 79.76 in		
560-008	UNDER OR OVERSLUNG CROSSMEMBER		
553-002	FLANGED TAPERED END OF FRAME		
550-001	FRONT CLOSING CROSSMEMBER		
559-003	LIGHTWEIGHT HEAVY DUTY ALUMINUM ENGINE CROSSMEMBER		
562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)		
572-001	STANDARD REARMOST CROSSMEMBER		
565-002	HEAVY DUTY SUSPENSION CROSSMEMBER		10

Chassis Equipment

674-001	LH BACK OF CAB ACCESS		
592-057	42 INCH (1050MM) DECK PLATE FLUSH MOUNTED BETWEEN RAILS	10	10
556-105	14.5 INCH HENDRICKSON AERO CLAD BUMPER, STAINLESS STEEL CLAD ALUMINUM	10	



Prepared for:
 Laura Hammack
 WEST VIRGINIA AGRICULTURE DEPT
 1900 Kanawha Boulevard
 Rm E28
 Charleston, WV 25305
 Phone: 304-558-0573

Prepared by:
 Jackie Cummings
 MATHENY MOTOR TRUCK
 COMPANY
 50 Matheny Lane
 Mineral Wells, WV 26150
 Phone: 3044854418

Data Code	Description	Weight Front	Weight Rear
558-070	REMOVABLE FRONT TOW/RECOVERY DEVICE, STORED ON CHASSIS FRAME	15	
574-007	BUMPER MOUNTING FOR (3) LICENSE PLATES		
585-046	NU-LINE STAINLESS STEEL MITERED MUDFLAP BRACKETS		20
590-001	BLACK MUDFLAPS		
586-015	FRONT ANTI-SPRAY CAB MOUNTED MUDFLAPS		
551-002	HUCK-SPIN ROUND COLLAR CHASSIS FASTENERS		
44Z-002	EXTERIOR HARNESSES WRAPPED IN ABRASION TAPE		
583-056	STAINLESS STEEL QUARTER FENDERS WITH LOGO		30
489-998	NO TIRE PRESSURE CONTROL/SENSOR		
Fifth Wheel			
578-1T9	FONTAINE NO-SLACK II 7000 SERIES 7LWB 24.0 INCH AIR SLIDE FIFTH WHEEL WITH CAST TOP PLATE - 2 INCH SLIDE INCREMENTS		10
577-305	FIFTH WHEEL 305MM (12.0 INCHES) AHEAD OF SUSPENSION CENTERLINE		
582-020	234MM (9.25 INCH) FIFTH WHEEL HEIGHT		5
570-001	STEEL OUTBOARD ANGLE - FIFTH WHEEL MOUNTING		
890-001	DASH MOUNTED CONTROL AND PLUMBING FOR FIFTH WHEEL		
579-003	SIDE LEFT FIFTH WHEEL RELEASE		
591-001	BRAIDED FIFTH WHEEL GROUND STRAP MOUNTED LEFT SIDE		
Fuel Tanks			
206-155	90 GALLON/340 LITER ALUMINUM FUEL TANK - RH	5	
204-154	80 GALLON/302 LITER ALUMINUM FUEL TANK - LH		
218-006	25 INCH DIAMETER FUEL TANK(S)		
215-006	POLISHING OF FUEL/HYDRAULIC TANK(S) WITH POLISHED STAINLESS STEEL BANDS		
212-014	LH FUEL TANK MOUNTED FORWARD, RH FUEL TANK MOUNTED AFT	30	-30
664-002	POLISHED STEP FINISH		
205-002	CHROME FUEL TANK CAP(S)		
122-1K0	DAVCO 485 FUEL/WATER SEPARATOR WITH 12 VOLT PREHEATER AND WATER IN FUEL SENSOR W/ESOC	10	



Prepared for:
 Laura Hammack
 WEST VIRGINIA AGRICULTURE DEPT
 1900 Kanawha Boulevard
 Rm E28
 Charleston, WV 25305
 Phone: 304-558-0573

Prepared by:
 Jackie Cummings
 MATHENY MOTOR TRUCK
 COMPANY
 50 Matheny Lane
 Mineral Wells, WV 26150
 Phone: 3044854418

Data Code	Description	Weight Front	Weight Rear
216-020	EQUIFLO INBOARD FUEL SYSTEM		
202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE		
221-998	NO FUEL COOLER	-10	
Tires			
093-1KK	MICHELIN X LINE ENERGY Z 11R22.5 16 PLY RADIAL FRONT TIRES	10	
094-13T	MICHELIN X WORKS D 11R22.5 16 PLY RADIAL REAR TIRES		248
Hubs			
418-058	CONMET PRESET PLUS PREMIUM ALUMINUM FRONT HUBS		
450-058	CONMET PRESET PLUS PREMIUM ALUMINUM REAR HUBS		
Wheels			
502-735	ACCURIDE 43644 ACCU-LITE 22.5X8.25 10-HUB PILOT 5.79 INSET ALUMINUM DISC FRONT WHEELS	-64	
505-736	ACCURIDE 43644 ACCU-LITE 22.5X8.25 10-HUB PILOT ALUMINUM DISC REAR WHEELS		-256
524-002	POLISHED FRONT WHEELS; INSIDE AND OUTSIDE		
525-002	POLISHED REAR WHEELS; OUTSIDE AND INSIDE (BOTH SIDES)		
50U-020	FLOW BELOW MOLD IN COLOR GRANITE GRAY AERODYNAMIC REAR AXLE WHEEL COVERS WITH LOCK, SHIP LOOSE		16
50W-998	NO RIM/WHEEL TIRE PRESSURE SENSOR		
52M-001	FRONT TIRE/DISC WHEEL STATIC BALANCING WITH LEAD-FREE WEIGHTS		
496-011	FRONT WHEEL MOUNTING NUTS		
497-011	REAR WHEEL MOUNTING NUTS		
Cab Exterior			
829-111	126 INCH BBC ALUMINUM CONVENTIONAL CAB		
653-004	RH CAB DOOR(S) WITH 70 DEGREE DOOR STOP		
651-004	LH CAB DOOR(S) WITH 70 DEGREE DOOR STOP		
784-998	NO AIR SHIELD OR BRACKETS		
783-998	NO SIDE EXTENDERS		
782-998	NO FRAME SIDE FAIRINGS		
779-998	NO FORWARD CHASSIS FAIRING SUPPORT		
770-998	NO AERODYNAMIC SKIRT FOR CHASSIS FAIRINGS		



Prepared for:
 Laura Hammack
 WEST VIRGINIA AGRICULTURE DEPT
 1900 Kanawha Boulevard
 Rm E28
 Charleston, WV 25305
 Phone: 304-558-0573

Prepared by:
 Jackie Cummings
 MATHENY MOTOR TRUCK
 COMPANY
 50 Matheny Lane
 Mineral Wells, WV 26150
 Phone: 3044854418

Data Code	Description	Weight Front	Weight Rear
650-008	AIR CAB MOUNTING		
648-002	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE		
695-998	NO SLEEPER DOOR	-15	
678-051	SAFETY YELLOW INTERIOR GRAB HANDLES		
646-045	MOLD-IN COLOR GRILLE		
65X-007	BLACK HOOD MOUNTED AIR INTAKE GRILLE WITH BRIGHT ACCENT		
644-001	AERODYNAMIC HOOD		
67U-002	HOOD OPENING ASSIST		
652-026	CASCADIA NAMEPLATE		
727-1AH	SINGLE 14 INCH ROUND POLISHED AIR HORN ROOF MOUNTED		
726-001	SINGLE ELECTRIC HORN		
575-001	REAR LICENSE PLATE MOUNT END OF FRAME		
312-075	LED LOW BEAM AND HIGH BEAM HEADLIGHTS		
302-072	ROOF MOUNTED LED MARKER LIGHTS		
315-070	LED FOG LIGHTS	6	
311-019	HEADLIGHTS ON WITH WIPERS, WITH DAYTIME RUNNING LIGHTS		
294-1A0	FREIGHTLINER LED FLANGE MOUNTED STOP/TAIL/TURN LIGHTS WITH SEPARATE LED BACKUP LIGHTS AND SWIFT-STYLE BRACKET		5
300-043	LED SIDE TURN SIGNAL		
318-1AD	SWITCH, INDICATOR LIGHT AND APPROXIMATELY 10 FEET OF WIRE ON CHASSIS LH AT BACK OF CAB FOR CUSTOMER FURNISHED UTILITY LIGHT(S)	-6	
744-1E5	DUAL BRIGHT FINISH HEATED AERODYNAMIC MIRRORS WITH INTEGRAL CONVEX AND LH AND RH REMOTE		
797-001	DOOR MOUNTED MIRRORS		
796-001	102" EQUIPMENT WIDTH		
74A-001	RH DOWN VIEW MIRROR		
74B-1B7	RH AND LH HEATED BLACK HOOD/FENDER MOUNTED MIRRORS	8	
729-001	STANDARD SIDE/REAR REFLECTORS		
73A-002	REAR REFLECTIVE DEVICE		
677-055	RH AFTERTREATMENT SYSTEM CAB ACCESS WITH POLISHED DIAMOND PLATE COVER		
275-998	NO EMERGENCY WARNING SIRENS		
776-998	NO SLEEPER VENT	-10	
768-059	(2) 28X22 INCH SOLAR TINTED REAR WINDOWS		



Prepared for:
 Laura Hammack
 WEST VIRGINIA AGRICULTURE DEPT
 1900 Kanawha Boulevard
 Rm E28
 Charleston, WV 25305
 Phone: 304-558-0573

Prepared by:
 Jackie Cummings
 MATHENY MOTOR TRUCK
 COMPANY
 50 Matheny Lane
 Mineral Wells, WV 26150
 Phone: 3044854418

Data Code	Description	Weight Front	Weight Rear
661-016	SOLAR TINTED DOOR GLASS LH AND RH WITH TINTED FORWARD SIDE GLASS		
654-011	RH AND LH ELECTRIC POWERED WINDOWS	4	
663-019	1-PIECE ROPED-IN SOLAR GREEN GLASS WINDSHIELD		
659-006	8 LITER (2 GAL) WINDSHIELD WASHER RESERVOIR, CAB MOUNTED, WITH FLUID LEVEL INDICATOR		
Cab Interior			
055-012	ELITE COCKPIT INTERIOR APPEARANCE PACKAGE		
707-1D8	SLATE GRAY UP LEVEL INTERIOR		
70K-022	SLATE GRAY WITH PACIFIC BIRCH WOODGRAIN HARD TRIM		
706-034	STANDARD LH DOOR TRIM		
708-034	STANDARD RH DOOR TRIM		
772-001	BLACK MATS		
785-014	(2) DASH MOUNTED POWER OUTLETS AND COIN TRAY		
691-006	FORWARD ROOF MOUNTED CONSOLE WITH DOORS RH AND LH	2	
696-012	CENTER STORAGE CONSOLE MOUNTED ON BACKWALL	5	
693-019	LH AND RH DOOR STORAGE POCKETS INTEGRATED INTO MOLDED DOOR PANELS		
741-019	COAT HOOK(S) IN CAB		
745-998	NO UPPER BUNK	-50	-50
738-021	DIGITAL ALARM CLOCK IN DRIVER DISPLAY		
742-028	THERMOS HOLDER INBOARD OF DRIVER SEAT		
680-036	WING DASH WITH E-VAULT		
720-003	5 LB. FIRE EXTINGUISHER	10	
700-014	HEATER, DEFROSTER AND AIR CONDITIONER WITH CONSTANT OUTLET TEMPERATURE CONTROL		
701-002	HVAC DUCTING WITH MAIN FRESH AIR FILTER		
703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH		
170-015	STANDARD HEATER PLUMBING		
130-041	VALEO HEAVY DUTY A/C REFRIGERANT COMPRESSOR		
698-001	RADIATOR MOUNTED AIR CONDITIONER CONDENSER		
702-002	BINARY CONTROL, R-134A		



Prepared for:
 Laura Hammack
 WEST VIRGINIA AGRICULTURE DEPT
 1900 Kanawha Boulevard
 Rm E28
 Charleston, WV 25305
 Phone: 304-558-0573

Prepared by:
 Jackie Cummings
 MATHENY MOTOR TRUCK
 COMPANY
 50 Matheny Lane
 Mineral Wells, WV 26150
 Phone: 3044854418

Data Code	Description	Weight Front	Weight Rear
739-033	STANDARD INSULATION		
285-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES		
280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM		
324-1B2	PREMIUM LED CAB LIGHTING		
657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME		
78G-002	KEY QUANTITY OF 2		
655-005	LH AND RH ELECTRIC DOOR LOCKS		
64C-003	BLACK DOOR HANDLES		
740-998	NO MATTRESS	-20	-15
284-998	NO POWER SUPPLY SLEEPER/CAB		
710-998	NO CAB PRIVACY CURTAIN		
722-002	TRIANGULAR REFLECTORS WITHOUT FLARES	10	
756-1J6	PREMIUM 2.0 HIGH BACK AIR SUSPENSION DRIVER SEAT WITH 2 AIR LUMBAR, INTEGRATED CUSHION EXTENSION, TILT AND ADJUSTABLE SHOCK		
760-1J6	PREMIUM 2.0 HIGH BACK AIR SUSPENSION PASSENGER SEAT WITH 2 AIR LUMBAR, INTEGRATED CUSHION EXTENSION, TILT AND ADJUSTABLE SHOCK	40	15
757-001	BLACK SUSPENSION COVER FOR AIR DRIVER SEAT	2	
759-005	DUAL DRIVER AND PASSENGER SEAT ARMRESTS	8	
758-034	CLOTH WITH CLOTH INSERT DRIVER SEAT		
761-034	CLOTH WITH CLOTH INSERT PASSENGER SEAT		
763-1AB	3 POINT HIGH VISIBILITY ORANGE ADJUSTABLE D-RING RETRACTOR DRIVER AND FIXED D-RING RETRACTOR PASSENGER SEAT BELTS		
532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN	20	
540-070	4-SPOKE 18 INCH (450MM) LEATHER WRAPPED STEERING WHEEL WITH CHROME SWITCH BEZELS		
765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS		

Instruments & Controls

106-002	ELECTRONIC ACCELERATOR CONTROL
734-018	STANDARD CENTER INSTRUMENT PANEL
870-001	BLACK GAUGE BEZELS



Prepared for:
 Laura Hammack
 WEST VIRGINIA AGRICULTURE DEPT
 1900 Kanawha Boulevard
 Rm E28
 Charleston, WV 25305
 Phone: 304-558-0573

Prepared by:
 Jackie Cummings
 MATHENY MOTOR TRUCK
 COMPANY
 50 Matheny Lane
 Mineral Wells, WV 26150
 Phone: 3044854418

Data Code	Description	Weight Front	Weight Rear
486-001	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM		
840-001	DUAL NEEDLE PRIMARY AND SECONDARY AIR PRESSURE GAUGE		
198-003	DASH MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS	2	
721-003	87 DECIBELS TO 112 DECIBELS AUTOMATIC SELF-ADJUSTING BACKUP ALARM		3
149-015	ELECTRONIC CRUISE CONTROL WITH CONTROLS ON STEERING WHEEL SPOKES		
156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY		
811-044	PREMIUM INSTRUMENT CLUSTER WITH 5.0 INCH TFT COLOR DISPLAY		
81B-003	DIGITAL PANEL LAMP DIMMER SWITCH IN DRIVER DISPLAY		
160-038	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH		
844-001	2 INCH ELECTRIC FUEL GAUGE		
856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE		
854-008	DIGITAL ENGINE OIL TEMPERATURE IN DRIVER DISPLAY		
867-004	ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER		
830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY		
372-123	PTO CONTROLS FOR ENHANCED VEHICLE ELECTRIC/ELECTRONIC ARCHITECTURE		
736-998	NO OBSTACLE DETECTION SYSTEM		
73K-998	NO SIDE OBJECT DETECTION SYSTEM		
49B-004	ELECTRONIC STABILITY CONTROL		
73B-998	NO LANE DEPARTURE WARNING SYSTEM		
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE		
746-143	7" B-PANEL INTERACTIVE TOUCHSCREEN DISPLAY RADIO W/ USB-C, APPLE CARPLAY, ANDROID AUTO, BLUETOOTH/AM/FM/SXM/WB, WITH MICROPHONE		
747-001	DASH MOUNTED RADIO		
750-041	STANDARD SPEAKER SYSTEM		
753-998	NO AM/FM RADIO ANTENNA		



Prepared for:
 Laura Hammack
 WEST VIRGINIA AGRICULTURE DEPT
 1900 Kanawha Boulevard
 Rm E28
 Charleston, WV 25305
 Phone: 304-558-0573

Prepared by:
 Jackie Cummings
 MATHENY MOTOR TRUCK
 COMPANY
 50 Matheny Lane
 Mineral Wells, WV 26150
 Phone: 3044854418

Data Code	Description	Weight Front	Weight Rear
748-045	UNIDEN BEARCAT 880 FACTORY INSTALLED CB RADIO WITH 10 CHANNEL WEATHERBAND	5	
749-001	ROOF/OVERHEAD CONSOLE CB RADIO PROVISION		
752-044	SINGLE LH CB ANTENNA		
75W-002	SHARKFIN MULTI-BAND ANTENNA, RIGHT HAND BIAS ROOF MOUNTING LOCATION: AM/FM/WEATHERBAND, WIFI/BLUETOOTH, SDAR/SIRIUSXM, GNSS/GPS		
78C-003	INTEROPERABLE SDAR ANTENNA		
810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER		
817-001	STANDARD VEHICLE SPEED SENSOR		
812-032	ELECTRONIC 2500 RPM TACHOMETER		
813-1C8	DETROIT CONNECT PLATFORM HARDWARE		
8D1-315	5 YEARS DAIMLER CONNECTIVITY BASE PACKAGE (FEATURES VARY BY MODEL) POWERED BY DETROIT CONNECT ON CUMMINS ENGINES		
6TS-012	(3) TMC RP 1226 ACCESSORY CONNECTORS: (2) LOCATED BEHIND PASSENGER SIDE REMOVABLE DASH PANEL, AND (1) LOCATED CENTER OF OVERHEAD CONSOLE		
162-002	IGNITION SWITCH CONTROLLED ENGINE STOP		
329-010	TWO ON/OFF ROCKER SWITCHES IN THE DASH WITH INDICATOR LIGHTS AND WIRE ROUTED TO CHASSIS AT BACK OF CAB, LABEL OPT		
81Y-005	PRE-TRIP INSPECTION FEATURE FOR EXTERIOR LAMPS ONLY		
264-033	STEERING WHEEL MOUNTED ELECTRIC HORN CONTROL		
482-001	STANDARD TRACTOR PROTECTION VALVE		
883-001	TRAILER HAND CONTROL BRAKE VALVE		
836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY		
660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY		
304-030	ROTARY HEADLAMP SWITCH, MARKER LIGHTS/HEADLIGHTS SWITCH WITH PULL OUT FOR OPTIONAL FOG/ROAD LAMPS		
882-004	TWO VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR		
299-028	MANUAL TURN SIGNAL SWITCH WITH DIMMER, HEADLAMP FLASH, WASH/WIPE/INTERMITTENT		



Prepared for:
 Laura Hammack
 WEST VIRGINIA AGRICULTURE DEPT
 1900 Kanawha Boulevard
 Rm E28
 Charleston, WV 25305
 Phone: 304-558-0573

Prepared by:
 Jackie Cummings
 MATHENY MOTOR TRUCK
 COMPANY
 50 Matheny Lane
 Mineral Wells, WV 26150
 Phone: 3044854418

Data Code	Description	Weight Front	Weight Rear
298-046	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH 40 AMP (20 AMP PER SIDE) TRAILER LAMP CAPACITY		

Design

065-000 PAINT: ONE SOLID COLOR

Color

980-5F6 CAB COLOR A: L0006EY WHITE ELITE EY
 986-020 BLACK, HIGH SOLIDS POLYURETHANE CHASSIS
 PAINT

Certification / Compliance

996-001 U.S. FMVSS CERTIFICATION, EXCEPT SALES
 CABS AND GLIDER KITS

Secondary Factory Options

97E-002 DEALER/CUSTOMER ALLOWS DTNA TO
 CHOOSE BRAKES/BRAND TO MAINTAIN BUILD
 SCHEDULE
 007-025 2025 ENGINE MODEL YEAR
 561-001 STANDARD C/M BACK OF TRANSMISSION

Sales Programs

NO SALES PROGRAMS HAVE BEEN SELECTED

T O T A L V E H I C L E S U M M A R Y

Weight Summary

	Weight Front	Weight Rear	Total Weight
Factory Weight*	9221 lbs	7085 lbs	16306 lbs
Dealer Installed Options	0 lbs	0 lbs	0 lbs
Total Weight*	9221 lbs	7085 lbs	16306 lbs

Other Factory Charges

PMV-024 GHG24 SURCHARGE - CUMMINS
 RD1-315 5 YR DAIMLER CONNECTIVITY CORE PACKAGE -POWERED BY
 DETROIT CONNECT ON CUMMINSENGINES
 RD3-998 NO SAFETY EVENT VIEWER



Prepared for:
 Laura Hammack
 WEST VIRGINIA AGRICULTURE DEPT
 1900 Kanawha Boulevard
 Rm E28
 Charleston, WV 25305
 Phone: 304-558-0573

Prepared by:
 Jackie Cummings
 MATHENY MOTOR TRUCK
 COMPANY
 50 Matheny Lane
 Mineral Wells, WV 26150
 Phone: 3044854418

RAG-020 CUMMINS TARIFF CHARGE - \$205
 PAT-024 STEEL, ALUMINUM, AND CHINA TARIFF IMPACT FEE OHWY

 R26-001 MY26 ESCALATOR
 P73-2FT STANDARD DESTINATION CHARGE

Extended Warranty

WAI-5BG CUM 2017 X15: HD1 PERFORMANCE 5 YEARS / 500,000 MILES / 805,000 KM EXT WARRANTY. FEX APPLIES
 WAX-136 CUM 2017 X15 AT3 PERFORMANCE 5 YEARS / 500,000 MILES / 805,000 KM AFTERTREATMENT.FEX APPLIES
 WBB-27E EXT ULTIMATE TRUCK CHASSIS: US HD STANDARD-MODERATE 3 YEARS/100,000 MILES/161,000 KM.
 WAL-240 AXLE: NON-DETROIT TANDEM REAR ONLY: HD STANDARD 3 YEAR/200,000 MILE/322,000 KM EXTENDED COVERAGE
 WAG-042 TOWING: 5 YEARS/UNLIMITED MILES/KM EXTENDED TOWING COVERAGE \$1200 CAP FEX APPLIES

Dealer Installed Options

		Weight Front	Weight Rear
PIGG	12-VOLT PIGTAIL TO CHARGE LIFT GATE ON TRAILER	0	0
XSAIL	ANTISAIL MUDFLAPS	0	0
AIR D	INSTALL AIR DEFLECTOR	0	0
Total Dealer Installed Options		0 lbs	0 lbs

(+) Weights shown are estimates only.

If weight is critical, contact Customer Application Engineering.

(***) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.



Prepared for:
Laura Hammack
WEST VIRGINIA AGRICULTURE DEPT
1900 Kanawha Boulevard
Rm E28
Charleston, WV 25305
Phone: 304-558-0573

Prepared by:
Jackie Cummings
MATHENY MOTOR TRUCK
COMPANY
50 Matheny Lane
Mineral Wells, WV 26150
Phone: 3044854418

