



Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

State of West Virginia
 Centralized Request for Quote
 Vehicles

Proc Folder: 1949414			Reason for Modification:
Doc Description: Class 8 Day Cab Tandem Axle Tractor - 2025 or Newer			
Proc Type: Central Purchase Order			
Date Issued	Solicitation Closes	Solicitation No	Version
2026-04-29	2026-05-13 13:30	CRFQ 1400 AGR2600000041	1

BID RECEIVING LOCATION

BID CLERK
 DEPARTMENT OF ADMINISTRATION
 PURCHASING DIVISION
 2019 WASHINGTON ST E
 CHARLESTON WV 25305
 US

RECEIVED
 2026 MAY 13 AM 11:36
 WV PURCHASING
 DIVISION

VENDOR

Vendor Customer Code: 000000187888
Vendor Name : Worldwide Equipment of WV, Inc
Address :
Street : 5650 US RT 60 East
City : Huntington
State : WV **Country :** USA **Zip :** 45705
Principal Contact : Matt Cochran
Vendor Contact Phone: 304-208-2542 **Extension:**

FOR INFORMATION CONTACT THE BUYER

Larry D McDonnell
 304-558-2063
 larry.d.mcdonnell@wv.gov

Vendor Signature X  FEIN# 45-1024981 DATE 05/12/26

All offers subject to all terms and conditions contained in this solicitation

ADDITIONAL INFORMATION

The State of West Virginia Purchasing Division, is soliciting bids for the agency, West Virginia Department of Agriculture to establish a contract for the one-time purchase of a 2025 or newer Class 8 Day Cab Tandem Axle Tractor, per the attached documentation.

READ ALL TERMS AND CONDITIONS AND SPECIFICATIONS IN ITS ENTIREITY - SEE ATTACHED FILE NAMED: CRFQ AGR26*41 - SOLICITATION DOCUMENTATION

****Questions regarding the solicitation must be submitted in writing to Larry.D.McDonnell@wv.gov prior to the question period deadline listed in the attached documentation****

INVOICE TO

AGRICULTURE
DEPARTMENT OF
ADMINISTRATIVE SERVICES
1900 KANAWHA BLVD E

CHARLESTON WV
US

SHIP TO

AGRICULTURE
DEPARTMENT OF
ADMINISTRATIVE SERVICES
217 GUS R DOUGLAS LN,
BLDG 2 RM 106
CHARLESTON WV
US

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
1	2025 or newer Class 8 Day Cab Tandem Axle Tractor	1.00000	EA		

Comm Code	Manufacturer	Specification	Model #
25102100			

Extended Description:

Please see the attached documentation for further details.

SCHEDULE OF EVENTS

<u>Line</u>	<u>Event</u>	<u>Event Date</u>
-------------	--------------	-------------------



CERTIFICATE OF GARAGE INSURANCE

DATE (MM/DD/YYYY)
09/22/2025

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER Shepherd Insurance, LLC. 111 Congressional Boulevard Suite 200 Carmel IN 46032	CONTACT NAME: Certificate Processing Department PHONE (A/C, No, Ext): (317)846-5554 E-MAIL ADDRESS: trkdlrcerts@shepherdins.com	FAX (A/C, No): (317)846-5444
	INSURER(S) AFFORDING COVERAGE	
INSURED Worldwide Equipment Enterprises, Inc. 6614 Wilbanks Road Knoxville TN 37912	INSURER A: Arch Insurance Group	NAIC # 11150
	INSURER B: Starstone National Insurance Co	44776
	INSURER C: Fortegra Specialty Insurance	16823
	INSURER D:	
	INSURER E:	
	INSURER F:	

COVERAGES PROD / CUSTOMER ID: 00043943 **CERTIFICATE #:** CL2592279355 **REVISION #:**


THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL INSD	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS	
A	<input checked="" type="checkbox"/> GARAGE LIABILITY <input type="checkbox"/> ANY AUTO OWNED AUTOS ONLY <input type="checkbox"/> HIRED AUTOS ONLY <input type="checkbox"/> NON-OWNED AUTOS USED IN GARAGE BUSINESS			ZACAT9297903	10/01/2025	10/01/2026	AUTO ONLY (Ea accident)	\$ 2,000,000
							OTHER THAN AUTO ONLY	EA ACCIDENT \$ 2,000,000
							AGGREGATE	\$ 4,000,000
A	<input checked="" type="checkbox"/> GARAGE KEEPERS LIABILITY <input checked="" type="checkbox"/> LEGAL LIABILITY DIRECT BASIS <input type="checkbox"/> PRIMARY <input type="checkbox"/> EXCESS			ZACAT9297903	10/01/2025	10/01/2026	<input checked="" type="checkbox"/> COMP / OTC SPECIFIED PERILS <input checked="" type="checkbox"/> COLLISION	LOC \$ 1,000,000 LOC \$ LOC \$ 1,000,000 LOC \$
A	<input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR GEN'L AGGREGATE LIMIT APPLIES PER: <input checked="" type="checkbox"/> POLICY <input type="checkbox"/> PRO-JECT <input type="checkbox"/> LOC OTHER:			ZACAT9297903	10/01/2025	10/01/2026	EACH OCCURRENCE \$ 2,000,000 DAMAGE TO RENTED PREMISES (Ea occurrence) \$ 300,000 MED EXP (Any one person) \$ 10,000 PERSONAL & ADV INJURY \$ 2,000,000 GENERAL AGGREGATE \$ 4,000,000 PRODUCTS - COMP/OP AGG \$ 4,000,000	
B	<input checked="" type="checkbox"/> UMBRELLA LIAB <input checked="" type="checkbox"/> EXCESS LIAB <input checked="" type="checkbox"/> OCCUR <input type="checkbox"/> CLAIMS-MADE DED <input checked="" type="checkbox"/> RETENTION \$ 0			80894S252ALI	10/01/2025	10/01/2026	EACH OCCURRENCE \$ 5,000,000 AGGREGATE \$ 5,000,000	
A	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) If yes, describe under REMARKS below Y/N <input checked="" type="checkbox"/> N		N/A	ZAWC19755303	10/01/2025	10/01/2026	<input checked="" type="checkbox"/> PER STATUTE <input type="checkbox"/> OTH-ER E.L. EACH ACCIDENT \$ 1,000,000 E.L. DISEASE - EA EMPLOYEE \$ 1,000,000 E.L. DISEASE - POLICY LIMIT \$ 1,000,000	
C	Excess Liability			EGL1000099-02	10/01/2025	10/01/2026	Ea. Occurrence \$ 5,000,000 Aggregate \$ 5,000,000	

REMARKS (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

Customers are defined as an insured for Covered Auto Liability only. Additional insured status is automatic when agreed in writing in a contract or agreement for auto liability & general liability "your operations" (including ongoing and completed ops liability). Insurance is on a primary and noncontributory basis for auto/general liability. A waiver of subrogation for auto/general liability is automatic when agreed in writing in a contract or agreement. All in accordance with the attached forms and policy terms, conditions, and exclusions.

CERTIFICATE HOLDER**CANCELLATION**

State of West Virginia 1900 Kanawha Blvd E. Building 5 Charleston WV 25305	SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS. AUTHORIZED REPRESENTATIVE 
---	--

© 2010-2015 ACORD CORPORATION. All rights reserved.

Additional Named Insureds

Other Named Insureds

Worldwide Equipment Enterprises, Inc
Service Parts, Inc
Volunteer Volvo & GMC, Inc.
Worldwide Equipment of West Virginia, Inc,
Worldwide Equipment, Inc
Worldwide Equipment Leasing, Inc.
 Paclease Franchisee, Mack Lease Franchisee
Worldwide Equipment of Ohio, Inc.
Worldwide Equipment of South Carolina, Inc.
 DBA Worldwide Kenworth of South Carolina
Worldwide Equipment of TN, Inc.
Worldwide Fabricating and Manufacturing, Inc
Worldwide Equipment-Heritage, Inc.
Worldwide Auto Group, Inc
 DBA Worldwide Ford Sales
Worldwide Equipment of Georgia, Inc.
The Truck People, Inc.
Lee Properties, LLC
TLD Properties, LLC
Volunteer Leasing and Financial Services, LLC
TDSB Properties, LLC
TDSB Albany Properties, LLC
Judith Dotson
Kingston Meadows

THIS ENDORSEMENT CHANGES THE POLICY. PLEASE READ IT CAREFULLY.

DESIGNATED INSURED FOR COVERED AUTOS LIABILITY COVERAGE

This endorsement modifies insurance provided under the following:

- AUTO DEALERS COVERAGE FORM
- BUSINESS AUTO COVERAGE FORM
- MOTOR CARRIER COVERAGE FORM

With respect to coverage provided by this endorsement, the provisions of the Coverage Form apply unless modified by this endorsement.

This endorsement identifies person(s) or organization(s) who are "insureds" for Covered Autos Liability Coverage under the Who Is An Insured provision of the Coverage Form. This endorsement does not alter coverage provided in the Coverage Form.

This endorsement changes the policy effective on the inception date of the policy unless another date is indicated below.

Named Insured: Worldwide Equipment Enterprises, Inc.
Endorsement Effective Date: 10/01/2025

SCHEDULE

Name Of Person(s) Or Organization(s):
 AS AGREED PER WRITTEN CONTRACT OR WRITTEN AGREEMENT

Information required to complete this Schedule, if not shown above, will be shown in the Declarations.

Each person or organization shown in the Schedule is an "insured" for Covered Autos Liability Coverage, but only to the extent that person or organization qualifies as an "insured" under the Who Is An Insured provision contained in Paragraph A.1. of Section II – Covered Autos Liability Coverage in the Business Auto and Motor Carrier Coverage Forms and Paragraph D.2. of Section I – Covered Autos Coverages of the Auto Dealers Coverage Form.

THIS ENDORSEMENT CHANGES THE POLICY. PLEASE READ IT CAREFULLY.

WAIVER OF TRANSFER OF RIGHTS OF RECOVERY AGAINST OTHERS TO US (WAIVER OF SUBROGATION)

This endorsement modifies insurance provided under the following:

AUTO DEALERS COVERAGE FORM
BUSINESS AUTO COVERAGE FORM
MOTOR CARRIER COVERAGE FORM

With respect to coverage provided by this endorsement, the provisions of the Coverage Form apply unless modified by the endorsement.

This endorsement changes the policy effective on the inception date of the policy unless another date is indicated below.

Named Insured: Worldwide Equipment Enterprises, Inc.

Endorsement Effective Date: 10/01/2025

SCHEDULE

Name(s) Of Person(s) Or Organization(s):

AS AGREED BY WRITTEN CONTRACT OR WRITTEN AGREEMENT

Information required to complete this Schedule, if not shown above, will be shown in the Declarations.

The Transfer Of Rights Of Recovery Against Others To Us condition does not apply to the person(s) or organization(s) shown in the Schedule, but only to the extent that subrogation is waived prior to the "accident" or the "loss" under a contract with that person or organization.

POLICY NUMBER: ZAWC19755303

WAIVER OF OUR RIGHT TO RECOVER FROM OTHERS ENDORSEMENT

We have the right to recover our payments from anyone liable for an injury covered by this policy. We will not enforce our right against the person or organization named in the Schedule. (This agreement applies only to the extent that you perform work under a written contract that requires you to obtain this agreement from us.)

This agreement shall not operate directly or indirectly to benefit anyone not named in the Schedule.

Schedule

AS AGREED BY WRITTEN CONTRACT OR WRITTEN AGREEMENT

This endorsement changes the policy to which it is attached and is effective on the date issued unless otherwise stated. (The information below is required only when this endorsement is issued subsequent to preparation of the policy.)

Endorsement Effective

Policy No.

Endorsement No.

Insured

Premium

Insurance Company ARCH INSURANCE COMPANY

DATE OF ISSUE:

Countersigned By _____

THIS ENDORSEMENT CHANGES THE POLICY. PLEASE READ IT CAREFULLY.

PRIMARY AND NON-CONTRIBUTORY – OTHER INSURANCE CONDITION

This endorsement modifies insurance provided under the following:

AUTO DEALERS COVERAGE FORM
BUSINESS AUTO COVERAGE FORM
MOTOR CARRIER COVERAGE FORM

The following is added to the **Other Insurance** Condition in the **Auto Dealers Coverage Form** and **Business Auto Coverage Form** and the **Other Insurance – Primary and Excess Insurance Provisions** Condition in the **Motor Carrier Coverage Form**:

Primary and Noncontributory Insurance

This insurance is primary to and will not seek contribution from any other insurance available to an additional "insured" under your policy provided that:

1. The additional "insured" is a Named Insured under such other insurance; and
2. You have agreed in writing in a contract or agreement that this insurance would be primary and would not seek contribution from any other insurance available to the additional "insured".

All other terms and conditions of this Policy remain unchanged.

Endorsement Number:

Policy Number: ZACAT9297903

Named Insured: Worldwide Equipment Enterprises, Inc.

This endorsement is effective on the inception date of this Policy unless otherwise stated herein:

Endorsement Effective Date: 10/01/2025

THIS ENDORSEMENT CHANGES THE POLICY. PLEASE READ IT CAREFULLY.

**ADDITIONAL INSURED – DESIGNATED
PERSON OR ORGANIZATION**

This endorsement modifies insurance provided under the following:

AUTO DEALER COVEAGE FORM

SCHEDULE

Name Of Additional Insured Person(s) Or Organization(s):

ANY PERSON OR ORGANIZATION WITH WHOM YOU AGREED IN WRITING IN A CONTRACT OR AGREEMENT TO BE ADDED AS AN ADDITIONAL INSURED ON YOUR POLICY.

A. Section II - General Liability Coverages, Paragraph D. Who Is An Insured is amended to include as an additional insured the person(s) or organization(s) shown in the Schedule, but only with respect to liability for "bodily injury", "property damage" or "personal and advertising injury" caused, in whole or in part, by your acts or omissions or the acts or omissions of those acting on your behalf:

1. In the performance of your operations;
2. Arising out of your "products" or "work you performed" or
2. In connection with your premises owned by or rented to you.

However:

1. The insurance afforded to such additional insured only applies to the extent permitted by law; and
2. If coverage provided to the additional insured is required by a contract or agreement, the insurance afforded to such additional insured will not be broader than that which you are required by the contract or agreement to provide for such additional insured.

B. With respect to the insurance afforded to these additional insureds, the following is added to Section II – General Liability Coverages, Paragraph F. Limits Of Insurance – General Liability Coverages:

If coverage provided to the additional insured is required by a contract or agreement, the most we will pay on behalf of the additional insured is the amount of insurance:

1. Required by the contract or agreement; or
2. Available under the applicable limits of insurance; whichever is less.

This endorsement shall not increase the applicable limits of insurance.

All other terms and conditions of this Policy remain unchanged.

00 ML0207 00 11 03

Includes copyrighted material of Insurance Services Office, Inc., Page 1 of 2 with its permission.


Issued By:

Endorsement Number:

Policy Number: ZACAT9297903

Named Insured: Worldwide Equipment Enterprises, Inc.

Endorsement Effective Date: 10/01/2025

A handwritten signature in black ink, appearing to read "Brian D. First". The signature is written in a cursive, flowing style.

President

DESIGNATED CONTACT: Vendor appoints the individual identified in this Section as the Contract Administrator and the initial point of contact for matters relating to this Contract.

(Printed Name and Title) Matt Cochran, Sales Manager

(Address) 5650 US RT 60 East, Huntington WV 45705

(Phone Number) / (Fax Number) 304-208-2542, 304-343-6959


(email address) matt.cochran@thetruckpeople.com

CERTIFICATION AND SIGNATURE: By signing below, or submitting documentation through wvOASIS, I certify that: I have reviewed this Solicitation/Contract in its entirety; that I understand the requirements, terms and conditions, and other information contained herein; that this bid, offer or proposal constitutes an offer to the State that cannot be unilaterally withdrawn; that the product or service proposed meets the mandatory requirements contained in the Solicitation/Contract for that product or service, unless otherwise stated herein; that the Vendor accepts the terms and conditions contained in the Solicitation, unless otherwise stated herein; that I am submitting this bid, offer or proposal for review and consideration; that this bid or offer was made without prior understanding, agreement, or connection with any entity submitting a bid or offer for the same material, supplies, equipment or services; that this bid or offer is in all respects fair and without collusion or fraud; that this Contract is accepted or entered into without any prior understanding, agreement, or connection to any other entity that could be considered a violation of law; that I am authorized by the Vendor to execute and submit this bid, offer, or proposal, or any documents related thereto on Vendor's behalf; that I am authorized to bind the vendor in a contractual relationship; and that to the best of my knowledge, the vendor has properly registered with any State agency that may require registration.

By signing below, I further certify that I understand this Contract is subject to the provisions of West Virginia Code § 5A-3-62, which automatically voids certain contract clauses that violate State law; and that pursuant to W. Va. Code 5A-3-63, the entity entering into this contract is prohibited from engaging in a boycott against Israel.

Worldwide Equipment of WV, Inc

(Company)


(Signature of Authorized Representative)

Matt Cochran, Sales Manager 05/12/2026

(Printed Name and Title of Authorized Representative) (Date)

304-208-2542 304-343-6959

(Phone Number) (Fax Number)

matt.cochran@thetruckpeople.com

(Email Address)



Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

State of West Virginia
 Centralized Request for Quote
 Vehicles

Proc Folder: 1949414			Reason for Modification:
Doc Description: Class 8 Day Cab Tandem Axle Tractor - 2025 or Newer			
Proc Type: Central Purchase Order			
Date Issued	Solicitation Closes	Solicitation No	Version
2026-04-29	2026-05-13 13:30	CRFQ 1400 AGR2600000041	1

BID RECEIVING LOCATION

BID CLERK
 DEPARTMENT OF ADMINISTRATION
 PURCHASING DIVISION
 2019 WASHINGTON ST E
 CHARLESTON WV 25305
 US

VENDOR

Vendor Customer Code: 000000187888
Vendor Name : Worldwide Equipment of WV, Inc
Address :
Street : 5650 US RT 60 East
City : Huntington
State : WV **Country :** USA **Zip :** 45705
Principal Contact : Matt Cochran
Vendor Contact Phone: 304-208-2542 **Extension:**

FOR INFORMATION CONTACT THE BUYER

Larry D McDonnell
 304-558-2063
 larry.d.mcdonnell@wv.gov

Vendor
 Signature X

FEIN# 45-1024981

DATE 05/12/2026

All offers subject to all terms and conditions contained in this solicitation

ADDITIONAL INFORMATION

The State of West Virginia Purchasing Division, is soliciting bids for the agency, West Virginia Department of Agriculture to establish a contract for the one-time purchase of a 2025 or newer Class 8 Day Cab Tandem Axle Tractor, per the attached documentation.

READ ALL TERMS AND CONDITIONS AND SPECIFICATIONS IN ITS ENTIREITY - SEE ATTACHED FILE NAMED: CRFQ AGR26*41 - SOLICITATION DOCUMENTATION

****Questions regarding the solicitation must be submitted in writing to Larry.D.McDonnell@wv.gov prior to the question period deadline listed in the attached documentation****

INVOICE TO		SHIP TO	
AGRICULTURE DEPARTMENT OF ADMINISTRATIVE SERVICES 1900 KANAWHA BLVD E CHARLESTON WV US		AGRICULTURE DEPARTMENT OF ADMINISTRATIVE SERVICES 217 GUS R DOUGLAS LN, BLDG 2 RM 106 CHARLESTON WV US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
1	2025 or newer Class 8 Day Cab Tandem Axle Tractor	1.00000	EA		

Comm Code	Manufacturer	Specification	Model #
25102100			

Extended Description:
Please see the attached documentation for further details.

SCHEDULE OF EVENTS

<u>Line</u>	<u>Event</u>	<u>Event Date</u>
-------------	--------------	-------------------

	Document Phase	Document Description	Page
AGR2600000041	Final	Class 8 Day Cab Tandem Axle Tractor - 2025 or Newer	3

ADDITIONAL TERMS AND CONDITIONS

See attached document(s) for additional Terms and Conditions



Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

State of West Virginia
 Centralized Request for Quote
 Vehicles

Proc Folder: 1949414			Reason for Modification: Addendum No. 01
Doc Description: Class 8 Day Cab Tandem Axle Tractor - 2025 or Newer			
Proc Type: Central Purchase Order			
Date Issued	Solicitation Closes	Solicitation No	Version
2026-05-06	2026-05-13 13:30	CRFQ 1400 AGR2600000041	2

BID RECEIVING LOCATION

BID CLERK
 DEPARTMENT OF ADMINISTRATION
 PURCHASING DIVISION
 2019 WASHINGTON ST E
 CHARLESTON WV 25305
 US

VENDOR

Vendor Customer Code: 000000187888
Vendor Name: Worldwide Equipment of WV, Inc
Address :
Street : 5650 US RT 60 East
City : Huntington
State : WV **Country :** USA **Zip :** 45705
Principal Contact : Matt Cochran
Vendor Contact Phone: 304-208-2542 **Extension:**

FOR INFORMATION CONTACT THE BUYER

Larry D McDonnell
 304-558-2063
 larry.d.mcdonnell@wv.gov

Vendor
 Signature X

FEIN# 45-1024981

DATE 05/12/2026

All offers subject to all terms and conditions contained in this solicitation

ADDITIONAL INFORMATION

Addendum No. 01

To attach answers to vendor questions.

Bid opening date and time still remains 05/13/2026 at 1:30PM EST/EDT.

No other changes

INVOICE TO**SHIP TO**

AGRICULTURE
DEPARTMENT OF
ADMINISTRATIVE SERVICES
1900 KANAWHA BLVD E

CHARLESTON
US

WV

AGRICULTURE
DEPARTMENT OF
ADMINISTRATIVE SERVICES
217 GUS R DOUGLAS LN,
BLDG 2 RM 106

CHARLESTON
US

WV

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
1	2025 or newer Class 8 Day Cab Tandem Axle Tractor	1.00000	EA		

Comm Code	Manufacturer	Specification	Model #
25102100			

Extended Description:

Please see the attached documentation for further details.

SCHEDULE OF EVENTS

<u>Line</u>	<u>Event</u>	<u>Event Date</u>
-------------	--------------	-------------------

ADDENDUM ACKNOWLEDGEMENT FORM
SOLICITATION NO.: CRFQ AGR26*41

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

Addendum Numbers Received:

(Check the box next to each addendum received)

- | | |
|--|--|
| <input checked="" type="checkbox"/>] Addendum No. 1 | <input type="checkbox"/>] Addendum No. 6 |
| <input type="checkbox"/>] Addendum No. 2 | <input type="checkbox"/>] Addendum No. 7 |
| <input type="checkbox"/>] Addendum No. 3 | <input type="checkbox"/>] Addendum No. 8 |
| <input type="checkbox"/>] Addendum No. 4 | <input type="checkbox"/>] Addendum No. 9 |
| <input type="checkbox"/>] Addendum No. 5 | <input type="checkbox"/>] Addendum No. 10 |

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

Worldwide Equipment of WV, Inc

Company



Authorized Signature

05/12/2026

Date

NOTE: This addendum acknowledgement should be submitted with the bid to expedite document processing.



Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

State of West Virginia
 Centralized Request for Quote
 Vehicles

Proc Folder: 1949414			Reason for Modification: Addendum No. 01
Doc Description: Class 8 Day Cab Tandem Axle Tractor - 2025 or Newer			
Proc Type: Central Purchase Order			
Date Issued	Solicitation Closes	Solicitation No	Version
2026-05-06	2026-05-13 13:30	CRFQ 1400 AGR2600000041	2

BID RECEIVING LOCATION

BID CLERK
 DEPARTMENT OF ADMINISTRATION
 PURCHASING DIVISION
 2019 WASHINGTON ST E
 CHARLESTON WV 25305
 US

VENDOR

Vendor Customer Code: 000000187888
Vendor Name: Worldwide Equipment of WV, Inc
Address:
Street: 5650 US RT 60 East
City: Huntington
State: WV **Country:** USA **Zip:** 45705
Principal Contact: Matt Cochran
Vendor Contact Phone: 304-208-2542 **Extension:**

FOR INFORMATION CONTACT THE BUYER

Larry D McDonnell
 304-558-2063
 larry.d.mcdonnell@wv.gov

Vendor
 Signature X

FEIN# 45-1024981

DATE 05/12/2026

All offers subject to all terms and conditions contained in this solicitation

ADDITIONAL INFORMATION

Addendum No. 01

To attach answers to vendor questions.

Bid opening date and time still remains 05/13/2026 at 1:30PM EST/EDT.

No other changes

INVOICE TO**SHIP TO**

AGRICULTURE
DEPARTMENT OF
ADMINISTRATIVE SERVICES
1900 KANAWHA BLVD E

CHARLESTON WV
US

AGRICULTURE
DEPARTMENT OF
ADMINISTRATIVE SERVICES
217 GUS R DOUGLAS LN,
BLDG 2 RM 106

CHARLESTON WV
US

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
1	2025 or newer Class 8 Day Cab Tandem Axle Tractor	1.00000	EA		

Comm Code	Manufacturer	Specification	Model #
25102100			

Extended Description:

Please see the attached documentation for further details.

SCHEDULE OF EVENTS

<u>Line</u>	<u>Event</u>	<u>Event Date</u>
-------------	--------------	-------------------

	Document Phase	Document Description	Page
AGR2600000041	Final	Class 8 Day Cab Tandem Axle Tractor - 2025 or Newer	3

ADDITIONAL TERMS AND CONDITIONS

See attached document(s) for additional Terms and Conditions

<u>Description</u>	(US DOLLAR)	<u>Price</u>
Factory List Prices:		
Product Items	\$292,749.00	
Service Items	\$6,020.00	
Total Factory List Price Including Options:		\$298,769.00
Freight	\$3,100.00	
Total Freight:		\$3,100.00
Total Factory List Price Including Freight:		\$301,869.00
Less Customer Allowance:		(\$167,733.97)
Total Vehicle Price:		\$134,135.03
Total Sale Price:		\$134,135.03
Total Per Vehicle Sales Price:		\$134,135.03
Net Sales Price:		\$134,135.03

Please feel free to contact me regarding these specifications should your interests or needs change. I am confident you will be pleased with the quality and service of an International vehicle.

Approved by Seller:

Accepted by Purchaser:

Sales Mgr 5-13-26
Official Title and Date
[Signature]
Authorized Signature

Firm or Business Name

Authorized Signature and Date

This proposal is not binding upon the seller without Seller's Authorized Signature

Official Title and Date

If you haven't added a planned maintenance service contract to your proposal yet, please get in touch with your local dealer, International or IC Bus Sales Representative to learn more about the benefits when ordering together with the vehicle.

International® Financial offers loans, a full line up of lease options, and can establish a line of credit for use towards the purchase of International and IC Bus vehicles. Ask your dealer, International® or IC Bus® Sales Representative about completing an International Financial credit application and any promotional offers that may be available. International Financial services are provided by Navistar Financial Corporation.

The TOPS FET Calculation is an estimate for reference purposes only. The seller is responsible for calculating and reporting/paying appropriate FET to the IRS.


The limited warranties applicable to the vehicles described here in are International Motors, LLC* standard printed warranties which are incorporated herein by reference and to which you have been provided a copy and hereby agree to their terms and conditions.

International Motors, LLC d/b/a International Motors USA LLC in Illinois and Ohio.

Prepared For:
 West Virginia Department Of Agriculture
 Darrell Carter
 4496 Cedar Lakes Dr.
 Ripley, WV 25271-9378
 (304)558 - 0573
 Reference ID: N/A

Presented By:
 WORLDWIDE EQ-HERITAGE
 Matt Cochran
 1 JAIN DR.
 CROSS LANES WV 253131497
 304-776-5600

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.



Model Profile
2027 LT625 6x4 (LT62F)

APPLICATION:	General Freight Regional Haul (DayCab)
MISSION:	Requested GCWR: 80000. Calc. GCWR: 115000. Calc. GVWR: 52350 Calc. Start / Grade Ability: 17.59% / 1.34% @ 65 MPH Calc. Geared Speed: 83.5 MPH
DIMENSION:	Wheelbase: 215.00, CA: 140.40, Axle to Frame: 53.00
ENGINE, DIESEL:	{Cummins X15 450} Efficiency Series, EPA 2024, 450HP @ 1700 RPM, 1650 lb-ft Torque @ 900 RPM, 1700 RPM Governed Speed, 461 Peak HP (Max)
TRANSMISSION, MANUAL:	{Fuller RTLO-18913A} 13-Speed Manual, Double Overdrive, Air Shift, Internal Lube Oil Pump
CLUTCH:	{Eaton Fuller Advantage} Self-Adjusting, 15.5" Dia Two-Plate, Cast Angle Spring, Ceramic, 7-Spring Coaxial VCT Plus Damper with Pre-Damper, 2"-10 Tooth Spline, Mechanical Pull-Type Control, 4-Button Disc, 1750 lb-ft Torque Capacity
AXLE, FRONT NON-DRIVING:	{Hendrickson Steertek NXT} Wide Track, Fabricated Type, 12,350-lb Capacity
AXLE, REAR, TANDEM:	{Meritor MT-40-14X-3CFR} Single Reduction, Amboid Gearing in Rear-Rear Axle, 40,000-lb Capacity, .374"(9.5mm) Wall Housing Thickness, R Wheel Ends Gear Ratio: 3.36
CAB:	Conventional, Day Cab
TIRE, FRONT:	(2) 11R22.5 Load Range G AH37 (HANKOOK), 501 rev/mile, 75 MPH, All-Position
TIRE, REAR:	(8) 11R22.5 Load Range G DH37 (HANKOOK), 498 rev/mile, 75 MPH, Drive
SUSPENSION, REAR, AIR, TANDEM:	{International} Ride Optimized Suspension (IROS), 40,000-lb Capacity, 52" Axle Spacing, 9.25" Ride Height, with Shock Absorbers
PAINT:	Cab schematic 100HX Location 1: 9219, Winter White (Std) Chassis schematic N/A

Description

Base Chassis, Model LT625 6x4 with 215.00 Wheelbase, 140.40 CA, and 53.00 Axle to Frame.

FRAME RAILS WITH TAPERED REAR

FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.125" x 3.580" x 0.312" (257.2mm x 90.9mm x 8.0mm); 367.4" (9333mm) Maximum OAL

BUMPER, FRONT 3-Piece, Aerodynamic, Plastic, Molded Dark Gray

BUMPER EFFECTS Includes Bumper Seal

WHEELBASE RANGE 187" (475cm) Through and Including 219" (555cm)

AXLE, FRONT NON-DRIVING {Hendrickson Steertek NXT} Wide Track, Fabricated Type, 12,350-lb Capacity

SUSPENSION, FRONT, SPRING Parabolic Taper Leaf, Shackle Type, 12,350-lb Capacity, with Shock Absorbers

Includes

: SPRING PINS Rubber Bushings, Maintenance-Free

BRAKE SYSTEM, AIR Dual System for Tractor Applications

Includes

: BRAKE LINES Color and Size Coded Nylon

: BRAKE PRESSURE INDICATOR Low Air Pressure Warning Light and Audible Alarm

: DRAIN VALVE Manually Operated (On Wet Tank Only)

: GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster

: GLAD HANDS (2) One for Service and One for Emergency; Trailer Hoses from Cab

: HAND CONTROL VALVE, AIR with Self Return Handle, for Trailer Brakes, Mounted in Instrument Panel

: HOSE TENDER Back of Cab Mounted

: PARKING BRAKE CONTROL Yellow and Red Knobs, Located on Instrument Panel

: PARKING BRAKE VALVE Combination Valve for Tractor and Trailer

: QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for Forward Rear Axle

: TRACTOR PROTECTION VALVE

Notes

: Front and Rear Dust Shields not Included

: Rear Axle is Limited to 40,000-lb GAWR with Code 04092 BRAKE SYSTEM, AIR and Standard Rear Air Cam Brakes Regardless of Axle/Suspension Ordered

TRAILER HOSES AND CABLES {Phillips} Straight, Rubber Hose, 14' Working Length, Aluminum Glad Hands with Rubber Seals, Lighting Cable with Nylon Plug

HOSE TENDER Slide Bar with Single Spring Bracket, Bar Extended 4" from Cab

AIR BRAKE ABS {Bendix AntiLock Brake System} 4-Channel (4 Sensor/4 Modulator) Electronic Stability Program, with Automatic Traction Control

AIR DRYER {Bendix AD-HF} with Heater, Includes Pressure Protection Circuits, Safety Valve, Integral Purge Tank, Governor Pressure Settings 110 psi Cut-In/130 psi Cut-Out, Integrated PuraGuard Coalescing Filtration

BRAKE CHAMBERS, REAR AXLE {Bendix EverSure} 30/30 SqiIn Spring Brake

Includes

: BRAKE CHAMBERS, POSITION (2) Rear Parking; WITH TRUCK BRAKES: All 4x2, 4x4; WITH TRACTOR BRAKES: All 4x2, 4x4; 6x4 & 6x6 with Rear Tandem Axles Less Than 46,000-lb. or GVWR Less Than 54,000-lb.

: BRAKE CHAMBERS, POSITION (4) Rear Parking; WITH TRUCK BRAKES: All 6x4, 6x6; WITH TRACTOR BRAKES: 6x4 & 6x6 with Rear Tandem Axles 46,000-lb. or Greater or GVWR of 54,000-lb. or Greater

BRAKE CHAMBERS, FRONT AXLE {Bendix} 24 SqiIn

BRAKE, PARKING Manual Push-Pull Pneumatic Parking Brake

SLACK ADJUSTERS, FRONT {Haldex} Automatic

Description

SLACK ADJUSTERS, REAR {Haldex} Automatic

AIR COMPRESSOR {Cummins} 18.7 CFM

AIR TANK LOCATION (2) Mounted Under Battery Box, Outside Left Rail, Under Cab; Perpendicular to Rail

BRAKES, FRONT {Meritor 16.5X5 Q-PLUS CAST} Air S-Cam Type, Cast Spider, Fabricated Shoe, Double Anchor Pin, Size 16.5" X 5", 14,700-lb Capacity

BRAKES, REAR {Meritor 16.5X7 Q-PLUS CAST} Air S-Cam Type, Cast Spider, Fabricated Shoe, Double Anchor Pin, Size 16.5" X 7", 23,000-lb Capacity per Axle

PARK BRAKE CHAMBERS, ADDITIONAL (2) Spring Brake Type

STEERING COLUMN Tilting and Telescoping

STEERING WHEEL 4-Spoke; 18" Dia., Black

STEERING GEAR {TRW THP60} Power

POWER STEERING OIL COOLER Remote Mounted

DRIVELINE SYSTEM {Dana Spicer} SPL250 Lite Main Driveline with SPL170 Interaxle Shaft, for 6x4

AFTERTREATMENT COVER Aluminum

EXHAUST SYSTEM Horizontal Aftertreatment System, Frame Mounted Right Side Under Cab, for Single Vertical Tail Pipe, Frame Mounted Right Side Back of Cab

ENGINE COMPRESSION BRAKE {Cummins} Interbrake For Cummins Signature/ISX/X15 Engines; Furnished with Engine

TAIL PIPE (1) Turnback Type

EXHAUST HEIGHT 12' 6"

MUFFLER/TAIL PIPE GUARD (1) Aluminum

ELECTRICAL SYSTEM 12-Volt, Standard Equipment

Includes

- : DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab
- : HAZARD SWITCH Push On/Push Off, Located on Instrument Panel to Right of Steering Wheel
- : HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever
- : HORN, ELECTRIC Single
- : PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light
- : POWER SOURCE Cigar Type Receptacle with Cap, USB Port, Located in Instrument Panel
- : STARTER SWITCH Electric, Key Operated
- : TURN SIGNAL SWITCH Manual Cancelling with Lane Change Feature
- : TURN SIGNALS, FRONT Includes Reflectors and Auxiliary Side Turn Signals, Solid State Flashers; Flush Mounted
- : WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever
- : WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted
- : WIRING, CHASSIS Color Coded and Continuously Numbered

ALTERNATOR {Leece-Neville AVI160P2013} Brush Type, 12 Volt, 160 Amp Capacity, Pad Mount

BATTERY SYSTEM {Fleetrite} Maintenance-Free, (3) 12-Volt 1980CCA Total, Top Threaded Stud

SPEAKERS (2) 6.5" Dual Cone Mounted in Doors

CB RADIO Accommodation Package, Header Mounted, Feeds from Accessory Side of Ignition Switch, Includes Power Source, Two Antennas and Antenna Bases with Wiring on Both Side Mirrors

RADIO AM/FM/WB/Clock/Bluetooth/USB Input/Auxiliary Input

STOP, TURN, TAIL & B/U LIGHTS Multi-Function Lamp, with LED Lights for Stop, Turn, Tail and Backup Lights, Includes LED License Plate Light

Description

COLLISION MITIGATION SYSTEM Omit

BATTERY BOX COVER Aluminum

TEST EXTERIOR LIGHTS Pre-Trip Inspection will Cycle all Exterior Lamps Except Back-up Lights

HEADLIGHTS ON W/WIPERS Headlights Will Automatically Turn On if Windshield Wipers are Turned On

HEADLIGHT WARNING BUZZER Sounds When Head Light Switch is on and Ignition Switch is in "Off" Position

STARTING MOTOR {Mitsubishi Electric Automotive America 105P} 12-Volt, with Soft-Start

CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses

BATTERY BOX Aluminum, 30" Wide, 2-4 Battery Capacity, Mounted Left Side Under Cab

HORN, AIR Single Trumpet, Black, with Lanyard Pull Cord

SWITCH, MARKER INTERRUPT for Marker Lights and Headlights, Located in Steering Wheel

BATTERY WIRING MODIFICATION Battery Discharge Protection System; Control thru Body Controller

CONNECTOR, DASH, CENTER PANEL Cab Wiring for TMC RP1226 Vehicle Accessory Connector; Includes 14-pin Connector with Switched Power, Battery Power, Ignition Power, Ground & Body 250K Datalink, Connector Located Behind Instrument Panel Center Console

HEADLIGHTS LED, with Daytime Running Lights, Automatic Twilight Controlled

LOGOS EXTERIOR Model Badges

LOGOS EXTERIOR, ENGINE Badges

GRILLE Molded in Black

FRONT END Tilting, Fiberglass, with Three Piece Construction

Includes

: BUG SCREEN Front End; Mounted Behind Grille

: HOOD TILT ASSIST Includes Torsion Bar Spring System

FENDER EXTENSIONS Painted

PAINT SCHEMATIC, PT-1 Single Color, Design 100

Includes

: PAINT SCHEMATIC ID LETTERS "HX"

PAINT TYPE Base Coat/Clear Coat, 1-2 Tone

CONNECTED PLATFORM (LT/RH) Includes Connectivity Module and Five Year Data Plan

FIFTH WHEEL, AIR SLIDE {Fontaine SL7LWB675024} 24" Slide, Cast Top Plate, 6.75" Above Top of Frame, Left Hand Release

VEHICLE REGISTRATION IDENTITY ID for Non-CARB Omnibus and/or Non-ACT Adopting State or Exempt Vehicle. Not for use on vehicles registering in CA. Contains non-mitigated legacy engine & cannot be registered in CA unless exempt. You may be held liable under state law for failure to properly register vehicle.

Notes

: CANNOT BE REGISTERED IN CA. For vehicles that will be registered in States other than CA.

MUD FLAP HOLDER Spring Loaded, Painted Black, with Red and White Reflective Tape, Less Flaps

MUD FLAPS, REAR Black Rubber, Anti-Sail, Less Holders

CLUTCH {Eaton Fuller Advantage} Self-Adjusting, 15.5" Dia Two-Plate, Cast Angle Spring, Ceramic, 7-Spring Coaxial VCT Plus Damper with Pre-Damper, 2"-10 Tooth Spline, Mechanical Pull-Type Control, 4-Button Disc, 1750 lb-ft Torque Capacity

CLUTCH EFFECTS Hydraulic Clutch Actuation System

Description

ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection

BLOCK HEATER, ENGINE {Phillips} 120V/1500W

Includes

: BLOCK HEATER SOCKET Receptacle Type; Mounted below Drivers Door

ENGINE, DIESEL {Cummins X15 450} Efficiency Series, EPA 2024, 450HP @ 1700 RPM, 1650 lb-ft Torque @ 900 RPM, 1700 RPM Governed Speed, 461 Peak HP (Max)

FAN DRIVE {Horton Drivemaster} Automatic On/Off Type, with Normally Closed Temperature Control

AIR CLEANER Single Element, Engine Mounted

Includes

: GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted

EMISSION, CALENDAR YEAR {Cummins X15} EPA, OBD and GHG Certified for Calendar Year 2026

HOSE CLAMPS, RADIATOR HOSES {Gates} Shrink Band Type

EPA IDLE COMPLIANCE Low NOx Idle Engine, Complies with EPA Clean Air Regulations; Includes "Certified Clean Idle" Decal on Hood

RADIATOR DRAIN & FILL FITTING SPECIAL: To Vacuum Out or Fill the Cooling System from the Bottom of Radiator, for Use with Quick-Connect Radiator Drain Tool or Shop Coolant Evacuation-Fill System

CARB IDLE COMPLIANCE Does Not Comply with California Clean Air Idle Regulations

RADIATOR Aluminum, Welded, Down Flow, Front to Back System, 1325 SqIn, with 806 SqIn Charge Air Cooler

CRUISE CONTROL Predictive, Includes GPS Enhanced Cruise Control; Includes Module, Antenna and Wiring

CARB EMISSION WARR COMPLIANCE Does Not Comply with CARB Emission Warranty

TRANSMISSION, MANUAL {Fuller RTLO-18913A} 13-Speed Manual, Double Overdrive, Air Shift, Internal Lube Oil Pump

CLUTCH HOUSING Aluminum; Available with 1350 to 2050 lb-ft Capacity Fuller Transmissions

OIL COOLER, TRANSMISSION Water to Oil Type Included in Radiator End Tank (REQUIRES TRANSMISSION LUBE PUMP)

PTO LOCATION Customer Does Not Intend to Install PTO

SUSPENSION AIR CONTROL VALVE Pressure Release Control In Cab

AXLE, REAR, TANDEM {Meritor MT-40-14X-3CFR} Single Reduction, Amboid Gearing in Rear-Rear Axle, 40,000-lb Capacity, .374"(9.5mm) Wall Housing Thickness, R Wheel Ends . Gear Ratio: 3.36

Includes

: POWER DIVIDER LOCK Electric over Air Operated, Cab Control with Indicator Light

Notes

: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance

SUSPENSION, REAR, AIR, TANDEM {International} Ride Optimized Suspension (IROS), 40,000-lb Capacity, 52" Axle Spacing, 9.25" Ride Height, with Shock Absorbers

AXLE, REAR, LUBE {EmGard FE-75W-90} Synthetic Oil; 50 thru 64.99 Pints

FUEL TANK STRAPS Bright Finish Stainless Steel, for Dual Fuel Tanks

FUEL TANK (2) Top Draw, Non-Polished Aluminum, 26" Dia, 100 US Gal (379L); Total Capacity 200 US Gal (757L), with Dual Supply and Return Lines, Less Equalizer Line, Mounted Left and Right Side, Back of Cab/Under Sleeper

FUEL HEATER PLUMBING {Cummins} Plumbing for Thermal Recirculation Valve (TRV) Mounted to Cummins X15 Engines, Thermostatically Controlled

FUEL/WATER SEPARATOR {Racor 6600} 12 VDC Electric Heater, Includes Pre-Heater, with Sight Bowl, Includes Water-In-Fuel Sensor

Description

DEF TANK 15.9 US Gal (60L) Capacity, Frame Mounted Outside Left Rail, Back of Cab/Under Sleeper

CAB Conventional, Day Cab

Includes

- : CLEARANCE/MARKER LIGHTS (5) Flush Mounted
- : COAT HOOK, CAB Located on Rear Wall, Centered Above Rear Window
- : CONSOLE, CENTER Includes Two Cup Holders and One Additional Storage Area
- : COURTESY LIGHT (2) Driver and Passenger Door Mounted
- : DOME LIGHT, CAB Rectangular, Door and Instrument Panel Mounted Switch Activated, Timed Theater Dimming, Center Mounted, Integral to Console
- : FLOOR COVERING Rubber, Black
- : GLASS, ALL WINDOWS Tinted
- : GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side
- : GRAB HANDLE, CAB INTERIOR (4) "B" Pillar and Door Mounted, Two Each Side
- : INTERIOR SHEET METAL Upper Door (Above Window Ledge) Painted Exterior Color
- : READING LIGHT, CAB Located in Overhead Console
- : STORAGE POCKET, DOOR (2) Full Length, Driver and Passenger Door

AIR CONDITIONER with Integral Heater and Defroster

Includes

- : HOSE CLAMPS, HEATER HOSE Mubea Constant Tension Clamps

GAUGE CLUSTER Premium Level; English with English Electronic Speedometer

Includes

- : GAUGE CLUSTER DISPLAY: Base Level (3" Monochromatic Display), Premium Level (5" LCD Color Display); Odometer, Voltmeter, Diagnostic Messages, Gear Indicator, Trip Odometer, Total Engine Hours, Trip Hours, MPG, Distance to Empty/Refill for
- : GAUGE CLUSTER Speedometer, Tachometer, Engine Coolant Temp, Fuel Gauge, DEF Gauge, Oil Pressure Gauge, Primary and Secondary Air Pressure
- : WARNING SYSTEM Low Fuel, Low DEF, Low Oil Pressure, High Engine Coolant Temp, Low Battery Voltage (Visual and Audible), Low Air Pressure (Primary and Secondary)

GAUGE, TEMPERATURE, AMBIENT Sensor Wiring with Display Unit Mounted in Cluster

SEAT, DRIVER {National Model HP} Air Suspension, High Back, Vinyl Boxing with Cloth Facing, 2 Arm Rests, Isolator, 8" Adjuster, 3 Chamber Lumbar, 6 Position Front Cushion Adjust, 3 Position Rear Cushion Adjust, 6-23 Degree Back Angle Adjust, Bellows

SEAT, PASSENGER {National 2000 Model 195} Air Suspension, High Back, Vinyl Boxing with Cloth Facing, 2 Arm Rests, Isolator, 8" Adjuster, 1 Chamber Lumbar, 2 Position Front Cushion Adjust, 6-23 Degree Back Angle Adjust

MIRRORS (2) Aero Pedestal, Power Adjust, Heated, Black Heads and Arms, 6.5" x 14" Flat Glass, Includes 6.5" x 6" Convex Mirrors, for 102" Load Width

Notes

- : Mirror Dimensions are Rounded to the Nearest 0.5"

MIRROR, CONVEX, HOOD MOUNTED (2) Right and Left Sides, Breakaway, Black

CAB INTERIOR TRIM Classic, for Day Cab

Includes

- : DOOR TRIM, INTERIOR Black Handle
- : INSTRUMENT PANEL TRIM Black, Black Gauges with Black Bezels
- : SUN VISOR (2) Padded Vinyl; 2 Moveable (Front-to-Side) Primary Visors, Driver Side with Toll Ticket Strap

MONITOR, TIRE PRESSURE Omit

WINDOW, POWER (2) and Power Door Locks, Left and Right Doors, Includes Express Down Feature

INSTRUMENT PANEL Wing Panel

AERODYNAMIC PACKAGE Includes Roof Air Deflector, Cab Side Extenders; for Day Cab, Paint and Install at the Plant

Description

ACCESS, CAB AND FRAME Aluminum, Driver & Passenger Sides, Two Steps per Door; Left Side Frame Access Step, Includes One Flush Mounted Deck Plate and Black Grab Handle, for use with Day Cab or Sleeper Cab

WHEELS, FRONT {Accuride 43644} DISC; 22.5x8.25 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs

WHEELS, REAR {Accuride 43644} DUAL DISC; 22.5x8.25 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs

WHEEL COVER, REAR Omit

PAINT FENDER EXTENSIONS Single Color; Same as Number One Cab Schematic Color

(2) TIRE, FRONT 11R22.5 Load Range G AH37 (HANKOOK), 501 rev/mile, 75 MPH, All-Position

(8) TIRE, REAR 11R22.5 Load Range G DH37 (HANKOOK), 498 rev/mile, 75 MPH, Drive

FIFTH WHEEL LOCATION On Rear Axle Centerline

Services Section:

WARRANTY Standard for LT/RH Series, Effective with Vehicles Built January 2, 2016 or Later, CTS-2010A

SRV CONTRACT, EXT VEH COVERAGE {International} To 36-Month/300,000 Miles (480,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less