



MATHENY MOTOR TRUCK COMPANY
4125 1st Avenue
Nitro, WV 25143
(P) 304.769-5860 (F) 304.769-5866
mathenymotors.com

May 14, 2026

Bid Clerk
Department of Administration
Purchasing Division
2019 Washington St E
Charleston WV 25305

RECEIVED
2026 MAY 14 PM 12:16
WV DEPARTMENT OF ADMINISTRATION

RE: 2025 OR Newer Class 8 Day Cab with 24' Insulated Box

To Whom it May Concern,

Due to unforeseen circumstances, Matheny Motors is submitting an alternate bid on CRFQ 1400 AGR2600000042.

We can only provide a single CB antenna – not dual.

Since this is an ordered unit, we could delivery this unit within 180 working days, but not the requested 90 working days.

Unit submitted meets all other requirements.

Thank you and best regards.

A handwritten signature in blue ink that reads "Jack Cummings". The signature is written in a cursive style and ends with a long, horizontal arrow pointing to the right.

Jack Cummings
Sales Consultant
Matheny Motor Truck Company
4125 1st Avenue
Nitro, WV 25143
304-769-5860 X 3601



Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

State of West Virginia
 Centralized Request for Quote
 Vehicles

Proc Folder: 1949418			Reason for Modification:
Doc Description: 2025 or newer Class 8 Day Cab Tandem Axle 24ft Insulated Box			
Proc Type: Central Purchase Order			
Date Issued	Solicitation Closes	Solicitation No	Version
2026-04-30	2026-05-14 13:30	CRFQ 1400 AGR2600000042	1

BID RECEIVING LOCATION

BID CLERK
 DEPARTMENT OF ADMINISTRATION
 PURCHASING DIVISION
 2019 WASHINGTON ST E
 CHARLESTON WV 25305
 US

VENDOR

Vendor Customer Code: 00000020051

Vendor Name : MATHENY MOTOR TRUCK COMPANY

Address : MATHENY MOTOR TRUCK COMPANY

Street : 4125 1ST AVE


City : NITRO

State : WV **Country :** UNITED STATES **Zip :** 25143

Principal Contact : JACK CUMMINGS

Vendor Contact Phone: 304-769-5860 **Extension:** X 3601

FOR INFORMATION CONTACT THE BUYER
 Larry D McDonnell
 304-558-2063
 larry.d.mcdonnell@wv.gov

Vendor Signature X  **FEIN#** 55-032-0770 **DATE** 5/14/2026

All offers subject to all terms and conditions contained in this solicitation

ADDITIONAL INFORMATION

The State of West Virginia Purchasing Division, is soliciting bids for the agency, West Virginia Department of Agriculture to establish a contract for the one-time purchase of a 2025 or newer Class 8 Day Cab Tandem with a 24-foot insulated box and refrigeration unit, per the attached documentation.

READ ALL TERMS AND CONDITIONS AND SPECIFICATIONS IN ITS ENTIREITY - SEE ATTACHED FILE NAMED: CRFQ AGR26*42 - SOLICITATION DOCUMENTATION

****Questions regarding the solicitation must be submitted in writing to Larry.D.McDonnell@wv.gov prior to the question period deadline listed in the attached documentation****

INVOICE TO**SHIP TO**

AGRICULTURE
DEPARTMENT OF
ADMINISTRATIVE SERVICES
1900 KANAWHA BLVD E

CHARLESTON WV
US

AGRICULTURE
DEPARTMENT OF
ADMINISTRATIVE SERVICES
217 GUS R DOUGLAS LN,
BLDG 2 RM 106

CHARLESTON WV
US

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
1	2025 or newer Class 8 Day Cab Tandem Axle 24ft w Insulated B	1.00000	EA	\$228,372.00	\$228,372.00

Comm Code	Manufacturer	Specification	Model #
25101913	FREIGHTLINER	2027	CASCADIA W 24' BOX AND CARRIER REEFER

Extended Description:

See the attached documentation for further details.

SCHEDULE OF EVENTS

<u>Line</u>	<u>Event</u>	<u>Event Date</u>
-------------	--------------	-------------------

	Document Phase	Document Description	Page 3
AGR2600000042	Final	2025 or newer Class 8 Day Cab Tandem Axle 24ft Insulated Box	

ADDITIONAL TERMS AND CONDITIONS

See attached document(s) for additional Terms and Conditions

Prepared for:
 Laura Hammack
 WEST VIRGINIA AGRICULTURE DEPT
 1900 Kanawha Boulevard
 Rm E28
 Charleston, WV 25305
 Phone: 304-558-0573

Prepared by:
 Jackie Cummings
 MATHENY MOTOR TRUCK
 COMPANY
 50 Matheny Lane
 Mineral Wells, WV 26150
 Phone: 3044854418

S P E C I F I C A T I O N P R O P O S A L

Data Code	Description	Weight Front	Weight Rear
Price Level			
PRL-30K	CASCADIA PRL-30K (EFF:MY27 ORDERS)		
Data Version			
DRL-036	SPECPRO21 DATA RELEASE VER 036		
Vehicle Configuration			
001-235	CASCADIA 126 INCH DAY CAB	8,955	6,969
004-227	2027 MODEL YEAR SPECIFIED		
002-004	SET BACK AXLE - TRUCK	-10	
019-002	STRAIGHT TRUCK PROVISION		
003-001	LH PRIMARY STEERING LOCATION		
General Service			
AA1-002	TRUCK CONFIGURATION		
AA6-002	DOMICILED, USA (EXCLUDING CALIFORNIA AND CARB OPT-IN STATES)		
99D-027	EPA CLEAN IDLE LABEL - (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD OF DRIVER DOOR)		
A85-005	LINEHAUL/LONG HAUL SERVICE		
A84-1GM	GOVERNMENT BUSINESS SEGMENT		
AA4-001	GENERAL FREIGHT COMMODITY		
AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS		
AB1-008	MAXIMUM 8% EXPECTED GRADE		
AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE		
995-1AE	FREIGHTLINER LEVEL II WARRANTY		
A66-99D	EXPECTED FRONT AXLE(S) LOAD : 13000.0 lbs		



Prepared for:
 Laura Hammack
 WEST VIRGINIA AGRICULTURE DEPT
 1900 Kanawha Boulevard
 Rm E28
 Charleston, WV 25305
 Phone: 304-558-0573

Prepared by:
 Jackie Cummings
 MATHENY MOTOR TRUCK
 COMPANY
 50 Matheny Lane
 Mineral Wells, WV 26150
 Phone: 3044854418

Data Code	Description	Weight Front	Weight Rear
A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD : 44000.0 lbs		
A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 57000.0 lbs		

Truck Service

AA3-002	REFRIGERATED VAN BODY
AF3-2F9	HERCULES TRUCK BODIES

Engine

101-3H6	CUM X15 450V HP @ 1900 RPM, 2000 GOV RPM, 1650 LB-FT @ 900 RPM	150	60
---------	---	-----	----

Electronic Parameters

79A-075	75 MPH ROAD SPEED LIMIT
79B-006	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT, WITH AUTO RESUME AFTER SHIFT
79F-004	CUMMINS TRIP INFORMATION REPORTS ENABLED; LEVEL 1: 4 MPH, LEVEL 2: 7 MPH ABOVE ROAD SPEED LIMIT
80C-004	ENGINE BRAKE WITH CRUISE CONTROL ENABLED AT 2 MPH ABOVE SET SPEED, 1 MPH INCREMENT BETWEEN BRAKING LEVELS
* 80P-998	NO FLEET SPEC FOR PARAMETERIZATION
80J-002	REGEN INHIBIT SPEED THRESHOLD - 5 MPH

Engine Equipment

99C-024	EPA 2010/GHG 2024 CONFIGURATION		
13E-001	STANDARD OIL PAN		
105-001	ENGINE MOUNTED OIL CHECK AND FILL		
014-1CT	DUAL SIDE OF HOOD AIR INTAKE WITH ENGINE MOUNTED AIR CLEANER		
124-1D7	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE		
292-214	(4) DTNA GENUINE, FLOODED STARTING AND CYCLING, MIN 2800CCA, 760RC, THREADED STUD BATTERIES		
290-1B9	BATTERY BOX WITH ALUMINUM COVER MOUNTED LONG SIDE TO RAIL	-50	10
282-003	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE BACK OF CAB		
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN		
289-001	NON-POLISHED BATTERY BOX COVER		



Prepared for:
 Laura Hammack
 WEST VIRGINIA AGRICULTURE DEPT
 1900 Kanawha Boulevard
 Rm E28
 Charleston, WV 25305
 Phone: 304-558-0573

Prepared by:
 Jackie Cummings
 MATHENY MOTOR TRUCK
 COMPANY
 50 Matheny Lane
 Mineral Wells, WV 26150
 Phone: 3044854418

Data Code	Description	Weight Front	Weight Rear
293-058	NON-ESSENTIAL POSITIVE LOAD DISCONNECT, IN CAB CONTROL SWITCH MOUNTED OUTBOARD OF DRIVER SEAT	2	
306-015	PROGRESSIVE LOW VOLTAGE DISCONNECT AT 12.3 VOLTS FOR DESIGNATED CIRCUITS		
180-102	EATON ENDURANT HEAVY DUTY AUTOMATED MANUAL TRANSMISSION CLUTCH		
107-045	CUMMINS NATURALLY ASPIRATED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE		
108-002	STANDARD MECHANICAL AIR COMPRESSOR GOVERNOR		
131-013	AIR COMPRESSOR DISCHARGE LINE		
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM		
128-004	CUMMINS INTEBRAKE BRAKE WITH HIGH MED LOW BRAKE		
016-1C2	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE	30	25
28F-014	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND VIRTUAL REGENERATION REQUEST SWITCH IN CLUSTER		
239-038	11 FOOT 06 INCH (138 INCH+0/-5.9 INCH) EXHAUST SYSTEM HEIGHT		
233-017	STANDARD CURVE BRIGHT UPPER STACK(S)		
237-1CR	RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP		
23U-003	23 GALLON DIESEL EXHAUST FLUID TANK	15	5
30N-003	100 PERCENT DIESEL EXHAUST FLUID FILL		
23Z-002	NON-POLISHED ALUMINUM DIAMOND PLATE DIESEL EXHAUST FLUID TANK COVER	15	5
43X-001	LH HEAVY DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION		
43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP		
242-001	STAINLESS STEEL AFTERTREATMENT DEVICE/MUFFLER/TAILPIPE SHIELD		
273-058	AIR POWERED ON/OFF ENGINE FAN CLUTCH		
276-002	AUTOMATIC FAN CONTROL WITH DASH SWITCH AND INDICATOR LIGHT, NON ENGINE MOUNTED		
110-003	CUMMINS SPIN ON FUEL FILTER		
118-001	FULL FLOW OIL FILTER		



Prepared for:
 Laura Hammack
 WEST VIRGINIA AGRICULTURE DEPT
 1900 Kanawha Boulevard
 Rm E28
 Charleston, WV 25305
 Phone: 304-558-0573

Prepared by:
 Jackie Cummings
 MATHENY MOTOR TRUCK
 COMPANY
 50 Matheny Lane
 Mineral Wells, WV 26150
 Phone: 3044854418

Data Code	Description	Weight Front	Weight Rear
120-998	NO COOLANT FILTER	-10	
266-1C1	1400 SQUARE INCH FUEL ECONOMY RADIATOR		
103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT		
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT		
172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES		
261-001	STANDARD CHARGE AIR COOLER PLUMBING		
269-001	STANDARD RADIATOR MOUNTING		
270-016	RADIATOR DRAIN VALVE		
168-002	LOWER RADIATOR GUARD		
138-005	PHILLIPS-TEMRO 1500 WATT/115 VOLT BLOCK HEATER	4	
140-053	BLACK PLASTIC ENGINE HEATER RECEPTACLE MOUNTED UNDER THE DOOR		
134-001	ALUMINUM FLYWHEEL HOUSING		
155-055	DELCO 12V 39MT HD/OCP STARTER WITH THERMAL PROTECTION AND INTEGRATED MAGNETIC SWITCH	-45	

Transmission

342-623 EATON CUMMINS EEO-18F112C ENDURANT HD AUTOMATED MANUAL TRANSMISSION

Transmission Equipment

84E-102 PERFORMANCE
 85J-004 REVERSE GEAR RANGE LIMITED TO 2ND GEAR
 85R-005 EATON AS MAXIMUM START GEAR - 5
 85T-000 AMT HOLD MODE - DISABLED
 85U-005 AMT COAST DOWN GEAR - 5TH GEAR
 85V-003 AMT LOW MODE - URGE TO MOVE AND CREEP
 85W-003 AMT MANUAL MODE - URGE TO MOVE AND CREEP
 85X-003 AMT DRIVE MODE - URGE TO MOVE AND CREEP
 85Y-003 AMT REVERSE MODE - URGE TO MOVE AND CREEP
 34C-001 ELECTRONIC TRANSMISSION CUSTOMER ACCESS CONNECTOR FIREWALL MOUNTED
 347-002 ALUMINUM CLUTCH HOUSING
 341-017 MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION FILL AND DRAIN, AXLE(S) FILL AND DRAIN



Prepared for:
 Laura Hammack
 WEST VIRGINIA AGRICULTURE DEPT
 1900 Kanawha Boulevard
 Rm E28
 Charleston, WV 25305
 Phone: 304-558-0573

Prepared by:
 Jackie Cummings
 MATHENY MOTOR TRUCK
 COMPANY
 50 Matheny Lane
 Mineral Wells, WV 26150
 Phone: 3044854418

Data Code	Description	Weight Front	Weight Rear
345-078	HEAVY DUTY ELECTRONIC TRANSMISSION SHIFT CONTROL, COLUMN MOUNTED		
370-998	NO TRANSMISSION OIL COOLER	-15	
368-998	NO EXTERNAL TRANSMISSION OIL FILTER	-2	
35T-003	SYNTHETIC TRANSMISSION LUBE		

Front Axle and Equipment

400-1A7	DETROIT DA-F-13.3-3 13,300# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE		
402-075	BENDIX ADB22X AIR DISC FRONT BRAKES	20	
403-002	NON-ASBESTOS FRONT BRAKE LINING		
419-004	FRONT DISC BRAKE ROTORS		
409-006	FRONT OIL SEALS		
408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL		
416-022	STANDARD SPINDLE NUTS FOR ALL AXLES		
405-030	FRONT AIR DISC BRAKE INTERNAL ADJUSTERS		
536-050	TRW THP-60 POWER STEERING		
539-003	POWER STEERING PUMP		
534-015	2 QUART SEE THROUGH POWER STEERING RESERVOIR		
40T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 FRONT AXLE LUBE		

Front Suspension

620-1D8	13,300# TAPERLEAF FRONT SUSPENSION	10	
619-005	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION		
410-001	FRONT SHOCK ABSORBERS		

Rear Axle and Equipment

420-299	DANA SPICER D46-172 46,000# R-SERIES TANDEM REAR AXLE		470
421-358	3.58 REAR AXLE RATIO		
424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING		
386-090	SPL250 HT SERVICE FREE DANA SPICER MAIN DRIVELINE	-40	-40
388-035	SPL170 SF DANA SPICER INTERAXLE DRIVELINE WITH HALF ROUND YOKES		10
452-006	DRIVER CONTROLLED TRACTION DIFFERENTIAL - BOTH TANDEM REAR AXLES		20
878-023	(1) INTERAXLE LOCK VALVE, (1) DRIVER CONTROLLED DIFFERENTIAL LOCK FORWARD-REAR AND REAR-REAR AXLE VALVE		



Prepared for:
 Laura Hammack
 WEST VIRGINIA AGRICULTURE DEPT
 1900 Kanawha Boulevard
 Rm E28
 Charleston, WV 25305
 Phone: 304-558-0573

Prepared by:
 Jackie Cummings
 MATHENY MOTOR TRUCK
 COMPANY
 50 Matheny Lane
 Mineral Wells, WV 26150
 Phone: 3044854418

Data Code	Description	Weight Front	Weight Rear
87A-005	INDICATOR LIGHT FOR EACH INTERAXLE LOCKOUT SWITCH		
87B-009	INDICATOR LIGHT AND BUZZER FOR EACH DIFFERENTIAL LOCKOUT SWITCH		
423-075	BENDIX ADB22X AIR DISC REAR BRAKES		-60
433-002	NON-ASBESTOS REAR BRAKE LINING		
434-003	STANDARD BRAKE CHAMBER LOCATION		
451-005	REAR DISC BRAKE ROTORS		
440-006	REAR OIL SEALS		
426-094	AIR DISC LONGSTROKE 2-DRIVE AXLES SPRING PARKING CHAMBERS		20
428-030	REAR AIR DISC BRAKE INTERNAL ADJUSTERS		
41T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 REAR AXLE LUBE		
42T-001	STANDARD REAR AXLE BREATHER(S)		
Rear Suspension			
622-108	AIRLINER 46,000# REAR SUSPENSION WITH CHAIN CLEARANCE		330
621-108	9.5 INCH NOMINAL RIDE HEIGHT (460MM GLOBAL REFERENCE HEIGHT)		
431-005	RESTRAINED AXLE SEATS IN AXLE CLAMP GROUP		
624-025	55 INCH AXLE SPACING		
888-048	MANUAL DUMP VALVE FOR AIR SUSPENSION WITH GAUGE		
87D-006	INDICATOR LIGHT FOR EACH REAR SUSPENSION CONTROL SWITCH		
910-001	SINGLE AIR REAR SUSPENSION LEVELING VALVE		
623-002	TRANSVERSE CONTROL RODS		
439-005	REAR SHOCK ABSORBERS - TWO AXLES (TANDEM) (AIR RIDE SUSPENSION)		20
Pusher / Tag Equipment			
429-998	NO PUSHER/TAG BRAKE DUST SHIELDS		
Brake System			
490-1AW	WABCO 6S/6M ABS WITH HILL START AID AND TRACTION CONTROL WITH ATC SHUT OFF SWITCH		
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES		
904-001	FIBER BRAID PARKING BRAKE HOSE		
412-001	STANDARD BRAKE SYSTEM VALVES		



Prepared for:
 Laura Hammack
 WEST VIRGINIA AGRICULTURE DEPT
 1900 Kanawha Boulevard
 Rm E28
 Charleston, WV 25305
 Phone: 304-558-0573

Prepared by:
 Jackie Cummings
 MATHENY MOTOR TRUCK
 COMPANY
 50 Matheny Lane
 Mineral Wells, WV 26150
 Phone: B044854418

Data Code	Description	Weight Front	Weight Rear
413-002	STD U.S. FRONT BRAKE VALVE		
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE		
480-088	WABCO SYSTEM SAVER HP WITH INTEGRAL AIR GOVERNOR AND HEATER		
483-004	WABCO OIL COALESCING FILTER FOR AIR DRYER		
479-012	AIR DRYER MOUNTED UNDER HOOD		
460-007	ALUMINUM AIR BRAKE RESERVOIRS	-15	-15
46A-998	NO AUXILIARY AIR TANK	-10	-15
2TD-001	(1) 620 CUBIC INCH ALUMINUM TRANSMISSION AIR TANK, INLET CHECK VALVE		
607-001	CLEAR FRAME RAILS FROM BACK OF CAB TO FRONT REAR SUSPENSION BRACKET, BOTH RAILS OUTBOARD		
477-004	PULL CABLES ON ALL AIR RESERVOIR(S)		
Trailer Connections			
481-998	NO TRAILER AIR HOSE	-10	
476-998	NO AIR HOSE HANGER	-2	
484-998	NO TRAILER CABLE AND GLAD HANDS STORAGE		
310-998	NO TRAILER ELECTRICAL CABLE	-10	
Wheelbase & Frame			
*	545-662	6625MM (261 INCH) WHEELBASE	
*	546-1C2	8.0MM X 88.0MM X 281.0MM STEEL FRAME (0.31X3.46X11.06 INCH) 120 KSI	400
*	552-065	2600MM (102 INCH) REAR FRAME OVERHANG	
*	55W-999	CUSTOM FRAME OVERHANG RANGE FRAME OVERHANGE RANGE: 101 INCH TO 110	
	AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA) : 99924.0 in	
	AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) : 99921.0 in	
	AE4-99D	CALC'D FRAME LENGTH - OVERALL : 90033.48 in	
	FSS-0LH	CALCULATED FRAME SPACE LH SIDEE 99797.63 in	
	FSS-0RH	CALCULATED FRAME SPACE RH SIDEE 99799.02 in	
	AM6-99D	CALC'D SPACE AVAILABLE FOR DECKPLATEE 0.0 in	
	560-008	UNDER OR OVERSLUNG CROSSMEMBER	



Prepared for:
 Laura Hammack
 WEST VIRGINIA AGRICULTURE DEPT
 1900 Kanawha Boulevard
 Rm E28
 Charleston, WV 25305
 Phone: 304-558-0573

Prepared by:
 Jackie Cummings
 MATHENY MOTOR TRUCK
 COMPANY
 50 Matheny Lane
 Mineral Wells, WV 26150
 Phone: 3044854418

Data Code	Description	Weight Front	Weight Rear
553-001	SQUARE END OF FRAME		
550-001	FRONT CLOSING CROSSMEMBER		
559-003	LIGHTWEIGHT HEAVY DUTY ALUMINUM ENGINE CROSSMEMBER		
562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)		
572-001	STANDARD REARMOST CROSSMEMBER		
565-002	HEAVY DUTY SUSPENSION CROSSMEMBER		30
Chassis Equipment			
674-998	NO LH OR RH BACK OF CAB ACCESS	-5	-5
592-998	NO DECK PLATE	-5	-5
556-105	14.5 INCH HENDRICKSON AERO CLAD BUMPER, STAINLESS STEEL CLAD ALUMINUM	10	
558-070	REMOVABLE FRONT TOW/RECOVERY DEVICE, STORED ON CHASSIS FRAME	15	
574-007	BUMPER MOUNTING FOR (3) LICENSE PLATES		
585-998	NO MUDFLAP BRACKETS		-15
590-998	NO REAR MUDFLAPS		-15
586-015	FRONT ANTI-SPRAY CAB MOUNTED MUDFLAPS		
551E02	HUCK-SPIN ROUND COLLAR CHASSIS FASTENERS		
44Z-002	EXTERIOR HARNESSSES WRAPPED IN ABRASION TAPE		
583-056	STAINLESS STEEL QUARTER FENDERS WITH LOGO		30
489-998	NO TIRE PRESSURE CONTROL/SENSOR		
Fifth Wheel			
578-998	NO FIFTH WHEEL	-30	-490
Fuel Tanks			
206-156	100 GALLON/378 LITER ALUMINUM FUEL TANK - RH	5	5
204-156	100 GALLON/378 LITER ALUMINUM FUEL TANK - LH	10	
21E-006	25 INCH DIAMETER FUEL TANK(S)		
21E-006	POLISHING OF FUEL/HYDRAULIC TANK(S) WITH POLISHED STAINLESS STEEL BANDS		
21E-01E	LH FUEL TANK MOUNTED FORWARD, RH FUEL TANK MOUNTED AFT	30	-30
664-001	PLAIN STEP FINISH		
205-002	CHROME FUEL TANK CAP(S)		



Prepared for:
 Laura Hammack
 WEST VIRGINIA AGRICULTURE DEPT
 1900 Kanawha Boulevard
 Rm E28
 Charleston, WV 25305
 Phone: 304-558-0573

Prepared by:
 Jackie Cummings
 MATHENY MOTOR TRUCK
 COMPANY
 50 Matheny Lane
 Mineral Wells, WV 26150
 Phone: 3044854418

Data Code	Description	Weight Front	Weight Rear
122-1K0	DAVCO 485 FUEL/WATER SEPARATOR WITH 12 VOLT PREHEATER AND WATER IN FUEL SENSOR W/ESOC	10	
216-020	EQUIFLO INBOARD FUEL SYSTEM		
202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE		
221-998	NO FUEL COOLER	-10	
Tires			
093-19P	BRIDGESTONE R273 ECOPIA 11R22.5 16 PLY RADIAL FRONT TIRES	20	
094-1RW	BRIDGESTONE M726ELA 11R22.5 14 PLY RADIAL REAR TIRES		152
Hubs			
418-058	CONMET PRESET PLUS PREMIUM ALUMINUM FRONT HUBS		
450-058	CONMET PRESET PLUS PREMIUM ALUMINUM REAR HUBS		
Wheels			
502-1HB	ALCOA 88167X 22.5X8.25 10-HUB 5.81 INSET ALUMINUM DISC FRONT WHEELS	-62	
505-1HB	ALCOA 88167X 22.5X8.25 10-HUB PILOT ALUMINUM DISC REAR WHEELS		-248
524-002	POLISHED FRONT WHEELS; INSIDE AND OUTSIDE		
525-002	POLISHED REAR WHEELS; OUTSIDE AND INSIDE (BOTH SIDES)		
50U-020	FLOW BELOW MOLD IN COLOR GRANITE GRAY AERODYNAMIC REAR AXLE WHEEL COVERS WITH LOCK, SHIP LOOSE		16
50W-998	NO RIM/WHEEL TIRE PRESSURE SENSOR		
52M-001	FRONT TIRE/DISC WHEEL STATIC BALANCING WITH LEAD-FREE WEIGHTS		
496-011	FRONT WHEEL MOUNTING NUTS		
497-011	REAR WHEEL MOUNTING NUTS		
Cab Exterior			
829-111	126 INCH BBC ALUMINUM CONVENTIONAL CAB		
653-004	RH CAB DOOR(S) WITH 70 DEGREE DOOR STOP		
651-004	LH CAB DOOR(S) WITH 70 DEGREE DOOR STOP		
784-998	NO AIR SHIELD OR BRACKETS		
783-998	NO SIDE EXTENDERS		
782-998	NO FRAME SIDE FAIRINGS		
779-998	NO FORWARD CHASSIS FAIRING SUPPORT		



Prepared for:
 Laura Hammack
 WEST VIRGINIA AGRICULTURE DEPT
 1900 Kanawha Boulevard
 Rm E28
 Charleston, WV 25305
 Phone: 304-558-0573

Prepared by:
 Jackie Cummings
 MATHENY MOTOR TRUCK
 COMPANY
 50 Matheny Lane
 Mineral Wells, WV 26150
 Phone: 304-4854418

Data Code	Description	Weight Front	Weight Rear
770-998	NO AERODYNAMIC SKIRT FOR CHASSIS FAIRINGS		
650-008	AIR CAB MOUNTING		
648-002	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE		
695-998	NO SLEEPER DOOR	-15	
678-051	SAFETY YELLOW INTERIOR GRAB HANDLES		
646-045	MOLD-IN COLOR GRILLE		
65X-007	BLACK HOOD MOUNTED AIR INTAKE GRILLE WITH BRIGHT ACCENT		
644-001	AERODYNAMIC HOOD		
67U-002	HOOD OPENING ASSIST		
652-026	CASCADIA NAMEPLATE		
727-1AH	SINGLE 14 INCH ROUND POLISHED AIR HORN ROOF MOUNTED		
726-001	SINGLE ELECTRIC HORN		
575-001	REAR LICENSE PLATE MOUNT END OF FRAME		
312-075	LED LOW BEAM AND HIGH BEAM HEADLIGHTS		
302-072	ROOF MOUNTED LED MARKER LIGHTS		
315-070	LED FOG LIGHTS	6	
311-019	HEADLIGHTS ON WITH WIPERS, WITH DAYTIME RUNNING LIGHTS		
294-001	INTEGRAL STOP/TAIL/BACKUP LIGHTS		
300-043	LED SIDE TURN SIGNAL		
318-1AD	SWITCH, INDICATOR LIGHT AND APPROXIMATELY 10 FEET OF WIRE ON CHASSIS LH AT BACK OF CAB FOR CUSTOMER FURNISHED UTILITY LIGHT(S)	-6	
744-1E4	DUAL BLACK HEATED AERODYNAMIC MIRRORS WITH INTEGRAL CONVEX AND LH AND RH REMOTE		
797-001	DOOR MOUNTED MIRRORS		
74A-001	RH DOWN VIEW MIRROR		
74B-1B7	RH AND LH HEATED BLACK HOOD/FENDER MOUNTED MIRRORS	8	
729-001	STANDARD SIDE/REAR REFLECTORS		
677-054	RH AFTERTREATMENT SYSTEM CAB ACCESS WITH PLAIN DIAMOND PLATE COVER		
275-998	NO EMERGENCY WARNING SIRENS		
776-998	NO SLEEPER VENT	-10	
768-059	(2) 28X22 INCH SOLAR TINTED REAR WINDOWS		
661-016	SOLAR TINTED DOOR GLASS LH AND RH WITH TINTED FORWARD SIDE GLASS		



Prepared for:
 Laura Hammack
 WEST VIRGINIA AGRICULTURE DEPT
 1900 Kanawha Boulevard
 Rm E28
 Charleston, WV 25305
 Phone: 304-558-0573

Prepared by:
 Jackie Cummings
 MATHENY MOTOR TRUCK
 COMPANY
 50 Matheny Lane
 Mineral Wells, WV 26150
 Phone: 304-4854418

Data Code	Description	Weight Front	Weight Rear
654-011	RH AND LH ELECTRIC POWERED WINDOWS	4	
663-019	1-PIECE ROPED-IN SOLAR GREEN GLASS WINDSHIELD		
659-006	8 LITER (2 GAL) WINDSHIELD WASHER RESERVOIR, CAB MOUNTED, WITH FLUID LEVEL INDICATOR		

Cab Interior

707-104	MIDNIGHT BASE LEVEL INTERIOR		
70K-024	MIDNIGHT WITH ONYX HARD TRIM		
706-034	STANDARD LH DOOR TRIM		
708-034	STANDARD RH DOOR TRIM		
772-001	BLACK MATS		
785-014	(2) DASH MOUNTED POWER OUTLETS AND COIN TRAY		
691-006	FORWARD ROOF MOUNTED CONSOLE WITH DOORS RH AND LH	2	
696-012	CENTER STORAGE CONSOLE MOUNTED ON BACKWALL	5	
693-019	LH AND RH DOOR STORAGE POCKETS INTEGRATED INTO MOLDED DOOR PANELS		
741-019	COAT HOOK(S) IN CAB		
745-998	NO UPPER BUNK	-50	-50
738-021	DIGITAL ALARM CLOCK IN DRIVER DISPLAY		
742-028	THERMOS HOLDER INBOARD OF DRIVER SEAT		
680-036	WING DASH WITH E-VAULT		
720-003	5 LB. FIRE EXTINGUISHER	10	
700-014	HEATER, DEFROSTER AND AIR CONDITIONER WITH CONSTANT OUTLET TEMPERATURE CONTROL		
701-002	HVAC DUCTING WITH MAIN FRESH AIR FILTER		
703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH		
170-015	STANDARD HEATER PLUMBING		
130-041	VALEO HEAVY DUTY A/C REFRIGERANT COMPRESSOR		
698-001	RADIATOR MOUNTED AIR CONDITIONER CONDENSER		
702-002	BINARY CONTROL, R-134A		
739-033	STANDARD INSULATION		
285-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES		
280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM		



Prepared for:
 Laura Hammack
 WEST VIRGINIA AGRICULTURE DEPT
 1900 Kanawha Boulevard
 Rm E28
 Charleston, WV 25305
 Phone: 304-558-0573

Prepared by:
 Jackie Cummings
 MATHENY MOTOR TRUCK
 COMPANY
 50 Matheny Lane
 Mineral Wells, WV 26150
 Phone: 3044854418

Data Code	Description	Weight Front	Weight Rear
324-1B2	PREMIUM LED CAB LIGHTING		
657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME		
78G-002	KEY QUANTITY OF 2		
655-005	LH AND RH ELECTRIC DOOR LOCKS		
64C-003	BLACK DOOR HANDLES		
740-998	NO MATTRESS	-20	-15
284-998	NO POWER SUPPLY SLEEPER/CAB		
710-998	NO CAB PRIVACY CURTAIN		
722-002	TRIANGULAR REFLECTORS WITHOUT FLARES	10	
756-1J5	BASIC 2.0 HIGH BACK AIR SUSPENSION DRIVER SEAT WITH 1 CHAMBER AIR LUMBAR, INTEGRATED CUSHION EXTENSION AND TILT		
760-1J5	BASIC 2.0 HIGH BACK AIR SUSPENSION PASSENGER SEAT WITH 1 CHAMBER AIR LUMBAR, INTEGRATED CUSHION EXTENSION AND TILT	40	15
757-001	BLACK SUSPENSION COVER FOR AIR DRIVER SEAT	2	
759-005	DUAL DRIVER AND PASSENGER SEAT ARMRESTS	8	
758-034	CLOTH WITH CLOTH INSERT DRIVER SEAT		
761-034	CLOTH WITH CLOTH INSERT PASSENGER SEAT		
763-1AB	3 POINT HIGH VISIBILITY ORANGE ADJUSTABLE D-RING RETRACTOR DRIVER AND FIXED D-RING RETRACTOR PASSENGER SEAT BELTS		
532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN	20	
540-070	4-SPOKE 18 INCH (450MM) LEATHER WRAPPED STEERING WHEEL WITH CHROME SWITCH BEZELS		
765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS		

Instruments & Controls

106-002	ELECTRONIC ACCELERATOR CONTROL		
734-018	STANDARD CENTER INSTRUMENT PANEL		
870-001	BLACK GAUGE BEZELS		
486-001	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM		
840-001	DUAL NEEDLE PRIMARY AND SECONDARY AIR PRESSURE GAUGE		
198-003	DASH MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS	2	



Prepared for:
 Laura Hammack
 WEST VIRGINIA AGRICULTURE DEPT
 1900 Kanawha Boulevard
 Rm E28
 Charleston, WV 25305
 Phone: 304-558-0573

Prepared by:
 Jackie Cummings
 MATHENY MOTOR TRUCK
 COMPANY
 50 Matheny Lane
 Mineral Wells, WV 26150
 Phone: 3044854418

Data Code	Description	Weight Front	Weight Rear
721E003	87 DECIBELS TO 112 DECIBELS AUTOMATIC SELF-ADJUSTING BACKUP ALARM		3
149-015	ELECTRONIC CRUISE CONTROL WITH CONTROLS ON STEERING WHEEL SPOKES		
156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY		
811-044	PREMIUM INSTRUMENT CLUSTER WITH 5.0 INCH TFT COLOR DISPLAY		
81B-003	DIGITAL PANEL LAMP DIMMER SWITCH IN DRIVER DISPLAY		
160-038	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH		
844-001	2 INCH ELECTRIC FUEL GAUGE		
856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE		
854-008	DIGITAL ENGINE OIL TEMPERATURE IN DRIVER DISPLAY		
867-004	ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER		
830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY		
736-998	NO OBSTACLE DETECTION SYSTEM		
73K-998	NO SIDE OBJECT DETECTION SYSTEM		
49B-004	ELECTRONIC STABILITY CONTROL		
73B-998	NO LANE DEPARTURE WARNING SYSTEM		
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE		
746-143	7" B-PANEL INTERACTIVE TOUCHSCREEN DISPLAY RADIO W/ USB-C, APPLE CARPLAY, ANDROID AUTO, BLUETOOTH/AM/FM/SXM/WB, WITH MICROPHONE		
747-001	DASH MOUNTED RADIO		
750-041	STANDARD SPEAKER SYSTEM		
753-998	NO AM/FM RADIO ANTENNA		
748-013	POWER AND GROUND STUDS TOP OF DASH PLUS POWER AND GROUND WIRING PROVISION IN OVERHEAD CONSOLE		
749-01E	ROOF/OVERHEAD CONSOLE AND TOP OF DASH WITH PLATE AND STRAPS PROVISIONS FOR CB RADIO, CB ANTENNA COAX ROUTED TO OVERHEAD CONSOLE	2	
752-044	SINGLE LH CB ANTENNA		



Prepared for:
 Laura Hammack
 WEST VIRGINIA AGRICULTURE DEPT
 1900 Kanawha Boulevard
 Rm E28
 Charleston, WV 25305
 Phone: 304-558-0573

Prepared by:
 Jackie Cummings
 MATHENY MOTOR TRUCK
 COMPANY
 50 Matheny Lane
 Mineral Wells, WV 26150
 Phone: 3044854418

Data Code	Description	Weight Front	Weight Rear
75W-002	SHARKFIN MULTI-BAND ANTENNA, RIGHT HAND BIAS ROOF MOUNTING LOCATION: AM/FM/WEATHERBAND, WIFI/BLUETOOTH, SDAR/SIRIUSXM, GNSS/GPS		
* 78C-004	INTEROPERABLE SDAR ANTENNA, SHIP LOOSE		
81E-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER		
81E-001	STANDARD VEHICLE SPEED SENSOR		
81E-032	ELECTRONIC 2500 RPM TACHOMETER		
813-1C8	DETROIT CONNECT PLATFORM HARDWARE		
8D1E31E	5 YEARS DAIMLER CONNECTIVITY BASE PACKAGE (FEATURES VARY BY MODEL) POWERED BY DETROIT CONNECT ON CUMMINS ENGINES		
6TS-012	(3) TMC RP 1226 ACCESSORY CONNECTORS: (2) LOCATED BEHIND PASSENGER SIDE REMOVABLE DASH PANEL, AND (1) LOCATED CENTER OF OVERHEAD CONSOLE		
162-002	IGNITION SWITCH CONTROLLED ENGINE STOP		
329-010	TWO ON/OFF ROCKER SWITCHES IN THE DASH WITH INDICATOR LIGHTS AND WIRE ROUTED TO CHASSIS AT BACK OF CAB, LABEL OPT		
81E-005	PRE-TRIP INSPECTION FEATURE FOR EXTERIOR LAMPS ONLY		
264-033	STEERING WHEEL MOUNTED ELECTRIC HORN CONTROL		
883-998	NO TRAILER HAND CONTROL BRAKE VALVE		
836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY		
660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY		
304-030	ROTARY HEADLAMP SWITCH, MARKER LIGHTS/HEADLIGHTS SWITCH WITH PULL OUT FOR OPTIONAL FOG/ROAD LAMPS		
882-009	ONE VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR		
299-028	MANUAL TURN SIGNAL SWITCH WITH DIMMER, HEADLAMP FLASH, WASH/WPE/INTERMITTENT		
298-046	INTEGRAL ELECTRONIC TURN SIGNAL : FLASHER WITH 40 AMP (20 AMP PER SIDE) TRAILER LAMP CAPACITY		

Design

065-000 PAINT: ONE SOLID COLOR

Color



Prepared for:
 Laura Hammack
 WEST VIRGINIA AGRICULTURE DEPT
 1900 Kanawha Boulevard
 Rm E28
 Charleston, WV 25305
 Phone: 304-558-0573

Prepared by:
 Jackie Cummings
 MATHENY MOTOR TRUCK
 COMPANY
 50 Matheny Lane
 Mineral Wells, WV 26150
 Phone: 3044854418

Data Code	Description	Weight Front	Weight Rear
980-5F6	CAB COLOR A: L0006EY WHITE ELITE EY		
986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT		

Extended Front Axle Coverage

WA4-029	AXLE: DETROIT FRONT ONLY: HD STANDARD 3 YEARS/200,000 MILES/322,000 KM EXTENDED AXLE COVERAGE
---------	---

Certification / Compliance

996-001	U. S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS
---------	--

Sales Programs

NO SALES PROGRAMS HAVE BEEN SELECTED

TOTAL VEHICLE SUMMARY

Weight Summary

	Weight Front	Weight Rear	Total Weight
Factory Weight ⁺	9388 lbs	7252 lbs	16640 lbs
Dealer Installed Options	0 lbs	0 lbs	0 lbs
Total Weight⁺	9388 lbs	7252 lbs	16640 lbs

Other Factory Charges

PMV-024	GHG24 SURCHARGE - CUMMINS
RD1-315	5 YR DAIMLER CONNECTIVITY CORE PACKAGE -POWERED BY DETROIT CONNECT ON CUMMINSENGINES
RD3-998	NO SAFETY EVENT VIEWER
RAG-020	CUMMINS TARIFF CHARGE - \$205
PAT-024	STEEL, ALUMINUM, AND CHINA TARIFF IMPACT FEE OHWY
R27-001	MY27 ESCALATOR
P73-2FT	STANDARD DESTINATION CHARGE



Prepared for:
 Laura Hammack
 WEST VIRGINIA AGRICULTURE DEPT
 1900 Kanawha Boulevard
 Rm E28
 Charleston, WV 25305
 Phone: 304-558-0573

Prepared by:
 Jackie Cummings
 MATHENY MOTOR TRUCK
 COMPANY
 50 Matheny Lane
 Mineral Wells, WV 26150
 Phone: 304-4854418

Extended Warranty

WAI-49Y	CUM 2017 X15: HD1 EFFICIENCY 3 YEARS/300,000 MILES/483,000 KM EXT WARRANTY.FEX APPLIES
WAX-110	CUM 2017 X15: AT3 EFFICIENCY 3 YEARS/300,000 MILES/483,000 KM AFTERTREATMENT.FEX APPLIES
WBB-2D9	EXT ULTIMATE TRUCK CHASSIS: US HD STANDARD-MODERATE 3 YEARS/300,000 MILES/483,000 KM
WAL-300	AXLE: DETROIT SINGLE REAR ONLY: HD STANDARD 3 YEARS/200,000 MILES/322,000 KM EXTENDED COVERAGE
WAG-076	TOWING: 3 YEARS/UNLIMITED MILES/KM EXTENDED TOWING COVERAGE \$750 CAP FEX APPLIES
WUP-002	EXT CHASSIS ATS: HD STANDARD-MODERATE US 3 YEARS/300,000 MILES/483,000 KM

Dealer Installed Options

		Weight	Weight
		Front	Rear
BOX	24' BOX	0	0
CARRI	CARRIER UNIT TO MEET SPECS	0	0
Total Dealer Installed Options		0 lbs	0 lbs

(+) Weights shown are estimates only.

If weight is critical, contact Customer Application Engineering.

(***) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.



DESIGNATED CONTACT: Vendor appoints the individual identified in this Section as the Contract Administrator and the initial point of contact for matters relating to this Contract.

(Printed Name and Title) Jack Cummings - Sales Consultant

(Address) 4125 1st Ave, Nitro WV 25143

(Phone Number) / (Fax Number) 304-769-5860 x 3601 304-769-5866


(email address) jcummings@mathenymotors.com

CERTIFICATION AND SIGNATURE: By signing below, or submitting documentation through wvOASIS, I certify that: I have reviewed this Solicitation/Contract in its entirety; that I understand the requirements, terms and conditions, and other information contained herein; that this bid, offer or proposal constitutes an offer to the State that cannot be unilaterally withdrawn; that the product or service proposed meets the mandatory requirements contained in the Solicitation/Contract for that product or service, unless otherwise stated herein; that the Vendor accepts the terms and conditions contained in the Solicitation, unless otherwise stated herein; that I am submitting this bid, offer or proposal for review and consideration; that this bid or offer was made without prior understanding, agreement, or connection with any entity submitting a bid or offer for the same material, supplies, equipment or services; that this bid or offer is in all respects fair and without collusion or fraud; that this Contract is accepted or entered into without any prior understanding, agreement, or connection to any other entity that could be considered a violation of law; that I am authorized by the Vendor to execute and submit this bid, offer, or proposal, or any documents related thereto on Vendor's behalf; that I am authorized to bind the vendor in a contractual relationship; and that to the best of my knowledge, the vendor has properly registered with any State agency that may require registration.

By signing below, I further certify that I understand this Contract is subject to the provisions of West Virginia Code § 5A-3-62, which automatically voids certain contract clauses that violate State law; and that pursuant to W. Va. Code 5A-3-63, the entity entering into this contract is prohibited from engaging in a boycott against Israel.

Matheny Motor Truck Company

(Company)



(Signature of Authorized Representative)

Jack Cummings - Sales Consultant - 5/14/2026

(Printed Name and Title of Authorized Representative) (Date)

304 769-5860 FAX 304 769-5866

(Phone Number) (Fax Number)

jcummings@mathenymotors.com

(Email Address)