



Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

State of West Virginia
Centralized Request for Quote
Equipment

Proc Folder: 2016337

Doc Description: Telehandler for OPMT

Reason for Modification:

Proc Type: Central Purchase Order

Date Issued	Solicitation Closes	Solicitation No	Version
2026-07-29	2026-08-13 13:30	CRFQ 0211 GSD2700000007	1

BID RECEIVING LOCATION

BID CLERK
DEPARTMENT OF ADMINISTRATION
PURCHASING DIVISION
2019 WASHINGTON ST E
CHARLESTON WV 25305
US

VENDOR

Vendor Customer Code:

Vendor Name :

Address :

Street :

City :

State :

Country :

Zip :

Principal Contact :

Vendor Contact Phone:

Extension:

FOR INFORMATION CONTACT THE BUYER

Jessica L Riley
304-558-0246
jessica.l.riley@wv.gov

Vendor
Signature X

FEIN# 55-0658298

DATE 8/12/26

All offers subject to all terms and conditions contained in this solicitation

ADDITIONAL INFORMATION

The West Virginia Purchasing Division is soliciting bids on behalf of the WV Department of Administration, General Services Division ("Agency" and "Owner") to establish a contract for the one time purchase of one (1) 10,000 pound max lift telehandler.

INVOICE TO

DEPARTMENT OF
ADMINISTRATION
112 CALIFORNIA AVENUE
BLDG 4, 6TH FLOOR
CHARLESTON WV
US

SHIP TO

DEPARTMENT OF
ADMINISTRATION
EAST CAMPUS FACILITY
320 MICHIGAN AVE
CHARLESTON WV
US

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
1	New 10,000 lbs lift Telehandler	1.00000	EA	\$143,877.00	\$143,877.00

Comm Code	Manufacturer	Specification	Model #
24101603	SKYTRAK	TELEHANDLER	10042

Extended Description:

New 10,000 lbs lift Telehandler

SCHEDULE OF EVENTS

<u>Line</u>	<u>Event</u>	<u>Event Date</u>
1	Technical Questions Deadline	2026-08-10

	Document Phase	Document Description	Page 3
GSD2700000007	Final	Telehandler for OPMT	

ADDITIONAL TERMS AND CONDITIONS

See attached document(s) for additional Terms and Conditions

REQUEST FOR QUOTATION
JCB 510-42 Telehandler (or equal)

EXHIBIT A – Pricing Page

Date: 8/12/26

Name of Vendor: STATE EQUIPMENT, INC.

The Vendor, being familiar with and understanding the Bidding Documents, hereby proposes to furnish the Telehandler in accordance with the Bidding Documents within the time set forth for the sum of:

Base Bid (Commodity Line 1 in wvOasis):

Bid to provide for one (1) Telehandler as specified herein:

Price of Telehandler = \$143,877.00 (Total Bid) *

ONE HUNDRED FORTY THREE THOUSAND EIGHT HUNDRED SEVENTY SEVEN DOLLARS

* Total Bid Price includes Contract Item and all costs associated with delivery.

DESIGNATED CONTACT: Vendor appoints the individual identified in this Section as the Contract Administrator and the initial point of contact for matters relating to this Contract.

(Printed Name and Title) EDDIE ROWAN JR. G.M.

(Address) 560 NEW GOFF MOUNTAIN ROAD CROSS LANES, WV 25313

(Phone Number) / (Fax Number) 304-776-4405 / 304-776-4409

(email address) EDDIE@STATEEQUIPMENT.COM

CERTIFICATION AND SIGNATURE: By signing below, or submitting documentation through wvOASIS, I certify that: I have reviewed this Solicitation/Contract in its entirety; that I understand the requirements, terms and conditions, and other information contained herein; that this bid, offer or proposal constitutes an offer to the State that cannot be unilaterally withdrawn; that the product or service proposed meets the mandatory requirements contained in the Solicitation/Contract for that product or service, unless otherwise stated herein; that the Vendor accepts the terms and conditions contained in the Solicitation, unless otherwise stated herein; that I am submitting this bid, offer or proposal for review and consideration; that this bid or offer was made without prior understanding, agreement, or connection with any entity submitting a bid or offer for the same material, supplies, equipment or services; that this bid or offer is in all respects fair and without collusion or fraud; that this Contract is accepted or entered into without any prior understanding, agreement, or connection to any other entity that could be considered a violation of law; that I am authorized by the Vendor to execute and submit this bid, offer, or proposal, or any documents related thereto on Vendor's behalf; that I am authorized to bind the vendor in a contractual relationship; and that to the best of my knowledge, the vendor has properly registered with any State agency that may require registration.

By signing below, I further certify that I understand this Contract is subject to the provisions of West Virginia Code § 5A-3-62, which automatically voids certain contract clauses that violate State law; and that pursuant to W. Va. Code 5A-3-63, the entity entering into this contract is prohibited from engaging in a boycott against Israel.

STATE EQUIPMENT, INC
(Company) 

(Signature of Authorized Representative)

EDDIE ROWAN JR. GENERAL MANAGER 8/12/26

(Printed Name and Title of Authorized Representative) (Date)

304-776-4405 / 304-776-4409

(Phone Number) (Fax Number)

EDDIE@STATEEQUIPMENT.COM

(Email Address)



10042

TELEHANDLER

SKYTRAK

DIMENSIONS



All dimensions are approximate



- | | |
|---|---------------------|
| A. Machine Length | 21-ft / 6.4-m |
| B. Machine Width | 8-ft 6-in / 2.59-m |
| C. Machine Width Outriggers Down | 13-ft 1-in / 3.98-m |

- | | |
|----------------------------|--------------------|
| D. Wheelbase | 10-ft / 3.04-m |
| E. Machine Height | 8-ft 4-in / 2.54-m |
| F. Ground Clearance | 18-in / 457-mm |

LOAD CHART



We provide coverage for one (1) full year on the entire machine, two (2) full years or 2,000 hours on the drivetrain and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification.



JLG INDUSTRIES, INC.
Toll-free US 877-JLG-LIFT
JLG.com

An Oshkosh Corporation Company

10042

TELEHANDLER

SKYTRAK



ACCESSORIES & OPTIONS

- 74 hp Engine
- Air Conditioning
- Air Shut Off Valve
- Arctic Package
- Boom Prop
- Enclosed Cab
- Fenders
- Load Stability Indication (LSI)
- Multi-Reverse Camera System
- Non-Outriggers
- Reverse Sensing System
- Road Lights
- Seatbelt Engagement & Operator Presence
- White Noise Back-up Alarm
- Work Lights

ATTACHMENTS

Standard Carriage	50-in	1.3-m
	60-in	1.5-m
	72-in	1.8-m
	96-in	2.4-m
Side-Tilt Carriage	50-in	1.3-m
	60-in	1.5-m
	72-in	1.8-m
Swing 90° Carriage	72-in	1.8-m
Side-Shift Carriage	48-in	1.2-m
Dual Fork Positioning Carriage	50-in	1.3-m
Pallet Forks	236-in x 4-in x 48-in	60-mm x 102-mm x 1.2-m
	236-in x 5-in x 48-in	60-mm x 127-mm x 1.2-m
	236-in x 5-in x 60-in	60-mm x 127-mm x 1.5-m
	2.00-in x 6-in x 72-in	51-mm x 152-mm x 1.8-m
Lumber Forks	1.75-in x 7-in x 60-in	51-mm x 178-mm x 1.5-m
	236-in x 6-in x 60-in	60-mm x 152-mm x 1.5-m
	51-mm x 51-mm x 1.2-m	
Cubing Forks	2-in x 2-in x 48-in	51-mm x 51-mm x 1.2-m
Material Bucket	72-in, 1.0-cu yd	1.8-m, 0.76-m³
	96-in, 1.5-cu yd	2.4-m, 1.15-m³
	102-in, 2.0-cu yd	2.6-m, 1.53-m³
	3-ft with winch, 4,000-lb capacity	.9-m, 1,814-kg
Truss Boom	12 ft, 2,000-lb capacity	3.7-m, 907-kg capacity
	15-ft, 2,000-lb capacity	4.6-m, 907-kg capacity
	12-ft with winch, 2,000-lb capacity	3.7-m, 907-kg capacity
	8-ft, 1,000-lb capacity	2.4-m, 455-kg capacity
Fork Mounted Work Platform	8,000-lb capacity	3,629-kg capacity
Fork-Mounted Extendable Truss		
Lifting Hook, Fork Mounted		
Pipe Grapple	72-in, 2,000-capacity	1.8-m, 907-kg capacity

STANDARD SPECIFICATIONS

Performance

Rated Capacity	10,000-lb / 4,536-kg
Maximum Lift Height	42-ft 1-in / 12.8-m
Load at Max Height*	6,000-lb / 2,722-kg
Maximum Forward Reach	26-ft 9-in / 8.10-m
Load at Max Reach*	6,000-lb / 2,722-kg
Frame Leveling	10 Degrees
Lift Speed Up	17 seconds
Lift Speed Down	17 seconds
Boom Speed Extend	18.5 seconds
Boom Speed Retract	16 seconds
Top Travel Speed	19.6 mph / 31.5 km/h
Drawbar Pull	25,507-lb / 113.5-kN
Outside Turning Radius	13-ft 10-in / 4.2-m
Operating Weight	26,600 / 12,065-kg

*With outriggers down

Engine

Make and Model	Cummins F3.8
No. of Cylinders	4
Displacement	231.9-cu in / 3.8 L
Gross Power Basic	110 hp / 82 kW @ 2,500 rpm
Maximum Torque @ 1,500 rpm	348-lb / ft / 472 Nm
Fuel Tank Capacity	35 gal / 132.5 L

Transmission

Powershift.
4-speed forward and 3-speed reverse.

Axles

Full-time planetary 4-wheel drive.
Oscillating rear axle with Stabil-Trak system.

Brakes

Hydraulically actuated inboard wet disc brakes.
Emergency brake.

Tires

Standard	400/75-28 Pneumatic
Optional	Foam-Filled, Non-Marking (Pneumatic or Foam-Filled) 17.5 x 25 Pneumatic or Foam-Filled, 360/85-28 Solid

Cab

- Adjustable suspension seat with retractable 3-in seat belt
- ClearSky Smart Fleet™ Hardware (CS550)
- Certified ROPS/FOPS structure
- Integrated arm rest
- LED Motion / Amber Beacon (CS550)
- Rear view mirrors
- Single joystick controls

Steering 4-Wheel

Power steering.
Operator selectable 4-wheel circle, 4-wheel crab, 2-wheel front.

Instruments

- DEF gauge
- Engine oil pressure gauge
- Fuel gauge
- Hourmeter
- Tachometer
- Temperature gauge
- Voltmeter
- LCD Diagnostic Screen

Hydraulic System-Implement

Capacity	52 gal / 196.8 L
----------	------------------

Piston pump.
Max Auxiliary Flow to Boom Head 19.6 gpm / 74.2 lpm
Variable flow, load sensitive hydraulic system.
Load holding valves on frame level, stabilizers, attachment tilt, extend and lift cylinders.
Auxiliary hydraulics used for all attachments equipped with cylinders or other hydraulic components. Consists of valves, controls and hydraulic lines.