



The following documentation is an electronically-submitted vendor response to an advertised solicitation from the *West Virginia Purchasing Bulletin* within the Vendor Self-Service portal at ***wvOASIS.gov***. As part of the State of West Virginia's procurement process, and to maintain the transparency of the bid-opening process, this documentation submitted online is publicly posted by the West Virginia Purchasing Division at ***WVPurchasing.gov*** with any other vendor responses to this solicitation submitted to the Purchasing Division in hard copy format.

Header 3

 List View

General Information

Contact

Default Values

Discount

Document Information

Clarification Request

Procurement Folder: 2018305

Procurement Type: Central Master Agreement

Vendor ID: 000000217238 

Legal Name: CHEMICAL CONTAINERS INC

Alias/DBA:

Total Bid: \$0.00

Response Date: 08/12/2026 

Response Time: 14:57

Responded By User ID: John1957 

First Name: Andrew

Last Name: Motis

Email: gov@chemicalcontainers.cc

Phone: 800-346-7867

SO Doc Code: CRFQ

SO Dept: 0803

SO Doc ID: DOT2700000003

Published Date: 7/30/26

Close Date: 8/13/26

Close Time: 13:30

Status: Closed

Solicitation Description: Vertical Brine Storage Tanks and Pumps

Total of Header Attachments: 3

Total of All Attachments: 3



Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

State of West Virginia
Solicitation Response

Proc Folder: 2018305
Solicitation Description: Vertical Brine Storage Tanks and Pumps
Proc Type: Central Master Agreement

Solicitation Closes	Solicitation Response	Version
2026-08-13 13:30	SR 0803 ESR08122600000000980	1

VENDOR
000000217238
CHEMICAL CONTAINERS INC

Solicitation Number: CRFQ 0803 DOT2700000003
Total Bid: 0
Response Date: 2026-08-12
Response Time: 14:57:31
Comments:

FOR INFORMATION CONTACT THE BUYER
John W Estep
304-558-2566
john.w.estep@wv.gov

Vendor Signature X **FEIN#** **DATE**

All offers subject to all terms and conditions contained in this solicitation

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
1	Polyethylene Vertical Brine Storage Tank Single Wall 6,100	0.00000	EA	15830.940000	0.00

Comm Code	Manufacturer	Specification	Model #
24111800			

Commodity Line Comments: Non-ASTM Tank. Norwesco Brand. Field Assembled.

Extended Description:

SEE ATTACHED PRICING PAGE ATTACHMENT A, FOR ACTUAL COST

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
2	Polyethylene Vertical Brine Storage Tank Single Wall 10,000	0.00000	EA	23238.830000	0.00

Comm Code	Manufacturer	Specification	Model #
24111800			

Commodity Line Comments: Non-ASTM Tank. Norwesco Brand. Field Assembled.

Extended Description:

SEE ATTACHED PRICING PAGE ATTACHMENT A, FOR ACTUAL COST

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
3	Polyethylene Vertical Brine Storage Tank DOUBLE WALL 6,000	0.00000	EA	34446.670000	0.00

Comm Code	Manufacturer	Specification	Model #
24111800			

Commodity Line Comments: Non-ASTM Tank. Norwesco Brand. Field Assembled.

Extended Description:

SEE ATTACHED PRICING PAGE ATTACHMENT A, FOR ACTUAL COST

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Ln Total Or Contract Amount
4	Peristaltic Pump	0.00000	EA	11609.000000	0.00

Comm Code	Manufacturer	Specification	Model #
40151500			

Commodity Line Comments:

Extended Description:

SEE ATTACHED PRICING PAGE ATTACHMENT A, FOR ACTUAL COST



Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

State of West Virginia
Centralized Request for Quote
Miscellaneous

Proc Folder: 2018305

Doc Description: Vertical Brine Storage Tanks and Pumps

Reason for Modification:

ADDENDUM NO_1
Vendor Questions and Responses

Proc Type: Central Master Agreement

Date Issued	Solicitation Closes	Solicitation No	Version
2026-07-30	2026-08-13 13:30	CRFQ 0803 DOT2700000003	2

BID RECEIVING LOCATION

BID CLERK
DEPARTMENT OF ADMINISTRATION
PURCHASING DIVISION
2019 WASHINGTON ST E
CHARLESTON WV 25305
US

VENDOR

Vendor Customer Code: 000000217238

Vendor Name : Chemical Containers, Inc.

Address :

Street : 413 ABC Rd.

City : Lake Wales

State : Florida

Country : USA

Zip : 33859

Principal Contact : Andrew Motis

Vendor Contact Phone: 800-346-7867

Extension: 126

FOR INFORMATION CONTACT THE BUYER

John W Estep
304-558-2566
john.w.estep@wv.gov

Vendor
Signature X

FEIN# 59-2280640

DATE 8/12/2026

All offers subject to all terms and conditions contained in this solicitation

ADDITIONAL INFORMATION**ADDENDUM NO_1**

Addendum No_1 issued to publish and distribute the attached information to the Vendor Community

The West Virginia Purchasing Division is soliciting bids on behalf of the West Virginia Division of Highways to establish an open-end contract for Vertical Polyethylene Brine Storage Tanks and Peristaltic Pumps, for use for WVDOH projects throughout the state of West Virginia. Per the Bid Requirements, Specifications, terms and conditions attached to this solicitation.

INVOICE TO		SHIP TO	
VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER		VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER	
No City	WV	No City	WV
US		US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
1	Polyethylene Vertical Brine Storage Tank Single Wall 6,100	0.00000	EA	\$15,830.94	

Comm Code	Manufacturer	Specification	Model #
24111800	Norwesco	Fit as Drawing Dictates	40661

Extended Description:

SEE ATTACHED PRICING PAGE ATTACHMENT A, FOR ACTUAL COST

INVOICE TO		SHIP TO	
VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER		VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER	
No City	WV	No City	WV
US		US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
2	Polyethylene Vertical Brine Storage Tank Single Wall 10,000	0.00000	EA	\$23,238.83	

Comm Code	Manufacturer	Specification	Model #
24111800	Norwesco	Fit as Drawing Dictates	43130

Extended Description:

SEE ATTACHED PRICING PAGE ATTACHMENT A, FOR ACTUAL COST

INVOICE TO		SHIP TO	
VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER		VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER	
No City	WV	No City	WV
US		US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
3	Polyethylene Vertical Brine Storage Tank DOUBLE WALL 6,000	0.00000	EA	\$34,446.67	

Comm Code	Manufacturer	Specification	Model #
24111800	Norwesco x CCI	Fit as Drawing Dictates	40661 x 43128

Extended Description:
SEE ATTACHED PRICING PAGE ATTACHMENT A, FOR ACTUAL COST

INVOICE TO		SHIP TO	
VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER		VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER	
No City	WV	No City	WV
US		US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
4	Peristaltic Pump	0.00000	EA	\$11,609.00	

Comm Code	Manufacturer	Specification	Model #
40151500	Flomotion Systems		FR45-HR76E

Extended Description:
SEE ATTACHED PRICING PAGE ATTACHMENT A, FOR ACTUAL COST

SCHEDULE OF EVENTS

<u>Line</u>	<u>Event</u>	<u>Event Date</u>
1	Questions Due by 2:00pm EST	2026-07-30

SOLICITATION NUMBER: CRFQ DOT2700000003

Addendum Number: 1

The purpose of this addendum is to modify the solicitation identified as CRFQ DOT2700000003 Solicitation” to reflect the change(s) identified and described below.

Applicable Addendum Category:

- ☐ Modify bid opening date and time
- ☐ Modify specifications of product or service being sought
- ☒ Attachment of vendor questions and responses
- ☐ Attachment of pre-bid sign-in sheet
- ☐ Correction of error
- ☐ Other

Additional Documentation:

Vendor Questions and Responses

Bid Opening remains 08/13/2026 @ 1:30pm

Terms and Conditions:

1. All provisions of the Solicitation and other addenda not modified herein shall remain in full force and effect.
2. Vendor should acknowledge receipt of all addenda issued for this Solicitation by completing an Addendum Acknowledgment, a copy of which is included herewith. Failure to acknowledge addenda may result in bid disqualification. The addendum acknowledgement should be submitted with the bid to expedite document processing.

Response 4

As per Specification Section 1, this is an open-end contract for use throughout the state of WV.

Question 5

To provide accurate pricing (including freight) we are requesting a list of tanks along the addresses to the final destinations. It will take some time for our logistics group to calculate pricing so the sooner we receive this list the better. Is this something you can provide for us?

Response 5

See Specification Section 4.2

4.2 Pricing Pages, Attachment A ("ATT A"): Vendor shall complete the Pricing Pages by providing a bid price for each Contract Item listed. Vendor shall factor into their bid prices all equipment, materials, delivery, and labor required to provide Contract Items. Vendors may bid on this statewide contract. Vendor shall complete the Pricing Pages for each Contract Item bid in their entirety as failure to do so may result in the Vendor's bids being disqualified. All bids or pricing submitted shall be held and honored by the Vendor for 90 days after the bid opening date.

See Specification Section 4.2.1

The Pricing Pages contain a list of Contract Items and estimated purchase volumes. The estimated purchase volume for each item represents the approximate volume of anticipated purchases only. No future use of the Contract or any individual item is guaranteed or implied.

CRFQ DOT2700000003 Vertical Brine Storage Tanks and Pumps

Responses to Questions from Vendors

Question 1

Does the tank/pump pricing need to be an all-inclusive per unit price to include transportation costs to the various facilities?

Response 1

See Specification Section 4.2

4.2 Pricing Pages, Attachment A ("ATT A"): Vendor shall complete the Pricing Pages by providing a bid price for each Contract Item listed. Vendor shall factor into their bid prices all equipment, materials, delivery, and labor required to provide Contract Items. Vendors may bid on this statewide contract. Vendor shall complete the Pricing Pages for each Contract Item bid in their entirety as failure to do so may result in the Vendor's bids being disqualified. All bids or pricing submitted shall be held and honored by the Vendor for 90 days after the bid opening date.

Question 2

Will the state provide the means, labor/equipment to off load the tanks at each location?

Response 2

See Specification Section 3.2

3.2 Contract Items and Mandatory Requirements: Vendor shall provide Agency with the Contract Items listed below on an open-end and continuing basis. Contract Items must meet or exceed the mandatory requirements as shown below. At the time of delivery, the Vendor shall schedule with the WVDOT for the availability of a WVDOT provided crane and operator for offloading the tanks from the Vendor's delivery truck. Installation of the tank and pump shall be the responsibility of the WVDOT.

Question 3

Does this solicitation require that we supply the labor/manpower needed to hookup the pumps and tanks, or just simply supply them?

Response 3

See Response #2

Question 4

I do not see any specific locations listed, is this open to include the entire state area or just certain districts?

ADDENDUM ACKNOWLEDGEMENT FORM
SOLICITATION NO.: CRFQ DOT2700000003

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge the addenda may result in bid disqualification.

Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

Addendum Numbers Received:

(Check the box next to each addendum received)

☒ Addendum No. 1	☐ Addendum No. 6
☐ Addendum No. 2	☐ Addendum No. 7
☐ Addendum No. 3	☐ Addendum No. 8
☐ Addendum No. 4	☐ Addendum No. 9
☐ Addendum No. 5	☐ Addendum No. 10

I understand that failure to confirm the receipt of the addenda may be cause for rejection of this bid. I further understand that that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

Chemical Containers, Inc.

Company



Authorized Signature

8/12/2026

Date

NOTE: This addendum acknowledgment should be submitted with the bid to expedite document processing.



Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

State of West Virginia
Centralized Request for Quote
Miscellaneous

Proc Folder: 2018305			Reason for Modification:
Doc Description: Vertical Brine Storage Tanks and Pumps			
Proc Type: Central Master Agreement			
Date Issued	Solicitation Closes	Solicitation No	Version
2026-07-23	2026-08-13 13:30	CRFQ 0803 DOT2700000003	1

BID RECEIVING LOCATION

BID CLERK
DEPARTMENT OF ADMINISTRATION
PURCHASING DIVISION
2019 WASHINGTON ST E
CHARLESTON WV 25305
US

VENDOR

Vendor Customer Code: 000000217238
Vendor Name : Chemical Containers, Inc.
Address :
Street : 413 ABC Rd.
City : Lake Wales, Florida
State : Florida **Country :** USA **Zip :** 33859
Principal Contact : Andrew Motis
Vendor Contact Phone: 800-346-7867 **Extension:** 126

FOR INFORMATION CONTACT THE BUYER

John W Estep
304-558-2566
john.w.estep@wv.gov

Vendor
Signature X

FEIN# 59-2280640

DATE 8/12/2026

All offers subject to all terms and conditions contained in this solicitation

ADDITIONAL INFORMATION

The West Virginia Purchasing Division is soliciting bids on behalf of the West Virginia Division of Highways to establish an open-end contract for Vertical Polyethylene Brine Storage Tanks and Peristaltic Pumps, for use for WVDOH projects throughout the state of West Virginia. Per the Bid Requirements, Specifications, terms and conditions attached to this solicitation.

INVOICE TO		SHIP TO	
VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER		VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER	
No City	WV	No City	WV
US		US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
1	Polyethylene Vertical Brine Storage Tank Single Wall 6,100	0.00000	EA	\$15,830.94	

Comm Code	Manufacturer	Specification	Model #
24111800	Norwesco	Fit as Drawing Dictates	40661

Extended Description:

SEE ATTACHED PRICING PAGE ATTACHMENT A, FOR ACTUAL COST

INVOICE TO		SHIP TO	
VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER		VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER	
No City	WV	No City	WV
US		US	

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
2	Polyethylene Vertical Brine Storage Tank Single Wall 10,000	0.00000	EA	\$23,238.83	

Comm Code	Manufacturer	Specification	Model #
24111800	Norwesco	Fit as Drawing Dictates	43130

Extended Description:

SEE ATTACHED PRICING PAGE ATTACHMENT A, FOR ACTUAL COST

INVOICE TO		SHIP TO	
VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER		VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER	
No City US	WV	No City US	WV

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
3	Polyethylene Vertical Brine Storage Tank DOUBLE WALL 6,000	0.00000	EA	\$34,446.67	

Comm Code	Manufacturer	Specification	Model #
24111800	Norwesco x CCI	Fit as Drawing Dictates	40661 x 43128

Extended Description:
SEE ATTACHED PRICING PAGE ATTACHMENT A, FOR ACTUAL COST

INVOICE TO		SHIP TO	
VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER		VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER	
No City US	WV	No City US	WV

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
4	Peristaltic Pump	0.00000	EA	\$11,609.00	

Comm Code	Manufacturer	Specification	Model #
40151500	Flomotion Systems		FR45-HR76E

Extended Description:
SEE ATTACHED PRICING PAGE ATTACHMENT A, FOR ACTUAL COST

SCHEDULE OF EVENTS

<u>Line</u>	<u>Event</u>	<u>Event Date</u>
1	Questions Due by 2:00pm EST	2026-07-30

	Document Phase	Document Description	Page 4
DOT2700000003	Final	Vertical Brine Storage Tanks and Pumps	

ADDITIONAL TERMS AND CONDITIONS

See attached document(s) for additional Terms and Conditions



Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

State of West Virginia
Centralized Request for Quote
Miscellaneous

Proc Folder: 2018305

Doc Description: Vertical Brine Storage Tanks and Pumps

Reason for Modification:

ADDENDUM NO_1
Vendor Questions and Responses

Proc Type: Central Master Agreement

Date Issued	Solicitation Closes	Solicitation No	Version
2026-07-30	2026-08-13 13:30	CRFQ 0803 DOT2700000003	2

BID RECEIVING LOCATION

BID CLERK
DEPARTMENT OF ADMINISTRATION
PURCHASING DIVISION
2019 WASHINGTON ST E
CHARLESTON WV 25305
US

VENDOR

Vendor Customer Code: 000000217238

Vendor Name : Chemical Containers, Inc.

Address :

Street : 413 ABC Rd.

City : Lake Wales

State : Florida

Country : USA

Zip : 33859

Principal Contact : Andrew Motis

Vendor Contact Phone: 800-346-7867

Extension: 126

FOR INFORMATION CONTACT THE BUYER

John W Estep
304-558-2566
john.w.estep@wv.gov

**Vendor
Signature X**

FEIN# 59-2280640

DATE 8/12/2026

All offers subject to all terms and conditions contained in this solicitation

ADDITIONAL INFORMATION
ADDENDUM NO_1
Addendum No_1 issued to publish and distribute the attached information to the Vendor Community
The West Virginia Purchasing Division is soliciting bids on behalf of the West Virginia Division of Highways to establish an open-end contract for Vertical Polyethylene Brine Storage Tanks and Peristaltic Pumps, for use for WVDOH projects throughout the state of West Virginia. Per the Bid Requirements, Specifications, terms and conditions attached to this solicitation.

INVOICE TO		SHIP TO	
VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER		VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER	
No City US	WV	No City US	WV

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
1	Polyethylene Vertical Brine Storage Tank Single Wall 6,100	0.00000	EA	\$15,830.94	

Comm Code	Manufacturer	Specification	Model #
24111800	Norwesco	Fit as Drawing Dictates	40661

Extended Description:
SEE ATTACHED PRICING PAGE ATTACHMENT A, FOR ACTUAL COST

INVOICE TO		SHIP TO	
VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER		VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER	
No City US	WV	No City US	WV

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
2	Polyethylene Vertical Brine Storage Tank Single Wall 10,000	0.00000	EA	\$23,238.83	

Comm Code	Manufacturer	Specification	Model #
24111800	Norwesco	Fit as Drawing Dictates	43130

Extended Description:
SEE ATTACHED PRICING PAGE ATTACHMENT A, FOR ACTUAL COST

INVOICE TO		SHIP TO	
VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER		VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER	
No City US	WV	No City US	WV

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
3	Polyethylene Vertical Brine Storage Tank DOUBLE WALL 6,000	0.00000	EA	\$34,446.67	

Comm Code	Manufacturer	Specification	Model #
24111800	Norwesco x CCI	Fit as Drawing Dictates	40661 x 43128

Extended Description:
SEE ATTACHED PRICING PAGE ATTACHMENT A, FOR ACTUAL COST

INVOICE TO		SHIP TO	
VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER		VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER	
No City US	WV	No City US	WV

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
4	Peristaltic Pump	0.00000	EA	\$11,609.00	

Comm Code	Manufacturer	Specification	Model #
40151500	Flomotion Systems		FR45-HR76E

Extended Description:
SEE ATTACHED PRICING PAGE ATTACHMENT A, FOR ACTUAL COST

SCHEDULE OF EVENTS

<u>Line</u>	<u>Event</u>	<u>Event Date</u>
1	Questions Due by 2:00pm EST	2026-07-30

	Document Phase	Document Description	Page 4
DOT2700000003	Final	Vertical Brine Storage Tanks and Pumps	

ADDITIONAL TERMS AND CONDITIONS

See attached document(s) for additional Terms and Conditions