



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
707EC017

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF
JOHN JOHNSTON 304-558-2402

RFQ COPY

TYPE NAME/ADDRESS HERE

VENDOR

SHIP TO

DIVISION OF HIGHWAYS
 EQUIPMENT DIVISION
 ROUTE 33
 BRUSHY FORK ROAD
 BUCKHANNON, WV
 26201 304-472-1750

DATE PRINTED 02/05/2007	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
BID OPENING DATE: 02/28/2007		BID OPENING TIME 01:30PM		

LINE	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
				ADDENDUM NO. 1		
				CHANGES TO THE SPECIFICATIONS PER THE ATTACHED.		
				BID OPENING DATE AND TIME CHANGED		
				FROM: 02-14-07 AT 1:30 P.M.		
				TO: 02-28-07 AT 1:30 P.M.		
				NO OTHER CHANGES.		
0001	1	EA		070-48		
				37,000 GVW CAB & CHASSIS, STAINLESS STEEL DUMP BODY		
***** THIS IS THE END OF RFQ 707EC017 ***** TOTAL:						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

**GENERAL TERMS & CONDITIONS
REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)**

1. Awards will be made in the best interest of the State of West Virginia.
2. The State may accept or reject in part, or in whole, any bid.
3. All quotations are governed by the *West Virginia Code* and the *Legislative Rules* of the Purchasing Division.
4. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125.00 registration fee.
5. All services performed or goods delivered under State Purchase Orders/Contracts are to be continued for the term of the Purchase Order/Contract, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
6. Payment may only be made after the delivery and acceptance of goods or services.
7. Interest may be paid for late payment in accordance with the *West Virginia Code*.
8. Vendor preference will be granted upon written request in accordance with the *West Virginia Code*.
9. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
11. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
12. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
13. **BANKRUPTCY:** In the event the vendor/contractor files for bankruptcy protection, this contract is automatically null and void, and is terminated without further order.
14. **HIPAA Business Associate Addendum** - The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (<http://www.state.wv.us/admin/purchase/vrc/hipaa.htm>) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Covered Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.

INSTRUCTIONS TO BIDDERS

1. Use the quotation forms provided by the Purchasing Division.
2. **SPECIFICATIONS:** Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as **EQUAL** to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
3. Complete all sections of the quotation form.
4. Unit prices shall prevail in cases of discrepancy.
5. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
6. **BID SUBMISSION:** All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications.

SIGNED BID TO:

Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

ADDENDUM #1
707EC017

OPEN END CONTRACT

37,000 GVW CAB AND CHASSIS, STAINLESS STEEL DUMP BODY,
AND PISTON PUMP HYDRAULIC SYSTEM

CHANGES TO SPECIFICATIONS:

6.5 WARRANTY AND SERVICE POLICY

FROM:

Engine: 4 yrs/100,000 miles 100% Parts and Labor

TO:

Engine: 3 yrs/100,000 miles 100% Parts and Labor

8.0 ADD:

Cab and Chassis shall have a minimum 2 year basic bumper to bumper warranty including parts and labor.

8.6 FROM:

Engine:

Mack Model AMI-300 300 HP@2100 RPM 1200 ft. lb torque @1300 RPM

TO:

Engine:

Mack Model MP7-325M 325 HP@1500-1900 RPM 1200 ft. lb. torque @1200 RPM

8.9.6 FROM:

Manufacturer or successful vendor should make provisions for manufacture approved wiring and weatherproof disconnect plug (Weather Pac in line six (6) pin connector – Part Number 12010975) with approximately three (3) foot “pigtail” to operate front combination left and right turn/park lights/auxiliary headlights.

TO:

Manufacturer or successful vendor should make provisions for manufacture approved wiring and weatherproof disconnect plug (Weather Pac in line seven (7) pin connector – Part Number 12110751) with approximately three (3) foot “pigtail” to operate front combination left and right turn/park lights/auxiliary headlights.

8.15.2.2 FROM:

Rear: 11R22.5G; on/off highway lug tread design, radial, tubeless. Goodyear G-328 14 ply or approved equal.

TO:

Rear: 11R22.5G; on/off highway lug tread design, radial, tubeless. Goodyear G244MSD or Michelin XDY-3 or approved equal.

9.0 ADD:

304 Stainless Steel Combination Dump/Spreader Body shall have a minimum 2 year basic bumper to bumper warranty including parts and labor.

10.0 ADD:

Provisions shall be made for a future add-on hydraulic driven pre-wet system.

10.0 ADD:

Central hydraulic system shall have a minimum 2 year basic bumper to bumper warranty including parts and labor.

10.1.2 FROM:

Front mounting flange and main housing/case to be of cast iron construction. Inlet and outlet port section to be of high strength ductile iron with SAE split flange porting.

TO:

Front mounting flange and main housing/case to be of cast iron construction. Inlet and outlet port section to be of high strength ductile iron.

10.1.4 FROM:

Pressure port to be of the SAE split flange type side mounted for direct bolt mounting solenoid shut down valve assembly.

TO:

Pressure port to be of the SAE split flange type or ORB side mounted for direct bolt mounting of solenoid shut down valve assembly.

10.3.2 FROM:

Each work section to be pressure and flow compensated with fully integrated load sense network. Flow output to be relative to spool travel with preset maximum flow rate obtained at maximum spool stroke to provide feathering control of operated function.

TO:

Spreader work sections to be pressure and flow compensated with fully integrated load sense network. Flow output to be relative to spool travel with preset maximum flow rate obtained at maximum spool stroke to provide feathering control of operated function.

10.6.4 FROM:

Central control console or dash mounted rocker switches with indicator lamps to be provided for strobe lights, spreader light and plow lights with all electrical output circuits switched through individual printed circuit board mounted plug in module relays, isolated from all hydraulic system control circuits.

TO:

Central control console or dash mounted rocker switches with indicator lamps to be provided for strobe lights, spreader light and plow lights isolated from all hydraulic system control circuits.

- 10.6.4.2 FROM:
Hydraulic system automatic shutdown system and control switching to be relay controlled on an independent circuit board module.
- TO:
Hydraulic system automatic shutdown system and control switching to be relay controlled.
- 10.6.4.3 FROM:
Both circuit board modules to be mounted within the cab.
- TO:
Relay to be mounted within the cab.
- 10.6.4.4 FROM:
A front console mounted access plate to modules to be provided.
- TO:
An access plate to internal wiring to be provided.
- 10.7.4 FROM:
Tank to be equipped with a pressurized ten (10) micron filler/breather cap with removable five hundred (500) micron strainer.
- TO:
Tank to be equipped with a ten (10) micron filler/breather cap with removable five hundred (500) micron strainer.
- 10.7.7 FROM:
Tank level switch connection to be "SO" type wiring and mounted in an appropriate location in the tank.
- TO:
Tank level switch connection to be "SO" type wiring and mounted within the tank/valve enclosure to protect it from the elements.

ADDENDUM #1
707EC017

OPEN END CONTRACT

37,000 GVW CAB AND CHASSIS, STAINLESS STEEL DUMP BODY,
AND PISTON PUMP HYDRAULIC SYSTEM

CHANGES TO BIDDER'S EVALUATION REPORT:

X6.5 WARRANTY AND SERVICE POLICY

FROM:

Will the warranty and service you provide comply with all areas as stated in Section 6.5 of the specifications? _____ YES _____ NO

If NO, explain _____

Is warranty literature attached? _____ YES _____ NO

Extended service contract coverage _____

TO:

Will the warranty and service you provide comply with minimum warranties as stated in Section 6.5 of the specifications? _____ YES _____ NO

If NO, explain _____

Is warranty literature attached? _____ YES _____ NO

Extended service contract coverage: _____

X8.0 SPECIFICATIONS – CAB AND CHASSIS

ADD:

Is a minimum 2 year basic bumper to bumper warranty including parts and labor furnished? _____ YES _____ NO

X8.6 Engine: - NO CHANGE REQUIRED

Make: _____ Model: _____
_____ HP @ _____ RPM _____ ft. lb torque @ _____ RPM

X8.9.6 FROM:

Will manufacturer ___ YES ___ NO or successful vendor ___ YES ___ NO make provisions for manufacture approved wiring and weatherproof disconnect plug
_____ YES ___ NO

Manufacturer and part number _____

Will there be three (3) foot "pigtail" to operate front combination left and right turn/park lights/auxiliary headlights

TO:

Will manufacturer ___ YES ___ NO or successful vendor ___ YES ___ NO make provisions for manufacture approved wiring and weatherproof disconnect plug
_____ YES ___ NO

Manufacturer and part number of 7 pin connector: _____

Will there be three (3) foot "pigtail" to operate front combination left and right turn/park lights/auxiliary headlights
_____ YES ___ NO

X8.15.2.2 FROM:

Rear: _____

TO:

Rear Size/Manufacturer/Part Number:

X9.0 ADD:

Is a minimum 2 year basic bumper to bumper warranty including parts and labor furnished?
_____ YES ___ NO

X10.0 ADD:

Are provisions made for a future add-on hydraulic driven pre-wet system

_____ YES _____ NO

X10.0 ADD:

Is a minimum 2 year basic bumper to bumper warranty including parts and labor furnished?

_____ YES _____ NO

X10.1.2

FROM:

Front mounting flange and main housing/case of cast iron construction _YES_ NO
 Inlet and outlet port section of high strength ductile iron with SAE split flange
 porting __YES__ NO

TO:

Front mounting flange and main housing/case of cast iron construction

_____ YES _____ NO

Inlet and outlet port section of high strength ductile iron _____ YES _____ NO

X10.1.4

FROM:

Is pressure port of the SAE split flange type side mounted for direct bolt mounting
 of solenoid shut down valve assembly __YES__ NO

TO:

Is pressure port of the SAE split flange type or ORB side mounted for direct bolt
 mounting of solenoid shut down valve assembly _____ YES _____ NO

X10.3.2

FROM:

Each work section pressure and flow compensated with fully integrated load sense network YES NO

Flow output is relative to spool travel with preset maximum flow rate obtained at Maximum spool stroke providing feathering control of operated function YES NO

TO:

Spreader work sections pressure and flow compensated with fully integrated load sense network YES NO

Flow output is relative to spool travel with preset maximum flow rate obtained at maximum spool stroke providing feathering control of operated function YES NO

X10.6.4

FROM:

Are central console or dash mounted rocker switches with indicator lamps provided for strobe lights, spreader light and plow lights with all electrical output circuits switched through individual printed circuit board mounted plug in module relays, isolated from all hydraulic system control circuits YES NO

TO:

Are central console or dash mounted rocker switches with indicator lamps provided for strobe lights, spreader light and plow lights isolated from all hydraulic system control circuits YES NO

X10.6.4.2

FROM:

Is hydraulic system automatic shutdown system and control switching relay controlled on an independent circuit board module YES NO

TO:

Is hydraulic system automatic shutdown system and control switching relay controlled YES NO

- X10.6.4.3 FROM:
Both circuit board modules mounted within the cab __YES__NO
- TO:
Relay mounted within the cab _____ YES _____ NO
- X10.6.4.4 FROM:
Is a front console mounted access plate to modules provided __YES__NO
- TO:
Is an access plate to internal wiring provided _____ YES _____ NO
- X10.7.4 FROM:
Tank equipped with a pressurized ten (10) micron filter/breather cap with removable 500 micron strainer __YES__NO
- TO:
Tank equipped with a ten (10) micron filter/breather cap with removable 500 micron strainer _____ YES _____ NO
- X10.7.7 FROM:
Tank level switch connection "SO" type wiring and mounted in an appropriate location in the tank __YES__NO
- TO:
Tank level switch connection "SO" type wiring and mounted within the tank/valve enclosure to protect it from the elements _____ YES _____ NO

PURCHASING CONTINUATION SHEET

Buyer: JJ-33	Page 11	Req. or P.O. No.: 707EC017
Spending Unit:		

Vendor:

Requisition No.: 707EC017

ADDENDUM ACKNOWLEDGEMENT

I hereby acknowledge receipt of the following checked addendum(s) and have made the necessary revisions to my proposal, plans and/or specifications, etc.

Addendum No.'s:

No. 1 _____

No. 2 _____

No. 3 _____

No. 4 _____

No. 5 _____

I understand that failure to confirm the receipt of the addendum(s) may be cause for rejection of bids.

Signature

Company

Date

SIGN IN SHEET

RFQ # 707E017Date: 2/2/07

Firm & Representative Name:

Mailing Address:

Phone, Fax, & E-Mail:

1. MATHENY MOTOR TRUCK CO.P.O. BOX 1304P 304-485-4418 EXT 601MIKE MATHENYPARKERSBURG, WV 26102-1304F 304-485-2577E-mail mmatheny@mathenymotors.a2. Industrial Sales / Viking Cires P.O. Box 295P 573-318-5614Don AndersonMORLEY, MO 63767F 573-262-3540E-mail DANDERSON@VikingCires.com3. WEST VIRGINIA TRACTORP.O. BOX 473P 346-5301GARY GRADYCHARLESTON WV 25322F 346-5305E-mail WVtractor@msn.com4. BensonP.O. Box 970P 304-489-9020Bubba SmithMineral Wells, WV
26150F 304-489-2828E-mail rsmith@benjonintl.com5. WORLDWIDE EQUIP.P.O. Box 171P 800-627-7815GREG ST. CLAIRJANIE LEW WV. 26378F 304-884-8046E-mail greg_stclair@
teamworldwide.com

Please print or write legibly!

Your fax # is essential to contact you timely!

SIGN IN SHEET

RFQ # _____

Date: 2-2-07

Firm & Representative Name:

Mailing Address:

Phone, Fax, & E-Mail:

1. Worldwide Equipment 5650 US RT 60E P 304-736-3401Chuck Bradley II Huntington, W. Va. 25705 F 304 736-7539E-mail Chuck_Bradley@teamworldwide.com2. Henderson Mfg. PO Box 127 P 570-362-8955Glen Beck Manchester, IA 52057 F 563-927-7010E-mail gbeck@henderson-mfg.ca3. Component Technology 204 Covered Bridge RD P 610-533-0024DAVE AUSTIN ~~Northampton PA~~ PA 18067 F 610-562-1971E-mail davstn@certifiedpower.com4. Component Technology 726 Moores Mountain Rd P 717-350-0258Bill Carey Mechanicsburg Pa 17055 F 866-620-6820E-mail w Carey@certifiedpower.com5. Worldwide Equip. 5650 US RT 60E P 800-878-3039Jim Dotson Huntington WV 25705 F 859-253-4659E-mail jim-dotson@teamworldwide.com

Please print or write legibly!

Your fax # is essential to contact you timely!

SIGN IN SHEET

RFQ # 707ECO17
Date: 2-2-07

- | Firm & Representative Name: | Mailing Address: | Phone, Fax, & E-Mail: |
|--|--|--|
| 1. <u>Mountain International Trucks, INC</u>
<u>Chuck</u>
<u>Whitlow</u> | <u>P.O. Box 7771</u>
<u>Charleston, WV 25356</u> | P <u>304/776-5600</u>
F <u>304/776-4184</u>
E-mail <u>CWhitlow@mountaininternational.com</u> |
| 2. <u>FYDA FREIGHTLINER PITS</u>
<u>BARRY HAWTHORNE</u> | <u>80 FYDA Drive</u>
<u>CANONSBURG, PA 15317</u> | P <u>724-514-2055</u>
F <u>724-514-2065</u>
E-mail <u>barryh@fydafreightliner.com</u> |
| 3. <u>ACE TRUCK EQ</u>
<u>DAVID BEITZEL</u> | <u>PO Box 2605</u>
<u>Zanesville Ohio 43702</u> | P <u>740-4530551</u>
F <u>740 4537023</u>
E-mail <u>DAVID@ACETRUCK.NET</u> |
| 4. <u>Freightliner Corp</u>
<u>David Siler</u> | <u>51 Gibraltar Drive 3A</u>
<u>Morris Plains, NJ 07950</u> | P <u>973-267-6989</u>
F <u>973-267-5922</u>
E-mail <u>dsiler@freightliner.com</u> |
| 5. <u>Cummins Crosspoint</u>
<u>John Snyder</u> | <u>P.O. Box 8456</u>
<u>S. Charleston, WV 25303</u> | P <u>304-744-6373</u>
F <u>304-744-8605</u>
E-mail <u>john.e.snyder@Cummins.com</u> |

Please print or write legibly!

Your fax # is essential to contact you timely!

SIGN IN SHEET

RFQ # 707ECO17
Date: 2-2-07

Firm & Representative Name:

Mailing Address:

Phone, Fax, & E-Mail:

1. WV TRUCK
Sonny Wingeron

1 JAIN DRIVE
CROSS LANES WV, 25313

P 304 204 2435
F 304 204 2448

E-mail Sonny@Earthlink.net

2. WV TRUCK
DAVE MEEKS

1 JAIN DRIVE
CROSS LANES WV 25313

P 304 204 2435
F 304 204 2448

E-mail _____

3. General Truck Sales
Kevin Wiseman

3100 McCoubert AVE SW
South Charleston

P 304-944-1321
F 11 11-9852

E-mail _____

4. Heritage Equipment
Mike Coburn

322 Dry Hill Rd.
Beckley, W.V. 25801

P 304-254-7827
F 304-259-9007

E-mail mcoburn@charterinternet.com

5. Force America
Ryan Robusa

651 EAST CLIFF ROAD
BURNSVILLE, MN 55337

P 952-707-1313
F 952-707-1350

E-mail RROBUSA@FORCE
AMERICA.COM

Please print or write legibly!

Your fax # is essential to contact you timely!

SIGN IN SHEET

RFQ # _____
Date: _____

Firm & Representative Name:

Mailing Address:

Phone, Fax, & E-Mail:

1. Force America
Craig Ferguson

4172 Fisher Rd
~~651 East 61st Rd~~
Columbus, OH 43228

P 614-351-4884
F 614-351-8336

E-mail C.Ferguson@ForceAmerica.com

2. Highway's
Don Weese

P _____
F _____

E-mail _____

3. Highway's
Karen Cochran

P _____
F _____

E-mail _____

4. _____

P _____
F _____

E-mail _____

5. _____

P _____
F _____

E-mail _____

Please print or write legibly!

Your fax # is essential to contact you timely!