

RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

# Request for Quotation

	Ś
787EC825	

P	AGE	
	1	1

ADDRESS	CORRESP	ONDENCE	OATTEN	TION OF:

JOHN JOHNSTON 304-558-2402

SH | P | T | O

DIVISION OF HIGHWAYS
EQUIPMENT DIVISION
ROUTE 33
BRUSHY FORK ROAD
BUCKHANNON, WV

26201 304-472-1750

ADDRESS CHANGES TO BE NOTED ABOVE

DATE PRINTED TERMS OF SALE SHIP VIA F.O.B. FREIGHT TERMS 03/29/2007 BID OPENING DATE: 05/09/2007 BID OPENING TIME 01:30PM LINE QUANTITY UOP ITEM NUMBER **UNIT PRICE** AMOUNT 0001 EΑ 765-77 HYDRAULIC DRIVEN BROOM SWEEPER FOR TRUCK MOUNTING OPEN END CONTRACT TO PROVIDE HYDRAULIC DRIVEN BROOM SWEEPER FOR TRUCK MOUNTING AS DESCRIBED IN ATTACHED PROCUREMENT SPECIFICATIONS 041-1-B. THERE WILL BE A MANDATORY PRE-BID CONFERENCE AT THE STATE CAPITOL COMPLEX, BUILDING 15, CONFERENCE ROOM, AT 10:00 AM ON 4/26/07. FAILURE TO ATTEND THE PRE-BID CONFERENCE WILL RESULT IN BID DISQUALIFICATION. QUESTIONS: WRITTEN QUESTIONS WILL BE ACCEPTED THROUGH CLOSE OF BUSINESS (5:00PM EST.) ON TUESDAY, 4/17/07. SEND YOUR QUESTIONS TO: PURCHASING DIVISION ATTENTION JOHN JOHNSTON 2019 WASHINGTON STREET EAST CHARLESTON, WV. 25305 QUESTIONS MAY BE SENT VIA FAX,E-MAIL, OR REGULAR MAIL. E-MAIL: JJOHNSTONOWVADMIN.GOV FAX: 304-558-4115 IT IS THE VENDORS RESPONSIBILITY TO VERIFY THAT THEIR QUESTIONS HAVE BEEN RECEIVED BY CALLING 304-558-2402. EXHIBIT 2 THIS CONTRACT BECOMES EFFECTIVE ON LIFE OF CONTRACT: AND EXTENDS FOR A PERIOD OF ONE (1) SEE REVERSE SIDE FOR TERMS AND CONDITIONS SIGNATURE TELEPHONE DATE TITLE

# GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- 1. Awards will be made in the best interest of the State of West Virginia.
- 2. The State may accept or reject in part, or in whole, any bid.
- 3. All quotations are governed by the West Virginia Code and the Legislative Rules of the Purchasing Division.
- Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125.00 registration fee.
- 5. All services performed or goods delivered under State Purchase Orders/Contracts are to be continued for the term of the Purchase Order/Contract, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
- 6. Payment may only be made after the delivery and acceptance of goods or services.
- 7. Interest may be paid for late payment in accordance with the West Virginia Code.
- 8. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- 9. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 11. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
- 12. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 13. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, this contract is automatically null and void, and is terminated without further order.
- 14. HIPAA Business Associate Addendum The West Viginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (http://www.state.wv.us/admin/purchase/vrc/hipaa.htm) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Covered Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.

### **INSTRUCTIONS TO BIDDERS**

- 1. Use the quotation forms provided by the Purchasing Division.
- 2. SPECIFICATIONS: Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as EQUAL to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
- 3. Complete all sections of the quotation form.
- 4. Unit prices shall prevail in cases of discrepancy.
- 5. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
- 6. BID SUBMISSION: All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications.

#### SIGNED BID TO:

Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130



TOOK

RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

# Request for Quotation

• •	71.0	7.0	_			-			
	_	•	-	_	^	_	$\overline{}$	7	
	- /	U	1	E	L	u	Z	э	

ं	Α	ĢE	
			_

\_\_\_\_\_2

ADDRESS CORRESPONDENCE TO ATTENTION OF

JOHN JOHNSTON 304-558-2402

100
100
100

DIVISION OF HIGHWAYS EQUIPMENT DIVISION ROUTE 33 BRUSHY FORK ROAD BUCKHANNON, WV

26201 304-472-1750

ADDRESS CHANGES TO BE NOTED ABOVE

SHIP VIA DATE PRINTED TERMS OF SALE F.O.B. FREIGHT TERMS 03/29/2007 BID OPENING DATE: 05/09/2007 BID OPENING TIME 01:30PM CAT. AMOUNT QUANTITY UOP ITEM NUMBER UNIT PRICE LINE YEAR OR UNTIL SUCH "REASONABLE TIME" THEREAFTER AS IS NECESSARY TO OBTAIN A NEW CONTRACT OR RENEW THE ORIGINAL CONTRACT. THE "REASONABLE TIME" PERIOD SHALL NOT EXCEED TWELVE (12) MONTHS. .DURING THIS "REASONABLE TIME" THE VENDOR MAY TERMINATE THIS CONTRACT FOR ANY REASON UPON GIVING THE DIRECTOR OF PURCHASING THIRTY (30) DAYS WRITTEN NOTICE. UNLESS SPECIFIC PROVISIONS ARE STIPULATED IN THIS CONTRACT DOCUMENT, THE TERMS, CONDITIONS, AND PRICING SET HEREIN ARE FIRM FOR THE LIFE OF THE CONTRACT. RENEWAL: THIS CONTRACT MAY BE RENEWED UPON THE MUTUAL WRITTEN CONSENT OF THE SPENDING UNIT AND VENDOR, SUBMITTED TO THE DIRECTOR OF PURCHASING THIRTY (30) DAYS PRIOR TO THE EXPIRATION DATE. SUCH RENEWAL SHALL BE IN ACCORDANCE WITH THE TERMS AND CONDITIONS OF THE ORIGINAL CONTRACT AND SHALL BE LIMITED TO TWO (2) ONE (1) YEAR PERIODS. CANCELLATION: THE DIRECTOR OF PURCHASING RESERVES THE RIGHT TO CANCEL THIS CONTRACT IMMEDIATELY UPON WRITTEN NOTICE TO THE VENDOR IF THE COMMODITIES AND/OR SERVICES SUPPLIED ARE OF AN INFERIOR QUALITY OR DO NOT CONFORM WITH THE SPECIFICATIONS OF THE BID AND CONTRACT HEREIN. OPEN MARKET CLAUSE: THE DIRECTOR OF PURCHASING MAY AUTHORIZE A SPENDING UNIT TO PURCHASE ON THE OPEN MARKET, WITHOUT THE FILING OF A REQUISITION OR COST ESTIMATE, ITEMS SPECIFIED ON THIS CONTRACT FOR IMME-DIATE DELIVERY IN EMERGENCIES DUE TO UNFORESEEN CAUSES (INCLUDING BUT NOT LIMITED TO DELAYS IN TRANSPORTATION OR AN UNANTICIPATED INCREASE IN THE VOLUME OF WORK). QUANTITIES LISTED IN THE REQUISITION ARE QUANTITIES: APPROXIMATIONS ONLY, BASED ON ESTIMATES SUPPLIES BY TH SEE REVERSE SIDE FOR TERMS AND CONDITIONS SIGNATURE **TELEPHONE** DATE TITLE FEIN



RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

# Request for Quotation

<u>707EC023</u>

ADDRESS CORRESPONDENCE TO ATTENTION OF

JOHN JOHNSTON <u>304-558-2402</u>

þ

DIVISION OF HIGHWAYS **EQUIPMENT DIVISION** ROUTE 33 **BRUSHY FORK ROAD** BUCKHANNON, WV

26201

304-472-1750

DATE PRINTED TERMS OF SALE SHIP VIA FOB. FREIGHT TERMS 03/29/2007 BID OPENING DATE: BID OPENING TIME 05/09/2007 01:30PM CAT. UNIT PRICE AMOUNT LINE QUANTITY UOP ITEM NUMBER STATE SPENDING UNIT. IT IS UNDERSTOOD AND AGREED THAT THE CONTRACT SHALL COVER THE QUANTITIES ACTUALLY ORDERED FOR DELIVERY DURING THE TERM OF CONTRACT, WHETHER MORE OR LESS THAN THE QUANTITIES SHOWN. DRDERING PROCEDURE: SPENDING UNIT(S) SHALL ISSUE A WRITTEN EQUIPMENT CONTRACT ORDER (FORM NUMBER WV-35) FOR COMMODITIES COVERED BY THIS CONTRACT. THE ORIGINAL WV-35 MUST BE SENT TO THE PURCHASING DIVISION OF THE DEPARTMENT OF ADMINISTRATION. AFTER APPROVAL AND ENCUMBRANCE, ONE COPY OF THE PURCHASE ORDER WILL BE RETURNED TO THE SPENDING UNIT AND ONE COPY FOR-WARDED TO THE VENDOR AS AUTHORIZATION FOR SHIPMENT. NO ORDER IS VALID UNLESS APPROVED AND ENCUMBERED BY THE PURCHASING DIVISION. IN THE EVENT THE VENDOR/CONTRACTOR FILES BANKRUPTCY: FOR BANKRUPTCY PROTECTION, THIS CONTRACT IS AUTOMATI-CALLY NULL AND VOID, AND IS TERMINATED WITHOUT FURTHER ORDER. REV. 9/98 EXHIBIT 6 PRICE ADJUSTMENT PROVISION: THE STATE OF WEST VIRGINIA WILL CONSIDER BIDS THAT CONTAIN PROVISIONS FOR PRICE ADJUSTMENTS PRIOR TO THE ORIGINAL EXPIRATION OF THE CONTRACT, PROVIDED THAT SUC PRICE ADJUSTMENT COVERS BOTH UPWARD AND DOWNWARD MOVEMENT OF THE COMMODITY PRICE, AND THAT ADJUSTMENT IS BASED ON THE "PASS THROUGH" INCREASE OR DECREASE OF RAW MATERIALS AND/OR LABOR, WHICH MAKE UP ALL OR A SUBSTANTIAL PART OF A PRODUCT. ADJUSTMENTS ARE TO BE BASED UPON AN ACTUAL DOLLAR FIGURE, NOT A PERCENTAGE. SEE REVERSE SIDE FOR TERMS AND CONDITIONS SIGNATURE TELEPHONE DATE TITLE ADDRESS CHANGES TO BE NOTED ABOVE



VEZDOR

RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

# Request for Quotation

RFONUMBER 707EC023

PAG

4

ADDRESS CORRESPONDENCE TO ATTENTION OF:

JOHN JOHNSTON 304-558-2402

SH-P P TO DIVISION OF HIGHWAYS EQUIPMENT DIVISION ROUTE 33 BRUSHY FORK ROAD BUCKHANNON, WV

26201

DATE PRIN	ITED	TER	IMS OF SALE		SHI	P VIA	F	O.B.	FREIGHT TERMS
03/29	/2007								
BID OPENING DATE		05/09/	2007		4	BID	OPENING	TIME 0	1:30PM
LINE	QUA	NTITY	UOP	CAT. NO.	ITEM	IUMBER	UN	TPRICE	AMOUNT
	545555555555555555	<u> 1000000000000000000000000000000000000</u>				*****************			
	ALL PR	RICE AD	JUSTME	NT R	EQUESTS	MUST BE	SUBSTAN	TIATED IN	1
•	1				1 .	ECTOR PU	Ŀ		
İ					)	RAL MARK			
İ					1		3	INCREASE	:
į	1		1 1		f	BY THE D	i		
								EFFECTIV	<i>t</i>
	L				1	IE THE VE			
	r		ı r		E .	NG DIVIS			
			1 - [		Į.	ID AMEND	l .		
								TIRETY AN	מו
		. THE C					1		
		. ,,,							
	EXHIBI	Т 4							
					I				ļ
	INCAL	GOVERN	MENT P	ODIF	S: UNI	ESS THE	VENDOR '	INDICATES	
	1					ND THE P			
	4		, ,		ſ	and the second s	_	MUNICIPAL	
			1 :					ALL EXTEN	1
	i .					HE STATE			
•	VIRGIN					NOT WISH			
	1		1 :		ł	OF THE B	B .		
						STATE, T			
	1				1			CH REFUSA	1
	1		1			OF THIS			<b>`</b> `
	MANNER		EJUDIC	, E ! ! !	E AWARD	01 11113	CONTRAC	: TIA WILL	
	REV. 3						,	•	
	KEV.	700	VENDO	10 DD	EEEDENCE	CERTIFI	CATE		
			VENDE	IK FK	ELEVENCE	CERTIFI	CATE		
	CEDITE	TCATTO	N AND	ADDI	TCATTONY	IS HERE	BV MADE	ENB	
	L				1	WEST VIR	1		
•						STRUCTIO			1
	DA-3-3	)/ (DUE	2 MOI	AFFL	T TO CON	ISTRUCTIO	N CONIK	4013).	·
	A A F	DI TOAT	TON TO	MAD	E EOD 3	5% PREFE	DENCE E	ND TUE	
	4	1	: E	riAD	E FUR 2.	DA FREFE	RENUE PI	אר ואב	ven
	KEASUN	I CHECK	נח:						
		B # D D C D	TC AL	TAID	TVTDUAL	DECIDENT	VENDOD	AND	
	( )	RINDEK	12 AV	TND	TATROAC	RESIDENT	AFMDOK	иии	
	<u>l</u>			SEE RE	I VERSE SIDE FOR	TERMS AND CO	NDITIONS		
SIGNATURE		u v zana zanada 1464 1464 1464 14				TELEPHONE		DATE	
TITLE		lec	EN .						
11125		ľ	-11 4				ADI	DRESS CHANGE	ES TO BE NOTED ABOVE



MODZEK

RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

# Request for REQNUMBER 70.7E.C.0.2:

70	7	E	C	0	2	3

PΑ	ιGΕ	
	;	<u> </u>

ADDRESS CORRESPONDENCE TO ATTENTION OF:

JOHN JOHNSTON 304-558-2402

DIVISION OF HIGHWAYS **EQUIPMENT DIVISION** ROUTE 33 **BRUSHY FORK ROAD** BUCKHANNON, WV

03/29/	zaniananana ayua.	en en en en en en en en en en en en en e	MS OF SAL		SFIP VIA		F.O.B.	FREIGHT TERMS
BID OPENING DATE:		05/09/	2007			BID O	PENING TIME 0	1:30PM
LINE	QUAI	VTITY	HOP	CAT.	ITEM NUMBER		UNIT PRICE	AMOUNT
	HAS T VAERENEAS OF TOURS TO THE	SIDED ARS IM ICATIO BIDDEN ESIDEN RS GINI TE OF RSHIP, SIMAIN INTAIN ICATIO BIDDEN HAS OF INTAIN ICATIO BIDDEN HAS OF INTAIN ICATIO PLICAT BIDDER HAS OF INTAIN SS YEA ICATIO PLICAT BIDDER THE E SIDE CO ING ING	CONTIAN; IS AND A SENTE OF A HIDDO NET OF A HIDDO N	NO STEP STATES TO STATE STATES TO STATE STATES TO STATE STATES TO	LY IN WEST NERSHIP, ASS ND HAS MAINT PLACE OF BUS (4) YEARS D FICATION; OF HELD BY ANOTO ON OR CORPOR HEADQUARTER LY IN WEST N EDING THE DA ORATION NONE OR SUBSIDIA ED STATE RES QUARTERS OR IRGINIA CONT TELY PRECEDIT E FOR 2.5% F DENT VENDOR COKKING ON TH VIRGINIA WHO	VIRGIN TO CIATOR	IIA FOR FOUR E OF THIS  ION OR CORPORA- ITS HEAD- CONTINUOUSLY IF ATELY PRECEDING OF THE OWNERSHIP INDIVIDUAL, RESIDENT VENDOR PRINCIPAL PLACE IIA FOR FOUR (4) THIS  INT VENDOR ICH EMPLOYS S AND WHICH IPAL PLACE OF ISLY FOR THE IEDATE OF THIS  RESIDED IN RESIDED IN IS IMMEDIATELY	N P
	J				STATE RESIL			·
				SEFRE	VERSE SIDE FOR TERMS	AND CONF	OITIONS	1
SIGNATURE				~~5.116.		HONE	DATE	
T)T) C		lee	18.1					·
TITLE		FE	in				ADDRESS CHANGE	S TO BE NOTED ABOVE



RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

# Request for Quotation

707EC023

PAGE

ADDRESS CORRESPONDENCE TO ATTENTION OF:

JOHN JOHNSTON 304-558-2402

SH-P-

DIVISION OF HIGHWAYS EQUIPMENT DIVISION ROUTE 33 BRUSHY FORK ROAD BUCKHANNON, WV

26201

DATE PRINT	rED .	TER	MS OF SALE		SHIP VI.	4		FOB.		FREIGHT TERMS
03/29/	2007									
BID OPENING DATE:		05/09/	2007			BID	OPE	NING TIME	01:	30PM
LINE	QUA	YTITY		CAT.	ITEM NUMI	3ER		UNIT PRICE		AMOUNT
	NONRES WHICH OF BUS OF ONE DURING 75% OF SUBSID WHO HA YEARS BIDDER PREFER PURCHA ORDER AND TH	IDENT MAINTA INESS HUNDR THE L THE E TARY'S IMMEDI UNDER INES T SING T ISSUED IN AN	VENDOR INS ITS WITHIN ED STATE IFE OF MPLOYED IDED II ATELY I STANDS HAT A I NTINUE THE SECON (A) O: (A) I AMOUNT	WITS HES WES TE HE ES OY THE ESTON T	H AN AFFIL ADQUARTERS T VIRGINIA ESIDENTS V CONTRACT R BIDDERS ARE RESIL E STATE CO EDING SUBM THE SECRET ER RECEIVE MEET THE MEET THE S SCIND THE SSESS A PE T TO EXCER	LIATE OF PROPERTY OF CONTRACTOR OF CONTRACTO	YINC YINC YERAT VERAT WOULD TAR ME D AGA THE	UBSIDIARY IPAL PLACE IG A MINIMUM IES THAT, IGE AT LEAST IE'S OR IEST VIRGINIA Y FOR THE TW THIS BID. IX & REVENUE INST SUCH INST SUCH INST SUCH ICONTRACTING	O .	AMOUNT
	BY SUBDISCLOPURCHATAX ANPURCHABIDDER THAT SCOMMISCOME 6CERTIFTHAT I	MISSIC SE ANY SING I ID REVE SING A HAS F UCH IN PAID N SIONER PENALT 1-5-3) TICATE	REASOI IVISION NUE TO PPROPR AID THI FORMAT OR ANY TO BE Y OF L BIDD IS TRU NTRACT THIN T	HIS NABL N AN DIS IATE E RE ION CON ER H E AN IS HIS	CERTIFICATOR REQUESTION AUTHORIZED BUSINED BUSINED BUSINED BUSINED BUSINED FIDENTIAL BREBY CEREBY CE	ED INFOZES THE THE DIR ION VERSINESS CONTAIN ATION DESTRUCTION DES	RMA E DE E CT TAX TAX TEM L CAN G E S	YING THAT  (ES, PROVIDED  (ES, PROVIDED  (ED BY THE TA  (WEST VIRGINI  AT THIS  (ESPECTS; AND  (D IF ANYTHIN  C DURING THE	A	
SIGNATURE				oee he	<u> </u>	TELEPHONE	/(4D1310		TE	
TITLE		F	EIN					ADDRESS CHANG	GES T	O BE NOTED ABOVE



RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

# Request for Quotation

707EC023

RFQ NUMBER

PAGE

7

ADDRESS CORRESPONDENCE	TOAT	TENTION

JOHN JOHNSTON 304-558-2402

SH-PT

DIVISION OF HIGHWAYS
EQUIPMENT DIVISION
ROUTE 33
BRUSHY FORK ROAD
BUCKHANNON, WV

26201

DATE PRIN	TED TER	RMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
03/29/					,
BID OPENING DATE:	05/09/	2007	BID	OPENING TIME 0:	L:30PM
LINE	QUANTITY	UOP CAT. NO.	ITEM NUMBER	UNITPRICE	AMOUNT
	TERM OF THE DIVISION IN	1 6		FY THE PURCHASING	
	• •	BIDDE	R:		-
		DATE:			-
		SIGNE	D:		-
<u>.</u>	·	TITLE	:		-
	IN EITHER "A ENTITLED TO	" OR "B", RECEIVE. E FOR BOTH	N OF PREFERENCE OR BOTH "A" AND YOU MAY REQUEST "A" AND "B".	"B" WHICH YOU ARE	
		NOT	ICE		
	A SIGNED BID	MUST BE S	UBMITTED TO:	<i>(</i>	
	1	ING DIVISI	INISTRATION ON		
	2019 WA	1	TREET, EAST 5305-0130		
		OR THE BI	THIS INFORMATIO D MAY NOT BE CON	SIDERED:	
SIGNATURE		SEE RE	VERSE SIDE FOR TERMS AND CON TELEPHONE	IDATE DATE	
TITLE	FI	EIN		ADDRESS CHANGES	TO BE NOTED ABOVE



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130 Charleston, WV 25305-0130

# Request for Quotation 707EC023

DATE PRINTED TERMS OF SALE SHIP VIA F.O.B.

_						_		
	7	^	7	E	r	n	2	7
	-	U	1	Е	u	u	4	J

	 7	Ú
0.00	 	¥⊑.
		_

FREIGHT TERMS

иотгиноц иноц 304-558-2402

ADDRESS CORRESPONDENCE TO ATTENTION OF:

RFQ COPY TYPE NAME/ADDRESS HERE

DIVISION OF HIGHWAYS **EQUIPMENT DIVISION** ROUTE 33 **BRUSHY FORK ROAD** BUCKHANNON, WV 304-472-1750 26201

03/29/									
BID OPENING DATE		05/09/	2007	· .	<b>1</b>	· BID	OPENING TIME	<u> 01:30PM</u>	
LINE	QUAN	ITITY	UOP	CAT. NO.	ITEM NU	MBER	UNIT PRICE	,	AMOUNT
	SEALED	BID							
	BUYER:			33					
· 1	RFQ. N	0.:		707E	C023				
	BID OP	ENING	DATE	AND T	IME	•			
					UMBER IN NG YOUR I		IS NECESSAR	Y	į
	CONTAC	T PERS	ON (P	LEASE	PRINT CI	EARLY):			
							·		
	*****	THIS	IS T	HE EN	D OF RFQ	707EC	023 ***** T(	DTAL:	
SIGNATURE				SEE RE	VERSE SIDE FOR	TERMS AND COL	NULLIONS	DATE	
TITLE		F	EIN				ADDRESS CI	HANGES TO BE NOT	ED ABOVE
3.471	ENDECD	ONDING	TO DEO	INICED	T NAME AND	ADDRESS	IN SPACE ABOVE I	ARELED 'VENDO	יםר

# WEST VIRGINIA DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS EQUIPMENT DIVISION

## PROCUREMENT SPECIFICATIONS NO. 041-1-B

# OPEN END CONTRACT HYDRAULIC DRIVEN BROOM SWEEPER FOR TRUCK MOUNTING

#### 1.0 PURPOSE

It is the purpose of these specifications to describe a Hydraulic Driven Broom Sweeper for Truck Mounting (hereinafter referred to as a "sweeper" or a "unit") to be purchased for use by the West Virginia Division of Highways (DOH) on an Open End Contract basis.

### 2.0 BIDDING PROCEDURES

The current purchasing procedures regarding bidding as established by the Department of Administration, Purchasing Division, shall apply. Failure to submit the "Request for Quotation" forms, complete in its entirety and according to directions indicated, may subject the bidder to disqualification. Each bid submitted shall also be accompanied by a Bidder's Evaluation Report completed in detail. Addendums in order, along with exception sheets, should be with Bidder's Evaluation Report. FAILURE TO SUBMIT THE BIDDER'S EVALUATION REPORT, COMPLETE IN ITS ENTIRETY, MAY RESULT IN AUTOMATIC DISQUALIFICATION.

#### 3.0 SPECIFICATIONS

The specifications named herein, mandatory and non-mandatory, establish the acceptable level of quality only and are not intended to reflect a preference or favor any particular brand or vendor.

### 3.1 EXCEPTIONS TO NON-MANDATORY SPECIFICATIONS

Exception to a non-mandatory unit specification may be made by the bidder, providing the exception is not available from the manufacturer. Any such exception must be noted on the bidder's evaluation report and should be accompanied by supporting documentation/literature from the manufacturer. Any exception must be indicated on a separate attachment to the bidder's evaluation report and labeled as "Exception to Specifications". The state reserves the right to determine whether the stated exception does or does not reduce the quality and performance of the unit. Failure to provide information for any exceptions may be grounds for rejection of the bid. The state reserves the right to waive minor irregularities in bids or specifications in accordance with §148-1-4(f) of the WV Legislative Rules and Regulations.

### 3.2 MANDATORY SPECIFICATIONS

All specifications preceded by "shall and/or must" or are stated as a "minimum and/or maximum" are mandatory. Any bid failing to meet any mandatory item shall be immediately disqualified. Failure to respond in the appropriate evaluation section may also be grounds for immediate disqualification at the discretion of the State.

A mandatory pre-bid conference is scheduled for this equipment purchase as stated in the RFQ. Vendors having products with variations or exceptions in specified mandatory items are expected to address any such variations or exceptions during the pre-bid conference. The State shall review and consider any such variation or exception, and may at its sole discretion, issue an addendum to change mandatory specifications deemed to be in the State's best interest. Bids from any vendor failing to attend the mandatory pre-bid shall be disqualified. Bids containing any variation or exception to a mandatory specification that was not addressed during the pre-bid conference and accepted by the issuance of an Addendum shall be disqualified.

## 4.0 REPRESENTATIVE UNIT FOR TEST

The successful vendor must (if specified) provide DOH one (1) completed representative unit to be observed and evaluated on each order to insure compliance with specification. If requested, the time period for testing and evaluation shall be seven (7) working days following receipt of the unit. DOH will incur no obligation for deterioration of surfaces, finishes, seals, and mechanical or electrical parts on the unit resulting from operation and testing within the limits of these specifications; nor will DOH incur obligation for damage to the unit resulting from failure to meet specifications when due care and attention is given by DOH and testing is done within the limits of these specifications. Failure of the pilot unit to satisfactorily meet specifications as bid shall be cause for cancellation of the purchase order, and return of the delivered unit along with all associated equipment to the vendor at the vendors expense.

# 4.1 CONDITION OF UNIT(S) UPON DELIVERY

All units must arrive at the prescribed delivery point having been completely preserviced with oil, lubricants, and coolant. All prescribed precautions pertaining to first operations and break-in of the unit are to be posted conspicuously on the unit for ready observance by the operator.

# 4.2 DELIVERY

Delivery point of the completely assembled representative unit will be the DOH, Equipment Division, Route 33 at Brushy Fork Road, Buckhannon, West Virginia (26201).

The vendor is responsible for guaranteeing delivery of the completed units within the time specified and agreed to by the State. Delivery is preferred within 60 days. The vendor is responsible for establishing and coordinating delivery terms with allied

manufacturers or suppliers. Delivery terms shall be stated in the bid and the State reserves the right to accept or negotiate such terms. Failure to reach an agreement may

result in rejection of the bid. The successful bidder shall provide their manufacturer's confirmation of the order to the WVDOH contact person within seven (7) working days after receiving the approved purchase order.

A completed pilot model for inspection must be provided within 30 calendar days after the date of the purchase agreement by the successful vendor.

Delivery is an integral part of this specification and failure to comply will be cause to initiate a D.O.T. Administrative Form WV-82, Vendor Performance Form. The WV-82 Form will provide a means of officially notifying the Purchasing Division and the vendor of unsatisfactory performance; such as late deliveries, poor service, inadequate parts supplies, etc.

The decision to initiate subject Form will be at the sole discretion of the D.O.H. Commissioner's established Equipment Review Board.

Issuance of the WV-82 Vendor Complaint Form on unsatisfactory delivery against any vendor will be cause to refuse to consider similar items from those vendors on future Request For Quotations.

(NOTE: Delivery time could be altered due to labor strikes, severe inclement weather conditions, etc.)

#### 5.0 AWARD CRITERIA

5.1 DOH will recommend the award in accordance with the RFQ evaluation criteria described in the requisition. The award shall be made to the lowest unit cost vendor that meets or exceeds the specifications.

Prices for the units shall be in quantities of 1-5, 6-10, and 11 and over. However, for evaluation purposes, we will use quantities 1-5. DOH reserves the right to place multiple orders in any quantity.

# 6.0 SPECIFICATIONS AND GUIDELINES - GENERAL

# 6.1 IDENTIFICATION OF THE UNIT BEING PROPOSED

The bidder must identify the unit by manufacturer, model, series, and year of manufacture, in the bid to enable identification by DOH in the manufacturer's specifications of the proposed unit. The bidder will submit complete descriptive literature of the proposed unit, to establish that the bid is the manufacturer's most current model, including latest engineering improvements, which have been, or will imminently be, regularly advertised and sold on the open market. The unit specified herein and offered to be manufactured after January 1, 2007 and be clearly identified and marked with date of manufacture.

# 6.2 OPERATING AND SERVICE MANUALS AND PARTS LISTS

An operator's manual must be included with each unit upon delivery. A "line sheet" (if applicable) and Equipment Preventative Maintenance Questionnaire (as shown in X6.2 of the Bidder's Evaluation Report) must be with pilot unit upon delivery. In addition, there must be 12 service, shop, or maintenance manuals; ten (10) to be distributed to the

Districts and two (2) for the Equipment Division. Also, there must be 14 parts manuals; ten (10) to be distributed to the Districts and four (4) for Equipment Division use. CD ROM is preferred in lieu of parts manuals.

\* NOTE: MANUALS SHALL BE DELIVERED UPON COMPLETION OF DELIVERY OF TOTAL UNITS. FAILURE TO DO SO WILL DELAY PAYMENT.

#### 6.3 TRAINING:

Manufacturers and/or dealers will be required to stage a thorough seminar on the subjects of Preventative Maintenance, Operator and Mechanic Training. In order to keep the operators and mechanics updated, the successful vendor shall conduct training with each purchase order against this open end contract. Training is preferred within 2 working days after delivery of the pilot unit on the individual purchase order.

Manufacturers and/or dealers shall be required to furnish the Training Academy with one (1) Operator's Manual to be shipped direct to Letha Lamb, WVDOH Training Academy, Post Office Box 610, Buckhannon, West Virginia 26201 prior to delivery of the pilot.

The seminar to be held at the W. Va. Division of Highways, Equipment Division, Buckhannon, West Virginia.

# 6.4 PREVENTIVE MAINTENANCE AND OPERATOR PROCEDURES:

Manufacturers and/or dealers will be required to submit to the Equipment Division, in addition to the operating and service manuals, booklets and pamphlets explaining the Preventive Maintenance and Operator Procedures to be used by the operators of this equipment, and must include such things as daily prestart inspection procedure, service schedule, and routine maintenance required, safety precautions, etc.

The successful vendor shall furnish all training aids; i.e., videos, projectors, etc. required in conducting the training.

### 6.5 WARRANTY AND SERVICE POLICY

The Manufacturers warranty or service policy is to apply to the unit. Such warranty or service policy is to be recognized at any authorized unit dealer, representing manufacturer of proposed unit throughout the State of West Virginia. The applicable warranty or service policy will not be contingent upon obtaining routine service, lubrication, and servicing of the unit from factory authorized agencies. It will be the responsibility of the bidder to have available labor to repair or replace any defective replacement parts, components and materials, and to have available those replacement parts, components, and/or materials found to be defective during the terms of the warranty period. The bidder should state the labor rates, locations where parts will be

stocked, availability of parts, and discounts offered for parts, when terms of the warranty offer a pro-rated cost for parts and labor. In addition, the successful bidder should offer field work to repair or replace defective parts, components, and materials found to be defective during the terms of the warranty and should provide mechanic's travel rates, mileage charges, field mechanic rates, and any surcharge for miscellaneous items, if applicable, for field work during the warranty period. Submit to Division of Highways

any technical or engineering improvements during the term of the warranty. The unit must be accompanied upon delivery by the unit's manufacturer's executed warranty or service policy.

A mandatory minimum two (2) year bumper to bumper basic parts and labor warranty is required for this unit.

THE "WARRANTY AND SERVICE POLICY QUESTIONNAIRE" ATTACHED IN THE BIDDER'S EVALUATION REPORT MUST BE COMPLETED IN ITS ENTIRETY BY THE SUCCESSFUL BIDDER OR MANUFACTURER PRIOR TO DELIVERY OF THE PILOT MODEL. (SEE SECTION X6.5 OF BIDDER'S EVALUATION REPORT).

# 6.6 EVALUATION COMMITTEE REQUIREMENTS

Detailed component specifications, product literature, component models, required for specification compliance determination by the Evaluation Committee should be provided with each bid. Any information supplied that is contrary to/or conflicting with the specifications and/or attached Bidders Evaluation Report may be sufficient cause for rejection of bid.

#### 6.7 UNSPECIFIED ACCESSORIES & FEATURES

All parts, equipment, accessories, material, design and performance characteristics not specified herein, but which are necessary to provide a complete unit, must be furnished with each unit and required to conform to strength, quality of material, and quality of workmanship to those which are advertised and provided to the market in general by the unit industry.

All parts and accessories advertised and regularly supplied as standard shall be included, except those which would represent duplication of these specified, and except those which, by specification, are not to be furnished. All standard safety features, required by Federal and State Law, shall be included.

# 7.0 SPECIFICATIONS OF THE QUOTED UNIT ARE AS FOLLOWS:

It is the intent of these specifications to describe a hydraulic driven, power angle road broom for mounting on the front of dump trucks utilizing the existing snowplow hitch and hydraulics on the trucks. All parts not specifically mentioned, but necessary in order to provide a complete power broom, shall be furnished by the successful bidder and shall conform in strength, quality of material, and workmanship to what is usually provided to the trade in general. The broom shall be new and of standard production and shall include all of the latest improvements in design and all standard equipment and features plus any options available to meet the listed bid specifications. Single axle dump trucks intended for broom operation associated with this contract will be pre-equipped with control valving and related hose installation by the DOH. Successful vendor shall be responsible for providing all hydraulic hoses, mating quick disconnects with metal caps/plugs, adapters and miscellaneous mounting components required for connection of broom hydraulic circuitry to DOH provided front chassis mounted quick disconnects. Units not conforming to these specifications will be rejected.

#### 7.1 HYDRAULIC SYSTEM:

- 7.1.1 The broom shall be powered by the dump truck's snow plow and spreader hydraulic system.
- 7.1.2 The broom motors must be powered by the spreader hydraulics on existing D.O.H. truck.
- 7.1.3 The broom angle cylinders shall be powered by the existing plow angle hydraulics.
- 7.1.4 The broom lift must be accomplished with the existing plow lift cylinder.
- 7.1.5 The brush shall be driven by two (2) hydraulic wheel motors.
- 7.1.6 The motors will drive the brush directly.
- 7.1.7 The brush frame and core not to extend more than six inches wider than the brush.
- 7.2 BRUSH:
- 7.2.1 The broom is to be 96 inches wide and 32 inches in diameter and composed of sectional brushes with 10-inch core diameter.
- 7.2.2 The brush sections to be of polypropylene and steel wire design.
- 7.2.3 The sections are to be of the convoluted and/or segmented type.
- 7.2.4 Brush drive is to slip easily out of the brush core without removing hydraulic lines from the wheel motors. Brush core shall be reversible from end to end to allow for even brush wear.

7.3	SWEEPER	SUPPORT

7.3.1 The weight of the broom in the sweeping position is to be carried on two (2)  $8 \times 400/3.75$  solid rubber casters with tapered bearings.

#### 7.4 MOUNTING FRAME:

7.4.1 The mounting frame and linkage must allow the broom to oscillate 10 degrees each way and follow the ground contour without stress on the sweeper or the truck and plow frame.

#### 7.5 SWEEPER CONSTRUCTION:

- 7.5.1 The brush frame constructed of heavy 1/4-inch wall seamless tube (minimum), welded plate and angle iron construction.
- 7.5.2 The truck mounting frame to be of heavy plate, angle, channel and structural iron welded construction.
- 7.5.3 A detachable brush hood covering minimum 155 degrees of the broom shall be provided.
- 7.5.4 The swing assembly to be the pivot plate design and welded structural plate, channel iron and angle iron.
- 7.5.5 The swing plate made of one-inch thick structural steel.

#### 7.6 ANGLE CHANGE:

- 7.6.1 The broom shall angle a minimum of 30 degrees right and 30 degrees left.
- 7.6.2 The angle change to be through one (1) three inch barrel hydraulic cylinder.

#### 7.7 DIRT DEFLECTOR:

- 7.7.1 A flexible rubber dirt deflector 1/8-inch thick by 18 inches high by 96 inches wide shall be attached to the front of the brush hood.
- 7.7.2 Unit shall have sprinkler system consisting of the following:
- 7.7.2.1 Sprinkler head shall be mounted over the rubber dirt deflector
- 7.7.2.2 Sprinkler head to have no less than 7 spray nozzles
- 7.7.2.3 Water Pump 2.1 GPM @ 35 PSI
- 7.7.2.3.1 Water pump mounting hardware and attaching bolt must be supplied
- 7.7.2.4 Operator station readily accessible mounted controls for operating the sprinkler (on/off, etc.)

- 7.7.2.5 All electrical wiring and connections shall be supplied
- 7.7.2.6 All hosing and fittings from the water to supply sprinkler head shall be supplied

(NOTE: WATER TANK, SHUT OFF VALVE, SUPPLY HOSE TO WATER PUMP AND FITTINGS WILL BE SUPPLIED BY WEST VIRGINIA DIVISION OF HIGHWAYS)

- 7.8 STORAGE STANDS:
- 7.8.1 Unit shall be capable of self support without brush contacting ground surface when stored out of service.
- 7.8.2 Sight indicators at each end of broom are to be provided.
- 7.9 BRUSH PATTERN ADJUSTMENT:
- 7.9.1 The brush pattern can be changed through a positive turnbuckle adjustment.
- 7.10 QUICK HITCH:
- 7.10.1 A female quick hitch matching the supplied DOH trucks Valk Quick Hitch Model RV1042 shall be provided.
- 7.10.2 The female hitch shall be a swivel hitch design.
- 7.11 MOUNTING: The DOH supplied control valving consists of an adjustable priority type flow control with solenoid activated on-off and associated wiring. (Refer to Broom Hydraulic Circuit Specifications at end)
- 7.11.1 The vendor shall provide all hoses and fittings required for mounting and making broom fully operable and ready for service on D.O.H. truck provided.
- 7.11.1.2 Front mounted quick disconnects provided on DOH chassis are of the following type and size:

Broom supply pressure - Parker Series 60 stainless steel nipple #SH6-63 Broom tank return - Parker Series 60 stainless steel coupler #SH6-62 Broom lift - Snap-Tite Series VH#VHC8-8F Broom rotation right - Snap-Tite Series VH#VHN8-8F8 Broom rotation left - Snap-Tite Series VH#VHC8-8F

- 7.11.2 The vendor shall mount each broom at their location. Completed units will be scheduled for return to D.O.H. field organizations by D.O.H. representative in coordination with successful vendor.
- 7.11.3 Single axle dump trucks intended for broom operation associated with this contract will be pre-equipped with control valving and related hose installation by the DOH.

- 7.11.3.1 Successful vendor shall be responsible for providing all hydraulic hoses, mating quick disconnects with metal caps/plugs, adapters and miscellaneous mounting components required for connection of broom hydraulic circuitry to DOH provided front chassis mounted quick disconnects.
- 7.11.4 Broom circuit operational controlled maximum flow rate will be preset at 20 GPM with an integral pressure relief valve set at 2000 PSI.
- 7.11.4.1 All input flow to this valve in excess of the controlled maximum flow rate will be bypassed to central hydraulic system down stream valving for lift and rotation of broom by utilizing standard snowplow lift and power angle circuits with relief valve settings of 1500 PSI.
- 7.11.4.2 The broom hydraulic drive system will be designed in such a manner as to provide proper and efficient operational characteristics when supplied 20 GPM @ 2000 PSI, plus or minus ten percent, with a truck speed of 5 MPH and engine speed of 1500 RPM.
- 7.11.4.3 Any required flow and/or pressure adjustments to the truck mounted central hydraulic system components shall be the responsibility of the successful vendor.

#### 7.12 PAINT:

- 7.12.1 Unit shall be painted Manufacturers standard color.
- 7.12.2 The entire unit shall be thoroughly cleaned and free from grease, rust and scale, etched with phosphate acid, primed with epoxy primer, and top coated with polyurethane top coat or powder coated..
- 7.13 Vendor must certify that unit offered will meet or exceed the "Occupational Safety and Health Act of 1970" and subsequent amendments.
- 7.14 Advertising: No visible decals or name plates or painted on names other than Manufacturer or model number or trademark should appear on the exterior surface of the unit. Such logos created through the stamping or casting process of Manufacturer are accepted.

## **Broom Hydraulic Circuit Specifications**

Single axle dump trucks intended for broom operation associated with this contract will be preequipped with control valving and related hose installation by the DOH. Successful vendor shall be responsible for providing all hydraulic hoses, mating quick disconnects with metal caps/plugs, adaptors and miscellaneous mounting components required for connection of broom hydraulic circuitry to DOH provided front chassis mounted quick disconnects.

The DOH supplied control valving shall consist of an adjustable priority type flow control with solenoid activated on-off and associated wiring. Broom circuit operational controlled maximum flow rate will be preset at 20 GPM with an integral pressure relief valve set at 2000 PSI. All input flow to this valve in excess of the controlled maximum flow rate will be bypassed to central hydraulic system down stream valving for lift and rotation of broom by utilizing standard snowplow lift and power angle circuits with relief valve settings of 1500 PSI. The broom hydraulic drive system shall be designed in such a manner as to provide proper and efficient operational characteristics when supplied 20 GPM @2000 PSI, plus or minus ten percent, with a truck speed of 5 MPH and engine speed of 1500 RPM. Any required flow and/or pressure adjustments to the truck mounted central hydraulic system components shall be the responsibility of the successful vendor.

Refer to 7.11.1.2 for front mounted quick disconnects provided on DOH chassis.

# WEST VIRGINIA DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS EQUIPMENT DIVISION

### BIDDER'S EVALUATION REPORT

# PROCUREMENT SPECIFICATIONS FOR OPEN END CONTRACT NO. 041-1-B

# OPEN END CONTRACT HYDRAULIC DRIVEN BROOM SWEEPER FOR TRUCK MOUNTING

NOTE TO BIDDER: Procurement Specification No. 041-1-B, Paragraph 2.0 recommends the completion and submittal of this Report with your bid. Purpose of this Report is to enable the West Virginia Division of Highways Evaluation Committee to make full and fair evaluation of the bid. Addendums in order, along with exception sheets, should be with Bidder's Evaluation Report.

FAILURE TO SUBMIT THIS REPORT, COMPLETE IN ITS ENTIRETY, MAY SUBJECT THE BIDDER TO DISQUALIFICATION.

	Reference Requisition No.:		
	Bidder's Name:		
	Address:		
	Telephone Number:		
	Years Bidder has been registered to do business with the State	e of West Virginia:	YRS
	Years Company has been an authorized dealer for proposed u	nit:	YRS
X4.2	DELIVERY:		
X4.2.1	Delivery date of completed representative unit:	Calendar Days After Date Purchase Agreement	of
X4.2.2	Delivery date of balance of completed units:	Calendar Days After Date of Purchase As	

NOTE: Vendors can complete Bidder's Evaluation Report at Purchasing's Web Site www.state.wv.us/admin/purchase

X5.0	AWARD CRITERIA;			
X5.1	Prices for broom sweepers in quantities of	1-5 6-10 11 and over	per i	unit
X6.0 X6.1	SPECIFICATIONS - GENERAL Manufacturer, model, series, and date of manufa  Is descriptive literature, fully describing propose		VEC	NO
	If not, why?		1ES	NO
X6.2	Will the required number of service manuals, ar Division at Buckhannon upon completion of de		_	-
	Will the required Equipment Preventive Mainte be provided upon inspection of the pilot unit?	enance Form (Section X6.2 of B	Bidders Evalu YES	

X6.2 2-10-00

# EQUIPMENT PREVENTATIVE MAINTENANCE QUESTIONNAIRE

THIS FORM MUST BE COMPLETED IN ITS ENTIRETY BY SUCCESSFUL BIDDER OR MANUFACTURER=S TECHNICAL REPRESENTATIVE PRIOR TO DELIVERY OF PILOT MODEL TO THE WVDOH.

DESCRIPT	TION:	AL		MAH	KE:	
M	ODEL:	·	YEAR:	PUR	CHASE AMOUNT	F:
ENGINE:	MAKE:		MODEL:		_ FUEL TYPE:	
	HORSEPOWER:		CYLINDER: _	ENC	GINE SERIAL:	
	COOLING SYSTE	EM CAPACITY:				
BELTS:				PART NUMI		
	•					
GVW:		AXLE CAPAC	ITY:FRONT:			REAR:
TIRES:	FRONT MAKE &	SIZE:		nmier		
	REAR MAKE & S	SIZE:		sim-		
DIMENSIO	ONS OF UNIT:	LENGTH:		WIDTH:		LENGTH:
VENDOR	CONTACT PERSO	N:			PHONE:	
PARTS:						
DATTED V	MAKE.		MODEL:		CCA:	<u>.</u>
TOP OR S	IDE POST:		DIMENSIONS	: LENGTH	WIDTH	HEIGHT
SPARK PI	LUGS OR FUEL INJ	ECTORS MAKE:		PART#		
FUEL PUN	MP OR INJECTION	PUMP MAKE:		MODEL:		
	ATOR MAKE:			PART #:		
STARTER				PART #:		
TURBO C	HARGER MAKE:			PART #:	***************************************	
TRANS M	AKE.	MODI	EL:	<del></del>	AUTO/MANUA	AL:
HYDRAU	LIC PUMP MAKE:			MODEL:	<u> </u>	
FILTERS	MAKE	PART NO.	LUBR	LICANT	MANUFACT	URER TYPE
OIL						
AIR INNE	ER		TRAN	ISMISSION		
AIR OUT	ER		POWI	ER STEERING		
FUEL PRI	MARY		HYDI	RAULIC		
FUEL SEC	CONDARY		DIFFI	ERENTIALS		
COOLAN	-			Œ FLUID	<del>.</del>	
HYDRAU				<b>ል እ</b> ጀተ		
OTHER	<del></del>		OTHI			

g seminar be conducted on Pronduct training with each pure g be conducted within 2 works order?  ain time frame	chase order again king days from the	nst this open on the delivery of the Lamb, Train	YES	YES it on the in YES y prior to	NO individualNO the deliveryYES
g be conducted within 2 work e order? ain time frame erator's Manual be furnished	king days from the	he delivery of	f the pilot un	YES it on the in YES y prior to	individualNO the deliveryYES
e order?  ain time frame  erator's Manual be furnished  o	directly to Letha	Lamb, Train	ning Academ	y prior to	NO the deliveryYES
erator's Manual be furnished	directly to Letha	Lamb, Train	ning Academ	y prior to — NO	the delivery YES
ne successful vendor, will you	u furnish all train	iing aids, i.e.	1	NO _	YES
			, videos, proj	ectors, re	
					quired in
manuals, booklets, etc. expla e be delivered with each unit explain	.?		YES		, and service
ΓΥ AND SERVICE POLICY	Y				
rranty and service you provid				on 6.5 of :	specifications
literature attached?		_	YES	NO	
ım two (2) year bumper to bu	umper basic parts	and labor w			
			1		
,	arranty and service you provi	arranty and service you provide comply with a  literature attached?	arranty and service you provide comply with all areas as startanty and service you provide comply with all areas as startanty areas as startanty areas as startanty and service you provide comply with all areas as startanty areas as startanty and service you provide comply with all areas as startanty areas areas are all areas as startanty areas are areas are all areas as startanty areas are all areas areas are all areas areas are all areas areas are all areas areas are all areas are all areas are all areas are all areas are all areas are all areas are all areas are all areas are all areas are all areas are all areas are all areas are all areas areas a	arranty and service you provide comply with all areas as stated in Section YESNO Iterature attached? YESYES um two (2) year bumper to bumper basic parts and labor warranty includes	arranty and service you provide comply with all areas as stated in Section 6.5 of s

# X6.5 WARRANTY AND SERVICE POLICY QUESTIONNAIRE

THIS FORM MUST BE COMPLETED IN ITS ENTIRETY BY THE SUCCESSFUL BIDDER OR MANUFACTURERS TECHNICAL REPRESENTATIVE PRIOR TO DELIVERY OF PILOT MODEL TO THE WVDOH (If additional lines are needed, make copies of form.)

1. De	tine the terms of the sta	ndard warranty. If r	not offered, so state. (Atta	en copy)
			OH facilities and warranty and location of manufact	service to be performed at urer's representative.
				· .
3. Lis know	<del></del>	entories that are with	hin the State of West Virg	inia. Also, list availability levels, if
	ring the term of warran er will sell the parts to o		discount to manufacturer	's published list price for parts that
A. B. C.	Terms: Net 30 Terms: Net 60 Terms: Net 90	Manufacturer's pul	blished list price less: blished list price less: blished list price less:	% discount
	ring the term of warrar ways?	ıty, will all manufact	curers or engineering impro	ovements be submitted to Division ofNO
6. Du	uring the term of warrar	nty, list the guarantee	ed rates charged for repair	to the unit.
A.	Shop Rate	\$	per mechanic hour	
В.	Travel Time Charge (Specify if one-way)		per mechanic hour _; port to port	_
C.	Mileage Charge (Specify if one-way	\$	per vehicle mile _; port to port	<del>-</del>
D.	Field Mechanic Rate	\$	per mechanic hour	
E.	Specify period of tin	ne that prices are in e	effect:	
E.	Surcharge for miscel	laneous items:	0/2	

	Is all component specifications, product literature, component models provided for Committee bid determination? YESYES		n
X6.7	Will all parts, equipment, accessories, material, design and performance character herein, but which are necessary to provide a complete unit, be furnished with the conform in strength, quality of material, and quality of workmanship to those which provided to the market in general by the unit industry?	unit and	rtised and
X6.7.1	Are all parts and accessories adequate and regularly supplied as standard to be incoming which may be duplications of specifications herein, and except these by specificationshed?	cluded exception are not YES	to be
X6.7.2	Are all standard safety features that are required by Federal and State statutes of l	aw included	
X7.0	SPECIFICATIONS OF THE QUOTED UNIT The bidder should complete the following schedule in order for the Division to counit to the specifications. Should the bidder except a requirement, then such except the basis that such feature is not offered by the manufacturer. The Division will I discretion as to whether the bidder's substitution meets the requirements of the specification.	eption may b have the sole	oe only on e
	It is the intent of these specifications to describe a hydraulic driven, power angle mounting on the front of dump trucks utilizing the existing snowplow hitch and hall parts not specifically mentioned, but necessary in order to provide a complete furnished by the successful bidder and shall conform in strength, quality of mater to what is usually provided to the trade in general. The broom shall be new and and shall include all of the latest improvements in design and all standard equipmany options available to meet the listed bid specifications. Single axle dump true operation associated with this contract will be pre-equipped with control valving installation by the DOH. Successful vendor shall be responsible for providing all mating quick disconnects with metal caps/plugs, adapters and miscellaneous mor required for connection of broom hydraulic circuitry to DOH provided front chas disconnects. Units not conforming to these specifications will be rejected.	ydraulics or power broch ial, and wor of standard patent and feat ks intended and related hydraulic hunting comp	n the trucks om, shall be ckmanship production tures plus for broom hose noses, onents
	Manufacturer: Model:	· · · · ·	<u></u>
X7.1	HYDRAULIC SYSTEM:		
X7.1.1	Will broom be powered by the dump trucks snowplow and spreader hydraulic s	system? YES	_NO
X7.1.2	Are broom motors powered by the spreader hydraulics on existing D.O.H. truck	k? YES	NO
X7.1.3	Is broom angle cylinders powered by the existing plow angle hydraulics?	YES	NO
Y7 1 /	Will broom lift accomplished with the existing plow lift cylinder?	YES	NO

**X6.6 EVALUATION COMMITTEE REQUIREMENTS** 

X7.1.5	Will brush be driven by two (2) hydraulic wheel motors	YES	NO
X7.1.6	Will motors drive the brush directly?	YES	_NO
X7.1.7	Brush frame and core does not extend more than six inches wider than brush?	YES	_NO
<b>x.7.2</b>	BRUSH:		
X7.2.1	Broom width inches and diameter inches Composed of sectional brushes with 10 inch core diameter	YES	_NO
X7.2.2	Will brush sections be polypropylene and steel wire design	YES	_NO
X7.2.3	Are sections of the convoluted and/or segmented type?	YES	_NO
X7.2.4	Does brush drive slip easily out of the brush core without removing hydraulic limotors?  Is the brush core reversible from end to end to allow for even brush wear?	ines from t YES YES	he wheel NO _NO
X7.3	SWEEPER SUPPORT:		
X7.3.1	Will weight of broom in sweeping position be carried on (2) 8 X 400/3.75 solid tapered bearings	rubber ca YES	sters with _NO
X7.4	MOUNTING FRAME:		
X7.4.1	Will mounting frame linkage allow broom to oscillate 10 degrees each way and without stress on the sweeper or truck and plow frame?		ound contour NO
X7.5	SWEEPER CONSTRUCTION:		
X7.5.1	Is brush frame constructed of heavy 1/4" wall seamless tube, welded plate and		construction? NO
X7.5.2	Is truck mounting frame heavy plate, angle, channel and structural iron welded		on? NO
X7.5.3	Is detachable brush hood covering minimum of 155° of broom provided?	YES	NO
X7.5.4	Is swing assembly pivot plate design and welded structural plate, channel iron	and angle i	ron? NO
X7.5.5	Is swing plate made of 1" thick structural steel?	YES	NO
X7.6	ANGLE CHANGE:		
X7.6.1	Broom right angle: degrees and left angle degrees		
X7.6.2	Will angle change be through one (1) 3" barrel hydraulic cylinder?	YES	NO

X7.7 DIRT	DEFLECTOR:		
X7.7.1 Wil	l flexible rubber dirt deflector be attached to front of brush hood?	YES	NO
	inches thick by inches high by inches	wide	
X7.7.2 Doe	es unit have sprinkler system	YES	NO
X7.7.2.1	Sprinkler head mounted over the rubber dirt deflector	YES	NO
X7.7.2.2	Sprinkler head has spray nozzles		
X7.7.2.3	Water pump GPM @ PSI		
X7.7.2.3.1	Water pump mounting hardware and attaching bolt supplied	YES	NO
X7.7.2.4	Operator station readily accessible mounted controls for operating the s	sprinkler YES	NO
X7.7.2.5	All electrical wiring and connections supplied	YES	NO
X7.7.2.6	All hosing and fittings from water to supply sprinkler head supplied	YES	NO
X7.8 STOP	RAGE STANDS:		
X7.8.1 Is u	nit capable of self support without brush contacting ground surface when	stored out o	
X7.8.2 Wil	ll sight indicators at each end of broom be provided?	YES	NO
X7.9 BRUS	SH PATTERN ADJUSTMENT:		
X7.9.1 Wil	ll brush pattern change through a positive turnbuckle adjustment?	YES	NO
X7.10 QUIC	СК НІТСН:		
	ll a female quick hitch matching the supplied DOH trucks Valk Quick Hit 1042 be provided?		NO
X7.10.2 Doc	es female hitch have a swivel hitch design?	YES	NO
	UNTING: The DOH supplied control valving consists of an adjustable pricesolenoid activated on-off and associated wiring.	ority type flo	ow control
	ll vendor provide all hoses and fittings required for mounting and making dy for service on D.O.H. provided truck?		perable andNO
X7.11.1.2	Front mounted quick disconnects provided on DOH chassis are listed in	n 7.11.1.2 o:	f specification

X7.11.2	If successful vendor, will you mount each broom at your location	YES	_NO
	Will you coordinate with DOH representative for scheduling of completed unit organizations?		eld NO
X7.11.3	Single axle dump trucks intended for broom operation will be pre-equipped wit related hose installation by DOH as stated in 7.11.3 of specifications.	h control v	alving and
X7.11.3	.1 If successful vendor, will you provide all hydraulic hoses, mating quick d caps/plugs, adapters and miscellaneous mounting components required for hydraulic circuitry to DOH provided front chassis mounted quick disconn	or connection	
X7.11.4	Is broom circuit operational controlled maximum flow rate preset at 20 GPM we relief valve set @ 2000 PSI?		gral pressure
X7.11.4	.1 Will all input flow to this valve in excess of the controlled maximum flow central hydraulic system down stream valving for lift and rotation of brook snowplow lift and power angle circuits with relief valve settings of 1500 in the controlled maximum flow central hydraulic system down stream valving for lift and rotation of brook snowplow lift and power angle circuits with relief valve settings of 1500 in the controlled maximum flow central hydraulic system.	m by utiliz PSI?	
X7.11.4	.2 Is the broom hydraulic drive system designed in such a manner as to provoperational characteristics when supplied 20 GPM @ 2000 PSI, plus or m speed of 5 MPH and engine speed of 1500 RPM?	ide proper	and efficien with truck
X7.11.4	.3 Will any required flow and/or pressure adjustments to the truck mounted system components be the responsibility of the successful vendor?	central hyd	
X7.12 I	PAINT:		
X7.12.1	Will unit be painted manufacturers standard color?	YES	NO
X7.12.2	Will entire unit be thoroughly cleaned and free from grease, rust and scale, etcl acid, primed with expoy primer?		nosphate NO
	AND will be top-coated with polyurethane top coat or powder coated		
7.13	Will unit meet or exceed OSHA requirement?	YES	NO
X7.14	Will unit meet advertising requirements as specified?	YES	NO

#### WV-96 Rev. 5/94

#### AGREEMENT ADDENDUM

In the event of conflict between this addendum and the agreement, this addendum shall control:

- ARBITRATION Any references to arbitration contained in the agreement are hereby deleted. Disputes arising out of the agreement shall be presented to the
  West Virginia Court of Claims.
- HOLD HARMLESS Any clause requiring the Agency to indemnify or hold harmless any party is hereby deleted in its entirety.
- 3. GOVERNING LAW The agreement shall be governed by the laws of the State of West Virginia. This provision replaces any references to any other State's governing law.
- 4. TAXES Provisions in the agreement requiring the Agency to pay taxes are deleted. As a State entity, the Agency is exempt from Federal, State, and local taxes and will not pay taxes for any Vendor including individuals, nor will the Agency file any tax returns or reports on behalf of Vendor or any other party.
- 5. PAYMENT Any references to prepayment are deleted. Payment will be in arrears.
- 6. <u>INTEREST</u> Should the agreement include a provision for interest on late payments, the Agency agrees to pay the maximum legal rate under West Virginia law. All other references to interest or late charges are deleted.
- RECOUPMENT Any language in the agreement waiving the Agency's right to set-off, counterclaim, recoupment, or other defense is hereby deleted.
- 8. FISCAL YEAR FUNDING Service performed under the agreement may be continued in succeeding fiscal years for the term of the agreement, contingent upon funds being appropriated by the Legislature or otherwise being available for this service. In the event funds are not appropriated or otherwise available for this service, the agreement shall terminate without penalty on June 30. After that date, the agreement becomes of no effect and is null and void. However, the Agency agrees to use its best efforts to have the amounts contemplated under the agreement included in its budget. Non-appropriation or non-funding shall not be considered an event of default.
- STATUTE OF LIMITATION Any clauses limiting the time in which the Agency may bring suit against the Vendor, lessor, individual, or any other party are deleted.
- 10. <u>SIMILAR SERVICES</u> Any provisions limiting the Agency's right to obtain similar services or equipment in the event of default or non-funding during the term of the agreement are hereby deleted.
- 11. ATTORNEY FEES The Agency recognizes an obligation to pay attorney's fees or costs only when assessed by a court of competent jurisdiction. Any other provision is invalid and considered null and void.
- 12 <u>ASSIGNMENT</u> Notwithstanding any clause to the contrary, the Agency reserves the right to assign the agreement to another State of West Virginia agency, board or commission upon thirty (30) days written notice to the Vendor and Vendor shall obtain the written consent of Agency prior to assigning the agreement.
- 13. LIMITATION OF LIABILITY The Agency, as a State entity, cannot agree to assume the potential liability of a Vendor. Accordingly, any provision limiting the Vendor's liability for direct damages or limiting the Vendor's liability under a warranty to a certain dollar amount or to the amount of the agreement is hereby deleted. In addition, any limitation is null and void to the extent that it precludes any action for injury to persons or for damages to personal property.
- 14. RIGHT TO TERMINATE Agency shall have the right to terminate the agreement upon thirty (30) days written notice to Vendor.
- 15. TERMINATION CHARGES Any provision requiring the Agency to pay a fixed amount or liquidated damages upon termination of the agreement is hereby deleted. The Agency may only agree to reimburse a Vendor for actual costs incurred or losses sustained during the current fiscal year due to wrongful termination by the Agency prior to the end of any current agreement term.
- 16. RENEWAL Any reference to automatic renewal is hereby deleted. The agreement may be renewed only upon mutual written agreement of the parties.
- 17. INSURANCE Any provision requiring the Agency to insure equipment or property of any kind and name the Vendor as beneficiary or as an additional insured is hereby deleted.
- 18. <u>RIGHT TO NOTICE</u> Any provision for repossession of equipment without notice is hereby deleted. However, the Agency does recognize a right of repossession with notice.
- 19. ACCELERATION Any reference to acceleration of payments in the event of default or non-funding is hereby deleted.
- 20. <u>AMENDMENTS</u> All amendments, modifications, alterations or changes to the agreement shall be in writing and signed by both parties. No amendment, modification, alteration or change may be made to this addendum without the express written approval of the Purchasing Division and the Attorney General.

ACCEPTED BY: STATE OF WEST VIRGINIA	VENDOR	
Spending Unit:	Company Name:	
Signed:	Signed:	
Title:	Title:	
Date:	Date:	

REO No	707EC023	
RFQ No.	707EC023	

# AFFIDAVIT

#### West Virginia Code §5A-3-10a states:

No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owned is an amount greater than one thousand dollars in the aggregate

#### **DEFINITIONS:**

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

#### **EXCEPTION:**

The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

#### LICENSING:

Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

# **CONFIDENTIALITY:**

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendors should visit <a href="https://www.state.wv.us/admin/purchase/privacy">www.state.wv.us/admin/purchase/privacy</a> for the Notice of Agency Confidentiality Policies.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), it is hereby certified that the vendor acknowledges the information in this said affidavit and are in compliance with the requirements as stated.

Vendor's Name:	
Authorized Signature:	Date: