



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER
BPH70345

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF:
ROBERTA WAGNER 304-558-0067

RFQ COPY  
 TYPE NAME/ADDRESS HERE

VENDOR

SHIP TO

HEALTH AND HUMAN RESOURCES  
 BPH - TRAUMA & EMERGENCY CARE  
 SYSTEM  
 VARIOUS LOCALES AS INDICATED  
 ON PURCHASE ORDER

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
09/25/2006				
BID OPENING DATE: 10/06/2006		BID OPENING TIME 01:30PM		

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>*****ADDENDUM NO. 2*****</p> <p>1. PLEASE NOTE THIS ADDENDUM IS TO CORRECT TYPOS ON THE ATTACHED EVALUATION QUOTE SHEET.</p> <p>2. ADDENDUM ACKNOWLEDGEMENT IS ATTACHED. THIS DOCUMENT SHOULD BE SIGNED AND RETURNED WITH YOUR BID. FAILURE TO SIGN AND RETURN MAY RESULT IN DISQUALIFICATION OF YOUR BID.</p> <p>PLEASE NOTE THE FOLLOWING ATTACHMENTS:</p> <p>1) CORRECTED QUOTE EVALUATION SHEET</p> <p>2) ADDENDUM ACKNOWLEDGEMENT</p> <p>*****END OF ADDENDUM NO. 2*****</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

**GENERAL TERMS & CONDITIONS  
REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)**

1. Awards will be made in the best interest of the State of West Virginia.
2. The State may accept or reject in part, or in whole, any bid.
3. All quotations are governed by the *West Virginia Code* and the *Legislative Rules* of the Purchasing Division.
4. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125.00 registration fee.
5. All services performed or goods delivered under State Purchase Orders/Contracts are to be continued for the term of the Purchase Order/Contract, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
6. Payment may only be made after the delivery and acceptance of goods or services.
7. Interest may be paid for late payment in accordance with the *West Virginia Code*.
8. Vendor preference will be granted upon written request in accordance with the *West Virginia Code*.
9. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
11. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
12. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
13. **BANKRUPTCY:** In the event the vendor/contractor files for bankruptcy protection, this contract is automatically null and void, and is terminated without further order.
14. **HIPAA Business Associate Addendum -** The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (<http://www.state.wv.us/admin/purchase/vrc/hipaa.htm>) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Covered Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.

---

**INSTRUCTIONS TO BIDDERS**

1. Use the quotation forms provided by the Purchasing Division.
2. **SPECIFICATIONS:** Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as **EQUAL** to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
3. Complete all sections of the quotation form.
4. Unit prices shall prevail in cases of discrepancy.
5. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
6. **BID SUBMISSION:** All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications.

**SIGNED BID TO:**

Department of Administration  
Purchasing Division  
2019 Washington Street East  
Post Office Box 50130  
Charleston, WV 25305-0130

**STATE OF WEST VIRGINIA  
PURCHASING CONTINUATION SHEET**

Buyer:  
22

Page

002

Req. or P. O. No.:  
BPH70345

Spending Unit:

Vendor:

Requisition No.: BPH70345

**ADDENDUM ACKNOWLEDGEMENT**

I hereby acknowledge receipt of the following checked addendum(s) and have made the necessary revisions to my proposal, plans and/or specifications, etc.

**Addendum No.'s:**

No. 1 \_\_\_\_\_

No. 2 \_\_\_\_\_

No. 3 \_\_\_\_\_

No. 4 \_\_\_\_\_

No. 5 \_\_\_\_\_

I understand that failure to confirm the receipt of the addendum(s) is cause for rejection of bids.

\_\_\_\_\_  
Signature

\_\_\_\_\_  
Company

\_\_\_\_\_  
Date



# WV DHHR BPH Trauma & Emergency Care System Communication Division



## Corrected Quote Evaluation Sheet

Vendor Name:

Andrews or Equivalent Parts

ALL ITEMS DISPLAYED

Item #	Qty	Unit	Part Number	Description	List Price/Unit	% Discount	Quoted Price/Unit	List Price Total	Quoted Price Total
1	AND 1	Pkg	243684	Angle adapter compact qty. 10/PKG for waveguides EW52 thru EW240					
2	AND 1	Pkg	31768A	Angle adapter qty. 10/PKG for all waveguides and coaxial cables 1/2" to 4"					
3	AND 1	Ea	DB408D-B	Antenna 450-470 MHz, 6.6 OR 7.8, OVER 125, DIPOLE ANT					
4	AND 1	Ea	DB222	Antenna at 159.145					
5	AND 1	Ea	DB201	Antenna at 46.14					
6	AND 1	Ea	204679A-3	Boot, 1 1/4" CABLE SIZE 1 holes, LDF6 SERIES, 4"					
7	AND 1	Ea	204679A-2	Boot 1 holes, 4" ENTRY PANEL BOOT, 7/8" CABLE SIZE					
8	AND 1	Ea	204679A-15	Boot 3 holes, LDF5 SERIES, 4" ENTRY PANEL BOOT, 7/8" CABLE SIZE					
9	AND 1	Ea	204679A-16	Boot 4 holes, LDF4 SERIES, 4" ENTRY PANEL BOOT, 1/2" CABLE SIZE					
10	AND 46	Ea	WGB4-52	Boot Waveguide Boot 4" for EW52					
11	AND 3	Ea	WGB4-63	Boot Waveguide Boot 4" for EW63					
12	AND 2	Ea	WGB4-90	Boot Waveguide Boot 4" for EW90					
13	AND 91	Ea	252SE	Connector, fixed-tuned, mates with CPR137G for EW/EWP52					
14	AND 7	Ea	163DE	Connector, non-tunable, mates with CPR137G for EW63					
15	AND 1	Ea	252DET	Connector, tunable, mates with CPR137G for EWP52					
16	AND 2	Ea	190DET	Connector, tunable, mates with CPR90G for EWP90					
17	AND 2	Ea	190DE	Connector, Non-tunable, mates with Dish					
18	AND 16	Ea	AE01D-D1658-100	Dehydrator wall shelf for MT-050					
19	AND 16	Ea	MT050-81015	Dehydrator, 115 Vac 60 Hz., Factory set at 5 psi.					
20	AND 1	Ea	HP10-59-P3A	Dish 10 ft. high performance antenna for 5.925-6.425 GHz single pol., CPR137G, Gray With White Teglar Radome, Flash, Global Standard Pack - 1 PC Reflector					
21	AND 1	Ea	PAR10-59-PXA	Dish 10 ft. standard antenna for 5.925-6.425 GHz single pol., CPR137G, Gray With Gray Molded Radome, Flash, Global Standard Pack - 1 PC Reflector					
22	AND 1	Ea	PL10-59-PXA	Dish 10 ft. standard antenna for 5.925-6.425 GHz with single pol., CPR137G, Gray With Gray Molded Radome, Flash, Global Standard Pack - 1 PC Reflector					
23	AND 2	Ea	VHP2-180A	Dish 2 ft. 18 GHz, high performance antenna, UG-596/U, RFS Type SP2-190A or Andrew equivalent					
24	AND 1	Ea	PL4-107-PXA	Dish 4 ft. standard antenna for 10.7-11.7 GHz with single pol., CPR90G, Gray With Gray Molded Radome, Flash, Global Standard Pack - 1 PC Reflector					
25	AND 2	Ea	VHLP4-107-111	Dish 4 ft. Valuline high performance antenna for 10.7-11.7 GHz with single pol feed, CPR90G, Gray With White Radome, Flash, Standard Pack					
26	AND 1	Ea	HP6-107-P3A	Dish 6 ft. high performance antenna for 10.7-11.7 GHz single pol., CPR90G, Gray With White Teglar Radome, Flash, Global Standard Pack - 1 PC Reflector					
27	AND 1	Ea	HP6-59-P3A	Dish 6 ft. high performance antenna for 5.925-6.425 GHz single pol., CPR137G, Gray With White Teglar Radome, Flash, Global Standard Pack - 1 PC Reflector					
28	AND 1	Ea	HP6-65-P3A	Dish 6 ft. high performance antenna for 6.425-7.125 GHz single pol., CPR137G, Gray With White Teglar Radome, Flash, Global Standard Pack-1 PC Reflector					



# WV DHHR BPH Trauma & Emergency Care System Communication Division



## Corrected Quote Evaluation Sheet

Vendor Name:

### Andrews or Equivalent Parts

### ALL ITEMS DISPLAYED

Item	QTY	Unit	Part Number	Description	List Price/Unit	% Discount	Quoted Price/Unit	List Price Total	Quoted Price Total
29	AND	21	PAR6-59-PXA	Dish 6 ft. standard antenna for 5.925-6.425 GHz with single pol., CPR137G, Gray With Gray Molded Radome, Flash, Global Standard Pack - 1 PC Reflector					
30	AND	2	PL6-59-PXA	Dish 6 ft. standard antenna for 5.925-6.425 GHz with single pol., CPR137G, Gray With Gray Molded Radome, Flash, Global Standard Pack - 1 PC Reflector					
31	AND	3	PAR6-65-PXA	Dish 6 ft. standard antenna for 6.425-7.125 GHz single pol., CPR137G, Gray With Gray Molded Radome, Flash, Global Standard Pack - 1 PC Reflector					
32	AND	1	UHx6-59-P3A	Dish 6 ft. ultra high performance antenna for 5.925-6.425 GHz with dual pol. feed, CPR137G, Gray With White Tegal Radome, Flash, Global Standard Pack - 1 PC Reflector					
33	AND	1	VHP6-107-111	Dish 6 ft. ValULine high performance antenna for 10.7- 11.7 GHz single pol., CPR90G, Gray With White Radome, Flash, Standard Pack					
34	AND	1	HP8-107-P3A	Dish 8 ft. high performance antenna for 10.7-11.7 GHz single pol., CPR90G, Gray With White Tegal Radome, Flash, Global Standard Pack - 1 PC Reflector					
35	AND	2	HP8-59-P3A	Dish 8 ft. high performance antenna for 5.925-6.425 GHz single pol., CPR137G, Gray With White Tegal Radome, Flash, Global Standard Pack - 1 PC Reflector					
36	AND	18	PAR8-59-PXA	Dish 8 ft. standard antenna for 5.925-6.425 GHz single pol., CPR137G, Gray With Gray Molded Radome, Flash, Global Standard Pack - 1 PC Reflector					
37	AND	1	PL8-59-PXA	Dish 8 ft. standard antenna for 5.925-6.425 GHz with single pol., CPR137G, Gray With Gray Molded Radome, Flash, Global Standard Pack - 1 PC Reflector					
38	AND	1	PAR8-65-PXA	Dish 8 ft. standard antenna for 6.425-7.125 GHz single pol., CPR137G, Gray With Gray Molded Radome, Flash, Global Standard Pack - 1 PC Reflector					
39	AND	1	PL8-65-PXA	Dish 8 ft. standard antenna for 6.425-7.125 GHz with single pol., CPR137G, Gray With Gray Molded Radome, Flash, Global Standard Pack - 1 PC Reflector					
40	AND	1	Kit 241088-8	Grounding Kit 2410888 standard, 1 1/4"					
41	AND	160	Kit 204989-4	Grounding kit, qty. 1, 24" cable with 1-hole factory attached lug for 1-5/8" coaxial and EW44, EW52, and EW63 waveguide HELIAX					
42	AND	1	Kit 204989-2	Grounding kit, qty. 1, 24" cable with 1-hole factory attached lug for 7/8" coaxial and EW85, EW90, EW127A, and EW132 waveguide HELIAX					
43	AND	4	Kit 241088-4	Grounding kit, qty. 1, 24" cable with 2-hole factory attached lug for 1-5/8" coaxial and EW44, EW52, and EW63 waveguide HELIAX					
44	AND	4	Kit 241088-2	Grounding kit, qty. 1, 24" cable with 2-hole factory attached lug for 7/8" coaxial and EW85, EW90, EW127A, and EW132 waveguide HELIAX					
45	AND	1	Kit SGL4-06B2	Grounding kits for 1/2"					
46	AND	1	Kit SGL5-06B2	Grounding kits for 7/8"					
47	AND	1	Pkg SSH-114	Hanger Stackable snap hangers for 1 1/4 inch, qty. 10/PKG					
48	AND	1	Pkg SSH-12	Hanger Stackable snap hangers for 1/2 inch, qty. 10/PKG					
49	AND	1	Pkg SSH-78	Hanger Stackable snap hangers for 7/8 inch, qty. 10/PKG					



# WV DHHR BPH Trauma & Emergency Care System Communication Division Corrected Quote Evaluation Sheet

## Andrews or Equivalent Parts

Vendor Name:

ALL ITEMS DISPLAYED

Item #	QTY	Unit	Part Number	Description	List Price/Unit	% Discount	Quoted Price/Unit	List Price Total	Quoted Price Total
50	AND	26	Pkg EWSH-63	Hangers Standard Snapin, qty. 10/PKG, for EW63 Heliax waveguide					
51	AND	4	Pkg EWSH-90	Hangers Standard Snapin, qty. 10/PKG, for EW90 Heliax waveguide					
52	AND	1	Pkg 42396A-5	Hangers Standard, qty. 10/PKG, for 7/8" coaxial and EW85 and EW90 waveguide Heliax					
53	AND	33	Pkg 42396A-8	Hangers Standard, qty. 10/PKG, for EW52 Heliax waveguide					
54	AND	306	Pkg EWSH-52	Hangers, Standard Snapin, qty. 10/PKG, for EW52 Heliax waveguide					
55	AND	1	Ft LDF4-50A	Heliax 1/2"					
56	AND	1	Ft LDF5-50A	Heliax 7/8"					
57	AND	1	Ft LDF6-50	Heliax LDF650 1 1/4", FOAM, CORRUGATED CABLE					
58	AND	1	Ea 29961	Hoisting Grip 29961 1 1/4", STANDARD, LDF6-50, EW64, EWP64					
59	AND	67	Ea 24312A	Hoisting Grip for 1-5/8" coaxial cable and EW44, EW52, and EW63 elliptical waveguides					
60	AND	1	Ea 29958	Hoisting Grip for EW85, EW90, EW127A, and EW132 elliptical waveguides					
61	AND	1	Ea 19256B	Hoisting Grip for 7/8"					
62	AND	1	Kit MH-8B-001	Line Monitor Eight Lines 3-8 Psi Includes Two Installation Kits AE01K-C0331					
63	AND	1	Kit MH-4B-001	Line Monitor Four Lines 3-8 Psi Includes Installation Kit AE01K-C0331					
64	AND	1	Ea 6600D-6	Manifold Six outlet gas manifold with gauge and shutoff valve includes 3/8 tube installation kit					
65	AND	23	Ea 6600D-4	Manifold, Four outlet gas manifold with gauge and shutoff valve includes 3/8 tube installation kit					
66	AND	2	Ea 55001-90	Pressure window use with WR90 CPR flanges					
67	AND	49	Ea 55001-137	Pressure Window, Low Power C-Band Mates with CPR137G					
68	AND	1	Ea 520570-1	Strut for PAR6-59-PXA					
69	AND	22	Ea 520570-3	Strut Outboard Strut Kit, includes U-joint & hardware for attachment to reflector strut bracket, Strut collar assembly included. Pipe is schedule 80 and 10.5 ft.					
70	AND	2	Ea F090CCS3	Twist Flex Special Application Product: Call for price and availability. 3FT FLEX					
71	AND	48	Ea F137CCS3	Twist Flex Special Application Product: Call for price and availability. 3FT FLEX					
72	AND	10399	Ft EW52	Waveguide Standard elliptical EW52, (Wideband from 5.925-6.425 GHz)					
73	AND	775	Ft EW63	Waveguide Standard elliptical, EW63, (Wideband from 6.425-7.125 GHz)					
74	AND	260	Ft EW90	Waveguide Standard elliptical, EW90, (Wideband from 10.5 - 11.7 GHz)					
75	AND	2	Ea UG-596/U	TwistFlex UG-596/U , 18 GHz					
								<b>TOTAL QUOTED PRICE</b>	

Notes: