

NODZEK

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

# Request for Quotation

SYSFURNO7

PAGE

ADDRESS CORRESPONDENCE TO ATTENTION OF:

BETTY FRANCISCO 304-558-0468

COPY NAME/ADDRESS	HERE	

**のエーユ ←**O

ALL STATE AGENCIES
AND POLITICAL SUBDIVISIONS
VARIOUS LOCALES AS INDICATED
BY ORDER

07/27/	<u> </u>		WO OF SAL		SHIP VI	Markey Brand	г. <b>о.в</b> .	1000000	FREIGHT TEHWIS
BID OPENING DATE:		09/06/	2006		L_,	BID	OPENING TIME	01	:30PM
LINE	QUA	NTITY	UOP	CAT. NO.	ITEM NUM	BER	UNIT PRICE		AMOUNT
	BLANKE FURNIT ***** THERE WEDNES PURCHA BUILDI	T OPENURE AN  *****  IS A M  DAY, A  SING D  NG 15,	NG DI -END D ALL **** ANDAT UGUST IVISI 2019	VISIO STATE OTHE **** ORY P 16, ON CO WASH	WIDE CONTER TYPES OF NOTICE***  RE-BID MER 2006 AT 1: NFERENCE FINGTON STE	CITING RACT FO FOFFIC ****** ETING S 1:00 A. ROOM LO	E FURNITURE.  ********  CHEDULED FOR  M. IN THE  CATED IN  AST, CHARLES	ron,	
	MEETIN TO ATT AUTOMA THIS C	G SHAL END TH TICALL ONTRAC NE BID	L BE E MAN Y DIS T. N	ELIGI DATOR QUALI	BLE TO SUI Y PRE-BID FY A VENDO	BMIT BI CONFER OR FROM	ED AT THIS DS. FAILURE ENCE SHALL BIDDING ON ESENT MORE		
	2. EXH LIS FOR REQ REA EXC 3. CER	IBIT A T ALL EACH. UESTED RRANGE EED \$3 TIFICA	- VE CATAL VEN . TH MENT 0.00/ TION	NDORS OGS B DORS E DES MUST HOUR. PAGE	MUST USE EING BID A SHOULD COI IGN FEE AI BE SHOWN SHOULD I	THIS E AND THE MPLETE ND LABO THESE BE SIGN	Į.	NY T	
The second secon	CER 4. AFF BID	TIFICA IDAVIT . NO IDAVIT	TION. - SH AWARD	OULD	BE SIGNED BE MADE I	AND RE	TURNED WITH THIS		
SIGNATURE	······································	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				TELEPHONE		DATE	
TITLE		FE	EIN				ADDRESS CI	IANGES	TO BE NOTED ABOVE

# GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- 1. Awards will be made in the best interest of the State of West Virginia.
- 2. The State may accept or reject in part, or in whole, any bid.
- 3. All quotations are governed by the West Virginia Code and the Legislative Rules of the Purchasing Division.
- 4. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125.00 registration fee.
- 5. All services performed or goods delivered under State Purchase Orders/Contracts are to be continued for the term of the Purchase Order/Contract, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
- 6. Payment may only be made after the delivery and acceptance of goods or services.
- 7. Interest may be paid for late payment in accordance with the West Virginia Code.
- 8. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- 9. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 11. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
- 12. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 13. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, this contract is automatically null and void, and is terminated without further order.
- 14. HIPAA Business Associate Addendum The West Viginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (http://www.state.wv.us/admin/purchase/vrc/hipaa.htm) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Covered Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.

#### INSTRUCTIONS TO BIDDERS

- 1. Use the quotation forms provided by the Purchasing Division.
- 2. SPECIFICATIONS: Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as EQUAL to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
- 3. Complete all sections of the quotation form.
- 4. Unit prices shall prevail in cases of discrepancy.
- 5. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
- 6. BID SUBMISSION: All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications.

#### SIGNED BID TO:

Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130



NODZE

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

# Request for Quotation

SYSFURNO7

PAGE	
2	

ADDRESS CORRESPONDENCE TO ATTENTION OF:

BETTY FRANCISCO 304-558-0468

RFQ COPY TYPE NAME/ADDRESS	HERE

0-1-0-TO

ALL STATE AGENCIES
AND POLITICAL SUBDIVISIONS
VARIOUS LOCALES AS INDICATED
BY ORDER

DATE PRINT	red	TEF	RMS OF SAL	E	SHIP	VIA		F.O.B.		FREIGHT TERMS	
07/27/	2006										
BID OPENING DATE:		09/06/	2006			BID	OPENI	NG TIME	01	:30PM	
LINE	QUA	утіту	UOP	CAT. NO.	ITEM NU	MBER		UNIT PRICE		AMOUNT	
0001		7	JB	:	425-94						
of the same of the	OFFICE	1 FURNI	TURE,	PANE	L SYSTEMS	S, CHAIR	S, ET	С.	<del></del>		
	AND PO VIRGIN FURNIS AGENCI SUPERC ALL ST CORREC	LITICA IA DEF H AND ES. I EDE TH ATE AG TIONS, ILAR I	AL SUB PARTME SUPPL T IS IE RIG ENCIE PRIS	DIVIS NT OF Y OFF NOT T HTS O S ARE ON IN	NITURE TO IONS. TH CORRECTI ICE FURNI HE INTENT F THE DEF TO CONTA DUSTRIES ILABLE FR	IE STATE ONS IS TURE TO OF THI PARTMENT ACT THE TO DETE	OF WAUTHO THE S CON OF C WV DE RMINE	EST RIZED TO STATE TRACT TO ORRECTION PARTMENT IF THE S	OF		THE PROPERTY OF THE PROPERTY O
	ALL IT ON-SIT VENDOR FURNIT PREMIS UNACCE SATISF MATERI	EMS AFE IN TO SHALL URE SYES. AFE PTABLE ACTION ALS AFE	RE TO HE LO CHEC STEMS NY IT SHAL OF T	BE FU CATIO K FOR , AND EM FO L BE HE AG BE PR	CLUDE DEL LLY ASSEN N DETERMI DAMAGE, MUST REN UND TO BE REPAIRED ENCY. DE OPERLY DI LL NOT BE	IBLED AN INED BY CLEAN A IOVE ALL DAMAGE OR REPL EBRIS AN ISPOSED	THE A ND AD DEBR D OR ACED D PAC OF BY	TALLED GENCY. JUST ALL IS FROM OTHERWISE TO THE KING THE VENI	THE THE		enthiomaticanomy and the second secon
	CONTRA EQUIPM SHALL	CT SHA ENT SH BE TAK RE, LA	LL BE IALL N EN TO BOR,	NEW. OT BE MEAN	D IN CON. REFURBI ACCEPTAE ALL COMF	SHED AN BLE, AN PONENTS,	D/OR INST TOOL	REFINISHE ALLATION S,			
		iya taşiridi		SEE RE	VERSE SIDE FOR 1	TERMS AND CO	NDITIONS				
SIGNATURE						TELEPHONE			DATE		
TITLE		[F	EIN					ADDRESS CHA	NGES	TO BE NOTED ABOVE	



State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER
SYSFURNO7

PAGE

ADDRESS CORRESPONDENCE TO ATTENTION OF

BETTY FRANCISCO 304-558-0468

RFQ COPY
TYPE NAME/ADDRESS HERE

	247		
	•		
	٠.		

ALL STATE AGENCIES
AND POLITICAL SUBDIVISIONS
VARIOUS LOCALES AS INDICATED
BY ORDER

07/27/			MS OF SAL		SHIP VI	<u>Die Dies helt en hebit. I</u>	h.O.B.		FHEIGHT LEHMS
BID OPENING DATE:	······································	09/06/	2006			BID	OPENING TIM	E 0	1:30PM
LINE	QUAI	NTITY	UOP	CAT. NO.	ITEM NUM	BER	UNIT PRICE		AMOUNT
<u> </u>	to the digestrative has been dright				<u>, region de la region de la region</u>				
				:			94440000000000000000000000000000000000		
	EXHIBI	T 3		:					
	TEE O	E CONT	В А С Т .	TU	TO CONTRA	T DECO	MES EFFECTI	VE ON	
	LIFE U	r CUNI					OD OF ONE (		
	YEAR O	R UNTI					HEREAFTER A		
	NECESS	ARY TO	OBTA	IN A	NEW CONTRA	ACT OR	RENEW THE		
	ORIGIN	IAL CON	TRACT	. TH	E "REASON	ABLE TI	ME" PERIOD	SHALL	
					MONTHS.		THIS "REAS		E
	1						NTRACT FOR		
				G THE	DIRECTOR	OF PUR	CHASING 30	DAYS	
	MKIIIE	ITON N	LE.						
	UNLESS	SPECI	FIC P	ROVIS	IONS ARE S	STIPULA	TED ELSEWHE	RE	
	1						CONDITIONS		
	PRICIN	IG SET	HEREI	N ARE	FIRM FOR	THE LI	FE OF THE		
	CONTRA	CT.							
	DENELIA	I A THE	e con	TDACT	MAV DE DI	ENGLICO	UPON THE MU	THAI	
W/	1		:	1			ND VENDOR,	IUAL	
	j	3		J			G THIRTY (3	n )	
		3		1	1		CH RENEWAL		
	li .	1		l			NDITIONS OF		
	ORIGIN	IAL CON	TRACT	AND	SHALL BE I	LIMITED	TO TWO (2)	ONE	
	(1) YE	AR PER	IODS.						
	0.0051	1 4 7 7 0 14		D.T.D.E	CTOD OF D	I DOLLA O T	NO DECEDIES		
				l	1		NG RESERVES ELY UPON WR		
				l			S AND/OR SE		1
				l	•		DO NOT CON		3
				l			ONTRACT HER		
	1			1			RCHASING MA		
	1			1			ON THE OPEN		
				l			ITION OR CO	ST	
- control of the cont	ESIIMA	NIE, II	rms S	recir	IED ON TH	T2 CON!	KACI FUR		
				SEE RE	VERSE SIDE FOR TE		NDITIONS		
SIGNATURE						TELEPHONE		DATE	
TITLE		FE	IN				ADDRESS	CHANGE	S TO BE NOTED ABOVE



State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

### Request for Quotation

SHIP

ŏ

RFQ NUMBER SYSFURN07 PAGE

ADDRESS CORRESPONDENCE TO ATTENTION OF:

ADDRESS CHANGES TO BE NOTED ABOVE

AND POLITICAL SUBDIVISIONS VARIOUS LOCALES AS INDICATED

BETTY FRANCISCO 304-558-0468

ALL STATE AGENCIES

BY ORDER

AMN DOUR

TITLE

RFQ COPY TYPE NAME/ADDRESS HERE

FREIGHT TERMS DATE PRINTED TERMS OF SALE SHIP VIA F.O.B. 07/27/2006 **BID OPENING DATE:** 09/06/2006 **BID OPENING TIME** 01:30PM CAT. QUANTITY UOP ITEM NUMBER UNIT PRICE AMOUNT LINE NO: IMMEDIATE DELIVERY IN EMERGENCIES DUE TO UNFORESEEN CAUSES (INCLUDING BUT NOT LIMITED TO DELAYS IN TRANS-PORTATION OR AN UNANTICIPATED INCREASE IN THE VOLUME OF WORK.) QUANTITIES: QUANTITIES LISTED IN THE REQUISITION ARE APPROXIMATIONS ONLY, BASED ON ESTIMATES SUPPLIED BY THE STATE SPENDING UNIT. IT IS UNDERSTOOD AND AGREED THAT THE CONTRACT SHALL COVER THE QUANTITIES ACTUALLY ORDERED FOR DELIVERY DURING THE TERM OF THE CONTRACT, WHETHER MORE OR LESS THAN THE QUANTITIES SHOWN. ORDERING PROCEDURE: SPENDING UNIT(S) SHALL ISSUE A WRITTEN STATE CONTRACT ORDER (FORM NUMBER WV-39) TO THE VENDOR FOR COMMODITIES COVERED BY THIS CONTRACT. THE ORIGINAL COPY OF THE WV-39 SHALL BE MAILED TO THE VENDOR AS AUTHORIZATION FOR SHIPMENT, A SECOND COPY MAILED TO THE PURCHASING DIVISION, AND A THIRD COPY RETAINED BY THE SPENDING UNIT. WV-39 IS NOT REQUIRED IF AGENCY IS USING P-CARD. IN THE EVENT THE VENDOR/CONTRACTOR FILES **BANKRUPTCY:** FOR BANKRUPTCY PROTECTION, THIS CONTRACT IS AUTOMATI-CALLY NULL AND VOID, AND IS TERMINATED WITHOUT FURTHER ORDER. THE TERMS AND CONDITIONS CONTAINED IN THIS CONTRACT SHALL SUPERSEDE ANY AND ALL SUBSEQUENT TERMS AND CONDITIONS WHICH MAY APPEAR ON ANY ATTACHED PRINTED DOCUMENTS SUCH AS PRICE LISTS, ORDER FORMS, SALES AGREEMENTS OR MAINTENANCE AGREEMENTS, INCLUDING ANY ELECTRONIC MEDIUM SUCH AS CD-ROM. PURCHASING CARD ACCEPTANCE: THE STATE OF WEST VIRGINIA CURRENTLY UTILIZES A VISA PURCHASING CARD PROGRAM WHICH IS ISSUED THROUGH A LOCAL BANK. THE SUCCESSFUL VENDOR SEE REVERSE SIDE FOR TERMS AND CONDITIONS SIGNATURE TELEPHONE

FEIN



VENDOR

RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

# Request for Quotation

SYSFURNO7

PAG	Œ	
	5	

ADDRESS CORRESPONDENCE TO ATTENTION OF:

BETTY FRANCISCO 304-558-0468

-	1.1.1	
	990	
d	0.00	
٠.		
٠.		
	S 1	
	71	
1	1.1	
ď		
	D .	
	1.1	
٩		
÷		
	٠,۱	
٠.	1000	
Ġ		
٠,	11.51	
÷		

ALL STATE AGENCIES
AND POLITICAL SUBDIVISIONS
VARIOUS LOCALES AS INDICATED
BY ORDER

DATE PRINT	ED	TER	MS OF SAL	E ( )	SHIP V	IA	F.O.B.	FREIGHT TI	ERMS
07/27/	2006								**************************************
BID OPENING DATE:		09/06/	2006			BID	OPENING TIME	01:30PM	
LINE	ar ing paraw	INTITY	UOP	CAT. NO.	ITEM NUV		UNIT PRICE	AMOU	NT
	CARD F AGENC	OR PAY	MENT RDERS	OF AL	L ORDERS	PLACED	VISA PURCHASI BY ANY STATE 2,500 AS A CON		
		37		NOT	ICE				***************************************
	AN OR	IGINAL,	SIGN	ED BI	D MUST BE	SUBMIT	TED TO:		**************************************
	F I	PURCHAS BUILDIN 2019 WA	ING D G 15 SHING	IVISI TON S	INISTRATION TREET, EA 5305-0130				or arrangement
1			<b> </b>				N ON THE FACE ONSIDERED:	OF	
	SEALEI	BID	maliumet statistassass.						
	BUYER			BE	TTY L. FR	ANCISCO	- FILE 42		
	RFQ. I	۱0.:		SY	SFURN07				
	BID O	PENING	DATE:	SE	PTEMBER 6	, 2006-			
	BID OF	PENING	TIME:	1:	30 P.M				
1					UMBER IN NG YOUR B		IS NECESSARY		
	CONTAC	CT PERS	ON (P		PRINT CL				
				SEE RE	VERSE SIDE FOR TE				
SIGNATURE					***************************************	TELEPHONE		DATE	
TITLE		FE	in				ADDRESS CHA	NGES TO BE NOTED A	ABOVE



ANDOUR

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

### Request for Quotation

SYSFURNO7

ě	P	<b>\GE</b>	446	1
_				
		4	6	

ADDRESS CORRESPONDENCE TO ATTENTION OF:

BETTY FRANCISCO 304-558-0468

 COPY NAME/ADDRESS	HERE

 7.5	
 	- 3
 	.1
	- 1
	: 1
~	
	· I
.⊤.	
100	
-00	

ALL STATE AGENCIES
AND POLITICAL SUBDIVISIONS
VARIOUS LOCALES AS INDICATED
BY ORDER

DATE PRINT	ED	TEI	RMS OF SAL	E		SHIP V	1A		F.O.B.		FREIGHT TERMS
07/27/	2006										
BID OPENING DATE:		09/06/	2006				BID	OPEN	ING TIN	1E 0]	:30PM
LINE	QUAN	NTITY	UOP	CAT NO.		ITEM NUN	ABER		UNIT PRIC	E	AMOUNT:
	****	THIS	IS T	HE EN	D OF	RFQ	SYSFUR	N07 :	*****	TOTAL:	
SIGNATURE		de: 50 81.53		SEE RE	VERSE SI		ERMS AND CO TELEPHONE	NDITIONS		DATE	
TITLE		F	EIN						ADDRESS	S CHANGES	TO BE NOTED ABOVE

### SCOPE

This is a pre-qualification request for quotation. In order to meet the needs of West Virginia State Agencies, each bidder meeting the qualifications and specifications shall be awarded a contract.

The purpose is to establish contracts for the purchase of systems furniture, filing cabinets, desks, chairs, tables, and other furniture needs of the office environment. Goal will be to establish one contract for each manufacturer and to allow each agency furniture styles that meet their needs. If the contract vendor is a distributor, and their contract with the manufacturer has territory restrictions, more than one contract may be required to allow coverage of the entire State. If the contract is written to a manufacturer, distributor territory responsibility will be the sole responsibility of the manufacturer.

The successful vendor(s) shall be the contract holder. All orders shall be issued to that entity; all invoices shall be required from that contract holder; all payment shall be made to that same contract holder. Dealers who are not contract holders shall not request West Virginia State Agencies to issue a purchase order to other than the contract holder!

If the manufacturer is the contract holder, any relationship between that party and a servicing dealer shall be strictly between those parties. SYSFURN contracts with manufacturers shall not list dealers.

# PRE-BID Meeting

A mandatory pre-bid meeting is scheduled for August 16, 2006 at 11:00 a.m. in the Purchasing Division Conference Room located at Building 15, 2019 Washington Street, East, Charleston, WV 25305. Only vendors represented at this meeting shall be able to submit bids. Failure to attend the pre-bid conference shall disqualify a bidder from bidding on this contract. No person can represent more than one bidder.

### **QUESTIONS**

Questions will be accepted until August 14, 2006. Questions are to be e-mailed to: <a href="mailto:bfrancisco@wvadmin.gov">bfrancisco@wvadmin.gov</a>; or faxed to (304) 558-4115

E-mail is the preferred method of receiving questions.

**Note:** Questions will be accepted and discussed at the pre-bid meeting; and upon resolution, applicable changes, if any, will be made to these specifications.

# **BID PREPARATION**

No obligation exists for any costs incurred in preparation of the response for this request for quotation.

Page 1 of 18 Rev. 7/18/2006 Two sets of price books, or price lists, or CD's should be attached to your quotation.

### **VENDOR ELIGIBILITY**

This contract shall be limited to lines of furniture that include systems furniture, desks, file cabinets, bookcases and chairs. Manufacturers of lines that only include or cover part of these components (such as desks and/or chairs) are not eligible to bid on this contract unless such a firm has a contract with either a systems manufacturer or with a dealer (who attended the mandatory pre-bid). If a company has a subsidiary such as Kimball/National, the same bidder MAY bid both lines. Contracts shall not be awarded separately to a manufacturer without a system furniture line that meets the SYSFURN07 specifications. "Partnership" or "Alliance" companies with system furniture dealers or manufacturers may be included, either through a systems manufacturer or dealer who attended the mandatory pre-bid meeting.

In addition to compliance with this specification, all bidders shall offer a range of panel and work surface sizes and accessories consistent with general industry standards. Offerings shall include, but are not limited to: Transaction work surfaces, keyboard surfaces, various configurations of tables, flipper door cabinets, shelves with dividers, suspended drawer storage, stand alone drawer storage, mobile drawer storage, desks, task lighting, marker boards, tack boards, coat hooks, wire management, drawer accessories, paper management, electronic support accessories, tables, seating and a minimum of four (4) categories of fabric. If panel system does not meet specifications, you are not eligible under this contract. Bidders shall not offer fabrics that do not meet Class A Flammability Requirements.

Prior to any contract award, vendors shall furnish Workers Compensation certificates and proof of insurance.

## I. CLASSIFICATION

TYPE I - Acoustical Panels

Style A - Communications panel with raceway for running wires and cables to adjacent panels

Style B - Electrified panels with raceway and electrical outlets

TYPE II - Non-Acoustical Panels

Style A - Communications panel with raceway for running wires and cables to adjacent panels

Style B - Electrified panels with raceway and electrical outlets

# II. APPLICABLE STANDARDS

The following documents of latest issue in effect on the date of the Request for Quotations shall form part of this specification to the extent described in REQUIREMENTS:

ASTM-C423 - Sound Absorption and Sound Absorption Coefficients by the Reverberation Room Method ASTM-E84 - Test for Surface Burning Characteristics of Building Materials American Society For Testing and Materials (ASTM) 1916 Race Street Philadelphia, PA 19103

NEMA-LD3-1985 - HIGH PRESSURE DECORATIVE LAMINATES National Electrical Manufacturer's Association (NEMA) 2101 L. Street N.W. Washington, DC 20037

ANSI/BIFMA X5.6-1986 American National Standard for Office Furnishings Panel Systems Test
American National Standards Institution
1430 Broadway
New York, NY 10018

### III. REQUIREMENTS

# A. GENERAL REQUIREMENTS FOR ALL TYPES OF PANELS

**Note**: In all references to drawings provided, it is the intent for the vendor to supply drawings to the agency.

### 1. Design

The open plan office system furnished under this specification shall be of the manufacturer's current standard production. The manufacturer shall offer the office open plan office system(s) to commercial and/or industrial users for a minimum period of two years. Upon request by the State, the manufacturer shall furnish references (users of the system(s) offered), to include names, telephone numbers, and addresses. The State will survey users of the proposed system to determine the long-term performance and reliability characteristics of the system. The State reserves the right to reject the system on the analysis of this information. It is the responsibility of the bidder to prove to the satisfaction of the State that the proposed system does in fact meet long-term performance and reliability standard.

- b) Panels shall be of the manufacturer's standard design. They shall be Style A, Communications or B, Electrified as specified.
- c) The raceway cover shall be securely held in place.

**Notes**: The same raceway may be used for both communication wires and electrical wires. If electrical system is in addition to the panel, (electrical is ordered separate and added to the panel in the field), vendor should so state and indicate the price for having the addition made.

### 2. Flammability

All panel constructions are to meet Class 1 or A flammability rating, in accordance to ASTM E-84 test method. See Section VI, Acceptance Evaluation and Quality Assurance.

### 3. Installation

Panel attachments must be designed so that users may easily be able to add and rearrange panel configurations without specialized help and/or tools and maintain original system strength and rigidity.

Connection shall provide for assembling panels in 2-way, 3-way or 4-way intersections. All panels must be individually removable without dismantling or moving adjacent panels.

Panels shall be mounted a maximum 1" off the floor for maximum noise isolation. If building conditions do not allow installation with only this distance from the floor, the vendor must get a variance from this requirement before proceeding with the installation.

When assembled, panels shall be free-standing and self-supporting; no connections to the walls, ceiling or floor shall be made without agreement with agency representative.

The dimensions and layout shall be as indicated on drawing included with the specifications. Drawings must be furnished by the vendor so the agency has a clear understanding of their purchase; panel sizes shall be as listed in the specifications. The vendor shall be responsible for verification of component quantities and sizes as set forth.

#### 4. Construction

### a) Frame

The frame shall be constructed in such a manner that it will support hang-on components, work surfaces, etc. with attendant loads, without warping, bending, flexing or breaking.

### b) Fabric Covering

The fabric shall be applied smoothly and wrinkle free and the weave shall be straight with the panel. It shall be attached to the frame by a removable spline or other satisfactory method that will allow removal and replacement of fabric as required. No seams or fabric joints shall be visible in faces of panels unless required for special designs. Bidders shall not offer fabrics that do not meet Class A Flammability Requirements.

# c) Vertical Support Standards

The standard shall be capable of supporting a worktop with two hanging pedestals loaded in accordance with "work surfaces with supported drawers' test ANSIIBIFMA X.5.6 1993) and meeting the acceptance level specified. Work surfaces shall be adjustable in height within a minimum range of 25"-40" in increments no greater than 1-1/4".

# d) Wire Management

Panels shall be supplied in style A, communications, or B, electrified as described below.

Style A communications panels shall be communications panel with raceway to accommodate electric and/or communications cables to allow passage to adjacent panels.

Style B panels shall be electrified panels with raceways and a minimum of two pre-wired electric outlets on each side.

The raceway shall be able to accommodate all power requirements specified and 8 – 10 minimum Cat 5 or Cat 6 cables.

Style A and B panels shall also serve as in-feed panels equipped with a means of concealing cables entering from the ceiling, walls or floor.

All Style B electrified panels shall have an eight-wire, four circuit supply. All electrical components shall meet current UL and local code requirements. If the electrical system is an 8 wire UL approved, it is acceptable.

# e) Panel Connections

All panel connections and perimeter framing components are to be fastened by interlocking concealed connectors and shall have smooth, tight fitting connections. No special tools shall be required for assembly or dismantling.

All connections between adjacent panels in straight runs and at intersections shall be light proof.

### f) Components.

All components of panels, e.g. clips, splines, connectors, feet, posts, levelers, etc., shall be of manufacturer's standard inventory and shall be available for purchase by the user for the life of the system.

NOTE: If panels do not come from factory with electrical installed, dealer will install as required per specifications – for both Type I (Acoustical panels) and Type II (Non-Acoustical panels).

Note: All panels – including non-tackable – must be class "A" fire rated.

## B. SPECIFIC REQUIREMENTS FOR PANELS

### 1. Design

Type I panels shall have fabric covering on both sides. The manufacturer's standard trim shall be furnished. Type II panels may be offered with or without fabric covering as specified.

### 2. Sound Absorption

The sound absorption rating for Type I panels shall be a minimum N.R.C. of .65 for the entire surface area of the panel, when tested in accordance with ASTM C423, latest edition. (See Section VI, Acceptance Evaluation and Quality Assurance.) Note: This sound absorption is mandatory for acoustical panels.

# C. GENERAL REQUIREMENTS FOR FURNITURE COMPONENTS

# 1. Panel System

The panel system shall be as specified above to accommodate the components required and provide the necessary stability to make the system both safe and durable and to provide a comfortable and convenient workstation.

# 2. Worktops

Worktops shall be at a minimum 1-1/8" thick lumber core, minimum 1-1/8" thick 45 lbs/cu. density flake board core, or minimum 1-1/8" thick plywood core. All worktops shall be surfaced with decorative thermosetting high-pressure plastic laminate meeting NEMA- LD3 requirements.

The top shall be rounded, or soft vinyl durable edged, securely applied. Provision shall be made in the worktop to accommodate the routing of electrical cords and cables from tabletop devices and hang-on devices to the

Page 6 of 18 Rev. 7/18/2006 electrical and communication outlets in the panels in a safe and orderly manner. This may be accomplished by holes w/grommets, cutouts in the worktop adjacent to the panel, cable management troughs, or other approved means.

### 3. Glides

All components resting on the floor shall have rustproof adjustable glides.

### 4. Construction

Methods and processes shall be in keeping with good industry practice and the system shall provide a safe, durable and convenient workstation for the purpose intended. Hanging components shall have adjustable mounting height

### 5 Locks

All drawer and door units shall be equipped with individual locks or central (master type if requested), locking system meeting ANSI/BIFMA X5.6 latest edition.

### 6. Safety

All hanging components must meet ANSI/BIFMA's Component Dislodgement Test.

# 7. Electrical Attachments

All electrical attachments that may be furnished with the office systems covered in this specification shall be UL approved for use with panel systems and shall bear the UL label or nameplate.

### 8. Size

Sizes shall be the manufacturers' standard sizes and length shall be as required to mesh with panel standards in the location indicated.

# D. General Requirements for Filing Cabinets

Specifications provide three quality levels of metal casework office furniture for use by state government agencies. Quality levels are Class A Heavy Duty, Class B Medium Duty and Class C Light Duty.

Bidders are to provide pricing on selected metal office furniture that meet or exceed the minimum specifications and to provide discounted pricing on the metal standalone casework (filing and storage cabinets, desks, and

credenzas) from the same model line. All furniture of the same model line shall have the same color selections available.

The classes are:

Class A Heavy Duty, Heavy Use - Where drawers are used 25 times or more per day with a weight of two pounds per linear inch for letter size and three pounds per linear inch for legal-size drawers. Drawer suspension cycle test must pass a minimum of 100,000 cycles. All components of the suspension shall be manufactured of not less than 16 gauge steel and suspension shall be steel ball bearings.

Class B Medium, Medium Use - Where drawers are used 20 times or more per day with a weight of two pounds per linear inch for letter size and three pounds per linear inch for legal-size drawers. Drawer suspension cycle test must pass a minimum of 75,000 cycles. All components of the suspension shall be manufactured of not less than 16 gauge steel and suspension shall be steel ball bearings or nylon/celcon with steel ball bearings.

Class C Light Duty, Light Use - Where drawers are used less than 20 times per day with a weight of two pounds per linear inch for letter size and three pounds per linear inch for legal-size drawers. Drawer suspension cycle test must pass a minimum of 50,000. Vertical file cabinets have a smaller depth than those in Classes A and B.

**General:** All vertical file cabinets shall meet or exceed the requirements of ANSI/BIFMA X5.3 and lateral files shall meet or exceed ANSI/BIFMA X5.2 - Office Furnishing Lateral File Test.

All metal furniture shall be free from defects, imperfections, or hazards that might affect appearance, normal life, service, or user safety. All panel finishes must pass ASTM D-3359 Method B Classification 5B for adhesion and ASTM-3363 for hardness, or meet or exceed ANSI/BIFMA X5.6-2003

All welds shall be sound and without porosity. Exterior welds shall be smooth and interior welds shall have no sharp edges or rough surfaces. Welds, rivets and braces shall assure rigidity, strength and proper alignment.

File cabinets shall have one piece or utilized construction. If modular construction is used, each module shall be unitized. File cabinets shall not tilt or deviate from a true vertical state.

**Vertical File Drawer Construction**: The drawer shall have a positive acting spring latch capable of holding loaded drawer closed at any tilt angle; this latch shall have free movement only in the horizontal plane parallel to the drawer front. The release button shall fit snugly to the drawer front and shall be located conveniently to the drawer pull.

Page 8 of 18 Rev. 7/18/2006 A label holder shall be located in center of drawer front above the drawer pull.

The follower shall have not more than 3/4" maximum increment movement, and shall be easy to adjust.

Locks shall be provided where requested.

Lateral File Drawer Construction: The cabinet front, sides, back, top and interior members (drawers and shelves) shall be manufactured of not less than 22 gauge steel, rigidly formed, braced, and welded to withstand heavy usage without distortion, warping or twisting. Drawers and roll-out shelves shall operate on full ball-bearing progressive suspensions. Members of the suspension shall be cold drawn steel, zinc plated or other suitable material to prevent rust, and of adequate strength to support loaded shelves or drawers. Suspension shall accommodate uneven drawer loading and uneven push or pull forces when opening or closing. Drawers and shelves shall operate smoothly without noticeable sticking or uneven motion. Lateral files must comply with ANSI/FIFMA X5.2, Sections 4,5,6,7,8,9,10,11,12,13 and 14.

The drawer shall have a positive acting spring latch capable of holding loaded drawer closed at any tilt angle; this latch shall have free movement only in the horizontal plane parallel to the drawer front. The release button shall fit snugly to the drawer front and shall be located conveniently to the drawer.

**File Cabinet Paint Colors**: For each model line available on this contract, all paint colors listed in the manufacturer's published catalog as available for that model/series are to be available at the base price offered herein, without up charges.

# E. CONSTRUCTION OF INDIVIDUAL COMPONENTS

# 1. Worktops

For the purposes of this specification, a "worktop", or "work surface" is defined as a single unit of construction with properties as set forth in Section III.C.2 of this specification. The worktop shall be so constructed that hanging drawer units may be attached underneath the top. Worktop shall meet requirements of static load test for work surfaces of ANSIIIBIFMA X5.6 latest edition.

The worktop shall be supported at each end by one, or more, of the following means, and may be mounted by employing any one, or more, of the following methods.

- a) End clip attached to panel vertical support standard
- b) Floor-standing pedestal
- c) Cantilever bracket

- d) Floor-standing leg, with bracket(s) to attach worktop to vertical support standard. When floor-standing leg is used, the installation of such shall not restrict, or interfere with the movements of the occupant.
- e) A combination of any of the above. Ex: Floor-standing pedestal with cantilever bracket, end clip, leg, or a second floor-standing pedestal.

Worktops 72", or greater, which have an unsupported span of 66", or greater, shall have at least one intermediate support. For the purposes of this specification, "intermediate support" is defined as: a) Floor-standing pedestal, b) Cantilever bracket or c) Floor-standing leg. All worktops shall be adequately supported to prevent sagging.

# 2. Hanging Pedestal Drawer Units

The pedestal units shall be steel, provided with a method of secure fastening to the underside of the worktop. Drawer fronts may be durable commercial-type plastic. When attached, the entire unit, pedestals and worktop shall meet the requirements of ANSIIBIFMA Tests, Section VI. Unless otherwise specified, pedestal depth dimension shall be a minimum of 18".

# 3. Pedestal Drawer Units, Mobile Type or Floor Standing

The pedestal unit shall be steel, equipped with casters or shall stand on the floor as specified. It shall fit under the worktop without excessive vacant space between the pedestal and top. The units shall meet the requirements of ANSI/BIFMA Tests, Section VI. The pedestal depth dimension shall conform to the surface depth dimension.

# 4. Hanging Binder Cabinet

The unit shall be front opening cabinet for storing ring binders. It may be equipped with doors hinged at top or bottom with lid supports to prevent accidental dropping of the front, or it may be equipped with sliding doors. The unit may be fabric covered or in other materials. It shall meet the requirements of ANSI/BIFMA Tests, Section VI. The overall dimension front to back shall not exceed 16 1/4".

# 5. Hanging Shelf Unit (Full height and half height)

The unit shall be a horizontal shelf designed to accommodate vertical dividers to be supplied when specified. It shall meet the requirements of ANSI/BIFMA tests, Section VI.

### Power Poles

Unless otherwise specified, in feed from the ceiling shall be through a rigid pole from the ceiling to the panel connection. Flexible in feed from the ceiling

to the panel connection is not acceptable. All in feeds shall be through UL approved connectors.

### 7. Colors

Unless otherwise specified, the manufacturer's standard color offering shall be acceptable.

# 8. Paper Management

All flat shelves and storage units shall have available at least the following: Vertical shelf dividers and stacked or stacking paper bins for horizontal paper storage. All shelves, metal end supports and full height panels, for heavy-duty use must have safety locks to prevent accidental dislodgement.

### 9. Miscellaneous Accessories

The system shall have available accessory items for filing; coat hooks, racks, doors, etc., and will be required when specified.

# F. WORKMANSHIP AND INSTALLATION

Qualification of bidders: Each bidder should include information as to the qualifications of the company, designers and installers who will perform the work. This information shall be considered and must be received prior to any award.

Contractor shall provide all labor and material necessary for a complete installation as shown on the floor plan attached to the specifications. This will include such work as leveling, installing accessories, alignment, wiring (if required), etc. Data and phone wiring will be the responsibility of the agency.

The finished installation of panel configurations shall not sway and must be clean and free from any defects, which may affect the appearance or serviceability.

Only manufacturer's standard products in design, materials, and construction, not modified versions produced for conformance to our specifications will be considered for evaluation and acceptance. Any questions concerning acceptability of the quality offered shall be the decision of the Division of Purchasing.

The entire system installation shall be in accordance with the manufacturer's guidelines for a safe and stable system. However, any deviation from the standard specification to achieve a safe and stable system must be submitted for review and approval by this office.

The contractor shall be a qualified representative of the acoustical panel system manufacturer, who has specially trained installers that are thoroughly familiar with all aspects of the system.

### G. Task Chairs

A demo for all task chairs purchased through this contract must be made available for employee/ workstation tryout for a minimum of three working days. Chairs purchased without this "tryout period" are subject to return without charge.

All task chairs must have the following adjustable features:

- Seat pan height 1.
- Back depth/seat depth either through a seat slider or back depth 2. adjuster or equivalent
- Back or lumbar support height adjustment 3.
- Arm height 4.

All task chairs that are sold as "ergonomic" chairs MUST have the following adjustable features:

- Seat pan height 1.
- Sean pan angle 2.
- Back Depth/seat depth either through a seat slider or back depth 3. adjuster or equivalent
- Back or lumbar support height adjustment 4.
- 5. Back angle
- Arm height 6.
- Arm width both inward and outward from center line of the arm. 7.

NOTE: Items 6 and 7 on the ergonomic chairs may be waived IF the purchaser does not wish to have arms on the chair being purchased.

### IV. WARRANTY

The vendor warrants to the owner that all equipment furnished under this specification will be new, of good material and workmanship, and agrees to replace promptly any part or parts which by reason of defective material or workmanship shall fail under normal use, free of negligence accident, for the periods from date of acceptance, as outlined below:

- A. Structural Frames: Life of system (for as long as the user owns the system)
- B. Fabric: One Year
- C. All Other Components: Ten years

Such replacement shall be free of any charge to the owner or his representative. For the purpose of this warranty, normal use shall be defined as the use in state office building with climatic conditioning equipment operated as directed by State policy, e.g. air conditioning or heat turned off during weekends creating wide temperature and humidity variations.

Failure shall include, but not be limited to, warped, broken, or separated frames, separation of vertical support standards from frame, disfigurement or enlargement of slots in vertical support standards, warping or separation of joints in wood products, sagging or warping of work surface failure or separation of laminate from work surfaces and trim, separation of edging material from work surface edges, and any other failure which would make the system unsatisfactory for its intended use.

# V. SERVICE, PARTS, AND MANUALS

At least one owner's manual shall be supplied with each installation. The complete assembly and disassembly instructions for panels, including all necessary parts lists and diagrams for future installation must be included. The manufacturer of the furniture panel system offered under this specification shall have a qualified, trained representative in the owner's area available to relocate and repair the panel systems acquired under this specification. The vendor shall provide training to representatives of the owner encompassing installation, takedown, repair and maintenance of panel systems as required. If this is requested, the vendor should provide, but must inform the agency representative that the warranty may be voided if a qualified representative does not work on the panel system.

# VI. ACCEPTANCE EVALUATION AND QUALITY ASSURANCE

An acceptance inspection of the installation will be performed when specified by the agency or his representative.

Under this specification, all prospective bidders of furniture shall provide manufacturer's certification of in-house testing results or independent testing results for ANSI/BIFMA, ASTM E-84, and ASTM C423 testing. Manufacturer's certification shall be in the form of a corporate officer providing certification on corporate letterhead that the model line (by name) meets all required testing and the test results are available upon request.

All test results shall meet or exceed the applicable test requirements. Tests must be performed on the actual system offered for bid. If the manufacturer should change or modify the construction of open plan office system, the manufacturer shall notify the Purchasing Division of any change in the commodities failure to comply with the required testing and/or provide new certified testing results. The vendor shall be responsible for performance of all test requirements specified herein.

The following publication, latest issue, contains the applicable ANSIIBIFMA Tests:

ANSIIBIFMA X5.6-1993 American National Standard Tests for Office Furnishings-Panel Systems Tests.

The following tests are required:

Section 4 - Stability Test for Panel System Products

Section 5 - Mechanical Strength Test For Panel Systems Products

Section 6 - Static Load Test for Storage Shelves

Section 8 - Cabinet Tests: 8.2, 8.3, 8.4, and 8.5

Section 11 - Static Load Test for Work Surfaces

Section 12 - Work Surfaces With Supported Drawers Test: 12.2,12.3,12.4,12.5, 12.6

Section 13 - Dislodgement Test for Panel-Mounted Components

ASTM-C423, Sound Absorption and Sound Absorption Coefficients by the

Reverberation Room Method. ASTM-E84, Test For Surface Burning Characteristics of **Building Materials** 

Acoustical tests for noise reduction coefficient ratings shall be by ASTM-C423 Sound Absorption and Sound Absorption Coefficients by the Reverberation Room Method. A minimum N.R.C .65 for the entire surface area of the panel, including raceway(s), trim (top cap), and legs, is required.

Flammability testing shall be in accordance with ASTM-E84, test for surface burning characteristics of building materials. When tested in this manner, the panel shall have a flame spread of 25 or less and smoke development of 450 or less for Class 1 or A flammability.

#### DELIVERY VII.

Delivery of all equipment under this specification shall be in accordance with the terms and conditions of the Request for Quotation. The vendor shall be responsible for any packing, packaging, or protection required to insure delivery in an undamaged condition. Vendor shall be responsible for installation.

Bidders may offer a separate (higher) discount for dockside delivery. But, this must be in addition to the discount shown for complete installation. All bids must show the cost (discount from list) for total installation. Bidders shall be disqualified if only dockside delivery is quoted.

### ORDERING DATA (For Purchase and Contract Use Only) VIII.

Purchasers should exercise any desired options offered herein and should specify the following:

Title, number, and date

Panel Type (Type I - Acoustical, Type II Non-Acoustical)

Layout of the system showing communication and electrical in feed requirements for panels.

Electrical requirements (2-Circuit, 4-Circuit, dedicated circuit, etc.)

Page 14 of 18 Rev. 7/18/2006 Panel sizes and styles, appropriate drawings must be provided

Hang on components.

Type II panels - specify if fabric covered or not.

Specify fabric type and color - bidders shall not offer fabrics that do not meet Class A Flammability Requirements.

If pedestal drawer units are required, specify hanging, mobile, or floor standing.

Pedestal depth dimensions to conform to work surface depth dimension.

Power pole requirements.

Color

Miscellaneous accessories that are required

Appliances requirements, such as task lights

Sample mock-up requirements.

Top cap material for panels

Task Chair requirements-purchasers must allow time for the affected employees to try the chairs. If bidding (through SYSFURN07 vendors), the users shall try chairs before obtaining bids in order to make certain bids are "equal" on task chairs. Task chair purchasers must indicate if they require an "ergonomic" chair", but the demo is required for any task chair.

Bidder and user responsibilities for installation of the system.

#### Notes:

**Add-On to Existing Configurations** 

Agencies are permitted to contact the brand specific contract holder for systems that require additional items being added to existing systems for matching and functionality purposes.

**New Configurations** 

Any new installation in un-occupied space (or where matching is not a factor) requires three (3) bids from contract holders. An award shall be issued to low bidder meeting the agency specifications for that bid.

# IX. Miscellaneous Information

Delivery Time: Vendor shall provide the current delivery time from receipt of order. Upon receipt of a contract order, the vendor is to notify (within 5 work days) the purchaser of the delivery time frame. Vendor shall coordinate the delivery and installation times with the purchaser.

Transportation Charges: All items shall be delivered FOB to any West Virginia destination with all transportation charges included.

Inside Delivery: The vendor is to provide all labor and equipment to deliver, un-crate, assemble (if required), set in place ready for agency to use in desired location as determined by the purchaser, and remove all packing materials from the job site. The vendor is to coordinate the installation with the state agency's contact person for the installation.

Page 15 of 18 Rev. 7/18/2006 **Design/Reconfiguration Charge**: (If any; some firms do not charge a fee for design – either original or reconfiguration.) If the agency makes a written request for the vendor's design assistance, the vendor may charge an hourly fee for the on-site services. Vendor's design fee is limited to \$30.00 per hour with a \$500 maximum per project. The design fee is to be reviewed and accepted by the using agency. In a Request for Quotation, (outside any contracts issued) the agency is not obligated to a bidder for any costs incurred in the submission of a bid. **List your fee on Exhibit A.** 

**Move Fee:** This hourly fee for moving systems shall be a maximum of \$30.00. Moves required after 5:00 p.m. and/or on weekends shall be a maximum of \$45.00/hour. If your hourly rate is less than \$30.00, the overtime rate shall be one and one-half times the hourly rate shown on your bid documents.

Note: This No installation fee shall be charged at the initial installation. Purchase price includes all installation fees. List your fee on Exhibit A.

**Price list and catalogs**: The vendor shall agree to supply and deliver descriptive literature to the agencies at no charge. The descriptive literature shall include furniture catalogs and price lists for the model lines awarded on this contract. Discount from list will be firm for life of the contract; including any renewals. New manufacturer's catalogs will be considered at renewal anniversary dates. Vendor shall respond to calls and inquiries within three business days of the initial contact by the agency.

**Invoicing**: The vendor's invoice shall include an itemized listing of the components supplied and installed at the agency location. Vendor's invoice must list the quantity, description and model number, page number on which the model number and price can be found, unit price, and the total price. This is a mandatory requirement and is necessary for the Agency and State Auditor to confirm the pricing of each component.

**Vendor's Performance**: All users of this contract are requested to report in writing to the Purchasing Division any serious problems encountered with the performance, quality, and workmanship of items or performance of the successful vendor to supply and properly warrant the equipment furnished hereunder.

**Reports:** Vendors who are awarded contracts shall provide quarterly reports of orders as a result of this contract by both state and political sub-divisions within the State of West Virginia. Reports shall indicate the ordering agency, date and total value. Additionally, an annual composite report listing total value and total number of orders for all state agencies and political subdivisions shall be required.

NOTE: All successful vendors shall be required to meet this requirement on SYSFURNO7.

**Correctional Industries**: The State of West Virginia Department of Corrections is authorized to furnish and supply office furniture to the state agencies. It is not the intent of this contract to supercede the rights of the Department of Corrections. All state

Page 16 of 18 Rev. 7/18/2006 agencies are to contact the WV Department of Corrections, Prison Industries to determine if the same or similar item is available from the Department of Corrections prior to purchasing items through the statewide contract.

**Ordering Procedure**: Note: A detailed design and a price quote must be submitted to and approved by the agency prior to issuing any order. If the design is for new quarters (not an expansion of existing system cubicles), agencies must prepare specifications and seek a minimum of three bids. The award shall be to low bidder meeting specifications. Bids must also be obtained if the system cubicles will be installed on a different floor

**Purchases of \$100,000 or less:** State Agencies shall issue a WV39, Blanket Release Order to the contract Vendor for the desired item(s) after meeting bidding requirements of for new area.

**Purchases in excess of \$100,000**: Purchases in excess of \$100,000 will be reviewed by the Purchasing Division. At the discretion of the Director of Purchasing, or his designee, these requirements may be bid on the open market.

**Payment:** The State of West Virginia agencies may make purchases on the State Payment Card (VISA) for purchases with a maximum value of \$2,500.00. Vendor's invoice must list the quantity, description or model number, page number on which the model number and price can be found, unit price, and the total price.

### **Evaluation of Bids:**

To facilitate meeting the furniture needs of the West Virginia State Agencies this shall be a multiple award contract for furniture; one contract per manufacturer, insofar as possible.

It is the bidder's responsibility to document that all furniture offered is equal to or exceeds the specifications.

Bidder may bid one or more manufacturer's catalog/price list, model line and number, showing discount from list for each. Each bid must contain a "full service line", system panels, cabinets, chairs, etc.

The attached Exhibit A must be completed showing discount/multiplier being offered for each brand and line of furniture to be bid. Please type, using excel document to be provided after the mandatory pre-bid meeting.

#### Notes:

- 1. All awards will be made based on discount from list. No exceptions to discount from list.
- 2. All catalogs/lines bid must be on this list.
- 3. Bidders should submit Exhibit A on a diskette or CD with their bid.

4. If you are bidding the entire catalog, simply identify the catalog. Each line in such catalog does not require listing UNLESS the discounts from list vary from line to line.

Bidders are requested to type the exhibits. If any discrepancy exists between the paper and the electronic file, the hard paper copy shall prevail.

### **RFQ Schedule**

KPQ ochedule	
Release of the RFQ	July 27, 2006
Pre-Bid Conference	August 16, 2006 – 11:00 a.m.
*Vendor's Written Questions Submission	August 14, 2006
Deadline	
Response to Questions/Addendum Issued	August 22, 2006
Bid Opening Date	September 6, 2006

07/20/2006

		\$4	Catalog Identifier	Discount %
Vendor/Contact Information	Manufacturer	Model/Line/ Product	Catalog lacing	
/endor:	A STATE OF THE STA			***************************************
				***************************************
Confract Coordinator:				
	A SAME TO THE REAL PROPERTY OF THE PARTY OF	to the second se		
Audiess.				
	CANADA AND AND AND AND AND AND AND AND AN			
Phone#:		A STATE OF THE STA		
A CAMPAGE AND A				
Fax#:				
Toll Free#:				
And the state of t			Land to the state of the state	
Email:				
Labor Rate:				
Design Fee:				
		The second secon		
Signature				
- Average - Control of the Control o				
	Annual Company of the			

EXHIBIT A SYSFURNO

The second secon	
rint Name	
iti e	
The state of the s	
Address of the Control of the Contro	

# Certification

### ABATMNT07

By submitting a signed bid for SYSFURNO other furniture requirements – vendor here all mandatory specifications contained in f	eby certifies under penalty of fraud that
Vendor (Type Name of Company)	
Address	
Name (Type Name)	Title
Signature	Date

Note: No contract shall be awarded prior to receipt of this certification.

RFQ	No.	28

# AFFIDAVIT

### West Virginia Code §5A-3-10a states:

No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owned is an amount greater than one thousand dollars in the aggregate.

#### **DEFINITIONS:**

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions.

"Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities.

"Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

#### **EXCEPTION:**

The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

#### LICENSING:

The vendor must be licensed in accordance with any and all state requirements to do business with the state of West Virginia.

#### CONFIDENTIALITY:

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendors should visit www.state.wv.us/admin/purchase/privacy for the Notice of Agency Confidentiality Policies.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), it is hereby certified that the vendor acknowledges the information in this said affidavit and are in compliance with the requirements as stated.

Vendor's Name:		
Authorized Signature: _	Date	

No Debt Affidavit Revised 02/08/06