



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
707EC021

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF
JOHN JOHNSTON 304-558-2402

RFQ COPY
 TYPE NAME/ADDRESS HERE

VENDOR

SHIP TO

DIVISION OF HIGHWAYS
 EQUIPMENT DIVISION
 ROUTE 33
 BRUSHY FORK ROAD
 BUCKHANNON, WV
 26201 304-472-1750

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
09/20/2007				
BID OPENING DATE: 10/17/2007		BID OPENING TIME 01:30PM		

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
				ADDENDUM NO. 2		
				CHANGES TO THE SPECIFICATIONS PER THE ATTACHED.		
				BID OPENING DATE AND TIME CHANGED		
				FROM: POSTPONE UNTIL FURTHER NOTICE		
				TO: 10/17/07 AT 1:30 P.M.		
				NO OTHER CHANGES.		
0001		EA		065-30		
	1			64,000 GVW CAB & CHASSIS, STAINLESS STEEL DUMP BODY		
				***** THIS IS THE END OF RFQ 707EC021 ***** TOTAL:		

SEE REVERSE SIDE FOR TERMS AND CONDITIONS		
SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

**GENERAL TERMS & CONDITIONS
REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)**

1. Awards will be made in the best interest of the State of West Virginia.
2. The State may accept or reject in part, or in whole, any bid.
3. All quotations are governed by the *West Virginia Code* and the *Legislative Rules* of the Purchasing Division.
4. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125.00 registration fee.
5. All services performed or goods delivered under State Purchase Orders/Contracts are to be continued for the term of the Purchase Order/Contract, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
6. Payment may only be made after the delivery and acceptance of goods or services.
7. Interest may be paid for late payment in accordance with the *West Virginia Code*.
8. Vendor preference will be granted upon written request in accordance with the *West Virginia Code*.
9. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
11. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
12. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
13. **BANKRUPTCY:** In the event the vendor/contractor files for bankruptcy protection, this contract is automatically null and void, and is terminated without further order.
14. **HIPAA Business Associate Addendum** - The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (<http://www.state.wv.us/admin/purchase/vrc/hipaa.htm>) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Covered Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.

INSTRUCTIONS TO BIDDERS

1. Use the quotation forms provided by the Purchasing Division.
2. **SPECIFICATIONS:** Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as **EQUAL** to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
3. Complete all sections of the quotation form.
4. Unit prices shall prevail in cases of discrepancy.
5. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
6. **BID SUBMISSION:** All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications.

SIGNED BID TO:

Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

ADDENDUM #2
707EC021

OPEN END CONTRACT

64,000 GVW CAB AND CHASSIS, STAINLESS STEEL DUMP BODY, AND
PISTON PUMP HYDRAULIC SYSTEM

CHANGES TO SPECIFICATIONS:

FROM:

4.2 DELIVERY (2nd Paragraph – 1st and 2nd Sentences Only)

The vendor is responsible for guaranteeing delivery of the completed units within the time specified and agreed to by the State. Delivery shall be within 180 days maximum.

TO:

4.2.1 DELIVERY (2nd Paragraph – 1st and 2nd Sentences Only)

The vendor is responsible for guaranteeing delivery of the completed units according to the Bidder's Evaluation Report and agreed to by the State. Delivery shall be within 240 calendar days after receipt of the purchase agreement by the successful vendor.

FROM:

4.2 DELIVERY (3rd Paragraph)

A completed pilot model for inspection must be provided within 90 calendar days after the date of the purchase agreement by the successful vendor.

TO:

4.2.2 DELIVERY (3rd Paragraph)

A completed pilot model for inspection must be provided within 150 calendar days after receipt of the purchase agreement by the successful vendor.

FROM:

6.5 WARRANTY AND SERVICE POLICY (2nd Paragraph)

A mandatory minimum two (2) year bumper to bumper basic parts and labor warranty is required for this unit.

TO:

6.5 WARRANTY AND SERVICE POLICY (2nd Paragraph)

A mandatory minimum two (2) year bumper to bumper basic parts and labor warranty excluding normal wear items and misuse is required for this unit.

ADD:

6.5 WARRANTY AND SERVICE POLICY (add new paragraph after mandatory 2 year)

If a three (3) year bumper to bumper basic parts and labor warranty is available, please quote so along with all costs and conditions.

FROM:

8.3 Wheelbase: Approximately 186 inches set forward design for snowplow application for various plows. (Power Reversible approximately 2,000 lbs.)

TO:

8.3 Wheelbase: Approximately 186 inches and must be a set forward design for snowplow application for various plows. (Power Reversible approximately 2,000 lbs.)

FROM:

8.7.3 Clutch to be dual plate ceramic clutch, minimum 15 1/2 inch. Kwik adjust (manual) feature, Eaton Fuller EP1552 with 7 spring damper or equal. (Solo clutch is not acceptable.

TO:

8.7.3 Clutch to be dual plate ceramic clutch, minimum 15 1/2 inch. Kwik adjust (manual) feature, Eaton Fuller EP1552 with 7 spring damper or equal.

FROM:

8.8.6 Radiator and heater hoses shall be Gates Blue Stripe or manufacturer's silicone standard

TO:

8.8.6 Radiator and heater hoses shall be Gates Blue Stripe, EPDM, or manufacturer's silicone standard.

FROM:

8.10.6.1 Truck vendor may eliminate rear tail lights but must provide minimum of eight (8) feet of wiring bundled at the end of the frame for body vendor hook up of tail lights and etc. in the dump bed body.

TO:

8.10.6.1 Truck vendor may eliminate rear tail lights but must provide minimum of four (4) feet of wiring bundled at the end of the frame for body vendor hook up of tail lights and etc. in the dump bed body.

FROM:

8.18.3.1 Wheels:
22.5 x 9.0, 10 hole – 285.75mm bolt circle with 220mm bore, tubeless steel disc wheel rated at 10,000 lbs. at a maximum inflation pressure of 130 PSIG. Accuride part number 29039 or equivalent with 0.500 inch thick disc, non standard off set with steel hubs. Shall be power coated with color similar to gray.

TO:

8.18.3.1 Wheels:
22.5 x 9.0, 10 hole – 285.75mm bolt circle with 220mm bore, tubeless steel disc wheel rated at 10,000 lbs. at a maximum inflation pressure of 130 PSIG. Accuride part number 29039 or equivalent with 0.500 inch thick disc, non standard off set with steel hubs. Preferred to be power coated but shall have gray top coat.

FROM:

8.18.4.1 Wheels:
Shall be 22.5 x 8.25, 10 hole – 285.75mm bolt circle with 220mm bore, tubeless steel disc wheel rated at 7,500 lbs. at a maximum inflation pressure of 120 PSIG. Accuride part number 29169 or equivalent with 0.472 inch thick disc. Shall be power coated with color similar to gray.

TO:

8.18.4.1 Wheels:
Shall be 22.5 x 8.25, 10 hole – 285.75mm bolt circle with 220mm bore, tubeless steel disc wheel rated at 7,500 lbs. at a maximum inflation pressure of 120 PSIG. Accuride part number 29169 or equivalent with 0.472 inch thick disc. Preferred to be power coated but shall have gray top coat.

ADD TO END OF

8.25.2.1 (Refer 6.2 – CD Acceptable)

FROM:

10.3.12 Snowplow lift control section to be 3 way three position spring centered cylinder spool with float detent for operation of a single acting lift cylinder. (Thus, eliminating skip plow.)

TO:

10.3.12 Snowplow lift control section to be 4 way three position spring centered cylinder spool with float detent for operation of a single acting lift cylinder. (Thus, eliminating skip plowing.)

FROM:

10.3.14.5 If solenoid valve coils are used, then they shall have manual override capabilities.

TO:

10.3.14.5 If solenoid valve coils are used, then they shall have manual override capabilities if needed for continued use when coils fail.

ADDENDUM #2
707EC021

OPEN END CONTRACT

64,000 GVW CAB AND CHASSIS, STAINLESS STEEL DUMP BODY, AND
PISTON PUMP HYDRAULIC SYSTEM

CHANGES TO BIDDER'S EVALUATION REPORT:

FROM:

X4.2.2 Delivery date of balance of completed units: _____ calendar days after date of purchase agreement

TO:

X4.2.1 Guaranteed delivery of balance of completed units in the following quantities:

1-25 _____ calendar days after receipt of purchase agreement by successful vendor

26-50 _____ calendar days after receipt of purchase agreement by successful vendor

51 and over _____ calendar days after receipt of purchase agreement by successful vendor

FROM:

X4.2.2 Delivery date of completed representative unit _____ calendars after date of purchase agreement

TO:

X4.2.2 Delivery date of completed pilot model _____ calendar days after receipt of purchase agreement by successful vendor

FROM:

X5.1 Prices for quantities of 1-25 _____ per unit
 26-50 _____ per unit
 51 and over _____ per unit

TO:

X5.1 Prices for quantities of complete unit including minimum 2 year bumper to bumper parts and labor warranty:

1-25 _____ per unit
 26-50 _____ per unit
 51 and over _____ per unit

If a 3 year bumper to bumper basic parts and labor warranty excluding normal wear items and misuse available, please state price _____ per unit

ADD AS 4th PARAGRAPH:

X6.5 WARRANTY AND SERVICE POLICY

Will a minimum 2 year bumper to bumper basic parts and labor warranty excluding normal wear items and misuse be provided _____ YES _____ NO

Is a 3 year bumper to bumper parts and labor warranty excluding normal wear items and misuse available _____ YES _____ NO

Describe: _____

NO CHANGE

X8.3 Wheelbase: _____ inches set forward design for snowplow application for various plows _____ YES _____ NO

NO CHANGE

X8.7.3 Is clutch dual plate ceramic clutch _____ YES _____ NO

Size: _____ inch Kwik adjust (manual feature) _____ YES _____ NO

Manufacturer and model: _____ with 7 spring damper _____ YES _____ NO

NO CHANGE

X8.8.6 Radiator and heater hose manufacturer: _____

NO CHANGE

X8.10.6.1 Truck vendor will provide _____ feet of wiring bundled at the end of the frame for body vendor hook up of tail lights and etc. in the dump bed body
_____ YES _____ NO

FROM:

X8.18.3.1 Front Wheels: Size _____
10 hole 285.75 mm bolt circle with 220mm bore, tubeless steel disc __ YES __ NO
Rated at _____ lbs. at a maximum inflation pressure of _____ PSIG
Manufacturer and Model: _____
With 0.500 inch thick disc, non standard off set with steel hubs __ YES __ NO
Powder coated with color similar to gray __ YES __ NO

TO:

X8.18.3.1 Front Wheels: Size _____
10 hole 285.75 mm bolt circle with 220mm bore, tubeless steel disc
_____ YES _____ NO
Rated at _____ lbs. at a maximum inflation pressure of _____ PSIG
Manufacturer and model: _____
With 0.500 inch thick disc, non standard off set with steel hubs
_____ YES _____ NO
Powder coated _____ YES _____ NO Gray top coat _____ YES _____ NO

FROM:

X8.18.4.1

Rear Wheels: Size _____
 10 hole 285.75 mm bolt circle with 220mm bore, tubeless steel disc __ YES __ NO
 Rated at _____ lbs. at a maximum inflation pressure of _____ PSIG
 Manufacturer and Model: _____
 With 0.500 inch thick disc, non standard off set with steel hubs __ YES __ NO
 Powder coated with color similar to gray __ YES __ NO

TO:

X8.18.4.1

Rear Wheels: Size _____
 10 hole 285.75 mm bolt circle with 220mm bore, tubeless steel disc
 _____ YES _____ NO
 Rated at _____ lbs. at a maximum inflation pressure of _____ PSIG
 Manufacturer and model: _____
 With 0.472 inch thick disc _____ YES _____ NO
 Powder coated _____ YES _____ NO Gray top coat _____ YES _____ NO

FROM:

X8.25.1

Will a preventive maintenance and operator's training seminar be provided
 _____ YES _____ NO

TO:

X8.25.1

Will a preventive maintenance and operator's training seminar be provided
 _____ YES _____ NO

Manuals _____ (OR) CD _____

FROM:

X10.3.12

Snowplow lift control section is 3 way three (3) position spring centered cylinder spool with float detent for operation of a single acting lift cylinder __ YES __ NO

TO:

X10.3.12

Snowplow lift control section is 4 way three (3) position spring centered cylinder spool with float detent for operation of a single acting lift cylinder
 _____ YES _____ NO

FROM:

X10.3.14.5 Are solenoid valve coils used YES NO
Will they have manual override capabilities YES NO

TO:

X10.3.14.5 Are solenoid valve coils used YES NO

Will they have manual override capabilities if needed for continued use when
coils fail YES NO