

TITLE

RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for Quotation

DCH08004

P/	\GE
	1

ADDRESS:CORRESPONDENCE TO ATTENTION OF

SHELLY MURRAY 304-558-8801

DIVISION OF CULTURE & HISTORY

ADDRESS CHANGES TO BE NOTED ABOVE

CULTURAL CENTER
1900 KANAWHA BOULEVARD, EAST
CHARLESTON, WV
25305-0300 558-0220

CAT. LINE QUANTITY UOP ITEM NUMBER UNIT PRICE AMOUNT REQUEST FOR QUOTATION THE WEST VIRGINIA DIVISION OF CULTURE AND HISTORY IS SOLICITING BIDS FOR REPAIRS TO THE PLAZA DECK DRAIN PIPING AND THE INVESTIGATION AND REPAIR TO THE BASE OF THE LOWER LEVEL WALL AT THE WEST VIRGINIA CULTURAL CENTER, LOCATED ON THE CAPITOL COMPLEX IN CHARLESTON. WV. PLANS FOR THE WORK MAY BE OBTAINED BY CONTACTING: MARK W. LYNCH MANAGER FOR FACILITY OPERATIONS PHONE: 304-558-0220 EXT. 160 FAX: 304-558-2779 SPECIFICATIONS ATTACHMENTS: PURCHASING AFFIDAVIT INQUIRIES: WRITTEN QUESTIONS SHALL BE ACCEPTED THROUGH CLOSE OF BUSINESS ON WEDNESDAY, JULY 25, 2007. QUESTIONS MAY BE SENT VIA USPS, FAX, COURIER OR EMAIL. IN ORDER TO ASSURE NO VENDOR RECEIVES AN UNFAIR ADVANTAGE, NO SUBSTANTIVE QUESTIONS WILL BE ANSWERED ORALLY. IF POSSIBLE, E-MAIL QUESTIONS ARE PREFERRED. **ADDRESS** INQUIRES TO: SHELLY MURRAY DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION 2019 WASHINGTON STREET, CHARLESTON, WV 25311 FAX: 304-558-4115 E-MAIL: SMURRAY@WVADMIN.GOV SEE REVERSE SIDE FOR TERMS AND CONDITIONS SIGNATURE DATE

FEIN

GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- 1. Awards will be made in the best interest of the State of West Virginia.
- 2. The State may accept or reject in part, or in whole, any bid.
- 3. All quotations are governed by the West Virginia Code and the Legislative Rules of the Purchasing Division.
- 4. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125.00 registration fee.
- 5. All services performed or goods delivered under State Purchase Orders/Contracts are to be continued for the term of the Purchase Order/Contract, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
- 6. Payment may only be made after the delivery and acceptance of goods or services.
- 7. Interest may be paid for late payment in accordance with the West Virginia Code.
- 8. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- 9. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 11. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
- 12. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 13. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, this contract is automatically null and void, and is terminated without further order.
- 14. HIPAA Business Associate Addendum The West Viginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (http://www.state.wv.us/admin/purchase/vrc/hipaa.htm) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Covered Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.

INSTRUCTIONS TO BIDDERS

- 1. Use the quotation forms provided by the Purchasing Division.
- 2. SPECIFICATIONS: Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as EQUAL to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
- 3. Complete all sections of the quotation form.
- Unit prices shall prevail in cases of discrepancy.
- 5. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
- 6. BID SUBMISSION: All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications.

SIGNED BID TO:

Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130



TITLE

RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia Department of Administration **Purchasing Division** 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

S H

þ

RFQ NUMBER DCH08004

***ADDRESS:CORRESPONDENCE:TO:ATTENTION:OE

SHELLY MURRAY

304-558-8801

DIVISION OF CULTURE & HISTORY

CULTURAL CENTER 1900 KANAWHA BOULEVARD, EAST CHARLESTON, WV 25305-0300 558-0220

ADDRESS CHANGES TO BE NOTED ABOVE

DATE PRINTED TERMS OF SALE SHIP VIA FOB. FREIGHTTERMS 07/12/2007 **BID OPENING DATE:** 07/31/2007 **BID OPENING TIME** 01:30PM LINE QUANTITY UOP ITEM NUMBER UNIT PRICE AMOUNT 0001 968-20 EA BUILDING CONSTRUCTION EXHIBIT 5 NOTICE TO PROCEED: THIS CONTRACT IS TO BE PERFORMED WITHIN 60 CALENDAR DAYS AFTER THE NOTICE TO PROCEED IS RECEIVED. THE AGENCY WILL ISSUE THE NOTICE TO PROCEED TO THE SUCCESSFUL VENDOR. THE DIRECTOR OF PURCHASING RESERVES THE CANCELLATION: RIGHT TO CANCEL THIS CONTRACT IMMEDIATELY UPON WRITTEN NOTICE TO THE VENDOR IF THE MATERIALS OR WORKMANSHIP SUPPLIED ARE OF AN INFERIOR QUALITY OR DO NOT CONFORM WITH THE SPECIFICATIONS OF THE BID AND CONTRACT HERE IN. WAGE RATES: THE CONTRACTOR OR SUBCONTRACTOR SHALL PAY THE HIGHER OF THE U.S. DEPARTMENT OF LABOR MINIMUM WAGE RATES AS ESTABLISHED FOR KANAWHA COUNTY, PURSUANT TO WEST VIRGINIA CODE 21-5A, ET, SEQ. (PREVAILING WAGE RATES APPLY TO THIS PROJECT) ANY REFERENCES MADE TO ARBITRATION OR ARBITRATION: INTEREST FOR PAYMENTS DUE (EXCEPT FOR ANY INTEREST REQUIRED BY STATE LAW) CONTAINED IN THIS CONTRACT OR IN ANY AMERICAN INSTITUTE OF ARCHITECTS DOCUMENTS PERTAINING TO THIS CONTRACT ARE HEREBY DELETED. WORKERS' COMPENSATION: VENDOR IS REQUIRED TO PROVIDE A CERTIFICATE FROM WORKERS' COMPENSATION IF SUCCESSFUL. SEE REVERSE SIDE FOR TERMS AND CONDITIONS SIGNATURE TELEPHONE DATE

FEIN



RFO COPY

TYPE NAME/ADDRESS HERE

ISSUANCE OF CONTRACT.

State of West Virginia Department of Administration **Purchasing Division** 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER DCH08004

ADDRESS CORRESPONDENCE TO ATTENTION OF

SHELLY MURRAY 304-558-8801

DIVISION OF CULTURE & HISTORY

CULTURAL CENTER 1900 KANAWHA BOULEVARD, EAST CHARLESTON, WV 25305-0300

558-0220 DATE PRINTED: TERMS OF SALE SHIP VIA FO.B. FREIGHT TERMS 07/12/2007 **BID OPENING DATE:** 07/31/2007 BID OPENING TIME 01:30PM CAT LINE QUANTITY UOP ITEM NUMBER UNIT PRICE AMOUNT ALL OF THE ITEMS CHECKED BELOW WILL BE A REQUIREMENT OF THIS CONTRACT: (XX) INSURANCE: SUCCESSFUL VENDOR SHALL FURNISH PROOF

S

þ

UNLESS OTHERWISE SPECIFIED IN

COVERAGE REQUIRED IS \$250,000.) BUILDER'S RISK INSURANCE: SUCCESSFUL VENDOR SHALL FURNISH PROOF OF BUILDERS RISK - ALL RISK INSURANCE IN AN AMOUNT EQUAL TO 100% OF THE AMOUNT OF THE CONTRACT.

OF COMMERCIAL GENERAL LIABILITY INSURANCE PRIOR TO

THE BID DOCUMENTS, THE MINIMUM AMOUNT OF INSURANCE

FIVE PERCENT (5%) OF THE TOTAL AMOUNT OF (XX) BONDS: THE BID PAYABLE TO THE STATE OF WEST VIRGINIA, SHALL BE SUBMITTED WITH EACH BID AS A BID BOND. THE SUCCESSFUL BIDDER SHALL ALSO FURNISH A PERFORMANCE BOND AND LABOR/ MATERIAL BOND FOR 100% OF THE AMOUNT OF THE CONTRACT. BONDS MAY BE PROVIDED IN THE FORM OF A CERTIFIED CHECK, IRREVOCABLE LETTER OF CREDIT, OR BOND FURNISHED BY A SOLVENT SURETY COMPANY AUTHORIZED TO DO BUSINESS IN THE STATE OF WEST VIRGINIA. A LETTER OF CREDIT SUBMITTED IN LIEU OF A PERFORMANCE AND LABOR & MATERIAL BOND WILL ONLY BE ALLOWED FOR PROJECTS UNDER \$100,000. PERSONAL OR BUSINESS CHECKS ARE NOT ACCECPTABLE IN LIEU OF THE 5% BID BOND, PERFORMANCE BOND, OR LABOR AND MATERIAL BOND.

) MAINTENANCE BOND: A TWO (2) YEAR MAINTENANCE BOND COVERING THE ROOFING SYSTEM WILL BE A REQUIREMENT OF THE SUCCESSFUL VENDOR.

REV. 11/00

EXHIBIT 7

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

TITLE

SIGNATURE

TELEPHONE

DATE

ADDRESS CHANGES TO BE NOTED ABOVE



NOCE

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

DCH08004

ADDRESS CORRESPONDENCE TO ATTENTION OF

SHELLY MURRAY 304-558-8801

RFQ COPY TYPE NAME/ADDRESS HERE DIVISION OF CULTURE & HISTORY **CULTURAL CENTER** 1900 KANAWHA BOULEVARD, EAST T CHARLESTON, WV 25305-0300 558-0220

07/12/	2007		IMS OF SAL	·E	SHIII	VIA		FOB		FREIGHTTERMS
BID OPENING DATE:		07/31/	2007		***************************************	BID	<u>OP</u>	ENING TIME	01	:30PM
LINE	QUAN	NTITY	UOP	CAT. NO	ITEM N	JMBER		UNITPRICE		AMOUNT
LINE	DOMEST C C SEQ. ALTER STORE SEQ. ALTER SEQ.	IC ALU TS ORDANC EVERY TION, WORKS HAN 85 ARE ST ITION, E AT T IC ALU ODUCT N MADE ED NC ED NC ED NC ED NC ED NC ITS	MI WITRI MI WIT	GL SFMHC WHC SCAN CONTROL OF THE STANDS OF T	SS & STE T VIRGIN OR CONST PROVEMEN E COST I NLY, WHE HE STATE TS PRODU MACHINER SS OR \$50,0 ED IN PU GLASS OF D UCH COST N THE BI STIC ALU OS DEFINE OREIGN P CTS ARE MADE PR OF A CO EXISTS A EL THAT	EL IN PU IA CODE RUCTION, T OR MAI S MORE I RE THAN I WILL ACC CED IN I WORKS SH EEL, UNL OO OR LE BLIC WOR R STEEL OMESTIC IS UNRE D PRICE MINUM, G DUCTS. ODUCTS. NTRACT L ER OF TH IS REASO	L - RTAS, PESS RRSOAAUAR D LA	UNIT PRICE IC WORKS 19-1 ET., ECONSTRUCTION ENANCE OF STEEL IN \$50,000 AND STORE STEEL IN THE STATE OF STEEL IN THE STEEL IN THE STEEL IN THE STEEL IN THE STATE OF STEEL IN THE STEEL IN	N, D, SF ND SE END SE E	AMOUNT
								HE SPENDING		
								UATION AND ESTIC PRODUC	TS	
	l			SEERE	ERSE SIDE FOR	TERMS AND CO	HOM	IONS		
SIGNATURE		<u>an a secretary and thirth black</u>	<u>naministration (debiblished</u>	e esta beliefe beliefe beliefe beliefe bel		TELEPHONE		ļi	DATE	
TITLE		FE	.IN					ADDRESS CHA	NGES	TO BE NOTED ABOVE



RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for Quotation

DCH08004

PAGE

ADDRESS:CORRESPONDENCE TO ATTENTION OF

SHELLY MURRAY 304-558-8801

DIVISION OF CULTURE & HISTORY

CULTURAL CENTER
T 1900 KANAWHA BOULEVARD, EAST
CHARLESTON, WV
25305-0300 558-0220

07/12/		IER	MS OF SAL	E	SHIPV	IA.	FOB		FREIGHT TERMS
BID OPENING DATE:		07/31/	2007			BID	OPENING TIME	01	:30PM
LINE	QUAI	VTITY	UOP	CAT NO	ITEM NUM	IBER.	UNIT PRICE		AMOUNT
	SUPPLY	ING FO		INDIC	ATE IN TH INUM, GLA		IF THEY ARE TEEL.		
	REV. 3								
	PROJEC	T ADDE	NDA				OF CONSTRUCTI		
	TO ABI	DE BY	THE F	OLLOW	ING SCHED	ULE IN	HALL BE REQUI ISSUING AGENCIES:	RED	
	AND A AND SP AND LI PURCHA SEND A	LIST O ECIFIC ST SHA SING D COPY	F ALL ATION LL BE IVISI OF TH	PART S FOR FORW ON. E ADD	IES THAT THE PROJ ARDED TO THE ARCHI	HAVE PR ECT. T THE BUY TECT/EN	ARE THE ADDEN OCURED DRAWIN HE ADDENDUM ER IN THE STA GINEER SHALL TE AGENCY FOR	GS TE ALSO	
	INTERE OPENIN	STED P G DATE WITHIN	ARTIE . AN FOUR	S AND Y ADD	ENDUM SHO	SSARY, ULD BE	TO ALL EXTEND THE BI RECEIVED BY T TO THE BID		
	BIDDER DIVISI THAT SHALL EXCEPT	S AND ON. APPLY ALSO A ION MA	SUB THE TO PPLY Y BE	MITTE SAME THE TO AN FOR A HANGI	D TO THI RULES A ORIGINAL ADDENDUM N ADDENDUI NG A BID	E STAT AND RE BIDDIN DOCUME M THAT OPENING	GULATIONS G DOCUMENT NT. THE ONLY IS ISSUED FOR TIME AND/OR		
SIGNATURE				SEE RE	/ERSE SIDE FOR TE	RMS AND CONTELEPHONE	NDITIONS	IDATE	
TITLE		FE	IN			, LLLI HONE	ABBERG	<u> </u>	
		j. –					ADDRESS CH	ANGES T	O BE NOTED ABOVE



RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia Department of Administration **Purchasing Division** 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

DCH08004

PΑ	GE
	6

ADDRESS CORRESPONDENCE TO ATTENTION OF

SHELLY MURRAY

304-558-8801

DIVISION OF CULTURE & HISTORY

S H **CULTURAL CENTER**

P

1900 KANAWHA BOULEVARD, EAST CHARLESTON, WV 25305-0300 558-0220

DATE PRIN	TED	TEI	RMS OF SAI	E	SHIP	VIA	F	O.B.	FREIGHTTERMS
07/12/	2007						·		
BID OPENING DATE:		07/31/	2007			BID	OPENING	TIME 0	1:30PM
LINE	QUA	NTITY	UOP	CAT NO	ITEM NU	MBER	UNI	TPRICE	AMOUNT
	DATE.								
	REV. 1	1/96							
	EXHIBI	T 10							
	ADDEND	UM ACK	NOWLE	DGEME	NT				
	ADDEND	UM(S)	AND H	AVE M	ECEIPT OF ADE THE N /OR SPECI	IECESSAR	Y REVISI		
	ADDEND	UM NOS	. :						
	NO. 1	•		• • • • •	• • • •				
	NO. 2	•			• • • •				
	NO. 3	•		• • • •	• • • •				
	NO. 4	•		• • • •	• • • •				
	NO. 5	•		• • • •	• • • •				
					URE TO CO SE FOR RE			PT OF THE	
		• • • • •		• • • • •	• • • • • • • •	sı	GNATURE		
		• • • • •		• • • • •	• • • • • • • •	co	MPANY		
		• • • • •		• • • • •	• • • • • • • •	DA	TE		
	REV. 1	1/96			lense:soer-par-	enne ann an	(CIT) ON C		
SIGNATURE				SEE HE	ERSE SIDE FOR T	ERMS: AND: CON TELEPHONE	IUI IONS	DATE	
						rantatur reikin		DATE	
TITLE		FI	EIN				ADD	RESS CHANGES	TO BE NOTED ABOVE



RFQ COPY

State of West Virginia Department of Administration **Purchasing Division** 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

RFO NUMBER DCH08004

ADDRESS CORRESPONDENCE TO ATTENTION OF

SHELLY MURRAY

304-558-8801

DIVISION OF CULTURE & HISTORY

TYPE NAME/ADDRESS HERE 6H-P **CULTURAL CENTER** 1900 KANAWHA BOULEVARD, EAST CHARLESTON, WV 25305-0300 558-0220

07/12/	000000000000000000000000000000000000000	i en	IIVIS OF SAL		SHIPV	!! !	FO:E	1	FREIGHT TERMS
BID OPENING DATE:		07/31/	2007		<u> </u>	BID	OPENING T	TMF 0	1:30PM
LINE		NTITY	UOP	CAT	ITEM NUN		UNITP		AMOUNT
				NO:					
			co	NTRAC	TORS LICE	NSE			
					DE 21-11-				
					RFORM CON				
					. THE WE				
					FOR A CO				_
					WEST VIR				*
					ING 3, RO				
	25305.	TELE	PHONE	: (30	4) 558-78	90.			
	HEST V	TROTAL	A STA	TE CO	DE 21-11-	11 2500	TOTO ANY		
					INCLUDE T				
	LICENS					IIL CORT	KACIONS		
	BIDDER	то со	MPLET	E:					
	CONTRA	CTOPS	NAME.						
	CUNTRA	CIUKS	NAME.	•••	••••••••••••••••••••••••••••••••••••••	• • • • • •	• • • • • • • •	• • • • • • •	,
	CONTRA	CTORS	LICEN	SE NO			• • • • • • • •		
					WILL BE RI				
	A PURC				ORS LICENS	SE PKIU	K 10 1220	ANCE UF	
			Land						
				AP	PLICABLE I	LAW			
		CT VID	CTALTA		- 00DE . D				
1 1	1				E CODE, PI HE INFORMA				
					TION" ISSI				
l					UTHORITY			F10 2.1.	
	PROCURI				ı				
	ALIV THE	CODMAT	TON D	COUTD	CD IN CDE	~ T	TON MANUA	· • • • • •	
	АИУ ТИ	FUKMA	TON P	KOATD	ED IN SPE	CIFICAI	IUN MANUA	LS, UK	
SIGNATURE				SEE REV	VERSE SIDE FOR TE		IDITIONS		1
SIGNATURE						TELEPHONE		DATE	
TITLE		FE	IN				ADDRE	ESS CHANGES	TO BE NOTED ABOVE



RFQ COPY

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

01-p

DCH08004

ADDRESS CORRESPONDENCE TO ATTENTION OF

SHELLY MURRAY 304-558-8801

TYPE NAME/ADDRESS HERE

D	I	V.	[S	Ι	10	1	O F	=	C	U	L	T	U	R	E	&	Н	I	S.	T(JF	ς,	Y

CULTURAL CENTER 1900 KANAWHA BOULEVARD, EAST CHARLESTON, WV 25305-0300 558-0220

07/12/		ayel:	RMS OF SAI	E	SHIP VIA		FOB	FREIGHTTERMS
BID OPENING DATE:		07/31/	2007			BID OF	PENING TIME 0	1:30PM
LINE	QUAI	YTITY	UOP	CAT. NO.	ITEM NUMBER		UNITPRICE	AMOUNT
	OR ALT	ERS TH BED IN	E INF	ORMAT		D FROM	ICH CONTRADICTS THE SOURCES AS D AND OF NO	
	FOR BA	NKRUPT NULL A	CY PR	OTECT	ION, THIS C	ONTRAC	NTRACTOR FILES T IS AUTOMATI- WITHOUT FURTHER	·
	REV. 1	/2005						
				NO	TICE			
	A SIGN	ED BID	MUST	BE S	UBMITTED TO			
	P B 2	URCHAS UILDIN 019 WA	ING D G 15 SHING	IVISI TON S	INISTRATION ON TREET, EAST 5305-0130			
					THIS INFORI D MAY NOT BI		ON THE FACE OF IDERED:	
	SEALED	BID						
	BUYER:				SM/BUYI	ER 31		
	REQ. N	0.:			DCH080	04		-
	BID OP	ENING	DATE:		07/31/	2007-		-
	BID OP	ENING	TIME:	···see	1:30 P			
SIGNATURE				oce:KE	/ERSE SIDE FOR TERMS	HONE	DATE	
TITLE		FE	EIN				ADDRESS CHANGES	S TO BE NOTED ABOVE



State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

SH-P

DCH08004

 	-		
	11	4G	Ε
			_

.....ADDRESS:CORRESPONDENCE TO ATTENTION OF

SHELLY MURRAY 304-558-8801

RFQ COPY TYPE NAME/ADDRESS HERE

DIVISION OF CULTURE & HISTORY

CULTURAL CENTER 1900 KANAWHA BOULEVARD, EAST CHARLESTON, WV 25305-0300 558-0220

DATE PRIN	TED	TE	RMS OF SA	LE		SHIP V	IA		FC).В.		FREIGHT TERMS
07/12/												
BID OPENING DATE:		07/31	/2007	4	4	******	BID	OPE	NING	TIME	01	:30PM
LINE	QUAI	NTITY	UOP	CAT NO		ITEM NUN	1BER		UNIT	PRICE		AMOUNT
	PLEASE TO CON						CASE IT	I IS	NECE	SSARY		
	PLEASE CONCER					OF PE	RSON TO	COI	NTACT			
	*****	THIS	IS T	HE EN	D OF	RFQ	DCH08	3004	****	** T0	TAL:	
												·
			<u> </u>	 	/ERSE SII	DE FOR TE	RMS AND CO	NOITION	(S		*******	
SIGNATURE							FELEPHONE	20073.000	*************		DATE	
TITLE	***************************************	F	EIN						ADD	RESS CH	ANGES	TO BE NOTED ABOVE

REQUEST FOR QUOTATION

SELECTIVE REPAIRS TO THE PLAZA DRAINS AND BELOW GRADE EXTERIOR WALL

PROJECT MANUAL

WEST VIRGINIA DIVISION OF CULTURE AND HISTORY
THE CULTURAL CENTER
1900 KANAWHA BOULEVARD EAST
CHARLESTON, WEST VIRGINIA

West Virginia Division of Culture & History Selective Repairs to the Plaza Drains and Below Grade Exterior Wall Request for Quotation

Location: The Cultural Center (Building 9) is located on the Capitol Complex at 1900 Kanawha Boulevard East, in Charleston, West Virginia.

Background Narrative:

The Cultural Center was opened in 1976.

In the Lower Level, Southeast corner of the Cultural Center near Column line A-5 it was observed that, during periods of high water saturation of the soil combined with periods of prolonged or heavy periods of rain, water would stream into the interior space of the building. Subsequent investigation revealed the following:

- 1) Immediately next to Column A-5 a void, of approximately 3 to 4 cubic feet in volume was observed at the base of the poured concrete wall immediately next to Column A-5. This void seems to extend through the exterior wall. It is speculated that, during construction of the building in 1975, the formwork was not cleared of excess soil prior to the concrete pour for the wall.
- 2) The volume of water being introduced into the building seemed to be out of proportion to simple ground water seepage. To verify this observation, dye tablets were introduced into the Plaza Deck storm drains on either side of Column A-5. These drains are located approximately twelve (12) feet north and south of Column A-5. Dye was later observed in the water streaming into the building. This indicates damage to the 4 inch underground drain lines.
- 3) A temporary repair was put in place, consisting of pouring builders sand into the suspected void, until more permanent repairs could take place.

SECTION 01100 - SUMMARY

PART 1 - GENERAL

1.1 SUMMARY OF WORK

- A. Project Identification: As follows:
 - 1. Project: Selective Repairs to the Plaza Drains and Below Grade Exterior Walls
 - 2. Owner: West Virginia Division of Culture and History

The Cultural Center 1900 Kanawha Blvd. E. Charleston, WV 25305-0300

- B. The Work consists of the excavation of an area of the east façade of the Cultural Center to uncover two (2) Drain lines and the base of the exterior wall near Column Line A-5 of the Cultural Center to investigate and repair ground water leakage, as described in the Contract Documents.
- C. Work Not Included: (Not applicable)

1.2 WORK RESTRICTIONS

- A. Contractor's Use of Premises: During construction, Contractor shall have full use of area indicated. Contractor's use of premises is limited only by Owner's right to perform work or employ other contractors on portions of Project and as follows:
 - Contractor shall maintain full access by the public to the facility at all times and shall coordinate
 work with the Owner regarding WVDCH programming, Events of State, or coordination issues
 with the General Services Division (Agency responsible for the grounds of the Capitol Complex)
 that may potentially affect Contractor.

PART 2 - PRODUCTS (Not Applicable)

PART 3 - EXECUTION (Not Applicable)

SECTION 01200 - PRICE AND PAYMENT PROCEDURES

PART 1 - GENERAL

- 1.1 ALLOWANCES (Not Applicable)
- 1.2 ALTERNATES (Not Applicable)
- 1.3 UNIT PRICES (Not Applicable)

1.4 CONTRACT MODIFICATION PROCEDURES

- A. On Owner's approval of a proposal from Contractor, Owner's Representative will issue a Change Order, on Contractor's letterhead, for all changes to Contract Sum or Contract Time. All back up material shall be attached to the Change Order along with a justification letter as to the reasons for Contract Changes.
- B. When Owner and Contractor disagree on the terms of a proposal, Owner's Representative may issue a Construction Change Directive, instructing Contractor to proceed with the change. Construction Change Directive will contain a description of the change and designate the method to be followed to determine changes to Contract Sum or Contract Time.

1.5 PAYMENT PROCEDURES

- A. Submit a Schedule of Values at least 10 days before the first Application for Payment. In Schedule of Values, break down Contract Sum into at least one line item for each Specification Section. Correlate the Schedule of Values with Contractor's Construction Schedule.
- B. Submit 3 copies of each application for payment, if applicable, according to the schedule established in Owner/Contractor Agreement.
 - 1. For the second Application for Payment through the Application for Payment submitted at Substantial Completion, submit partial releases of liens from each subcontractor or supplier for whom amounts were requisitioned in the previous Application for Payment.
 - Submit final Application for Payment after completion of Project closeout procedures with release
 of liens and supporting documentation. Include consent of surety to final payment and insurance
 certificates.

PART 2 - PRODUCTS (Not Applicable)

PART 3 - EXECUTION (Not Applicable)

SECTION 02230 - SITE CLEARING

PART 1 - GENERAL

1.1 SECTION REQUIREMENTS

- A. Traffic: Minimize interference with adjoining roads, streets, walks, and other adjacent occupied or used facilities during site-clearing operations.
- B. Salvable Improvements: Carefully remove items indicated to be salvaged and store on Owner's premises where indicated.
- C. Notify utility locator service for area where Project is located before site clearing.

PART 2 - PRODUCTS (Not Applicable)

PART 3 - EXECUTION

3.1 PREPARATION

- A. Protect and maintain benchmarks and survey control points from disturbance.
- B. Install erosion and sedimentation control measures before site clearing.
- C. Protect site improvements to remain from damage. Restore damaged improvements to condition existing before start of site clearing.
- D. Locate and clearly flag trees and vegetation to remain or to be relocated.
- E. Protect remaining trees and shrubs from damage and maintain vegetation. Employ a licensed arborist to repair tree and shrub damage. Restore damaged vegetation. Replace damaged trees that cannot be restored to full growth, as determined by arborist.
- F. Do not store materials or equipment or permit excavation within drip line of remaining trees.
- G. Locate, identify, disconnect, and seal or cap off utilities indicated to be removed.

3.2 SITE CLEARING

- A. Strip topsoil. Stockpile topsoil that will be reused in the Work.
- B. Remove obstructions, trees, shrubs, grass, and other vegetation to permit installation of new construction. Removal includes digging out stumps and obstructions and grubbing roots.
- Remove existing above- and below-grade improvements as indicated and as necessary to facilitate new construction.
- D. Remove slabs, paving, curbs, gutters, and aggregate base as indicated.

SITE CLEARING 02230 - 1

- E. In areas not to be further excavated, fill depressions resulting from site clearing. Place and compact satisfactory soil materials in 6-inch thick layers to density of surrounding original ground.
- F. Dispose of waste materials, including trash, debris, and excess topsoil, off Owner's property. Burning waste materials on-site is not permitted.

END OF SECTION 02230

SITE CLEARING 02230 - 2

SECTION 02300 - EARTHWORK

PART 1 - GENERAL

1.1 SECTION REQUIREMENTS

- A. Contractor shall provide an excavation plan for approval prior to execution demonstrating that soil conditions have been evaluated and excavation plan conforms to O.S.H.A. 1926,652.
- B. Unauthorized excavation consists of removing materials beyond indicated subgrade elevations or dimensions based on approved Contractor's Excavation plan without direction by the Owner's Representative. Unauthorized excavation and remedial work shall be at Contractor's expense. Refer to Section 02300, 1.1 A above.
- C. Do not interrupt existing utilities serving facilities occupied by Owner. Provide temporary utility services.

PART 2 - PRODUCTS

2.1 MATERIALS

- A. Satisfactory Soil: ASTM D 2487 Soil Classification Groups GW, GP, GM, SW, SP, and SM; free of rock or gravel larger than 2 inches in any dimension, debris, waste, frozen materials, vegetation, or other deleterious matter.
- B. Unsatisfactory Soil: ASTM D 2487 Soil Classification Groups GC, SC, ML, MH, CL, CH, OL, OH, and PT.
- C. Backfill and Fill: Satisfactory soil materials.
- D. Subbase: Naturally or artificially graded mixture of natural or crushed gravel, crushed stone, and natural or crushed sand, ASTM D 2940, with at least 95 percent passing a 1-1/2-inch sieve and not more than 8 percent passing a No. 200 sieve.
- E. Bedding: Subbase materials with 100 percent passing a 1-inch sieve and not more than 8 percent passing a No. 200 sieve.
- F. Drainage Fill: Washed, evenly graded mixture of crushed stone, or crushed or uncrushed gravel, ASTM D 448, Size 57, with 100 percent passing a 1-1/2-inch sieve and not more than 5 percent passing a No. 8 sieve.

PART 3 - EXECUTION

3.1 EARTHWORK

A. Protect subgrades and foundation soils from softening and damage by water, freezing temperatures, or frost.

EARTHWORK 02300 - 1

- B. Excavate to subgrade elevations regardless of character of materials and obstructions encountered.
- C. Excavate for structures, building slabs, pavements, and walkways. Trim subgrades to required lines and grades.
- D. Utility Trenches: Excavate trenches to slopes, lines, depths, and invert elevations conforming to submitted excavation plan. Maintain 12 inches of working clearance on each side of pipe or conduit.
 - 1. Place, compact, and shape bedding course to provide continuous support for pipes and conduits over rock and other unyielding bearing surfaces and to fill unauthorized excavations.
 - 2. Place and compact initial backfill of satisfactory soil material or subbase material, free of particles larger than 1 inch, to a height of 12 inches over the utility pipe or conduit. Place and compact final backfill of satisfactory soil material to final subgrade.
- E. Plow strip or break up sloped surfaces steeper than 1 vertical to 4 horizontal to receive fill.
- F. When subgrade or existing ground surface to receive fill has a density less than that required for fill, break up ground surface, pulverize, moisture-condition or aerate soil, and recompact.
- G. Place backfill and fill in layers not more than 8 inches in loose depth at optimum moisture content. Compact each layer to 90 percent of maximum dry unit weight
- H. Grade areas to a smooth surface to existing contours. Grade lawns, walkways, and unpaved subgrades to tolerances of plus or minus 1-1/4".
- I. Remove surplus satisfactory soil and waste material, including unsatisfactory soil, trash, and debris, and legally dispose of it off Owner's property.

SECTION 03300 - CAST-IN-PLACE CONCRETE

PART 1 - GENERAL

1.1 SECTION REQUIREMENTS

- A. Submittals: Product Data, concrete mix designs, laboratory test reports.
- B. Comply with ASTM C 94; ACI 301, "Specification for Structural Concrete"; ACI 117, "Specifications for Tolerances for Concrete Construction and Materials"; and CRSI's "Manual of Standard Practice."

PART 2 - PRODUCTS

2.1 MATERIALS (when applicable)

- A. Deformed Reinforcing Bars: ASTM A 615/A 615M, Grade 60.
- B. Plain Steel Wire: ASTM A 82, as drawn.
- C. Steel Welded-Wire Fabric: ASTM A 185, flat sheets not rolls.
- D. Portland Cement: ASTM C 150, Type I or II.
- E. Fly Ash: ASTM C 618, Type C or F.
- F. Aggregates: ASTM C 33, uniformly graded.
- G. Fiber Reinforcement: ASTM C 1116, Type III, synthetic fibers, 1/2 to 1 inch.
- H. Air-Entraining Admixture: ASTM C 260.
- I. Chemical Admixtures: ASTM C 494
- J. Water Stops: Self-expanding, hydrophylic, rectangular or trapezoidal strips.
- K. Vapor Retarder: Clear 10-mil thick polyethylene sheet

2.2 MIXES

- A. Proportion normal-weight concrete mixes to provide the following properties:
 - 1. Compressive Strength: 5,000 psi at 28 days.
 - 2. Slump Limit: $3'' \pm 1''$ at point of placement.
 - 3. Air Content: 2 to 4 percent.

PART 3 - EXECUTION

3.1 CONCRETING

- A. Construct formwork and maintain tolerances and surface irregularities within ACI 117 limits of Class A for concrete exposed to view and Class C for other concrete surfaces.
- B. Set water stops where indicated to ensure joint watertightness.
- C. Place vapor retarder on prepared subgrade, with joints lapped 6 inches and sealed.
- D. Accurately position, support, and secure reinforcement.
- E. Place concrete in a continuous operation and consolidate using mechanical vibrating equipment.
- F. Protect concrete from physical damage, premature drying, and reduced strength due to hot or cold weather during mixing, placing, and curing.
- G. Formed Surface Finish: Smooth-formed finish for concrete exposed to view, coated, or covered by waterproofing or other direct-applied material.
- H. Slab Finishes: Float finish for interior steps and ramps and surfaces to receive waterproofing, roofing, or other direct-applied material.
- I. Cure formed surfaces by moist curing for at least seven days.
- J. Begin curing concrete slabs after finishing. Keep concrete continuously moist for at least seven days]
 [Apply membrane-forming curing compound to concrete
- K. Owner will engage a testing agency to perform field tests and to submit test reports. Contractor will coordinate with testing agency.
- L. Protect concrete from damage. Repair surface defects in formed concrete and slabs.

SECTION 07115 - BITUMINOUS DAMPPROOFING

PART 1 - GENERAL

1.1 SECTION REQUIREMENTS

A. Submittals: Product Data.

PART 2 - PRODUCTS

2.1 MANUFACTURERS

A. Henry Company, 909 N. Sepulveda Blvd., Ste 650, El Segundo, CA 90245, Phone: 310-955-9200

2.2 BITUMINOUS DAMPPROOFING

- A. Hot-Applied Asphalt Dampproofing: Dampproofing asphalt, ASTM D 449, Type I.
 - 1. HENRY 790-11 HE: Hot Applied Rubberized Asphalt Waterproofing Membrane.
- B. Primer: Asphalt primer, ASTM D 41.
 - HENRY 910-01: Penetrating Primer for Hot Applied Rubberized Asphalt Membrane.
- C. Glass Fabric: Woven glass fabric, treated with asphalt, complying with ASTM D 1668, Type I.
 - HENRY HE-181: Black Asphalt Saturated Glass Fabric.

PART 3 - EXECUTION

3.1 PREPARATION

- A. Prepare substrate by cleaning, removing projections, filling voids, sealing joints, and as otherwise recommended in dampproofing manufacturer's written instructions.
- B. Install cant strips, separate flashings, and corner protection stripping, and prime substrate as recommended in dampproofing manufacturer's written instructions.

3.2 INSTALLATION

- A. Comply with manufacturer's written instructions for methods and rates of dampproofing application, cleaning, and installation of protection course.
- B. Apply dampproofing to exterior face of concrete and masonry below-grade walls
- C. Apply [1 or more coats] [2 coats] to produce a dry film thickness of at least 30 mils.
- D. Install fabric reinforcement, embedded in dampproofing, at corners and changes in plane.

2/98

SECTION 15160 - STORM DRAINAGE

PART 1 - GENERAL

1.1 SECTION REQUIREMENTS

- A. Minimum Pressure Requirement for Storm Drainage: 10 feet head.
- 1.2 Comply with NSF 14 "Plastic Piping Components and Related Materials."

PART 2 - PRODUCTS

2.1 PIPES AND TUBES

A. PVC Plastic, Solid, DWV Pipe: ASTM D 2665, Schedule 40, plain ends.

2.2 FITTINGS

A. PVC Plastic, DWV Pipe Fittings: ASTM D 2665, made to ASTM D 3311; socket-type; drain, waste, and vent pipe patterns.

PART 3 - EXECUTION

3.1 PIPE APPLICATIONS

A. For below-ground applications use PVC plastic DWV pipe and fittings with solvent-cemented joints.

3.2 PIPING INSTALLATION

- A. Install cleanout and extension to grade at connection of building storm drain and storm sewer.
- B. Locate drainage piping runouts as close as possible to bottom of floor slab supporting drains.

3.3 INSPECTION

A. Inspect and test piping systems following procedures of authorities having jurisdiction.

END OF SECTION 15160

STORM DRAINAGE 15160 - 1

RFQ No.	
---------	--

STATE OF WEST VIRGINIA Purchasing Division

PURCHASING AFFIDAVIT

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

EXCEPTION: The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

LICENSING: Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

CONFIDENTIALITY: The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendors should visit **www.state.wv.us/admin/purchase/privacy** for the Notice of Agency Confidentiality Policies.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), it is hereby certified that the vendor acknowledges the information in this said affidavit and are in compliance with the requirements as stated.

Vendor's Name:	
Authorized Signature:	Date:

Purchasing Affidavit (Revised 06/15/07)