



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DEP13710

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF
**CHUCK BOWMAN
 304-558-2157**

VENDOR

RFQ COPY
 TYPE NAME/ADDRESS HERE

SHIP TO

ENVIRONMENTAL PROTECTION
 DEPT. OF
 OFFICE OF SPECIAL RECLAMATION
 116 INDUSTRIAL DRIVE
 OAK HILL, WV
 25901 304-465-1911

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
03/12/2008				

BID OPENING DATE: **03/25/2008** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	1	JB		962-73		
<p>*****ADDENDUM NO. 1*****</p> <p>ADDENDUM ISSUED FOR THE FALCON LAND CO. PROJECT TO DISTRIBUTE THE PRE-BID SIGN-IN SHEETS, THE Q/A, AND THE REVISED SCOPE OF WORK RESULTING FROM THE MANDATORY PRE-BID MEETING OF 02/26/2008.</p> <p>BID DATE AND OPENING TIME REMAIN 03/25/2008 @ 1:30 PM.</p> <p>*****NO OTHER CHANGES*****</p> <p>RECLAMATION: RESTORATION OF LAND</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

**GENERAL TERMS & CONDITIONS
REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)**

1. Awards will be made in the best interest of the State of West Virginia.
2. The State may accept or reject in part, or in whole, any bid.
3. All quotations are governed by the *West Virginia Code* and the *Legislative Rules* of the Purchasing Division.
4. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125.00 registration fee.
5. All services performed or goods delivered under State Purchase Orders/Contracts are to be continued for the term of the Purchase Order/Contract, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
6. Payment may only be made after the delivery and acceptance of goods or services.
7. Interest may be paid for late payment in accordance with the *West Virginia Code*.
8. Vendor preference will be granted upon written request in accordance with the *West Virginia Code*.
9. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
11. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
12. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
13. **BANKRUPTCY:** In the event the vendor/contractor files for bankruptcy protection, this Contract may be deemed null and void, and terminated without further order.
14. **HIPAA Business Associate Addendum -** The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (<http://www.state.wv.us/admin/purchase/vrc/hipaa.htm>) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Covered Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.

INSTRUCTIONS TO BIDDERS

1. Use the quotation forms provided by the Purchasing Division.
2. **SPECIFICATIONS:** Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as **EQUAL** to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
3. Complete all sections of the quotation form.
4. Unit prices shall prevail in cases of discrepancy.
5. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
6. **BID SUBMISSION:** All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications.

SIGNED BID TO:

Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

MANDATORY PRE-BID SIGN-IN ATTENDANCE SHEET

002 PAGE 1 OF 2

RFQ # : DEP13710
 Project: Falcon Land Company

Bid Date: 03/25/08
 Pre-Bid Date: 02/26/08

Name : Robert Barnes
 Company: Barnes EXC. INC.
 Address: P.O. Box 13384
Sissonville
 Phone #: 984-1725
 Fax #: 984-0074
 Email : none

Name : Don Wendt
 Company: Utilities Forestry Services
 Address: P.O. Box 1027
Clearfield, PA 16830
 Phone#: 412-874-0072
 Fax #: 814-765-5698
 Email :

Name : DAVID H. BOWMAN
 Company: GREEN MOUNTAIN CO
 Address: 511 50th STREET
CHARLESTON WV
25304
 Phone #: 304 925 0253
 Fax #: 304 925 9230
 Email : JodyMaye@aol.com

Name : Randy Carpenter
 Company: Carpenter Rockland, Inc
 Address: P.O. Box 13015
Sissonville WV
25360
 Phone#: 984-1115
 Fax #: 984-2770
 Email : Rcarpenter@aol.com

Name : Vance McCracken
 Company: E.V. McCracken Const
 Address: 1100 Charles Ave
Dunbar WV 25064
 Phone #: 304 768 1182
 Fax #: 304 768 1183
 Email :

Name : GEORGE FRESHOUR
 Company: EAGLE EXCAVATION INC
 Address: P.O. BOX 218
KENNA, WV
25248
 Phone#: 304-372-4378
 Fax #: 304-372-4378
 Email : NONE

Name : Ann WARDWELL
 Company: EASTERN ARROW
 Address: PO BOX 4108
CHARLESTON WV
25364
 Phone #: 304-416-0255
 Fax #: 0256
 Email : easternarrow@hotmail.com

Name : BASIL CARPENTER
 Company: J AND B Ex INC
 Address: 333 A Call RD
Chas. WV 25312
 Phone#: 546-1601 (304)
 Fax #: 984-3528
 Email :

MANDATORY PRE-BID SIGN-IN ATTENDANCE SHEET

003

PAGE 2 OF 2

RFQ # : DEP13710
Project: Falcon Land Company

Bid Date: 03/25/08
Pre-Bid Date: 02/26/08

Name : Roger Smithson
Company: Cowgirl Up Inc.
Address: P.O. Box 243
Simpson, W.V. 26435
Phone #: 304-739-4397
Fax #: 304-739-4397
Email : _____

Name : Roger L. Collins Jr.
Company: Collins Building & Contracting Inc.
Address: 380 Coakley Rd.
Flazmonds, WV
26021
Phone #: 304-765-3521
Fax #: 304-765-3521
Email : _____

~~Name : _____
Company: _____
Address: _____
Phone #: _____
Fax #: _____
Email : _____
Name : _____
Company: _____
Address: _____
Phone #: _____
Fax #: _____
Email : _____~~

~~Name : _____
Company: _____
Address: _____
Phone #: _____
Fax #: _____
Email : _____
Name : _____
Company: _____
Address: _____
Phone #: _____
Fax #: _____
Email : _____
Name : _____
Company: _____
Address: _____
Phone #: _____
Fax #: _____
Email : _____~~

Addendum No.1

Pre-Bid Conference

February 26, 2008

Questions and Answers

Q1. Referring to sludge cells. Do we have to clean the muck out of these ponds?

A1. No.

Q2. Referring to sludge cells. What are you going to do with this stuff to go down and get grade?

A2. You are not going to do anything with these cells, they are not going to be cleaned or upgraded. You are only going to upgrade sludge cell B and construct sludge cell E.

Q3. Referring to sludge cells. At the end of the project before you de-mobilize the ponds are required to be cleaned and pumped to the sludge cells, do we have to do anything with the sludge if it fills in one of the cells?

A3. No, the sludge cells will de-water and settle on there own after a time.

Q4. Referring to Area A ponds. Will we have to pump these ponds before we move out?

A4. Yes. The last thing you do before de-mobilization is to clean ponds one (1), two (2), three (3) and four (4) per scope of work, Item 46.

Q5. Referring to Area A ponds. Are you going to siphon from each of the upper ponds to the lower pond?

A5. No, the only pond that will have a siphon to the last pond is pond one (1).

Q6. Referring to sludge pump lines for Area A. Do you have the measurements for your pump lines going up over the hill to the sludge cells?

A6. Yes. You can see on the drawings how we measured them. We went the shortest route for the most part.

Q7. Referring to Area A. Is all your discharge conveyance pipe going to be installed.

A7. Yes, all the discharge conveyance pipe will be installed.

Q8. Referring to Area A. Is the seep collection underdrain number two (2) six (6) inch pipe?

A8. Yes, its six (6) inch HDPE pipe.

Q9. Referring to seep collection underdrain number two (2). If you encounter bad water are you going to run the underdrain up to meet it?

A9. Yes, if you encounter water we are going to try to catch it in the underdrain.

DEP13710
Addendum No.1

005

Q10. Referring to Area A ponds. Do these ponds, once we clean them, have to put clay in them?

A10. We don't intend on lining these ponds unless you happen to excavate too deep and spring a leak, and then you will be required to put some clay in and possibly some filter fabric to stop the leak.

Q11. Referring to "Discharge Conveyance Pipeline". Is that line going to drain from the bottom of that pond?

A11. No, from the top of it.

Q12. Referring to "Discharge Conveyance Pipeline". Once we get positive drainage on the discharge conveyance line, you don't want it to go any lower than that?

A12. No, this line has to have a minimum of two foot of cover and uniformly laid out. The discharge conveyance pipeline cannot have high and low areas. The pipeline must have a continuous slope down grade.

Q13. Referring to Area A ponds. What about the water in those ponds, do you want them pumped out or just to work in them?

A13. Yes, they need pumped out. The pond that is going to be worked on needs to be pumped out. You can pump the water and sludge up to the sludge cells. But you will have to excavate the solids and make some place to dispose of the solids.

Q14. Referring to "Discharge Conveyance Pipeline". When you say the line has to be uniform, can the slope break out there where it starts to go down?

A14. Yes. The pipe has to be a uniform grade, it doesn't matter what the slope is as long as it is uniformly down gradient.

Q15. Referring to "Discharge Conveyance Pipeline". Do you have clean outs in this pipe?

A15. Yes there are clean outs.

Q16. Referring to "Discharge Conveyance Pipeline". On the six inch underdrain number two (2) that hooks into the twelve inch discharge conveyance pipe, are we just going to cut a hole on top and fit it in or do we have to get fittings and fit it together?

A16. No. You cannot just cut a hole. Each connection has to have an adapter and fused into the discharge conveyance line.

Q17. Referring to Area B. All these ditches, will they all be constructed with limestone rip-rap?

A17. Yes, every one of them will be limestone rip-rap and in addition some of them will be grouted.

Q18. Referring to the underdrains. What kind of stone goes in the underdrains?

A18. Sandstone. Always sandstone in the underdrains on this project.

DEP13710
Addendum No.1

006

Q19. Referring to Pond 9. What do we do with the cleanings that comes out of that pond?

A19. You are going to have to construct a disposal area. The disposal area shall be reclaimed prior to de-mobilization.

Q20. Referring to Area B land adjacent to Pond 9. Is that area down through there usable?

A20. Any of this area down through here adjacent to Pond nine (9) can be used.

Q21. Referring to Area A Re-circulation line. Does each pond get its own line or is there only one line that veers off to each pond?

A21. There is only one line; however, each pond has a "T" with a stub-pipe and valve. Also each pond has a cleanout with a cap on it that you can connect a pump discharge. (See scope of work item 41 for details)

Q22. Referring to Area B Re-circulation line. Is the re-circulation line you are going to install going to siphon the upper pond to the lower pond?

A22. No. Here, in Area B, the only place the re-circulation line will run is from the end of Pond 9 up into manhole number 2.

Q23. Referring to Area B. Will the difference in elevation, from where manhole number two (2) will be installed to the proposed Aqua Fix, be good?

A23. Yes. The drop in elevation is fine, as long as you have a minimum of six to eight foot drop.

Q24. Referring to Area B. Are these the ponds you are going to try to seal?

A24. These ponds are going to be over-excavated by one foot and then lined with the best clay-type material you can find on site.

Q25. Referring to Area B. Do you have a borrow area here anywhere?

A25. Yes, in Area A, or if you can find any soil material here in Area B that is usable.

Q26. Referring to Area B. Is the state (WVDOH) going to let us cut open the road?

A26. Yes. You are required to get a permit to do that. They will let you do whatever is needed as outlined in the project with an approved permit.

Q27. Referring to Area B. Are they going to require a steel casing underneath the county road?

A27. If they do we will pay for it. We may just go ahead and add a 20" steel casing in the addendum.

DEP13710
Addendum No.1

007

Q28. Referring to Area B. Do you have two locked down elevations that we will be working off of?

A28. No. You will be working off the existing water elevation of Pond 9. The seep collection pipeline will intersect the County Road ditch based on the layout information provided. (See page 82 for Construction Layout Details)

Q29. Referring to Area B. Approximately where is the Aqua-Fix going to be?

A29. It is going to be centered in this area.

Q30. Referring to Area B. Will any changes in the Aqua-Fix lime fill line be represented in the quote from Aqua-Fix?

A30. Yes it will be included in the Aqua-fix quote.

Q31. Referring to Area B. Once we get our grade for the Aqua-Fix and ponds correct can we leave this material in here below the new ponds and beside pond 9?

A31. Yes, I think you can.

Q32. How many of these ponds will have curtains in them?

A32. Ponds six, seven, eight, and nine. The description in the scope will tell you how many curtains and what type for each.


Q33. Does the little ponds on the other site have curtains?

A33. Ponds one, two, three and four on site A, will not have curtains.

Q34. Area C and referring to Pond 11. Do we have to test this water when we discharge it?

A34. Yes. You are required to test any of the water required to be removed during reclamation. The water shall be discharged only when it meets the quality required in the RFQ. (See page 43 of the RFQ)

DEP13710
Addendum No.1



Falcon Land Company
Permit Number: P-656

ON SCOPE OF WORK:

NOW READS:

48. – Note: This project will have pipelines crossing the county road, new access roads entering the county road, and a large amount of work along the county road. The proper permits must be obtained, by the contractor, from the West Virginia Department of Highways. Copies of the permits shall be provided to the DEP agent on site for review, prior to any work adjacent to or upon the county road.

TO READ:

48. – Note: This project will have pipelines crossing the county road, new access roads entering the county road, and a large amount of work along the county road. The proper permits must be obtained, by the contractor, from the West Virginia Department of Highways. Copies of the permits shall be provided to the DEP agent on site for review, prior to any work adjacent to or upon the county road. **The following four (4) pipes that cross the county road shall each be encased in a forty (40) foot long, twenty (20) inch diameter steel pipe: Area B Sludge Line, Sludge Pump Line to Pond Five (5), Discharge Conveyance Pipeline and Area B Seep Collection Pipeline. Each forty (40) foot long, twenty (20) inch diameter steel pipe shall be incidental to and included in the bid item for each of the pipelines.**