



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DEP14276

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF
**CHUCK BOWMAN
 304-558-2157**

RFQ COPY
 TYPE NAME/ADDRESS HERE

VENDOR

SHIP TO

**ENVIRONMENTAL PROTECTION
 DEPT. OF
 OFFICE OF SPECIAL RECLAMATION
 116 INDUSTRIAL DRIVE
 OAK HILL, WV
 25901 304-465-1911**

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
05/11/2008				

BID OPENING DATE: **05/22/2008** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
***** ADDENDUM NO. 1 *****						
ADDENDUM ISSUED FOR THE RALEIGH COMMERCIAL DEVELOPMENT CORP. PROJECT TO DISTRIBUTE THE PRE-BID SIGN-IN SHEET, SPECIFICATION CLARIFICATIONS, REVISED BID SCHEDULE, AND THE Q&A RESULTING FROM THE 04/15/08 MANDATORY PRE-BID MEETING.						
BID DATE EXTENDED FROM 05/15/08 TO 05/22/08 AT 1:30 PM						
***** NO OTHER CHANGES *****						
0001	1	JB		962-73		
RECLAMATION: RESTORATION OF LAND						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

**GENERAL TERMS & CONDITIONS
REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)**

1. Awards will be made in the best interest of the State of West Virginia.
2. The State may accept or reject in part, or in whole, any bid.
3. All quotations are governed by the *West Virginia Code* and the *Legislative Rules* of the Purchasing Division.
4. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125.00 registration fee.
5. All services performed or goods delivered under State Purchase Orders/Contracts are to be continued for the term of the Purchase Order/Contract, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
6. Payment may only be made after the delivery and acceptance of goods or services.
7. Interest may be paid for late payment in accordance with the *West Virginia Code*.
8. Vendor preference will be granted upon written request in accordance with the *West Virginia Code*.
9. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
11. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
12. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
13. **BANKRUPTCY:** In the event the vendor/contractor files for bankruptcy protection, this Contract may be deemed null and void, and terminated without further order.
14. **HIPAA Business Associate Addendum** - The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (<http://www.state.wv.us/admin/purchase/vrc/hipaa.htm>) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Covered Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.

INSTRUCTIONS TO BIDDERS

1. Use the quotation forms provided by the Purchasing Division.
2. **SPECIFICATIONS:** Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as **EQUAL** to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
3. Complete all sections of the quotation form.
4. Unit prices shall prevail in cases of discrepancy.
5. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
6. **BID SUBMISSION:** All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications.

SIGNED BID TO:

Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

MANDATORY PRE-BID SIGN-IN ATTENDANCE SHEET 002

PAGE 1 OF 1

RFQ # : DEP14276
Project: Raleigh Commercial
Development Corporation

Bid Date: 05/15/08
Pre-Bid Date: 04/15/08

Name : DAVID H. BOWMAN
Company: GREEN MOUNTAIN
Address: ~~511~~ 511 50th Street
CHARLESTON WV
25304
Phone #: 304 925-0253
Fax #: 925 4043
Email : Jody.Maye@OL.com

Name : TROY M BRADFORD
Company: Pineville Paving & Exc. Inc
Address: Box 1290
Pineville, W.Va.
Phone #: 304 732-8303
Fax #: 304 732-7855
Email :

Name : ANN KARONIKELL
Company: EASTERN ARROW
Address: PO BOX 4108
CHARLESTON WV
25364
Phone #: 304-414-0255
Fax #: 0256
Email : easternarrow@
hotmail.com

Name : Randy Carpenter
Company: Carpenter Reclamation
Address: PO BX 13015
Sissonville, WV
25360
Phone #: 304-984-1115
Fax #: 304-984-2770
Email : Rcarpen103@aol.com

Name : Larry Perkins
Company: Raynes & Sons Excavation LLC
Address: St. Rt 62 PO Box 438
Eleanor WV 25070
Phone #: 304 545 1468
Fax #: 304 586 2535
Email : LPERKINS34@hotmail.com

Name :
Company:
Address:
Phone #:
Fax #:
Email :

Name : SAM Skidmore
Company: SAM'S EXCAVATION
Address: 655 Poplar Ridge
Sutton, WV 26601
Phone #: 304-765-2194
Fax #: 304-765-2066
Email : SAM'S EXCAVATION@city.net

Name :
Company:
Address:
Phone #:
Fax #:
Email :

MAY - 9 2008
TH
Sutton

DEP14276
Addendum No.1

Raleigh Commercial Development Corporation
Permit Numbers: S-23-77

ON SCOPE OF WORK:
NOW READS:

BELLWOOD TIPPLE SITE

10. – Remove and properly dispose of remaining tipple structures, tires, electrical transformer, power pole and electrical line and other miscellaneous debris. Regrade and revegetate approximately two (2.0) acres. Concrete may be broken into sections no larger than four (4) feet in any direction and buried on site. Any rebar or reinforcing steel shall be removed to be flush with the surface of the concrete prior to burial and shall be disposed of off site. Contractor must provide documentation of proper disposal.

BELLWOOD TIPPLE SITE

TO READ:

10. – Remove and properly dispose of remaining tipple structures, tires, electrical drop pole located near dumping structure, electric power pole located in the trees, and other miscellaneous debris. Regrade and revegetate approximately two (2.0) acres. Concrete may be broken into sections no larger than four (4) feet in any direction and buried on site. Any rebar or reinforcing steel shall be removed to be flush with the surface of the concrete prior to burial and shall be disposed of off site. Contractor must provide documentation of proper disposal.

ON THE BID SCHEDULE

NOW READS:

Bid Item 13.0 – TRANSFORMERS

TO READ:

Bid Item 13.0 – Delete This Item Entirely

Existing page number 018 of the Bid Schedule shall be removed and replaced with the enclosed Page number 018, labeled “Revised 04/15/08”.

004

DEP14276
Addendum No.1

Pre-Bid Conference
April 15, 2008
Questions and Answers

TM

Q1. Referring to the power poles along the former railroad grade at Bellwood Tipple Site. Are these poles staying?

A2. Yes. These poles are staying. The poles belong to the power company; they do not belong to the coal company.

Q2. Referring to the trees along the former railroad grade at Bellwood Tipple Site. These larger trees, are they to be left alone?

A2. We are not going to bother any trees unless we absolutely have to, but you do have to take these piles down and level them out to sheet flow.

Q3. Referring to the Dumping Structure at Bellwood Tipple Site. You did say that had to be chipped down?

A3. Yes. All the concrete has to be taken totally down and buried like we typically do by breaking into pieces no larger than 4 foot, in any direction, including these piers going up the bank.

Q4. Referring to the Dumping Structure at Bellwood Tipple Site. Is there more that goes up above that?

A4. Yes. We will walk up there and see.

Q5. Referring to the Dumping Structure at Bellwood Tipple Site. What about the material behind this wall, will it have to be graded in place or put back on this bench?

A5. We do not know what the material is. If it is coal waste, it will have to be covered up. If is not coal waste, just lay it back where it is stable and it shall be graded to sheet flow.

Q6. Referring to the area along the former railroad grade at Bellwood Tipple Site. You did say along the bottom lower section that once the piles are moved and leveled out that dirt will be brought in and grass re-sown all along down there?

A6. You revegetate everything you disturb including those piles. The contractor is responsible for whatever is necessary to prepare the site to maintain the revegetation that is required in the requisition. You can bring soil material in from wherever you want to or you can utilize what you find onsite. We are not saying you have to bring in soil material. Any coal waste material on this job has to be covered with a minimum of 1 foot of soil type material.

Q7. Referring to the Access Road. Where does this road go?

A7. It goes back around the hill where we walked up to the truck dump.

DEP14276
Addendum No.1

Q8. Referring to the access road along Rt. 20. Did you say that the State Road will put a culvert in where the yellow poles are located?

A8. No. The Department of Highways has removed the culvert. This is our bonded haulroad and you may want to utilize that access. The contractor will be responsible for putting a pipe back in to re-establish access, and upon completion, the pipe will be removed.

Q9. Referring to the highwall along Area "T". Can we go above the walls?

A9. You cannot go above any of the highwalls in Area "T".

Q10. Referring to the water flowing through Area "T". Can this water be diverted?

A10. Yes. You can divert the water down the road ditch until you complete the channel.

Q11. Referring to the height of which to backfill the small pit on the north end of Area "T". Do we backfill to the height of the sandstone?

A11. Yes. Do not go any higher than the bottom of the vertical sandstone.

Q12. Referring to the coal waste material along access road on the north end of Area "T". Do we reclaim the coal waste piles along the road?

A12. No. We do not intend on doing anything else along the wall except for filling this pit up to the level where it sloughed off.

Q13. Referring to the roadway along the pit on the north end of Area "T". Can we lower the roadway?

A13. Yes, you can lower the road level; however, we want to maintain a trail through here. Do not disturb any trees beyond either end of the pit.

Q14. Referring to the Debris Removal and Access Road Bid Items. Is there any certain item for trash removal and straightening up road (grading road to sheet flow)?

A14. Yes. Trash pickup falls under the debris removal bid item and grading the access road to sheet flow is included under the access road bid item.

Q15. Referring to the debris removal along the Access Road from left hand wishbone area to the Bellwood Tipple Area. How far over the hill will we be responsible for picking up trash?

A15. All of the tire piles and all of the dumps, 250 feet from the top of the road bank.

Q16. Referring to the Area "T" grouted ditch. What is to be done about the water where we drove through the area to go into Area "T"? Are we to install a culvert?

A16. No. You are to install a grouted rip rap channel as described in the requisition.

DEP14276
Addendum No.1

The requisition reads as follows:

By using all available spoil material, totally eliminate approximately 1,000 linear feet of highwall on the south end of the site and construct grouted Stream Channel "T". This channel will be approximately 1,000 feet long, and will be constructed of grouted rip rap and will have a drive thru crossing on the north end of the channel. On the north end of the site, fill the pit up to the existing backfill on each side and partially eliminate approximately 1,000 feet of highwall to a minimum height that will establish a sheet flow drainage pattern. Regrade and revegetate approximately ten (10.0) acres. NOTE: All drive thru crossings on this project shall have side slopes of 5:1 and shall maintain the designed flow depth.

Q 17. Referring to the highwall elimination on the Upper Bench Area East of plant. Can we use this rock in our ditches?

A. As long as it meets the gradation requirements, this sandstone will be acceptable for rock rip-rap.

Q 18. Referring to the black coal waste material at the Preparation Plant Area. Where can we get the topsoil material to cover it?

A. You can borrow material anywhere on the permitted area. Anything disturbed will need to be reclaimed, regraded, revegetated and have slopes no steeper than 2 horizontal to 1 vertical.

Q 19. Referring to the elimination of ponds. Are these ponds going to be treated the same way as mentioned earlier in the conference, in that Number 1 pond might not be eliminated?

A. No. Pond 1 might be left in place due to water quality.

Q 20. Referring to the highwall elimination at the southern end of Area Q. Are we going to have to eliminate the rest of the highwall?

A. No. We are going to end right here where they actually redisturbed it. (An end point of highwall elimination was shown to the contractors).

Q 21. Referring to the trash beside the roads in areas where no other reclamation is to be performed. Do we have to pick up trash in these areas?

A. Yes. These are bonded haulroads extending from Route 31 through the site to Route 20 at Bellwood. This also includes the roads out to Area "J" and Area "N".

Q 22. Referring to the highwall elimination at Insert "B". Can we pull the material down from above the wall?

A. Yes. You can either add some material or pull it down. It has to be revegetated and stay up there.

WV-36 STATE OF WEST VIRGINIA
 REV. 1/29/02 PURCHASING CONTINUATION SHEET
 VENDOR:

ITEM NO.	QUANTITY	DESCRIPTION	UNIT PRICE	AMOUNT
<u>REVISED 04/15/08</u>				
9.0		<u>RIP-RAP DITCH</u>		
9.1	LUMP SUM	<u>STREAM CHANNEL B</u>	LUMP SUM	\$ _____
9.2	LUMP SUM	<u>DITCH S</u>	LUMP SUM	\$ _____
10.0		<u>GROUTED RIP-RAP DITCH</u>		
10.1	LUMP SUM	<u>STREAM CHANNEL 1</u>	LUMP SUM	\$ _____
10.2	LUMP SUM	<u>STREAM CHANNEL A</u>	LUMP SUM	\$ _____
10.3	LUMP SUM	<u>DITCH C</u>	LUMP SUM	\$ _____
10.4	LUMP SUM	<u>DITCH D</u>	LUMP SUM	\$ _____
10.5	LUMP SUM	<u>STREAM CHANNEL E</u>	LUMP SUM	\$ _____
10.6	LUMP SUM	<u>STREAM CHANNEL J</u>	LUMP SUM	\$ _____
10.7	LUMP SUM	<u>STREAM CHANNEL N</u>	LUMP SUM	\$ _____
10.8	LUMP SUM	<u>DITCH O</u>	LUMP SUM	\$ _____
10.9	LUMP SUM	<u>STREAM CHANNEL Q</u>	LUMP SUM	\$ _____
10.10	LUMP SUM	<u>STREAM CHANNEL T</u>	LUMP SUM	\$ _____
11.0	LUMP SUM	<u>STRUCTURE AND/OR DEBRIS REMOVAL</u>	LUMP SUM	\$ _____
12.0	NO BID ITEM	<u>UTILITIES</u>	NO BID ITEM	
13.0		<u>ITEM DELETED ENTIRELY</u>		
14.0	<u>640</u> TON	<u>LIMING</u>	\$ _____ PER TON	\$ _____
15.0	<u>1</u> EA	<u>SEAL EXISTING BOREHOLE/WELL</u>	\$ _____ PER EACH	\$ _____