



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DEP14286

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF
CHUCK BOWMAN
304-558-2157

RFQ COPY
 TYPE NAME/ADDRESS HERE

VENDOR

SHIP TO

ENVIRONMENTAL PROTECTION
 DEPARTMENT OF
 OFFICE OF AML&R
 601 57TH STREET SE
 CHARLESTON, WV
 25304 304-926-0499

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
04/28/2008				

BID OPENING DATE: **05/14/2008** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
				***** ADDENDUM NO. 1 *****		
				ADDENDUM ISSUED FOR THE UNION PRONG (CARPENTER) LAND-SLIDE PROJECT AS A RESULT OF THE MANDATORY PRE-BID MEETING OF 04/11/08, TO DISTRIBUTE THE SIGN-IN SHEETS AND THE Q/A RESULTING FROM THAT MEETING.		
				BID OPENING DATE AND TIME ARE EXTENDED FROM 05/13/08 TO 05/14/08 AT 1:30 PM.		
				***** NO OTHER CHANGES *****		
0001	1	JB		962-73		
				RECLAMATION: RESTORATION OF LAND & OTHER PROPERTIES		

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

**GENERAL TERMS & CONDITIONS
REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)**

1. Awards will be made in the best interest of the State of West Virginia.
2. The State may accept or reject in part, or in whole, any bid.
3. All quotations are governed by the *West Virginia Code* and the *Legislative Rules* of the Purchasing Division.
4. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125.00 registration fee.
5. All services performed or goods delivered under State Purchase Orders/Contracts are to be continued for the term of the Purchase Order/Contract, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
6. Payment may only be made after the delivery and acceptance of goods or services.
7. Interest may be paid for late payment in accordance with the *West Virginia Code*.
8. Vendor preference will be granted upon written request in accordance with the *West Virginia Code*.
9. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
11. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
12. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
13. **BANKRUPTCY:** In the event the vendor/contractor files for bankruptcy protection, this Contract may be deemed null and void, and terminated without further order.
14. **HIPAA Business Associate Addendum** - The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (<http://www.state.wv.us/admin/purchase/vrc/hipaa.htm>) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Covered Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.

INSTRUCTIONS TO BIDDERS

1. Use the quotation forms provided by the Purchasing Division.
2. **SPECIFICATIONS:** Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as **EQUAL** to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
3. Complete all sections of the quotation form.
4. Unit prices shall prevail in cases of discrepancy.
5. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
6. **BID SUBMISSION:** All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications.

SIGNED BID TO:

Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

MANDATORY PRE-BID SIGN-IN ATTENDANCE SHEET

002

PRINT LEGIBLY

RFQ # : DEP14286
 Project: Union Proag (Carpenter) Landslide

Bid Date: 5/13/08
 Pre-Bid Date: 4/11/08

Name : Mack Lilly
 Company: Eastern Arrow Corp. Inc.
 Address: PO Box 4108
Charleston WV 25364

Phone #: 304 414 0255
 Fax #: 304 414 0256
 Email : easternarrow@hotmail.com

Name : Roberts Barnes
 Company: Barnes Exl. Inc.
 Address: P.O. Box 13384
Sissonville WV 25360

Phone #: 304-984-1725
 Fax #: 304-984-0074
 Email : None

Name : Gary Long
 Company: McCourt & Son Const.
 Address: 2790 Centralia Rd
Sutton WV 26601

Phone #: 304 765-5288
 Fax #: 304 765-5293
 Email :

Name : DAVID H. BOWMAN
 Company: GREEN MOUNTAIN CO
 Address: 511 50th Street
CHARLESTON WV
25304

Phone #: 304 925 0253
 Fax #: 925 9230
 Email : Jody May & AOL.COM

Name : GEORGE FRESHOUR
 Company: EAGLE EXCAVATION INC
 Address: P.O. BOX 218
KEARNA, WV 25248

Phone#: (304) 372-4378
 Fax #: 304 372-4378
 Email : CAON@

Name : Randy Carpenter
 Company: Carpenter Reclamation
 Address: PO Box 13015
Sissonville WV
25360

Phone#: 984 1115
 Fax #:
 Email :

Name : Roger Jones
 Company: Jones Exc.
 Address: 688 Clearview
Hgts. CHARLESTON
25312

Phone#: 984 0498
 Fax #: 984 3029
 Email :

Name : Dale Thexton
 Company: Thexton Const Co Inc
 Address: PO Box 13279 Charleston
25312

Phone#: 304 984 2299
 Fax #: " 2334
 Email :

MANDATORY PRE-BID SIGN-IN ATTENDANCE SHEET

003

PRINT LEGIBLY

RFQ # : DEP14286
Project: Union Prmg (Carpenter) Landslide

Bid Date: 5/13/08
Pre-Bid Date: 4/11/08

Name : Garcia Marker
Company: marker & sons
Address: 1119 JEFFERSON RD
So. Chas.
25309
Phone #: 304-744-0590
Fax # : _____
Email : _____

Name : _____
Company: _____
Address: _____
Phone# : _____
Fax # : _____
Email : _____

Name : _____
Company: _____
Address: _____
Phone #: _____
Fax # : _____
Email : _____

Name : _____
Company: _____
Address: _____
Phone# : _____
Fax # : _____
Email : _____

Name : BASIL Carpenter
Company: J and B Ex Inc
Address: 333 A Call RD
Chas WV 25312
Phone #: 546-1601 (304)
Fax # : 984-0388 11
Email : _____

Name : _____
Company: _____
Address: _____
Phone# : _____
Fax # : _____
Email : _____

Name : _____
Company: _____
Address: _____
Phone #: _____
Fax # : _____
Email : _____

Name : _____
Company: _____
Address: _____
Phone# : _____
Fax # : _____
Email : _____

**Req # DEP 14286
Union Prong (Carpenter) Landslide
Addendum #1**

CORRECTIONS TO CONSTRUCTION SPECIFICATIONS

Add to Specification 5.1 – 2nd paragraph – “This plan shall include a copy of the reclamation plan showing the location of the Contractor’s proposed sediment control measures.”

Change Specification 8.6 “Pay Items” – Now reads “Item 8.0, Slide Excavation/Drill Road Excavation, per lump sum. Change to read “Item 8.0, Subsidence Cracks/Drill Road Excavation, per lump sum.”

ADDITION TO DESIGN DRAWINGS

Sheet 3 of 6 Reclamation Plan and Tax Map – Add approximately 600 linear feet of a 4” layer of crusher run stone to the access road from what is labelled as Route 26/9 (Tate Hollow Road) up to the 36” Culvert on Profile C.

BID SHEET REVISION

Substitute the existing Contractor’s bid sheet with the new attached Contractor’s bid sheet.

QUESTIONS ASKED ON MINE BENCH

Q: In the piezometers, how much water is in the mines?

A: The levels in the piezometers may vary according to the rainfall and infiltration into the mine. Last year some of the levels were at 2' to 3' but last year was a dry year. The piezometers are available on site to enable the Contractors to determine current levels.

Q: What is the height of the coal.

A: Drill logs are included in the Construction Specifications showing voids and coal thicknesses. The thickness may vary across the site. The drill hole locations are shown on the Design Drawings.

Q: Do the access roads get reclaimed.

A: The access roads will be reclaimed according to the Construction Specifications and Design Drawings. The drill access roads are to be reclaimed and the original roads are to be left open.

Q: Is the Contractor to take out the humps?

A: No, only what is necessary to construct the channels.

Q: When putting the mine seals in, will the Contractor have to do anything with the highwall?

A: The Contractor will only be required to backfill the mine seal. The existing highwall is too extensive to try to eliminate totally.

Q: Does the residents pond stay in?

A: Yes, the resident wants to keep his pond. Only work around the pond as is shown on the Design Drawings. The pond is not to be used for sediment control purposes and needs to be protected from sediment from construction activities.

Q: Does the grass lined channels have to go against the highwall?

A: No, the grass lined channels will be placed at the locations and elevations shown on the Design Drawings.

Q: Can the Contractor get dirt to cover black from the bench?

A: The Contractor can obtain soil cover material from inside the construction limits as long as the material will support the revegetation plan.

Q: Is this ditch to be grass lined? (Channel adjacent to BB-6)

A: Yes, this is a grass lined Texas Crossins as shown on the Design Drawings.

Q: Do the grass lined channel get fabric under them?

A: No, the channels are to be constructed as shown on the Design Drawings.

Q: Will the underdrain be cut in rock?

A: The underdrain could possibly be cut in rock. The cut for the underdrain is shown on the profile on the Design Drawings.

Q: If the underdrain is cut through rock, can the Contractor shoot it or will it have to be hammered?

A: Logs of Boring on the existing mine bench have been included in the Construction Specifications as an aid to the Contractors. Blasting is covered in Section 7.2.1 "Stone" of the Construction Specifications.

Q: Will the Contractor have to put a liner in the underdrain?

A: No. The underdrain is to be constructed according to the Construction Specifications and Design Drawings.

Q: Will these roads (on the bench) just have to be left 4-wheeler accessible?

A: The roads are to be left in a better than or equal to condition. Approximately the same width and condition as currently exists.

Q: Will the riprap for the ditches have to be sandstone or limestone?

A: Rock riprap shall be either as outlined in Section 7.2.1 "Stone" of the Construction Specifications.

Q: Are all the portals on this bench?

A: The portal locations are shown on the Design Drawings.

QUESTIONS ASKED AT DROP INLET AREA

Q: What is the size of the pipe under the road?

A: The pipe sizes are shown on the Construction Drawings.

QUESTIONS ASKED AT THE 36" DIAMETER PIPE AREA

Q: Are we going to gravel this road?

A: Crusher run stone is now to be placed in accordance with this addendum.

QUESTIONS ASKED AT THE ABANDONED AUTOMOBILES

Q: Are these ditches going to tie to the new pipe?

A: The channels are to discharge to natural drainage as shown on the Design Drawings.

Q: Does the Contractor need to stone the channel all the way to the pipe.

A: No. The Contractor will stone the channels as shown on the Design Drawings.

Union Prong (Carpenter) Landslide

Requisition # DEP 14286

Contractor's Bid Sheet

Addendum #1

008

Company Name: _____

Address: _____

DEP reserves the right to request additional information and supporting documentation regarding unit prices when the unit price appears to be unreasonable.

ITEM NO.	QUANTITY	DESCRIPTION	UNIT PRICE	AMOUNT
1.0	Lump Sum	MOBILIZATION (LIMITED TO 10% OF TOTAL BID)	L.S.	\$
2.0	Lump Sum	CONSTRUCTION LAYOUT (LIMITED TO 5% TOTAL BID)	L.S.	\$
3.0	Lump Sum	QUALITY CONTROL (LIMITED TO 3% OF TOTAL BID)	L.S.	\$
4.0	Lump Sum	SITE PREPARATION (LIMITED TO 10% OF TOTAL BID)	L.S.	\$
5.0	2500 L.F.	SEDIMENT CONTROL BARRIER		\$
6.0	Lump Sum	REVEGETATION	L.S.	\$
7.1	3260 L.F.	GRASS LINED CHANEL		\$
7.2	640 L.F.	2.5' ROCK RIPRAP CHANNEL		\$
7.3	2160 L.F.	1.5 ROCK RIPRAP CHANNEL		\$
7.4	300 L.F.	UNDERDRAIN		\$
7.5	30 L.F.	12" I.D. HDPE PIPE		\$
7.6	40 L.F.	24" I.D. HDPE PIPE		\$
7.7	45 L.F.	30' I.D. HDPE PIPE		\$
7.8	40 L.F.	36" I.D. HDPE PIPE		\$
7.9	1	DROP INLET		\$
7.10	Lump Sum	HEADWALL	L.S.	\$
8.0	Lump Sum	SUBSIDENCE CRACKS / DRILL ROAD EXCAVATION	L.S.	\$
9.0	250 TONS	CRUSHER RUN STONE		\$
10.1	24	WET MINE SEAL		\$
10.2	2	MINE PORTAL REGRADE		\$
				\$
				\$
				\$
				\$
				\$
				\$
				\$
				\$
				\$
				\$
				\$
				\$
				\$
				\$
				\$
TOTAL				\$