


Swanke Hayden Connell, LLP
295 Lafayette Street, New York, New York 10012
Phone: 212 226 9696, Fax: 212 219 0059

Structural Engineer:
CHS Structural Engineering, Inc.
P.O. Box 469
Aum Creek, WV 25003

Metal Conservator:
Kreller Conservation, LLC
519 Ford Road
Orland PA 15075

This is a rendition of the work to be done. It is not a contract. It is not a warranty. It is not a guarantee. It is not a promise. It is not a contract. It is not a warranty. It is not a guarantee. It is not a promise.

Key Plan



No: 06-08-07
Date: 07-26-07
Revision: ISSUED FOR BID

No: 09-27-07
Date: 09-27-07
Revision: ADDENDUM #4

STATE OF WEST VIRGINIA
DIVISION OF GENERAL SERVICES
CHARLESTON, WEST VIRGINIA

Charleston, West Virginia

West Virginia State Capitol

Masonry Cleaning & Repair Project

Window Schedule Fl. 3

A-704

BRONZE WINDOW REPAIR CODES

GENERAL (CAN APPLY TO ALL WINDOW COMPONENTS)

A - PREPARE SURFACE AND REFINISH ASSEMBLY

B - REMOVE INTERIOR PAINT COATING

C - FILL HOLE (#)

D - REMOVE SCREW & PATCH HOLE (#)

E - REPLACE MISSING BRASS OR EXISTING FERROUS SCREWS WITH NEW BRASS SCREWS (#)

FRAME

F - ACCESS, CLEAN & LUBRICATE PULLERS & SASH WEIGHTS

G - REMOVE STORM WINDOW ASSEMBLY

H - REPAIR CRUSHED SILL

J - REMOVE STEEL CHANNEL FROM EXTERIOR AND PATCH HOLES

K - REMOVE, RESTORE & REINSTALL GRILLES

SASH

L - REMOVE, CLEAN, REINSTALL & MAKE SASH FULLY OPERATIONAL

M - REPLACE MISSING OR BROKEN SASH CHAN (#)

N - REPLACE MISSING OR BROKEN SASH LOCK

P - REPLACE MISSING OR BROKEN SASH LIFT (#)

Q - REPLACE MISSING OR BROKEN SASH HOOK (#)

R - REPLACE MISSING OR BROKEN MOUNTING BAR (#)

GLAZING

T - REPLACE MISSING OR BROKEN CLEAR GLASS PANE (#)

U - REPLACE MISSING, BROKEN OR NON-ORIGINAL, OBSOLETE GLASS PANE (#)

V - REMOVE ALL DETERIORATED GLAZING PUTTY AND REPLACE WITH NEW AT ALL PANES

W - REMOVE ALL DETERIORATED GLAZING PUTTY AND REPLACE WITH NEW AT ALL ADDITIONAL PANES NOT INCLUDED IN BASE BID (ALTERNATE #1)

NOTES

X - ACCESS PARTIALLY OBSTRUCTED BY RADIATOR COVERS

Y - CLEAN CASEMENT IN SITU W/ NON-IONIC DETERGENT

Z - ACCESS, CLEAN & LUBRICATE CASEMENT HARDWARE

AA - COORDINATE ACCESS & REMOVAL WITH GSD AND SECURITY DETAIL

MAIN BUILDING - FLOOR # 3

Table with columns: WINDOW, TYPE, FRAME SIZE, HEIGHT, REFERENCE, REPAIR GENERAL, FRAME, SASH, GLAZING. Lists window details for Floor #3.

MAIN BUILDING - FLOOR # 3

Table with columns: WINDOW, TYPE, FRAME SIZE, HEIGHT, REFERENCE, REPAIR GENERAL, FRAME, SASH, GLAZING. Lists window details for Floor #3.