

HZDOR

RFO COPY

TYPE NAME/ADDRESS HERE

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

#### Request for Quotation

RFQ NUMBER ISCH0206

PΑ	ĞΕ
	1

K	R	I	S	Т	Α		F	Ε	R	R	Ε	L	L
3	0	4	_	5	5	8		2	5	9	6		

T

DEPARTMENT OF ADMINISTRATION IS&C - TRC MANAGER I DAVIS SQUARE

ADDRESS CORRESPONDENCE TO ATTENTION OF

CHARLESTON, WV 25301

304-558-5472

ADDRESS CHANGES TO BE NOTED ABOVE

DATE PRINTED TERMS OF SALE SHIP VIA F.O.B FREIGHT TERMS 05/21/2008 BID OPENING DATE: 06/18/2008 **BID OPENING TIME** 01:30PM CAT. LINE QUANTITY UOP ITEM NUMBER UNIT PRICE AMOUNT 0001 LS 205-43 1 CABLING PROJECT REQUEST FOR QUOTATION THE WEST VIRGINIA PURCHASING DIVISION FOR THE AGENCY, THE WEST VIRGINIA OFFICE OF TECHNOLOGY, IS SOLICITING BIDS TO PROVIDE THE AGENCY WITH A COMPLETE TELECOMMUNICATIONS DISTRIBUTION SYSTEM FOR THE KANAWHA COUNTY DIVISION OF HEALTH AND HUMAN RESOURCES LOCATED AT 4190 WASHINGTON STREET WEST IN CHARLESTON, WEST VIRGINIA PER THE ATTACHED SPECIFICATIONS. A MANDATORY PRE-BID MEETING WILL BE HELD ON TUESDAY, JUNE 3, 2008 AT 3:00 PM AT THE AGENCY'S LOCATION AT 4190 WASHINGTON STREET EAST IN CHARLESTON, WEST VIRGINIA. ALL PRIME/GENERAL CONTRACTORS WISHING TO SUBMIT A BID FOR THIS PROJECT MUST ATTEND THIS ANY PRIME/GENERAL CONTRACTOR FAILING TO MEETING. ATTEND WILL BE DISQUALIFIED FROM BIDDING ON THIS SUBCONTRACTORS AND MATERIAL SUPPLIERS ARE WELCOME TO ATTEND; HOWEVER, ATTENDANCE IS NOT NO ONE PERSON MAY REPRESENT MORE THAN ONE MANDATORY. VENDOR. TECHNCIAL QUESTIONS CONCERNING THIS PROJECT MUST BE SUBMITTED IN WRITING TO KRISTA FERRELL IN THE WEST VIRGINIA STATE PURCHASING DIVISION VIA MAIL AT THE ADDRESS SHOWN IN THE BODY OF THIS RFQ, VIA FAX AT 304-558-4115, OR VIA EMAIL AT KRISTA.S.FERRELLOWV.GOV. TECHNICAL MAY ALSO BE SUBMITTED DURING THE MANDATORY SEE REVERSE SIDE FOR TERMS AND CONDITIONS SIGNATURE TELEPHONE DATE TITLE

FEIN

## GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- 1. Awards will be made in the best interest of the State of West Virginia.
- 2. The State may accept or reject in part, or in whole, any bid.
- 3. All quotations are governed by the West Virginia Code and the Legislative Rules of the Purchasing Division.
- Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125.00 registration fee.
- 5. All services performed or goods delivered under State Purchase Orders/Contracts are to be continued for the term of the Purchase Order/Contract, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
- 6. Payment may only be made after the delivery and acceptance of goods or services.
- 7. Interest may be paid for late payment in accordance with the West Virginia Code.
- 8. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- 9. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 11. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
- 12. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 13. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, this Contract may be deemed null and void, and terminated without further order.
- 14. HIPAA Business Associate Addendum The West Viginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (http://www.state.wv.us/admin/purchase/vrc/hipaa.htm) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Covered Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.

#### INSTRUCTIONS TO BIDDERS

- 1. Use the quotation forms provided by the Purchasing Division.
- 2. SPECIFICATIONS: Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as EQUAL to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
- Complete all sections of the quotation form.
- Unit prices shall prevail in cases of discrepancy.
- 5. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
- 6. BID SUBMISSION: All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications.

#### SIGNED BID TO:

Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130



VENDOR

RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

# Request for Quotation

ISCH0206

ADDRESS CORRESPONDENCE TO ATTENTION OF

KRISTA FERRELL 304-558-2596

SHIP Ţ DEPARTMENT OF ADMINISTRATION IS&C - TRC MANAGER 1 DAVIS SQUARE

CHARLESTON, WV 25301

304-558-5472

DATE PRI	INTED	ΤE	RMS OF SAL	E	SHI	VIA		F.	O.B.		FREIGHT TERMS	3000000
	/2008											
OPENING DAT	E:	06/18/	2008			BID	OPEN	NING	TIME	01:3	OPM	
LINE	עום	ANT)TY	UOP	CAT. NO.	ITEM N	UMBER		UNE	T PRICE		AMOUNT	
				ionista manara						300000 <b>}</b> 000		00000000
	DDC_P	TO MEET	THE D	UDTNO	THE OPE	N DICCHE	CTOL		)			
	1		1 3		TIONS IS				DEADLIN	-		
	;			-	L TECHNI							
					ED BY AD					' [		
	DEADL	-	i l		ONCERNIN		1			v I		
			-3 1		MIT A BI		ì			l l		
	§				ECHNICAL		1			-		
	1		I F		PRIOR TO		1			N		
	ANY FO	ORMAT.										
	EXHIB:	IT 5										
	3		1 3		IS CONTR		1					
	,		1 1	t t	S AFTER							
	l l	CEIVED.			CY WILL	ISSUE A	WRIT	TEN	NOTICE			
	HO PRO	DCEED T	OIHE	AFND	UR.							
	CANCEL	LATION	. TU	- DTD	ECTOR OF	рирсилс	TAIC	BECE	DVEC T	16		
			1 5		ONTRACT		1					
	,				F THE MA		1			-14		
	I		1		ERIOR QU		1			vi		
	1		b 1	1	S OF THE		1			·		
	HERE				:				•			
					CTOR OR							
					DEPARTM					AGE		
	1		1 1		DR KANAW		1					
	,				21-5A, E		(PRE	VAIL	ING			
	WAGE F	RATES A	PPLY	го тн	IS PROJE	CT)						
	ADDITE	SATTON.		DE-E-	DENOTO M	ADE 70 A			0.U 0.D			
					RENCES M							
			1 1		DUE (EXC CONTAIN		1					
	1 -			1	CUNTAIN TITUTE O		l .					
	t			i	TRACT AR		1					
				- 3011	. KAO: AK	_ 11_1(_D1	""	D	•			
				ಂದರ ಎರಬ	ERSE SIDE FOR	TEDME AND CO	MOSTIONIA	•		000000000000000000000000000000000000000		odere e e e
VATURE	.x.uegonoceden 0000000	.v.x.enese seceto (cocco		ುದರ ಗದಳ	LINE VICE FUR	TELEPHONE	NOT TON	<b>2</b> 000000000000000000000000000000000000	ים	\TE		
		1	*18.8				Т					
E		F	EIN					ADD	RESS CHAN	GES TO	BE NOTED ABOV	Ę



RFQ COPY

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

# Request for Quotation

ISCH0206

ADDRESS CORRESPONDENCE TO ATTENTION OF:

KRISTA FERRELL 304-558-2596

SH-P

DEPARTMENT OF ADMINISTRATION

304-558-5472

TYPE NAME/ADDRESS HERE VENDOR IS&C - TRC MANAGER 1 DAVIS SQUARE Ţ CHARLESTON, WV 25301

DATE PRINTED		TER	MS OF SAL	E	SHIP	/IA	F.O.B.		FREIGHT TEAMS
05/21/20	08								
BID OPENING DATE:	06	/18/	2008			BID	OPENING TIME	01	:30PM
LINE	QUANTIT	Y	UOP	CAT NO.	ITEM NUM	VBER	UNIT PRICE		AMOUNT
							IRED TO PROVI ON IF SUCCESS		
	L OF T THIS				ED BELOW	WILL BE	A REQUIREMEN	Т	
OF IS TH	COMME SUANCE E BID	RCIA OF DOCU	L GEN CONTR MENTS	ERAL ACT. , THE	LIABILITY UNLESS O	INSURA THERWIS	LL FURNISH PR NCE PRIOR TO E SPECIFIED I OF INSURANCE		
	RNISH	PROO	F OF	BUILD	ERS RISK	- ALL R	FUL VENDOR SH ISK INSURANCE OF THE CONTRA	IN	71.000
THI SU BI MA BO IRI SO ST IN	BMITTE) DDER SI TERIAL NDS MA' REVOCA) LVENT S ATE OF LIEU (	PAYAI D WI HALL BONI Y BE BLE I SURE WESI OF A	BLE TO TH EACT ALSO D FOR PROVI ETTE TY CO T VIRO PERFO	D THE CH BI FURN 100% IDED R OF MPANY GINIA	STATE OF D AS A BI ISH A PER OF THE A IN THE FO CREDIT, O AUTHORIZ A LETTI CE AND LA	WEST VD BOND. FORMANC MOUNT DRM OF AR BOND ED TO DER OF C	TOTAL AMOUNT IRGINIA, SHAL THE SUCCESS E BOND AND LA F THE CONTRAC CERTIFIED CH FURNISHED BY O BUSINESS IN REDIT SUBMITT ATERIAL BOND O,000. PERSO	L B FUL BOR/ T. ECK, A TH ED WILL	The state of the s
OR 5%	BUSIN	ESS C	CHECK	SARE	NOT ACCE	CPTABLE	IN LIEU OF T R AND MATERIA	HE	
CO		THE	ROOF	ING S			MAINTENANCE : REQUIREMENT O		
	ajajajajajajajajajan nancere e e								
SIGNATURE		A00000000000		SEE REV	ERSE SIDE FOR TE	RMS AND CON	DITIONS	Ina <i>te</i>	
OTOTOTI ONE					[*	CLECTOVNE		DATE	
TITLE		FEI	N				ADDRESS CHA	NGES	TO BE NOTED ABOVE



RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

#### Request for Quotation

ISCH0206

ADDRESS CORRESPONDENCE TO ATTENTION OF

KRISTA FERRELL 304-558-2596

SH-P Ţ

DEPARTMENT OF ADMINISTRATION IS&C - TRC MANAGER 1 DAVIS SQUARE

MODZEK CHARLESTON, WV 25301 304-558-5472 DATE PRINTED TERMS OF SALE SHIP VIA F.O.B. FREIGHT TERMS

05/21/	2008							·	,
BID OPENING DATE:		06/18/	2008			BID	OPENING	TIME 0	1:30PM
LINE	QUAN	птү	UOP	CAT.	ITEM NU	MBER	UNI	TPRICE	AMOUNT
				NV.					
•									
	EXHIBI.	T 7							
	L								
1	1		MINUM	, GLA	SS & STEE	L IN PU	BLIC WOR	RKS	
•	PROJEC.	IS							
	TN 400	2004110	_ ,,,,		T WIDOIN			- <del>-</del>	
	ì			ž.	T VIRGINI		1	-	
i	1				OR CONSTR		ţ	-	
					PROVEMENT E COST IS				
					NLY, WHER				
Ł i	1			1	HERE MORE				
1	i				E STATE W		1 '		ım
1	ì				TS PRODUC		1		1
1	1			l .	MACHINERY		ŀ		I
<b>¿</b>	I				PUBLIC W		l .		
1	1				SS OR STE		l		1
1	1				AN \$50,00		l .		
	POUNDS	OF ST	EEL A	RE US	ED IN PUB	LIC WOR	KS PROJE	CTS.	
									Î
					GLASS OR				
I I	l				OST OF DO				1
	l				UCH COST				1
. ,	,				N THE BID	,			}
	l				STIC ALUM	1			
					D OR PROD	I			
1		,			S DEFINED	I			
				, ,	OREIGN PR CTS ARE 3	I			
l ì			1		MADE PRO	i	OKE HIGH	EK IN	[
]	, N	IIIAI I	L . 1 U		HADE INO	20013.			
	IF. PRI	ות אמו	THE	AWARD	OF A CON	TRACT II	NDFR THE	ABOVE	
					NG OFFICE				
l l					EXISTS A				
				,	EL THAT I	ı			
		-							
CICNATION				SEE RE	ERSE SIDE FOR T		IDITIONS	 	
SIGNATURE						TELEPHONE		DATE	
TITLE		FE	IN				ADD	RESS CHANGE	S TO BE NOTED ABOVE



MODZEA

RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

#### Request for Quotation

RFQ NUMBER ISCH0206 5

ADDRESS CORRESPONDENCE TO ATTENTION OF

KRISTA FERRELL

304-558-2596

O

DEPARTMENT OF ADMINISTRATION IS&C - TRC MANAGER 1 DAVIS SQUARE

CHARLESTON, WV 25301

304-558-5472

DATE PRINTED TERMS OF SALE SHIP VIA FOB. FREIGHT TERMS 05/21/2008 BID OPENING DATE 06/18/2008 BID OPENING TIME 01:30PM LINE QUANTITY UOP UNIT PRICE AMOUNT ITEM NUMBER THAN THE LOWEST BID DOMESTIC PRODUCTS, THE SPENDING OFFICE MAY REQUEST, IN WRITING, A REEVALUATION AND REDUCTION IN THE LOWEST BID FOR SUCH DOMESTIC PRODUCTS. ALL VENDORS MUST INDICATE IN THEIR BID IF THEY ARE SUPPLYING FOREIGN ALUMINUM, GLASS OR STEEL. REV. 3/88 EXHIBIT 9 NOTICE FOR ISSUANCE & ACKNOWLEDGEMENT OF CONSTRUCTION PROJECT ADDENDA THE ARCHITECT/ENGINEER AND/OR AGENCY SHALL BE REQUIRED TO ABIDE BY THE FOLLOWING SCHEDULE IN ISSUING CONSTRUCTION PROJECT ADDENDA FOR STATE AGENCIES: THE ARCHITECT/ENGINEER SHALL PREPARE THE ADDENDUM (1) AND A LIST OF ALL PARTIES THAT HAVE PROCURED DRAWINGS AND SPECIFICATIONS FOR THE PROJECT. THE ADDENDUM AND LIST SHALL BE FORWARDED TO THE BUYER IN THE STATE PURCHASING DIVISION. THE ARCHITECT/ENGINEER SHALL ALSO SEND A COPY OF THE ADDENDUM TO THE STATE AGENCY FOR WHICH THE CONTRACT IS ISSUED. THE BUYER SHALL SEND THE ADDENDUM TO ALL INTERESTED PARTIES AND, IF NECESSARY, EXTEND THE BID ANY ADDENDUM SHOULD BE RECEIVED BY THE OPENING DATE. BUYER WITHIN FOURTEEN (14) DAYS PRIOR TO THE BID OPENING DATE. ALL ADDENDA SHOULD BE FORMALLY ACKNOWLEDGED BY ALL (3) BIDDERS AND SUBMITTED TO THE STATE **PURCHASING** REGULATIONS DIVISION. THE SAME RULES AND THAT APPLY TO THE ORIGINAL BIDDING DOCUMENT SEE REVERSE SIDE FOR TERMS AND CONDITIONS SIGNATURE TELEPHONE DATE TITLE FE!N ADDRESS CHANGES TO BE NOTED ABOVE



ENDOR

RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

#### Request for Quotation

ISCH0206

PAGE 6

ADDRESS CORRESPONDENCE TO ATTENTION OF:

KRISTA FERRELL 304-558-2596

SH-P TO

DEPARTMENT OF ADMINISTRATION IS&C - TRC MANAGER 1 DAVIS SQUARE

CHARLESTON, WV 25301

304-558-5472

DATE PRINTED. TERMS OF SALE. SHIP VIA F.O.B. FREIGHT TERMS 05/21/2008 BID OPENING DATE: 06/18/2008 BID **OPENING TIME** 01:30PM CAT. LINE QUANTITY LIOP ITEM NUMBER UNIT PRICE AMOUNT SHALL ALSO APPLY TO AN ADDENDUM DOCUMENT. THE ONLY EXCEPTION MAY BE FOR AN ADDENDUM THAT IS ISSUED FOR THE SOLE PURPOSE OF CHANGING A BID OPENING TIME AND/OR DATE. REV. 11/96 EXHIBIT 10 ADDENDUM ACKNOWLEDGEMENT I HEREBY ACKNOWLEDGE RECEIPT OF THE FOLLOWING CHECKED ADDENDUM(S) AND HAVE MADE THE NECESSARY REVISIONS TO MY PROPOSAL, PLANS AND/OR SPECIFICATION, ETC. ADDENDUM NOS.: NO. 1 NO. 2 ND. 3 NO. 4 NO. 5 I UNDERSTAND THAT FAILURE TO CONFIRM THE RECEIPT OF THE ADDENDUM(S) MAY BE CAUSE FOR REJECTION OF THE BIDS. VENDOR MUST CLEARLY UNDERSTAND THAT ANY VERBAL REPRESENTATION MADE OR ASSUMED TO BE MADE DURING ANY ORAL DISCUSSION HELD BETWEEN VENDOR'S REPRESENTATIVES AND ANY STATE PERSONNEL IS NOT BINDING. ONLY THE INFORMATION ISSUED IN WRITING AND ADDED TO THE SEE REVERSE SIDE FOR TERMS AND CONDITIONS SIGNATURE TELEPHONE DATE TITLE FEIN ADDRESS CHANGES TO BE NOTED ABOVE



MODZEK

RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER ISCH0206

P	AGE	
		7

ADDRESS CORRESPONDENCE TO ATTENTION OF

KRISTA FERRELL 304-558-2596

SH-P T

DEPARTMENT OF ADMINISTRATION IS&C - TRC MANAGER 1 DAVIS SQUARE

CHARLESTON, WV 25301

304-558-5472

DATE PRINT	red	TER	MS OF SAL	E	SHI	P VIA	p	OB		FREIGHT TERMS
05/21/										
BID OPENING DATE:	 	06/18/	2008	50050055550055	100000000000000000000000000000000000000	BID	OPENING	<u>TIME</u>	01:3	<u>OPM</u>
LINE	QUAI	VTITY	UOP	CAT. NO.	ITEMA	IUMBER	UNI	TPRICE		AMOUNT
	SPECIF	ICATIO	NS BY	AN O	FFICIAL	ADDENDUM	IS BINI	DING.		
		• • • • •	• • • •	• • • •	• • • • • •	sı	GNATURE			
				• • • • •		co	MPANY			
			• • • • •	• • • • •		DA	TE		1	
	REV. 1	1/96								
			CD	NTRAC	TORS LIC	ENSE				
	PERSON STATE LICENS LICENS MADE B CAPITO	S DESI MUST B ING BO E. AP Y CONT L COMP	RING E LIC ARD I PLICA ACTIN LEX,	TO PE ENSED S EMP FIONS S THE BUILD	RFORM CO . THE W OWERED T FOR A C WEST VI	-2 REQUINTRACTINGST VIRGONTRACTORGINIA DOM 319,890.	G WORK 1 INIA CON THE CONT RS LICEN IVISION	IN THIS NTRACTOR TRACTOR NSE MAY OF LAB	RS S BE OR	
	PROSPE		BIDDE	R TO	INCLUDE	-11 REQU THE CONT		<b>,</b>		
	CONTRA CONTRA THE SU COPY O		NAME: LICENS UL BII R CON	SE NO DDER Tract	WILL BE ORS LICE	REQUIRED			of.	
			100000000000000000000000000000000000000	SEEREV	ERSE SIDE FOR	TERMS AND CON	DITIONS			
SIGNATURE		<u>ecusocatorentecus</u>		<u>navarantan 600</u>		TELEPHONE	<u>innantian karana nagabeti (1912)</u>	Di	ATE	
TITLE		FE	N		· · · · · · · · · · · · · · · · · · ·		ADD	RESS CHAN	IGES TO I	BE NOTED ABOVE



VENDOR

TITLE

RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia Department of Administration Quotation Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

## Request for

AFO NUMBER ISCH0206

ADDRESS CORRESPONDENCE TO ATTENTION OF:::

KRISTA FERRELL 304-558-2596

DEPARTMENT OF ADMINISTRATION IS&C - TRC MANAGER 1 DAVIS SQUARE

CHARLESTON, WV 25301

304-558-5472

ADDRESS CHANGES TO BE NOTED ABOVE

DATE PRINTED SHIP VIA F.O.B. TERMS OF SALE FREIGHT TERMS 05/21/2008 BID OPENING DATE: 06/18/2008 **BID OPENING TIME** 01:30PM UOP UNIT PRICE LINE QUANTITY ITEM NUMBER AMOUNT. APPLICABLE LAW THE WEST VIRGINIA STATE CODE, PURCHASING DIVISION RULES AND REGULATIONS, AND THE INFORMATION PROVIDED IN THE "REQUEST FOR QUOTATION" ISSUED BY THE PURCHASING DIVISION IS THE SOLE AUTHORITY GOVERNING THIS PROCUREMENT. ANY INFORMATION PROVIDED IN SPECIFICATION MANUALS, OR ANY OTHER SOURCE, VERBAL OR WRITTEN, WHICH CONTRADICTS OR ALTERS THE INFORMATION PROVIDED FROM THE SOURCES AS DESCRIBED IN THE ABOVE PARAGRAPH IS VOID AND OF NO EFFECT. BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THIS CONTRACT IS AUTOMATI-CALLY NULL AND VOID, AND IS TERMINATED WITHOUT FURTHER ORDER. REV. 1/2005 NOTICE A SIGNED BID MUST BE SUBMITTED TO: DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305-0130 THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED: SEE REVERSE SIDE FOR TERMS AND CONDITIONS. SIGNATURE TELEPHONE DATE

FEIN



VENDOR

RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

### Request for Quotation

- MFL	J:NUI	MREI	Harrier Territoria	
I	SC	HO:	20	6

PA	GE
	9

ADDRESS CORRESPONDENCE TO ATTENTION OF

KRISTA FERRELL 304-558-2596

SH-PTO

DEPARTMENT OF ADMINISTRATION IS&C - TRC MANAGER 1 DAVIS SQUARE

CHARLESTON, WV 25301

304-558-5472

BU RE BI BI PL TO	QUAI EALED UYER: EQ. N ID OP ID OP	O.: ENING ENING PROVI	DATE: TIME:	FAX N	KRIS ISCH 061/ 1:30	MNUMBER TA FERRI 0206 18/2008		FOR  IING TIME  UNIT PRICE	01:	FREIGHT TERMS  : 30PM  AMOUNT
SE BU RE BI PL TO	EALED UYER: EQ. N ID OP ID OP LEASE	BID  O.: ENING ENING PROVI	DATE: TIME:	FAX N	KRIS ISCH 061/ 1:30	MNUMBER TA FERRI 0206 18/2008		UNITPRICE	01	
SE BU RE BI PL TO	EALED UYER: EQ. N ID OP ID OP LEASE	BID  O.: ENING ENING PROVI	DATE: TIME:	FAX N	KRIS ISCH 061/ 1:30	TA FERRI 0206 18/2008	ELL-FIL			AMOUNT
BU RE BI BI PL TO	UYER: EQ. N ID OP ID OP LEASE	O.: ENING ENING PROVI	TIME: De a	FAX N	1SCH 061/ 1:30	0206 18/2008	ELL-FIL	E 21		
**		PRINT NING T	 OR T	 YPE N	NG YOU  AME OF			NECESSAR	Y	
	****	THIS	IS T			OR TERMS AND	3 CONDITIONS	***** T	DTAL:	
SIGNATURE						TELEPHON	Ē		DATE	
TITLE						1				

# State of West Virginia Department of Administration Office of Technology Charleston, WV

## **Request for Quotation for ISCH0206**

#### 1.0 OBJECTIVE

The State of West Virginia, Department of Administration, Office of Technology (WVOT) intends to acquire a complete telecommunications distribution system for *Kanawha County DHHR*Office, 4190 Washington Street West, Charleston WV 25313

The project will be completed in approximately ten phases per attachment A. This is an estimated timeline, all included dates are subject to change.

This Request for Quotation covers all Phases: Installation, testing, and acceptance of the telecommunications distribution system infrastructure cable. Prices quoted shall be all-inclusive and represent complete installation. The Vendor shall be responsible for all parts, labor and all other associated apparatus necessary to completely install, test, and turnover for acceptance to the WVOT

#### 1.1 Inquiries:

Additional information inquiries regarding specifications of this RFQ must be submitted in writing to the State Buyer with the exception of questions regarding bid submission which may be oral. The deadline for written inquiries is identified in the Schedule of Events, Section 1.16. All inquiries of specification clarification must be addressed to:

Krista Ferrell, Senior Buyer Purchasing Division 2019 Washington Street, East P.O. Box 50130 Charleston, WV 25305-0130 Fax: (304) 558-4115

Absolutely NO contact shall be made by the Vendor with any member of the evaluation committee. Violation may result in rejection of the bid. The State Buyer named above is the sole contact for any and all inquiries after this RFQ has been released.

#### 1.2 Vendor Registration:

Vendors participating in this process must complete and file a **Vendor Registration and Disclosure Statement** (Form WV-1) and remit the registration fee. Vendor is not required to be a registered Vendor in order to submit a bid, but the **successful bidder MUST** register and pay the fee prior to the award of an actual purchase order/contract.

#### 1.3 Oral Statements and Commitments:

Vendor should clearly understand that any verbal representations made or assumed to be made during any oral discussions held between Vendor's representatives and any State personnel is

not binding. Only the information issued in writing and added to the Request for Quotation! specifications file by an official written addendum are binding.

#### **Response Submission:** 1.4

State law requires that the original bid be submitted to the Purchasing Division. All bids must be submitted to the Purchasing Division prior to the date and time stipulated in the RFQ as the opening date. All bids will be date and time stamped to verify official time and date of receipt.

Vendors mailing bids must allow sufficient time for mail delivery to ensure timely arrival. In accordance with State Code 5A-3-11, the Purchasing Division cannot waive or excuse late receipt of a proposal that is delayed and late for any reason. Any bid received after the bid opening date and time will be immediately disqualified in accordance with State law and the administrative rules and regulations.

WVOT requests that bidders also include a copy of their bid in electronic form on a CD.

#### Submit:

One original RFQ to:

Purchasing Division 2019 Washington Street, East P.O. Box 50130 Charleston, WV 25305-0130

The outside of the envelope or package(s) must be clearly marked:

Buyer:

Krista Ferrell-File 21

Rea#:

ISCH0206

Opening Date: 06/18/2008

Opening Time: 1:30 pm

#### 1.5 Schedule of Events

The schedule may change depending on the results of the responses and a final schedule will be established prior to contracting with the successful Vendor.

#### 1.6 **Incurring Costs:**

The State and any of its employees or officers shall not be held liable for any expenses incurred by any bidder responding to this RFQ for expenses to prepare, deliver the proposal, or to attend any mandatory prebid meeting or oral presentations.

#### Installation Completion Timeframe: 1.7

The installation completion time for this RFQ is 45 standard business days after issuance of P.O. These 45 days for installation include the measuring of job and the ordering of materials. The State at its discretion will adjust timelines, if required, due to unforeseen delays.

#### 1.8 Job Site Parking

There is vendor parking (first come first serve) on the parking lot behind the Building. Equipment may be unloaded at the rear door of the building but vehicles will not be allowed to remain there.

#### 1.9 Omissions

Omission in the proposal of any provision herein described shall not be construed as to relieve The Vendor of any responsibility or obligation requisite to the complete and satisfactory delivery, operation, and support of any and all equipment or services.

#### 1.10 Warranty

Materials and workmanship hereinafter specified and furnished shall be fully guaranteed by The Vendor for *fifteen years* from transfer of title against any defects. Defects which may occur as the result of faulty materials or workmanship within *fifteen years* after installation and acceptance by The WVOT shall be corrected by The Vendor at no additional cost to The WVOT. The Vendor's warranties shall commence with acceptance of/or payment for the work in full. This warranty shall in no manner cover equipment that has been damaged or rendered unserviceable due to negligence, misuse, acts of vandalism, or tampering by The WVOT or anyone other than employees or agents of The Vendor. The Vendor's obligation under its warranty is limited to the cost of repair of the warranted item or replacement thereof, at The Vendor's option. Insurance covering said equipment from damage or loss is to be borne by The Vendor until full acceptance of equipment and services.

#### 1.11 Inspection, Acceptance, and Title

Inspection and Acceptance will be at destination and upon successful installation unless otherwise provided. Title to/or risk of loss or damage to all items shall be the responsibility of the successful Vendor until acceptance by The WVOT, unless loss or damage results from negligence by The WVOT. If the materials or services supplied to The WVOT are found to be defective or do not conform to the specifications, The WVOT reserves the right to cancel the contract upon written notice to The Vendor and return products at The Vendor's expense, based upon the terms of the Contract.

The WVOT shall at all times have access to the work wherever it is in preparation or progress, and The Vendor shall provide proper facilities for such access and for inspection. The Vendor shall not close up any work until The WVOT has inspected the work. Should The Vendor close up the work prior to inspection by The WVOT, The Vendor shall uncover the work for inspection by The WVOT at no cost to The WVOT, and then recover the work according to the specification contained herein.

The Vendor shall notify The WVOT in writing when the work is ready for inspection. The WVOT will inspect the work as expeditiously as possible after receipt of notification from The Vendor.

#### 1.12 Price Quotations

Price quotations are to include the furnishing of all materials, equipment, maintenance and training manuals, tools, and the provision of all labor and services necessary or proper for the completion of the work, except as may be otherwise expressly provided in the Contract Documents. The WVOT will not be liable for any costs beyond those proposed herein and awarded. Time and materials quotes will be unacceptable.

In case of discrepancy in computed proposal prices, the unit price shall prevail.

#### 1.13 Price Stability

Contract prices and discounts shall be fixed at the time of contract award. In the event of price changes the WV Purchasing rule 148-1-7, 7.15 shall be followed.

#### 1.14 Variation in Quantities and Configurations

Equipped and capacity requirements are the best estimates currently available. The WVOT reserves the right to modify quantity and configuration requirements. The Vendor agrees to sell The WVOT the revised quantity of items at the unit price as stated in the RFQ regardless of quantity changes.

#### 1.15 Prime Vendor

In the event multiple Vendors submit a joint response to this RFQ, a single Vendor shall be identified as the Prime Vendor. Prime Vendor responsibilities shall include performing overall project administration and serving as a focal point for The WVOT to coordinate and monitor plans and schedules, maintain project budget and status information, administer changes required, preside over other Vendors participating or present at The WVOT meetings, and oversee preparation of reports and presentations. Prime Vendor shall also prepare and present a consolidated invoice for work performed. The WVOT shall issue only one (1) check for each consolidated invoice. Prime Vendor shall remain responsible for performing tasks associated with installation and implementation of Prime Vendor's portion of the contract.

#### 1.16 Compliance with Laws and Regulations

The Vendor performance of the work shall comply with applicable federal, state, and local laws, rules, and regulations. The Vendor shall give required notices, shall procure necessary governmental licenses and inspections, and shall pay without burden to The WVOT, all fees and charges in connection therewith unless specifically provided otherwise. In the event of violation, The Vendor shall pay all fines and penalties, including attorney's fees and other defense costs and expenses in connection therewith.

#### 1.17.1 Federal Communications Commission

Equipment requiring FCC registration or approval shall have received such approval and shall be appropriately identified.

#### 1.17.2 Codes, Standards, and Ordinances

All work shall conform to the latest edition of the *National Electrical Code*<sup>®</sup>, the Building Code, and all local codes and ordinances, as applicable. ANSI/TIA/EIA-568-B.1 through ANSI/TIA/EIA-568-B.3, NECS/BICSI-568 and ANSI/TIA/EIA-569-A shall be adhered to during all installation activities. Methodologies outlined in the latest edition of the BICSI *Telecommunications Distribution Methods Manual* shall also be used during all installation activities. Should conflicts exist with the foregoing, the authority having jurisdiction for enforcement will have responsibility for making interpretation.

#### 1.17 Safety

The Vendor shall take the necessary precautions and bear the sole responsibility for the safety of the methods employed in performing the work. The Vendor shall at all times comply with the regulations set forth by federal, state, and local laws, rules, and regulations concerning "OSHA" and all applicable state labor laws, regulations, and standards. The Vendor shall indemnify and hold harmless The WVOT from and against all liabilities, suits, damages, costs, and expenses (including attorney's fees and court costs) which may be imposed on The WVOT because of The Vendor, subcontractor, or supplier's failure to comply with the regulations stated herein.

#### 1.18 Patents and Royalties

The Vendor, without exception, shall indemnify and hold harmless The WVOT and its employees from any liability of any nature or kind, including costs and expenses for, or on account of, any trademarked, copyrighted, patented, or nonpatented invention, process, or article manufactured or

used in the performance of the Contract, including its use by The WVOT. If The Vendor or subcontractor uses any design, device, or materials covered by letters, patent, trademark, or copyright, it is mutually understood and agreed without exception that the proposal prices shall include all royalties or cost arising from the use of such design, device, or materials in any way involved in the work.

#### 1.19 Indemnification

The Vendor shall indemnify and hold harmless The WVOT, its agents, and employees from or on account of any injuries or damages, received or sustained by any person or persons, during or on account of any operation connected with this Contract; or by consequence of any negligence (excluding negligence by The WVOT, its agents, or employees) in connection with the same; or by use of any improper materials or by or on account of any act or omission of said Vendor or its subcontractors, agents, servants, or employees. The Vendor further agrees to indemnify and hold harmless The WVOT, its agents, or employees, against claims or liability arising from or based upon the violation of any federal, state, county, city, or other applicable laws, bylaws, ordinances, or regulations by The Vendor, its agents, associates, or employees.

The indemnification provided above shall obligate The Vendor to defend at its own expense or to provide for such defense, at The WVOT's option, of any and all claims of liability and all suits and actions of every name and description that may be brought against The WVOT which may result from the operations and activities under this Contract whether the installation operations be performed by The Vendor, subcontractor, or by anyone directly or indirectly employed by either.

The award of this Contract to The Vendor shall obligate The Vendor to comply with the foregoing indemnity provision; however, the collateral obligation of insuring this indemnity must be complied with as set forth.

#### 1.20 Affidavit

West Virginia State Code 5A-3-10a requires that the successful bidder will submit an affidavit regarding any debt owed to the State. The affidavit must be signed and submitted prior to award. It is preferred that the affidavit be submitted with the RFQ. The Affidavit can be found at www.state.wv.us/admin/purchase/vrc/nodebt.pdf.

#### 2.0 QUALIFICATIONS

#### 2.1 Project Manager

The Vendor will provide a Project Manager who will act as a single point of contact for all activities regarding this project. The Project Manager will be required to make on-site decisions regarding the scope of the work and any changes required by the work. The Project Manager must be on the job at any time work is being performed or workers are present. The Project Manager will be totally responsible for all aspects of the work and shall have the authority to make immediate decisions regarding implementation or changes to the work.

#### 2.2 Construction Manager

The WVOT shall provide a Construction Manager who shall act as a single point of contact for all activities regarding this project. The Construction Manager will be responsible for all decisions required of The WVOT and shall coordinate with all departments during installation activities. The

Construction Manager shall notify The WVOT Inspector when inspections are scheduled and shall coordinate the inspection between The Vendor and The WVOT Inspector.

#### 2.3 Experience

- 2.3.1 The selected Vendor must be fully capable and experienced in the **telecommunications distribution system** specified. To ensure the system has continued support, The WVOT will contract only with Vendors having a successful history of sales, installation, service, and support. The Vendor must have a minimum of **five (5) years** of experience.
- 2.3.2 The Vendor must have an RCDD® (Registered Communications Distribution Designer) on staff that will be ultimately responsible for this project. The RCDD must have sufficient experience in this type project as to be able to lend adequate technical support to the field forces during installation, during the warranty period, and during any extended warranty periods or maintenance contracts. A resume of the responsible RCDD should be attached to The Vendor's response. Should the RCDD assigned to this project change during the installation, the new RCDD assigned must meet all requirements of the RFQ.
- 2.3.3 If, in the opinion of The WVOT, the RCDD does not possess the required qualifications to support the project, The WVOT reserves the right to require The Vendor to assign an RCDD who, in The WVOT's opinion, possesses the necessary skills and experience required of this project.
- 2.3.4 The Vendor must also have **BICSI Registered Installers and Technicians** on staff and assign them to this project. The project shall be staffed at all times by Installers and Technicians who, in the role of lead crafts persons, will be able to provide leadership and technical resources for the remaining crafts persons on the project. A minimum of 30 percent of personnel shall be BICSI registered telecommunications installers. Of that number 15 percent shall be registered at the *Technician Level*, at least 40 percent shall be registered at the *Installer Level 2*, and the balance shall be registered at the *Installer Level 1*. A copy of their registrations must be provided in The Vendor's response to this RFQ.

#### 2.4 References

The WVOT may, with full cooperation of The Vendors, visit client installations to observe equipment operations and consult with references. Specified visits and discussion shall be arranged through The Vendors; however, The Vendor personnel shall **not** be present during discussions with references. The Vendor must provide a minimum of **three** (3) references which are of the same size in scope and design that have been completed by The Vendor within the last **two** (2) years.

#### 2.5 Liability and Insurance

The Vendor shall assume the full duty, obligation, and expense of obtaining and maintaining necessary insurance.

#### 2.5.1 Insurance Coverage

The Vendor shall be fully liable to provide and maintain in force during the life of this Contract, such insurance, including Public Liability Insurance, Product Liability Insurance, Auto Liability Insurance, Worker's Compensation, and Employer's Liability Insurance as will assure to The WVOT the protection contained in the foregoing indemnification provision undertaken by The Vendor. Such policies shall be issued by United States Treasury-approved companies authorized to do business in the State of West Virginia and having agents upon whom service of process may be made in The WVOT and shall contain as a minimum, the following provisions, coverage's, and policy limits of liability.

#### 2.5.2 General Liability

General Liability Insurance shall protect The WVOT, The Vendor, subcontractor, agents, and employees from claims for damages. The limits of liability provided by such policy shall be no less than Five Hundred Thousand Dollars (U.S. \$500,000.00) per occurrence combined single limit bodily injury and property damage, and an amount not less than One Million Dollars (U.S. \$1,000,000.00) for damages on account of all occurrences.

#### 2.5.3 Product Liability

Product Liability or Completed Operations Insurance shall have bodily injury limits of liability of not less than Five Hundred Thousand Dollars (U.S. \$500,000.00) per person; Five Hundred Thousand Dollars (U.S. \$500,000.00) per occurrence, and Five Hundred Thousand Dollars (U.S. \$500,000.00) aggregate.

#### 2.5.4 Auto Liability

Auto Liability Insurance shall have bodily injury limits of not less than Three Hundred Thousand Dollars (U.S. \$300,000.00) per occurrence and property damage limits of not less than One Hundred Thousand Dollars (U.S. \$100,000.00).

#### 2.5.5 Workers' Compensation and Employer's Liability

Workers' Compensation and Employer's Liability Insurance shall meet minimum requirements set by the State of West Virginia, but in no case less than One Hundred Thousand Dollars (U.S. \$100,000.00).

#### 2.5.6 Proof of Insurance

The Vendor shall furnish to The WVOT a Certificate of Insurance or duplicate policies of insurance described above which specifically protect The WVOT. This will be accomplished by naming The WVOT as a named insured under the policy and by providing an endorsement under the terms of which the insurer specifically agrees not only to pay any claims incurred by or resulting to The WVOT, but also agrees to enter a defense on behalf of The WVOT. The defense includes any and all suits or actions, in which the liability of The WVOT is vicarious and is predicated upon allegation of some act of omission by The Vendor, subcontractor, or his or her agents. This proof shall be received within two (2) working days after notice of award. Purchase order(s) will not be issued until Certificates of Insurance are received.

Such certification must contain a provision for notification of The WVOT thirty (30) days in advance of any material change in coverage or cancellation. Notification shall be in writing and signed in ink by a duly authorized officer of the Insurer.

#### 2.5.7 License Requirements

The successful bidder MUST have a West Virginia Contractor's License. If partnering with subcontractors, only the vendor actually performing the installation of cabling must hold the contractor's license. The license number must be included on the bid response, but the certificate will be required only from the successful vendor. If the prime vendor replaces the networking installation vendor any time during the term of the contract, prior written approval from the WVOT and a properly executed change order to the contract must be processed. The replacement must have a contractor's license and provide a copy before the change will be approved.

#### 2.5.8 Wage Rates

The West Virginia Division of Labor's Building and Construction Wage Rates are made part of the RFQ by reference. The wage rates are available online at the Secretary of State's website: <a href="http://www.wvsos.com/adlaw/wagerates/building02.htm">http://www.wvsos.com/adlaw/wagerates/building02.htm</a>.

2.5.9 Bonding

2.5.9.1 Bid Bond

A Surety Bond, Certified Check, Cashier's Check, Treasurer's Check, or bank draft of any State or National Bank representing five (5) percent of the total amount of the Vendor's response must accompany the response package.

#### 2.5.9 2 Performance, Labor, Materials Bond

The successful vendor must provide a valid Performance, Labor, Materials Bond in force covering the work performed up to the acceptance by The WVOT. The Bond must be in the amount of one hundred (100) percent of the Contract amount, guaranteeing to The WVOT the completion and performance of the work covered in such as well as full payment of all suppliers, agents, laborers, or subcontractors employed in the performance of the project. Such Bond shall be in a form and with a surety acceptable to The WVOT and shall provide for the protection of all persons supplying labor or materials used for the performance of the work. Purchase order(s) will not be issued until 100 percent payment bond is received.

The Vendor agrees to keep such Bond, or a replacement thereof, in force at all times during the course of the performance under this project. In addition to the foregoing requirements, such bond shall contain the provision, whether by attaching endorsements or supplemental agreements, guaranteeing to The WVOT the successful completion of the project. The Vendor may comply with the requirements of this provision by causing said Bond to specifically name The WVOT as one of the parties to whom the protection afforded by said Bond is extended or as an alternate, may furnish The WVOT with a separate Performance Bond meeting the same criteria.

#### 2.5.9.3 Qualification of Surety

The Performance, Labor, Materials Bond must be executed by a Surety Company of recognized standing, authorized to do business in the State of West Virginia. The bonds shall be on the State of WV form provided by the Purchasing Division. A certified check, or cashiers check made payable to the State of West Virginia, will also serve as the bid bond.

#### 2,5.9.4 Failure to Complete and Liquidated Damages

Because the actual damages for delay in completion are impractical to determine, the successful Vendor and its sureties shall be liable for and shall pay to The WVOT stipulated and fixed, agreed, and liquidated damages the sum of Five Hundred Dollars (U.S. \$500.00) for each calendar day past the agreed upon date of completion. The successful Vendor and its sureties shall be liable for and shall pay to The WVOT stipulated and fixed, agreed, and liquidated damages in the sum of One Thousand Dollars (U.S. \$1000.00) for each calendar day an outage is caused on an existing fiber run, Five Hundred Dollars (U.S. \$500.00) for each calendar day an outage is caused on an existing data run and One Hundred Dollars (U.S. \$100.00) for each calendar day an outage is caused on an existing voice run.

#### 2.6 Special Conditions

This facility is a facility that provides services to the State of West Virginia and all those having business with the State. As such, activities in all buildings are critical to the provisioning of services and shall not be interrupted by The Vendor's work activities.

The computer and telecommunications systems associated with this work must not be taken offline or removed from service during normal working hours without The Vendor first making specific arrangements to coordinate any such activities.

The Vendor will be required to work around all of the conditions listed above, as well as working with The WVOT staff to minimize disruptions to normal Customer activities.

#### 2.7 Cancellation

In the event provisions of this RFQ are violated by The Vendor, The WVOT may give written notice to The Vendor stating the deficiencies. Unless deficiencies are corrected within five (5) working days, recommendations will be made to The Purchasing Division for immediate cancellation. The Purchasing Division reserves the right to terminate immediately any contract resulting from this RFQ for failure to correct deficiencies.

#### 3.0 INSTALLATION GUIDELINES

This RFQ includes equipment, materials, labor, and services to provide telecommunications distribution system infrastructure cable including, but not limited to copper twisted pair and multi strand fiber; System testing; Documentation and providing all equipment, materials, labor, and services, not specifically mentioned or shown, which may be necessary to complete or perfect all parts of the installation.

- 3.1 All work performed on this project will be installed in accordance with the current edition of the National Electrical Code<sup>®</sup>, the current edition of the National Electrical Safety Code<sup>®</sup>, the current issue of the ANSI/NECA/BICSI-568 Standard for Installing Commercial Building Telecommunications Cabling, the current edition of the BICSI Telecommunications Distribution Methods Manual, the current edition of the BICSI Cabling Installation Manual, the latest issue of the ANSI/TIA/EIA Standards as published by Global Engineering Documents as ANSI/TIA/EIA Telecommunications Building Wiring Standards, and all local codes and ordinances.
- 3.2 At a minimum, not limited to, design, manufacture, test, and install telecommunications infrastructure cable per manufacturer's requirements and in accordance with NFPA-70 (National Electrical Code®), state codes, local codes, requirements of authorities having jurisdiction, and particularly the following standards:
  - 3.2.1 ANSI/NECA/ Telecommunications Cabling
  - 3.2.2 ANSI/TIA/EIA-568-B.1 -- Commercial Building Telecommunications Cabling Standard, Part 1: General Requirements
  - 3.2.3 BICSI-568 -- Standard for Installing Commercial Building ANSI/TIA/EIA-569-A -- Commercial Building Standard for Telecommunications Pathways and Spaces
  - 3.2.4 ANSI/TIA/EIA-606(A) -- The Administration Standard for the Telecommunications Infrastructure of Commercial Buildings
  - 3.2.5 ANSI/TIA/EIA-607(A) -- Commercial Building Grounding and Bonding Requirements for Telecommunications
- 3.3 Install in accordance with the most recent edition of BICSI® publications: BICSI -- Telecommunications Distribution Methods Manual
- 3.4 Federal, state, and local codes, rules, regulations, and ordinances governing the work, are as fully part of the specifications as if herein repeated or hereto attached. If the contractor should note items in the drawings or the specifications, construction of which would be code violations,

promptly call them to the attention of the State of West Virginia's representative in writing. Where the requirements of other sections of the specifications are more stringent than applicable codes, rules, regulations, and ordinances, the specifications shall apply.

#### 4.0 INFRASTRUCTURE CABLE SYSTEM DESCRIPTION

Fiber Optic cable must be Systimax (or equal).

Termination hardware must be Systimax (or equal).

## ALL FIBER AND COPPER CABLE AS WELL AS ALL TERMINATION AND INSTALLATION MATERIAL USED MUST BE PLENUM RATED

#### 5.0 GROUNDING

Cable tray grounding must conform to the *National Electrical Code*® 2005 – article 392.7 Grounding

Grounding must conform to ANSI/TIA/EIA 607(A) – Commercial Building Grounding and Bonding Requirements for Telecommunications, National Electrical Code®, ANSI/NECA/BICSI-568 and manufacturer's grounding requirements at a minimum.

Vendor must bond to the TMGB (Telecommunications Main Grounding Busbar) in room MB 66. The TMGB will be installed in the center of the northern wall a minimum of eight (8) feet above the floor. Vendor will be required to bond and ground equipment racks, housings, messenger cables, and raceways to the TGB ground system via #6 AWG green insulated copper grounding conductor.

Vendor must bond to the TGB (Telecommunications Grounding Busbar) in room all equipment rooms served by the solid trough cable tray. The TGB will be installed in the center of the wall designated by WVOT at a minimum of eight (8) feet above the floor. Vendor will be required to bond and ground equipment racks, housings, messenger cables, and raceways to the TGB ground system via #6 AWG green insulated copper grounding conductor.

#### 6.0 LABELING

Labeling shall conform to ANSI/TIA/EIA-606(A) standards and in addition, provide the following:

- 6.1 Labels shall be machine-printed. Hand-lettered labels shall not be acceptable.
- 6.2 Labels shall be affixed to the infrastructure cable at a minimum of every twenty (20) feet.
- 6.3 Labels shall be at least one (1) inch high black lettering on a white background.

#### 7.0 <u>AS – BUILT DRAWINGS</u>

Three (3) sets of as-built drawing shall be delivered to the State of West Virginia within four (4) weeks of acceptance of project by the State of West Virginia. A set of as-built drawings shall be provided to the State of West Virginia in electronic media form and utilizing CAD software that is acceptable to the State of West Virginia. Within six (6) weeks of acceptance of the project the electronic media must be delivered to the State of West Virginia.

#### 8.0 FIRESTOPPING MATERIALS

All firestopping will be accomplished using Wiremold flamestopper units or equal. http://www.wiremold.com/flamestopper/home.asp

#### http://www.wiremold.com/shared\_content/pdf/ed1312.pdf

All firestop must have a 4 hour rating.

The amount of firestop units required will equal or exceed the capacity of the largest cable tray that is served by the penetration.

No more than a 70% fill rate is allowed on any firestop unit.

#### Firestopping is required at all locations the cable tray pathway penetrates a wall.

Products shall fill holes, spaces, and voids (hereinafter referenced as cavities) at communications penetrations. Firestopping materials shall also provide adhesion to substrates and maintain fire and smoke seal under normal expected movements of substrates, conduits, and cables.

#### 9.0 FIRESTOPPING

#### 9.1 General

- 9.1.1 New and existing raceways, cable trays, and cables for power, data, and communications systems penetrating non-rated and fire-rated floors, walls, and other partitions of building construction shall be firestopped where they penetrate new or existing building construction.
- 9.1.2 Firestopping shall be accomplished by using a combination of materials and devices, including penetrating raceway, cable tray, or cables, required to make up complete firestop.
- 9.1.3 Verify that cabling and other penetrating elements and supporting devices have been completely installed and temporary lines and cables have been removed.

#### 9.2 Installation

- 9.2.1 Select appropriate type or types of through penetration firestop devices or systems appropriate for each type of communications penetration and base each selection on criteria specified herein.
- 9.2.2 Selected systems shall not be less than the hourly time delay ratings indicated in the Contract Documents for each respective fire-rated floor, wall, or other partition of building construction. Firestop for each type of communications penetration shall conform to requirements of an independent testing laboratory design drawing or manufacturer's approved modification when used in conjunction with details shown on the Drawings.
- 9.2.3 Perform all necessary coordination with trades constructing floors, walls, or other partitions of building construction with respect to size and shape of each opening to be constructed and device or system approved for use in each instance.
- 9.2.4 Coordinate each firestop selection with adjacent Work for dimensional or other interference and for feasibility. In areas accessible to public and other "finished" areas, firestop systems Work shall be selected, installed, and finished to the quality of adjacent surfaces of building construction being penetrated.
- 9.2.5 Use materials that have no irritating or objectionable odors when firestopping is required in existing buildings and areas that are occupied.
- 9.2.6 Provide damming materials, plates, wires, restricting collars, and devices necessary for proper installation of firestopping. Remove combustible installation aids after firestopping material has cured.
- 9.2.7 All firestops shall be installed in accordance with the manufacturer's instructions in order to maintain the specific rating assigned by the independent testing laboratory.

- 9.3 Additional requirements for existing penetrations are as follows:
  - 9.3.1 Existing raceways, cable trays, and cabling that penetrate existing building construction shall be firestopped to the extent necessary to fill cavities that may exist between existing building construction and existing communications penetrations or existing conduit sleeve, and between existing conduits and existing conduit sleeve.
  - 9.3.2 Assemblies consisting of individual steel hat type restricting collars filled with intumescent type materials that completely surround communications penetration shall be used for nonmetallic raceways and cabling.
- 9.4 If required by inspecting authorities:
  - 9.4.1 Expose and remove firestopping to the extent directed by inspecting authority to permit his or her inspection.
  - 9.4.2 Reinstall new firestopping and restore Work where removed for inspection.

#### 10. SLEEVES

- 10.1 Provide sleeves for new conduit and cable penetrations of building construction.
- 10.1.1 Openings to accept sleeves in new building construction will be formed in building construction by the Contractor for General Construction work. Openings to accept sleeves in existing building construction shall be provided under this division of the Specifications. Refer to Article, CUTTING AND PATCHING in this Section.
- 10.1.2 Use electrical metallic tubing sleeves for penetrations through exterior masonry/concrete walls and foundations, concrete floor slabs on grade and above grade, and concrete-filled decks.
- 10.1.3 Use only fire-rated listed assemblies for the type of sleeve being installed through CMU walls or gypsum walls for communications penetrations. Sleeve type shall be electrical metallic tubing.
- 10.2 Where conduits are installed before building construction being penetrated, install sleeves loose around conduits.
  - 10.2.1 Split, fit, and weld steel sleeves over existing conduits.
- 10.3. Secure sleeves firmly in place using filling and patching materials (grout) that match with surrounding construction.
- 10.4 In floor penetrations, extend sleeve 4" above finished floor unless noted otherwise. In wall penetrations, cut sleeves flush with wall surface and use metal escutcheon plates in finished interior areas.
- 10.5 Seal voids between sleeves and building construction with joint sealants. Make allowances for and coordinate the Work with installation of firestopping, conduit insulation, and waterproofing, as applicable.
- 10.6 The Contractor shall be fully responsible for final and correct location of sleeves.
  - 10.6.1 Sleeves which are omitted or incorrectly located in existing building construction, shall be corrected and provided by the Communications Contractor.

#### 11.0 PENETRATIONS OF BUILDING SURFACES

#### 11.1 Fire-resistant Areas

- 11.1.1 Provide through-penetration firestop systems for penetrations through fire-rated walls, floors, and other partitions of building construction as specified in Article, FIRESTOPPING in this Section.
- 11.1.2 In walls or partitions with 2-hour or less fire ratings, provide only metallic outlet or device boxes installed per UL Fire Resistance Director, NEC, and other national building code requirements.

#### 11.2. Firestopping

- 11.2.1 Manufacturer's technical data for each product including product description, specifications including labeling or listing by an agency acceptable to the Engineer/Designer, and storage requirements.
- 11.2.2 Firestop design basis documentation that shall include schedule indicating each type of communication penetration, type of building construction being penetrated including the hourly resistance rating of floor, wall, or other partition of building construction into which firestop design will be installed, and firestop device or system proposed for use.
- 11.2.3 Applicable design drawings by Engineer/Designer-approved testing laboratories.
- 11.2.4 Installation Procedures and Material Safety Data Sheets shall be included with products delivered to the job site.
- 11.2.5 Include in project's maintenance manuals, maintenance data that may be published by manufacturer.

#### 12.0 FIRESTOP REFERENCES

The vendor must adhere to the following guidelines:

ASTM E814, Standard Method of Fire Tests of Through-Penetration Firestops.

UL 1479, Fire Tests of Through-Penetration Firestops.

UL Fire Resistance Directory: Through Penetration Firestop Devices (XHCR) and Through

Penetration Firestop Systems (XNEZ).

ASTM E 119, Fire Tests of Building Construction and Materials (for fire-rated architectural barriers).

2002 NFPA National Electrical Code, Section 800-52, Paragraph 2(B), Spread of Fire and Products of Combustion.

ANSI/NECA/BICSI-568, Standard for Installing Commercial Building Telecommunications Cabling, Section 5, Clause 5.1 through 5.2.3, *Firestopping* 

2000 edition of the BICSI Telecommunications Distribution Methods Manual, Chapter 15, Firestopping.

Factory Mutual Approval Guide.

ULC List of Equipment and Materials, VOL. II.

Installed firestopping systems shall meet approval of authorities having jurisdiction.

#### 13.0 REMOVAL AND REPLACEMENT OF EXISTING CEILINGS

- 13.1 Carefully remove entire existing ceilings in the building as required to install cable tray. Store removed tiles in an area designated by the State of West Virginia. Modify and augment existing suspension systems as necessary. Damaged ceiling tiles will be considered trash. The vendor will dispose of the removed tiles in a designated area or dumpster.
- 13.2 Restoration of the ceiling systems to their original finish in a non-refubished area will not a requirement of this RFQ.
- 13.3 Restoration of the ceiling systems to their original finish in a newly refurbished area will be a requirement of this RFQ. The original tiles may be put back up if they are not damaged during removal.

#### 14.0 CUTTING AND PATCHING

- 14.1 Provide openings, cutting, coring, and patching of openings in existing building construction as required. Patching includes openings and voids left in existing construction as a result of demolition.
- 14.2 The Work shall include necessary assemblies and materials to maintain required fire ratings.
- 14.3 Perform cutting as to not impair structural stability of building construction and systems. Do not drill holes or weld attachments to beams and other structural members without prior written approval from the State of West Virginia's Representative.
- 14.4 The Work shall be done by crafts persons skilled in the particular trades affected.
- 14.5 Patching materials shall match existing materials in type and quality. Patching shall be done in a manner to match appearance of adjacent surfaces.
- 14.6 The successful vendor is only responsible for openings in walls that the vendor makes.

#### 15.0 CLEANING

- 15.1 Cleaning shall be performed to the satisfaction of the State of West Virginia's Representative.
- 15.2 Unless otherwise indicated, clean shall mean free of dust, dirt, mud, debris, oil, grease, residues, and contamination. Acceptability shall be determined by sight, touch, and wiping with a clean soft cloth and suitable cleaning agent.

#### 16.0 PAINTING

16.1 Touch up marred and bared surfaces of primed, galvanized, and finish painted equipment, materials, and accessories installed.

- 16.2 Restore patched surfaces as close to the original condition and finish as reasonably possible. Where patching occurs in smooth painted surface, extend final paint coat over entire unbroken surface containing patch, after patched area has received two coats of primer and two coats of finished paint.
- 17.0 Hours can be flexible and varied but must be approved by the Office of Technology.
- **18.0** The State will provide space for staging of materials on site, but will not be responsible for staged materials.
- 19.0 All termination hardware will be accomplished using Systimax products or equal. The State has included in this document additional information for the rooms. All installed copper pairs and fiber strands must be terminated and tested to manufactures specifications and be plenum rated.

	ISCH020	A COUNTY DHHR	CAT-6 AND FIBER MATERIAL TAKE-OFF		<b> </b>
				Price Each	-
Fiber a	and Copper bac	kbone: DHHR to W	IC	Price Each	Ext
<u>Qt</u>	<u>U/M</u>	Part#	Description	<del></del>	-
2	Each	760028324	600G2-1U-MOD-SD 600G2 Modular Shelf, 1U, Slide	<del></del>	
2	Each	760039867	RS-2AF-16SF RoloSplice Kit E/W 2x Fusion Splice Tray 1U Shelf		
2	Each	760032227	MODG2-6SC-LS-PT-A, G2 Module 6SC LazrSPEED 550 Pigtails		
600	) Feet	760016873	5125 006A XPBK 50/125 MM IN/OUT, LazrSPEED 550 PLENUM		<del>  </del>
200	) Feet	7525785	25 PAIR, PE-89	<del> </del>	-
400	Feet	2131505	25 PAIR, CAT-3, CMP	<del> </del>	<u> </u>
2	Each	1880B1-25	CIRCA 25 PAIR 110IN/STUB OUT	ļ	-
50	Each	3B1E	3B1E GAS FUSES	ļ	-
1	Each	KB2-100-2	3M SPLICE CASE	-	<u> </u>
1	Each	3M710SC1-258	<del></del>	<u> </u>	ļ.,
2	Each	108208919	1100PSCCAT5E-24, 24 Port Patch Panel	<del> </del>	<u> </u>
4	Each	760034793	HCM1U, Horizontal Cable Manager, 1U		-
1	Each	108527441	RK100A Rack, 19" Black, 45U, 84" 3" 750lbs 32 lbs		ļ
1	Each		5 1/4" X 1" X 19-1/4" HORIZONTAL RACK GROUND BAR KIT		
DHHR		iber and Copper ba	ckbone: MER to MPOP	ļ <u> </u>	
Qty		Part#	Description Description		
1	Each	760032268			ļ
400	Feet	760004333	MODG2-6SC-SM-PT-A, G2 Module 6SC TeraSPEED Pigtails		
400	Feet	2131505	SYSTIMAX, 5201 006A WPYL, SM, TeraSPEED PLENUM 25 PAIR, CAT-3, CMP	<u> </u>	
6	Each	95-201-41SP	SM, SC, Anaerobic Connector		
1	Each	106896947			
1	Each	107025835	100A3 LIU, Wall Mount Fiber Cabinet		
1	Each	105276570	10SCI-DPLX, Panel, 3 Duplex SC Adapters		
1	Each	107831133	10 Blank Panel for 100LIU/200LIU		
	PACK	103801247	110 JUMPER TROUGH		
1	Each	107256653	C-4 CONNECTING BLOCK		
1	Each	108208919	110DW1-25, 110 BLOCK		
1	Each	760034793	1100PSCCAT5E-24, 24 Port Patch Panel		
1 1	Each		HCM1U, Horizontal Cable Manager, 1U		
Cable Ti		GB1144121WGBK1	1/4" X 2" X 12" TMGB KIT		
Qty	U/M	D. (1)			
100	10 FT	Part#	Description		
75	10 FT	CF54/450EZ	BASKET TRAY, 18"		
25	· · · · · · · · · · · · · · · · · · ·	CF54/300EZ	BASKET TRAY, 12"		
25	50 PK	EDRNEZ	BASKET TRAY SPLICES		-
25	Each	EZT90KIT	BASKET TRAY 18" 90 DEGREE		_
	Each	DROPOUT	BASKET TRAY DROP OUT		
	uipment Room	·- · · ·		_	
Qty 5	<u>U/M</u>	Part#	Description		
5	Each	108527441	RK100A Rack, 19" Black, 45U, 84" 3" 750lbs 32 lbs		
8	Each	108527560	GV100A Std Vertical CA Mgr, Single Sided Black 7'		
8	Each		OVERHEAD RUNWAY, 18", BLACK		
4	Each		RACK TOP PLATES, 18", BLACK		
2	Each		SPLICE FITTING		
4	Each		JUNCTION KIT		
5	Each		WALL BRACKET, 18" BLACK		
1	Each	15218-703	ADJUSTABLE 4 POST RACK 36.42" X 42.32"	- 1	
4	Each		ADJUSTABLE VENTED SHELF		

					Price Each	Extended
	MISC Add	litional Equ	 ipment (Add / Alterna	ites) Not Part of Bid Evaluation		
	Qty	U/M	Part#	Description	<del>-</del>	<del> </del>
	1	Each	CPC3312-09F001	1 FOOT YELLOW CAT 6 PATCH CABLE		<del> </del>
	1	Each	CPC3312-09F003	3 FOOT YELLOW CAT 6 PATCH CABLE		-
	111	Each	CPC3312-09F005	5 FOOT YELLOW CAT 6 PATCH CABLE	-	<del> </del>
	1	Each	CPC3312-09F007	7 FOOT YELLOW CAT 6 PATCH CABLE		1
	1	Each	CPC3312-09F010	10 FOOT YELLOW CAT 6 PATCH CABLE		<del> </del>
_	1	Each	CPC3312-04F001	1 FOOT GREEN CAT 6 PATCH CABLE	<del> -</del>	<del></del>
	1	Each	CPC3312-04F003	3 FOOT GREEN CAT 6 PATCH CABLE		ļ
_	1	Each		5 FOOT GREEN CAT 6 PATCH CABLE		
	1	Each		7 FOOT GREEN CAT 6 PATCH CABLE	-	
	1	Each		10 FOOT GREEN CAT 6 PATCH CABLE		
	<u>I</u>	Each	CPC3312-06F001	1 FOOT ORANGE CAT 6 PATCH CABLE		<del>                                     </del>
	1	Each	CPC3312-06F003	3 FOOT ORANGE CAT 6 PATCH CABLE	-	
	11	Each	CPC3312-06F005	5 FOOT ORANGE CAT 6 PATCH CABLE		
	11	Each		7 FOOT ORANGE CAT 6 PATCH CABLE		
	1	Each		10 FOOT ORANGE CAT 6 PATCH CABLE		-
	11	Each		1/4" X 2" X 12" TGB KIT	_	
	11	Each	GBI14412TMGBKT	1/4" X 2" X 12" TMGB KIT		
	1	Each		1/4" X 2" X 20" TMGB KIT		
_	1	Each		1/4" X 5/8" X 36" VERTICAL RACK GROUND BAR KIT	<del></del>	
	1	Each		1/4" X 5/8" X 72" VERTICAL RACK GROUND BAR KIT		
	1	Each		1/4" X 1" X 19-1/4" HORIZONTAL RACK GROUND BAR KIT		



## MOVING / INSTALLATION SCHEDULE FOR DHHR KANAWHA (revised 03/31/08)

( JB/JON BURDETTE, CBI/CAPITOL BUSINESS, WVOT/DATA PHONE (Cabling Contractor), ELEC/JOHN BURDETTE, DHHR/MOVERS)

AREA #1 & #2— DHHR out by 5/16/08, JB start work 5/19/08, WVOT/DATA PHONE 5/25/08, CBI start 6/23/08, ELEC and WVOT 6/25/08, CBI out 6/27/08, DHHR back in 6/27/08.

AREA #3 & #4 – DHHR out by 6/27/08, JB start work 6/30/08, **WVOT/DATA PHONE** 7/07/08, CBI start 7/28/08, ELEC and WVOT 7/30/08, CBI out 8/1/08, DHHR back in 8/1/08.

AREA #5 & #6— DHHR out by 08/01/08, JB start work 8/4/08, **WVOT/DATA PHONE 8/11/08**, CBI start 9/8/08, ELEC and WVOT 9/10/08, CBI out 9/12/08, DHHR back in 9/12/08.

AREA #7 & #8 - DHHR out by 9/12/08, JB start work 9/15/08, **WVOT/DATA PHONE 9/22/08**, CBI start 10/27/08, ELEC and WVOT 10/29/08, CBI out 10/31/08, DHHR back in 10/31/08.

AREA #9 & 10A – DHHR out by 10/31/08, JB start work 11/3/08, **WVOT/DATA PHONE** 11/10/08, CBI start 12/1/08, ELEC and WVOT in 12/2/08, CBI out 12/15/08, DHHR back in 12/15/08.

AREA #10B & 11 – DHHR out by 12/5/08, JB start work 12/8/08, **WVOT/DATA PHONE** 12/15/08, CBI install 12/22/08, DHHR back in 12/23/08.

AREA #12 & 13—DHHR out by 1/2/09, JB start work 1/5/09, **WVOT/DATA PHONE** 1/12/09, CBI in 2/9/09, CBI out 2/9/09, DHHR back in 2/10/09.

AREA #14 – DHHR start removing files 2/10/09, JB start work 3/16/09, **WVOT/DATA PHONE** 3/23/09, JB out 3/26/09, File Sys base start 3/27/09, file sys out 4/8/09, JB back in 4/9/09 for tile, JB out 4/10/09, File Sys start 4/13/09, file Sys out 5/15/09, CBI in 5/18/09, WVOT and ELEC 5/18/09, CBI out 5/19/09, DHHR move files from conference rooms, DHHR finish 6/19/09.

AREA #15 – JB start work 6/19/09, JB out 6/26/09, **WVOT/DATA PHONE 6/20/09**, CBI install conference rooms 6/26/09.

LOBBY – JB will work 6/27 - 6/28/09 and 7/11 - 7/12/09, **WVOT/DATA PHONE** 7/11/09, CBI will install lobby chairs 7/12/08.

(A)

(B)

AGENCY\_

RFQ/RFP#\_

#### **BID BOND PREPARATION INSTRUCTIONS**

		IZIONI AI		Bid Bond	TO The	4 4
(A)	WV State Agency	KNOW AL	LMENBYIH	ESE PKESEN	15, Inat we	, the undersigned,
	(Stated on Page 1 "Spending Unit") Request for Quotation Number (upper	as Principal, and	OI	of	,	(E) ,
	right corner of page #1)	(H)	a cornor:	ation organize	d and existing	ng under the laws
(C)	Your Company Name	of the State of	<u>(I)</u>	with its princi	nal office in	the City of
(D)	City, Location of your Company	(J)	as Surety	v. are held and	firmly bour	id unto The State
(E)	State, Location of your Company	of West Virginia, as				
(F)	Surety Corporate Name	(\$ <u>(L)</u>	) for the p	avment of wh	ich, well and	truly to be made.
(G)	City, Location of Surety	we jointly and sever	ally bind oursely	es, our heirs,	administrato	rs, executors.
(H)	State, Location of Surety	successors and assig	•	,,		,,
(I)	State of Surety Incorporation			obligation is s	such that wh	ereas the Principal
(J)	City of Surety Incorporation	has submitted to the				
(K)	Minimum amount of acceptable bid	a certain bid or prop	osal, attached he	reto and made	a part hered	of to enter into a
(11)	bond is 5% of total bid. You may state	contract in writing for			1	
	"5% of bid" or a specific amount on		(	M)		
	this line in words.	· · · · · · · · · · · · · · · · · · ·				
(L)	Amount of bond in figures					
(M)	Brief Description of scope of work	NOW THE	REFORE.			
(N)	Day of the month	(a) If said	bid shall be rejec	cted, or		
(O)	Month	(b) If said	bid shall be acce	pted and the I	rincipal sha	ll enter into a
(P)	Year	contract in accordan	ce with the bid o	r proposal atta	ched hereto	and shall furnish
(Q)	Name of Corporation	any other bonds and	insurance requir	ed by the bid	or proposal,	and shall in all
(Ř)	Raised Corporate Seal of Principal	other respects perfor	m the agreement	t created by th	e acceptance	of said bid then
(S)	Signature of President or Vice	this obligation shall				
( )	President	force and effect. It i	s expressly unde	rstood and ag	reed that the	liability of the
(T)	Title of person signing	Surety for any and a	ll claims hereund	der shall, in no	event, exce	ed the penal
(U)	Raised Corporate Seal of Surety	amount of this oblig	ation as herein st	tated		
(V)	Corporate Name of Surety		for value receiv			
(W)	Signature of Attorney in Fact of the	obligations of said S	urety and its bor	nd shall be in r	io way impa	ired or affected by
	Surety	any extension of tim				h bid: and said
NOTE:	Dated, Power of Attorney with Raised	Surety does hereby				
	Surety Seal must accompany this bid	IN WITNESS WHEREOF, Principal and Surety have hereunto set their				
	bond.	hands and seals, and	such of them as	are corporation	ons have cau	sed their corporate
		seals to be affixed he	-			
		this (N) da	ay of(	<b>O)</b> , 20	(P)	<u>.</u>
		Duin simal Comments	O1			(Q)
		Principal Corporate	Seai	************		f Principal)
		Œ	Δ.	Dry		(S)
		(R	.)	Ву		President or
						esident)
						(T)
						Title
		(U Surety Corporate Se				(V)
		Surety Corporate Se	aı			of Surety)
					(1,00010	
						(NV)
						(W)
					Auorn	ey-in-Fact

IMPORTANT – Surety executing bonds must be licensed in West Virginia to transact surety insurance. Raised Corporate Seals must be affixed and a Power of Attorney must be attached.

	Agency REQ.P.O#		
BID BO	OND		
KNOW ALL MEN BY THESE PRESENTS, That we, the und	ersigned.		
of,			
of,, a coi			
with its principal office in the City of			
of West Virginia, as Obligee, in the penal sum of	(\$) for the payment of which,		
well and truly to be made, we jointly and severally bind ourselves, our	heirs, administrators, executors, successors and assigns.		
The Condition of the above obligation is such that whereas the			
Department of Administration a certain bid or proposal, attached here	to and made a part hereof, to enter into a contract in writing for		
NOW THEREFORE.			
hereto and shall furnish any other bonds and insurance required by the agreement created by the acceptance of said bid, then this obligation force and effect. It is expressly understood and agreed that the liabilitiexceed the penal amount of this obligation as herein stated.  The Surety, for the value received, hereby stipulates and agreed that the liabilities are supported to the surety of the value received.	shall be null and void, otherwise this obligation shall remain in full ty of the Surety for any and all claims hereunder shall, in no event, rees that the obligations of said Surety and its bond shall be in no		
way impaired or affected by any extension of the time within which the waive notice of any such extension.	e Obligee may accept such bid, and said Surety does hereby		
IN WITNESS WHEREOF, Principal and Surety have hereun	to set their hands and seals, and such of them as are corporations		
have caused their corporate seals to be affixed hereunto and these pi	resents to be signed by their proper officers, this		
, 20			
Principal Corporate Seal	(Name of Principal)		
	(Name of Philopal)		
	By(Must be President or Vice President)		
	(Title)		
Surety Corporate Seal	(Name of Surety)		

IMPORTANT – Surety executing bonds must be licensed in West Virginia to transact surety insurance. Raised corporate seals must be affixed, a power of attorney must be attached.

Attorney-in-Fact

RFQ No.	

#### STATE OF WEST VIRGINIA Purchasing Division

## **PURCHASING AFFIDAVIT**

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate

#### **DEFINITIONS:**

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

**EXCEPTION:** The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

**LICENSING:** Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

**CONFIDENTIALITY:** The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendors should visit **www.state.wv.us/admin/purchase/privacy** for the Notice of Agency Confidentiality Policies.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), it is hereby certified that the vendor acknowledges the information in this said affidavit and are in compliance with the requirements as stated.

Vendor's Name:	
Authorized Signature:	Date:

Purchasing Affidavit (Revised 06/15/07)