



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER  
**NTIRES08**

PAGE  
**1**

ADDRESS CORRESPONDENCE TO ATTENTION OF:  
**JO ANN ADKINS  
 304-558-8802**

VENDOR

**RFQ COPY  
 TYPE NAME/ADDRESS HERE**

SHIP TO

**ALL STATE AGENCIES  
 AND POLITICAL SUBDIVISIONS  
 (LOCATION AS INDICATED BY  
 CONTRACT ORDER)**

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
11/14/2007				

BID OPENING DATE: **01/02/2008** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	1	EA		998-13-99-000		
<p><b>TIRES: NEW</b></p> <p style="text-align: center;"><b>REQUEST FOR QUOTATION</b></p> <p>THE PURCHASING DIVISION IS SOLICITING BIDS FOR A BLANKET OPEN-END CONTRACT TO SUPPLY NEW TIRES TO ALL STATE AGENCIES AND POLITICAL SUBDIVISIONS PER THE ATTACHED SPECIFICATIONS.</p> <p>*****            INQUIRIES            WRITTEN QUESTIONS SHALL BE ACCEPTED THROUGH CLOSE OF BUSINESS THURSDAY, DECEMBER 6, 2008. QUESTIONS MAY BE SENT VIA USPS, FAX, COURIER OR E-MAIL. IN ORDER TO ASSURE NO VENDOR RECEIVES AN UNFAIR ADVANTAGE, NO SUBSTANTIVE QUESTIONS WILL BE ANSWERED ORALLY. IF POSSIBLE, E-MAIL QUESTIONS ARE PREFERRED.            ADDRESS INQUIRES TO:</p> <p>JO ANN ADKINS            DEPARTMENT OF ADMINISTRATION            PURCHASING DEPARTMENT            2019 WASHINGTON STREET, EAST            CHARLESTON, WV 25305            FAX: 304-558-4115            EMAIL: JOADKINS@WVADMIN.GOV</p> <p>ATTACHMENTS:            NTIRE08 - GENERAL SPECIFICATIONS AND CONDITIONS</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

**GENERAL TERMS & CONDITIONS  
REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)**

1. Awards will be made in the best interest of the State of West Virginia.
2. The State may accept or reject in part, or in whole, any bid.
3. All quotations are governed by the *West Virginia Code* and the *Legislative Rules* of the Purchasing Division.
4. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125.00 registration fee.
5. All services performed or goods delivered under State Purchase Orders/Contracts are to be continued for the term of the Purchase Order/Contract, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
6. Payment may only be made after the delivery and acceptance of goods or services.
7. Interest may be paid for late payment in accordance with the *West Virginia Code*.
8. Vendor preference will be granted upon written request in accordance with the *West Virginia Code*.
9. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
11. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
12. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
13. **BANKRUPTCY:** In the event the vendor/contractor files for bankruptcy protection, this Contract may be deemed null and void, and terminated without further order.
14. **HIPAA Business Associate Addendum** - The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (<http://www.state.wv.us/admin/purchase/vrc/hipaa.htm>) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Covered Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.

---

**INSTRUCTIONS TO BIDDERS**

1. Use the quotation forms provided by the Purchasing Division.
2. **SPECIFICATIONS:** Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as **EQUAL** to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
3. Complete all sections of the quotation form.
4. Unit prices shall prevail in cases of discrepancy.
5. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
6. **BID SUBMISSION:** All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications.

**SIGNED BID TO:**

Department of Administration  
Purchasing Division  
2019 Washington Street East  
Post Office Box 50130  
Charleston, WV 25305-0130



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER  
**NTIRES08**

PAGE  
**2**

ADDRESS CORRESPONDENCE TO ATTENTION OF  
**JO ANN ADKINS  
 304-558-8802**

VENDOR

**RFQ COPY**  
 TYPE NAME/ADDRESS HERE

SHIP TO

**ALL STATE AGENCIES  
 AND POLITICAL SUBDIVISIONS  
 (LOCATION AS INDICATED BY  
 CONTRACT ORDER)**

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
<b>11/14/2007</b>				

**BID OPENING DATE: 01/02/2008 BID OPENING TIME 01:30PM**

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
				NTIRE08 - PROCEDURES FOR ADDING PRODUCT TO CONTRACT NTIRE08 - INFORMATION/PRICING PAGES NTIRE08 - VENDOR PARTICIPATING AUTHORIZED DISTRIBUTORS NTIRE08 - PRICING PAGES PURCHASING AFFIDAVIT  THE STATE RESERVES THE RIGHT TO UTILIZE INTER-STATE AGREEMENTS, SUCH AS THE WSCA (WESTERN STATES CONTRACTING ALLIANCE), GSA OR MMCAP TO PURCHASE NEW TIRES OUTSIDE THE TERMS AND CONDITIONS OF ANY CONTRACT RESULTING FROM AN AWARD OF THIS RFQ, PURSUANT TO WEST VIRGINIA STATE CODE, SECTION 5A-3-19.  EXHIBIT 3  LIFE OF CONTRACT: THIS CONTRACT BECOMES EFFECTIVE ON ..... AND EXTENDS FOR A PERIOD OF ONE (1 YEAR OR UNTIL SUCH "REASONABLE TIME" THEREAFTER AS IS NECESSARY TO OBTAIN A NEW CONTRACT OR RENEW THE ORIGINAL CONTRACT. THE "REASONABLE TIME" PERIOD SHALL NOT EXCEED TWELVE (12) MONTHS. DURING THIS "REASONABLE TIME" THE VENDOR MAY TERMINATE THIS CONTRACT FOR ANY REASON UPON GIVING THE DIRECTOR OF PURCHASING 30 DAYS WRITTEN NOTICE.  UNLESS SPECIFIC PROVISIONS ARE STIPULATED ELSEWHERE IN THIS CONTRACT DOCUMENT, THE TERMS, CONDITIONS AND PRICING SET HEREIN ARE FIRM FOR THE LIFE OF THE CONTRACT.  RENEWAL: THIS CONTRACT MAY BE RENEWED UPON THE MUTUAL WRITTEN CONSENT OF THE SPENDING UNIT AND VENDOR, SUBMITTED TO THE DIRECTOR OF PURCHASING THIRTY (30) DAYS PRIOR TO THE EXPIRATION DATE. SUCH RENEWAL SHALL BE IN ACCORDANCE WITH THE TERMS AND CONDITIONS OF THE		

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

## NTIRES08 – General Specifications and Conditions

Vendors – please type all bids, giving unit price and extended total for each item. Unit price indicated on the pricing model must be the actual cost to the State, including any discount offered. Quantities listed are approximate usage figures based on last year's purchases.

Vendors should furnish detailed specifications and/or descriptive literature with the bid, vendors shall submit a price list with the bid. Failure to provide a price list as required will be grounds to disqualify the entire quotation. All tires and tube purchases shall be FOB destination with the vendor paying all shipping charges. The vendor shall indicate the maximum number of days after receipt of order that are necessary for the delivery of tires. Failure to indicate delivery days as required may be grounds to disqualify the entire quotation.

The Purchasing Division reserves the right to request samples of tires for any item bid. After the request, bidder shall have five (5) working days to deliver the sample(s). The entire quotation shall be disqualified if samples are not received within the five days as required. Any vendor requesting that the samples be returned, must so indicate at the time the sample is submitted for testing, by submitting instructions (including vendor pre-paid authorization) for the return of the sample. Any samples remaining after 30 days after the testing date shall be disposed of at the discretion of the Purchasing Division.

The State of West Virginia is not subject to the federal excise tax or the transportation tax. These taxes shall not be included in the delivered price of the merchandise shipped.

Vendors shall submit a list on the attached form (making extra copies, if needed) of all participating authorized distributors who will honor all terms and conditions of the contract. This list must include the name of the distributor, contract coordinator, mailing address, telephone numbers (include toll free if available), and fax number, for each.

**The vendor shall have sufficient locations to assure prompt delivery and service in all areas of the state. Bidders with insufficient distributors to serve the State of West Virginia shall be disqualified.**

The discount rates quoted shall remain firm for the life of the contract.

All items stating a “**must**” or “**shall**” are mandatory requirements. Failure to provide or meet any of these mandatory requirements shall be grounds to disqualify the entire quotation.

Vendors shall not release tires without a valid purchase order, or, the West Virginia state agencies may order using a (p-card) purchasing card for all orders.

A copy of the manufacturer's warranty shall accompany all delivered tires.

Radial passenger tires and radial truck tires – shall be replaced without charge (including mounting and balancing) during the first 25% of tread wear or 12 months whichever comes first.

All other tires shall be replaced without charge (including mounting and balancing) during the first 10% of tread wear.

Tires requiring replacement not covered within the "no charge language" shall be replaced on a pro-rata basis. The replacement price shall be calculated by multiplying the contract price by the percentage of tread wear at the time of adjustment. Mounting and balancing at no cost is included in the adjustment. Contactor is to ship all replacement tires and/or tubes freight paid.

Vendor shall submit the name, address and telephone number, toll free telephone number, fax number, and e-mail address of the contract coordinator.

All tires and tubes are subject to inspection, examination and test by the State of West Virginia. The right is reserved to select the type and size of tires and tubes for such tests at any or all times during the term of the contract. Tires chosen for inspection and testing shall be selected from actual deliveries made to any of the delivery locations. The State of West Virginia may require performance tests by recognized tire testing facilities to determine conformance with the requirements of the specifications contained herein. The right is reserved to reject any item that does not fully comply with the minimum requirements established by these specifications.

Failure as to construction, performance, or delivery shall subject the contract to termination and will result in action to indemnify the spending agency for any damages. If the vendor can and does immediately remedy the cause of the failure, which results in full compliance with specifications for subsequent deliveries, vendor will be given that opportunity.

The vendor shall furnish, at his cost, sufficient number of price lists for distribution to all agencies. The state shall provide a mailing /distribution list to the vendor for distributing the price list. These price lists shall be mailed within 20 days after the award of the contract. In addition to the copies distributed to the agencies, ten (10) copies shall be sent to the Purchasing Division. The number of copies required is approximately 300. The actual number shall be the number of addresses on the mailing list provided (plus the 10 copies to the Purchasing Division). The price list shall contain the contract number and the effective date on the front page. The price list shall indicate the actual state price (including any discount offered) opposite each tire and/or tube stock number. If, in the opinion of the Purchasing Division, it would be in the best

interest of the State to have revised price books, the vendor shall provide new price books at no charge to the State of West Virginia.

### **Specifications**

All tires provided shall be of first line quality tires of wide-spread public acceptance, consisting of latest tread design, distributed under manufacturer's brand names and carry the standard warranty of the manufacturer which is regularly and extensively furnished as regular equipment on products of major manufacturers of domestic U.S. automobiles, trucks, graders, etc. First line, as specified, is to be substantially complete to furnish the various sizes required by the state. Second line or lower quality tires/tubes shall not be eligible for consideration. Discontinued or obsolete products are unacceptable.

Vendors may be required to furnish proof that product offered to the State of West Virginia comply with the above requirements.

All tires shall be listed in the cooperative approved tire list (CATL) current issue (copy included). Bids shall not be considered on products unless they are shown as approved in the appropriate (CATL) or the latest amendment thereto.

All inner tubes shall be in accordance with federal specification No. ZZ-1-550b, current issue, or the latest revisions thereto.

Tires and tubes shall carry the name of the manufacturer. Vendors shall be required to give satisfactory assurance of their ability to furnish from their own factories, and/or warehouse stocks, the required tires and tubes.

Contract shall cover all tires in the vendor's line, and is not limited to those listed in the pricing model on the bid schedule.

All tires and tubes delivered under this contract shall have been manufactured within the 12 month period prior to delivery.

A successful vendor who offers product under this contract and fails to make delivery, may be assessed liquidated damages as follow: The damages shall be:

The difference between the cost of the tire from the contracted vendor and the cost of the tire from any other source.

A vendor who shows a pattern of failure to deliver, or delivery of tires which do not conform to specifications or breach of the terms and conditions of this contract, may be subject to immediate cancellation of the contract and suspension of the vendor's bidding rights for up to one year.

The attached usage figures in the pricing model in the bid schedule are approximate. Actual usages may be more or less than the indicated usage figures.

The award(s) shall be made based on the lowest-cost provider for each vehicle. The evaluation of this contract shall be done by multiplying the usage figures times the bidder's discounted unit prices. The extended total shall be the basis to determine the low bidder.

Vendors shall complete the discount from list for each type of tire covered.

Prices offered for items listed on the pricing model will be verified against prices computed from vendor's price list and applicable discounts. Vendors must offer only one price list/catalog per bid. A mixture of price lists will be cause to reject the bid.

***Reporting***

The successful vendor shall be required to supply quarterly reports detailing the purchases on the contract. Report shall be due within 30 days after each 90-day period of the contract. This report shall be sent via mail or email to:

Jo Ann Adkins  
Purchasing Division  
2019 Washington Street E.  
Charleston, WV 25305  
[joadkins@wvadmin.gov](mailto:joadkins@wvadmin.gov)





NITIRES08  
 INFORMATION - PRICING PAGE

Approximate Usage	Passenger	AS	Product Code	Unit Price	Total
400	185 75R X 14	A/S 10/32 TREAD			
125	195 75R X 14	A/S 10/32 TREAD			
200	205 75R X 14	A/S 10/32 TREAD			
450	205 75R X 15	A/S 10/32 TREAD			
500	215 75R X 15	A/S 10/32 TREAD			
125	225 75R X 15	A/S 10/32 TREAD			
Total:					

Approximate Usage	Pursuit	Speed Rated	Product Code	Unit Price	Total
350	215 79R X 15	H 130MPH			
1600	225 70R X 15	H 130MPH			
Total:					

Approximate Usage	Medium Truck	Product Code	Unit Price	Total	
750	11R 22.5 Reg LRG 14 Ply				
1100	11R 22.5 M&S LRG 14 Ply				
Total:					

Approximate Usage	Light Truck	Load Range	Product Code	Unit Price	Total
500	LT215/75R15	C			
375	LT235/75R15	C			
625	LT235/75R16	E			
750	LT245/75R16	E			
Total:					

NITRES08  
INFORMATION - PRICING PAGE

Approximate Usage	Off Road	Index Load	Product Code	Unit Price	Total
125	15.5 R 25RL2	1"			
60	17.5 R 25	1"			
500	1400 R 24 GR	1"			
Total:					

Approximate Usage	Radial Tubes	Product Code	Unit Price	Total
40	700/750 R 15			
30	700/750 R 16			
600	1000R20			
450	13/1400R24 Grader			
175	16.9R30 Farm Tube			
Total:				

**DELIVERY:** \_\_\_\_\_ (Vendor shall show the number of days after receipt of order (ARO) for delivery of tires.)

**NO OF DAYS:** \_\_\_\_\_

**Identity Price List or Catalog Bid: (Restricted to one (1))** \_\_\_\_\_

**Company:** \_\_\_\_\_

**Phone:** \_\_\_\_\_

**Contact:** \_\_\_\_\_

**Fax:** \_\_\_\_\_

**Address:** \_\_\_\_\_

**Email:** \_\_\_\_\_

**Signature:** \_\_\_\_\_

**Date:** \_\_\_\_\_

NITIRES08 - Vendor Participating Authorized Distributors

VENDOR: \_\_\_\_\_

DISTRIBUTOR	CONTACT NAME	ADDRESS	TELEPHONE	TOLL FREE	FAX	EMAIL

**DISCOUNT MULTIPLIERS:**

<u>TYPE OR CATEGORY OF TIRE:</u>	<u>DISCOUNT</u>
POLICE AUTO	%
PASSENGER RADIAL	%
PASSENGER RADIAL A/S O.E.	%
RADIAL LIGHT TRUCK A/S O.E.	%
LIGHT TRUCK BIAS	%
LIGHT TRUCK RADIAL	%
MEDIUM OVER-THE-ROAD BIAS	%
MEDIUM OVER-THE-ROAD RADIAL D/139	%
COMMERCIAL OVER-THE-ROAD	%
LIGHT TRUCK RADIAL	%
MEDIUM OFF-THE-ROAD TRUCK BIAS	%
MEDIUM OFF-THE-ROAD TRUCK RADIAL	%
SPECIALTY	%

Note: Product must be received within 15 days after receipt of order.

<b>NTIRES08 - Pricing Page for Mount, Balance, Valve, and Disposal Fees</b>
---

Approximate Usage	Passenger	Unit Price	Total
500	Mount	\$ _____	\$ _____
500	Balance	\$ _____	\$ _____
500	Valves	\$ _____	\$ _____
500	Disposal	\$ _____	\$ _____


Approximate Usage	Pursuit	Unit Price	Total
100	Mount	\$ _____	\$ _____
100	Balance	\$ _____	\$ _____
100	Valves	\$ _____	\$ _____
100	Disposal	\$ _____	\$ _____

Approximate Usage	Medium Truck	Unit Price	Total
100	Mount	\$ _____	\$ _____
100	Balance	\$ _____	\$ _____
100	Valves	\$ _____	\$ _____
100	Disposal	\$ _____	\$ _____

Approximate Usage	Light Truck	Unit Price	Total
100	Mount	\$ _____	\$ _____
100	Balance	\$ _____	\$ _____
100	Valves	\$ _____	\$ _____
100	Disposal	\$ _____	\$ _____

Approximate Usage	Off Road	Unit Price	Total
100	Mount	\$ _____	\$ _____
100	Balance	\$ _____	\$ _____
100	Valves	\$ _____	\$ _____
100	Disposal	\$ _____	\$ _____

# DEFENSE LOGISTICS AGENCY (DLA) COLUMBUS



## COOPERATIVE TIRE QUALIFICATION PROGRAM (CTQP) COOPERATIVE APPROVED TIRE LIST (CATL) CATL-1922

### FOR US GOVERNMENT PURCHASE OF:

**Non-Military: New & Retread Passenger Car Tires, Pursuit and Emergency High Speed Tires, Light Truck Tires, Truck/Bus Tires, & Off Road Severe Application Tires (ORSA)**

**Military: Retread Light, Medium and Heavy Tactical Truck and Trailer Tires**

This CATL-1922, revised April 2007, replaces all other previous versions.

The changes are only the Qualification Expiration Dates and the information on pages 2 and 3 following.

CATL-1922, April 2007

COOPERATIVE APPROVED TIRE LIST (CATL)  
OF  
PRODUCTS QUALIFIED UNDER ASTM STANDARD F1922  
AND SAE J2014 (FOR MILITARY RETREADS)  
AND ADMINISTRATIVE MANUAL CTQP-AM-1 922  
FOR  
TIRES, PNEUMATIC, VEHICULAR (HIGHWAY AND SPECIAL APPLICATIONS)  
(NEW AND RETREADED)

Per the 2005 Base Re-alignment and Closure (BRAC), responsibility for Department of Defense (DOD) ground vehicle tire contracting and management moved from the U.S. Army Tank-Automotive and Armaments Command (TACOM) to DLA. DLA has privatized the tire supply, storage, and distribution functions with a 5 year contract awarded to Michelin North America. The CTQP is no longer administered by an independent contractor and is limited in scope to tire groups that include a DOD ground vehicle tire application. The Engineering Support Agency (ESA) for DOD ground vehicle tires remains within the Tank Automotive Research Development and Engineering Center (TARDEC);

E-mail: TireEngineering@tacom.army.mil  
Address: TARDEC Team Tactical Vehicles & Tires  
AMSRD-TAR-E/TACT MS: 267  
Warren, MI 48397-5000

The DLA Defense Supply Center Columbus (DSCC) has overall management responsibility.

TARDEC has technical responsibilities which include test site and test plan approval, review and approval of test results, and notification to DLA of qualifications/changes.

Michelin updates and publishes via the internet CATL 1922 and 1923 lists as directed by DLA

This approved tire list has been updated by Michelin North America as required by Defense Logistics Agency (DLA) contract SPM7L1-07-D-7002 March 2007.. It is prepared for Group 1, passenger car tires, Group 2, light truck tires, Group 3, medium and heavy truck/bus tires, and Special Application tires (see Chapter II.B for explanations of each group). Tires listed in this CATL have been tested and/or approved for procurement by U.S. Federal, State and Local Government agencies. This list is based on the results of Qualification Testing as prescribed in ASTM standard F1922 and accompanying Administrative Manual CTQP-AM-1922, issue in effect at qualification test run. This list is subject to change without notice and revisions or amendments will be issued as necessary. The inclusion of tires on this list does not release the supplier from compliance with the specification requirements for tires supplied to the government.

The Cooperative Tire Qualification Program (CTQP) is a voluntary program designed to help ensure tire quality and performance for Government agencies. There is no legal requirement or national government policy mandate for government agencies to use the CTQP or this CATL list when purchasing tires.

The complete process for revising the CTQP is planned in three phases:

Phase 1 is this document, which is the current (2005) CATLs 1922 and 1923 with new Qualification Expiration Dates (i.e 2005/2006 becomes 2010, 2007/2008 becomes 2011, 2009/2010/2011 becomes 2012), and the request for comments from industry.

Phase 2 will be the revision of this document with additions that were granted under the past process and deletions for out-of-production tire lines. These should be provided by individual tire companies to TARDEC at one of the addresses above. After review and approval by TARDEC, these will be provided to DLA who will direct the changes to be made/published by Michelin. Comments from industry will be requested.

Phase 3 will be the collaboration of DLA, TARDEC, potential test organizations and the tire industry to establish procedures for future qualifications and revisions to the CATL lists. DLA and TARDEC have collaborated on the following outline which is intended to provide some idea of changes from the past system.

CATL-1922, April 2007

Proposed outline of the new process for tire approval is as follows:

1. Tire manufacturer selects a test tire which meets the requirements for a DLA managed tire National Stock Number (NSN). I.E CATL Groups, such as 1922 Group 1, Pursuit & Emergency High Speed , that do not have an NSN requirement; will no longer be included. Most CATL Groups will continue to be included. Inclusion of multiple MODEL/BRAND DESIGNATIONS within a Group will continue.
2. Tire manufacturer prepares and submits a detailed test plan conforming to ASTM F1922 to TARDEC for review and approval.
3. Tire manufacturer selects a TARDEC approved independent test facility or proposes an independent test facility for TARDEC review and approval.
4. TARDEC selects the reference tire.
5. Tire manufacturer contacts with the test facility to perform testing and notifies TARDEC of the test schedule at least 30 days in advance.
6. Test results are certified by the independent test facility and a copy of the test results/final report are sent directly to TARDEC.
7. TARDEC reviews test results/report and notifies the tire manufacturer of the approval or disapproval decision within 30 days.
8. If approved, TARDEC notifies DLA and Michelin. Within 10 days of notification, Michelin publishes the updated CATL via the internet.

NOTES:

1. Since all tires produced by a particular manufacturer were not offered for testing, the omission of any tire from this CATL does not necessarily mean that the unlisted tire is either unsafe or inferior in quality.
2. CATL updates will now be published online within 10 days of tire approval.
3. All sizes and ply ratings for the tires models/brands shown in this CATL are acceptable with the exceptions of the Group 1, Pursuit and Emergency High Speed and Military Tactical retreads, which are qualified by size, brand designation, and/or vehicle application/mission.
4. For more information on how to use the CATL when purchasing tires refer to Chapter III, "Using the CATL when Purchasing Tires." Manufacturers may obtain more information on how to become approved by contacting TARDEC via email at: [TireEngineering@tacom.army.mil](mailto:TireEngineering@tacom.army.mil)
5. With the exception of Pursuit and Emergency High Speed tires, tires tested in the CTQP program and listed as qualified in this CATL were tested for treadlife durability only and qualified at speeds of not more than 65 miles per hour for Passenger Car and Light Truck tires and not more than 55 miles per hour for Truck & Bus tires. CATL treadlife testing and qualification as listed does not certify or verify a specific tires ability to perform at higher rates of speed. For speed capabilities of tires refer to the manufacturers own recommendations and speed ratings as required by Federal Motor Vehicle Safety Standards.

## TABLE OF CONTENTS

<b>CHAPTER I – INTRODUCTION AND STANDARDS</b>	<b>8</b>
I.A. INTRODUCTION	8
I.B. WHAT IS THE CTQP PROGRAM AND CATL LIST?	9
I.C. STANDARDS USED	9
CHART OF NAMES & STANDARDS	10
<b>CHAPTER II - CA TL FORMAT, CODES &amp; DEFINITIONS</b>	<b>11</b>
II.A. FORMAT	11
II.B. TIRE GROUP DEFINITIONS	11
II.C. GOVERNMENT ITEM NUMBER DEFINITIONS	12
II.D. CODE DEFINITIONS	14
II.E. SPEED CATEGORY CODES	15
II.F. TREAD "CLASS" DEFINITIONS	15
"SAMPLE" CATL SECTION WITH DEFINITIONS"	17
<b>CHAPTER III - USING THE CA TL WHEN PURCHASING TIRES</b>	<b>18</b>
<b>CHAPTER IV CATL-1922 LISTING OF APPROVED TIRE BRANDS</b>	<b>20</b>
<b>GROUP 1, PASSENGER CAR: NEW TIRES</b>	<b>21</b>
BRIDGESTONE/FIRESTONE (U.S.A.) INCORPORATED BRANDS	21
CONTINENTAL TIRE NORTH AMERICA	22
COOPER TIRE & RUBBER COMPANY	22
AVON TYRES BRANDS (MANUFACTURED BY COOPER):	22
DEAN BRANDS (MANUFACTURED BY COOPER):	23
DEL-NAT TIRE CORPORATION (MANUFACTURED BY COOPER)	23
DOMINATOR BRANDS (MANUFACTURED BY COOPER):	23
HERCULES TIRE & RUBBER COMPANY BRANDS (MANUFACTURED BY COOPER)	23
MASTERCRAFT BRANDS (MANUFACTURED BY COOPER):	23
MENTOR BRANDS (MANUFACTURED BY COOPER)	24
PEP BOYS BRANDS (MANUFACTURED BY COOPER):	24
PARRISH BRANDS (MANUFACTURED BY COOPER):	24
ROADMASTER BRANDS (MANUFACTURED BY COOPER):	24
STARFIRE BRANDS (MANUFACTURED BY COOPER):	24
TBC INCORPORATED BRANDS (MANUFACTURED BY COOPER):	24
THE GOODYEAR TIRE & RUBBER COMPANY	25
GOODYEAR BRANDS:	25
KELLY-SPRINGFIELD BRANDS (MANUFACTURED BY GOODYEAR):	26
KELLY-SPRINGFIELD, CO-OP BRANDS, (MANUFACTURED BY GOODYEAR):	27
KELLY-HERITAGE BRANDS, (MANUFACTURED BY GOODYEAR):	27
KELLY-JETZON/TELSTAR BRANDS (MANUFACTURED BY GOODYEAR):	27
KELLY-LARAMIE BRANDS, (MANUFACTURED BY GOODYEAR):	27
KELLY-SPARTAN BRANDS, (MANUFACTURED BY GOODYEAR):	27
KELLY-SUMMIT BRANDS, (MANUFACTURED BY GOODYEAR):	28
KELLY-TOW-MASTER BRANDS, (MANUFACTURED BY GOODYEAR):	28
KELLY-VANDERBILT BRANDS, (MANUFACTURED BY GOODYEAR):	28
KELLY-WINSTON BRANDS, (MANUFACTURED BY GOODYEAR):	28
MICHELIN NORTH AMERICA	29
BF GOODRICH BRANDS (MANUFACTURED BY MICHELIN):	29
MICHELIN BRANDS:	29
UNIROYAL BRANDS (MANUFACTURED BY MICHELIN):	29
<b>GROUP 1, PURSUIT &amp; EMERGENCY HIGH SPEED</b>	<b>30</b>
BRIDGESTONE/FIRESTONE (U.S.A.) INCORPORATED BRANDS	30
BRIDGESTONE BRANDS:	30
FIRESTONE BRANDS:	30



**TABLE OF CONTENTS (Continued)**

	<b>PAGE</b>
CONTINENTAL TIRE NORTH AMERICA	30
GENERAL BRANDS:	30
COOPER TIRE & RUBBER COMPANY	33
COOPER BRANDS:	31
ELDORADO BRANDS (MANUFACTURED BY COOPER TIRE & RUBBER COMPANY):	34
MASTERCRAFT BRANDS (MANUFACTURED BY COOPER TIRE & RUBBER COMPANY):	34
PEP BOYS BRANDS (MANUFACTURED BY COOPER TIRE & RUBBER COMPANY):	34
TBC INC. BRANDS (MANUFACTURED BY COOPER TIRE & RUBBER COMPANY):	34
DUNLOP TIRE CORPORATION	35
THE GOODYEAR TIRE & RUBBER COMPANY	35
KELLY-SPRINGFIELD TIRE COMPANY	36
MICHELIN NORTH AMERICA	36
BF GOODRICH BRANDS (MANUFACTURED BY MICHELIN):	36
MICHELIN BRANDS:	36
UNIROYAL BRANDS (MANUFACTURED BY MICHELIN):	36
YOKOHAMA TIRE CORPORATION	37
<b>GROUP 2, LIGHT TRUCK: NEW TIRES</b>	<b>38</b>
BRIDGESTONE/FIRESTONE (U.S.A.) INCORPORATED	38
BRIDGESTONE BRANDS:	38
FIRESTONE BRANDS:	38
CONTINENTAL TIRE NORTH AMERICA BRANDS	38
CONTINENTAL BRANDS:	38
GENERAL BRANDS:	38
COOPER TIRE & RUBBER COMPANY	39
AVON TYRES BRANDS (MANUFACTURED BY COOPER):	39
COOPER BRANDS:	39
DEAN BRANDS (MANUFACTURED BY COOPER):	39
DEL-NAT TIRE BRANDS (MANUFACTURED BY COOPER):	39
DOMINATOR BRANDS (MANUFACTURED BY COOPER):	39
ELDORADO TIRE BRANDS (MANUFACTURED BY COOPER):	39
HERCULES TIRE & RUBBER COMPANY BRANDS (MANUFACTURED BY COOPER):	39
MASTERCRAFT BRANDS (MANUFACTURED BY COOPER):	39
MENTOR BRANDS (MANUFACTURED BY COOPER):	40
PARRISH BRANDS (MANUFACTURED BY COOPER):	40
PEP BOYS BRANDS (MANUFACTURED BY COOPER):	40
ROADMASTER BRANDS (MANUFACTURED BY COOPER):	40
STARFIRE BRANDS (MANUFACTURED BY COOPER):	40
TBC CORPORATION BRANDS (MANUFACTURED BY COOPER):	40
COOPER TIRE & RUBBER COMPANY (STEEL/STEEL CONST.)	40
COOPER BRANDS:	40
GIANT BRANDS (MANUFACTURED BY COOPER):	40
MASTERCRAFT BRANDS (MANUFACTURED BY COOPER):	40
THE GOODYEAR TIRE & RUBBER COMPANY	41
GOODYEAR BRANDS (POLYESTER/STEEL CONSTRUCTION):	41
GOODYEAR BRANDS (STEEL/STEEL CONSTRUCTION):	41
KELLY-SPRINGFIELD BRANDS (MANUFACTURED BY GOODYEAR):	41
KELLY - LARAMIE BRANDS, (MANUFACTURED BY GOODYEAR):	42
KELLY - SPARTAN BRANDS, RELIABLE, (MANUFACTURED BY GOODYEAR):	42
KELLY - SUMMIT BRANDS, (MANUFACTURED BY GOODYEAR):	42
KELLY - VANDERBILT BRANDS, (MANUFACTURED BY GOODYEAR):	42
KELLY - WINSTON BRANDS, (MANUFACTURED BY GOODYEAR):	42
KELLY - TBC CORPORATION BRANDS, (MANUFACTURED BY GOODYEAR):	42

KELLY - CO-OP BRANDS, (MANUFACTURED BY GOODYEAR):	42
KELLY - HERITAGE BRANDS, (MANUFACTURED BY GOODYEAR):	42
KELLY - JETZON/TELSTAR BRANDS, (MANUFACTURED BY GOODYEAR):	42
MICHELIN NORTH AMERICA	43
BF GOODRICH BRANDS (MANUFACTURED BY MICHELIN):	43
MICHELIN BRANDS:	43
UNIROYAL BRANDS (MANUFACTURED BY MICHELIN):	43
SPECIALTY TIRES OF AMERICA INCORPORATED	43
TITAN TIRE CORPORATION	
TITAN BRANDS:	
<b>GROUP 2, LIGHT TRUCK: PURSUIT &amp; EMERGENCY HIGH SPEED TIRES</b>	<b>44</b>
DUNLOP TIRE CORPORATION	44
<b>GROUP 2, LIGHT TRUCK: RETREAD TIRES</b>	<b>44</b>
BANDAG INCORPORATED	44
BANDAMATIC SYSTEM INCORPORATED	44
THE GOODYEAR TIRE & RUBBER COMPANY: RETREAD DIVISION	45
MICHELIN NORTH AMERICA, INC., RETREAD PROCESS	45
MICHELIN PRECURE RETREAD METHOD:	45
MICHELIN MOLD-CURE RETREAD METHOD:	45
COOPER TIRE AND RUBBER COMPANY, OLIVER RETREADS	45
<b>GROUP 3, TRUCK &amp; BUS: NEW TIRES</b>	<b>46</b>
BRIDGESTONE/FIRESTONE (U.S.A.) INCORPORATED	46
BRIDGESTONE RADIAL BRANDS:	46
FIRESTONE RADIAL BRANDS:	46
FIRESTONE BIAS BRANDS:	46
CONTINENTAL TIRE NORTH AMERICA BRANDS	47
GENERAL BRANDS:	47
CONTINENTAL BRANDS:	47
COOPER TIRE & RUBBER COMPANY	48
COOPER RADIAL BRANDS:	48
GIANT RADIAL BRANDS (MANUFACTURED BY COOPER):	48
MASTERCRAFT RADIAL BRANDS (MANUFACTURED BY COOPER):	48
THE GOODYEAR TIRE & RUBBER COMPANY	48
KELLY-SPRINGFIELD BRANDS (MANUFACTURED BY GOODYEAR)	49
MICHELIN NORTH AMERICA	49
BF GOODRICH BRANDS (MANUFACTURED BY MICHELIN):	49
MICHELIN BRANDS:	49
SPECIALTY TIRES OF AMERICA INCORPORATED	50
YOKOHAMA TIRE CORPORATION	51
<b>GROUP 3, TRUCK &amp; BUS: RETREAD TIRES</b>	<b>51</b>
BANDAG INCORPORATED	51
BANDAG PRECURE RETREAD METHOD:	51
BANDAMATIC SYSTEM INCORPORATED	52
BANDAMATIC SYSTEM, PRECURE RETREAD METHOD:	52
COOPER TIRE AND RUBBER COMPANY, OLIVER RETEADS	53
OLIVER PRECURE RETREAD METHOD:	53
OLIVER MOLD CURE RETREAD METHOD:	53
THE GOODYEAR TIRE & RUBBER COMPANY: RETREAD DIVISION	54
GOODYEAR PRECURE RETREAD METHOD:	54
GOODYEAR ULTIMA PRECURE RETREAD METHOD:	54
MICHELIN NORTH AMERICA, INC., RETREAD PROCESS	55

MICHELIN PRECURE RETREAD METHOD:	55
MICHELIN MOLD-CURE RETREAD METHOD:	55

## TABLE OF CONTENTS

	<b>PAGE</b>
<b>SPECIAL APPLICATION TIRES: LT OFF ROAD SEVERE APPLICATION (ORSA)</b>	<b>56</b>
BRIDGESTONE/FIRESTONE (USA) INCORPORATED	56
CONTINENTAL GENERAL TIRE INCORPORATED	56
THE COOPER TIRE AND RUBBER COMPANY	56
THE GOODYEAR TIRE & RUBBER COMPANY	56
 <b><i>APPENDIX A: CATL NUMBERS, ADDRESSES &amp; TELEPHONE NUMBERS</i></b>	 <b>57</b>
ASSIGNED CATL NUMBERS	57
ADDRESSES & TELEPHONE NUMBERS	58

## **CHAPTER I – INTRODUCTION AND STANDARDS**

### **I.A. INTRODUCTION**

1. *On the surface the CTQP program and CATL 1922 appear to be difficult to use. But using the CTQP program and CATL when making tire purchases can be easier if you understand what the CTQP and CATL are, how the CATL is formatted, and what the various codes in the CATL signify.*

2. *These instructions are designed to explain how to use the CTQP program and this CATL list when purchasing tires.*

3. *Because specific agency procurement guidelines dictate the methods in which government agencies procure tires the recommendations provided in this CATL are only suggestions on how you may use the CATL. When purchasing tires your specific procurement guidelines or rules always take precedence.*

### **I.B. WHAT IS THE CTQP PROGRAM AND CATL LIST?**

1. *Before using the CATL and CTQP to make tire purchases, the government buyer should understand what the CATL and CTQP are. The following paragraphs help explain them.*

2. *What exactly is the CTQP program? Technically the letters “CTQP” is an acronym, which stands for “Cooperative Tire Qualification Program.” But in simple terms it’s a program, which was developed to replace the past Federal Tire Program.*

3. *For decades the Government would test and qualify tires for government purchase and tires that passed the tests were added to a list called the Qualified Products List (QPL). This list was used by many government agencies to help them make smart tire purchases. Because of streamlining and Acquisition Reform efforts, the Federal Tire Qualification Program was discontinued in January 1997 and many Federal or Military tire standards were deemed obsolete. However, because tires are usually one of the highest maintenance cost for vehicle fleets (typically only second to fuel), the U.S. Army saw a need and benefit to continue a modified program. As a result the CTQP program was developed. This new program is similar to the past program except that it is administered via contract using commercial standards. Even though the program is administered through a contractor the U.S. Army maintains the needed oversight by monitoring the contractors performance and requiring the contractor to remain independent from tire industry.*

## CHAPTER I – INTRODUCTION AND STANDARDS (continued)

### I.B. WHAT IS THE CTQP PROGRAM AND CATL LIST? (continued)

4. *What is this CATL list? The letters "CATL" are an acronym that stands for "Cooperative Approved Tire List." Basically the CATL is nothing more than an approved list of tires and manufacturers that have passed testing and/or technical reviews to certain standards.*

5. *This CATL document is published for Highway type tires, some special application type tires and military tactical retread tires.*

6. *Including this CATL document, there are many other elements, which make up the CTQP Program such as test standards, administrative guidelines and a Cooperative Plant Quality Certification (CPQC) program for retreaders. The CTQP also has separate standards, guidelines and a different CATL available for Low Speed, Off Highway type tires.*

### I.C. STANDARDS USED

1. *To become qualified in the CTQP and listed in this CATL-1 922 for highway type tires, manufacturers products must be tested to meet or exceed the following standards:*

- (a) *Passenger Car, Light Truck, Truck/Bus and Severe Application Tires: ASTM Standard F1 922, Test Method for Tires Pneumatic, Vehicular, Highway.*
- (b) *Pursuit, Emergency & High Speed Tires: ASTM Standard F1 922, Test Method for Tires Pneumatic, Vehicular, Highway which requires tests and certification to ECE Regulation 324 & SAE J1561, Laboratory Speed Test Procedures for Passenger Car Tires.*
- (c) *Retreads: The retread process must pass on-vehicle tests using ASTM Standard F1 922 (mentioned above). In addition to testing, individual retread plants/facilities must also be inspected and certified annually, to meet the quality requirements of CTQP-441, Administrator's Approval and Requirements Manual.*

2. *In 1998, the standards used for the CTQP program were officially approved by the American Society of Testing and Materials (ASTM). A chart showing the names and standards used for the CTQP program is shown on the next page. When referencing the CTQP program in contract solicitations use the names and standards indicated.*

**CHART OF NAMES & STANDARDS**

<b>NAMES &amp; STANDARDS</b>	
<b>NAMES USED:</b>	
>	CTQP – Cooperative Tire Qualification Program
>	CATL – Cooperative Approved Tire List
>	CPQC – Cooperative Plant Qualification Certification
<b>STANDARDS FOR HIGHWAY TIRES</b>	
>	ASTM Standard F1922, Test Method – for Tires, Pneumatic, Vehicular, Highway
>	CTQP-AM-1922, Administrator's Approval and Requirements Manual for Tires, Pneumatic, Vehicular, Highway
>	CATL-1922, Cooperative Approved Tire List (CATL) for Tires, Pneumatic, Vehicular Highway
<b>TEST STANDARDS USED FOR MILITARY</b>	
<b>RETREADS:</b>	
>	Latest Version of Society of Automotive Engineers (SAE), Surface Vehicle Recommended Practice, SAE J2014
<b>QUALITY STANDARDS USED FOR ALL RETREADS (MILITARY &amp; NONMILITARY):</b>	
>	CTQP-441 for Tires, Pneumatic, Retread and Repaired. This standard is used to inspect and certify retread facilities.
>	Retread products must also pass the applicable road test using one of the test standards mentioned above.

**\*\*Notes:**

(1) ASTM Standards may be ordered from:

*American Society of Testing and Materials (ASTM)*  
 100 Bar Harbor Drive, West Conshohocken, PA 19428-2959  
 PHONE: 610-832-9500

(2) CTQP-AM and CATL Publications are available on the web at

Temporary (now through 14 May 2007):

<http://www.michelintruck.com/michelintruck/toolbox/reference-material.jsp>. Military.

Permanent (after 14 May 2007): <http://www.DoDGroundTires.com>

## CHAPTER II – CATL FORMAT, CODES & DEFINITIONS

### II.A. FORMAT

1. *The CATL is formatted and sorted by tire group first, manufacturer or brand name owner second (alphabetically), then in sequence by assigned government item numbers and specific tire brand names. Other information listed are the qualified production points, test qualification reference numbers (identifies the specific test), qualification expiration dates, tread class and tire codes. Also in Appendix A you will find a complete list of manufacturers, retreaders or brand name owners addresses, telephone numbers and assigned CATL numbers.*

2. *This section helps explain the various groups, codes and reference numbers. As you are going through the definitions that follow, please refer to page 14 which shows a sample illustration page from a section of the CATL.*

### II.B. TIRE GROUP DEFINITIONS

1. *Because there are a wide variety of tire sizes, and tire size designations, from one manufacturer to another, and tire size designations are constantly changing, most tires in this CATL list do not include the specific tire sizes. Instead, tires in this CATL are listed by group. These tire groups are based on generic vehicle applications. To properly use this CATL list to purchase replacement tires you must first determine what vehicle group your tires will be applied to.*

2. *There are three basic groups of common type tires applications and two groups of special application type tires. These groups are listed below with more detailed explanations that follow:*

#### **(a) Group 1, Passenger Car Tires and Pursuit/Emergency High Speed Tires**

*(1) These tires include common passenger car tires. You can usually (but not always) identify tires of this group by looking for the letter "P" at the beginning of the tire size that is imprinted on the sidewall of the tire. An example of a tire size designation for this type of tire would be P205/75R15. Some common applications for these tires would be sedans and mini-vans.*

*(2) This group also includes a section for Pursuit/Emergency, High Speed Tires that are listed by specific tire size, speed rating code and brand name. Pursuit/Emergency, High Speed Tires would be applied to vehicles such as police cars, ambulances and other high speed emergency vehicles. Examples of these type of tire sizes would be P225/60R15(V) {V is the speed rating} or 225/60ZR16 {Z is the speed rating}.*

## CHAPTER II - CATL FORMAT, CODES & DEFINITIONS (continued)

### II.B. TIRE GROUP DEFINITIONS (continued)

**(a) Group 2, Light Truck Tires**

*This group is your common Light Truck tires. You can usually (but not always) identify tires of this group by looking for the letter "LT" at the beginning of the tire size that is imprinted on the sidewall of the tire.*

*However many older tire designs of bias construction do not include an "LT" designation in the tire size. An example of a radial tire size designation for this type of tire would be LT235/85R16. An example of a bias tire size would be 7.50-16. Common applications for these tires would be Pick-Up Trucks, Sports Utility Vehicles and some Trailers.*

**(b) Group 3, Truck & Bus Tires**

*These tires include medium and heavy truck, bus and trailer tires. Unlike Passenger Car and Light Truck tires, these tires do not have a letter designation at the beginning of the tire size. Examples of a tire size designations for these type tires would be 11R22.5 {for radial} and 10.00-20 {for bias}. Some common applications for these type tires would be Buses, Semi-Trucks/Trailers, Delivery Vans, Cargo Trucks, and non-tactical Military Supply Trucks and Troop Carriers.*

**(c) Special Application: Off-Road, Severe Application (ORSA) Tires**

*These tires are Special Application, Light Truck tires, which are used in severe off-road conditions. Some vehicle applications for these tires would be Pick-Up Trucks and Sport Utility Vehicles used by the U. S. Border Patrol and U.S. Forestry Service.*

### II.C. GOVERNMENT ITEM NUMBER DEFINITIONS

*All tires listed in this CATL have been assigned Government Item numbers. These numbers can be used to help identify a specific tire easier. More importantly, these numbers have codes that provide detailed information and an identity for each tire brand listed. An example, with explanations of each code of an assigned Government Item Number follows on the next page.*



## CHAPTER II - CATL FORMAT, CODES & DEFINITIONS (continued)

### 11.C. GOVERNMENT ITEM NUMBER DEFINITIONS (continued)

#### Example Government Item Number: X3.2.12RA/RB

- *The first position, "X" is the tire style. There are two styles; X which is a new tire or Y which is a retread tire. In this example this would be a new tire.*
- *The second position, "3" is the tire group. This example is a Group 3, Truck and Bus Tire. 1 is Passenger Car; 2 is Light Truck; 3 is Truck/Bus; "ORSA" is Off-Road, Severe Application; and "MIL" is Military Tactical application.*
- *The third position, "2" is the manufacturers assigned CATL number. All manufacturers are assigned CATL numbers and in this example the manufacturer of the tire would be Bridgestone/Firestone (U.S.A.) Incorporated. See the list in Appendix A, which shows all manufacturers assigned CATL numbers.*
- *The fourth position, "12" is a sequence number assigned to the specific tire brand name when it was listed. In this example this tire is the 12<sup>th</sup> Bridgestone/Firestone Inc. tire that was listed for Group 3.*
- *The fifth and six position, "RA/RB" identifies the construction of the tire and whether it is tube or tubeless. In this example the tire is of radial construction and is available as either tube or tubeless. The following explain what these style codes stand for:*
  - > *RA = Radial, Tubeless.*
  - > *RB = Radial, Tube Type*
  - > *BA = Bias, Tubeless.*
  - > *BB = Bias, Tube Type*
  - > *RA/RB = Radial, Tubeless or Tube Type*
  - > *BA/BB = Bias, Tubeless or Tube Type*

## CHAPTER II - CATL FORMAT, CODES & DEFINITIONS (continued)

### II.D. CODE DEFINITIONS

*The CATL shows a column of additional codes assigned to each tire listed. These codes provide more details about the tire construction, usage information and vehicle/axle applications. Explanation of these codes follow:*

#### CODES

*AP = All Position (NOTE: Some o/o tires are designated by the manufacturer as All Position. Before placing o/o tire designated "DA" on the steer position, consult the tire manufacturer).*

*DA = Drive Axle only (NOTE: When this code is used in the Light Truck tire area, keep in mind that if you are placing these tires on a 4X4, "DA" does not mean that they can be placed on all axle positions).*

*LP = Low Profile*

*EHS = Emergency High Speed*

*PS = Polyester/Steel construction (Body Cord/Belt Cord)*

*PSA = Polyester/Steel/Arimid construction*

*PSN = Polyester/Steel/Nylon construction (Body Cord/Belt Cord/Breakers)*

*N = Nylon construction (Body Cord)*

*ND = Non Directional Tread (usually military design)*

*NRFSR = Not Recommended for Secondary Roads*

*SR = Speed Rating (see next page for speed code definitions)*

*SS = Steel/Steel construction (Body Cord/Belt Cord)*

*STC = Snow Traction Capability*

*TO = Trailers Only position*

## CHAPTER II - CATL FORMAT, CODES & DEFINITIONS (continued)

### II.E. SPEED CATEGORY CODES

*In addition to the normal tire codes, Pursuit and Emergency, High Speed Tires also have a Speed Category Code Assigned to them which tells the speed rating of the tires. Explanation of these codes follow:*

<u>SPEED SYMBOL</u>	<u>SPEED CATEGORY</u>
S	112 MPH (180 KM/H)
T	118 MPH (190 KM/H)
U	124 MPH (200 KM/H)
H	130 MPH (210 KM/H)
V	149 MPH (240 KM/H)
W	168 MPH (270 KM/H)
Y	186 MPH (300 KM/H)
Z	See note below.

#### NOTES:

- > *Speed category codes are assigned to a tire and denotes the maximum speed for which the use of the tire is rated (all EHS or PEHS coded tires are speed rated).*
- > *Open ended speed category "Z": For tires having a maximum speed capability above 149 MPH, a "Z" may appear in the size designation. For tires having a maximum speed capability above 186 MPH, a "ZR" must appear in the size designation. Consult the tire manufacturer for maximum speed capability of the particular tire when there is no service description.*

### II.F. TREAD "CLASS" DEFINITIONS

*The CATL also shows a column of tread class codes assigned to each tire listed. These tread class codes provide details about the tread design and how the tire should be used based on its tread design. Explanations of these tread class codes are on the next page. For more detailed tread class descriptions please refer to ASTM Standard F1 922 and Administrator Manual CTQP-AM 1922.*

**\*CHAPTER II - CATL FORMAT,  
CODES & DEFINITIONS (continued)**


**II.F. TREAD "CLASS" DEFINITIONS (continued)**

**CLASS**

<i>R/T</i> =	<i>RIB TREAD</i>
<i>A/S</i> =	<i>ALL SEASON (applies to Passenger Car and Light Truck tires only)</i>
<i>S/T</i> =	<i>SNOW TREAD (see note below)</i>
<i>A/T</i> =	<i>ALL TERRAIN</i>
<i>O/O</i> =	<i>ON/OFF ROAD</i>
<i>D/A</i> =	<i>DRIVE AXLE HIGHWAY TRACTION TREAD</i>
<i>T/O</i> =	<i>TRAILERS ONLY</i>
<i>A/T/S</i> =	<i>ALL TERRAIN SEVERE APPLICATION</i>
<i>O/O/S</i> =	<i>ON/OFF ROAD SEVERE APPLICATION</i>
<i>M/S</i> =	<i>MUD AND SNOW (applies to Passenger Car and Light Truck tires only)</i>


*NOTE: To help describe the tire tread better, some tires may be identified further with a "rib" or "lug" designation next to the tread code.*

*NOTE: Some newer tires are designed for use in severe snow conditions and are marked on at least one sidewall with the letters "M" and "S" (e.g., MS, M/S, M&S, M+S, etc.) plus have a pictograph of a mountain with a snowflake. If you need more information on tires designed for severe snow conditions contact the CTQP Administrator (at (810) 677-5745) or refer to Rubber Manufacturers Association, Tire Information Service Bulletin, Volume 37, Number 2, February 1999 and titled "RMA Definition for Passenger and Light Truck Tires for Use in Severe Snow Conditions." An example of the mountain/snowflake is shown below.*



# "SAMPLE" CATL SECTION WITH DEFINITIONS"

NOTE: Each section is lettered and an explanation is provided for each letter.



**GOODYEAR BRANDS:**

X1.6.27	"EAGLE HP H-SPEED"	a/s (rib)	PSN, AP(DIR)
X1.6.28	"EAGLE HP ULTRA H-SPEED"	a/s (rib)	PSN, AP, STC(DIR)
X1.6.29	"ULTRA GRIP NHV"	m/s (lug)	PSN, AP
X1.6.30	"EAGLE GS-D"	a/s, r/t (rib)	PSN, AP, STC (DIR)
X1.6.32	"EAGLE ULTRA GRIP (GW-2)"	m/s (lug)	PSN, AP(DIR)
X1.6.33	"EAGLE VR/ZR"	r/t (rib)	PSN, AP (DIR)
X1.6.34	"EAGLE M&S"	s/t (lug)	PS, AP
X1.6.35	"ULTRA GRIP 4"	s/t (lug)	PS, AP
X1.6.36	"EAGLE F1 GS"	a/s (rib)	S, AP (DIR, Z-SPEED RATED)
X1.6.37	"CONQUEST GA"	r/t, a/s (rib)	PS, AP, STC

**SAMPLE CATL PAGE DEFINITIONS**

- A. This is the tire group. In this instance, this section list Group 1, Passenger Car Tires See pages 8 & 9 for detailed group definitions.
- B. This is the name of the tire manufacturer, retreader or brand owner of all the tires listed below it.
- C. The first bullet tells what facilities may produce the tires. The second bullet is a qualification test reference number that the tires were qualified with and the third bullet indicates when the qualification for tires listed below it will expire.
- D. This is the Government Item Number: This is a number assigned to each tire once they are qualified. See pages 9 & 10 for a breakdown of what this number means.
- E. These are the brand designations or names that the manufacturer has given the tires.
- F. This is the tread class code. Refer to pages 12 & 13 for definitions of these codes.
- G. This is the tire code which tells the tire construction and where and how the tire may be used. Refer to page 11 for definitions of these codes.

## CHAPTER III - USING THE CATL WHEN PURCHASING TIRES

*Your specific procurement guidelines will dictate the specific contract language you use when purchasing tires. However the following is a step-by-step example of how you may use the CATL when purchasing tires.*

**STEP 1, IDENTIFY WHAT YOU NEED:** *Identify the tire group you need to buy by looking at your vehicle applications and the tires you currently have. Provide a good description of the type and size for the tires you want to purchase in your contract solicitations. It's also recommended that you identify vehicle application info in your contracts when possible, as most manufacturers will match an appropriate tire for the application. When using the CATL to make purchases, make sure you identify the tire group, codes and tread classes. For example if you were purchasing replacement tires for a fleet of 1997 Ford Explorer Vehicles, that were originally equipped with radial, LT235/85R16 tire size, Load Range D, All Season, Rib type tread you could use the following description:*

**EXAMPLE:** Radial, LT235/85R16, Load Range D, for application on 1997, All Wheel Drive, Ford Explorer. Tires should be Group 2, Light Truck tires, All Season, Rib Tread class, and All Position as defined by the latest version of CATL 1922.

**STEP 2, REQUIRE CATL QUALIFICATION:** *Require in your contract solicitation that the prospective tire manufacturer or supplier be CATL qualified and that the tire brand be listed in the CATL or that the manufacturer/supplier provide proof of CATL qualification with a Qualification Certification Form (these forms are issued to all manufacturers upon successful completion of qualification testing). Example language you could use is as follows:*

**EXAMPLE:** Prospective contractors and their tire brands submitted under this solicitation must be qualified and listed in CATL 1922, or provide a Qualification Certification Form signed by the CATL program Administrator.

**STEP 3, PUT IT ALL TOGETHER:** *A complete example of contract language for purchasing new tires could be as follows:*

**EXAMPLE:** Tires are to be radial, LT235/85R16, Load Range D, for application on 1997 All Wheel Drive Ford Explorer. Tires should be Group 2, Light Truck tires, All Season, Rib Tread class, and All Position as defined by CATL 1922. The prospective contractor(s) and their tire brand(s) submitted under this solicitation must be qualified and listed in CATL 1922, or provide a Qualification Certification Form signed by the CATL program Administrator.

## CHAPTER III - USING THE CATL WHEN PURCHASING TIRES (continued)

**STEP 4, FOR RETREADS:** *For the obvious environmental and cost advantages, it's suggested that retreads be used to the maximum extent possible. Retread processes are also tested and listed in the CATL. However because quality may vary from one retread facility or franchise to another, each retread facility is also required to be inspected and certified annually to certain quality control standards (CTQP-441). Therefore the retreaders' process should not only be listed in the CATL but also the specific retread plant/facility should be able to provide a Cooperative Plant Quality Certification (CPQC).*

*A complete example of contract language for purchasing retread services could be as follows:*

**EXAMPLE:** Retread services for radial, LT235/85R16, Load Range D, for application on 1997 All Wheel Drive Ford Explorer. Tires will be retreaded for Group 2, Light Truck tires, All Season, Rib Tread class, and All Position as defined by the latest version of CATL 1922. The prospective retread contractor process brand name(s) must be qualified and listed in CATL 1922, or the retreader may supply a Qualification Certification Form signed by the CATL program Administrator. Prospective retread contractors must also provide a current copy of a Cooperative Plant Quality Certification (CPQC) which certifies compliance with CTQP-441 for any and all retread facilities or plants, which will provide retread services under this contract.

**STEP 5, VERIFY QUALIFICATIONS AND AWARD THE CONTRACT:** *Verify the contractor(s) and tire(s) qualifications by checking what is proposed to the CATL list. For retreaders make sure they also supply a copy of CPQC facility certification. If everything is in order award the contract.*

# **CHAPTER IV CATL-1 922 LISTING OF APPROVED TIRE BRANDS**

Refer to Appendix A for a complete list of manufacturers, retreaders and brand name owners addresses, telephone numbers and manufacturers assigned CATL numbers.



## GROUP 1, PASSENGER CAR: NEW TIRES

### BRIDGESTONE/FIRESTONE (U.S.A.) INCORPORATED BRANDS

- TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-051
- QUALIFICATION EXPIRATION DATE: 28 OCTOBER, 2010
- QUALIFIED PRODUCTION POINTS: ALL BRIDGESTONE/FIRESTONE CORP. TIRE MANUFACTURING FACILITIES

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
<b>BRIDGESTONE BRANDS:</b>			
X1.2.2	"S402"	a/s	AP, PS
X1.2.3	"BLIZZAK WS-15"	s/t	AP, PS
X1.2.5	"S375"	r/t	AP/PS
X1.2.6	"POTENZA RE900"	a/s	AP, PS
X1.2.7	"POTENZA S-02"	r/t	AP, PS
X1.2.8	"POTENZA RE71"	r/t	AP, PS
X1.2.9	"POTENZA RE940"	a/s	AP, PS
X1.2.10	"POTENZA RE930"	a/s	AP, PS
X1.2.11	"POTENZA RE 92"	a/s	AP, PS
X1.2.12	"POTENZA HP 41"	a/s	AP, PS
X1.2.13	"EAGER"	a/s	AP, PS
X1.2.14	"TURANZA Z"	a/s	AP, PS
X1.2.15	"TURANZA V"	a/s	AP, PS
X1.2.16	"TURANZA H"	a/s	AP, PS
X1.2.17	"TURANZA T"	a/s	AP, PS
X1.2.18	"TURANZA ER30"	r/t	AP, PS
X1.2.19	"TURANZA EL40"	a/s	AP, PS
X1.2.20	"TURANZA EL41"	r/t	AP, PS
X1.2.21	"TURANZA EL42"	r/t	AP, PS
X1.2.22	"401V"	r/t	AP, PS
X1.2.23	"	a/s	AP, PS
X1.2.24	"	a/s	AP, PS
X1.2.25	"	a/s	AP, PS
X1.2.26	"	a/s	AP, PS
X1.2.27	"S411"	a/s	AP, PS
X1.2.28	"S413Z"	a/s	AP, PS
X1.2.41	"BT70S"	a/s	AP, PS
X1.2.44	"INSIGNIA"	a/s	AP, PS
X1.2.46	"INSIGNIA SE200"	a/s	AP, PS
X1.2.47	"POTENZA G009"	a/s	AP, PS
X1.2.48	"POTENZA RE050"	a/s	AP, PS
X1.2.49	"POTENZA RE950"	a/s	AP, PS
X1.2.50	"POTENZA RE750"	a/s	AP, PS
<b>FIRESTONE BRANDS:</b>			
X1.2.11	"FR480"	a/s	AP, PS
X1.2.12	"SUPREME"	a/s	AP, PS
X1.2.14	"FR721"	r/t	AP, PS
X1.2.15	"FR480"	a/s	AP, PS
X1.2.16	"FR440"	a/s	AP, PS
X1.2.17	"FR680"	a/s	AP, PS
X1.2.18	"FR360"	a/s	AP, PS
X1.2.19	"FIREHAWK FTX"	a/s	AP, PS
X1.2.21	"FR22"	a/s	AP, PS
X1.2.22	"F-560"	s/t	AP, PS
X1.2.24	"FIREHAWK GTA"	a/s	AP, PS
X1.2.29	"AFFINITY"	a/s	AP, PS
X1.2.30	"FIREHAWK SS10"	a/s	AP, PS
X1.2.31	"FIREHAWK TOURING LH"	a/s	AP, PS
X1.2.32	FIREHAWK SZ50	r/t	AP, PS
X1.2.33	FIREHAWK SVX	r/t	AP, PS
X1.2.34	FR410	a/s	AP, PS
X1.2.35	F570	a/s	AP, PS
X1.2.36	WINTER FIRE	a/s	AP, PS
X1.2.37	FI70C	a/s	AP, PS
X1.2.38	FIREHAWK SH30	a/s	AP, PS
X1.2.39	SUPREME Si	a/s,r/t,m/s	AP, PS
X1.2.42	FR380	a/s,r/t,m/s	AP, PS
X1.2.43	"AFFINITY LH30"	a/s	AP, PS
X1.2.45	"INDY 500"	a/s	AP, PS

**GROUP 1, PASSENGER CAR TIRES****(continued)****CONTINENTAL TIRE NORTH AMERICA**

- TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-021
- QUALIFICATION EXPIRATION DATE: 1 AUGUST, 2010
- QUALIFIED PRODUCTION POINTS: ALL CONTINENTAL TIRE NORTH AMERICA MANUFACTURING FACILITIES

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
<b>CONTINENTAL BRANDS:</b>			
X1.5.24	"CONTI 4X4 CONTACT"	a/s, m/s (rib)	PSN, AP
X1.5.25	"CONTI 4X4 SPORTCONTACT"	r/t	PSN, AP, LP
X1.5.26	"CONTI EXTREMECONTACT"	a/s, m/s (rib, Directional)	PSN, AP, SR (V&W)
X1.5.27	"CONTI PREMIERCONTACT"	a/s, m/s (rib)	PSN, AP
X1.5.28	"CONTI SPORTCONTACT 2"	r/t	PSN, AP, LP, SR (Z, W, Y)
X1.5.29	"CONTI TOURINGCONTACT AS"	a/s, m/s (rib)	PS, AP
X1.5.30	"CONTI TOURINGCONTACT CT95"	a/s, m/s (rib)	PS, AP
X1.5.31	"CONTI TOURINGCONTACT CH95"	a/s, m/s (rib)	PSN, AP
X1.5.32	"CONTI TOURINGCONTACT CV95"	a/s, m/s (rib)	PSN, AP, SR (V)
X1.5.33	"CONTI TOURINGCONTACT CW95"	a/s, m/s (rib)	PSN, AP, LP, SR (W)
X1.5.34	"CONTITRAC"	a/s, m/s (rib)	PS, AP
X1.5.35	"CONTITRAC SUV"	a/s, m/s (rib)	PS, AP
X1.5.36	"CONTITRAC TR"	a/s, m/s (rib)	PS, AP
X1.5.37	"CROSSCONTACT LX"	a/s, m/s (rib)	PSN, AP
X1.5.38	"CROSSCONTACT UHP"	a/s, m/s (rib)	PSN, AP

**GENERAL BRANDS:**

X1.5.20	"XP 2000 GT"	a/s (rib)	PS, AP
X1.5.22	"AMERI*GS60"	a/s (rib)	PS, AP
X1.5.23	"AMERI G4S"	a/s, m/s (rib)	PS, AP
X1.5.39	"AMERITRAC"	a/s, m/s (rib)	PSN, AP
X1.5.40	"AMERITRAC TR"	a/s, m/s (rib)	PS, AP
X1.5.41	"EXCLAIM"	a/s, m/s (rib)	PSN, AP
X1.5.42	"GRABBER AT "	a/s, m/s (rib)	PS, AP, STC
X1.5.43	"GRABBER AW"	a/s, m/s (rib)	PS, AP
X1.5.44	"GRABBER ST"	a/s, m/s (rib)	PS, AP
X1.5.45	"GRABBER SUV"	a/s, m/s (rib)	PS, AP
X1.5.46	"GRABBER TR"	a/s, m/s (rib)	PS, AP
X1.5.47	"XP 2000 AS"	a/s, m/s (rib)	PS, AP
X1.5.48	"XP 2000 II"	a/s, m/s (rib)	PS, AP

**COOPER TIRE & RUBBER COMPANY**

- QUALIFIED PRODUCTION POINTS: ALL COOPER TIRE MANUFACTURING FACILITIES
- TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-053
- QUALIFICATION EXPIRATION DATE: 27 JANUARY, 2011

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
<b>AVON TYRES BRANDS (MANUFACTURED BY COOPER):</b>			
X1.3.42	"CR448"	a/s	AP, PS
X1.3.43	"RANGER A-T"	a/s, a/t	AP, PS
X1.3.44	"RANGER TSE"	a/s	AP, PS
<b>COOPER BRANDS:</b>			
X1.3.5	"DISCOVERER RADIAL"	a/s, a/t	AP, PS
X1.3.7	"DISCOVERER RADIAL STT"	a/t	AP, PS, STC
X1.3.18	"LIFELINER CLASSIC II"	a/s	AP, PS
X1.3.20	"COBRA RADIAL G/T"	a/s	AP, PS
X1.3.21	"WEATHER MASTER XGR (STUDLESS)"	s/t	AP, PS, STC
X1.3.36	"LIFLINER STE"	a/s	AP, PS
X1.3.37	"DISCOVERER A/T"	a/s, a/t	AP, PS
X1.3.38	"DISCOVERER H/T"	a/s	AP, PS
X1.3.97	"LIFELINER TOURING SLE"	a/s	AP, PS

## GROUP 1, PASSENGER CAR TIRES (continued)

### COOPER TIRE & RUBBER COMPANY (continued)

- ◆ QUALIFIED PRODUCTION POINTS: ALL COOPER TIRE MANUFACTURING FACILITIES
- ◆ TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-053
- ◆ QUALIFICATION EXPIRATION DATE: 27 JANUARY, 2011

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
<b>COOPER BRANDS (CONTINUED):</b>			
X1.3.98	"DISCOVERER AST II"	a/s	AP, PS
X1.3.99	"DISCOVERER S/T"	a/s, a/t	AP, PS
X1.3.100	"DISCOVERER M+S"	s/t	AP, PS, STC
X1.3.101	"WEATHERMASTER S/T2"	s/t	AP, PS, STC
X1.3.102	"WEATHERMASTER Si02"	s/t	AP, PS, STC
<b>DEAN BRANDS (MANUFACTURED BY COOPER):</b>			
X1.3.45	"EQUUS LSi"	a/s	AP, PS
X1.3.46	"WILDCAT TOURING SLT"	a/s	AP, PS
X1.3.47	"WILDCAT ALL TERRAIN"	a/s, a/t	AP, PS
X1.3.48	"STINGER RADIAL GTS"	a/s	AP, PS
X1.3.49	"TRAILCAT ALL SEASON"	a/s	AP, PS
X1.3.50	"WILDCAT EXT STEEL RADIAL"	a/t	AP, PS, STC
X1.3.51	"WILDCAT RADIAL A/T"	a/s	AP, PS
X1.3.52	"QUASAR PLUS"	a/s	AP, PS
X1.3.103	"WINTERCAT RADIAL SST"	s/t	AP, PS, STC
<b>DEL-NAT TIRE CORPORATION (MANUFACTURED BY COOPER)</b>			
X1.26.1	"DELTA VISTA RADIAL"	a/s	AP, PS
X1.26.1	"DELTA VISTA RADIAL"	a/s	AP, PS
X1.26.2	"AKURET SPORT WW"	a/s	AP, PS
X1.26.3	"AKURET-GRIP PLUS"	s/t	AP, PS, STC
X1.26.4	"NATIONAL XT 5000"	a/s	AP, PS
X1.26.5	"DELTA GT ROAD MAX"	a/s	AP, PS
X1.26.6	"NATIONAL XT RENEGADE"	a/s	AP, PS
X1.26.7	"CHAPARRAL A/P"	a/s, a/t	AP, PS
X1.26.8	"DELTA SENTINEL"	a/s	AP, PS
X1.26.9	"NATIONAL ANTHEM"	a/s	AP, PS
X1.26.10	"DELTA SIERRADIAL"	a/s	AP, PS
X1.26.11	"NATIONAL COMMANDO A/T"	a/s	AP, PS
<b>DOMINATOR BRANDS (MANUFACTURED BY COOPER):</b>			
X1.3.112	"VISION GTS"	a/s	AP, PS
X1.3.113	"LEGEND TR"	a/s	AP, PS
X1.3.114	"RADIAL ZR1"	a/s	AP, PS
X1.3.115	"ZTR SPORT SUV"	a/s, a/t	AP, PS
X1.3.116	"ZR4"	a/s, a/t	AP, PS
<b>HERCULES TIRE &amp; RUBBER COMPANY BRANDS (MANUFACTURED BY COOPER)</b>			
X1.3.76	"HP 4000 "	a/s	AP, PS
X1.3.77	"MERIT XR6000 RADIAL G/T"	a/s	AP, PS
X1.3.78	"ULTRA PLUS IV"	a/s	AP, PS
X1.3.79	"TERRA TRAC"	a/s, a/t	AP, PS
X1.3.80	"ULTRA TOURING TR"	a/s	AP, PS
X1.3.81	"MERIT MYSTIC TOURING TR"	a/s	AP, PS
X1.3.82	"MERIT TOURING SE"	a/s	AP, PS
X1.3.83	"TERRA TRAC TOURING LTD"	a/s	AP, PS
X1.3.84	"MERIT ALL COUNTRY TOURING AWT"	a/s, a/t	AP, PS
X1.3.85	"POLAR TRAX STEEL BELTED RADIAL M/S"	st	AP, PS, STC
X1.3.86	"SIGNET WINTER TRAX"	s/t	AP, PS, STC
<b>MASTERCRAFT BRANDS (MANUFACTURED BY COOPER):</b>			
X1.3.11	"P794"	a/s	AP, PS
X1.3.14	"COURSER STEEL RADIAL"	a/s	AP, PS
X1.3.15	"AVENGER LSR"	a/s	AP, PS
X1.3.16	"COURSER OTD STEEL RADIAL"	a/t	AP, PS, STC
X1.3.22	"AVENGER G/T"	a/s	AP, PS
X1.3.23	"GLACIER GRIP"	s/t	AP, PS, STC
X1.3.24	"SENSYS 01"	a/s	AP, PS
X1.3.59	"TOURING LX"	a/s	AP, PS
X1.3.60	"COURSER A/T"	a/s, a/t	AP, PS
X1.3.61	"COURSER HTR"	a/s	AP, PS
X1.3.104	"GLACIER GRIP XT (STUDLESS)"	s/t	AP, PS, STC
X1.3.105	"COURSER AWT"	a/s	AP, PS

**GROUP 1, PASSENGER CAR TIRES (continued)****COOPER TIRE & RUBBER COMPANY (continued)**

- ◆ QUALIFIED PRODUCTION POINTS: ALL COOPER TIRE MANUFACTURING FACILITIES
- ◆ TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-053
- ◆ QUALIFICATION EXPIRATION DATE: 27 JANUARY, 2011

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
<b>MASTERCRAFT BRANDS (MANUFACTURED BY COOPER, CONTINUED):</b>			
X1.3.106	"COURSER C/T"	a/s, a/t	AP, PS
X1.3.107	"COURSER MT"	a/t	AP, PS, STC
X1.3.108	"COURSER MSR"	s/t	AP, PS, STC
<b>MENTOR BRANDS (MANUFACTURED BY COOPER):</b>			
X1.3.17	"WINTERMASTER PLUS"	s/t	AP, PS, STC
X1.3.26	"WINTERMASTER XRT (STUDLESS)"	s/t	AP, PS, STC
X1.3.40	"SR 5000 RADIAL GT"	a/s	AP, PS
X1.3.41	"VANTAGE TOURING"	a/s	AP, PS
X1.3.109	"DURANGO ALL TERRAIN"	a/s, a/t	AP, PS
X1.3.110	"DURANGO RADIAL XTR"	a/s, a/t	AP, PS
X1.3.111	"DURANGO M/T"	a/t	AP, PS, STC
<b>PEP BOYS BRANDS (MANUFACTURED BY COOPER):</b>			
X1.3.88	"FUTURA 2000 RADIAL LTE"	a/s	AP, PS
X1.3.89	"FUTURA TOURING HR"	a/s	AP, PS
X1.3.90	"FUTURA ADVENTURER H/T"	a/s	AP, PS
X1.3.91	"FUTURA DAKOTA H/T"	a/s	AP, PS
X1.3.92	"FUTURA GLS SUPER SPORT"	a/s	AP, PS
X1.3.117	"FUTURA PLUS TOURING SE"	a/s	AP, PS
<b>PARRISH BRANDS (MANUFACTURED BY COOPER):</b>			
X1.3.93	"TACOMA TRAIL A/T"	a/s	AP, PS
X1.3.94	"TACOMA TOURING LE"	a/s	AP, PS
X1.3.95	"TACOMA TRAIL T/E "	a/s	AP, PS
X1.3.96	"TACOMA TRAIL M/T"	a/t	AP, PS, STC
<b>ROADMASTER BRANDS (MANUFACTURED BY COOPER):</b>			
X1.3.62	"CONCOURS"	a/s	AP, PS
X1.3.63	"RAMPAGE G/T"	a/s	AP, PS
X1.3.64	"RADIAL TE"	a/s	AP, PS
X1.3.65	"ALL TERRAIN"	a/s, a/t	AP, PS
X1.3.109	"REQUEST"	a/s	AP, PS
<b>STARFIRE BRANDS (MANUFACTURED BY COOPER):</b>			
X1.3.66	"SPECTRUM LXR"	a/s	AP, PS
X1.3.67	"SX 5000"	a/s	AP, PS
X1.3.68	"TOURING STR"	a/s	AP, PS
X1.3.69	"RADIAL A/T"	a/s, a/t	AP, PS
X1.3.70	"SOLARUS"	a/s	AP, PS
<b>TBC INCORPORATED BRANDS (MANUFACTURED BY COOPER):</b>			
X1.3.71	"GRAND SPIRIT RADIAL GT"	a/s	AP, PS
X1.3.72	"SIGMA REGENT"	a/s	AP, PS
X1.3.73	"SIGMA SUPREME TR"	a/s	AP, PS
X1.3.74	"SIGMA SHADOW"	a/s	AP, PS
X1.3.118	"CLASSIC RADIAL"	a/s	AP, PS
X1.3.119	"CLASSIC RADIAL SR"	a/s	AP, PS
X1.3.110	"CLASSIC RADIAL SE"	a/s	AP, PS
X1.3.111	"SIGMA SUPREME HP"	a/s	AP, PS
X1.3.112	"STAMPEDE RADIAL LX"	a/s	AP, PS
X1.3.113	"WILD SPIRIT RADIAL SUV"	a/s	AP, PS
X1.3.114	"MULTI-MILE WILD COUNTRY TOURING SUV"	a/s	AP, PS
X1.3.115	"STAMPEDE RADIAL XT"	a/t	AP, PS, STC
X1.3.116	"WILD SPIRIT RADIAL RVT"	a/t	AP, PS, STC
X1.3.117	"MULTI-MILE WILD COUNTRY RADIAL RVT"	a/t	AP, PS, STC
X1.3.118	"MULTI-MILE WILD COUNTRY A/T"	a/s, a/t	AP, PS
X1.3.119	"SIGMA STAMPEDE RADIAL SUV"	a/s, a/t	AP, PS
X1.3.120	"POWER KING ALL POSITION"	a/s, a/t	AP, PS
X1.3.121	"POWER KING PLUS"	s/t	AP, PS, STC

## GROUP 1, PASSENGER CAR TIRES (continued)

### THE GOODYEAR TIRE & RUBBER COMPANY

- ◆ QUALIFIED PRODUCTION POINTS: ALL GOODYEAR TIRE & RUBBER COMPANY MANUFACTURING FACILITIES
- ◆ TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-043
- ◆ QUALIFICATION EXPIRATION DATE: 9 MAY, 2010

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
<b>GOODYEAR BRANDS:</b>			
X1.6.1	"REGATTA"	r/t, a/s (rib)	PS, AP, STC
X1.6.2	"F-32S"	s/t (lug)	PS, AP
X1.6.3	"WRANGLER"	a/s (lug)	PS, AP, STC
X1.6.4	"INVICTA-GL"	r/t, a/s (rib)	PS, AP
X1.6.5	"INVICTA-GS"	a/s, r/t (rib)	PS, AP, STC
X1.6.6	"INVICTA"	a/s, r/t (rib)	PS, AP, STC
X1.6.7	"INVICTA GA-L"	a/s, r/t (rib)	PS, AP, STC
X1.6.8	"S4S"	a/s (rib)	PS, AP, STC
X1.6.9	"EAGLE RSA"	a/s (rib)	PS, AP, STC (DIR)
X1.6.10	"EAGLE GA"	r/t, a/s (rib)	PS, AP
X1.6.11	"MARATHON TRAILER"	t/o (rib)	PS, AP
X1.6.12	"ULTRA GRIP"	s/t (lug)	PS, AP
X1.6.13	"EAGLE ST IV"	r/t (rib)	PS, AP
X1.6.14	"EAGLE GT+4"	a/s, r/t (rib)	PS, AP, STC
X1.6.17	"EAGLE 1"	r/t (rib)	PS, AP
X1.6.18	"CONQUEST"	a/s, r/t (rib)	PS, AP, STC
X1.6.19	"ULTRA GRIP HP"	s/t (lug)	PS, AP
X1.6.20	"ULTRA GRIP N"	s/t (lug)	PS, AP
X1.6.21	"INFINITRED"	a/s, r/t (rib)	PS, AP, STC
X1.6.22	"INTEGRITY"	a/s, r/t (rib)	PSN, AP, STC
X1.6.24	"WINGFOOT HP"	a/s, r/t (rib)	PSN, AP, STC
X1.6.25	"EAGLE LS"	a/s, r/t (rib)	PSN, AP, STC
X1.6.26	"EAGLE GT II"	a/s, r/t (rib)	PSN, AP, STC
X1.6.27	"EAGLE HP H-SPEED"	a/s (rib)	PSN, AP(DIR)
X1.6.28	"EAGLE HP ULTRA H-SPEED"	a/s (rib)	PSN, AP, STC(DIR)
X1.6.29	"ULTRA GRIP NHV"	m/s (lug)	PSN, AP
X1.6.30	"EAGLE GS-D"	a/s, r/t (rib)	PSN, AP, STC (DIR)
X1.6.32	"EAGLE ULTRA GRIP (GW-2)"	m/s (lug)	PSN, AP(DIR)
X1.6.33	"EAGLE VR/ZR"	r/t (rib)	PSN, AP (DIR)
X1.6.34	"EAGLE M&S"	s/t (lug)	PS, AP
X1.6.35	"ULTRA GRIP 4"	s/t (lug)	PS, AP
X1.6.36	"EAGLE F1 GS"	a/s (rib)	S, AP (DIR, Z-SPEED RATED)
X1.6.37	"CONQUEST GA"	r/t, a/s (rib)	PS, AP, STC
X1.6.38	"CONQUEST GL"	r/t, a/s (rib)	PS, AP, STC
X1.6.39	"DECATHLON"	r/t, a/s (rib)	PS, AP, STC
X1.6.40	"T-METRIC"	a/s (rib)	PS, AP, STC
X1.6.41	"REGATTA 2"	r/t, a/s (rib)	PS, AP, STC
X1.6.42	"CONQUEST AP"	a/s (rib)	PS, AP
X1.6.43	"CONQUEST AT"	a/s, o/o (rib)	PS, AP
X1.6.44	"AQUA TREAD III"	r/t (rib)	PS, AP
X1.6.45	"CLUB"	r/t (rib)	PS, AP
X1.6.46	"EAGLE GT HR"	a/s, r/t (rib)	PS, AP, STC
X1.6.47	"ASSURANCE TRIPLETRED"	r/t (rib)	PS, AP
X1.6.48	"ULTRA GRIP ICE"	s/t (lug)	PN, AP
X1.6.49	"ASSURANCE COMFORTRED"	a/s, r/t (rib)	PS, AP, STC

CATL-1922, April 2007

## **GROUP 1, PASSENGER CAR TIRES (continued)**

### **THE GOODYEAR TIRE & RUBBER COMPANY (continued)**

- ◆ QUALIFIED PRODUCTION POINTS: ALL GOODYEAR TIRE & RUBBER COMPANY AND KELLY-SPRINGFIELD MANUFACTURING FACILITIES
- ◆ TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-043
- ◆ QUALIFICATION EXPIRATION DATE: 9 MAY, 2010

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
<b>KELLY-SPRINGFIELD BRANDS (MANUFACTURED BY GOODYEAR):</b>			
X1.8.1	"CELEBRITY"	a/s	PS, AP
X1.8.2	"EXPLORER"	a/s	PS, AP
X1.8.3	"MARINER 600"	a/s	PS, AP
X1.8.4	"NAVIGATOR 800S"	a/s	PS, AP
X1.8.5	"CHARGER SR"	a/s	PS, AP
X1.8.6	"METRIC"	a/s	PS, AP
X1.8.7	"METRIC 600T"	a/s	PS, AP
X1.8.8	"WINTERMARK HT"	s/t	PS, AP
X1.8.9	"PACEMARK GTR"	s/t	PS, AP
X1.8.10	"PACEMARK ST GTR STUDLESS"	s/t	PS, AP
X1.8.11	"CHARGER HR"	a/s	PSN, AP
X1.8.12	"SUPER RIDE ALL SEASON"	a/s	PS, AP
X1.8.13	"ULTRA TOURING"	a/s	PS, AP
X1.8.14	"ULTRA HP/50 SR"	a/s	PS, AP
X1.8.15	"METRIC A/S"	a/s	PS, AP
X1.8.16	"ULTRA T METRIC"	a/s	PS, AP
X1.8.91	NAVIGATOR GOLD	a/s	PS, AP
X1.8.38	HALLMARK - "ULTIMATE AWR"	a/s	PS, AP
X1.8.39	HALLMARK - "VISCOUNT"	a/s	PS, AP
X1.8.40	HALLMARK - "PWR"	a/s	PS, AP
X1.8.41	HALLMARK - "SUPER G/T SPORT RADIAL SR"	a/s	PS, AP
X1.8.42	HALLMARK - "ULTIMATE METRIC"	a/s	PS, AP
X1.8.43	HALLMARK - "METRIC T"	a/s	PS, AP
X1.8.44	HALLMARK - "SUPER G/T SPORT RADIAL HR"	a/s	PSN, AP
X1.8.17	LEE - "ALL WEATHER"	a/s	PS, AP
X1.8.18	LEE - "PARAMOUNT"	a/s	PS, AP
X1.8.19	LEE - "GT VI STEEL TRAK"	a/s	PS, AP
X1.8.20	LEE "TURBO ACTION RADIAL G/T SR "	a/s	PSN, AP
X1.8.21	LEE - "STEEL TRAK METRIC"	a/s	PS, AP
X1.8.22	LEE - "ADVANCED METRIC"	a/s	PS, AP
X1.8.23	LEE - "TURBO ACTION RADIAL G/T HR"	a/s	PS, AP
X1.8.31	MONARCH - "ULTRA-FLEX"	a/s	PS, AP
X1.8.32	MONARCH - "DIPLOMAT"	a/s	PS, AP
X1.8.33	MONARCH - "ULTRA TRAK"	a/s	PS, AP
X1.8.34	MONARCH - "ROAD HUGGER RADIAL G/T SR"	a/s	PS, AP
X1.8.35	MONARCH - "T/P METRIC"	a/s	PS, AP
X1.8.36	MONARCH - "ROAD HUGGER METRIC"	a/s	PS, AP
X1.8.37	MONARCH - "ULTRA HP4 HR"	a/s	PSN, AP
X1.8.92	PACEMARK-"SNOWTRACKER ST/2"	s/t	PS, AP
X1.8.93	PACEMARK-"METRIC T"	a/s	PS, AP
X1.8.94	PACEMARK-"METRIC S"	a/s	PS, AP
X1.8.95	PACEMARK-"RADIAL G/T"	a/s	PSN, AP
X1.8.96	PACEMARK-"RADIAL HR"	a/s	PSN, AP
X1.8.97	PACEMARK-"RADIAL SR (70,65,60,55,50)"	a/s	PS, AP
X1.8.98	PACEMARK-"PREMIUM A/S"	a/s	PS, AP
X1.8.99	PACEMARK-"A/S PLUS"	a/s	PS, AP
X1.8.100	PACEMARK-"A/S"	a/s	PS, AP
X1.8.45	REPUBLIC - "ENSIGN"	a/s	PS, AP
X1.8.46	REPUBLIC - "HORIZON"	a/s	PS, AP
X1.8.47	REPUBLIC - "WEATHER KING"	a/s	PS, AP
X1.8.48	REPUBLIC - "ROAD REBEL RADIAL G/T SR"	a/s	PS, AP
X1.8.49	REPUBLIC - "HORIZON METRIC"	a/s	PS, AP
X1.8.50	REPUBLIC - "INVADER METRIC"	a/s	PS, AP
X1.8.51	REPUBLIC - "INVADER RADIAL G/T HR"	a/s	PSN, AP
X1.8.24	STAR - "SKYTRAK"	a/s	PS, AP
X1.8.25	STAR - "ENTERPRISE"	a/s	PS, AP
X1.8.26	STAR - "IMPERIAL PSR"	a/s	PS, AP

CATL-1922, April 2007

**GROUP 1, PASSENGER CAR TIRES (continued)****THE GOODYEAR TIRE & RUBBER COMPANY (continued)**

- ◆ QUALIFIED PRODUCTION POINTS: ALL GOODYEAR TIRE & RUBBER COMPANY AND KELLY-SPRINGFIELD MANUFACTURING FACILITIES
- ◆ TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-043
- ◆ QUALIFICATION EXPIRATION DATE: 9 MAY, 2010

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
<b>KELLY-SPRINGFIELD BRANDS (MANUFACTURED BY GOODYEAR, CONTINUED):</b>			
X1.8.27	STAR - "SUPER STAR RADIAL G/T SR"	a/s	PS, AP
X1.8.28	STAR - "SKYMASTER METRIC"	a/s	PS, AP
X1.8.29	STAR - "CENTURION METRIC"	a/s	PS, AP
X1.8.30	STAR - "SUPER STAR RADIAL G/T HR"	a/s	PSN, AP
<b>KELLY-SPRINGFIELD, CO-OP BRANDS, (MANUFACTURED BY GOODYEAR):</b>			
X1.8.84	"COUNTRY SQUIRE XTC"	s/t	PS, AP
X1.8.85	"GOLDEN MARK TOURING"	a/s	PS, AP
X1.8.86	"GOLDEN MARK PREMIUM"	a/s	PS, AP
X1.8.87	"SILVER MARK"	a/s	PS, AP
X1.8.88	"WEATHER MARK"	a/s	PS, AP
X1.8.89	"MARK 300"	a/s	PS/AP
<b>KELLY-HERITAGE BRANDS, (MANUFACTURED BY GOODYEAR):</b>			
X1.8.80	"CLASSIC"	a/s	PS, AP
X1.8.81	"700"	a/s	PS, AP
X1.8.82	"SUPER SPORT RADIAL GTS"	a/s	PS/AP
<b>KELLY-JETZON/TELSTAR BRANDS (MANUFACTURED BY GOODYEAR):</b>			
X1.8.52	GEMINI	a/s	PS,AP
X1.8.53	INNOVATION	a/s	PS,AP
X1.8.54	STRATA-JET	a/s	PS,AP
X1.8.55	GENESIS	a/s	PS,AP
X1.8.56	ULTRA-QUAD TOURING	a/s	PS,AP
X1.8.57	REVENGER (SR)	a/s	PS,AP
X1.8.58	REVENGER (HR)	a/s	PSN,AP
X1.8.59	STEALTH 3000	a/s	PS,AP
X1.8.60	STEALTH 5000	a/s	PS,AP
X1.8.61	STRATGARD METRIC	a/s	PS,AP
X1.8.62	SABRE XJ-40 METRIC	a/s	PS,AP
X1.8.63	EASY RIDER	a/s	PS,AP
X1.8.64	WEATHERIZER	a/s	PS,AP
X1.8.65	DURATION TOURING S/T	a/s	PS,AP
X1.8.66	PREMIUM TOURING G/T	a/s	PS,AP
X1.8.67	TURBOSTAR (SR)	a/s	PS,AP
X1.8.68	TURBOSTAR (HR)	a/s	PSN,AP
X1.8.69	YEAR 'ROUND METRIC	a/s	PS,AP
<b>KELLY-LARAMIE BRANDS, (MANUFACTURED BY GOODYEAR):</b>			
X1.8.101	EASY RIDER	a/s	PS,AP
X1.8.102	STEEL RIDER	a/s	PS,AP
X1.8.103	DURATION TOURING S/T	a/s	PS,AP
X1.8.104	PREMIUM TOURING G/T	a/s	PS,AP
X1.8.105	PERFORMER (SR)	a/s	PS,AP
X1.8.106	PERFORMER (HR)	a/s	PSN,AP
X1.8.107	STEALTH 3000	a/s	PSN,AP
X1.8.108	STEALTH 5000	a/s	PSN,AP
X1.8.109	YEAR 'ROUND METRIC	a/s	PS,AP
X1.8.110	SABRE XJ-40 METRIC	a/s	PS,AP
<b>KELLY-SPARTAN BRANDS, (MANUFACTURED BY GOODYEAR):</b>			
X1.8.116	USA 1 *STEEL RADIAL	a/s	PS,AP
X1.8.117	USA **PLUS	a/s	PS,AP
X1.8.118	USA "12" T/E	a/s	PS,AP
X1.8.119	USA "12" A/C	a/s	PS,AP

CATL-1922, April 2007

**GROUP 1, PASSENGER CAR TIRES (continued)**  
**THE GOODYEAR TIRE & RUBBER COMPANY (continued)**

- ◆ QUALIFIED PRODUCTION POINTS: ALL GOODYEAR TIRE & RUBBER COMPANY AND KELLY-SPRINGFIELD MANUFACTURING FACILITIES
- ◆ TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-043
- ◆ QUALIFICATION EXPIRATION DATE: 9 MAY, 2010

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
<b>KELLY-SUMMIT BRANDS, (MANUFACTURED BY GOODYEAR):</b>			
X1.8.70	ENDURANCE ASR	a/s	PS,AP
X1.8.71	SIEMPRE VI	a/s	PS,AP
X1.8.72	MEGA TRAC PLUS	a/s	PS,AP
X1.8.73	PREMIUM RADIAL RIDE PLUS	a/s	PS,AP
X1.8.74	TLX LUZURY TOURING	a/s	PS,AP
X1.8.75	SUPER TRAC RADIAL GT	a/s	PS,AP
X1.8.76	RADIAL TRAC	a/s	PS,AP
X1.8.77	METRIC 220 A/S	a/s	PS,AP
X1.8.78	MEGA PLUS	a/s	PS,AP
X1.8.79	RADIAL TRAC PLUS H	a/s	PS,AP
<b>KELLY-TOW-MASTER BRANDS, (MANUFACTURED BY GOODYEAR):</b>			
X1.8.83	TRAILER RADIAL (ST)	r/t (rib)	PS, TO
<b>KELLY-VANDERBILT BRANDS, (MANUFACTURED BY GOODYEAR):</b>			
X1.8.90	TURBO-TECH A/S II	a/s	PS,AP
X1.8.111	TURBO-TECH METRIC	a/s	PS,AP
X1.8.112	TURBO-TECH GT RADIAL	a/s	PS,AP
X1.8.113	TURBO-TECH TOURING 4000	a/s	PS,AP
X1.8.114	TURBO-TECH TOURING A/S	a/s	PS,AP
X1.8.115	TURBO-TECH A/S	a/s	PS,AP
<b>KELLY-WINSTON BRANDS, (MANUFACTURED BY GOODYEAR):</b>			
X1.8.120	CALIFORNIAN I	a/s	PS,AP
X1.8.121	CALIFORNIAN II	a/s	PS,AP
X1.8.122	CLASSIC	a/s	PS,AP
X1.8.123	SIGNATURE	a/s	PS,AP
X1.8.124	WINNER G/T	a/s	PS,AP
X1.8.125	WINNER	a/s	PS,AP
X1.8.126	CALIFORNIAN METRIC	a/s	PS,AP
X1.8.127	CLASSIC METRIC	a/s	PS,AP
X1.8.128	SIGNATURE METRIC	a/s	PS,AP



## GROUP 1, PASSENGER CAR TIRES

### MICHELIN NORTH AMERICA

- QUALIFIED PRODUCTION POINTS: ALL MICHELIN AMERICAS TIRE MANUFACTURING FACILITIES
  - TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-014
  - QUALIFICATION EXPIRATION DATE: 1 AUGUST, 2010
- GOVERNMENT                      MODEL/BRAND

ITEM NO.	DESIGNATION	CLASS	CODES
<b>BF GOODRICH BRANDS (MANUFACTURED BY MICHELIN):</b>			
X1.9.6	"RADIAL T/A"	a/s, m/s (rib)	PS, AP
X1.9.1.1	"RADIAL LONG TRAIL T/A"	a/s, m/s (rib)	PS, AP
X1.9.56	"WINTER SLALOM"	a/s, m/s (lug)	PS, AP
X1.9.80	"CONTROL PLUS"	a/s	PS, AP
X1.9.81	"TRACTION T/A"	a/s	PS, AP

- QUALIFIED PRODUCTION POINTS: ALL MICHELIN AMERICAS TIRE MANUFACTURING FACILITIES
  - TEST QUALIFICATION REFERENCE: ACST-CATL-T1-1/98-046
  - QUALIFICATION EXPIRATION DATE: 7 JANUARY, 2010
- GOVERNMENT                      MODEL/BRAND

ITEM NO.	DESIGNATION	CLASS	CODES
<b>MICHELIN BRANDS:</b>			
X1.9.21	"XW4"	a/s, m/s (rib)	PS, AP
X1.9.27	"LTX A/T"	a/s, m/s (rib)	PS, AP
X1.9.31	"X RADIAL"	a/s, m/s (rib)	PS, AP
X1.9.33	"MX4"	a/s, m/s (rib)	PS, AP
X1.9.36	"LTX M/S"	a/s, m/s (rib)	PS, AP
X1.9.44	"LTX A/S"	a/s (rib)	PS, AP
X1.9.71	"SUMMETRY"	a/s, m/s (rib)	PS, AP
X1.9.72	"CROSS TERRAIN"	a/s, m/s (rib)	PS, AP
X1.9.73	"ENERGY LX4"	a/s, m/s (rib)	PS, AP
X1.9.74	"HARMONY"	a/s, m/s (rib)	PS, AP
X1.9.75	"4X4 ALPIN"	s/t	PS, AP
X1.9.77	"HYDROEDGE"	a/s	PS, AP
X1.9.78	"X-ICE"	s/t	PS, AP
X1.9.79	"LATITUDE Z-ICE"	s/t	PS, AP
X1.9.83	"PILOT ALPINE"	s/t	PS, AP

- QUALIFIED PRODUCTION POINTS: ALL MICHELIN AMERICAS TIRE MANUFACTURING FACILITIES
  - TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-060
  - QUALIFICATION EXPIRATION DATE: 24 JUNE, 2012
- GOVERNMENT                      MODEL/BRAND

ITEM NO.	DESIGNATION	CLASS	CODES
<b>UNIROYAL BRANDS (MANUFACTURED BY MICHELIN):</b>			
X1.9.12	"TIGER PAW AWP"	a/s, m/s (rib)	PS, AP
X1.9.17	"TIGER PAW GTS"	a/s, m/s (rib)	PS, AP
X1.9.20	"LAREDO AWP"	a/s, m/s (rib)	PS, AP
X1.9.46	"TIGER PAW AWP ROYALSEAL"	a/s, m/s (rib)	PS, AP
X1.9.49	"TIGER PAW ICE & SNOW"	s/t, m/s (lug)	PS, AP
X1.9.50	"LAREDO AWT"	a/t, m/s (lug)	PS, AP
X1.9.52	"LAREDO AWR"	a/s, m/s (rib)	PS, AP
X1.9.63	"TIGER PAW AS 6000"	a/s, m/s (rib)	PS, AP
X1.9.64	"TIGER PAW AS 65"	a/s, m/s (rib)	PS, AP
X1.9.82	"TIGER PAW TOURING"	a/s	PS, AP

## GROUP 1, PURSUIT & EMERGENCY HIGH SPEED BRIDGESTONE/FIRESTONE (U.S.A.) INCORPORATED BRANDS

- TEST QUALIFICATION REFERENCE: ECE-30
- QUALIFICATION EXPIRATION DATE: N/A
- QUALIFIED PRODUCTION POINTS: ALL BRIDGESTONE/FIRESTONE CORP. TIRE MANUFACTURING FACILITIES
- CONSULT TIRE MANUFACTURER FOR LOAD RANGE CAPABILITIES

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES	QUALIFIED SIZES
<b>BRIDGESTONE BRANDS:</b>				
X1.2.8P	"HP 41"	a/s	AP, PSN, PEHS, SR-H	P185/70R14 P195/70R14 P205/70R14 P215/70R14 P225/70R15 P235/70R15
X1.2.9P	"S-471"	r/t	AP, PSN, PEHS, SR-H	P185/70R14 P195/70R14 P205/70R14 P215/70R14 P225/70R15 P235/70R15
X1.2.10P	"RE71"	r/t	AP, PSN, PEHS, SR-H	P225/60R15
<b>FIRESTONE BRANDS:</b>				
X1.2.32P	"AEROFIRE"	a/s	AP,PSN, PEHS, SR-H	P195/70R14 P215/70R15 P225/70R15 P235/70R15
X1.2.33P	"FIREHAWK GTA"	a/s	AP, PSN, PEHS, SR-H	P195/70R14 P225/60R15
X1.2.34P	"FIREHAWK SVX"	a/s	AP, PSN, PEHS, SR-H	P225/60R15 (V) P225/55R16 (Z) P245/50R16
X1.2.35P	"TOWN & COUNTRY SUPER RADIAL	s/t	AP, PSN,	SR-H: P205/70R15 SR-H:P215/70R15 SR-H:P225/70R15 SR-T:P235/70R15
X1.2.36P	"FIREHAWK PV40"	a/s	AP, PSN, PEHS, SR-V	P225/70R15 (100V) P235/70R15 (102V)
X1.2.40	"FIREHAWK PV41"	a/s	AP, PSN, PEHS, SR-V	P225/70R15 (100V) P235/70R15 (102V) P225/60R16 (97V)

## **CONTINENTAL TIRE NORTH AMERICA**

- TEST QUALIFICATION REFERENCE: ECE-30
- QUALIFICATION EXPIRATION DATE: N/A
- QUALIFIED PRODUCTION POINTS: ALL CONTINENTAL TIRE NORTH AMERICA TIRE MANUFACTURING FACILITIES
- CONSULT TIRE MANUFACTURER FOR LOAD RANGE CAPABILITIES

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES	QUALIFIED SIZES
<b>GENERAL BRANDS:</b>				
X1.5.10P	"XP 2000 AS" (H speed rating)	a/s (rib)	AP, PEHS, PSN, SR-H	P185/70R14 P215/70R14 P205/60R15 P215/70R15 P225/70R15 P235/70R15

**GROUP 1, PURSUIT & EMERGENCY (continued)**

**CONTINENTAL TIRE NORTH AMERICA BRANDS (continued)**

- ◆ TEST QUALIFICATION REFERENCE: ECE-30
- ◆ QUALIFICATION EXPIRATION DATE: N/A
- ◆ QUALIFIED PRODUCTION POINTS: ALL CONTINENTAL TIRE NORTH AMERICA TIRE MANUFACTURING FACILITIES
- ◆ CONSULT TIRE MANUFACTURER FOR LOAD RANGE CAPABILITIES

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES	QUALIFIED SIZES
<b>GENERAL BRANDS (continued):</b>				
X1.5.10P	"XP 2000 AS" (T speed rating)	a/s (rib)	AP, PEHS, PSN, SR-T	P205/65R15
X1.5.10P	"XP 2000 AS" (V speed rating)	a/s (rib)	AP, PEHS, PSN, SR-V	P225/60R15 P235/70R15
X1 .5.12P	"XP 2000 II" (H speed rating)	a/s,r/t (rib)	AP, PEHS, PSN, SR-H	P195/60R14 P265/70R15 P245/70R16 P255/55R16 P265/70R16 P275/55R16 P275/70R16
X1 .5.12P	"XP 2000 II" (T speed rating)	a/s,r/t (rib)	AP, PEHS, PSN, SR-T	P175/70R13 P185/70R13 P195/70R13 P205/70R13 P1 85/60R14 P1 85/70R14 P195/60R14
X1.5.12P	"XP 2000 II" (T speed rating)	a/s,r/t (rib)	AP, PEHS, PSN, SR-T	P195/70R14 P205/60R14 P205/70R14 P215/60R14 P215/70R14 P235/60R14 P195/50R15 P195/60R15 P195/65R15 P205/50R15 P205/60R15 P205/65R15 P215/65R15 P225/70R15 P235/60R15 P235/70R15 P245/60R15 P255/60R15 P255/70R15 P265/70R15 P275/60R15 P215/60R16 P225/60R16
X1.5.13P	"XP 2000 H4"	a/s (rib)	AP, PEHS , PSN, SR-H	P185/60R14 P185/65R14 P1 85/70R14 P195/60R14 P195/65R14 P215/60R14 P185/65R15 P195/60R15 P195/65R15 P205/55R16

CATL-1922, April 2007

**GROUP 1, PURSUIT AND EMERGENCY HIGH SPEED****(continued)****CONTINENTAL TIRE NORTH AMERICA BRANDS (continued)**

- ◆ TEST QUALIFICATION REFERENCE: ECE-30
- ◆ QUALIFICATION EXPIRATION DATE: N/A
- ◆ QUALIFIED PRODUCTION POINTS: ALL CONTINENTAL TIRE NORTH AMERICA TIRE MANUFACTURING FACILITIES
- ◆ CONSULT TIRE MANUFACTURER FOR LOAD RANGE CAPABILITIES

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES	QUALIFIED SIZES
<b>GENERAL BRANDS (continued):</b>				
X1.5.13P	"XP 2000 H4"	a/s (rib)	AP, PEHS, PSN, SR-H	P205/60R15 P215/60R15 P215/65R15 P225/60R15
X1.5.14P	"XP 2000 V4"	a/s (rib)	AP, PEHS, PSN, SR-V	P205/70R15 P225/50R16 P225/60R16 P225/70R15 P235/70R15 P245/50R16 P255/50R16
X1 .5.15P	"XP 2000 A4" (H speed rating)		a/s,r/t (rib) AP, PEHS, PSN, SR-H	P175/70R13 P185/70R13 P175/65R14 P1 85/60R14 P1 85/65R14 P1 85/70R14 P195/60R14 P195/65R14 P195/70R14
X1.5.15P	"XP 2000 A4" (V speed rating)		a/s,r/t (rib) AP, PEHS, PSN, SR-V	P225/60R15 P225/50R16 P195/60R15 P195/65R15 P205/60R15 P205/64R15 P215/60R15 P215/65R15 P205/55R16 P225/60R16 P245/50R16
X1 .5.16P	"XP 2000 Z4"		a/s,r/t (rib) AP, PEHS PSN, SR-W	P225/50ZR16 P245/50ZR16 P275/40ZR17
X1 .5.17P	"XP 2000 H4S"		a/s,r/t (rib) AP, PEHS, PSN, SR-H	P195/70R14
X1 .5.1 8P	"XP 2000 MS"		a/s,r/t (rib) AP, PEHS, PSN, SR-H	P225/70R15
X1 .5.19P	"XP 2000 X4"		a/s,r/t (rib) AP, PEHS, PSN, SR-H	P225/50R17
X1 .5.20P	"EXCLAIM"		a/s,r/t (rib) AP, PEHS, PSN, SR-H	P1 85/60R14 P185/65R14 P195/60R14 P195/65R14 P195/70R14 P185/65R15 P195/60R15 P195/65R15 P205/60R15 P205/65R15 P215/60R15 P215/65R15 P225/60R15 P205/50R16 P205/55R16 P205/60R16

CATL-1922, April 2007

**GROUP 1, PURSUIT AND EMERGENCY HIGH SPEED****(continued)****CONTINENTAL TIRE NORTH AMERICA BRANDS (continued)**

- TEST QUALIFICATION REFERENCE: ECE-30
- QUALIFICATION EXPIRATION DATE: N/A
- QUALIFIED PRODUCTION POINTS: ALL CONTINENTAL TIRE NORTH AMERICA TIRE MANUFACTURING FACILITIES
- CONSULT TIRE MANUFACTURER FOR LOAD RANGE CAPABILITIES

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES	QUALIFIED SIZES
------------------------	----------------------------	-------	-------	-----------------

**GENERAL BRANDS (continued):**

X1.5.20P	"EXCLAIM"	a/s,r/t (rib)	AP, PEHS, PSN, SR-H	P215/55R16 P215/60R16 P225/50R16 P225/55R16 P225/60R16 P235/60R16 P245/50R16 P205/40R17 P215/40R17 P215/45R17 P215/50R17 P225/55R17 P245/45R17
----------	-----------	---------------	------------------------	--

**COOPER TIRE & RUBBER COMPANY**

- TEST QUALIFICATION REFERENCE: ECE-30
- QUALIFICATION EXPIRATION DATE: N/A
- QUALIFIED PRODUCTION POINTS: ALL COOPER TIRE MANUFACTURING FACILITIES

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES	QUALIFIED SIZES
------------------------	----------------------------	-------	-------	-----------------

**COOPER BRANDS:**

X1.3.31P	"COBRA RADIAL GTH"	a/s	AP, PS, PEHS, SR-H	P185/60R14 P195/60R14 P205/60R14 P215/60R14 P195/60R15 P205/60R15 P215/60R15 P225/60R15 P215/65R15 P225/70R15 P225/70R15
X1.3.32P	"STARFIRE HR 5000 RADIAL GT"	a/s	AP, PS, PEHS, SR-H	
X1.3.34P	"COBRA GTZ"	a/s	AP,PSN,PEHS SR-W	225/60ZR15 225/60ZR16 245/50ZR16 245/45ZR17 275/40ZR17
X1.3.35P	"HPZ 760"	a/s	AP,PSN,PEHS SR-W	225/60ZR15 225/60ZR16 245/50ZR16 245/45ZR17 275/40ZR17
X1.3.97P	"LIFELINER TOURING SLE"	a/s	AP,PS,PEHS, SR H AP,PS,PEHS, SR V	225/70R15 225/60R16
X1.3.99P	"EQUUS LSj"	a/s	AP,PS,PEHS, SR V	225/60R16

**GROUP 1, PURSUIT & EMERGENCY HIGH SPEED (cont.)**

**COOPER TIRE & RUBBER COMPANY (continued)**

- ◆ TEST QUALIFICATION REFERENCE: ECE-30
- ◆ QUALIFICATION EXPIRATION DATE: N/A
- ◆ QUALIFIED PRODUCTION POINTS: ALL COOPER TIRE MANUFACTURING FACILITIES

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES	QUALIFIED SIZES
<b>ELDORADO BRANDS (MANUFACTURED BY COOPER TIRE &amp; RUBBER COMPANY):</b>				
X1.24.1P	"VISION GTH 4"	a/s	AP, PS, PEHS, SR-H	P185/60R14 P195/60R14 P205/60R14 P215/60R14 P195/60R15 P205/60R15 P215/60R15 P225/60R15 P215/65R15
<b>MASTERCRAFT BRANDS (MANUFACTURED BY COOPER TIRE &amp; RUBBER COMPANY):</b>				
X1.3.98P	"AVENGER LSR"	a/s	AP,PS,PEHS, SR H AP,PS,PEHS, SR V	225/70R15 225/60R16
<b>PEP BOYS BRANDS (MANUFACTURED BY COOPER TIRE &amp; RUBBER COMPANY):</b>				
X1.25.1P	"FUTURA CHALLENGER GTH"	a/s	AP,PS,PEHS, SR-H	P225/70R15
X1.25.2P	"FUTURA ULTRA Z"	a/s	AP,PSN,PEHS SR-W	P225/60ZR15 P225/60ZR16 P245/50ZR16 P245/45ZR17 P275/40ZR17
X1.3.100	"FUTURA TOURING VR"	a/s	AP,PS,PEHS SR-V	P225/60R16
<b>TBC INC. BRANDS (MANUFACTURED BY COOPER TIRE &amp; RUBBER COMPANY):</b>				
X1.3.75P	"SIGMA SUPREME HP"	a/s	AP, PS, PEHS, SR-H	P215/65R15 P185/60R14 P195/60R14 P205/60R14 P215/60R14 P195/60R15 P205/60R15 P215/60R15 P225/60R15

CATL-1922, April 2007

**GROUP 1, PURSUIT AND EMERGENCY HIGH SPEED****(continued)****DUNLOP TIRE CORPORATION**

- TEST QUALIFICATION REFERENCE: ECE-30
- QUALIFICATION EXPIRATION DATE: N/A
- QUALIFIED PRODUCTION POINTS: ALL DUNLOP TIRE CORPORATION TIRE MANUFACTURING FACILITIES
- CONSULT TIRE MANUFACTURER FOR LOAD RANGE CAPABILITIES

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES	QUALIFIED SIZES
<b>DUNLOP BRANDS:</b>				
X1.4.4P	"D60A2"	a/s	AP, PEHS P185/70R13 SR-H	P185/70R14 P195/70R14 P205/70R14 P175/65R14 P195/60R14 P205/60R14 P185/65R15 P195/65R15 P205/65R15 P195/60R15 P205/60R15 P215/60R15 P225/60R15 P205/50R15 P205/55R16
X1.4.5P	"SPORT ROVER GTX"	a/s	AP, PEHS, SR-H, PSN	P215/70R14 P215/70R15 P235/70R15 P255/70R15 P225/60R14 P235/60R14 P235/60R15 P255/60R15 P275/60R15

**THE GOODYEAR TIRE & RUBBER COMPANY**

- TEST QUALIFICATION REFERENCE: ECE-30
- QUALIFICATION EXPIRATION DATE: N/A
- QUALIFIED PRODUCTION POINTS: ALL GOODYEAR TIRE & RUBBER COMPANY MANUFACTURING FACILITIES
- CONSULT TIRE MANUFACTURER FOR LOAD RANGE CAPABILITIES

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES	QUALIFIED SIZES
<b>GOODYEAR BRANDS:</b>				
X1.6.21P	"EAGLE M+S" (H speed rating)	s/t, m/s (lug)	PSN, AP, PEHS, SR-H	P215/65R15 P225/70R15 P235/70R15
X1.6.21P	"EAGLE M+S" (V speed rating)	s/t, m/s (lug)	PSN, AP, PEHS, SR-V	P225/70R15 P235/70R15
X1.6.22P	"EAGLE GT+4"(H speed rating)	a/s, r/t (rib)	PSN, AP, PEHS, STC, SR-H	P215/70R14 P215/65R15 P215/70R15 P225/70R15
X1.6.22P	"EAGLE GT+4"(V speed rating)	a/s, r/t (rib)	PSN, AP, PEHS, STC, SR-V:	P235/70R15
X1.6.23P	"F32-S"	s/t (lug)	PEHS, AP, PSN	P205/70R14 P215/70R15 P225/70R15
X1.6.24P	"EAGLE VR/ZR"	r/t (rib)	AP, PEHS, PSN(DIR): SR-V/Z	P225/60R15
X1.6.25P	"EAGLE GA"	a/s, r/t (rib)	AP, PEHS, PSN, STC:SR-H	P225/70R15

CATL-1922, April 2007

**GROUP 1, PURSUIT AND EMERGENCY HIGH SPEED****(continued)****THE GOODYEAR TIRE & RUBBER COMPANY (continued)**

- TEST QUALIFICATION REFERENCE: ECE-30
- QUALIFICATION EXPIRATION DATE: N/A
- QUALIFIED PRODUCTION POINTS: ALL GOODYEAR TIRE & RUBBER COMPANY MANUFACTURING FACILITIES
- CONSULT TIRE MANUFACTURER FOR LOAD RANGE CAPABILITIES

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES	QUALIFIED SIZES
------------------------	----------------------------	-------	-------	-----------------

**GOODYEAR BRANDS (CONTINUED):**

X1.6.26P	"EAGLE RS-A"(V speed rating)	a/s (rib)	AP, PEHS, PSN, STC, SR-V	P225/70R15 P235/70R15 P225/60R16
X1.6.26P	"EAGLE RS-A"(Z speed rating)	a/s (rib)	AP, PEHS, PSN, STC, SR-Z	P245/50ZR16
X1.6.27P	"EAGLE GS-C"	a/s (rib)	AP, PEHS, PSN, STC (DIR), SR-Z	P245/50R16
X1.6.28P	"EAGLE ULTRA GRIP GW2"(H speed rating) m/s (lug)	m/s (lug)	PEHS, AP(DIR) SR-H	205/65R15 215/65R15
X1.6.28P	"EAGLE ULTRA GRIP GW2"(V speed rating) m/s (lug)	m/s (lug)	PEHS, AP(DIR), SR-V	225/60R16
X1.6.29P	"EAGLE GA MVS B"	a/s (rib)	AP, PEHS, PSN, STC, SR-97V	P225/60R16

- TEST QUALIFICATION REFERENCE: ECE-30
- QUALIFICATION EXPIRATION DATE: N/A
- QUALIFIED PRODUCTION POINTS: ALL GOODYEAR TIRE & RUBBER COMPANY AND KELLY-SPRINGFIELD TIRE MANUFACTURING FACILITIES
- CONSULT TIRE MANUFACTURER/LOCAL DEALER FOR LOAD RANGE CAPABILITIES

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES	QUALIFIED SIZES
------------------------	----------------------------	-------	-------	-----------------

**KELLY-SPRINGFIELD BRANDS (MANUFACTURED BY GOODYEAR):**

X1.8.31P	"CHARGER VR"	a/s	AP, PSN, PEHS, SR-V	P205/65R15
X1.8.32P	"CHARGER HR"	a/s	SR-H SR-H SR-H SR-H SR-H SR-H SR-H SR-H	P225/60R14 P225/60R15 P225/60R16 P195/50R15 P205/50R15 P225/50R15 P225/50R16 P245/50R16 P205/55R16

**MICHELIN NORTH AMERICA****BF GOODRICH BRANDS (MANUFACTURED BY MICHELIN):**

- TEST QUALIFICATION REFERENCE: ECE-30
- QUALIFIED PRODUCTION POINTS: ALL MICHELIN AMERICAS TIRE MANUFACTURING FACILITIES
- QUALIFICATION EXPIRATION DATE: N/A
- CONSULT TIRE MANUFACTURER/LOCAL DEALER FOR LOAD RANGE CAPABILITIES

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES	QUALIFIED SIZES
X1.9.60P	"TOURING T/A HR4"	a/s (rib)	AP, PEHS, PS, SR-97H	P225/60R16
X1.9.61P	"TOURING T/A VR4"	a/s (rib)	AP, PEHS, PS, SR-97V	P225/60R16



**GROUP 1, PURSUIT AND EMERGENCY HIGH SPEED**

**(continued)**

**MICHELIN NORTH AMERICA (continued)**

- TEST QUALIFICATION REFERENCE: ECE-30
- QUALIFIED PRODUCTION POINTS: ALL MICHELIN AMERICAS TIRE MANUFACTURING FACILITIES
- QUALIFICATION EXPIRATION DATE: N/A
- CONSULT TIRE MANUFACTURER/LOCAL DEALER FOR LOAD RANGE CAPABILITIES

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES	QUALIFIED SIZES
<b>BF GOODRICH BRANDS:</b>				
X1.9.69P	"TRACTION T/A"	a/s (rib)	AP, PEHS, PS, SR-98V	225/60R16
X1.9.70P	"TRACTION T/A"	a/s (rib)	AP, PEHS, PS, SR-97H	P225/60R16
X1.9.70P	"g-Force T/A KD"	a/s (rib)	AP, PS, PEHS, SR-Y	245/45R17 275/40R17
X1.9.70P	"g-Force T/A KDW"	a/s (rib)	AP, PS, PEHS, SR-Y	245/50R16 245/45R17 275/40R17
X1.9.70P	"g-Force T/A KDWS"	a/s (rib)	AP, PS, PEHS, SR-W	245/50R16 245/45R17 275/40R17

**MICHELIN BRANDS:**

X1.9.62P	"PILOT ALPIN"	a/s (rib)	AP, PEHS, PS, SR-98H	225/60R16
X1.9.67P	"PILOT XGTH4"	a/s (rib)	AP, PEHS, PS, SR-97H	225/60R16
X1.9.68P	"PILOT XGTV4"	a/s (rib)	AP, PEHS, PS, SR-97V	225/60R16

**UNIROYAL BRANDS (MANUFACTURED BY MICHELIN):**

X1.9.59P	"TIGER PAW GTH4"	a/s (rib)	AP, PEHS, PS, SR-97H	P225/60R16
X1.9.66P	"TIGER PAW TOURING HR"	a/s (rib)	AP, PEHS, PS, SR-97H	P225/60R16

**YOKOHAMA TIRE CORPORATION**

- QUALIFIED PRODUCTION POINTS: ALL YOKOHAMA TIRE QUALIFIED TIRE MANUFACTURING FACILITIES
- TEST QUALIFICATION REFERENCE: ECE-30
- QUALIFICATION EXPIRATION DATE: N/A

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES	QUALIFIED SIZES
<b>YOKOHAMA BRANDS:</b>				
X1.12.1P	"AKURET G.T.X. PERFORMANCE"	a/s, m/s	PSN, EHS, SR-H	P225/60R16
X1.12.2P	"AKURET G.T.X. PERFORMANCE"	a/s, m/s	PSN, EHS, SR-H	P225/70R15

CATL-1922, April 2007

## GROUP 2, LIGHT TRUCK: NEW TIRES

### BRIDGESTONE/FIRESTONE (U.S.A.) INCORPORATED

- QUALIFIED PRODUCTION POINTS: ALL BRIDGESTONE/FIRESTONE CORP. TIRE MANUFACTURING FACILITIES
- TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-050
- QUALIFICATION EXPIRATION DATE: 28 OCTOBER, 2011

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
<b>BRIDGESTONE BRANDS:</b>			
X2.2.1RA	"R260"	r/t	AP, PS
X2.2.2RA	"VSX"	d/a	SS, PS, AP
X2.2.3RA	"R187"	r/t	SS, AP
X2.2.4RA	"R220"	r/t	SS, AP
X2.2.5RA/RB	"R230"	r/t	AP, PS
X2.2.6RA	"R265"	r/t	AP, PS
X2.2.7RA/RB	"D661"	a/t	AP, PS, STC
X2.2.8RA/RB	"604V"	a/t	AP, PS, STC
X2.2.9RA/RB	"610V"	a/t	AP, PS, STC
X2.2.10RA/RB	"D682"	a/s	AP, PS
X2.2.11RA/RB	"613V"	r/t	AP, PS
X2.2.12RA/RB	"603V"	r/t	AP, PS
X2.2.13RA/RB	"R273"	r/t	AP, PS
X2.2.14RA/RB	"M724"	a/s	AP, PS
X2.2.15RA/RB	"M773"	a/t	AP, PS
X2.2.16RA/RB	"DUELER MT"	o/o	DA, PS
X2.2.17RA/RB	"DUELER HT"	a/s	AP, PS
X2.2.18RA/RB	"DUELER AT"	a/t	DA, PS
X2.2.19RA/RB	"DUELER H/P"	r/t	AP, PS
X2.2.20RA/RB	"DUELER HTS"	r/t	AP, PS
X2.2.22RA/RB	"DESERT DUELER D684"	r/t	AP, PS
X2.2.40RA/RB	"Dueler H/L Alenza"	a/t	AP, PS
X2.2.4 1RA/RB	<< Dueler AT Revo"	a/t	AP, PS
<b>FIRESTONE BRANDS:</b>			
X2.2.19RA/BB	"TRANSPORT 110"	r/t	AP, N
X2.2.20BA/BB	"TRANSPORT 1 WIDE OVAL"	r/t	AP, N
X2.2.21BA/BB	"TOWN AND COUNTRY"	o/o	AP, N
X2.2.22BA/BB	"SUPER ALL TRACTION"	o/o	AP, N
X2.2.23BA/BB	"SUPER ALL TRACTION ND & NDT"	o/o	AP, N
X2.2.24RA/RB	"STEELEX RADIAL 23 DEGREE"	a/t	AP, PS
X2.2.25RA/RB	"STEELEX RADIAL R4S"	a/s, r/t	AP, PS
X2.2.27RA/RB	"FIREHAWK ATX"	a/s	AP, PS
X2.2.32RA/RB	"FIREHAWK R4S"	a/s, s/t	AP, PS
X2.2.33RA/RB	"FIREHAWK RMT"	a/t	AP, PS
X2.2.34RA/RB	"STEELTEX RADIAL A/T"	a/s a/t	AP, PS
X2.2.35RA/RB	"DESTINATION LE"	a/s	AP, PS
X2.2.36RA/RB	<< DESTINATION AT >>	a/s	AP, PS
X2.2.37RA/RB	<< DESTINATION M/T >>	a/s	AP, PS
X2.2.38RA/RB	<<TRANSFORCE AT >>	a/s	AP, PS
X2.2.39RA/RB	<<TRANSFORCE HT >>	a/s	AP, PS

### CONTINENTAL TIRE NORTH AMERICA

- TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-063
- QUALIFICATION EXPIRATION DATE: 31 AUGUST, 2011
- QUALIFIED PRODUCTION POINTS: ALL CONTINENTAL TIRE NORTH AMERICA TIRE MANUFACTURING FACILITIES

GOVERNMENT NO.	MODEL/BRAND DESIGNATION	CLASS	CODES	ITEM M
<b>CONTINENTAL BRANDS:</b>				
X2.5.13RA/RB	"CONTITRAC SUV"	a/s (rib)	AP, PS	
X2.5.14RA/RB	"CONTITRAC TR"	a/t (lug)	AP, PS	
X2.5.15RA/RB	"AMERITRAC SUV"	a/s (rib)	AP, PS	
X2.5.16RA/RB	"AMERITRAC TR"	a/t (lug)	AP, PS	
<b>GENERAL BRANDS:</b>				
X2.5.2RA/RB	"AMERI*550 AS"	a/s, m/s (rib)	AP, PS	
X2.5.3RA/RB	"AMERI*550 TR"	a/t (lug)	AP, PS	
X2.5.8RA/RB	"GRABBER AP"	a/s (rib)	AP, PS, STC	
X2.5.9RA/RB	"GRABBER AT"	a/t (lug)	DA, PS, STC	
X2.5.10RA/RB	"GRABBER MT"	a/t (lug)	DA, PS, STC	
X2.5.12RA/RB	"GRABBER ST"	a/s (rib)	AP, PS	

CATL-1922, April 2007

## GROUP 2, LIGHT TRUCK: NEW TIRES (continued)

### COOPER TIRE & RUBBER COMPANY

- ◆ QUALIFIED PRODUCTION POINTS: ALL COOPER TIRE & RUBBER COMPANY TIRE MANUFACTURING FACILITIES
  - ◆ TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-064
  - ◆ QUALIFICATION EXPIRATION DATE: 15 MAY, 2010
- GOVERNMENT                      MODEL/BRAND

ITEM NO.	DESIGNATION	CLASS	CODES
<b>AVON TYRES BRANDS (MANUFACTURED BY COOPER):</b>			
X2.3.17RA	"RANGER A-T"	a/s	AP, PS
X2.3.18RA	"RANGER TSE"	a/s	AP, PS
<b>COOPER BRANDS:</b>			
X2.3.1RA	"DISCOVERER RADIAL LT"	a/s, at	AP, PS
X2.3.2RA	"SRM II"	r/t	AP, PS
X2.3.3RA	"DISCOVERER RADIAL STT"	a/t	AP, PS, STC
X2.3.4RA	"DISCOVERER S/T"	a/s, a/t	AP, PS
X2.3.5RA	"DISCOVERER M+S"	s/t	AP, PS, STC
X2.3.19RA	"DISCOVERER A/T"	a/s, a/t	AP, PS
X2.3.20RA	"DISCOVERER H/T"	a/s	AP, PS
X2.3.78RA	"DISCOVERER ATR"	a/s	AP, PS
NOTE: MORE COOPER BRANDS, STEEL/STEEL CONSTRUCTION ARE ALSO LISTED BELOW.			
<b>DEAN BRANDS (MANUFACTURED BY COOPER):</b>			
X2.3.24RA	"WILDCAT TOURING SLT"	a/s	AP, PS
X2.3.25RA	"WILDCAT ALL TERRAIN"	a/s, a/t	AP, PS
X2.3.26RA	"WILDCAT RADIAL A/T"	a/s, a/t	AP, PS
X2.3.27RA	"WILDCAT H/T"	r/t	AP, PS
X2.3.28RA	"WILDCAT RADIAL LT"	a/s	AP, PS
X2.3.29RA	"WILDCAT EXT RADIAL LT"	a/t	AP, PS, STC
<b>DEL-NAT TIRE BRANDS (MANUFACTURED BY COOPER):</b>			
X2.26.1RA	"CHAPARRAL A/P"	a/s, a/t	AP, PS
X2.26.2RA	"MUD TRAC"	a/t	AP, PS, STC
X2.26.3RA	"DELTA SIERRADIAL A/T"	a/s	AP, PS
X2.26.4RA	"AKURET-GRIP PLUS"	s/t	AP, PS, STC
X2.26.5RA	"NATIONAL COMMANDO A/T"	a/s	AP, PS
<b>DOMINATOR BRANDS (MANUFACTURED BY COOPER):</b>			
X2.3.31RA	"SPORT A/T"	a/s, a/t	AP, PS
X2.3.32RA	"RADIAL A/T"	a/s, a/t	AP, PS
X2.3.34RA	"RADIAL T/D"	a/s	AP, PS
<b>ELDORADO TIRE BRANDS (MANUFACTURED BY COOPER):</b>			
X2.3.66RA	"ZR1 RADIAL LT "	a/s	AP, PS
X2.3.67RA	"ZR4"	a/s, a/t	AP, PS
X2.3.68RA	"ZRM"	r/t	AP, PS
X2.3.69RA	"ZRT RADIAL LT"	a/t	AP, PS, STC
<b>HERCULES TIRE &amp; RUBBER COMPANY BRANDS (MANUFACTURED BY COOPER):</b>			
X2.3.48RA	"TERRA TRAC TOURING LTD"	a/s	AP, PS
X2.3.49RA	"TERRA TRAC"	a/s, a/t	AP, PS
X2.3.50RA	"ALL TRAC RADIAL A/S"	a/s	AP, PS
X2.3.53RA	"TERRA TRAC RADIAL RIB"	a/s	AP, PS
X2.3.54RA	"MERIT ALL COUNTRY RADIAL A/S"	a/s	AP, PS
<b>MASTERCRAFT BRANDS (MANUFACTURED BY COOPER):</b>			
X2.3.5RA	"COURSEER RADIAL LT"	a/s, a/t	AP, PS
X2.3.6RA	"COURSEER R/D RADIAL LT"	r/t	AP, PS
X2.3.7RA	"COURSEER OTD RADIAL LT"	a/t	AP, PS, STC
X2.3.8RA	"COURSEER MT"	a/t	AP, PS, STC
X2.3.10RA	"COURSEER C/T"	a/s, a/t	AP, PS
X2.3.35RA	"COURSEER A/T"	a/s	AP, PS
X2.3.36RA	"COURSEER HTR"	a/s	AP, PS
X2.3.64RA	"COURSEER RADIAL STD"	s/t	AP, PS, STC
NOTE: MORE MASTERCRAFT BRANDS, STEEL/STEEL CONSTRUCTION ARE ALSO IN THE NEXT SECTION.			

CATL-1922, April 2007

**GROUP 2, LIGHT TRUCK: NEW TIRES (continued)****COOPER TIRE & RUBBER COMPANY (continued)**

- QUALIFIED PRODUCTION POINTS: ALL COOPER TIRE & RUBBER COMPANY TIRE MANUFACTURING FACILITIES
- TEST QUALIFICATION REFERENCE: ACTS-CATL-TI-1/98-064
- QUALIFICATION EXPIRATION DATE: 15 MAY 2010

ITEM NO.	DESIGNATION	CLASS	CODES
<b>MENTOR BRANDS (MANUFACTURED BY COOPER):</b>			
X2.3.22RA	"DURANGO RADIAL A/T"	a/s	AP, PS
X2.3.23RA	"DURANGO RADIAL M/T"	a/t	AP, PS, STC
X2.3.65RA	"DURANGO RADIAL XTR"	a/s, a/t	AP, PS
<b>PARRISH BRANDS (MANUFACTURED BY COOPER):</b>			
X2.3.60RA	"TACOMA TRAIL A/T"	a/s	AP, PS
X2.3.61RA	"TACOMA TRAIL AWT"	a/s	AP, PS
X2.3.62RA	"TACOMA TRAIL T/E "	a/s	AP, PS
X2.3.63RA	"TACOMA TRAIL M/T"	a/t	AP, PS, STC
<b>PEP BOYS BRANDS (MANUFACTURED BY COOPER):</b>			
X2.3.55RA	"FUTURA DAKOTA LT"	a/s	AP, PS
X2.3.56RA	"FUTURA DAKOTA RVT"	a/s	AP, PS
X2.3.57RA	"FUTURA ADVENTURER LT"	a/s	AP, PS
X2.3.58RA	"FUTURA ADVENTURER RVT"	a/s	AP, PS
X2.3.59RA	"FUTURA ENFORCER MT"	a/t	AP, PS, STC
<b>ROADMASTER BRANDS (MANUFACTURED BY COOPER):</b>			
X2.3.37RA	"RADIAL TE"	a/s	AP, PS
X2.3.38RA	"RADIAL ALL TERRAIN"	a/s, at	AP, PS
<b>STARFIRE BRANDS (MANUFACTURED BY COOPER):</b>			
X2.3.40RA	"TOURING STR "	a/s	AP, PS
X2.3.41RA	"RADIAL A/T "	a/s, a/t	AP, PS
<b>TBC CORPORATION BRANDS (MANUFACTURED BY COOPER):</b>			
X2.3.44RA	"STAMPEDE RADIAL A/T"	a/s	AP, PS
X2.3.45RA	"STAMPEDE RADIAL H/T"	r/t	AP, PS
X2.3.46RA	"STAMPEDE RADIAL A/S"	a/s	AP, PS
X2.3.47RA	"STAMPEDE RADIAL XT"	a/t	AP, PS, STC
X2.3.70RA	"STAMPEDE RADIAL LX"	a/s	AP, PS
X2.3.71RA	"WILD SPIRIT RADIAL RVT"	a/t	AP, PS, STC
X2.3.72RA	"MULTI-MILE WILD COUNTRY RADIAL RVT"	a/t	AP, PS, STC
X2.3.73RA	"MULTI-MILE WILD COUNTRY RADIAL AT"	a/s, a/t	AP, PS
X2.3.74RA	"POWER KING ALL POSITION RADIAL"	a/s, a/t	AP, PS
X2.3.75RA	"POWER KING RADIAL RVT"	a/t	AP, PS, STC
X2.3.76RA	"POWER KING TRACTION LT"	a/t, o/o	AP, PS, STC
X2.3.77RA	"POWER KING RADIAL HIGHWAY LT"	r/t	AP, PS

**COOPER TIRE & RUBBER COMPANY (STEEL/STEEL CONST.)**

- QUALIFIED PRODUCTION POINTS: ALL COOPER TIRE & RUBBER COMPANY TIRE MANUFACTURING FACILITIES
- TEST QUALIFICATION REFERENCE: ACTS-CATL-TI-1/98-033
- QUALIFICATION EXPIRATION DATE: 9 MAY, 2010

ITEM NO.	DESIGNATION	CLASS	CODES
<b>COOPER BRANDS:</b>			
X2.3.11RA	"C120 RIB ALL STEEL LT RADIAL"	r/t	AP, SS
X2.3.12RA	"C140 TRACTION ALL STEEL LT RADIAL"	a/s	DA, SS
<b>GIANT BRANDS (MANUFACTURED BY COOPER):</b>			
X2.3.15RA	"R23 RIB ALL STEEL LT RADIAL"	r/t	AP, SS
X2.3.16RA	"R34 TRACTION ALL STEEL LT RADIAL"	a/s	DA, SS
<b>MASTERCRAFT BRANDS (MANUFACTURED BY COOPER):</b>			
X2.3.13RA	"M210 RIB ALL STEEL LT RADIAL"	r/t	AP, SS
X2.3.16RA	"M310 TRACTION ALL STEEL LT RADIAL"	a/s	DA, SS

CATL-1922, April 2007

**GROUP 2, LIGHT TRUCK: NEW TIRES (continued)****THE GOODYEAR TIRE & RUBBER COMPANY**

- QUALIFIED PRODUCTION POINTS: ALL GOODYEAR TIRE & RUBBER COMPANY MANUFACTURING FACILITIES
- TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-047
- QUALIFICATION EXPIRATION DATE: 17 JULY, 2011

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
<b>GOODYEAR BRANDS (POLYESTER/STEEL CONSTRUCTION):</b>			
X2.6.1RA/RB	"WRANGLER RIB"	r/t (rib)	AP, PS
X2.6.5RA/RB	"WRANGLER AT"	a/s, a/t (lug)	AP, PS, STC
X2.6.6RA/RB	"WRANGLER MT"	o/o (lug)	AP, PS, STC
X2.6.7RA/RB	"WRANGLER HT"	a/s, r/t (rib)	AP, PS, STC
X2.6.9RA/RB	"WRANGLER TD"	o/o (lug)	AP, PS, STC
X2.6.12RA	"WORKHORSE RADIAL"	a/s, r/t (rib)	AP, PS, STC
X2.6.13RA	"WORKHORSE EXTRA GRIP RADIAL"	o/o (lug, studable)	AP, PS, STC
X2.6.16RA	"WRANGLER RT/S"	a/s, a/t (lug)	AP, PS
X2.6.23RA	"WRANGLER AP"	a/s, r/t (rib)	AP, PS, STC
X2.6.24RA	"WRANGLER AT/S"	a/s, a/t (lug)	AP, PS, STC
X2.6.25RA	"WRANGLER HT/S"	a/s, r/t (rib)	AP, PS, STC
X2.6.26RA	"WRANGLER HP"	a/s (rib)	AP, PS, STC
X2.6.35RA/RB	"WRANGLER GS-A"	a/s, a/t (lug)	AP, PS, STC
X2.6.36RA/RB	"WRANGLER RADIAL"	a/s, r/t (lug)	AP, PS, STC
X2.6.37RA/RB	"WRANGLER GL"	a/s, r/t (rib)	AP, PS, STC
X2.6.39RA/RB	"WRANGLER RF-A"	a/s (lug)	DIR, STC
X2.6.40RA/RB	"WRANGLER RF-A"	a/s (rib)	DIR, STC
X2.6.41RA/RB	"WRANGLER MT/R"	o/o (lug)	AP, PS, STC
X2.6.42RA/RB	"CONQUEST AP"	a/s (rib)	AP, PS
X2.6.43RA/RB	"CONQUEST AT"	a/s, o/o (rib)	AP, PS
X2.6.44RA/RB	"TRACTION HI-MILER"	a/s, r/t (rib)	AP, PS
X2.6.101RA/RB	"WRANGLER ST"	a/s, r/t (rib)	AP, PS, STC
X2.6.102RA/RB	"WRANGLER SRA"	a/s, r/t (rib)	AP, PS
X2.6.103RA/RB	"WRANGLER SR"	a/s, r/t (rib)	AP, PS, STC

**GOODYEAR BRANDS (STEEL/STEEL CONSTRUCTION):**

- QUALIFIED PRODUCTION POINTS: ALL GOODYEAR TIRE & RUBBER COMPANY MANUFACTURING FACILITIES
- TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-03 1
- QUALIFICATION EXPIRATION DATE: 26 JANUARY, 2010

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
X2.6.8RA/RB	"UNISTEEL G-159"	r/t (rib)	AP, SS
X2.6.11RA/RB	"UNISTEEL G-171"	o/o (lug)	AP, SS, STC
X2.6.14RA	"UNISTEEL G133"	a/s, a/t (lug)	AP, SS, STC
X2.6.15RA	"UNISTEEL G291"	a/s (rib)	AP, SS
X2.6.38RA/RB	"UNISTEEL G124"	d/a (lug)	SS, DA, STC

- QUALIFIED PRODUCTION POINTS: ALL GOODYEAR TIRE & RUBBER COMPANY AND KELLY-SPRINGFIELD MANUFACTURING FACILITIES
- TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-054
- QUALIFICATION EXPIRATION DATE: 25 FEBRUARY, 2011

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
<b>KELLY-SPRINGFIELD BRANDS (MANUFACTURED BY GOODYEAR):</b>			
X2.6.45RA	"SAFARI"	r/t (rib)	AP, PS
X2.6.46RA	"SAFARI CSR"	r/t	PS, AP
X2.6.47RA	"SAFARI AWR"	a/t	PS, AP, STC
X2.6.48RA	"SAFARI MSR"	a/t, m/s	PS, AP
X2.6.49RA	"SAFARI DTR"	o/o, m/s	PS, AP
X2.6.50RA	"SAFARI HPR"	a/s	PS, AP
X2.6.51RA	"RIDGE RUNNER RADIAL LT"	r/t	PS, AP
X2.6.52RA	"RIDGE RUNNER APR"	a/t	PS, AP, STC
X2.6.53RA	"RIDGE RUNNER M/S"	a/t, m/s	PS, AP
X2.6.54RA	"RIDGE RUNNER D/T"	o/o, m/s	PS, AP

CATL-1922, April 2007

**GROUP 2, LIGHT TRUCK: NEW TIRES (continued)****THE GOODYEAR TIRE AND RUBBERCOMPANY (continued)**

- ◆ QUALIFIED PRODUCTION POINTS: ALL GOODYEAR TIRE & RUBBER COMPANY AND KELLY-SPRINGFIELD MANUFACTURING FACILITIES
- ◆ TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-054
- ◆ QUALIFICATION EXPIRATION DATE: 25 FEBRUARY, 2011

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
<b>KELLY-SPRINGFIELD BRANDS (MANUFACTURED BY GOODYEAR, CONTINUED):</b>			
X2.6.55RA	"TRAIL BUSTER RADIAL LSR"	r/t	PS, AP
X2.6.56RA	"TRAIL BUSTER APR"	a/t	PS, AP, STC
X2.6.57RA	"TRAIL BUSTER M/S"	a/t, m/s	PS, AP
X2.6.58RA	"TRAIL BUSTER D/T"	o/o, m/s	AP, PS
X2.6.59RA	"TRAIL MARK RADIAL LT"	r/t	PS, AP
X2.6.60RA	"TRAIL MARK APR"	a/t	PS, AP, STC
X2.6.61RA	"TRAIL MARK M/S"	a/t, m/s	AP, PS
X2.6.62RA	"TRAIL MARK DT "	o/o, m/s	AP, PS
X2.6.63RA	"ROAD REBEL RADIAL LT"	r/t	PS, AP
X2.6.64RA	"TRAIL REBEL APR"	a/t	PS, AP, STC
X2.6.65RA	"ULTRA LT 2000"	a/s	PS, AP
X2.6.66RA	"SUPER SPORT RADIAL LT"	r/t	PS, AP
X.2.6.67RA	" SUPER SPORT RADIAL AT"	a/t	PS, AP, STC
X.2.6.68RA	" SUPER SPORT RADIAL DT"	a/t, m/s	PS, AP
X.2.6.69RA	" SUPER SPORT RADIAL HT"	o/o, m/s	PS, AP
X.2.6.70RA	" SUPER SPORT RADIAL HPT"	a/s	PS, AP
<b>KELLY - LARAMIE BRANDS, (MANUFACTURED BY GOODYEAR):</b>			
X.2.6.71RA	STEALTH RADIAL H/P	a/s	PS, AP
X.2.6.72RA	TRAILBOSS RADIAL H/V	o/o, m/s	PS, AP
X.2.6.73RA	TRAIL CUTTER RADIAL R/T	a/t, m/s	PS, AP
X.2.6.74RA	TRAIL CUTTER RADIAL A/P	a/t	PS, AP, STC
X.2.6.75RA	TRAILBOSS RADIAL LT RIB	r/t	PS, AP
<b>KELLY - SPARTAN BRANDS, RELIABLE , (MANUFACTURED BY GOODYEAR):</b>			
X.2.6.76RA	USA *SPORT RADIAL A/T	a/t	PS, AP, STC
X.2.6.77RA	USA *SPORT TRAIL XT	a/t, m/s	PS, AP
X.2.6.78RA	USA *SPORT MUD XDT	o/o, m/s	PS, AP
<b>KELLY - SUMMIT BRANDS, (MANUFACTURED BY GOODYEAR):</b>			
X.2.6.79RA	TRAIL CLIMBER RHR	r/t	PS, AP
X.2.6.80RA	TRAIL CLIMBER RADIAL AT	a/t	PS, AP, STC
X.2.6.81RA	TRAIL CLIMBER RADIAL CT	a/t, m/s	PS, AP
X.2.6.82RA	TRAIL CLIMBER TRACTION HV	o/o, m/s	PS, AP
<b>KELLY - VANDERBILT BRANDS, (MANUFACTURED BY GOODYEAR):</b>			
X.2.6.83RA	TURBO-TECH A/T	a/t	PS, AP, STC
X.2.6.84RA	TURBO-TECH TUFF STUFF	a/t, m/s	PS, AP
<b>KELLY - WINSTON BRANDS, (MANUFACTURED BY GOODYEAR):</b>			
X.2.6.85RA	HI-WAY RADIAL	r/t	PS, AP
X.2.6.86RA	WINNER LT	a/t	PS, AP, STC
X.2.6.87RA	WINNER M/T	o/o, m/s	PS, AP
<b>KELLY - TBC CORPORATION BRANDS, (MANUFACTURED BY GOODYEAR):</b>			
X2.6.88RA/RB	"WILD COUNTRY RADIAL RVT"	a/s, m/s, (rib)	PS, AP
X2.6.89RA/RB	"POWER KING RADIAL HIGHWAY"	r/t, m/s, (rib)	PS, AP
<b>KELLY - CO-OP BRANDS, (MANUFACTURED BY GOODYEAR):</b>			
X.2.6.90RA	COUNTRY SQUIRE RADIAL A/P	a/t	PS, AP, STC
X.2.6.91RA	COUNTRY SQUIRE RADIAL RT	a/t, m/s	PS, AP
X.2.6.92RA	COUNTRY SQUIRE RADIAL HT	o/o, m/s	PS, AP
<b>KELLY - HERITAGE BRANDS, (MANUFACTURED BY GOODYEAR):</b>			
X.2.6.93RA	TRAIL TRAC RADIAL RXT	a/t	PS, AP, STC
<b>KELLY - JETZON/TELSTAR BRANDS, (MANUFACTURED BY GOODYEAR):</b>			
X.2.6.94RA	REVENGER A/T	a/t	PS, AP, STC
X.2.6.95RA	REVENGER A/P	a/t	PS, AP, STC
X.2.6.96RA	TRAIL CUTTER RADIAL A/P	a/t	PS, AP, STC
X.2.6.97RA	TRAILBOSS RADIAL LT RIB	r/t	PS, AP
X.2.6.98RA	STEALTH RADIAL H/P	a/s	PS, AP
X.2.6.99RA	TRAILBOSS RADIAL H/V	o/o	PS, AP

CATL-1922, April 2007

## GROUP 2, LIGHT TRUCK: NEW TIRES (continued)

### MICHELIN NORTH AMERICA

- QUALIFIED PRODUCTION POINTS: ALL MICHELIN AMERICAS TIRE MANUFACTURING FACILITIES
- TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-030
- QUALIFICATION EXPIRATION DATE: 22 NOVEMBER, 2010

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
<b>BF GOODRICH BRANDS (MANUFACTURED BY MICHELIN):</b>			
X2.9.16RA/RB	"RADIAL ALL TERRAIN T/A"	a/t, (lug)	PS, AP
X2.9.18RA/RB	"RADIAL MUD TERRAIN T/A"	a/t, (lug)	PS, AP
X2.9.19RA/RB	"BAJA T/A"	a/t, (lug)	PS, DA
X2.9.34RA/RB	"COMMERCIAL T/A"	a/s	PS, AP
X2.9.35RA/RB	"RADIAL LONG TRAIL T/A"	a/s	PS, AP
X2.9.38RA/RB	"COMMERCIAL T/A TRACTION"	a/s, (lug)	PS, AP
X2.9.42RA/RB	"KRAWLER T/A"	a/t	PS, AP

- QUALIFIED PRODUCTION POINTS: ALL MICHELIN AMERICAS TIRE MANUFACTURING FACILITIES
- TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-024
- QUALIFICATION EXPIRATION DATE: 15 JULY, 2010

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
<b>MICHELIN BRANDS:</b>			
X2.9.1RA	"XCH4"	a/s	PS, AP
X2.9.3RA	"XC4S"	a/s, m/s (rib)	PS, AP
X2.9.4RA	"LTX M/S"	a/s, m/s (rib)	PS, AP
X2.9.5RA	"LTX A/T"	a/t, (lug)	PS, AP
X2.9.6RA	"LTX A/S"	a/s, m/s (rib)	PS, AP
X2.9.35RA	"XCLT 4"	a/s	PS, AP
X2.9.36RA	"X RADIAL LT"	a/s	PS, AP
X2.9.37RA	"CROSS TERRAIN SUV"	a/s	PS, AP
X2.9.41RA	"LATITUDE X-ICE"	a/s	PS, AP

- QUALIFIED PRODUCTION POINTS: ALL MICHELIN AMERICAS TIRE MANUFACTURING FACILITIES
- TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-027
- QUALIFICATION EXPIRATION DATE: 20 OCTOBER, 2010

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
<b>UNIROYAL BRANDS (MANUFACTURED BY MICHELIN):</b>			
X2.9.26RA/RB	"LAREDO AWT"	a/t, (lug)	PS, AP
X2.9.28RA/RB	"LAREDO AWP"	a/s (rib)	PS, AP
X2.9.30RA/RB	"LAREDO HD/H"	a/s	PS, AP
X2.9.31RA/RB	"LAREDO AWR"	a/s	PS, AP
X2.9.39RA/RB	"LAREDO HD/T"	a/t, (lug)	PS, AP
X2.9.40RA/RB	"LAREDO CROSS COUNTRY"	a/s	PS, AP

### SPECIALTY TIRES OF AMERICA INCORPORATED

- QUALIFIED PRODUCTION POINTS: ALL SPECIALTY TIRES OF AMERICA TIRE MANUFACTURING FACILITIES
- TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-037
- QUALIFICATION EXPIRATION DATE: 28 JANUARY, 2011  
(QUALIFICATION RUN)

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
<b>SPECIALTY BRANDS:</b>			
X2.10.1BA/BB	"SUPER TRANSPORT"	r/t (rib)	N, AP
X2.10.2BA/BB	"SUPER POWER RIB"	r/t (rib)	N, AP
X2.10.3BA/BB	"SUPER TRAXION"	m/s (lug)	N, DA
X2.10.4BA/BB	"HIGHWAY RIB"	r/t (rib)	N, AP
X2.10.5BA/BB	"NON-DIRECTIONAL TREAD"	m/s,d/a (lug)	N, ND, DA
X2.10.6BA/BB	"SUPERLUG-M/S"	m/s (lug)	N, AP

CATL-1922, April 2007

## GROUP 2, LIGHT TRUCK: PURSUIT & EMERGENCY HIGH SPEED TIRES

### DUNLOP TIRE CORPORATION

- TEST QUALIFICATION REFERENCE: ECE-30
- QUALIFICATION EXPIRATION DATE: N/A
- CONSULT TIRE MANUFACTURER FOR LOAD RANGE CAPABILITIES

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES	QUALIFIED SIZES
<b>DUNLOP BRANDS:</b>				
X2.4.1RA	"SPORT ROVER"	a/s	AP, PSN PEHS, SR-H	31X10.50R15 30X9.50R15

## GROUP 2, LIGHT TRUCK: RETREAD TIRES

### BANDAG INCORPORATED

- QUALIFIED PRODUCTION POINTS: ALL BANDAG RETREAD FACILITIES THAT ARE CPQC CERTIFIED.
- PRECURE RETREAD METHOD, TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-065
- QUALIFICATION EXPIRATION DATE: 11 NOVEMBER, 2011

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
<b>BANDAG PRECURE BRANDS:</b>			
Y2.15.5RA/RB	"BRAUNY RV"	a/t	AP, STC
Y2.15.7RA/RB	"COMMERCIAL TRACTION DEEP, MILEDGE SIPES"	o/o	DA, STC
Y2.15.14RA/RB	"ML80"	o/o	STC
Y2.15.15RA/RB	"METROMAX RIB"	a/s	AP, STC
Y2.15.16RA/RB	"METROMAX DRIVE"	a/s	DA, STC
Y2.15.17RA/RB	"AGGRESSIVE TRACTION REPLACEMENT (ATR)"	a/t	DA, STC
Y2.15.18RA/RB	"METROMAX"	a/s, a/t	AP, STC

### BANDAMATIC SYSTEM INCORPORATED

- QUALIFIED PRODUCTION POINTS: ALL BANDAMATIC RETREAD FACILITIES THAT ARE CPQC CERTIFIED.
- PRECURE RETREAD METHOD, TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-066
- QUALIFICATION EXPIRATION: 11 AUGUST, 2011

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
<b>BANDAMATIC PRECURE BRANDS:</b>			
Y2.26.1RA/RB	"HBCB"	r/t	AP, PS
Y2.26.2RA/RB	"HBRAPL"	r/t	TO, PS
Y2.26.3RA/RB	"HBHS"	r/t	TO, PS
Y2.26.4RA/RB	"HBS"	r/t	AP, PS
Y2.26.5RA/RB	"HBAR"	r/t	AP, PS
Y2.26.6RA/RB	"HBTC"	d/a	AP,DA,STC
Y2.26.7RA/RB	"HBLT"	d/a	AP,DA,STC
Y2.26.8RA/RB	"HBBR"	d/a	AP,DA,STC
Y2.26.9RA/RB	"CROSSBAR"	d/a	AP,DA,STC

### COOPER TIRE & RUBBER COMPANY

#### SUBSIDIARY: OLIVER RUBBER COMPANY

- QUALIFIED PRODUCTION POINTS: ALL OLIVER RETREAD FACILITIES THAT ARE CPQC CERTIFIED.
- TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-059
- QUALIFICATION EXPIRATION DATE: 25 MARCH, 2012

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
<b>OLIVER BRANDS, PRECURE RETREAD METHOD:</b>			
Y2.13.1BA/BB	"REV-TRAC"	a/s	AP
Y2.13.2BA/BB	"SUPER TRACTION"	d/a	DA, STC
Y2.13.3BA/BB	"HIGHWAY HPC"	r/t	AP
Y2.13.4BA/BB	"REV-TRED"	r/t	AP
Y2.13.5BA/BB	"REV-LUG"	a/s	AP
Y2.13.6RA/RB	"REV-TRAC"	a/s	AP
Y2.13.7RA/RB	"SUPER TRACTION"	d/a	DA, STC
Y2.13.8RA/RB	"HIGHWAY HPC"	r/t	AP
Y2.13.9RA/RB	"REV-TRED"	r/t	AP
Y2.13.10RA/RB	"REV-LUG"	a/s	AP
Y2.13.11RA/RB	"ORCO PD RIB"	r/t	AP



## **GROUP 2, LIGHT TRUCK: RETREADS (continued)**

### **THE GOODYEAR TIRE & RUBBER COMPANY: RETREAD DIVISION**

- QUALIFIED PRODUCTION POINTS: ALL GOODYEAR RETREAD TIRE MANUFACTURING FACILITIES THAT ARE CPQC CERTIFIED.
- TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-061
- QUALIFICATION EXPIRATION DATE: 13 AUGUST, 2012

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
<b>GOODYEAR PRECURE RETREAD METHOD:</b>			
Y2.14.1RA/RB	"G159"	r/t	AP, PS
Y2.14.2RA/RB	"G124"	d/a	AP, PS, DA
Y2.14.3RA/RB	"G133"	d/a	AP, PS
Y2.14.7RA/RB	"WRANGLER A/T"	a/s	AP, STC
Y2.14.8RA/RB	"G622LT"	a/s, m/s	AP, PS
Y2.14.9RA/RB	"G603"	r/t	AP, PS
Y2.14.10RA/RB	"G622"	r/t	AP, PS
Y2.14.11RA/RB	"G647"	r/t	AP, PS
Y2.14.12RA/RB	"G319SA"	r/t	AP, PS

### **MICHELIN NORTH AMERICA, INC., RETREAD PROCESS**

- QUALIFIED PRODUCTION POINTS: ALL MICHELIN RETREADERS THAT ARE CPQC CERTIFIED.
- TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-045
- QUALIFICATION EXPIRATION DATE: 7 JANUARY, 2011

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
<b>MICHELIN PRECURE RETREAD METHOD:</b>			
Y23.27.1RA/RB	"ZXE PRE-CURE"	r/t	AP
Y2.27.3RA/RB	"XDA2 23 AT"	d/a	DA
Y2.27.4RA/RB	"XDA2 19 AT"	d/a	DA
Y2.27.5RA/RB	"XDA+ AT"	d/a	DA
Y2.27.6RA/RB	"XT-1 AT"	t/o	TO
Y2.27.7RA/RB	"XTA-1"	t/o	TO
Y2.27.8RA/RB	"XZA"	r/t	AP
Y2.27.9RA/RB	"XZE"	r/t	AP
Y2.27.10RA/RB	"XM+S4"	m/s	AP
Y2.27.11RA/RB	"XDC 22"	d/a	DA
Y2.27.12RA/RB	"XDC 18"	d/a	DA
Y2.27.13RA/RB	"XDHT"	d/a	DA
Y2.27.14RA/RB	"XD4"	d/a	DA
Y2.27.15RA/RB	"XDN"	s/t	STC
Y2.27.16RA/RB	"XDS"	s/t	STC
Y2.27.17RA/RB	"XZY"	o/o	AP
Y2.27.18RA/RB	"XZY-1"	o/o	AP
Y2.27.19RA/RB	"XDY"	o/o	AP
Y2.27.20RA/RB	"XDY-1"	o/o	AP
Y2.27.21RA/RB	"XTE2"	t/o	TO
Y2.27.22RA/RB	"XZH"	o/o	AP
Y2.27.23RA/RB	"XZE SA"	t/o	TO
Y2.27.24RA/RB	"XDA HT"	d/a	DA
Y2.27.25RA/RB	"XDE M/S "	m/s	AP

### **MICHELIN MOLD-CURE RETREAD METHOD:**

Y2.27.2RA/RB	"ZXE MOLD-CURE"	r/t	AP
Y2.27.26RA/RB	"XDA2 AT"	d/a	DA
Y2.27.27RA/RB	"XT-1 AT"	t/o	TO
Y2.27.28RA/RB	"XDHT"	d/a	DA
Y2.27.29RA/RB	"XDN"	s/t	STC
Y2.27.30RA/RB	"XTA-1"	t/o	TO
Y2.27.31RA/RB	"XZA"	r/t	AP
Y2.27.32RA/RB	"XZE"	r/t	AP

CATL-1922, April 2007

**GROUP 3, TRUCK & BUS: NEW TIRES****BRIDGESTONE/FIRESTONE (U.S.A.) INCORPORATED**

- ◆ QUALIFIED PRODUCTION POINTS: ALL BRIDGESTONE/FIRESTONE CORP. TIRE MANUFACTURING FACILITIES
- ◆ TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-009
- ◆ QUALIFICATION EXPIRATION DATE: 12 JANUARY, 2010

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
<b>BRIDGESTONE RADIAL BRANDS:</b>			
X3.2.1RA	"R187"	r/t	AP, SS
X3.2.2RA/RB	"R180"	r/t	AP, SS
X3.2.3RA/RB	"R184"	r/t	AP, SS, LP
X3.2.4RA/RB	"R194"	t/o	SS
X3.2.5RA/RB	"L317"	o/o	DA, SS
X3.2.7RA/RB	"R293"	r/t	AP, SS
X3.2.8RA/RB	"R294"	r/t	AP, SS, LP
X3.2.9RA/RB	"R299"	r/t	AP, SS, LP
X3.2.10RA/RB	"M711"	d/a	DA, SS, STC
X3.2.11RA/RB	"M716"	d/a	DA, SS, STC
X3.2.12RA/RB	"M726"	a/t	DA, SS
X3.2.13RA/RB	"M843"	o/o	DA, SS
X3.2.14RA/RB	"M844"	o/o	DA, SS
X3.2.15RA/RB	"M857"	o/o	DA, SS, STC
X3.2.16RA/RB	"R226"	r/t	AP, SS
X3.2.17RA/RB	"R250"	r/t	AP, SS
X3.2.18RA/RB	"L312"	o/o	DA, SS
X3.2.19RA/RB	"M724"	d/a	DA, SS
X2.20RA/RB	"R227"	r/t	AP, SS
X3.2.21RA/RB	"R196"	t/o	TO, SS
X3.2.22RA/RB	"M720"	d/a	DA, SS
X3.2.23RA/RB	"M840"	o/o	AP, SS
X3.2.24RA/RB	"M774"	o/o	DA, SS
X.3.2.52RA/RB	"R270"	a/s	AP, SS, LP
X.3.2.53RA/RB	"R296"	o/o	AP, SS
X3.2.60RA/RB	"R195"	t/o	SS
X3.2.61RA/RB	"M925"	a/t	DA, SS
<b>FIRESTONE RADIAL BRANDS:</b>			
X3.2.25RA/RB	"XR4"	r/t	AP, SS
X3.2.31RA/RB	"HP 3000"	r/t	AP, SS
X3.2.32RA/RB	"PSD 3000"	d/a	DA, SS, STC
X3.2.34RA/RB	"T-831"	o/o	DA, SS
X3.2.35RA/RB	"UT2000"	o/o	DA, SS
X3.2.37RA/RB	"T823"	a/t	DA, SS
X3.2.38RA/RB	"T559"	a/t	DA, SS
X3.2.40RA/RB	"T575"	r/t	AP, SS
X3.2.41RA/RB	"HEAVY DUTY TRANSPORT"	r/t	DA, SS
X3.2.42RA/RB	"TRANSPORT"	r/t	AP, SS
X3.2.43RA/RB	"HP 2000"	r/t	AP, SS
X3.2.44RA/RB	"FS 507"	r/t	AP, SS
X3.2.45RA/RB	"FD 663"	d/a	DA, SS
X3.2.46RA/RB	"FT 455"	r/t	AP, SS
X3.2.47RA/RB	"T839"	r/t	AP, SS
X3.2.48RA/RB	"T819"	o/o	AP, SS
X3.2.49RA/RB	"T546"	d/a	DA, SS
X3.2.50RA/RB	"FS567"	r/t	AP, SS
X3.2.51RA/RB	"FS590 +"	r/t	AP, SS
X3.2.59RA/RB	"FS560"	r/t	AP, SS
<b>FIRESTONE BIAS BRANDS:</b>			
◆ TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-032			
◆ QUALIFICATION EXPIRATION DATE: 1 APRIL, 2010			
X3.2.20BA/BB	"TRANSPORT 1"	r/t	AP, N
X3.2.54BA/BB	"POWER DRIVE"	d/a	DA, N
X3.2.55BA/BB	"TRANSPORT DUPLEX"	r/t	AP, N
X3.2.56BA/BB	"SUPER ALL TRACTION DUPLEX"	d/a	DA, N
X3.2.57BA/BB	"RIB DUPLEX"	r/t	AP, N
X3.2.58BA/BB	"SUPER ALL TRACTION/ND"	o/o	DA, N

CATL-1922, April 2007

**GROUP 3, TRUCK & BUS: NEW TIRES (continued)****CONTINENTAL TIRE NORTH AMERICA**

- ◆ TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-029
- ◆ QUALIFICATION EXPIRATION DATE: 15 DECEMBER, 2010
- ◆ QUALIFIED PRODUCTION POINTS: ALL CONTINENTAL TIRE NORTH AMERICA TIRE MANUFACTURING FACILITIES

ITEM NO.	DESIGNATION	CLASS	CODES
<b>GENERAL BRANDS:</b>			
X3.5.7RA/RB	"GENERAL S360"	r/t (rib)	SS, AP
X3.5.8RA/RB	"AMERI*LUG"	d/a (lug)	SS, DA
X3.5.9RA/RB	"AMERI*LUG MS"	d/a (lug)	SS, DA, STC
X3.5.10RA	"AMERI*LP 70"	r/t (rib)	SS, AP
X3.5.11RA/RB	"AMERI*MSL"	o/o (rib)	SS, DA, STC
X3.5.12RA/RB	"AMERI*LUG DT"	o/o (lug)	SS, DA, STC
X3.5.13RA/RB	"AMERI*LUG DT WHS"	o/o (lug)	SS/N, DA, STC
X3.5.19RA	"AMERI*SD 400"	r/t (rib)	SS, AP
X3.5.20RA/RB	"AMERI*STEEL LPT"	r/t (rib)	SS, TO
X3.5.24RA	"GENERAL S370"	r/t (rib)	SS, AP
X3.5.25RA	"S380 AS"	r/t (rib)	SS, AP
X3.5.26RA	"D450"	d/a (lug)	SS, DA, STC
X3.5.27RA	"D460"	d/a (rib)	SS, DA, STC
X3.5.50RA/RB	"GENERAL RIB ST"	t/o (rib)	SS, TO
X3.5.51RA/RB	"GENERAL LMT 400"	r/t, a/s (rib)	SS, AP
X3.5.52RA/RB	"GENERAL LMT 460"	a/t, a/s, o/o (rib)	SS, AP
<b>CONTINENTAL BRANDS:</b>			
X3.5.28RA/RB	"HS 41"	r/t (rib)	SS, AP
X3.5.29RA/RB	"HC 51"	o/o (rib)	SS, AP
X3.5.30RA/RB	"HC 53"	o/o (rib)	SS, AP
X3.5.31RA/RB	"HS 62 "	t/o (rib)	SS, TO
X3.5.32RA/RB	"HS 65"	r/t (rib)	SS, AP
X3.5.35RA/RB	"RS 415 N"	r/t (rib)	SS, AP
X3.5.37RA/RB	"RS 416"	r/t (rib)	SS, AP
X3.5.38RA/RB	"RS 415"	r/t (rib)	SS, AP
X3.5.39RA/RB	"HD 70"	d/a (lug)	SS, DA
X3.5.40RA/RB	"HD 75"	d/a (lug)	SS, DA, STC
X3.5.46RA/RB	"HMS 45"	o/o (rib)	SS, AP
X3.5.47RA/RB	"HT 63"	r/t (rib)	SS, AP
X3.5.48RA/RB	"HC 65"	o/o (lug)	SS, AP
X3.5.49RA/RB	"HS 45"	r/t (rib)	SS, AP
X3.5.53RA/RB	"HSR"	r/t (rib)	SS, AP
X3.5.54RA/RB	"HDL"	d/a (lug)	SS, DA, STC
X3.5.55RA/RB	"HSL"	r/t (rib)	SS, AP
X3.5.56RA/RB	"HTR"	r/t (rib)	SS, AP
X3.5.57RA/RB	"HTC"	o/o (lug)	SS, AP
X3.5.58RA/RB	"HSC"	o/o (lug)	SS, AP
X3.5.59RA/RB	"HMS 45+"	o/o (lug)	SS, AP
X3.5.60RA/RB	"HSR1"	r/t (rib)	SS, AP
X3.5.61RA/RB	"HDC"	r/t (rib)	SS, AP
X3.5.62RA	"HDR"	d/a (drive axle, lug)	SS, DA

CATL-1922, April 2007

**GROUP 3, TRUCK & BUS: NEW TIRES (continued)****COOPER TIRE & RUBBER COMPANY**

- QUALIFIED PRODUCTION POINTS: ALL COOPER TIRE & RUBBER CO. TIRE MANUFACTURING FACILITIES
- TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-01 8
- QUALIFICATION EXPIRATION DATE: 6 MAY, 2010

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
<b>COOPER RADIAL BRANDS:</b>			
X3.3.7RA/RB	"CXMT 340A"	r/t (rib)	AP, SS
X3.3.8RA/RB	"CXMT 320"	r/t (rib)	AP, SS
X3.3.9RA/RB	"CXML 440"	d/a, m/s (lug)	DA, SS, STC
X3.3.10RA/RB	"CT 240"	t/o (rib)	SS, TO
X3.3.11RA/RB	"CSD 444"	d/a (lug)	SS, DA, STC
X3.3.21RA/RB	"CXMA 354"	r/t (rib)	AP, SS
X3.3.22RA/RB	"M528"	r/t (rib)	AP, SS
<b>GIANT RADIAL BRANDS (MANUFACTURED BY COOPER):</b>			
X3.3.17RA/RB	"R 35"	r/t (rib)	AP, SS
X3.3.18RA/RB	"R 85"	d/a, m/s (lug)	DA, SS, STC
X3.3.19RA/RB	"R 25"	t/o (rib)	SS, TO
X3.3.20RA/RB	"R 45A"	r/t (rib)	AP, SS
<b>MASTERCRAFT RADIAL BRANDS (MANUFACTURED BY COOPER):</b>			
X3.3.12RA/RB	"M 420"	r/t (rib)	
X3.3.13RA/RB	"M 611"	d/a, m/s (lug)	
X3.3.14RA/RB	"M 411"	t/o (rib)	
X3.3.15RA/RB	"M 511A"	r/t (rib)	
X3.3.16RA/RB	"M 628"	d/a (lug)	

**THE GOODYEAR TIRE & RUBBER COMPANY**

- QUALIFIED PRODUCTION POINTS: ALL GOODYEAR TIRE & RUBBER COMPANY MANUFACTURING FACILITIES
- TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-017
- QUALIFICATION EXPIRATION DATE: 26 MARCH, 2010

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
<b>GOODYEAR BRANDS:</b>			
X3.6.6RA/RB	"UNISTEEL 362"	d/a (lug)	SS,DA,STC
X3.6.8RA/RB	"UNISTEEL G-167"	d/a (lug)	SS,DA,LP,STC
X3.6.9RA/RB	"G169 RSA"	r/t (rib)	SS,AP
X3.6.10RA/RB	"UNISTEEL G114"	t/o (rib)	SS,TO,LP
X3.6.11RA/RB	"UNISTEEL G124"	d/a (lug)	SS, DA, STC
X3.6.12RA/RB	"UNISTEEL G186"	o/o (rib)	SS, AP, STC
X3.6.13RA/RB	"UNISTEEL G286"	o/o (rib)	SS, AP, STC
X3.6.14RA/RB	"UNISTEEL G244"	o/o (lug)	SS, AP, STC
X3.6.19RA/RB	"UNISTEEL G328"	d/a (lug)	SS, DA, STC
X3.6.20RA/RB	"UNISTEEL G314"	t/o (rib)	SS, TO
X3.6.21RA/RB	"UNISTEEL G291"	r/t (rib)	SS, AP
X3.6.22RA/RB	"UNISTEEL G177"	o/o (lug)	SS, DA
X3.6.23RA/RB	"UNISTEEL G286 SS"	o/o (rib)	SS, AP, STC
X3.6.25RA/RB	"UNISTEEL G178 SS"	o/o (lug)	SS, DA, STC
X3.6.26RA/RB	"MV/T"	o/o (lug)	SS, AP, STC
X3.6.27RA/RB	"TRACTION HM"	r/t	SS, AP
X3.6.29RA	"UNISTEEL G357"	r/t (rib)	SS, AP
X3.6.30RA/RB	"UNISTEEL G167A"	d/a (lug)	SS, DA, LP, STC
X3.6.31RA/RB	"UNISTEEL G159A"	r/t (rib)	SS, AP
X3.6.32RA/RB	"UNISTEEL G132"	r/t (rib)	SS, AP
X3.6.33RA/RB	"UE LP"	r/t (rib)	SS, AP
X3.6.34RA/RB	"UNISTEEL G391"	r/t (rib)	SS, AP
X3.6.35RA/RB	"UNISTEEL G302"	d/a (lug)	SS, DA
X3.6.36RA/RB	"UNISTEEL G386"	r/t (rib)	SS, AP
X3.6.37RA/RB	"UNISTEEL 164"	r/t (rib)	SS, AP
X3.6.38RA/RB	"UNISTEEL G647"	r/t (rib)	SS, AP
X3.6.39RA/RB	"UNISTEEL G149"	r/t (rib)	SS, AP
X3.6.40RA/RB	"UNISTEEL G372"	r/t (rib)	SS, AP
X3.6.41RA/RB	"UNISTEEL G164 RTD"	d/a (lug)	SS,DA,STC
X3.6.42RA/RB	"WINGFOOT APR"	t/o (rib)	SS,TO,LP
X3.6.43RA/RB	"UNISTEEL G670 RV"	t/o (rib)	SS,TO
X3.6.44RA/RB	"G287"	o/o (rib)	SS, AP, STC

## GROUP 3, TRUCK & BUS: NEW TIRES (continued)

### THE GOODYEAR TIRE AND RUBBERCOMPANY (continued)

- QUALIFIED PRODUCTION POINTS: ALL KELLY-SPRINGFIELD TIRE MANUFACTURING FACILITIES
- TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-025
- QUALIFICATION EXPIRATION DATE: 28 JULY, 2010.

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
<b>KELLY-SPRINGFIELD BRANDS (MANUFACTURED BY GOODYEAR):</b>			
X3.8.1RA/RB	"ARMORSTEEL KSA"	r/t	SS, AP, LP
X3.8.2RA	"ARMORSTEEL KRM-I"	o/o	SS, AP, LP
X3.8.3RA/RB	"ARMORSTEEL KRM"	o/o	SS, AP, STC
X3.8.4RA	"ARMORSTEEL KDA"	d/a	SS, DA, STC, LP
X3.8.5RA	"ARMORSTEEL KSR-LP"	r/t	SS, AP, LP
X3.8.6RA	"ARMORSTEEL KDM-LP"	d/a	SS, DA, LP, STC
X3.8.7RA	"ARMORSTEEL KTS"	t/o	SS, TO, LP
X3.8.8RA	"ARMORSTEEL KSR-I"	r/t	SS, AP, LP
X3.8.9RA	"ARMORSTEEL KLH-LP"	r/t	SS, AP, LP
X3.8.10RA/RB	"ARMORSTEEL KLH-I"	r/t	SS, AP, LP
X3.8.11RA/RB	"ARMORSTEEL KDM-I"	d/a	SS, DA, STC
X3.8.12RA/RB	"ARMORSTEEL KTM"	o/o	SS, DA, STC
X3.8.13RA/RB	"ARMORSTEEL KTM-I"	o/o	SS, DA, STC
X3.8.14RA	"ARMORSTEEL KSE"	r/t	SS, AP, LP
X3.8.15RA	"ARMORSTEEL K TSA"	t/o	SS, TO, LP
X3.8.16RA/RB	"STEELMARK AHE"	r/t	SS, AP
X3.8.17RA/RB	"STEELMARK ASH"	o/o	SS, AP, STC
X3.8.18RA	"STEELMARK AHR"	r/t	SS, AP
X3.8.19RA/RB	"STEELMARK ADP"	d/a	SS, DA, STC
X3.8.20RA	"STEELMARK AHT"	t/o	SS, TO
X3.8.21RA	"STEELMARK AHT-I"	t/o	SS, TO
X3.8.22RA/RB	"STEELMARK AHP"	r/t	SS, AP
X3.8.23RA/RB	"STEELMARK ASD"	o/o	SS, DA, STC
X3.8.24RA/RB	"ROADMARK PREMIUM HIGHWAY RADIAL"	r/t	SS, AP, LP
X3.8.25RA/RB	"ROADMARK PREMIUM DRIVE RADIAL"	d/a	SS, DA, LP, STC
X3.8.26RA/RB	"ROADMARK TRAILER SERVICE RADIAL"	t/o	SS, TO, LP

### MICHELIN NORTH AMERICA

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
<b>BF GOODRICH BRANDS (MANUFACTURED BY MICHELIN):</b>			
<ul style="list-style-type: none"> <li>• QUALIFIED PRODUCTION POINTS: ALL MICHELIN AMERICAS TIRE MANUFACTURING FACILITIES</li> <li>• TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-056</li> <li>• QUALIFICATION EXPIRATION DATE: 17 JUNE, 2012</li> </ul>			
X3.9.52RA/RB	"ST234"	r/t, (rib)	SS, AP
X3.9.54RA/RB	"DR434"	d/a, m/s, (lug)	SS, DA, STC
X3.9.56RA/RB	"TR134"	t/o, (rib)	SS, T/O
X39.63RA/RB	"ST220"	r/t, (rib)	SS, AP
X39.64RA/RB	"ST230"	r/t, (rib)	SS, AP
X39.65RA/RB	"ST565"	o/o, r/t, (rib)	SS, AP
X39.66RA/RB	"DR665"	o/o, m/s, (lug)	SS, DA, STC
X3.9.75RA/RB	"DR 444"	d/a, m/s (lug)	SS, DA
X3.9.76RA/RB	"ST 575"	r/t, o/o (rib)	SS, AP
X3.9.77RA/RB	"DR 675"	d/a, o/o (lug)	SS, DA
X3.9.78RA/RB	"ST 565 WIDE BASE"	o/o (lug)	SS, AP
<b>MICHELIN BRANDS:</b>			
X3.9.1RA/RB	"XZA"	r/t, (rib)	SS, AP
X3.9.2RA/RB	"XZA-1"	r/t, (rib)	SS, AP
X3.9.4RA/RB	"XM+S4"	d/a, m/s, s/t, (lug)	SS, DA, STC
X3.9.6RA/RB	"XZY"	o/o, r/t, (rib)	SS, AP
X3.9.12RA/RB	"XDL"	o/o, o/o/s, (lug)	SS, DA
X3.9.14RA/RB	"XDHT"	d/a, m/s, (lug)	SS, DA, STC

**GROUP 3, TRUCK & BUS: NEW TIRES (continued)****MICHELIN NORTH AMERICA (continued)**

- QUALIFIED PRODUCTION POINTS: ALL MICHELIN AMERICAS TIRE MANUFACTURING FACILITIES
- TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-056
- QUALIFICATION EXPIRATION DATE: 17 JUNE, 2012

GOV. ITEM NO.	BRAND DESIGNATION	CLASS	CODES
<b>MICHELIN BRANDS (CONTINUED):</b>			
X3.9.17RA/RB	"XIA"	t/o, (rib)	SS, TPO
X3.9.20RA/RB	"XL"	o/o, o/o/s, (lug)	SS, AP
X3.9.27RA/RB	"XZU"	r/t, (rib)	SS, AP
X3.9.28RA/RB	"XZU2"	r/t, (rib)	SS, AP
X3.9.29RA/RB	"XZT"	d/a, m/s, (lug)	SS, DA, STC
X3.9.33RA/RB	"XML"(MILITARY)	o/o, o/o/s, (lug)	SS, AP, ND
X3.9.34RA/RB	"XZL"(MILITARY)	o/o, o/o/s, (lug)	SS, AP, ND
X3.9.35RA/RB	"XS"	o/o, o/o/s, (lug)	SS, AP, ND
X3.9.36RA/RB	"XZY-1"	o/o, r/t, (rib)	SS, AP
X3.9.38RA/RB	"XDY-1"	o/o, m/s, (lug)	SS, DA, STC
X3.9.41RA/RB	"XT-1"	t/o, (rib)	SS, TO
X3.9.43RA/RB	"XZA-1+"	r/t, (rib)	SS, AP
X3.9.45RA/RB	"XZZ"	t/o, (rib)	SS, TO
X3.9.46RA/RB	"XZE"	r/t, (rib)	SS, AP
X3.9.47RA/RB	"XZA 2"	r/t, (rib)	SS, AP
X3.9.49RA/RB	"XDA 2"	d/a, m/s, (lug)	SS, DA, STC
X3.9.57RA/RB	"XZE*"	r/t, o/o, (rib)	SS, AP
X3.9.58RA/RB	"XDE1"	d/a, m/s, (lug)	SS, DA, STC
X3.9.59RA/RB	"XD4"	d/a, m/s, (lug)	SS, DA, STC
X3.9.60RA/RB	"XDN"	s/t, d/a, m/s, (lug)	SS, DA, STC
X3.9.61RA/RB	"ENEGY XTA"	t/o, (rib)	SS, TO
X3.9.62RA/RB	"XZE1"	r/t, (rib)	SS, AP
X3.9.67RA/RB	"XZ2"	r/t (rib)	SS, AP
X3.9.68RA/RB	"XRV"	r/t (rib)	SS, AP
X3.9.69RA/RB	"XD2"	d/a (lug)	SS, DA
X3.9.71RA/RB	"XDE AT"	o/o, m/s, a/t, d/a (lug)	SS, DA
X3.9.72RA/RB	"XDE M/S"	o/o, a/t, d/a (lug)	SS, DA, ND
X3.9.73RA/RB	"XDA-HT"	o/o, a/t, d/a (lug)	SS, DA, ND
X3.9.74RA/RB	"XDS"	o/o, s/t, d/a (lug)	SS, DA, STC
X3.9.79RA/RB	"XZA3"	r/t (Rib)	SS, AP
X3.9.80RA/RB	"XDA ENERGY"	d/a, m/s (lug)	SS, DA
X3.9.81RA/RB	"XDA 3"	d/a, m/s (lug)	SS, DA
X3.9.82RA/RB	"XDN GRIP"	d/a, m/s (lug)	SS, DA, 8TC
X3.9.83RA/RB	"X DE M/S"	d/a, m/s (lug)	SS, DA, 8TC
X3.9.84RA/RB	"XDE2"	d/a, m/s (lug)	SS, DA
X3.9.85RA/RB	"XZE2"	r/t, (rib)	SS, AP
X3.9.86RA/RB	"XZY -2"	r/t, o/o (rib)	SS, AP
X3.9.87RA/RB	"XDY -2"	d/a, o/o (lug)	SS, DA
X3.9.88RA/RB	"XDY -EX "	d/a, o/o (lug)	SS, DA
X3.9.89RA/RB	"XDY"	d/a, o/o (lug)	SS, DA
X3.9.90RA/RB	"XTY -2"	t/o (rib)	SS, TO
X3.9.91RA/RB	"XTE2"	t/o (rib)	SS, TO
X3.9.92RA/RB	"X ONE XDA"	d/a (lug)	SS, DA
X3.9.93RA/RB	"X ONE XDA-HT"	d/a (lug)	SS, DA
X3.9.94RA/RB	"X ONE XTA"	t/o (rib)	SS, TO
X3.9.95RA/RB	"X ONE XTE"	t/o (rib)	SS, TO
X3.9.96RA/RB	"X ONE XDU "	d/a (lug)	SS, DA
X3.9.97RA/RB	"XZY-3"	o/o, r/t, (rib)	SS, AP
X3.9.98RA/RB	"XPS RIB"	o/o, r/t, (rib)	SS, AP
X3.9.99RA/RB	"XPS TRACTION"	o/o, r/t, (lug)	SS, AP

**SPECIALTY TIRES OF AMERICA INCORPORATED**

- QUALIFIED PRODUCTION POINTS: ALL SPECIALTY TIRES OF AMERICA TIRE MANUFACTURING FACILITIES
- TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-039
- QUALIFICATION EXPIRATION DATE: 30 MARCH, 2011

GOV. ITEM NO.	BRAND DESIGNATION	CLASS	CODES
<b>SPECIALTY BRANDS:</b>			
X3.10.1BA/BB	"SUPER TRANSPORT"	r/t (rib)	N, AP
X3.10.2BA/BB	"SUPER LUG"	d/a (lug)	N, DA, STC
X3.10.3BA/BB	"NON-DIRECTIONAL M&S"	d/a, m/s (lug)	N, DA, STC
X3.10.4BA/BB	"SUPERLUG SPECIAL"	d/a, m/s, o/o (lug)	N, DA, STC
X3.10.5BA/BB	"SUPERLUG EXPRESS"	d/a, m/s (lug)	N, DA, STC
X3.10.6BA/BB	"SUPER TRAXION"	d/a, m/s (lug)	N, DA, STC
X3.10.7BA/BB	"NON-DIRECTIONAL CROSS COUNTRY"	a/t, o/o (lug)	N, AP

CATL-1922, April 2007

**GROUP 3, TRUCK & BUS: NEW TIRES (continued)****YOKOHAMA TIRE CORPORATION**

- QUALIFIED PRODUCTION POINTS: ALL YOKOHAMA TIRE QUALIFIED TIRE MANUFACTURING FACILITIES
- TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-062
- QUALIFICATION EXPIRATION DATE: 13 AUGUST, 2012

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
<b>YOKOHAMA BRANDS:</b>			
X3.12.2RA/RB	"Y785R"	r/t	SS, AP
X3.12.3RA/RB	"Y773"	o/o	SS, DA, STC
X3.12.4RA/RB	"LYO53"	o/o	SS, DA
X3.12.5RA/RB	"Y713B"	d/a	SS, DA, STC
X3.12.11RA/RB	"RY103"	r/t	SS, AP
X3.12.12RA/RB	"TY303"	d/a	SS, DA, STC
X3.12.13RA/RB	"RY083A"	r/t	SS, AP
X3.12.15RA/RB	"TY517" (*see note)	d/a	SS, DA, STC
X3.12.16RA/RB	"RY112A"	t/o	SS, TO
X3.12.18RA/RB	"RYO23" (*see note)	r/t	SS, AP
X3.12.19RA/RB	"RY253"	r/t	SS, AP
X3.12.20RA/RB	"RY567"	r/t	SS, AP
X3.12.21RA/RB	"RY637"	r/t	SS, AP
X3.12.22RA/RB	"RY587" (*see note)	t/o	SS, TO
X3.12.23RA/RB	"MY243"	o/o	SS, AP
X3.12.24RA/RB	"MY507"	o/o	SS, AP
X3.12.25RA/RB	"TY527"	d/a	SS, DA, STC
X3.12.26RA/RB	"MY507A"	o/o	SS, AP
X3.12.27RA/RB	"TY577"	d/a	SS, DA, STC
X3.12.28RA/RB	"RY 617" (*see note)	r/t	SS, AP
X3.12.29RA/RB	"SY 190"	d/a	SS, DA, STC

\*Note: All the Yokohama tires listed above have recently passed CATL qualification. However, Yokohama did issue a voluntary limited tire recall for the 4 tire brands highlighted. This recall only applied to tires in a few sizes and that were produced/manufactured the week of 12-18 December 2004. If you have purchased any of the 4 tire brands highlighted above that were manufactured during this timeframe refer to recall notice issued by Yokohama to see if your tires are affected. You can obtain the recall notice at [www.yokohama.com](http://www.yokohama.com) or by calling Yokohama's Consumer Affairs Hotline at 1-800-722-9888.

**GROUP 3, TRUCK & BUS: RETREAD TIRES****BANDAG INCORPORATED**

- QUALIFIED PRODUCTION POINTS: ALL BANDAG RETREAD FACILITIES THAT ARE CPQC CERTIFIED.
- PRECURE RETREAD METHOD, TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-026
- QUALIFICATION EXPIRATION DATE: 21 SEPTEMBER, 2010

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
<b>BANDAG PRECURE RETREAD METHOD:</b>			
Y3.15.1RA/RB	"ML 70"	d/a	SS, DA
Y3.15.5RA/RB	"T 4100 W/MILEDGES"	t/o	SS, TO
Y3.15.6RA/RB	"HISPEED"	t/o	SS, TO
Y3.15.13RA/RB	"HIGHWAY"	r/t	SS, AP
Y3.15.14RA/RB	"HIGHWAY W/MILEDGES"	r/t	SS, AP
Y3.15.17RA/RB	"RIB LOGGER"	o/o	SS, DA
Y3.15.18RA/RB	"D 4300"	d/a	SS, DA, STC
Y3.15.19RA/RB	"D 4310 REGULAR"	d/a	SS, DA, STC
Y3.15.20RA/RB	"D 4310 DEEP"	d/a	SS, DA
Y3.15.21RA/RB	"LUG LOGGER REGULAR"	o/o	SS, DA
Y3.15.22RA/RB	"LUG LOGGER DEEP"	o/o	SS, DA
Y3.15.23RA/RB	"LUG LOGGER EXTRA DEEP"	o/o	SS, DA, STC
Y3.15.24RA/RB	"W H RIB"	o/o	SS, DA
Y3.15.25RA/RB	"W H LUG"	o/o	SS, DA, STC
Y3.15.3 1RA/RB	"COMMERCIAL TRACTION DEEP"	d/a	SS, DA
Y3.15.32RA/RB	"COMMERCIAL TRACTION DEEP W/MILEDGES"	d/a	SS, DA
Y3.15.33RA/RB	"GRIPPER"	d/a	SS, DA, STC
Y3.15.35RA/RB	"DRIVE TRAC"	d/a	SS, DA
Y3.15.42RA/RB	"WIDE BASE RIB"	r/t	SS, AP
Y3.15.43RA/RB	"WIDE BASE LUG"	o/o	SS, DA
Y3.15.45RA/RB	"WBXL"	o/o	SS, DA
Y3.15.46RA/RB	"GRADER"	o/o	SS, DA

**GROUP 3, TRUCK & BUS: RETREADS (continued)****BANDAG INCORPORATED (CONTINUED)**

- QUALIFIED PRODUCTION POINTS: ALL BANDAG RETREAD TIRE MANUFACTURING FACILITIES THAT ARE CPQC CERTIFIED.
- PRECURE RETREAD METHOD, TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-026
- QUALIFICATION EXPIRATION DATE: 21 SEPTEMBER, 2010

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
<b>BANDAG PRECURE RETREAD METHOD (continued):</b>			
Y3.15.50BA/BB	"OMNI BUS"	r/t	SS, AP
Y3.15.55RA/RB	"ECL TRAILER"	t/o	SS, TO
Y3.15.56RA/RB	"ECL TRAILER W/MILEEDGE"	t/o	SS, TO
Y3.15.57RA/RB	"ECL M&S"	d/a	SS, DA, STC
Y3.15.58RA/RB	"ECL SST"	t/o	SS, TO
Y3.15.69RA/RB	"ECL SSD"	o/o	SS, DA
Y3.15.60RA/RB	"ECL STM"	o/o	SS, TO
Y3.15.61RA/RB	"DEEP RIB"	r/t	SS, AP
Y3.15.62RA/RB	"DEEP DRIVE"	d/a	SS, DA, STC
Y3.15.63RA/RB	"AGGRESSIVE TRACTION REPLACEMENT (ATR)"	d/a	SS, DA, STC
Y3.15.64RA/RB	"FCR-D"	d/a	DA, SS
Y3.15.65RA/RB	"FCR-T"	t/o	SS, TO
Y3.15.66RA/RB	"FCR-R"	r/t	SS, AP
Y3.15.67RA/RB	"WBD-A"	o/o	SS, AP
Y3.15.68RA/RB	"WBSS"	o/o	DA, SS

**BANDAMATIC SYSTEM INCORPORATED**

- QUALIFIED PRODUCTION POINTS: ALL BANAMATIC SYSTEM INCORPORATED RETREAD TIRE FACILITIES THAT ARE CPQC CERTIFIED.
- PRECURE RETREAD METHOD, TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-038
- QUALIFICATION EXPIRATION DATE: 16 JANUARY, 2011

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
<b>BANDAMATIC SYSTEM, PRECURE RETREAD METHOD:</b>			
Y3.26.1RA/RB	"BANDAMATIC PRECURE"	r/t	AP
Y3.26.2RA/RB	"HBCB"	r/t	SS, AP
Y3.26.3RA/RB	"HBHS"	r/t	SS, TO
Y3.26.4RA/RB	"HBGAP"	r/t	SS, TO
Y3.26.5RA/RB	"HBRAP"	r/t	SS, AP
Y3.26.6RA/RB	"HBRAP-L"	r/t	SS, TO
Y3.26.7RA/RB	"HBBAP"	r/t	SS, AP
Y3.26.8RA/RB	"HBBAPM"	r/t	SS, AP
Y3.26.9RA/RB	"HBMAP"	r/t	SS, AP
Y3.26.10RA/RB	"HBS"	r/t	SS, AP
Y3.26.11RA/RB	"HBCR"	r/t	SS, AP
Y3.26.12RA/RB	"HBSA"	r/t	SS, AP
Y3.26.13RA/RB	"HBSAM"	r/t	SS, AP
Y3.26.14RA/RB	"HBAR"	r/t	SS, AP
Y3.26.15RA/RB	"HBTC"	d/a	SS, DA, STC
Y3.26.16RA/RB	"HBLT"	d/a	SS, DA, STC
Y3.26.17RA/RB	"HBBR"	d/a	SS, DA, STC
Y3.26.18RA/RB	"HBGT"	d/a	SS, DA, STC
Y3.26.19RA/RB	"HBBTM"	d/a	SS, DA, STC
Y3.26.202RA/RB	"HBMT"	d/a	SS, DA, STC
Y3.26.21RA/RB	"HBBT"	d/a	SS, DA, STC
Y3.26.22RA/RB	"HBRT"	d/a	SS, DA, STC
Y3.26.23RA/RB	"HBM TM"	d/a	SS, DA, STC
Y3.26.24RA/RB	"CROSSBAR"	d/a	SS, DA, STC
Y3.26.25RA/RB	"HBLL"	d/a	SS, DA, STC
Y3.26.26RA/RB	"HBWH"	d/a	SS, DA, STC
Y3.26.27RA/RB	"HBML"	d/a	SS, DA, STC
Y3.26.28RA/RB	"HBDL"	d/a	SS, DA, STC
Y3.26.29RA/RB	"HBWHR"	r/t	SS, AP
Y3.26.30RA/RB	"GRIPPER"	d/a	SS, DA, STC
Y3.26.31RA/RB	"HBWB"	d/a	SS, DA, STC
Y3.26.32RA/RB	"HBWW"	d/a	SS, DA, STC



**GROUP 3, TRUCK & BUS: RETREADS (continued)****COOPER TIRE & RUBBER COMPANY  
SUBSIDIARY: OLIVER RUBBER COMPANY**

- ◆ QUALIFIED PRODUCTION POINTS: ALL OLIVER RETREAD TIRE MANUFACTURING FACILITIES THAT ARE CPQC CERTIFIED.
- ◆ PRECURE RETREAD METHOD, TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-016
- ◆ QUALIFICATION EXPIRATION DATE: 15 MAY, 2010

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
<b>OLIVER PRECURE RETREAD METHOD:</b>			
Y3.13.1RA/RB	"MEGA-DRIVE"	d/a	SS, DA, STC
Y3.13.2RA/RB	"MAXI-LUG"	d/a	SS, DA, STC
Y3.13.3RA/RB	"H.M.S. RADIAL"	d/a	SS, DA, STC
Y3.13.4RA/RB	"H.M.T. RADIAL"	d/a	SS, DA
Y3.13.5RA/RB	"ORCO TRACK"	d/a	SS, DA, STC
Y3.13.6RA/RB	"SUPER TRACTION DEEP"	d/a	SS, DA, STC
Y3.13.7RA/RB	"SIERRA"	d/a	SS, DA, STC
Y3.13.8RA/RB	"H.M.T. RADIAL DEEP"	d/a	SS, DA, STC
Y3.13.9RA/RB	"SUPER TRACK"	d/a	SS, DA, STC
Y3.13.10RA/RB	"X-BAR"	d/a	SS, DA, STC
Y3.13.11RA/RB	"SUPER TRACTION"	d/a	SS, DA, STC
Y3.13.12RA/RB	"XDT"	d/a	SS, DA, STC
Y3.13.13RA/RB	"T-BAR"	d/a	SS, DA, STC
Y3.13.14RA/RB	"ORCO PD RIB"	d/a	SS, DA, STC
Y3.13.15RA/RB	"ORCO PD DRIVE"	d/a	SS, DA, STC
Y3.13.16RA/RB	"TIOGA"	d/a	SS, DA, STC
Y3.13.17RA/RB	"TIMBER LUG"	d/a	SS, DA, STC
Y3.13.18RA/RB	"EXTRA TREAD"	d/a	SS, DA, STC
Y3.13.19RA/RB	"BLIZARD TRACK"	d/a	SS, DA, STC
Y3.13.20RA/RB	"TL-22 DRIVE"	d/a	SS, DA, STC
Y3.13.21RA/RB	"TL-26 DRIVE"	d/a	SS, DA, STC
Y3.13.22RA/RB	"ALP MILER"	d/a	SS, DA, STC
Y3.13.23RA/RB	"ALP TRACKER"	d/a	SS, DA, STC
Y3.13.24RA/RB	"SUPER SINGLE"	d/a	SS, DA, STC
Y3.13.25RA/RB	"HIGHWYA DEEP TREAD"	r/t	SS, DA, STC
Y3.13.26RA/RB	"HIGHWAY HP"	r/t	SS, AP
Y3.13.27RA/RB	"HIGHWAY RIB"	r/t	SS, AP
Y3.13.28RA/RB	"SUPER RADIAL"	r/t	SS, AP
Y3.13.29RA/RB	"SPREAD AXLE"	r/t	SS, AP
Y3.13.30RA/RB	"SSR"	r/t	SS, AP
Y3.13.31RA/RB	"MAXI-RIB"	r/t	SS, AP
Y3.13.32RA/RB	"EURO RADIAL"	r/t	SS, AP
Y3.13.33RA/RB	"HIGHWAY HIGH SPEED"	t/o	SS, TO
Y3.13.34RA/RB	"MAXI-RIB HIGH SPEED"	t/o	SS, TO
Y3.13.35RA/RB	"TL-15 RIB"	t/o	SS, TO
Y3.13.36RA/RB	"ALP TRAILER"	t/o	SS, TO
Y3.13.37RA/RB	"WASTE HAULER LUG"	o/o	SS, DA, STC
Y3.13.38RA/RB	"ALP MILER"	d/a	SS, DA, STC
Y3.13.39RA/RB	"RIB LOGGER"	o/o	SS, DA, STC
Y3.13.40RA/RB	"LUG LOGGER"	o/o	SS, DA, STC
Y3.13.41RA/RB	"D.L.L."	o/o	SS, AP
Y3.13.42RA/RB	"CUSTOM SUPER WIDE"	o/o	SS, DA, STC
Y3.13.43RA/RB	"TRACTION LUG"	o/o	SS, DA, STC
Y3.13.44RA/RB	"LO-PRO RIB"	t/o	SS, TO
Y3.13.45RA/RB	"WASTE HAULER RIB"	r/t	SS, AP
Y3.13.47RA/RB	"MEGAMILE"	r/t	AP
<b>OLIVER MOLD CURE RETREAD METHOD:</b>			
◆ MOLDCURE RETREAD METHOD, TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-034			
◆ QUALIFICATION EXPIRATION DATE: 16 JANUARY, 2011			
Y3.13.46RA/RB	" MOLD CURE"	r/t	AP

## GROUP 3, TRUCK & BUS: RETREADS (continued)

### THE GOODYEAR TIRE & RUBBER COMPANY: RETREAD DIVISION

- QUALIFIED PRODUCTION POINTS: ALL GOODYEAR RETREADERS THAT ARE CPQC CERTIFIED.
- PRECURE RETREAD METHOD, TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-048
- QUALIFICATION EXPIRATION DATE: 25 OCTOBER, 2011

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
<b>GOODYEAR PRECURE RETREAD METHOD:</b>			
Y3.14.3RA/RB	"G159TG HS 2015T"	t/o	TO
Y3.14.4RA/RB	"G159 2015T"	r/t	AP
Y3.14.6RA/RB	"G167 2015T"	d/a	DA
Y3.14.8RA/RB	"G124 2015T"	d/a	DA, STC
Y3.14.12RA/RB	"G328 2015T"	d/a	DA, STC
Y3.14.13RA/RB	"G302 2015T"	d/a	DA
Y3.14.14RA/RB	"G314 2015T"	t/o	TO
Y3.14.15RA/RB	"G177 M 2015T"	o/o	DA, STC
Y3.14.16RA/RB	"G178 SS"	o/o	DA, STC
Y3.14.17RA/RB	"G362"	d/a	DA
X3.14.45RA/RB	"G119 2015T"	r/t	AP
X3.14.46RA/RB	"G124 2015T"	r/t	AP
X3.14.47RA/RB	"G143 2015T"	r/t	AP
X3.14.48RA/RB	"G143DT 2015T"	r/t	AP
X3.14.49RA/RB	"G178 2015T"	r/t	AP
X3.14.50RA/RB	"G186 2015T"	r/t	AP
X3.14.51RA/RB	"G244 2015T"	r/t	AP
X3.14.52RA/RB	"G286 2015T"	r/t	AP
X3.14.53RA/RB	"G302A 2015T"	r/t	AP
X3.14.54RA/RB	"G338 2015T"	r/t	AP
X3.14.55RA/RB	"G362 2015T"	r/t	AP
X3.14.56RA/RB	"G372 2015T"	r/t	AP
X3.14.57RA/RB	"G603 2015T"	r/t	AP
X3.14.58RA/RB	"G159HS 2015T"	r/t	TO
X3.14.59RA/RB	"G647"	r/t	AP
X3.14.60RA/RB	"G622"	a/s, m/s	AP

### GOODYEAR ULTIMA PRECURE RETREAD METHOD:

- QUALIFIED PRODUCTION POINTS: ALL GOODYEAR RETREADERS THAT ARE CPQC CERTIFIED.
- PRECURE RETREAD METHOD, TEST QUALIFICATION REFERENCE: ACTS-CATL-1/98-044 AND 048
- QUALIFICATION EXPIRATION DATE: 25 OCTOBER, 2011

X3.14.19RA/RB	"ULTIMA RADIAL"	r/t	TO
X3.14.20RA/RB	"ULTIMA SUPER XZ"	r/t	TO
X3.14.21RA/RB	"ULTIMA HIGHWAY"	r/t	TO
X3.14.22RA/RB	"ULTIMA LCT"	r/t	TO
X3.14.23RA/RB	"ULTIMA HM CS-2"	r/t	TO
X3.14.24RA/RB	"ULTIMA RADIAL SPECIAL 12"	r/t	TO
X3.14.25RA/RB	"ULTIMA TRANSMODAL"	r/t	TO
X3.14.26RA/RB	"ULTIMA WIDE BASE RADIAL"	r/t	TO
X3.14.27RA/RB	"ULTIMA SUPER 5 RIB"	r/t	AP
X3.14.28RA/RB	"ULTIMA RIB 20"	r/t	AP
X3.14.29RA/RB	"ULTIMA RADIAL SPECIAL 18"	r/t	AP
X3.14.30RA/RB	"ULTIMA SPREAD AXLE"	r/t	AP
X3.14.31RA/RB	"ULTIMA RADIAL DWT 22"	r/t	AP
X3.14.32RA/RB	"ULTIMA RADIAL DWT 19"	r/t	AP
X3.14.33RA/RB	"ULTIMA UNIGRIP 22"	r/t	AP
X3.14.34RA/RB	"ULTIMA DRIVE TRAC"	r/t	AP
X3.14.35RA/RB	"ULTIMA DEEP TRAC"	r/t	AP
X3.14.36RA/RB	"ULTIMA CROSSBAR 19"	r/t	AP
X3.14.37RA/RB	"ULTIMA RDA 22"	r/t	AP
X3.14.38RA/RB	"ULTIMA WINTER TRAC"	r/t	AP
X3.14.39RA/RB	"ULTIMA FLOATATION"	r/t	AP
X3.14.40RA/RB	"ULTIMA WIDE BASE LUG"	r/t	AP
X3.14.41RA/RB	"ULTIMA LUG LOGGER 24"	r/t	AP
X3.14.42RA/RB	"ULTIMA ROCK LUG"	r/t	AP
X3.14.43RA/RB	"ULTIMA MODIFIED ROCK LUG"	r/t	AP
X3.14.44RA/RB	"ULTIMA 3 RIB LOGGER"	r/t	AP
X3.14.61RA/RB	"ULTIMA RLP"	r/t	AP

**GROUP 3, TRUCK & BUS: RETREADS (continued)****MICHELIN NORTH AMERICA, INC., RETREAD PROCESS**

- ◆ QUALIFIED PRODUCTION POINTS: ALL MICHELIN RETREADERS THAT ARE CPQC CERTIFIED.
- ◆ TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-045
- ◆ QUALIFICATION EXPIRATION DATE: 7 JANUARY, 2011

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
<b>MICHELIN PRECURE RETREAD METHOD:</b>			
Y3.27.1RA/RB	"ZXE PRE-CURE"	r/t	AP
Y3.27.3RA/RB	"XDA2 23 AT"	d/a	DA
Y3.27.4RA/RB	"XDA2 19 AT"	d/a	DA
Y3.27.5RA/RB	"XDA+ AT"	d/a	DA
Y3.27.6RA/RB	"XT-1 AT"	t/o	TO
Y3.27.7RA/RB	"XTA-1"	t/o	TO
Y3.27.8RA/RB	"XZA"	r/t	AP
Y3.27.9RA/RB	"XZE"	r/t	AP
Y3.27.10RA/RB	"XM+S4"	m/s	AP
Y3.27.11RA/RB	"XDC 22"	d/a	DA
Y3.27.12RA/RB	"XDC 18"	d/a	DA
Y3.27.13RA/RB	"XDHT"	d/a	DA
Y3.27.14RA/RB	"XD4"	d/a	DA
Y3.27.15RA/RB	"XDN"	s/t	STC
Y3.27.16RA/RB	"XDS"	s/t	STC
Y3.27.17RA/RB	"XZY"	o/o	AP
Y3.27.18RA/RB	"XZY-1"	o/o	AP
Y3.27.19RA/RB	"XDY"	o/o	AP
Y3.27.20RA/RB	"XDY-1"	o/o	AP
Y3.27.21RA/RB	"XTE2"	t/o	TO
Y3.27.22RA/RB	"XZH"	o/o	AP
Y3.27.231RA/RB	"XZE SA"	t/o	TO
Y3.27.24RA/RB	"XDA HT"	d/a	DA
Y3.27.251RA/RB	"XDE M/S "	m/s	AP
<b>MICHELIN MOLD-CURE RETREAD METHOD:</b>			
Y3.27.2RA/RB	"ZXE MOLD-CURE"	r/t	AP
Y3.27.26RA/RB	"XDA2 AT"	d/a	DA
Y3.27.27RA/RB	"XT-1 AT"	t/o	TO
Y3.27.28RA/RB	"XDHT"	d/a	DA
Y3.27.29RA/RB	"XDN"	s/t	STC
Y3.27.30RA/RB	"XTA-1"	t/o	TO
Y3.27.31RA/RB	"XZA"	r/t	AP
Y3.27.32RA/RB	"XZE"	r/t	AP

**GROUP 3, TRUCK & BUS: RETREADS (continued)**

**SPECIAL APPLICATION TIRES: LIGHT TRUCK, OFF ROAD SEVERE APPLICATION (ORSA)**

**BRIDGESTONE/FIRESTONE (USA) INCORPORATED**

- TEST QUALIFICATION REFERENCE: FCA-ORSA-1
- QUALIFICATION EXPIRATION DATE: 1 SEPTMEBER, 2010

MANUFACTURERS NAME	GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	TREAD CLAS S
BRIDGESTONE/FIRESTONE	X.ORSA. 1RA	"BRIDGESTONE DUELER A/S"	A/T

**CONTINENTAL TIRE NORTH AMERICA**

- TEST QUALIFICATION REFERENCE: FCA-ORSA-1-94
- QUALIFICATION EXPIRATION DATE: 1 SEPTEMBER, 2010

MANUFACTURERS NAME	GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	TREAD CLAS S
GENERAL TIRE	X.ORSA.2RA/RB	"AMERI*550 AS"	A/T (rib)
GENERAL TIRE	X.ORSA.3RA/RB	"AMERI*550 TR"	A/T (lug)

**THE COOPER TIRE AND RUBBER COMPANY**

- TEST QUALIFICATION REFERENCE: FCA-ORSA-1-96
- QUALIFICATION EXPIRATION DATE: 1 SEPTEMBER, 2010

MANUFACTURERS NAME	GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	TREAD CLAS S
COOPER TIRE & RUBBER COMPANY	X.ORSA.5RA/RB	"DISCOVER RADIAL STT"	A/T

**THE GOODYEAR TIRE & RUBBER COMPANY**

- TEST QUALIFICATION REFERENCE: FCA-ORSA-2-95
- QUALIFICATION EXPIRATION DATE: 1 SEPTEMBER, 2010

MANUFACTURERS NAME	GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	TREAD CLAS S
GOODYEAR	X.ORSA.4RA/RB	"WORKHORSE RADIAL"	A/T

## **APPENDIX A: CATL NUMBERS, ADDRESSES & TELEPHONE NUMBERS**

**CATL ADMINISTRATOR:** Address: TARDEC Team Tactical Vehicles & Tires  
 AMSRD-TAR-E/TACT MS: 267  
 Warren, MI 48397-5000

**CATL/CTQP E-MAIL:** TireEngineering@tacom.army.mil

### **MANUFACTURERS, RETREADERS & BRAND OWNERS ASSIGNED CATL NUMBERS**

- 2 - BRIDGESTONE/FIRESTONE (U.S.A.) INCORPORATED
- 3 - COOPER TIRE & RUBBER COMPANY
- 4 - DUNLOP TIRE CORPORATION
- 5 - CONTINENTAL TIRE NORTH AMERICA
- 6 - THE GOODYEAR TIRE & RUBBER COMPANY
- 8 - KELLY-SPRINGFIELD TIRE COMPANY
- 9 - MICHELIN NORTH AMERICA
- 10 - SPECIALTY TIRE OF AMERICA INCORPORATED
- 12 - YOKOHAMA TIRE CORPORATION
- 13 - OLIVER RUBBER COMPANY
- 14 - THE GOODYEAR TIRE & RUBBER COMPANY - RETREAD DIVISION
- 15 - BANDAG INCORPORATED
- 18 - DEAN TIRE & RUBBER COMPANY
- 22 - TBC CORPORATION
- 24 - ELDORADO TIRE
- 25 - PEP BOYS
- 26 - BANDAMATIC SYSTEM INCORPORATED
- 27 - MICHELIN NORTH AMERICA: RETREADS

**APPENDIX A (continued)**  
**ADDRESSES & TELEPHONE NUMBERS**  
**MANUFACTURERS, RETREADERS & BRAND OWNERS**

<b>BANDAG INCORPORATED</b> Route 2, Box 116 Buchanan, VA 24066 CATL Inquiries: (540) 473-2820 P.O. Box 1039 Buchanan, VA 24066-1039	<b>THE GOODYEAR TIRE &amp; RUBBER COMPANY</b> 1144 East Market Street Akron, OH 44316-0001 CATL Inquiries: (330) 796-2884
<b>BANDAMATIC SYSTEM INCORPORATED</b> 1719 Meyer Road Houston, TX 77073 CATL Inquiries: (281) 821-6009	<b>THE GOODYEAR TIRE &amp; RUBBER COMPANY: RETREAD DIVISION</b> 1144 East Market Street Akron, OH 44316-0001 CATL Inquiries: (330) 796-2884
<b>BRIDGESTONE/FIRESTONE (U.S.A.) INC.</b> 50 Century Boulevard Nashville, TN 37214-3672 Nashville, TN CATL Inquiries: (615) 391-0088 P.O. Box 140991 100 Briley Corners 37214-0991	<b>KELLY-SPRINGFIELD TIRE COMPANY</b> 12501 Willowbrook Road SE Cumberland, MD 21502-2599 CATL Inquiries: (301) 777-6237
<b>CONTINENTAL TIRE NORTH AMERICA</b> 1800 Continental Blvd. Charlotte, NC 28273 CATL Inquiries: (704) 583-8837	<b>LARAMIE DIVISION OF TREAD WAYS CORP.</b> (Note – Tires manufactured by Kelly-Springfield Tire Co.) 1120 Welsh Road Suite 120 North Wales, PA 19454 CATL Inquiries: (610) 275-6480
<b>COOPER TIRE &amp; RUBBER COMPANY</b> 701 Lima Ave. Findlay, Ohio 45840-2315 CATL Inquiries: (419) 423-1321 P.O. Box 550 Findlay, Ohio 45839-0550	<b>MICHELIN NORTH AMERICA</b> (Includes Uniroyal and Goodrich brands) Government Sales One Parkway South Greenville, SC 29615-5022 CATL Inquiries: -Passenger Car & Light Truck Tires: 864-458-4665 - Truck/Bus and all Military Tactical Tires: 864-458-5069 Government Sales P.O. Box 19001 Greenville, SC 29602-9001
<b>DEAN TIRE &amp; RUBBER COMPANY</b> 2103 Production Drive Blue Grass Industrial Park P.O. Box 99521 Louisville, KY 40269 CATL Inquiries: (502) 491-1450	<b>OLIVER RUBBER COMPANY</b> A subsidiary of: <b>COOPER TIRE &amp; RUBBER COMPANY</b> 701 Lima Ave. Findlay, Ohio 45840-2315 CATL Inquiries: (419) 423-1321 P.O. Box 550 Findlay, Ohio 45839-0550
<b>DEL-NAT TIRES</b> (Note – Tires manufactured by Cooper Tire & Rubber Co.) 2365 Texas Drive, Memphis, TN 38106-8714 CATL Inquiries: (901) 775-8111	<b>PEP BOYS</b> 3111 W. Allegheny Ave. Philadelphia, PA 19132 CATL Inquiries: (215) 430-9047
<b>DUNLOP TIRE CORPORATION</b> 10 Sheridan Drive Tonawanda, N.Y. 14150-7777 CATL Inquiries: (716) 879-8405 P.O. Box 1109 Buffalo, N.Y. 14240	<b>RELIABLE TIRE CO., SPARTAN TIRES</b> (Note – Tires manufactured by Kelly-Springfield Tire Co.) 1115 Chestnut St., Camden, NJ 08103 CATL Inquiries: (609) 365-6500
<b>ELDORADO TIRE</b> 1120 East Long Lake Road Troy, Michigan 48098-4960 CATL Inquiries: (248) 528-3020	<b>SPECIALTY TIRES OF AMERICA INC.</b> 1600 Washington St. P.O. Box 749 Indiana, PA 15701-0749 CATL Inquiries: (724) 349-9010
<b>GANIN/REYNOLDS TIRE CO.</b> (Note – Tires manufactured by Kelly-Springfield Tire Co.) CATL Inquiries: (718) 633-6524	<b>SUMMIT TIRE &amp; BATTERY CORP.</b> (Note- Tires manufactured by Kelly-Springfield Tire Co.) CATL Inquiries: (813) 654-0467

**APPENDIX A (continued)**  
**ADDRESSES & TELEPHONE NUMBERS**  
**MANUFACTURERS, RETREADERS & BRAND OWNERS**

<b>TBC CORPORATION</b>
------------------------

(Note - Tires manufactured by <b>Kelly-Springfield Tire Co. and Cooper Tire &amp; Rubber Co.</b> ) 4770 Hickory Hill Road, Memphis, TN 38141 CATL Inquiries: (901) 363-8030
--

<b>UNIVERSAL COOPERATIVES, INC.</b>
-------------------------------------

(Note - Tires manufactured by <b>Kelly-Springfield Tire Co.</b> ) CATL Inquiries: (651) 239-1157
---

<b>YOKOHAMA TIRE CORPORATION</b>
----------------------------------

601 S. Acacia Avenue Fullerton, CA 92631 CATL Inquiries: (800) 423-4544
---

--

STATE OF WEST VIRGINIA  
Purchasing Division

**PURCHASING AFFIDAVIT**

**West Virginia Code §5A-3-10a states:** No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate

**DEFINITIONS:**

“Debt” means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers’ compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

“Debtor” means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. “Political subdivision” means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. “Related party” means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

**EXCEPTION:** The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers’ compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

**LICENSING:** Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State’s Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

**CONFIDENTIALITY:** The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency’s policies, procedures and rules. Vendors should visit [www.state.wv.us/admin/purchase/privacy](http://www.state.wv.us/admin/purchase/privacy) for the Notice of Agency Confidentiality Policies.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), it is hereby certified that the vendor acknowledges the information in this said affidavit and are in compliance with the requirements as stated.

Vendor’s Name: \_\_\_\_\_

Authorized Signature: \_\_\_\_\_ Date: \_\_\_\_\_