

MODSMA

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

RFQ COPY TYPE NAME/ADDRESS HERE

### Request for Quotation

RFONUMBER PTR08023 PAGE 1

FRANK WHITTAKER
304-558-2316

DIVISION OF PUBLIC TRANSIT

S H-P TO

BUILDING 5, ROOM 830 1900 KANAWHA BOULEVARD, EAST CHARLESTON, WV 25305-0432 304-558-0428

DATE PRINTED   TERMS OF SALE			Srt.	PVIA	5.G	V-19000000000000000000000000000000000000		EIGHT TEHMS			
BID OPENING DATE: 05/		05/22/	/22/2008		raturi evaluata BID (		OPENING	ENING TIME O		1:30PM	
LINE	QUA	VIIIY	UOP	CAT. NO	ITEM	IUMBER	UNIT	PRICE		AMOUNT	
0001	THIS ARESPON REQUES BID OF TO 05/	ADDENDU ISES AN STS FOR PENING '22/08	M IS D CLA APPR DATE AT 1:	ADD ISSUE RIFIC OVED IS C 30 PM ADDE	ENDUM NO D TO DIS ATIONS FEQUALS. HANGED FINDUM NO DOMESTICATION NO DOMEST		THE AGEN FROM VE 5/08 AT	CY NDOR 1:30 PN	1		
SIGNATURE	****	* THIS	IS T			Q PTROS			AL:		
TITLE ADDRESS CHANGES TO BE NOTED ABOVE											

## GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- Awards will be made in the best interest of the State of West Virginia.
- The State may accept or reject in part, or in whole, any bid.
- 3. All quotations are governed by the West Virginia Code and the Legislative Rules of the Purchasing Division.
- Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125.00 registration fee.
- 5. All services performed or goods delivered under State Purchase Orders/Contracts are to be continued for the term of the Purchase Order/Contract, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
- Payment may only be made after the delivery and acceptance of goods or services.
- 7. Interest may be paid for late payment in accordance with the West Virginia Code.
- 8. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- 9. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 11. The laws of the State of West Virginia and the Legislative Rules of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
- 12. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 13. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, this Contract may be deemed null and void, and terminated without further order.
- 14. HIPAA Business Associate Addendum The West Viginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (http://www.state.wv.us/admin/purchase/vrc/hipaa.htm) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Covered Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.

### INSTRUCTIONS TO BIDDERS

- Use the quotation forms provided by the Purchasing Division.
- 2. SPECIFICATIONS: Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as EQUAL to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
- 3. Complete all sections of the quotation form.
- Unit prices shall prevail in cases of discrepancy.
- 5. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
- 6. BID SUBMISSION: All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications.

#### SIGNED BID TO:

Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

# Request for Approved Equals PTR08023

## VENDOR: Braun Corp.

P.O. Box 6549 Marietta, GA 30065-0549 3 800 Pickens Drive Ext. Marietta, GA 30062 GA - (770) 422-8920 FAX - (770) 422-9007 Toll Free (800) 282-7981 Ext. 59

2075 West Main Street Waynesboro, VA 23322 FAX Home Office (540) 337-4619

VA - (540) 943-3430 Cell - (540) 729-3751 Regional Manager - David M. Clawson, Jr. dclawson@nationalbussales.com

April 15, 2008

Mr. Frank Whittaker State of West Virginia, Purchasing Division 2019 Washington Street East Charleston, WV 25305-0130

RE: Contract # PTR 08023, 138" Wheelbase Converted Van

Dear Mr. Whittaker:

National Bus Sales & Leasing, Inc formally requests the following amendments to the specifications and/or clarifications and/or approved equals as documented below:

- Part 1, section 4.0 A Would the Division consider changing liquidated damages to be \$50 per working weekday when your delivery facility is open and prepared to accept vehicle deliveries? Champion Bus' request for this waiver was approved in PTR08020. Maximum assessment would be \$250 per week because of present arrangement to accept deliveries on M-F only.
- Part 1, section 6.0 Would the Division consider changing payment to 95% of the total cost upon conditional acceptance of the vehicle? The competitive nature of transit bidding has resulted in very narrow pricing flexibility. Additionally the interest costs associated with floor planning the vehicles until payment is processed has become a higher variable cost. Modifying this requirement will ensure best pricing for the Division of Public Transit.
- Part 2, Technical Specifications See Enclosure A from the Braun Corporation
- Part 3 section 2.1 and 2.3 Complete vehicle warranty requested is 3 year or 36,000 miles. The warranties available without going to a third party extended warranty policy and administrator are:

Van Chassis: 3 year or 36,000 miles to include See Encl B Engine transmission, drive axle and brakes Van Structure: 3 year or 36,000 miles to include Braun raised roof and doors

Part 3 section 2.1 and 2.3 con't

Supplemental AC system: 2 years, unlimited miles Braun Lift: 1 year parts and labor, 4 additional years parts only Braun Add-on components: 2 years or 36,000 miles

Please accept the above warranty matrix as an approved equal to the specification.

See additional enclosures C-I as supporting documentation.

We thank-you for your consideration,


David M. Clawson, Jr.

MidAtlantic Representative

dclawson@nationalbussales.com

Attachments:(A-I)

Imeria-Sanai Corporate Headquarces:
The Braun Corporations
631 W, 11th Sheet
RO, Box 310
Winamac, iN 46996 USA
1-800-THE UFT
(574) 946-6153
FAX: (574) 940-4570



www.braunilfc.com

April 16, 2008

Mr. David Clawson National Bus Sales 2075 West Main Street Waynesboro, VA 22980 RECEIVED

APR 1 8 2008

DIVISION OF PUBLIC TRANSIT

David:

Following are concerns that need to be presented as "approved equal" items for the State of West Virginia RFQ PTR08023, opening 5/15/08.

Page 23, item 2 General Dimensions — The specification currently requests "width of aisle" to be 14" minimum. The Braun Corporation requests that the clear aisle width be decreased to 10" nominal, due to the inclusion of FMVSS 208 compliant seating with this conversion.

 Page 24, 4 Requirements, item 4.5 – The Braun proposal would reflect the inclusion of 3M vinyl striping/lettering in lieu of a "customized vehicle paint scheme".

Page 26, Brakes, item 13.1 – The OEM braking system would be supplied. Ford
offers power, 4-wheel ABS. Front and rear disc 13.58X1.51 (front) and
13.59X1.35 (rear).

• Page 27, Electrical System, item 16.1 – The Braun Corporation requests approved equal status for the Penntex model PX-220R-51 200 amp – modular mount after market alternator.

Page 28 Body Structure Raised Roof, item 18.1 — Please note that The Braun
Corporation will supply a raised roof system that has been tested to, and passed
the requirements of FMVSS 220. All cross members of the roll cage are welded.
However, the roll cage is lagged to the OEM (Ford) body; not welded.

 Page 28 Body Structure Raised Roof, item 18.5 – The stepwell proposed by The Braun Corporation would be constructed of stainless steel. The construction, however, does not include coved corners.

Page 30 Windows, item 20.4 – Please note that the vehicle would be equipped
with the OEM (Ford) drip rails at all locations except for the after market
passenger and lift entry doors. The drip rail (OEM and after market) are single;
not dual as called by specification.

Page 31 Interior, item 24.1 – The Braun Corporation utilizes the OEM (Ford)
 floor as the attachment surface for the plywood sub-floor. The plywood sub-floor

Encl A 301,0 is attached to the OEM (Ford) floor via structural adhesive held in place by, and working in conjunction with self-tapping screws. It is not "bolted".

Page 31 Interior, item 24.1 – The Braun Corporation requests approved equal status for Rubber Solutions ribbed/smooth transit rubber flooring in lieu of RCA Transit Flooring as called by specification.

- Page 33 Seating, item 25.1- The Braun Corporation requests approved equal status for both Braun Scating Generation 3 seats and Freedman 3PT seats. These seats are compliant with the currently FMVSS 208 standards that apply to this type of raised roof vehicle. The following physical dimensions and construction of each of these seats should be noted: The seat width per passenger is 17" (nominal). Seat cushions would have a minimum of 4" (nominal) padding. The seatback height would range from a 22" (nominal) minimum with the Braun Seating seats to 26" (nominal) with the Freedman seats. Grab bars cannot be provided on fold-away scats due to the tall scat back height, however, they could be provided on bench style seating locations. Seat cushion height from the floor to the top of the seat cushion would be 18", nominal. (Paragraph 2) Under-seat retractable belts are not available with the FMVSS 208 compliant seating that must be used in this conversion. (Paragraph 5) Please note that the aisle width would be 10" (nominal). (Paragraph 5) The seating provided would be in and Enel 日からト compliance with FMVSS 302.
- Page 35 Mirrors, item 27.2 The Braun Corporation proposes use of the OEM (Ford) exterior rearview mirrors with this conversion. The mirrors offer a 6" X 9" reflective surface and have a black matte finish.
- Page 35 Air Conditioning The Braun Corporation proposes use of the AC
  713MAX system in lieu of the 622MAX system. The 713MAX system includes an EM-1 evaporator, CM-2 skirt-mounted condenser, and the auxiliary mounted compressor. It surpasses the 622MAX system by 8,000 BTU/HR.
  - Page 36 Wheelchair Securement System, item 30.4 Please note that the
    Freedman 3-Step Forward Facing Fold Down Double Seat would need to be of
    the 3PT series. In addition, The Braun Corporation requests approved equal
    status for Braun Seating Generation 3 FMVSS 208 compliant seating.
  - Page 38 Wheelchair Lift, item 32.2 It should be noted that the Braun Vista series lift (NVI.917IBI.T-2) would offer clear platform dimensions of 31.5" by 50"; specification currently requests a platform 33" X 48".
  - Page 41 Option F- Child Restraint Seat The Braun Corporation proposes use of the Freedman ICS seat for this option. However, it should be noted that a two-passenger bench style seat with double child restraints is not available from the manufacturer, while remaining compliant with FMVSS. Therefore, we recommend that this option be changed to a single passenger scat with one child restraint.

    Please good specification.
  - Page 42, item 2.2 Warranty of Basic Vehicle Structure The suspension members of the vehicle would be covered by the OEM (Ford) warranty, and under such warranty, we cannot guarantee the defects and repairs would be completed within a certain timeframe. This is an OEM (Ford) chassis warranty, and as such, would be handled by the terms and conditions issued by Ford. Therefore, we would not

be responsible for providing a replacement vehicle or any type of "reimbursement

charge".

Page 43, Subsystems and Components/Basic Body Structure Integrity - This item would be covered under the OPM (Ford) warranty. The OPM (Ford) warranty is limited to a 3 year/36,000 mile period. Not 75,000 miles as requested by End B See

Page 43, Subsystems and Components/All Add On Components - The mileage of this coverage would be limited to 36,000 miles in lieu of the 75,000 miles called

by specification.

Addendum #2, item 10 – We are not in receipt of a "CD containing the logo and striping patterns" for this RFQ. To be fire ded by NBS

David, one other item of concern is optional items H and I. The Braun Corporation has not installed these items to date, and has not has time to fully research their application in the raised roof product. It may or may not come up as an issue as we draw closer to the 5/15/08 bid opening deadline.

Please let me know if you have additional questions regarding these items.

Lor Scott Alexander, Division Manager/Paratransit

## Request for Approved Equals PTR08023

**VENDOR:** National Bus Sales

Part 1

4.0A Approved M-F only Denied

6.0

Part 2

2.1 and 2.3 Approved